OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 1. 1901. VOL. LXII.] WEEK ENDING SATURDAY, JAN. 5. [Price 1½*d.*

General Register Office, Somerset House,
January 7th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 16·1, and 16·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.		Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.
33 Great Towns	16·8	16·1	16·9	17·5	Leicester - -	18·3	17·1	10·7	14·6
Birkenhead -	16·9	22·3	21·4	21·0	Liverpool - -	20·0	19·6	22·4	22·5
Birmingham -	16·5	17·5	18·2	17·4	London - - -	16·5	15·7	16·7	17·9
Blackburn -	12·6	15·6	17·1	18·7	Manchester - -	22·2	18·9	19·4	21·5
Bolton - -	21·3	15·2	14·0	14·7	Newcastle-on-Tyne	17·4	16·2	20·9	15·2
Bradford -	16·3	14·7	15·2	17·2	Norwich - -	8·6	12·3	11·3	11·2
Brighton -	14·3	15·1	13·0	17·9	Nottingham - -	22·1	15·7	17·2	15·3
Bristol - -	16·0	15·2	16·2	14·6	Oldham - -	11·2	17·3	14·3	13·0
Burnley -	12·5	12·5	13·8	13·8	Plymouth - -	16·8	12·8	15·8	17·6
Cardiff - -	12·9	14·5	10·2	13·9	Portsmouth - -	13·6	13·4	13·6	12·0
Croydon -	11·9	13·9	13·1	10·5	Preston - -	11·8	20·6	22·4	16·1
Derby - -	15·0	10·1	16·9	8·6	Salford - - -	17·7	22·2	20·1	20·1
Gateshead -	20·0	15·3	19·5	18·6	Sheffield - -	18·7	18·8	19·2	21·4
Halifax -	12·4	15·5	10·9	18·1	Sunderland - -	18·7	15·2	15·2	17·1
Huddersfield-	16·0	14·0	9·5	12·8	Swansea - -	15·8	17·8	16·3	16·5
Hull - -	19·9	15·3	23·2	15·9	West Ham - -	12·6	11·6	13·9	15·4
Leeds - -	17·5	15·6	18·3	20·3	Wolverhampton -	15·7	14·5	12·2	19·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Blackburn, and 2·3 in Wolverhampton; and from *whooping-cough*, 1·3 in Birkenhead, and 1·5 in Sheffield. In none of the thirty-three towns did the death-rate from *scarlet fever*, from from "*fever*," or from *diarrhœal diseases* reach 1·0 per 1000. The 79 deaths *from diphtheria* included 24 in London, 8 in West Ham, 8 in Sheffield, 7 in Leicester, 5 in Bristol, 4 in Blackburn, 4 in Portsmouth, 3 in Liverpool, and 3 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

On April 1st the area of registration London, will be altered (1) by the addition of the former Urban district of South Hornsey, and (2) by the transference to the districts in which they are locally situated of the detached part of Clerkenwell parish situated at Muswell Hill, and of two small uninhabited areas situated respectively in Croydon and Richmond districts. On the same date such alterations will be made in the boundaries of the registration districts and sub-districts as may be necessary in order to

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

assimilate them with the boundaries of the Metropolitan Boroughs which were created by the London Government Act, 1899 [62 and 63 Vict., ch. 14]. Registration London will thus become co-terminous with the Administrative County of London. For statistical reasons the change, as far as regards the total of London, has been adopted from the beginning of the year.

In LONDON* 2983 BIRTHS and 1593 DEATHS were registered. Allowing for increase of population, the births were 24 above, and the deaths 668, below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·5, 15·7, and 16·7, in the preceding three weeks, further rose last week to 17·8. During the four weeks ending on Saturday last the death-rate averaged 16·7 per 1000, being 6·6 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1593 deaths included 21 from measles, 9 from scarlet fever, 24 from diphtheria, 29 from whooping-cough, 18 from enteric fever, 9 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus 110 deaths were referred to these diseases, being 114 below the corrected average weekly number.

The deaths from *measles*, which had been 20, 26 and 27 in the preceding three weeks, fell again to 21 last week, and were 44 below the corrected average; 3 cases belonged to the Borough of Hammersmith and 3 to that of Bermondsey. The deaths from *scarlet fever*, which had been 8, 4, and 7 in the preceding three weeks, were 9 last week, the corrected average being 21. The deaths from *diphtheria*, which had been 20, 36, and 26 in the preceding three weeks, further fell to 24 last week, and were 28 below the corrected average; 5 cases belonged to Islington, 2 to Westminster, 2 to Fulham, 2 to Stoke Newington, 2 to Bethnal Green, and 2 to Poplar. The deaths from *whooping-cough*, which had been 28, 22, and 31 in the preceding three weeks, were 29 last week, the corrected average being 60. The fatal cases of *enteric fever*, which had been 19, 22, and 22 in the preceding three weeks, fell again last week to 18, but were 5 above the corrected average; 3 cases belonged to Camberwell, 2 to Kensington, 2 to Chelsea, 2 to Hackney, and 2 to Battersea. The deaths from *diarrhœal diseases*, which had been 15, 11, and 9 in the preceding three weeks, were again 9 last week, and were 4 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 349, 306, and 325 in the preceding three weeks, further rose last week to 330, but were 376 below the corrected average. The deaths attributed directly to *influenza* numbered 10, having been 15, 9, and 7 in the preceding three weeks.

Different forms of *violence* caused 90 deaths, concerning all of which inquests were held. Of these 90 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 76 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 5 to burns and scalds, 6 to drowning, and 21 (including 20 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS SICKNESS IN HOSPITALS.†

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2390 cases of scarlet fever, 1266 of diphtheria, and 374 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 163 cases, against 255, 218, and 167; of diphtheria, 137 cases, against 173, 152, and 140; and of enteric fever, 47 cases, against 58, 52, and 41.

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

† The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Deaths of Persons belonging to London and its Sanitary Areas, Registered in the 13 weeks ending 29th December, 1900.

Sanitary Areas.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple and ill-defined Fever.	Diarrhœa.			
REGISTRATION LONDON	18,333	1	242	110	402	290	1	263	-	409	1,770	4,669	154
West.													
Paddington	455	-	1	2	7	7	-	6	-	5	36	98	145
Kensington	640	-	-	2	11	18	-	6	-	17	61	170	214
Hammersmith	374	-	6	4	6	2	-	11	-	12	37	91	135
Fulham	538	-	7	9	20	9	-	2	-	17	52	173	155
Chelsea	365	-	1	1	3	8	-	7	-	12	46	73	150
St. George Hanover Square	259	-	-	-	4	1	1	4	-	4	27	41	136
St. Margt & St. John Westr.	233	-	-	-	-	-	-	2	-	5	23	48	172
St. James Westminster	70	-	-	-	-	-	-	3	-	1	8	15	176
North.													
St. Marylebone	568	-	-	5	10	16	-	6	-	5	60	111	119
Hampstead	219	-	1	1	12	4	-	6	-	4	19	42	129
St. Pancras	980	-	7	3	15	18	-	22	-	24	105	237	158
Islington	1,290	1	5	4	32	35	-	18	-	30	121	310	148
Stoke Newington	93	-	1	-	11	1	-	1	-	1	11	16	89
Hackney	817	-	9	1	13	3	-	16	-	12	64	216	147
Central.													
St. Giles	144	-	1	4	3	3	-	-	-	3	24	22	94
St. Martin-in-the-Fields	36	-	-	-	-	-	-	2	-	2	6	6	188
Strand	97	-	-	1	-	1	-	2	-	3	22	12	128
Holborn	161	-	-	1	-	1	-	1	-	2	18	34	190
Clerkenwell	290	-	2	1	1	3	-	2	-	6	34	66	143
St. Luke	231	-	9	-	2	2	-	3	-	4	25	51	121
City of London	106	-	-	2	1	-	-	1	-	1	15	12	110
East.													
Shoreditch	613	-	26	2	16	6	-	8	-	14	49	174	178
Bethnal Green	622	-	5	3	10	3	-	9	-	19	57	184	177
Whitechapel	324	-	1	3	4	-	-	3	-	6	33	82	129
St. George-in-the-East	267	-	-	1	4	6	-	2	-	4	25	78	156
Limehouse	319	-	18	4	6	5	-	4	-	9	34	79	178
Mile End Old Town	463	-	2	2	16	4	-	8	-	10	36	137	139
Poplar	887	-	10	5	45	8	-	11	-	20	77	259	183
South.													
St. Saviour	140	-	5	-	3	2	-	3	-	6	15	33	223
St. Geo.-the-Martyr Southwk.	355	-	15	3	4	9	-	10	-	11	45	99	198
Newington	640	-	10	6	15	16	-	11	-	13	68	189	192
St. Olave	47	-	-	-	1	1	-	-	-	-	6	10	116
Bermondsey	464	-	30	1	15	6	-	3	-	12	45	138	189
Rotherhithe	190	-	1	1	7	7	-	4	-	5	11	62	221
Lambeth	1,181	-	3	10	12	26	-	18	-	21	111	300	142
Battersea	634	-	18	4	11	16	-	6	-	10	61	182	155
Wandsworth	712	-	7	8	12	12	-	9	-	16	57	187	143
Camberwell	960	-	8	6	40	19	-	14	-	22	93	245	144
Greenwich	717	-	18	6	14	6	-	7	-	20	66	190	150
Lee	143	-	1	-	4	1	-	1	-	4	7	36	145
Lewisham (excluding Penge)	313	-	11	1	7	2	-	6	-	10	25	74	111
Woolwich	155	-	1	1	2	1	-	1	-	4	14	37	137
Plumstead	221	-	2	2	3	2	-	4	-	3	21	50	104

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 419 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 560 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Greater London.

In Greater London 4304 births and 2141 deaths were registered, corresponding to annual rates of 33·1 and 16·5 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 4 from scarlet fever, 21 from diphtheria, 19 from whooping-cough, 5 from "fever," and 4 from diarrhœal diseases were registered. Three deaths from scarlet fever, 13 from diphtheria, and 8 from whooping-cough, belonged to West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 37°·8; the latter being 0°·6 below the week's average in the 50 years 1841–90. The direction of the wind was variable the horizontal movement of the air being 30 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 1·7 hours; the measured rainfall amounted to 0·56 of an inch.

Analysis of Metropolitan Water Supply during December, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
January 5, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of December.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
		°								
Thames.										
Chelsea - - -	December 10th. Cab Rank, Horse Guards, Whitehall.	10·4	30·08	·109	·017	0	·237	·254	2·0	20·3
West Middlesex -	December 10th. Cab Rank, Holland Park, Uxbridge Road.	9·1	29·52	·148	·023	0	·230	·253	2·0	20·6
Southwark - - -	December 10th. Cab Rank, St. George's Church, Borough.	10·0	30·76	·136	·021	0	·243	·264	2·0	20·9
Grand Junction -	December 10th. Cab Rank, Piccadilly, opposite Bolton Street.	9·1	31·20	·167	·025	0	·266	·291	2·0	20·9
Lambeth - - -	December 10th. Cab Rank, Manor Place, Walworth Road.	8·7	31·12	·170	·024	0	·283	·307	2·1	20·9
Lea.										
New River - -	December 10th. Cab Rank, Bayham Street, Camden Road.	9·4	35·00	·051	·008	0	·293	·301	1·8	23·0
East London - -	December 10th. Public Baths, St. George's-in-the East.	10·4	34·04	·177	·023	0	·447	·470	2·1	22·4
Deep Well.										
Kent - - - -	December 11th. Cab Rank, Jerningham Road, New Cross.	10·3	38·08	·037	·007	0	·440	·447	2·1	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 10th December at the Horse-Guards cab rank, had a temperature of 10·4° C.; 100,000 lbs. of it contained 30·08 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·109 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained no ammonia and ·237 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·254 lb. The above weight of water also contained 2·0 lbs. of chlorine and 20·3 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Eleven samples of each Companies' supply were examined, making a total of 88 samples for the month.

The samples collected on December 10th and 11th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·7, New River 1·0, Chelsea 2·1, Southwark 2·7, West Middlesex 2·9, Grand Junction and Lambeth 3·3, and East London 3·4.

The supplies of the Thames Companies, with the exception of that of the Chelsea Company, contained slightly more organic matter than was found in the November examination, but the amounts were, in all cases, moderate for this season of the year. The waters were of good chemical quality and clear.

Of the supplies chiefly derived from the River Lea, that of the East London Company was clear and of similar chemical quality to the Thames Companies' waters, and that of the New River Company, again, contained but little organic matter, and was of very good chemical quality and clear.

The Kent Company's deep-well water was, as usual, clear, and of high organic purity.

Seen through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless, and the supplies of the remaining Companies were very pale yellow in colour.

In addition to the above full analytical examination, 88 samples, collected during the month of December at various places throughout the districts supplied by the respective Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any, (indication of inefficiency of filtration or of disturbance in the mains) has been also recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
Chelsea	·087	·064	·074	·098	·069	·081	·009	·008	·009
West Middlesex	·087	·066	·078	·098	·073	·086	·010	·007	·008
Southwark	·105	·057	·082	·132	·071	·094	·010	·007	·009
Grand Junction	·116	·069	·086	·129	·078	·102	·010	·008	·009
Lambeth	·111	·068	·093	·124	·079	·104	·011	·007	·009
New River	·025	·014	·021	·029	·018	·024	·004	·002	·003
East London	·088	·048	·064	·097	·051	·069	·008	·007	·007
Kent	·005	·001	·003	·007	·004	·005	·003	·001	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

The records of these tri-weekly examinations show that the organic matter in the Thames-derived water has been, on the average, increasing since the end of October. The Chelsea and West Middlesex Companies' waters exhibit the least increments and fewer fluctuations than the supplies of the other Companies.

The New River Company's supply has practically maintained its summer quality to the end of the year. The organic matter in the East London Company's water during the past month was, on the average, less than that found in the Thames waters.

The change of season makes no difference in the quality of the Kent Company's water.

All the samples taken from the mains of the Chelsea, West Middlesex, Southwark, New River and Kent Companies were clear. One sample of each of the Grand Junction and East London Companies', and two samples of the Lambeth Company's water contained a few particles of iron rust. The sample of the Lambeth Company's water taken from the drinking fountain in Gresham Road, Brixton, on the 17th December, was very faintly opalescent, and in addition to a minute trace of suspended inorganic matter contained a few infusoria.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of December, 1900. The supply was in the ratio of 216 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	December, 1899.	December, 1900.	December, 1899.	December, 1900.
Total Supply - - -	894,595	916,070	200,251,414	198,170,921
From Thames - - - - - -	427,760	436,384	105,361,497	105,912,749
From Lea and from other Sources -	466,835	479,686	94,889,917	92,258,172
Thames.				
Chelsea - - - - - - -	38,446	39,037	11,836,928	12,316,267
West Middlesex - - - - - -	84,960	86,343	20,132,819	20,463,942
Southwark and Vauxhall - -	123,523	124,770	30,435,447	29,882,887
Grand Junction - - - - - -	65,620	67,498	18,868,700	18,826,666
Lambeth - - - - - - -	115,211	118,736	24,087,603	24,422,987
Lea and other Sources				
New River - - - - - - -	168,684	171,740	36,173,192	36,813,598
East London - - - - - -	204,778	210,935	41,984,557	38,341,571
Kent - - - - - - - -	93,373	97,011	16,732,168	17,103,003

Note.—The Return for December, 1900, as compared with that for the corresponding month of 1899 shows an increase of 21,475 services and a decrease of 2,080,493 gallons of water supplied daily.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ending 5th Jan. 1901. Births.	Registered during the Week ending 5th Jan. 1901. Deaths.	The Deaths registered in the week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature Fahrenheit. Highest.	Temperature Fahrenheit. Lowest.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,789,099**	**7329**	**3964**	**871**	**1033**	**-**	**56**	**33**	**79**	**71**	**47**	**37**	**201**	**435**	**896**	**49**	**17·5**	**1·4**	**52·5**	**18·3**	**38·2**	**3·44**	**1·06**	**2·69**	**33 Towns.**
London - -	4,651,113	2983	1593	361	434	-	21	9	24	29	18	9	90	212	469	11	17·9	1·2	51·6	24·1	37·8	3·22	0·56	1·42	London.
West Ham - -	329,377	200	97	25	26	-	-	3	8	1	2	1	3	7	20	1	15·4	2·4	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	73	27	8	9	-	2	-	1	-	-	-	-	-	4	-	10·5	1·2	50·0	18·3	37·0	2·78	0·67	1·71	Croydon.
Brighton - -	125,077	47	43	8	17	-	-	-	2	-	2	1	2	4	12	-	17·9	2·1	-	-	-	-	-	-	Brighton.
Portsmouth -	199,262	107	46	7	11	-	1	-	4	-	2	-	-	4	10	-	12·0	1·8	52·5	30·5	39·0	3·89	0·82	2·08	Portsmouth.
Plymouth - -	103,708	63	35	5	14	-	-	-	-	-	1	1	-	2	2	-	17·6	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	207	92	16	24	-	-	-	5	2	-	1	5	8	12	1	14·6	1·3	48·7	24·8	36·2	2·33	2·97	7·54	Bristol.
Cardiff - -	203,050	116	54	17	13	-	-	-	1	-	-	-	2	4	5	1	13·9	0·3	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	78	34	8	5	-	-	1	-	-	1	1	-	-	2	-	16·5	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	77	33	7	7	-	4	-	-	-	-	1	2	3	5	1	19·0	2·9	-	-	-	-	-	-	Wolverhampton.
Birmingham -	524,307	371	175	38	44	-	2	-	-	2	6	-	12	18	31	2	17·4	1·0	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	66	25	8	5	-	-	-	1	-	-	1	-	-	3	-	11·2	0·9	47·0	25·8	38·3	3·50	1·32	3·35	Norwich.
Leicester - -	224,619	135	63	19	13	-	-	-	7	-	1	-	2	6	10	1	14·6	1·9	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	122	72	24	15	-	1	1	1	2	1	2	4	10	11	-	15·3	1·9	44·7	26·4	35·9	2·17	1·78	4·52	Nottingham.
Derby - - -	109,605	50	18	3	7	-	-	-	-	-	1	1	3	5	4	-	8·6	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	73	48	10	13	-	-	-	-	3	-	-	2	5	6	1	21·0	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool - -	635,348	473	274	43	66	-	10	3	3	4	3	5	16	20	72	10	22·5	2·3	46·6	30·1	39·5	4·17	0·44	1·12	Liverpool.
Bolton - -	166,284	68	47	9	15	-	2	-	-	-	-	-	6	8	10	-	14·7	0·6	-	-	-	-	-	-	Bolton.
Manchester -	553,677	334	228	43	47	-	2	3	2	4	3	3	12	28	69	3	21·5	1·6	-	-	-	-	-	-	Manchester.
Salford - -	223,418	115	86	15	13	-	-	4	3	1	2	1	4	8	12	1	20·1	2·6	-	-	-	-	-	-	Salford.
Oldham - -	155,865	75	39	14	6	-	1	1	-	1	-	2	-	2	5	-	13·0	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	73	32	3	7	-	-	-	-	-	-	1	1	2	4	1	13·8	0·4	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	68	50	7	14	-	3	2	4	1	-	-	3	4	8	2	18·7	3·7	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	77	37	11	9	-	-	2	1	1	-	-	3	3	5	3	16·1	1·7	48·0	33·0	41·7	5·39	0·50	1·27	Preston.
Huddersfield -	105,514	51	26	4	8	-	-	-	-	-	-	-	-	-	4	-	12·8	-	46·8	30·0	38·7	3·72	0·74	1·88	Huddersfield.
Halifax - -	106,873	46	37	8	14	-	-	-	-	-	1	-	1	1	5	-	18·1	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	141	97	19	32	-	1	1	1	1	1	1	1	9	16	-	17·2	1·1	48·0	31·0	40·0	4·44	0·94	2·39	Bradford.
Leeds - - -	438,814	274	171	30	47	-	5	2	2	3	1	1	9	27	28	-	20·3	1·7	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	282	152	44	29	-	-	-	8	11	1	1	10	18	20	3	21·4	3·0	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	165	74	19	27	-	-	-	1	1	-	-	2	4	9	3	15·9	0·4	46·0	27·0	36·0	2·22	0·97	2·46	Hull.
Sunderland -	149,205	112	49	13	10	-	-	1	-	1	-	1	-	3	6	-	17·1	1·0	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	87	40	10	8	-	-	-	-	1	-	2	3	2	5	3	18·6	1·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	120	70	15	24	-	1	-	-	1	-	-	3	8	12	1	15·2	0·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—**Births and Deaths** Registered in the First Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
Total **Births**	2817	2911	2577	2486	3085	2735	2717	3001	2893	2792	2959·2	2983
Males - -	1420	1479	1311	1306	1569	1425	1359	1509	1437	1400	1501·6	1482
Females - -	1397	1432	1266	1180	1516	1310	1358	1492	1456	1392	1457·6	1501
Total **Deaths** -	2505	2679	2509	2038	1462	1707	1580	1990	1666	3266	2260·8	1593
Males - -	1221	1248	1221	1001	751	899	803	973	882	1542	1113·5	801
Females - -	1284	1431	1288	1037	711	808	777	1017	784	1724	1147·3	792

*The numbers in this column are the average weekly numbers in the first week of the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.
Total **Births** - - -	2429	2485	2238	2392	2500	2223	2538	2338	2299	2527	2436	1591	2983
Total **Deaths** - - -	1305	1392	1403	1466	1498	1505	1515	1572	1544	1454	1382	1466	1593
Ages at Death: Under 1 year - -	327	356	352	351	347	369	361	397	400	374	346	346	361
1—5 years - -	149	149	143	148	173	172	158	200	187	153	174	182	165
5—20 " - -	72	87	100	102	81	90	87	83	77	86	78	78	64
20—40 " - -	179	186	187	190	209	217	209	205	164	183	180	212	210
40—60 " - -	256	279	266	304	311	311	295	298	327	302	296	275	359
60—80 " - -	261	270	288	302	309	283	325	322	318	274	245	307	335
80 years and upwards	61	65	67	69	68	63	80	67	71	82	63	66	99
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles - - - - -	11	8	20	10	22	18	21	33	23	20	26	27	21
Scarlet Fever - - -	7	8	10	8	8	8	11	6	11	8	4	7	9
Diphtheria - - - -	26	36	39	42	35	32	22	29	34	20	36	26	24
Whooping-cough - - -	27	20	18	13	16	15	27	21	34	28	22	31	29
Typhus - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever - - -	22	19	22	20	25	17	26	24	21	19	22	22	18
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	75	55	43	27	23	18	8	12	13	15	10	9	9
Cholera - - - -	-	-	-	1	-	-	1	-	1	-	1	-	-
All the above Diseases -	168	146	152	121	129	108	116	127	137	110	121	122	110
Dis. of Respiratory System -	173	182	236	268	307	352	322	435	400	349	306	325	330
Phthisis - - - - -	125	141	141	152	137	150	134	158	150	135	121	146	164
Dis. of Circulatory System -	129	144	140	148	137	140	145	122	137	125	117	137	154
Violence - - - -	60	59	62	70	71	73	51	65	61	64	67	64	90
Inquest Cases - - - -	120	137	141	149	159	157	138	159	141	145	135	160	212
Deaths in Public Institutions -	428	476	447	467	490	469	470	483	459	456	445	431	469
Temperature of the Air.													
Mean - - - - -	55·3°	48·1°	47·2°	52·7°	48·8°	45·0°	42·4°	44·9°	47·4°	48·4°	44·5°	42·7°	37·8°
Mean of Highest readings -	63·7	53·9	53·0	57·8	53·6	51·1	46·2	48·1	52·0	52·3	49·3	47·6	41·7
Mean of Lowest readings -	46·6	42·4	40·8	48·5	44·4	38·4	37·7	41·4	42·4	42·9	38·6	38·4	33·1
Humidity of the Air - -	78	75	84	88	83	91	85	88	89	88	87	91	94
Rain-fall (in inches) - -	0·03	0·05	0·30	0·92	0·41	0·81	0·09	0·66	0·77	0·21	0·38	0·30	0·56
Registered Sunshine (in hours)	34·8	21·3	14·0	13·2	18·8	6·0	6·4	7·9	3·1	7·2	23·4	4·6	1·7
Cases of Infectious Sickness in Hospitals* at the end of each Week.													
Small-pox - - - - -	1	1	1	1	-	-	2	2	1	1	1	1	1
Scarlet Fever - - - -	2187	2341	2489	2619	2702	2728	2725	2727	2687	2617	2477	2535	2390
Diphtheria - - - -	1314	1380	1465	1472	1521	1556	1535	1537	1515	1474	1514	1356	1266
Enteric Fever - - - -	405	430	429	444	456	454	442	436	433	425	409	403	374

* The Metropolitan Asylum and London Fever Hospitals.

Meteorological Observations.—(*See* Table **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIRST Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 1st Week of the 10 years 1891–1900*.	In the Week ending Saturday, 5th January, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	2260·8	1593	361	165	64	210	359	335	99
all-pox { Vaccinated† -	-	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
asles - - - -	65·3	21	7	14	-	-	-	-	-
arlet Fever - - -	20·9	9	-	5	4	-	-	-	-
hus - - - -	-	-	-	-	-	-	-	-	-
ipsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	63·4	10	2	1	-	1	3	3	-
ooping-cough - -	60·1	29	10	19	-	-	-	-	-
htheria - -	51·9	24	2	18	3	1	-	-	-
ple Continued and Ill-defined Fever -	0·1	-	-	-	-	-	-	-	-
eric Fever - - -	12·6	18	-	-	4	7	7	-	-
lera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	12·7	9	4	-	-	-	1	3	1
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	0·1	-	-	-	-	-	-	-	-
nders - - - -	0·1	-	-	-	-	-	-	-	-
ypox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-
ereal Affections - -	9·1	7	6	-	-	-	1	-	-
sipelas - - -	5·7	7	1	-	-	1	1	4	-
emia and Septicæmia	2·6	2	1	-	-	1	-	-	-
rperal Fever - -	5·5	7	-	-	-	6	1	-	-
er Zymotic Diseases	2·0	-	-	-	-	-	-	-	-
ush - - - -	0·6	1	1	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
rvation, Want of Breast-milk - -	2·0	2	2	-	-	-	-	-	-
oholism - - -	18·4	26	-	-	-	7	13	6	-
eumatic Fever, Rheumatism of Heart	9·3	4	-	-	-	2	2	-	-
eumatism - - -	2·9	3	-	-	-	-	-	3	-
nt - - - - -	3·5	2	-	-	-	-	-	1	1
kets - - - -	4·9	6	2	4	-	-	-	-	-
ncer - - - -	73·7	74	1	-	1	3	28	39	2
bes Mesenterica - -	15·8	14	7	4	-	2	1	-	-
bercular Meningitis -	22·7	22	11	10	-	-	1	-	-
thisis - - - -	188·0	164	1	2	12	71	58	16	4
ofula, Tuberculosis -	17·9	16	1	5	5	3	2	-	-
her Constitutional Diseases - -	16·8	11	3	1	-	-	5	2	-
maturе Birth - -	59·5	59	59	-	-	-	-	-	-
electasis - - -	5·1	4	4	-	-	-	-	-	-
ngenital Malformations - - -	9·4	8	7	-	-	1	-	-	-
l Age - - - -	71·2	68	-	-	-	-	-	28	40
oplexy - - -	55·2	49	-	-	1	1	20	22	5
ilepsy - - - -	6·9	10	-	1	-	3	4	2	-
nvulsions - - -	37·6	38	36	2	-	-	-	-	-
her Diseases of Brain and Nervous System	95·4	73	8	10	4	8	19	20	4
eases of Organs of Special Sense -	3·6	2	1	-	1	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 1st Week of the 10 years 1891–1900*.	In the Week ending Saturday, 5th January, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	199·5	154	1	1	7	31	47	58	9
Croup - - - -	5·0	1	-	1	-	-	-	-	-
Bronchitis - - -	448·2	162	46	23	2	3	25	45	18
Pneumonia - - -	190·6	136	39	26	6	10	30	23	2
Pleurisy - - - -	8·5	6	-	1	-	-	2	3	-
Other Diseases of Respiratory System -	53·5	25	5	1	1	2	9	4	3
Dentition - - - -	7·7	6	4	2	-	-	-	-	-
Quinsy, Sore Throat -	1·6	5	4	-	1	-	-	-	-
Enteritis - - -	14·6	13	4	2	-	1	2	4	-
Gastro-enteritis -		5	2	2	-	-	-	-	1
Peritonitis - - -	7·5	6	-	-	-	3	3	-	-
Diseases of Liver - -	26·2	27	3	-	1	3	15	5	-
Other Diseases of Digestive System	36·2	37	10	-	1	7	8	8	3
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	3	-	-	1	-	1	1	-
Diseases of Urinary System - - -	52·6	53	1	3	4	6	21	16	2
Diseases of Generative System - - -	4·8	5	-	-	1	-	3	1	-
Accidents of Childbirth-	6·1	7	-	-	-	6	1	-	-
Diseases of Locomotive System - - -	6·2	5	1	-	1	-	3	-	-
Diseases of Integumentary System- -	7·0	9	1	1	-	-	2	4	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·6	-	-	-	-	-	-	-	-
By Vehicles or Horses -	6·3	4	-	2	-	1	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·2	2	-	-	-	-	1	1	-
In Building Operations -	0·3	1	-	-	-	-	1	-	-
In Conflagrations -	1·4	1	-	-	-	-	1	-	-
By Burns, Scalds, Explosions - -	12·9	5	-	2	2	1	-	-	-
By Drowning - - -	5·3	6	-	-	1	3	1	1	-
By Suffocation in Bed -	20·2	21	20	1	-	-	-	-	-
By Poison or Poisonous Vapours - -	2·2	3	-	-	-	2	-	1	-
Other or not stated causes - - - -	26·4	33	5	1	-	7	9	8	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·5	2	1	-	-	1	-	-	-
Suicide - - - -	10·2	12	-	-	-	4	5	3	-
Execution - - -	0·3	-	-	-	-	-	-	-	-
OTHER CAUSES - -	60·3	39	37	-	-	1	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

ABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 5th January, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON - - -	4,411,710	2983	1593	361	434	-	21	9	24	29	-	18	-	9	90	212	469	11
WEST DISTRICTS - - -	778,251	447	289	65	87	-	4	2	3	7	-	4	-	2	11	27	88	-
NORTH DISTRICTS - - -	1,040,694	619	312	54	94	-	1	2	9	7	-	5	-	-	10	36	91	-
CENTRAL DISTRICTS - - -	233,635	170	105	25	21	-	-	-	1	1	-	-	-	2	9	23	33	1
EAST DISTRICTS - - -	716,334	589	276	73	62	-	4	-	2	3	-	2	-	2	24	54	94	-
SOUTH DISTRICTS - - -	1,642,796	1158	574	144	154	-	12	5	9	11	-	7	-	3	36	72	126	10
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	37	-	16	-	-	-	-	-	-	-	-	-	-	-	37	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	54	41	7	14	-	-	-	-	-	-	-	-	1	3	8	9	-
St. John Paddington *H* - - G.	33,510	10	12	3	3	-	-	-	-	-	-	-	-	-	-	1	5	-
Kensington Town *Ww* - - W.	122,164	61	48	11	20	-	-	-	-	1	-	-	-	-	1	4	19	-
Brompton *HH* - - - W. & C.	48,301	12	10	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
North Hammersmith *H* W. & G	44,638	38	18	8	2	-	3	-	-	-	-	-	-	-	1	1	1	-
South Hammersmith *wH* W. & G	59,561	32	14	2	5	-	-	-	-	-	-	1	-	-	2	2	4	-
North-west Fulham *W* W. & C.	113,781	52	13	4	4	-	1	-	-	2	-	-	-	-	-	1	4	-
North-east Fulham *w* W. & C.		25	13	4	2	-	-	2	2	1	-	1	-	-	-	-	5	-
South Fulham W. & C.		36	17	9	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Chelsea Kensal Town - C.	21,450	13	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	26	25	4	11	-	-	-	-	2	-	2	-	-	-	3	7	-
Chelsea South *HH* - - C.	33,139	13	13	3	3	-	-	-	-	-	-	-	-	-	1	1	1	-
May Fair *WH* - - - - G.	23,827	2	8	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Belgrave *WHHH* - - - C.	56,140	32	22	5	3	-	-	-	-	1	-	-	-	-	1	2	14	-
St. John Westminster *HH* C.	31,492	20	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *E* C.	22,097	7	13	1	3	-	-	-	1	-	-	-	-	-	1	1	8	-
St. James Westminster *WH* N. & G.	23,050	11	8	2	3	-	-	-	-	-	-	-	-	-	1	1	2	-
St. Anne Soho *HHHHH* - N.	12,048	3	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	10	15	1	6	-	-	-	-	-	-	-	-	-	1	1	11	-
Rectory Marylebone *W* G. & W.		12	3	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.		30	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone‡ *H* - W		24	7	4	1	-	-	-	-	1	-	-	-	-	1	3	-	-
St. John Marylebone‡ *HHH* - W		13	9	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Hampstead *WwHHHH* - N. & W.	75,449	29	17	4	2	-	-	2	1	-	-	2	-	-	-	2	5	-
Regent's Park *HH* - W.	51,403	21	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	13	17	4	6	-	-	-	-	-	-	-	-	-	-	-	9	-
Gray's Inn Lane *HHHH* - N.	29,426	19	10	1	1	-	-	-	-	-	-	-	-	-	2	4	3	-
Somers Town *HH* - - - N.	32,161	14	10	2	1	-	-	-	-	3	-	1	-	-	-	1	2	-
Camden Town *WH* - - N.	40,155	24	18	1	5	-	-	-	-	-	-	1	-	-	1	3	6	-
Kentish Town *WW* - - N.	60,862	39	24	1	10	-	1	-	-	-	-	-	-	-	1	2	13	-
Upper Holloway *WWWWwHH* - - N.	98,273	70	35	2	13	-	-	-	1	-	-	-	-	-	1	2	21	-
Lower Holloway - - - N.	41,805	30	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnsbury - - - - N.	56,384	34	11	4	5	-	-	-	1	2	-	-	-	-	-	-	-	-
Islington South-east *H* - N.	75,725	49	26	6	4	-	-	-	2	-	-	-	-	-	1	3	1	-
Highbury *HH* - - - N.	64,577	29	18	2	7	-	-	-	-	1	-	-	-	-	1	3	1	-
Stoke Newington *H* - - N.	33,485	13	9	1	5	-	-	-	1	-	-	-	-	-	-	1	-	-
Hornsey (part of) - - -	*16,892*†	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	21	15	3	4	-	-	-	-	-	-	1	-	-	-	4	-	-
Central Hackney *ww* - E. & N.		32	12	2	3	-	-	-	3	-	-	-	-	-	-	-	3	-
South-west Hackney *HHH* E. & N.		48	16	5	3	-	-	-	-	-	-	-	-	-	-	1	2	-
South-east Hackney *WwH* E. & N.		37	22	4	5	-	-	-	-	-	-	-	-	-	-	2	12	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note * on second page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 5th January, 1901—*continued.*

ISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
sbury and St. Giles } - N.	29,086	31	9	1	3	-	-	-	-	-	-	-	-	-	-	2	1	-
th *WH* - -																		
les North *H* - - - N.	9,151	11	6	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
rtin-in-the-Fields *HH* N. & C.	13,077	3	8	-	3	-	-	-	-	-	-	-	-	-	1	1	5	-
l *WHH* - - - - N.	11,839	6	11	-	2	-	-	-	-	-	-	-	-	-	-	2	7	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *WwHHHHH* - N.	31,042	12	13	4	2	-	-	-	1	-	-	-	-	-	-	1	5	-
nes Clerkenwell - - N.	15,777	14	6	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
ell Clerkenwell - - N.	34,356	27	8	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-
ell-street - - - - N.	16,069	9	3	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-
oad *HHHHL* - - N.	29,897	37	18	8	3	-	-	-	-	1	-	-	-	1	3	4	4	-
ury - - - - - N.	11,630	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *Union Workhouse,* } *ham* - - - - }	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tolph *H* - - N. & E.	13,061	4	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
pulchre *WH* - - - N.	9,591	2	13	1	1	-	-	-	-	-	-	-	-	-	3	5	9	1
lows Barking - - N.	9,059	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
f London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	11	5	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
on New Town *w* - - N.	29,575	18	13	2	8	-	-	-	-	-	-	-	-	2	-	2	6	-
on Old Town - - - N.	27,645	18	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
erston *WH* - - N. & E.	47,163	49	21	3	4	-	-	-	2	1	-	-	-	-	2	4	14	-
al Green North *H* - E.	49,301	50	21	11	3	-	1	-	-	1	-	-	-	-	-	1	-	-
al Green South - - E.	34,194	37	14	4	3	-	1	-	-	-	-	-	-	-	2	3	-	-
al Green East *WWHl* - E.	45,667	37	20	2	7	-	-	-	-	-	-	-	-	-	1	2	14	-
fields - - - E. & N.	26,681	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *WH* - E.	} 51,995 {	26	35	6	5	-	1	-	-	-	-	1	-	-	6	9	32	-
man's Fields - - - E.		12	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	39,576	37	14	6	1	-	1	-	-	1	-	-	-	-	1	2	-	-
hn, St. George East *W* E.	7 930	2	5	1	3	-	-	-	-	-	-	-	-	-	1	1	2	-
well *H* - - - E. & N.	10,434	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
iff *W* - - - - E.	14,954	10	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
house - - - - - E.	32,917	26	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town West *H* E.	} 111,060 {	61	12	3	3	-	-	-	-	-	-	-	-	-	1	4	1	-
End Old Town East } *Vww* - E.		28	21	4	9	-	-	-	-	-	-	-	-	-	5	6	7	-
l - - - - - E.	41,687	38	15	5	4	-	-	-	-	-	-	1	-	-	-	4	-	-
ley *wwwH* - - - E.	69,821	64	38	10	6	-	-	-	-	-	-	-	-	-	4	11	15	-
ar *WW* - - - - E.	57,759	39	17	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASI SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 5th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	7	3	1	-	-	1	-	-	-	-	-	-	-	2	2	-
Kent-road - - - - S. & L.	22,879	17	11	3	2	-	-	-	-	-	-	-	-	-	-	2	-
Borough-road *WH* - S. & L.	16,083	11	5	-	2	-	-	-	1	-	-	-	-	-	1	2	1
London-road *HL* - - L. & S.	21,316	14	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Trinity Newington *H* - S. & L.	28,723	24	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	59	17	5	4	-	-	-	1	-	-	-	-	-	1	3	1
St. Mary Newington- - L. & S.	30,171	19	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	8	9	1	2	-	-	-	-	1	-	-	-	-	1	1	6
Bermondsey *W* - - - S.	85,475	68	25	10	7	-	2	-	-	-	-	-	-	-	4	9	1
Rotherhithe *Ww* - S. & K.	40,379	22	30	9	5	-	-	-	-	1	-	-	-	-	2	5	10
Waterloo-road *HH* - L. & S.	28,396	32	6	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Lambeth Church 1st *H* - L. & S.	18,770	10	15	3	1	-	-	-	-	-	-	-	-	-	2	3	10
Lambeth Church 2nd *WW* L. & S.	40,994	44	21	1	9	-	-	-	-	-	-	-	-	-	1	3	12
Kennington 1st *H* - - S. & L.	52,486	40	16	7	2	-	-	-	-	-	-	-	-	-	-	1	-
Kennington 2nd - - S. & L.	43,244	21	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Brixton *w* - - - L. & S.	81,825	34	26	8	9	-	1	1	1	-	-	-	-	-	1	2	2
Norwood *WH* - - - - L.	29,318	15	10	1	6	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	47	15	4	2	-	-	-	-	1	-	1	-	-	-	3	-
North-west Battersea - - S.	93,385	38	13	3	4	-	1	-	-	-	-	-	-	-	2	4	-
South-west Battersea *WwH* - S.		21	25	5	9	-	-	-	-	-	-	-	-	-	1	1	14
Clapham *H* - - - - S.	46,953	25	13	1	3	-	-	-	-	2	-	-	-	-	2	2	-
Streatham *Wwwwwl* - - L.	61,644	51	26	5	14	-	-	-	1	-	-	1	-	-	-	1	5
Wandsworth *WHHL* - - S.	58,101	59	13	4	4	-	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - - - S.	20,566	9	7	-	1	-	-	-	-	-	-	1	-	-	1	1	-
Dulwich - - - L. & S.	7,519	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	59	49	7	16	-	-	1	-	-	-	-	-	-	1	1	24
Peckham *WW* - S., L., & K.	88,242	65	25	11	4	-	2	-	-	2	-	-	-	-	-	1	1
St. George Camberwell - L. & S.	67,029	48	14	3	5	-	-	-	-	1	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	42	12	3	1	-	1	-	-	-	-	-	-	-	1	1	-
Deptford Central *w* - - K.	45,441	33	14	4	1	-	1	1	2	1	-	-	-	-	1	1	4
Deptford South - - - K.	33,402	10	8	3	5	-	-	-	-	-	-	-	-	3	1	1	-
Greenwich West *H* - - K.	23,012	21	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	30	27	6	6	-	2	-	-	1	-	-	-	-	3	5	12
Eltham *wH* - - - - K.	5,911	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	15	8	2	4	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	33	22	5	3	-	1	1	1	-	-	3	-	-	1	2	9
Sydenham *H* - - - - L.	37,601	19	10	3	2	-	-	-	-	-	-	1	-	-	2	2	-
Charlton *wHH* - - - K.	15,928	14	8	1	2	-	-	1	1	1	-	-	-	-	-	-	4
Woolwich *HHHH* - - K.	41,314	23	11	6	2	-	-	-	-	-	-	-	-	-	2	3	-
Plumstead West *H* - - K.	16,714	7	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	31	14	4	4	-	-	-	-	-	-	-	-	-	2	4	9
Banstead Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7
Cane Hill Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Hanwell Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5
Claybury Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 5th January, 1901.

Index Number	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON—OUTER RING -	368,581	1,405,489	1321	548	146	168	-	13	4	21	19	5	4	18	41	84	2
1	Carshalton *H* - - -	12,228	26,108	18	9	2	2	-	2	-	-	-	-	1	-	1	1	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	5	3	1	-	-	-	-	-	-	-	-	-	2	1
1	Godstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	86	35	8	11	-	3	-	2	-	-	-	1	2	5	-
2	Mitcham *w* - - -	11,697	23,072	16	6	1	2	-	-	-	-	-	-	-	-	1	-	-
1	Wimbledon *HHH* - -	3,220	25,777	25	19	6	8	-	1	-	-	-	-	-	-	2	1	-
2	Kingston *WH* - - -	14,672	33,566	23	11	1	6	-	-	-	-	-	1	-	-	-	6	-
3	Surbiton *HH* - - -		12,178	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	6	6	1	4	-	-	-	-	-	-	-	-	1	1	-
5	Hampton *HL* - - -	4,565	18,252	15	2	1	-	-	-	-	-	-	-	-	1	1	-	-
1	Richmond *WHH* - -	2,160	25,389	19	13	4	6	-	-	-	-	-	-	-	1	1	1	-
2	Mortlake *H* - - -	2,823	16,159	14	3	1	1	-	-	-	-	-	-	-	1	2	-	-
1	Bromley *HHH* - - -	9,127	23,815	14	8	2	1	-	-	-	1	-	-	-	-	1	1	-
2	Beckenham *H* - - -	6,542	21,969	14	6	2	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	6 974	7,714	9	4	-	3	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst† *HH* - -	7,333	12,658															
1	Bexley *HHH* - - -	12,540	30,590	45	8	5	1	-	-	-	-	-	-	-	-	1	-	-
2	Dartford *WH, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1	Sunbury *w* - - -	11,054	13,671	14	4	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Staines *WH* - - -	13,277	13,221	13	3	1	-	-	-	-	-	-	-	-	-	-	1	-
1	Hillingdon *WHH* - -	6,035	12,237	14	4	-	2	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge - - - -	12,757	7,253	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	26	22	4	12	-	2	-	-	-	-	-	-	-	14	-
2	Twickenham *HH* - -	2,415	16,027	12	11	1	1	-	1	-	1	3	-	-	-	1	1	-
3	Brentford *HHHH* - -	4,318	37,777	35	9	4	1	-	-	-	-	-	-	1	-	-	1	-
4	Chiswick - - - -	1,245	21,963	15	12	5	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	32	14	7	3	-	-	-	-	1	-	-	2	2	-	-
1	Harrow *HHH* - - -	13,809	15,715	17	5	3	1	-	-	-	1	1	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	59	18	5	8	-	-	-	-	1	-	-	2	2	-	-
4	Hendon *WH* - - -	8,382	15,843	11	7	3	3	-	-	-	-	1	-	-	-	-	3	-
1	South Mimms *HH* - -	21,077	6,367	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	9	3	-	2	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH* - - -	4,688	25,820	18	6	1	1	-	-	-	-	-	-	-	-	1	-	-
1	Hornsey, *part of** *HH* -	2,800	44,205	40	10	2	3	-	-	-	-	1	-	-	-	-	-	-
3	Amwell, *part of** - - -	65	318	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	85	41	8	9	-	-	-	2	3	2	-	1	4	1	-
3	Edmonton *Ww* - -	7,489	36,351	50	14	5	7	-	1	-	-	-	-	1	-	-	2	-
4	Enfield *WWHH* - -	12,602	31,536	38	13	3	3	-	1	-	-	-	-	-	1	1	2	-
5	Waltham Abbey - - -	11,017	6,066	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	8	2	-	1	-	1	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	32	10	6	1	-	-	-	-	-	-	-	-	-	1	-
2	Plaistow *HHH* - - -		58,030	91	35	9	6	-	-	3	6	1	-	-	2	4	6	-
3	Canning Town *H* - -		54,750	47	26	10	5	-	-	-	-	-	-	1	-	2	-	1
4	Forest Gate *w* - - -		53,511	30	13	-	7	-	-	-	1	-	1	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	60	14	2	3	-	-	-	1	1	-	-	-	2	1	-
6	Wanstead - - - -	4,334	7,042	5	3	-	1	-	-	-	-	1	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	37	29	2	11	-	1	-	1	1	1	-	1	1	16	-
8	North Leyton *WwH* -		24,874	30	14	6	1	-	-	-	-	1	-	-	2	3	-	-
9	Walthamstow *HHHL* -	6,501	57,370	88	27	10	7	-	-	-	3	3	-	-	-	1	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Romford, *part of** *W* -	6,556	4,324	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	30	17	6	5	-	-	-	1	-	-	-	2	2	1	-
3	Barking Town, *H* - -	3,814	14,301	16	4	1	-	-	-	-	-	-	-	-	1	1	-	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	5	-	3	-	-	-	-	-	-	-	-	-	5	-
	S.E. Fever Hospital, Deptford.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the uter Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; : 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097);): 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District uated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping rish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the uter Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 5th January, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14.	15.
GREATER LONDON	**443,421**	**6,781,854**	**16·5**	**1·4**	**2141**	**507**	**602**	**–**	**34**	**13**	**45**	**48**	**23**	**13**	**108**
INNER LONDON	74,837	4,651,113	17·9	1·2	1593	361	434	–	21	9	24	29	18	9	90
OUTER RING	368,584	2,130,741	13·4	1·6	548	146	168	–	13	4	21	19	5	4	18

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOT DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH	308,624	January 5	125	128	26·1	–	12	1	1	3	–	
GLASGOW	751,701	" 5	395	271	18·7	3	–	1	2	16	2	
DUBLIN†	349,594	" 5	216	197	29·4	–	2	–	4	13	3	
CALCUTTA	466,460	November 10	–	329	36·9	6	2	–	2	–	123‡	
BOMBAY	821,764	December 18	251	864	54·7	3	–	?	?	?	177‡	
MADRAS	452,518	November 30	395	404	46·4	1	1	?	?	?	126	
		December 7	387	443	50·9	1	1	?	?	?	152	
PARIS	2,511,629	" 29	1164	858	17·7	14	7	2	10*	1	7	
BRUSSELS	570,844	" 29	262	169	15·6	–	3	–	2*	–	1	
AMSTERDAM	527,181	" 22	310	165	16·6	–	12	–	3	2	1	
ROTTERDAM	325,556	" 22	232	104	16·3	–	1	2	1	1	1	
THE HAGUE	205,328	" 22	138	62	15·5	–	1	–	–	–	1	
COPENHAGEN	354,000	" 29	233	124	18·3	–	2	–	–	2	1	
STOCKHOLM	297,148	" 22	171	86	15·0	–	3	–	1*	1	–	
CHRISTIANIA	226,423	" 29	107	47	10·8	–	–	1	1	–	–	
ST. PETERSBURG	1,132,677	" 22	764	662	30·5	1	10	14	20	3	15	
MOSCOW	988,610	" 22	–	532	28·1	–	12	6	16	–	2	
BERLIN	1,857,859	" 15	875	639	17·7	1	17	10	17	14	–	
HAMBURG	691,349	" 29	–	216	16·2	–	–	3	4*	1	1	
DRESDEN	407,500	November 17	226	99	12·5	–	1	1	–	2	–	
BRESLAU	412,959	December 22	246	181	22·9	–	–	–	2	1	1	
		" 29	–	194	24·5	–	–	2	1	2	3	
MUNICH	463,000	" 29	–	–	–	–	–	–	–	–	–	
VIENNA	1,656,662	" 29	839	677	21·0	–	33	5	9*	4	3	
PRAGUE	391,693	" 29	177	188	24·9	–	1	–	3	–	1	
BUDA-PESTH	685,340	" 22	456	270	20·5	–	12	5	4	1	4	
TRIESTE	168,264	" 29	–	–	–	–	–	–	–	–	–	
ROME	518,333	" 1	–	–	–	–	–	–	–	–	–	
TURIN (11 days)	344,203	October 31	189	181	17·4	–	–	–	2	1	2	
VENICE	174,170	December 29	50	85	25·4	–	–	–	–	–	2	
CAIRO	570,062	" 2	–	–	–	–	–	–	–	–	–	
ALEXANDRIA	319,766	" 2	–	–	–	–	–	–	–	–	–	
NEW YORK (including BROOKLYN)	3,654,594	" 1	1575	1067	16·2	–	2	2	41	8	21	
PHILADELPHIA	1,293,697	" 15	–	369	14·9	–	1	1	16	3	4	
		" 22	–	463	18·7	–	–	4	24	2	10	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 16 deaths from cholera in Calcutta, 3 in Bombay, and 3 and 4, respectively, in Madras.
‡ Including 3 deaths from plague in Calcutta, and 102 in Bombay.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ending Saturday, 5th January, 1901.

[*Under the Superintendence of the Astronomer Royal.*]

1900–01. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozo
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	30	Perigee	29·298	51·6	37·0	14·6	46·3	+ 7·7	45·7	0·6	2·6	0·2	97	56·4	29·0	46·94	S. & SSW.	S., SSE. & SE.	20·0	0·0	0·4	338	+ 32	0·51	0·0
MONDAY -	31	..	29·461	43·5	36·8	6·7	39·7	+ 1·1	38·3	1·4	3·4	0·0	95	48·6	36·3	46·61	S. & N.	N. & NE.	12·6	0·0	1·5	499	+190	0·03	0·0
JANUARY. TUESDAY -	1	..	29·869	39·9	36·0	3·9	38·0	− 0·5	36·3	1·7	3·0	0·0	93	46·5	35·5	46·51	NE., W. & SW.	SSW. & NNW.	0·3	0·0	0·0	116	−195	0·02	0·0
WEDNESDAY	2	..	30·077	40·9	34·6	6·3	37·4	− 1·1	36·7	0·7	2·3	0·0	97	44·8	30·8	46·24	NNW. & WSW.	WSW. & SW.	0·0	0·0	0·0	176	−137	0·00	0·0
THURSDAY-	3	Greatest Dec. N.	30·215	39·2	34·3	4·9	37·6	− 0·9	37·1	0·5	1·6	0·0	98	44·2	30·4	46·00	WSW. & NNE.	N. & NNE.	0·3	0·0	0·0	129	−186	0·00	0·0
FRIDAY -	4	..	30·265	40·7	28·8	11·9	35·4	− 3·0	33·6	1·8	6·0	0·0	93	64·0	22·0	45·68	Variable & calm.	SE. & NE.	0·0	0·0	0·0	81	−235	0·00	0·0
SATURDAY -	5	Full	30·260	36·1	24·1	12·0	30·5	− 7·8	27·0	3·5	5·7	0·0	86	62·8	17·6	45·39	NE. & calm.	ENE.	5·6	0·0	0·2	199	−118	0·00	0·0
MEANS -			29·921	41·7	33·1	8·6	37·8	− 0·6	36·4	1·5	3·5	0·0	94	52·5	28·8	46·20	Variable		..	..	..	Sum 1538	Sum −649	Sum 0·56	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
DECEMBER.					
SUNDAY -	30	w. P. till noon; v. N. till 8h. P.M.; w. P. afterwards.	0·0	7·8	Overcast. Rain fell heavily throughout afternoon and evening. Windy at night. Mild.
MONDAY -	31	w. P. and w. N. in morning; v. P. afterwards.	0·1	7·8	Overcast. Showery. Gusty wind.
JANUARY. TUESDAY -	1	m. P. generally.	0·0	7·9	Overcast. Occasional rain. Great gloom in afternoon.
WEDNESDAY	2	m. P. to s. P.	0·0	7·9	Partially cloudy. Fog prevalent in afternoon and evening.
THURSDAY-	3	m. P. generally.	0·0	7·9	Overcast. Foggy throughout morning.
FRIDAY -	4	w. P. in morning, increasing to m. P. by noon; m. P. afterwards.	0·7	7·9	Overcast and slightly foggy in morning; fine and partially cloudy till evening; dense fog at night.
SATURDAY -	5	v. P. in morning; m. P. afterwards.	0·9	7·9	Hoar frost and dense fog in morning; fine and bright till 2h. p.m.; variable amounts of cloud afterwards. Very cold.
			Sum 1·7	Sum 55·1	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·60 in. at the beginning of the week to 28·84 in. by 10h. P.M. on the 30th of December (but the minimum reading which occurred later was lost through a failure of register); increased to 30·29 in. by 10h. A.M. on the 4th of January; decreased to 30·25 in. by 3h. P.M. on the same day; increased to 30·30 in. by 9h. A.M. on the 5th; and decreased to 30·14 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 2. 1901. Vol. LXII.] WEEK ENDING SATURDAY, JAN. 12. [Price 1½*d.*

General Register Office, Somerset House,
January 14th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·6 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 16·1, 16·9, and 17·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending				Towns.	Weeks ending			
	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.		Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.
33 Great Towns	16·1	16·9	17·5	19·6	Leicester - -	17·1	10·7	14·6	14·4
Birkenhead -	22·3	21·4	21·0	14·4	Liverpool - -	19·6	22·4	22·5	24·9
Birmingham -	17·5	18·2	17·4	21·4	London - - -	15·7	16·7	17·9	19·6
Blackburn -	15·6	17·1	18·7	15·7	Manchester - -	18·9	19·4	21·5	22·8
Bolton - -	15·2	14·0	14·7	17·6	Newcastle-on-Tyne	16·2	20·9	15·2	20·0
Bradford -	14·7	15·2	17·2	19·7	Norwich - -	12·3	11·3	11·2	21·5
Brighton -	15·1	13·0	17·9	16·7	Nottingham - -	15·7	17·2	15·3	22·7
Bristol - -	15·2	16·2	14·6	20·0	Oldham - -	17·3	14·3	13·0	14·1
Burnley -	12·5	13·8	13·8	16·4	Plymouth - -	12·8	15·8	17·6	18·6
Cardiff - -	14·5	10·2	13·9	16·2	Portsmouth - -	13·4	13·6	12·0	20·9
Croydon -	13·9	13·1	10·5	13·9	Preston - -	20·6	22·4	16·1	22·6
Derby - -	10·1	16·9	8·6	13·8	Salford - - -	22·2	20·1	20·1	27·3
Gateshead -	15·3	19·5	18·6	19·0	Sheffield - -	18·8	19·2	21·4	21·0
Halifax -	15·5	10·9	18·1	13·7	Sunderland - -	15·2	15·2	17·1	21·3
Huddersfield-	14·0	9·5	12·8	12·8	Swansea - -	17·8	16·3	16·5	19·9
Hull - -	15·3	23·2	15·9	18·4	West Ham - -	11·6	13·9	15·4	14·1
Leeds - -	15·6	18·3	20·3	20·1	Wolverhampton -	14·5	12·2	19·0	17·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Liverpool; from *whooping-cough*, 1·0 in Sunderland, 1·1 in Hull, 1·2 in Salford, 1·6 in Bristol, 1·7 in Nottingham and in Birkenhead, and 2·2 in Preston; from "*fever*," 1·5 in Plymouth; and from *diarrhœal diseases*, 1·0 in Swansea, and 2·2 in Blackburn. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 81 deaths from *diphtheria* included 25 in London, 9 in Liverpool, 8 in Sheffield, 6 in West Ham, 5 in Leicester, 4 in Leeds, 3 in Manchester, 3 in Salford, and 3 in Blackburn. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2466 BIRTHS and 1750 DEATHS were registered. Allowing for increase of population, the births were 411, and the deaths 566,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·7, 16·7, and 17·9 in the preceding three weeks, further rose last week to 19·6. During the four weeks ending on Saturday last the death-rate averaged 17·5 per 1000, being 7·0 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1750 deaths included 34 from measles, 9 from scarlet fever, 25 from diphtheria, 32 from whooping-cough, 17 from enteric fever, 16 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus 133 deaths were referred to these diseases, being 86 below the corrected average weekly number.

The deaths from *measles*, which had been 26, 27, and 21 in the preceding three weeks, rose again last week to 34, but were 27 below the corrected average; 8 cases belonged to the Borough of Southwark and 5 to that of Camberwell. The deaths from *scarlet fever*, which had been 4, 7, and 9 in the preceding three weeks, were again 9 last week, the corrected average being 18. The deaths from *diphtheria*, which had been 36, 26, and 24 in the preceding three weeks, were 25 last week, the corrected average being 45; 3 cases belonged to Poplar. The deaths from *whooping-cough*, which had been 22, 31, and 29 in the preceding three weeks, rose again last week to 32, but were 33 below the corrected average; 5 cases belonged to Islington. The fatal cases of *enteric fever*, which had been 22, 22, and 18 in the preceding three weeks, were 17 last week, the corrected average being 14; 3 cases belonged to Stepney, 2 to St. Pancras, 2 to Holborn, and 2 to Lambeth. The deaths from *diarrhœal diseases*, which had been 11, 9, and 9 in the preceding three weeks, rose again last week to 16, and were 2 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 306, 325, and 329 in the preceding three weeks, further rose last week to 392, but were 337 below the corrected average. The deaths attributed directly to *influenza* numbered 10, having been 9, 7, and 10 in the preceding three weeks.

Different forms of *violence* caused 76 deaths, concerning all but 1 of which inquests were held. Of these 76 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 64 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 9 to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 17 (including 16 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.

According to returns from the Metropolitan Asylum and London Fever Hospitals* there were 1 case of small-pox, 2277 cases of scarlet fever, 1200 of diphtheria, and 367 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 156 cases, against 218, 167, and 163; of diphtheria, 106 cases, against 152, 140, and 137; and of enteric fever, 29 cases, against 52, 41, and 47. Table 10, compiled and furnished by the Medical Officer of Health for the Administrative County of London, shews the number of cases of Infectious Disease which were notified in the County during the week ending January 5th.

Greater London.

In Greater London 3589 births and 2286 deaths were registered, corresponding to annual rates of 27·6 and 17·6 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 4 from scarlet fever, 17 from diphtheria, 17 from whooping-cough, 9 from "fever," and 5 from diarrhœal diseases were registered. Eight deaths from diphtheria occurred in West Ham district, 3 in Brentford district, and 3 in Hendon district; 3 deaths from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·38 inches, and that of the Thermometer 34°·6; the latter being 3°·3 below the week's average in the 50 years 1841–90. The direction of the wind was easterly, the horizontal movement of the air being 36 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 8·7 hours; the measured rainfall amounted to 0·23 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ending 12th Jan. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,789,099	6577	4442	998	1190	-	66	35	81	110	41	56	184	423	1012	63	19·6	1·7	50·2	13·2	33·4	0·80	0·31	0·79	33 Towns.
London - -	4,651,113	2466	1750	362	514	-	34	9	25	32	17	16	76	201	535	12	19·6	1·5	49·3	21·0	34·6	1·44	0·23	0·58	London.
West Ham - -	329,377	183	89	20	25	-	-	-	6	-	2	1	7	11	16	-	14·1	1·4	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	74	36	13	9	-	-	-	-	2	1	-	3	7	4	-	13·9	1·2	48·5	13·2	33·6	0·89	0·18	0·46	Croydon.
Brighton - -	125,077	55	40	11	13	-	-	-	1	-	-	2	-	2	9	-	16·7	1·3	-	-	-	-	-	-	Brighton.
Portsmouth -	199,262	95	80	15	20	-	2	1	2	-	1	1	6	9	16	1	20·9	1·8	-	-	-	-	-	-	Portsmouth.
Plymouth - -	103,708	76	37	10	13	-	1	-	-	1	3	1	-	2	6	-	18·6	3·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	160	126	20	39	-	-	2	2	10	-	-	6	15	24	1	20·0	2·2	47·0	17·3	31·8	-0·11	0·84	2·13	Bristol.
Cardiff - -	203,050	104	63	16	15	-	-	-	2	2	-	-	3	7	11	-	16·2	1·0	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	68	41	15	8	-	-	-	1	-	-	2	-	1	4	1	19·9	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	46	31	9	8	-	1	-	-	-	-	-	3	4	4	-	17·9	0·6	44·5	19·8	30·8	-0·67	0·40	1·02	Wolverhampton.
Birmingham -	524,307	299	215	55	52	-	5	3	2	8	1	3	10	16	50	4	21·4	2·2	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	70	48	17	15	-	-	-	-	-	1	1	1	3	4	-	21·5	0·9	50·2	22·0	33·2	0·67	0·10	0·25	Norwich.
Leicester - -	224,619	138	62	16	15	-	-	-	5	-	-	1	-	1	8	2	14·4	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	136	107	26	26	-	1	1	2	8	1	2	8	15	22	-	22·7	3·2	46·8	26·2	32·7	0·39	0·14	0·36	Nottingham.
Derby - - -	109,605	52	29	5	8	-	-	-	-	1	1	1	-	2	2	-	13·8	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	59	33	5	15	-	-	-	-	4	-	-	1	1	4		14·4	1·7	-	-	-	-	-	-	Birkenhead.
Liverpool - -	635,348	453	303	74	69	-	12	4	9	3	1	4	9	14	67	17	24·9	2·7	45·2	22·7	34·4	1·33	0·40	1·02	Liverpool.
Bolton - -	166,284	102	56	12	10	-	1	-	-	2	-	3	1	7	4	2	17·6	1·9	-	-	-	-	-	-	Bolton.
Manchester -	553,677	367	242	52	56	-	2	4	3	4	1	3	12	19	56	3	22·8	1·6	-	-	-	-	-	-	Manchester.
Salford - -	223,418	132	117	22	20	-	-	4	3	5	3	2	4	10	29	-	27·3	4·0	-	-	-	-	-	-	Salford.
Oldham - -	155,865	69	42	11	9	-	-	-	-	1	-	-	3	3	3	-	14·1	0·3	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	57	38	14	12	-	-	-	-	2	-	-	2	3	3	-	16·4	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	51	42	11	13	-	2	-	3	-	-	6	2	4	6	3	15·7	4·1	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	66	52	12	8	-	-	-	1	5	2	-	2	3	4	2	22·6	3·5	45·0	27·0	35·6	2·00	0·19	0·48	Preston.
Huddersfield -	105,514	47	26	5	6	-	-	-	-	1	-	1	1	2	2	-	12·8	1·0	-	-	-	-	-	-	Huddersfield.
Halifax - -	106,873	46	28	7	11	-	-	-	-	1	-	-	1	1	8	1	13·7	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	120	111	24	33	-	1	-	2	2	1	1	2	8	11	-	19·7	1·2	44·0	27·2	34·3	1·28	0·32	0·81	Bradford.
Leeds - - -	438,814	235	169	34	47	-	3	2	4	2	-	-	7	24	30	1	20·1	1·3	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	275	149	37	37	-	-	1	8	5	2	1	4	8	19	5	21·0	2·4	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	160	86	30	17	-	-	1	-	5	2	3	3	5	12	1	18·4	2·4	-	-	-	-	-	-	Hull.
Sunderland -	149,205	93	61	9	18	-	1	2	-	3	-	-	2	4	14	-	21·3	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	82	41	11	9	-	-	1	-	-	-	-	1	1	1	5	19·0	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	141	92	18	20	-	-	-	-	1	1	1	4	10	24	2	20·0	0·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—Births and Deaths Registered in the Second Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
Total Births	2761	2680	2715	2867	2922	2454	2928	2703	2435	2766	2876·5	2466
Males	1363	1356	1375	1444	1498	1218	1519	1382	1275	1396	1460·5	1259
Females	1398	1324	1340	1423	1424	1236	1409	1321	1160	1370	1416·0	1207
Total Deaths	2513	3271	2503	2461	1622	1540	1538	1982	1568	2930	2316·3	1750
Males	1163	1525	1193	1236	806	767	765	997	808	1325	1118·1	863
Females	1350	1746	1310	1225	816	773	773	985	760	1605	1198·2	887

*The numbers in this column are the average weekly numbers in the second week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.
Total Births	2485	2238	2392	2500	2223	2538	2338	2299	2527	2436	1591	2983	2466
Total Deaths	1392	1403	1466	1498	1505	1515	1572	1544	1454	1382	1466	1593	1750
Ages at Death: Under 1 year	356	352	351	347	369	361	397	400	374	346	346	361	362
1—5 years	149	143	148	173	172	158	200	187	153	174	182	165	186
5—20 "	87	100	102	81	90	87	83	77	86	78	78	64	95
20—40 "	186	187	190	209	217	209	205	164	183	180	212	210	216
40—60 "	279	266	304	311	311	295	298	327	302	296	275	359	377
60—80 "	270	288	302	309	283	325	322	318	274	245	307	335	402
80 years and upwards	65	67	69	68	63	80	67	71	82	63	66	99	112
Deaths from—													
Small pox	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	8	20	10	22	18	21	33	23	20	26	27	21	34
Scarlet Fever	8	10	8	8	8	11	6	11	8	4	7	9	9
Diphtheria	36	39	42	35	32	22	29	34	20	36	26	24	25
Whooping-cough	20	18	13	16	15	27	21	34	28	22	31	29	32
Typhus	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	19	22	20	25	17	26	24	21	19	22	22	18	17
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	55	43	27	23	18	8	12	13	15	10	9	9	16
Cholera	–	–	1	–	–	1	–	1	–	1	–	–	–
All the above Diseases	146	152	121	129	108	116	127	137	110	121	122	110	133
Dis. of Respiratory System	182	236	268	307	352	322	435	400	349	306	325	330	392
Phthisis	141	141	152	137	150	134	158	150	135	121	146	165	173
Dis. of Circulatory System	144	140	148	137	140	145	122	137	125	117	137	154	181
Violence	59	62	70	71	73	51	65	61	64	67	64	90	76
Inquest Cases	137	141	149	159	157	138	159	141	145	135	160	212	201
Deaths in Public Institutions	476	447	467	490	469	470	483	459	456	445	431	469	535
Temperature of the Air.													
Mean	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6
Mean of Highest readings	53·9	53·0	57·8	53·6	51·1	46·2	48·1	52·0	52·3	49·3	47·6	41·7	39·0
Mean of Lowest readings	42·4	40·8	48·5	44·4	38·4	37·7	41·4	42·4	42·9	38·6	38·4	33·1	29·3
Humidity of the Air	75	84	88	83	91	85	88	89	88	87	91	94	88
Rain-fall (in inches)	0·05	0·30	0·92	0·41	0·81	0·09	0·66	0·77	0·21	0·38	0·30	0·56	0·23
Registered Sunshine (in hours)	21·3	14·0	13·2	18·8	6·0	6·4	7·9	3·1	7·2	23·4	4·6	1·7	8·7
Cases of Infectious Sickness in Hospitals* at the end of each Week.													
Small-pox	1	1	1	–	–	2	2	1	1	1	1	1	1
Scarlet Fever	2341	2489	2619	2702	2728	2725	2727	2687	2617	2477	2535	2390	2277
Diphtheria	1380	1465	1472	1521	1556	1535	1537	1515	1474	1514	1356	1266	1200
Enteric Fever	430	429	444	456	454	442	436	433	425	409	403	374	367

* The Metropolitan Asylum and London Fever Hospitals.

Meteorological Observations.—(*See* Table 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton: A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SECOND Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 2nd Week of the 10 years 1891–1900*.	In the Week ending Saturday, 12th January, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	2316·3	1750	362	186	95	216	377	402	112
Small-pox: Vaccinated†	0·3	–	–	–	–	–	–	–	–
Small-pox: Unvaccinated	0·1	–	–	–	–	–	–	–	–
Small-pox: No Statement	0·3	–	–	–	–	–	–	–	–
Measles	61·3	34	8	24	2	–	–	–	–
Scarlet Fever	18·3	9	1	4	4	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–
Influenza	83·9	10	1	–	2	1	3	3	–
Whooping-cough	64·9	32	9	21	2	–	–	–	–
Diphtheria	45·3	25	3	10	12	–	–	–	–
Simple Continued and Ill-defined Fever	0·3	–	–	–	–	–	–	–	–
Enteric Fever	13·9	17	–	1	5	8	3	–	–
Cholera and Chol. Diarr.	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	13·9	16	8	3	–	2	–	2	1
Remittent Fever	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–	–
Cowpox and Effects of Vaccination	0·4	–	–	–	–	–	–	–	–
Venereal Affections	8·8	8	3	1	–	2	1	1	–
Erysipelas	6·3	4	–	–	–	–	1	2	1
Pyæmia and Septicæmia	1·8	1	1	–	–	–	–	–	–
Puerperal Fever	7·0	6	–	–	–	6	–	–	–
Other Zymotic Diseases	2·5	1	–	–	–	–	1	–	–
Thrush	0·8	–	–	–	–	–	–	–	–
Worms and other Parasitical Diseases	0·2	1	–	–	–	–	1	–	–
Starvation, Want of Breast-milk	2·5	2	2	–	–	–	–	–	–
Alcoholism	13·2	17	–	–	–	5	8	3	1
Rheumatic Fever, Rheumatism of Heart	8·2	4	–	–	1	1	2	–	–
Rheumatism	2·0	2	–	–	–	–	–	2	–
Gout	4·2	4	–	–	–	–	–	4	–
Rickets	5·6	4	2	2	–	–	–	–	–
Cancer	71·5	82	–	–	2	7	39	30	4
Tabes Mesenterica	18·0	12	4	3	1	2	–	1	1
Tubercular Meningitis	21·9	23	7	11	4	1	–	–	–
Phthisis	203·6	173	2	–	13	75	68	15	–
Scrofula, Tuberculosis	18·6	24	4	6	5	4	3	2	–
Other Constitutional Diseases	16·2	20	–	–	1	1	7	10	1
Premature Birth	49·5	59	59	–	–	–	–	–	–
Atelectasis	5·2	8	8	–	–	–	–	–	–
Congenital Malformations	7·6	11	11	–	–	–	–	–	–
Old Age	75·8	78	–	–	–	–	–	32	46
Apoplexy	54·2	61	–	–	–	3	17	32	9
Epilepsy	9·2	10	–	2	–	5	1	2	–
Convulsions	45·3	32	31	1	–	–	–	–	–
Other Diseases of Brain and Nervous System	102·1	85	8	11	2	10	24	23	7
Diseases of Organs of Special Sense	3·9	2	1	–	1	–	–	–	–

CAUSES OF DEATH	Corrected Averages for the 2nd Week of the 10 years 1891–1900*.	In the Week ending Saturday, 12th January, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	203·0	181	2	1	12	19	58	77	12
Croup	5·0	3	1	2	–	–	–	–	–
Bronchitis	467·9	222	51	25	1	3	43	79	20
Pneumonia	197·6	135	36	38	5	14	20	21	1
Pleurisy	6·4	3	1	–	–	–	2	–	–
Other Diseases of Respiratory System	51·9	29	8	2	–	2	7	9	1
Dentition	8·8	9	7	2	–	–	–	–	–
Quinsy, Sore Throat	1·7	2	–	–	2	–	–	–	–
Enteritis	15·2	9	2	–	1	1	4	1	–
Gastro-enteritis		3	1	1	–	–	1	–	–
Peritonitis	7·8	5	–	–	1	3	1	–	–
Diseases of Liver	26·5	28	2	–	1	2	17	5	1
Other Diseases of Digestive System	34·5	36	6	3	4	7	6	9	1
Diseases of Lymphatic System & of Ductless Glands	2·3	3	–	–	–	–	1	2	–
Diseases of Urinary System	55·1	59	3	–	2	9	17	24	4
Diseases of Generative System	5·1	4	–	–	–	2	2	–	–
Accidents of Childbirth	5·6	6	–	–	–	5	1	–	–
Diseases of Locomotive System	5·8	7	1	–	2	1	2	1	–
Diseases of Integumentary System	7·6	6	4	–	–	–	1	1	–
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	3·2	3	–	–	1	–	2	–	–
By Vehicles or Horses	4·1	6	–	–	1	1	2	2	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	–	–	–	–	–	–	–	–
In Building Operations	0·7	1	–	–	–	–	1	–	–
In Conflagrations	2·0	2	–	1	1	–	–	–	–
By Burns, Scalds, Explosions	13·8	9	–	4	3	1	–	1	–
By Drowning	3·4	3	–	–	–	1	2	–	–
By Suffocation in Bed	16·6	17	16	1	–	–	–	–	–
By Poison or Poisonous Vapours	2·4	2	–	–	1	–	1	–	–
Other or not stated causes	24·9	21	4	3	–	4	4	5	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·1	1	–	–	–	1	–	–	–
Suicide	6·9	11	–	–	–	7	3	1	–
Execution	–	–	–	–	–	–	–	–	–
OTHER CAUSES	60·2	47	44	3	–	–	–	–	–

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 12th January, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,411,710	2466	1750	362	514	-	34	9	25	32	-	17	-	16	76	201	535	12
WEST DISTRICTS - - -	778,251	367	300	56	100	-	1	1	2	8	-	2	-	5	11	33	93	-
NORTH DISTRICTS - - -	1,040,694	533	411	73	121	-	9	1	8	8	-	5	-	1	19	44	129	-
CENTRAL DISTRICTS - - -	233,635	111	88	23	17	-	-	-	-	2	-	1	-	-	7	13	31	-
EAST DISTRICTS - - -	716,334	477	331	76	86	-	4	-	5	4	-	4	-	4	19	67	114	-
SOUTH DISTRICTS - - -	1,642,796	978	579	133	174	-	20	4	10	10	-	5	-	6	20	44	127	12
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	1	16	-	-	3	-	-	-	-	-	-	-	-	41	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* } G. & W.	90,996	63	37	10	10	-	-	-	-	1	-	-	-	1	1	4	12	-
St. John Paddington *H* - - G.	33,510	6	14	1	4	-	-	-	-	1	-	-	-	-	1	3	5	-
Kensington Town *Ww* - - W.	122,164	64	60	10	23	-	-	-	-	1	-	-	-	2	1	3	19	-
Brompton *HH* - - - W. & C.	48,301	9	9	-	5	-	-	-	-	-	-	-	-	-	-	3	2	-
North Hammersmith *H* } W. & G	44,638	28	17	2	5	-	-	-	-	1	-	-	-	-	1	2	-	-
South Hammersmith *wH* }	59,561	20	21	4	8	-	1	-	-	-	-	-	-	-	3	4	5	-
North-west Fulham *W*	113,781	31	26	8	10	-	-	-	1	1	-	-	-	-	2	5	15	-
North-east Fulham *w* } W. & C.		20	22	5	6	-	-	1	-	2	-	2	-	1	-	-	3	-
South Fulham		33	13	5	5	-	-	-	1	-	-	-	-	-	-	-	-	-
Chelsea Kensa Town - C.	21,450	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	22	15	2	6	-	-	-	-	1	-	-	-	-	-	-	7	-
Chelsea South *HH* - - C.	33,139	18	7	-	2	-	-	-	-	-	-	-	-	-	-	2	1	-
May Fair *WH* - - - - G.	23,827	5	12	-	6	-	-	-	-	-	-	-	-	-	1	2	7	-
Belgrave *WHHH* - - - C.	56,140	13	23	6	4	-	-	-	-	-	-	-	-	1	-	3	9	-
St. John Westminster *HH* C.	31,492	9	8	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Margaret Westminster *H* C.	22,097	5	10	2	2	-	-	-	-	-	-	-	-	-	1	2	5	-
St. James Westminster *WH* } N. & G.	23,050	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	11	20	1	1	-	-	-	-	-	-	1	-	-	2	2	15	-
Rectory Marylebone *W* G. & W.		3	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone *HHHH* G. & W.		26	6	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone‡ *H* - W		17	15	5	2	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John Marylebone‡ *HHH* - W		8	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	29	31	4	11	-	-	1	2	1	-	3	-	1	-	1	9	-
Regent's Park *HH* - W.	51,403	20	15	1	9	-	-	-	-	1	-	-	-	-	-	3	2	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	9	14	1	4	-	-	-	-	-	-	-	-	-	1	2	8	-
Gray's Inn Lane *HHHH* - N.	29,426	13	14	7	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Somers Town *HH* - - - N.	32,161	21	15	6	3	-	-	-	-	-	-	-	-	-	3	4	1	-
Camden Town *WH* - - N.	40,155	25	29	8	13	-	-	-	2	-	-	-	-	-	4	5	11	-
Kentish Town *WW* - - N.	60,862	40	36	7	7	-	4	-	-	1	-	-	-	-	1	2	16	-
Upper Holloway *WWWWwHH* - - N.	98,273	49	63	3	21	-	-	-	-	1	-	-	-	-	4	5	40	-
Lower Holloway - - - N.	41,805	20	14	2	6	-	-	-	1	2	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	56,384	33	17	2	4	-	1	-	-	1	-	-	-	-	-	2	-	-
Islington South-east *H* - N.	75,725	38	20	6	4	-	-	-	1	-	-	-	-	-	-	2	1	-
Highbury *HH* - - - N.	64,577	27	19	5	5	-	2	-	1	1	-	-	-	-	-	1	1	-
Stoke Newington *H* - - N.	33,485	16	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Hornsey (part of) - - -	*16,892*†	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	19	10	1	7	-	-	-	-	-	-	-	-	-	1	2	-	-
Central Hackney *ww* - E. & N.		30	14	2	4	-	-	-	1	-	-	1	-	-	1	3	3	-
South-west Hackney *HHH* E. & N.		39	15	1	5	-	-	-	-	-	-	-	-	-	1	2	5	-
South-east Hackney *WwH* E. & N.		35	26	5	5	-	2	-	-	-	-	-	-	-	1	4	10	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note * on second page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 12th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	29,086	13	5	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-
St Giles North *H* - - - N.	9,151	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HHN.* & C.	13,077	4	9	-	4	-	-	-	-	-	-	-	-	-	1	1	5	-
Strand *WHH* - - - - N.	11,839	3	7	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Strand Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WwHHHHH* - N.	31,042	14	12	4	2	-	-	-	-	-	-	1	-	-	-	-	6	-
St. James Clerkenwell - - N.	15,777	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	19	15	6	2	-	-	-	-	1	-	-	-	-	1	3	-	-
Goswell-street - - - - N.	16,069	10	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
City-road *HHHHL* - - N.	29,897	30	9	2	2	-	-	-	-	1	-	-	-	-	-	1	3	-
Finsbury - - - - - N.	11,630	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - N. & E.	13,061	6	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre *WH* - - - N.	9,591	2	12	3	1	-	-	-	-	-	-	-	-	-	1	1	9	-
Allhallows Barking - - - N.	9,059	1	5	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-
City of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	12	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *w* - - N.	29,575	17	21	5	8	-	1	-	-	-	-	-	-	-	-	5	8	-
Hoxton Old Town - - - N.	27,645	22	11	6	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Haggerston *WH* - - N. & E.	47,163	31	29	5	13	-	1	-	1	1	-	-	-	-	-	4	13	-
Bethnal Green North *H* - E.	49,301	34	17	9	2	-	-	-	-	1	-	-	-	-	3	5	-	-
Bethnal Green South - - E.	34,194	16	12	5	-	-	-	-	-	-	-	-	-	-	-	6	-	-
Bethnal Green East *WWHl* - E.	45,667	38	37	3	10	-	1	-	1	-	-	-	-	-	2	4	21	-
Spitalfields - - - E. & N.	26,681	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	23	35	3	7	-	-	-	1	-	-	2	-	-	5	10	29	-
Goodman's Fields - - - E.		13	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
St. George's, North - - - E.	39,576	40	11	3	4	-	-	-	-	-	-	-	-	-	-	3	-	-
St. John, St. George East *W* E.	7 930	7	8	3	2	-	-	-	-	-	-	-	-	1	-	2	7	-
Shadwell *H* - - - E. & N.	10,434	3	6	2	-	-	-	-	-	-	-	-	-	1	1	1	4	-
Ratcliff *W* - - - - E.	14,954	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - - E.	32,917	31	11	5	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Mile End Old Town West *H* E.	111,060	43	14	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-
Mile End Old Town East *WWww* - E.		27	29	5	8	-	1	-	-	1	-	2	-	-	-	4	9	-
Bow *l* - - - - E.	41,687	21	9	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Bromley *wwwH* - - - E.	69,821	37	41	5	16	-	-	-	-	-	-	-	-	-	4	9	21	-
Poplar *WW* - - - - E.	57,759	45	27	6	7	-	-	-	2	-	-	-	-	-	1	4	1	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 12th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L.&S.	13,064	3	5	1	3	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Saviour Southwark - - S.	12,301	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	16	7	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Borough-road *WH* - S. & L.	16,083	14	10	1	2	-	-	-	-	1	-	-	-	-	-	-	3	-
London-road *HL* - - L. & S.	21,316	23	9	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	9	9	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	33	23	3	7	-	5	-	-	1	-	-	-	-	-	-	7	1
St. Mary Newington- - L. & S.	30,171	34	13	4	1	-	1	-	-	1	-	-	-	1	-	-	-	1
St. Olave *WH* - - - - S.	11,731	7	13	1	2	-	-	1	-	-	-	-	-	-	3	3	11	-
Bermondsey *W* - - - S.	85,475	71	25	8	7	-	3	-	-	-	-	-	-	-	-	-	2	1
Rotherhithe *Ww* - S. & K.	40,379	36	22	4	9	-	-	-	-	1	-	1	-	-	-	2	8	-
Waterloo-road *HH* - L. & S.	28,396	26	9	2	-	-	-	-	-	-	-	-	-	-	2	4	1	-
Lambeth Church 1st *H* - L. & S.	18,770	13	18	7	3	-	-	-	-	-	-	1	-	-	3	5	7	1
Lambeth Church 2nd *WW* L. & S.	40,994	25	20	3	4	-	-	-	-	-	-	1	-	-	1	3	13	-
Kennington 1st *H* - - S. & L.	52,486	35	10	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Kennington 2nd - - S. & L.	43,244	17	11	2	7	-	-	-	-	-	-	-	-	-	1	1	-	-
Brixton *w* - - - L. & S.	81,825	43	21	4	6	-	-	1	-	4	-	1	-	-	2	2	3	-
Norwood *WH* - - - - L.	29,318	16	7	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
East Battersea - - - - S.	71,730	48	17	4	6	-	-	-	-	-	-	-	-	-	-	1	-	-
North-west Battersea - - S.	93,385	26	15	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *WwH* - S.		12	20	2	9	-	-	-	-	-	-	-	-	-	-	-	9	-
Clapham *H* - - - - S.	46,953	30	12	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *WwwwwL* - - L.	61,644	41	23	3	10	-	-	-	4	1	-	-	-	1	1	1	5	1
Wandsworth *WHHL* - - S.	58,101	36	19	4	7	-	-	-	-	-	-	-	-	-	1	2	1	-
Putney - - - - - S.	20,566	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	49	50	9	15	-	1	-	1	-	-	-	-	1	-	1	22	-
Peckham *WW* - S., L., & K.	88,242	35	28	5	8	-	5	-	-	-	-	-	-	-	1	3	-	1
St. George Camberwell - L. & S.	67,029	36	13	6	6	-	-	-	-	-	-	-	-	-	1	-	-	2
Deptford North - - - K.	36,152	31	6	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *w* - - K.	45,441	28	20	6	3	-	1	1	1	-	-	-	-	-	1	3	2	-
Deptford South - - - K.	33,402	10	8	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	9	11	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *WH* - - K.	37,767	21	24	2	12	-	1	-	-	-	-	-	-	-	-	2	12	1
Eltham *wH* - - - - K.	5,911	2	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *H* - - - - - K.	24,222	7	12	3	5	-	-	-	-	-	-	1	-	1	1	1	3	-
Lewisham *WwH* - - - K.	38,139	29	24	7	8	-	-	1	2	-	-	-	-	1	-	-	7	1
Sydenham *H* - - - - L.	37,601	19	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *wHH* - - - K.	15,928	9	4	-	-	-	-	-	2	-	-	-	-	-	-	-	3	1
Woolwich *HHHH* - - K.	41,314	22	11	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	28	13	4	6	-	-	-	-	-	-	-	-	-	-	-	6	-
Banstead Asylum - - - -	—	-	10	-	2	-	-	-	-	-	-	-	-	-	-	-	10	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lane Hill Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum. Dartford Heath - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell Asylum - - - -	—	-	10	-	7	-	-	-	-	-	-	-	-	-	-	-	10	-
Central London Sick Asylum, Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
N.E. Hospital - - - - -	—	-	3	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-

ABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 12th January, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	1,405,489	1,123	536	129	154	-	10	4	17	17	9	5	23	51	53	2
30 : 1	Carshalton *H* - - -	12,228	26,108	11	6	2	2	-	1	-	-	1	-	-	-	2	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	8	3	1	1	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH* -	20,851	128,699	82	43	13	11	-	-	-	-	2	1	-	3	7	4	-
2	Mitcham *w* - - -	11,697	23,072	17	8	5	2	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* - -	3,220	25,777	24	8	3	2	-	1	-	-	-	-	1	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	19	11	-	5	-	-	-	-	-	-	-	-	3	1	-
3	Surbiton *HH* - - -		12,178	4	2	-	1	-	-	-	-	-	-	-	1	1	1	-
4	Esher, *part of** *H* - -		11,080	9	4	1	2	-	-	-	1	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	14	7	1	3	-	-	-	-	-	-	-	-	1	1	-
40 : 1	Richmond *WHH* - -	2,160	25,389	12	15	2	4	-	1	-	-	-	1	1	2	4	1	-
2	Mortlake *H* - - -	2,823	16,159	11	4	2	1	-	-	-	-	-	1	-	-	-	-	-
41 : 1	Bromley *HHH* - - -	9,127	23,815	18	1	-	-	-	-	-	-	-	1	-	-	-	1	-
2	Beckenham *H* - - -	6,542	21,969	7	8	1	4	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of*†* *W* -	6,974	7,714	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst† *HH* - -	7,333	12,658	11	6	2	2	-	-	-	-	-	-	-	-	1	-	-
42 : 1	Bexley *HHH* - - -	12,540	30,590	30	12	-	7	-	-	-	-	1	-	-	1	1	-	1
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w* - - -	11,054	13,671	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	12	6	2	2	-	-	-	-	-	-	1	-	1	1	-
125 : 1	Hillingdon *WHH* - -	6,035	12,237	10	6	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	3	4	1	1	-	-	-	-	-	-	-	-	1	-	-
3	Hayes *wH* - - - -	7,952	11,051	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* - -	6,967	26,004	14	14	1	4	-	2	-	3	-	-	-	-	-	-	-
2	Twickenham *HH* - -	2,415	16,027	5	4	2	-	-	-	-	-	-	1	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	19	13	4	4	-	-	-	-	-	-	-	-	1	-	-
4	Chiswick - - - -	1,245	21,963	14	5	1	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	25	10	2	3	-	-	-	-	1	-	-	-	-	1	-
127 : 1	Harrow *HHH* - - -	13,809	15,715	16	6	2	1	-	-	-	-	1	1	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Willesden *HHH* - -	4,383	61,265	57	30	10	4	-	-	1	3	1	-	1	-	1	2	1
4	Hendon *WH* - - -	8,382	15,843	13	8	1	4	-	-	-	-	-	-	-	1	3	3	-
128 : 1	South Mimms *HH* - -	21,077	6,367	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	12	5	2	1	-	-	-	-	1	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	22	7	1	1	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey, *part of** *HH* -	2,809	44,205	30	17	1	11	-	1	-	-	1	-	-	-	-	-	-
13 : 3	Amwell, *part of** - - -	65	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 : 2	Tottenham *HHH* - -	4,642	97,174	73	36	7	12	-	-	-	-	2	-	-	2	3	4	-
3	Edmonton *Ww* - -	7,489	36,351	46	16	3	4	-	-	1	-	-	-	-	2	2	1	-
4	Enfield *WWHH* - -	12,602	31,536	25	16	5	4	-	1	1	1	-	-	-	1	2	3	-
5	Waltham Abbey - - -	11,017	6,066	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	13	5	2	2	-	1	-	-	-	-	-	1	1	-	-
135 : 1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - - -	9,331	7,737	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H* - - -	4,706	38,612	31	15	4	2	-	-	-	-	-	-	-	2	2	-	-
2	Plaistow *HHH* - - -		58,030	71	32	10	5	-	-	-	4	-	1	1	3	5	4	-
3	Canning Town *H* - -		54,750	54	19	5	5	-	-	-	1	-	1	-	2	3	1	-
4	Forest Gate *w* - - -		53,511	27	12	1	8	-	-	-	1	-	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	58	23	8	2	-	2	-	-	2	1	-	-	1	1	-
6	Wanstead - - - -	4,334	7,042	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	33	26	4	8	-	-	1	-	1	-	-	-	2	17	-
8	North Leyton *WwH* -		24,874	27	12	4	1	-	-	-	-	2	-	-	-	1	-	-
9	Walthamstow *HHHL* -	6,501	57,370	53	26	9	5	-	-	-	2	-	-	-	2	2	2	-
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	10	3	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W* -	6,556	4,324	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	16	2	1	-	-	-	-	-	1	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	16	8	1	3	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 12th January, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14.	15	16.
GREATER LONDON	443,421	6,781,854	17·6	1·5	2286	491	668	-	44	13	42	49	26	21	99	588
INNER LONDON -	74,837	4,651,113	19·6	1·5	1750	362	514	-	34	9	25	32	17	16	76	535
OUTER RING -	368,584	2,130,741	13·1	1·5	536	129	154	-	10	4	17	17	9	5	23	53

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	308,624	January 12	150	129	21·7	-	5	-	4	4	-	1
GLASGOW - -	751,701	" 12	503	328	22·7	2	1	3	2	36	2	12
DUBLIN† - -	346,128	" 12	170	188	28·3	-	-	1	2	10	3	2
CALCUTTA - -	466,460	November 17	-	369	41·2	6	-	-	1	-	148‡	58§
BOMBAY - -	821,764	December 25	219	939	59·4	1	2	?	?	?	241‡	102§
MADRAS - -	452,518	" 14	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,511,629	January 5	1246	823	17·0	6	2	2	8*	4	4	7
BRUSSELS - -	570,844	" 5	260	174	15·8	-	3	1	-	-	5	12
AMSTERDAM -	527,181	December 29	296	170	17·1	-	12	-	1	4	2	-
ROTTERDAM -	325,556	" 29	247	91	14·3	-	1	2	-	-	1	-
THE HAGUE -	205,328	" 29	128	77	19·3	-	2	-	2	-	-	-
COPENHAGEN -	354,000	January 5	188	125	18·4	-	2	-	1	2	1	5
STOCKHOLM -	297,148	December 29	148	102	17·8	-	1	1	6*	-	1	6
CHRISTIANIA -	226,423	January 5	154	86	19·8	-	2	-	1	-	1	1
ST. PETERSBURG	1,132,677	December 29	442	557	25·6	-	7	14	15	1	18	54
MOSCOW - -	988,610	" 29	-	586	30·9	1	13	15	15	1	7	46
BERLIN - -	1,857,859	" 22	913	653	18·1	-	12	11	11	15	3	40
HAMBURG - -	691,349	January 5	-	224	16·8	-	1	4	4*	5	-	7
DRESDEN - -	407,500	November 24	222	118	15·0	1	-	3	2*	1	1	9
BRESLAU - -	412,959	January 5	-	162	20·5	-	-	-	1	1	-	10
MUNICH - -	463,000	December 29	-	253	28·4	-	5	-	6*	3	-	27
VIENNA - -	1,673,688	January 5	702	699	21·7	-	45	3	14*	3	1	34
PRAGUE - -	391,693	" 5	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	685,340	December 29	401	267	20·3	-	7	6	1	-	5	7
TRIESTE - -	168,264	" 29	109	83	25·5	-	-	-	3*	-	-	2
ROME - - -	518,333	" 1	220	196	19·7	-	1	-	-	-	22‖	20
		" 8	191	220	22·1	-	1	-	-	-	25‖	16
TURIN (10 days)-	344,203	November 10	155	149	15·8	-	-	-	-	-	4	16
VENICE - -	174,170	January 5	64	85	25·4	-	-	-	1*	-	1	2
CAIRO - - -	570,062	December 2	396	363	33·1	-	-	-	2*	1	8	81
ALEXANDRIA -	319,766	" 2	255	189	30·7	2	-	-	4*	-	4	54
NEW YORK (including BROOKLYN)	3,654,594	" 8	1523	1134	17·2	3	4	3	49	6	21	15
		" 15	1666	1132	17·2	-	1	6	37	3	28	12
PHILADELPHIA -	1,293,697	" 29	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 19 deaths from cholera in Calcutta, and 4 in Bombay.
‖ Including 4 and 2 deaths, respectively, from malarial fever.
‡ Including 2 deaths from plague in Calcutta, and 118 in Bombay.

1901. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 6	..	30·001	31·8	25·5	6·3	29·1	− 9·1	17·7	11·4	14·3	7·5	61	45·2	22·8	44·93	ENE.	ENE. & ESE.	14·1	0·0	1·7	516	+199	0·00	0·0
MONDAY - 7	..	29·912	30·2	23·6	6·6	27·3	−10·8	23·5	3·8	11·4	0·0	85	34·5	21·5	44·30	ESE. & NNE.	E. & ESE.	1·1	0·0	0·0	176	−142	0·13	0·2
TUESDAY - 8	..	29·697	32·1	23·3	8·8	28·6	− 9·4	26·7	1·9	6·5	0·0	92	53·2	21·0	43·72	E. & ENE.	ESE., SE. & S.	1·9	0·0	0·1	192	−126	0·10	0·8
WEDNESDAY 9	..	29·662	42·9	21·0	21·9	34·2	− 3·7	32·6	1·6	6·5	0·0	94	52·9	21·0	43·22	S., ENE. & E.	E., SE. & S.	1·0	0·0	0·0	179	−139	0·00	0·0
THURSDAY - 10	In Equator.	29·786	49·3	36·5	12·8	42·4	+ 4·5	39·5	2·9	6·3	0·2	89	94·4	31·3	42·90	S. & SSE.	SSE., ESE. & E.	1·5	0·0	0·1	211	−108	0·00	0·0
FRIDAY - 11	..	29·933	45·1	36·8	8·3	41·3	+ 3·4	40·6	0·7	2·2	0·0	97	53·6	31·0	42·90	SE. & calm.	SE. & calm.	0·1	0·0	0·0	79	−240	0·00	0·0
SATURDAY - 12	Apogee. Last Qr.	30·191	41·4	38·2	3·2	39·6	+ 1·7	38·7	0·9	2·1	0·0	97	43·0	34·3	42·95	Calm	E. & ESE.	0·1	0·0	0·0	74	−246	0·00	0·5
MEANS -		29·883	39·0	29·3	9·7	34·6	− 3·3	31·3	3·3	7·0	1·1	88	53·8	26·1	43·56	E. & SE.		..	..	..	Sum 1427	Sum −802	Sum 0·23	0·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 6	w. P. generally.	1·2	8·0	Very fine in morning; partially cloudy till noon; generally overcast afterwards, with a little fine snow at times. Gusty wind prevalent till evening.
MONDAY - 7	w. P. generally; occasional m. P.	0·0	8·0	Overcast generally; frequent snow till afternoon.
TUESDAY - 8	Loss of Register till 2h. P.M.; m. P. till 7h. P.M.; s. P. and s. N. till 9h. P.M.; v. P. afterwards.	0·0	8·0	Generally overcast; occasional snow.
WEDNESDAY 9	m. P. generally.	1·4	8·1	Cloudy till noon; fine and partially cloudy afterwards.
THURSDAY - 10	w. P. till 9h. A.M.; m. P. afterwards.	6·1	8·1	Very fine, with small amounts of cloud generally till evening; cloudy, with slight fog at night.
FRIDAY - 11	m. P. generally.	0·0	8·1	Generally overcast. Slight fog in morning and at night.
SATURDAY - 12	v. P. generally till noon; w. P. afterwards.	0·0	8·2	Overcast. Fog prevalent till 1h. P.M.
		Sum 8·7	Sum 56·5	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·14 in. at the beginning of the week to 29·64 in. by 3h. P.M. on the 9th; and increased to 30·25 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ending 5th January, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	5	6	-	1	-	-	5	1
Kensington	177,205	-	6	4	-	3	-	-	1	-
Hammersmith	111,213	-	10	6	-	5	-	-	3	-
Fulham	141,920	-	10	10	-	3	-	-	2	-
Chelsea	73,843	-	-	-	-	3	-	-	-	-
Westminster	189,375	-	7	3	-	2	-	-	2	-
NORTH.										
St. Marylebone	140,460	-	6	1	-	4	-	-	4	-
Hampstead	82,605	-	3	5	-	3	-	-	-	1
St. Pancras	246,098	-	13	13	-	5	-	-	6	-
Islington	353,528	-	13	13	-	5	-	-	11	4
Stoke Newington	55,758	-	5	1	-	-	-	-	2	-
Hackney	228,417	-	7	12	-	9	-	-	6	1
CENTRAL.										
Holborn	59,700	-	2	2	-	-	-	-	3	-
Finsbury	106,590	-	1	5	-	1	-	-	3	-
City of London	25,289	-	-	1	-	1	-	-	-	-
EAST.										
Shoreditch	120,614	-	4	7	-	4	1	-	5	-
Bethnal Green	127,509	-	5	13	-	5	-	-	4	-
Stepney	305,058	-	8	12	-	8	-	-	7	-
Poplar	170,465	-	9	14	-	2	-	-	-	-
SOUTH.										
Southwark	208,869	-	8	12	-	5	-	-	8	-
Bermondsey	136,824	-	8	7	-	3	-	-	1	-
Lambeth	318,530	-	17	10	-	3	-	-	6	1
Battersea	180,017	-	7	1	-	5	-	-	6	-
Wandsworth	242,224	-	10	7	-	8	-	-	5	-
Camberwell	269,102	-	14	18	-	8	-	-	1	2
Deptford	113,562	-	13	4	-	2	-	-	4	-
Greenwich	91,228	-	8	3	-	3	-	-	2	-
Lewisham	112,856	-	5	4	-	2	-	-	-	-
Woolwich	114,106	-	4	3	-	1	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**208**	**197**	-	**104**	**1**	-	**98**	**10**
Ages 0-1		-	1	8	-	-	-	-	7	-
„ 1-5		-	67	83	-	9	1	-	3	-
„ 5-		-	71	44	-	13	-	-	4	-
„ 10-		-	34	23	-	16	-	-	3	-
„ 15-		-	16	8	-	12	-	-	3	1
„ 20-		-	12	11	-	17	-	-	5	1
„ 25-		-	6	18	-	22	-	-	13	4
„ 35-		-	1	2	-	7	-	-	23	4
„ 45-		-	-	-	-	6	-	-	20	-
„ 55-		-	-	-	-	2	-	-	7	-
„ 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums' Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 3. 1901. Vol. LXII.] WEEK ENDED SATURDAY, JAN. 19. [Price 1½*d*

General Register Office, Somerset House,
January 21*st*, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 16·9, 17·5, and 19·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended				Towns.	Weeks ended			
	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.		Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.
33 Great Towns	16·9	17·5	19·6	19·1	Leicester - -	10·7	14·6	14·4	17·2
Birkenhead -	21·4	21·0	14·4	21·4	Liverpool - -	22·4	22·5	24·9	23·4
Birmingham -	18·2	17·4	21·4	21·8	London - - -	16·7	17·9	19·6	18·7
Blackburn -	17·1	18·7	15·7	19·1	Manchester - -	19·4	21·5	22·8	20·4
Bolton - -	14·0	14·7	17·6	20·4	Newcastle-on-Tyne	20·9	15·2	20·0	18·0
Bradford -	15·2	17·2	19·7	15·8	Norwich - - -	11·3	11·2	21·5	18·8
Brighton -	13·0	17·9	16·7	19·6	Nottingham - -	17·2	15·3	22·7	18·9
Bristol - -	16·2	14·6	20·0	19·0	Oldham - -	14·3	13·0	14·1	14·7
Burnley -	13·8	13·8	16·4	17·3	Plymouth - -	15·8	17·6	18·6	22·1
Cardiff - -	10·2	13·9	16·2	14·1	Portsmouth - -	13·6	12·0	20·9	16·0
Croydon -	13·1	10·5	13·9	13·9	Preston - -	22·4	16·1	22·6	24·7
Derby - -	16·9	8·6	13·8	16·7	Salford - - -	20·1	20·1	27·3	18·2
Gateshead -	19·5	18·6	19·0	23·2	Sheffield - -	19·2	21·4	21·0	20·3
Halifax -	10·9	18·1	13·7	15·1	Sunderland - -	15·2	17·1	21·3	24·8
Huddersfield-	9·5	12·8	12·8	15·8	Swansea - -	16·3	16·5	19·9	23·3
Hull - -	23·2	15·9	18·4	21·2	West Ham - -	13·9	15·4	14·1	14·9
Leeds - -	18·3	20·3	20·1	21·3	Wolverhampton -	12·2	19·0	17·9	15·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Swansea, and 1·7 in Wolverhampton; from *scarlet fever*, 1·3 in Preston; from *whooping-cough*, 1·0 in Sheffield, 1·1 in Hull, 1·3 in Birkenhead and in Preston, 1·4 in Sunderland, and 1·9 in Nottingham; and from *diarrhœal diseases*, 1·1 in Blackburn. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 95 deaths from *diphtheria* included 32 in London, 13 in Sheffield, 6 in Leeds, 6 in Bristol, 5 in Birmingham, 4 in West Ham, 4 in Leicester, 4 in Salford, and 3 in Manchester. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2693 BIRTHS and 1666 DEATHS were registered. Allowing for increase of population, the births were 112, and the deaths 531, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7776—670—1/1901 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 16·7, 17·9, and 19·6 in the preceding three weeks, fell again last week to 18·7. During the four weeks ended on Saturday last the death-rate averaged 18·2 per 1000, being 7·3 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1666 deaths included 36 from measles, 9 from scarlet fever, 32 from diphtheria, 38 from whooping-cough, 13 from enteric fever, 15 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus 143 deaths were referred to these diseases, being 65 below the corrected average weekly number.

The deaths from *measles*, which had been 27, 21, and 34 in the preceding three weeks, further rose last week to 36, but were 23 below the corrected average; 7 cases belonged to the Borough of Southwark and 6 to that of Camberwell. The deaths from *scarlet fever*, which had been 7, 9, and 9 in the preceding three weeks, were again 9 last week, the corrected average being 17. The deaths from *diphtheria*, which had been 26, 24, and 25 in the preceding three weeks, rose last week to 32, but were 8 below the corrected average; 3 cases belonged to Camberwell. The deaths from *whooping-cough*, which had been 31, 29, and 32 in the preceding three weeks, further rose last week to 38, but were 27 below the corrected average; 7 cases belonged to Camberwell and 4 to Southwark. The fatal cases of *enteric fever*, which had been 22, 18, and 17 in the preceding three weeks, further fell last week to 13, the corrected average being 12; 2 cases belonged to Hammersmith, 2 to Southwark, and 2 to Camberwell. The deaths from *diarrhœal diseases*, which had been 9, 9, and 16 in the preceding three weeks, were 15 last week, the corrected average being 14. The deaths referred to diseases of the *respiratory organs*, which had been 325, 330, and 392 in the preceding three weeks, further rose last week to 422, but were 238 below the corrected average. The deaths attributed directly to *influenza* numbered 20, having been 7, 10, and 10 in the preceding three weeks.

Different forms of *violence* caused 71 deaths, concerning all but 3 of which inquests were held. Of these 71 deaths, 10 were cases of suicide, and 3 of homicide, while the remaining 58 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 4 to drowning, and 22 (including 21 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2171 cases of scarlet fever, 1153 of diphtheria, and 333 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 187 cases, against 167, 163, and 156; of diphtheria, 138 cases, against 140, 137, and 106; and of enteric fever, 27 cases, against 41, 47, and 29. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended January 12th.

Greater London.

In Greater London 3834 births and 2234 deaths were registered, corresponding to annual rates of 29·5 and 17·2 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 16 from diphtheria, 12 from whooping-cough, 5 from "fever," and 4 from diarrhœal diseases were registered. Seven deaths from measles occurred in Edmonton district; 8 deaths from diphtheria, 5 from whooping-cough, and 4 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·93 inches, and that of the Thermometer 40°·2; the latter being 1°·8 above the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 20 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·3 hours; the measured rainfall amounted to 0·22 of an inch.

* The figures represent persons notified as suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 19th Jan. 1901. Births.	Registered during the Week ended 19th Jan. 1901. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,789,099**	**6858**	**4320**	**884**	**1279**	-	**79**	**27**	**95**	**99**	**38**	**36**	**174**	**371**	**1021**	**59**	**19·1**	**1·7**	**52·0**	**23·8**	**39·2**	**4·00**	**0·33**	**0·84**	33 Towns.
London - -	4,651,113	2693	1666	299	534	-	36	9	32	38	13	15	71	166	499	5	18·7	1·6	48·2	27·9	40·2	4·56	0·22	0·56	London.
West Ham - -	329,377	187	94	23	25	-	-	-	4	2	2	1	2	6	23	-	14·9	1·4	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	65	36	10	17	-	-	-	2	-	-	-	1	3	11	-	13·9	0·8	49·0	26·5	39·6	4·22	0·18	0·46	Croydon.
Brighton - -	125,077	58	47	9	14	-	-	-	1	1	1	-	2	6	9	1	19·6	1·8	49·6	33·2	42·0	5·56	0·24	0·61	Brighton.
Portsmouth -	199,262	100	61	9	22	-	-	-	1	-	1	-	2	4	13	-	16·0	0·5	49·5	35·0	42·7	5·94	0·64	1·63	Portsmouth.
Plymouth - -	103,708	61	44	12	14	-	1	-	-	1	-	-	1	4	5	-	22·1	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	206	120	25	38	-	-	1	6	5	-	2	3	8	21	-	19·0	2·2	52·0	25·2	40·1	4·51	0·49	1·24	Bristol.
Cardiff - -	203,050	106	55	22	7	-	-	-	-	2	1	-	3	8	10	-	14·1	0·8	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	47	48	13	12	-	2	-	2	-	-	-	2	5	8	-	23·3	1·9	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	56	26	8	8	-	3	-	-	-	1	-	1	2	8	-	15·0	2·3	46·5	23·8	35·8	2·11	0·64	1·63	Wolverhampton.
Birmingham - -	524,307	340	219	52	56	-	3	-	5	4	5	-	10	15	46	9	21·8	1·7	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	71	42	8	16	-	-	-	2	-	-	-	3	3	4	4	18·8	0·9	47·6	29·0	38·8	3·78	0·06	0·15	Norwich.
Leicester - -	224,619	125	74	27	20	-	-	-	4	3	-	-	5	9	11	1	17·2	1·6	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	143	89	27	22	-	2	-	-	9	-	1	3	6	12	3	18·9	2·5	46·7	28·3	38·4	3·56	0·10	0·25	Nottingham.
Derby - - -	109,605	60	35	6	12	-	-	1	-	-	1	1	2	3	10	-	16·7	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	70	49	16	6	-	-	-	-	3	-	-	-	1	10	-	21·4	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool - -	635,348	436	285	62	81	-	10	1	2	-	1	4	12	16	73	12	23·4	1·5	45·8	30·7	38·4	3·56	0·57	1·45	Liverpool.
Bolton - -	166,284	107	65	14	19	-	3	1	1	-	1	2	1	4	9	1	20·4	2·5	-	-	-	-	-	-	Bolton.
Manchester -	553,677	340	217	46	44	-	3	-	3	4	2	4	7	15	63	2	20·4	1·5	-	-	-	-	-	-	Manchester.
Salford - -	223,418	140	78	18	16	-	-	1	4	-	4	-	5	8	19	1	18·2	2·1	-	-	-	-	-	-	Salford.
Oldham - -	155,865	70	44	5	16	-	-	-	-	1	-	-	3	5	4	-	14·7	0·3	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	43	40	13	7	-	-	-	1	-	-	2	3	4	9	-	17·3	1·3	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	72	51	10	16	-	-	1	2	2	-	3	4	5	9	1	19·1	3·0	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	68	57	14	11	-	-	3	-	3	-	-	-	-	5	2	24·7	2·6	46·0	31·0	38·9	3·83	0·19	0·48	Preston.
Huddersfield -	105,514	46	32	7	11	-	-	-	1	-	-	-	2	3	5	1	15·8	0·5	49·2	25·3	36·8	2·67	0·38	0·97	Huddersfield.
Halifax - -	106,873	48	31	5	15	-	-	-	-	-	1	-	2	2	6	-	15·1	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	128	89	15	29	-	1	1	2	1	3	-	5	13	10	1	15·8	1·4	50·6	28·4	38·3	3·50	0·21	0·53	Bradford.
Leeds - - -	438,814	219	179	23	61	-	5	3	6	1	1	-	8	18	35	1	21·3	1·9	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	261	144	30	34	-	2	-	13	7	-	-	4	8	26	6	20·3	3·1	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	172	99	22	35	-	4	2	-	5	-	-	4	12	11	1	21·2	2·4	48·0	31·0	39·7	4·28	0·32	0·81	Hull.
Sunderland -	149,205	98	71	12	24	-	-	1	-	4	-	1	-	2	15	1	24·8	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	74	50	6	18	-	-	-	1	2	-	-	1	1	6	5	23·2	1·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	148	83	16	19	-	4	2	-	1	-	-	2	6	16	1	18·0	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRD Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2789	2623	2645	2729	2818	2491	2484	2631	2811	2533	2805·0	2693
Males	1381	1357	1330	1342	1388	1310	1284	1322	1485	1288	1424·7	1334
Females	1408	1266	1315	1387	1430	1181	1200	1309	1326	1245	1380·3	1359
TOTAL **Deaths**	2212	3761	2101	1975	1689	1624	1547	2021	1503	2365	2197·0	1666
Males	1061	1723	1037	997	879	820	800	1043	779	1128	1084·5	799
Females	1151	2038	1064	978	810	804	747	978	724	1237	1112·5	867

*The numbers in this column are the average weekly numbers in the third week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.
TOTAL **Births**	2238	2392	2500	2223	2538	2338	2299	2527	2436	1591	2983	2466	2693
TOTAL **Deaths**	1403	1466	1498	1505	1515	1572	1544	1454	1382	1466	1593	1750	1666
Ages at Death: Under 1 year	352	351	347	369	361	397	400	374	346	346	361	362	299
1—5 years	143	148	173	172	158	200	187	153	174	182	165	186	195
5—20 ,,	100	102	81	90	87	83	77	86	78	78	64	95	70
20—40 ,,	187	190	209	217	209	205	164	183	180	212	210	216	212
40—60 ,,	266	304	311	311	295	298	327	302	296	275	359	377	356
60—80 ,,	288	302	309	283	325	322	318	274	245	307	335	402	421
80 years and upwards	67	69	68	63	80	67	71	82	63	66	99	112	113
Deaths from—													
Small pox	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	20	10	22	18	21	33	23	20	26	27	21	34	36
Scarlet Fever	10	8	8	8	11	6	11	8	4	7	9	9	9
Diphtheria	39	42	35	32	22	29	34	20	36	26	24	25	32
Whooping-cough	18	13	16	15	27	21	34	28	22	31	29	32	38
Typhus	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	22	20	25	17	26	24	21	19	22	22	18	17	13
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	43	27	23	18	8	12	13	15	10	9	9	16	15
Cholera	–	1	–	–	1	–	1	–	1	–	–	–	–
All the above Diseases	152	121	129	108	116	127	137	110	121	122	110	133	143
Dis. of Respiratory System	236	268	307	352	322	435	400	349	306	325	330	392	422
Phthisis	141	152	137	150	134	158	150	135	121	146	165	173	182
Dis. of Circulatory System	140	148	137	140	145	122	137	125	117	137	154	181	157
Violence	62	70	71	73	51	65	61	64	67	64	90	76	71
Inquest Cases	141	149	159	157	138	159	141	145	135	160	212	201	166
Deaths in Public Institutions	447	467	490	469	470	483	459	456	445	431	469	535	499
TEMPERATURE OF THE AIR													
Mean	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2
Mean of Highest readings	53·0	57·8	53·6	51·1	46·2	48·1	52·0	52·3	49·3	47·6	41·7	39·0	45·3
Mean of Lowest readings	40·8	48·5	44·4	38·4	37·7	41·4	42·4	42·9	38·6	38·4	33·1	29·3	34·1
Humidity of the Air	84	88	83	91	85	88	89	88	87	91	94	88	89
Rain-fall (in inches)	0·30	0·92	0·41	0·81	0·09	0·66	0·77	0·21	0·38	0·30	0·56	0·23	0·22
Registered Sunshine (in hours)	14·0	13·2	18·8	6·0	6·4	7·9	3·1	7·2	23·4	4·6	1·7	8·7	13·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	1	1	–	–	2	2	1	1	1	1	1	1	–
Scarlet Fever	2489	2619	2702	2728	2725	2727	2687	2617	2477	2535	2390	2277	2171
Diphtheria	1465	1472	1521	1556	1535	1537	1515	1474	1514	1356	1266	1200	1153
Enteric Fever	429	444	456	454	442	436	433	425	409	403	374	367	333

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRD Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 3rd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 19th January, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	2197·0	1668	299	195	70	212	356	421	113
Small-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·1	-	-	-	-	-	-	-	-
Measles - - - -	58·5	36	7	29	-	-	-	-	-
Scarlet Fever - - -	16·5	9	-	8	1	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	97·8	20	1	-	-	3	7	8	1
Whooping-cough - -	65·4	38	13	22	3	-	-	-	-
Diphtheria - -	40·2	32	3	22	6	1	-	-	-
Simple Continued and Ill-defined Fever -	0·6	-	-	-	-	-	-	-	-
Enteric Fever - - -	11·9	13	-	-	3	8	2	-	-
Cholera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	14·0	15	10	2	-	-	-	2	1
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of vaccination - -	0·2	-	-	-	-	-	-	-	-
Venereal Affections - -	9·9	4	3	-	-	-	-	1	-
Erysipelas - - -	6·4	3	1	-	-	-	2	-	-
Pyæmia and Septicæmia	1·9	2	1	-	-	1	-	-	-
Puerperal Fever - -	5·6	3	-	-	-	3	-	-	-
Other Zymotic Diseases	1·4	1	-	-	-	1	-	-	-
Thrush - - - -	0·8	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·6	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·7	2	2	-	-	-	-	-	-
Alcoholism - - -	10·2	19	-	-	-	2	14	3	-
Rheumatic Fever, Rheumatism of Heart	8·6	7	-	-	4	2	-	1	-
Rheumatism - - -	2·0	1	-	-	-	-	-	-	1
Gout - - - - -	4·0	5	-	-	-	-	-	3	2
Rickets - - - -	5·0	3	1	2	-	-	-	-	-
Cancer - - - -	73·9	85	-	-	2	9	36	36	2
Tabes Mesenterica - -	18·1	15	6	6	1	2	-	-	-
Tubercular Meningitis -	23·6	15	7	6	2	-	-	-	-
Phthisis - - - -	184·3	182	2	6	14	87	53	20	-
Scrofula, Tuberculosis -	19·1	11	1	3	3	1	2	1	-
Other Constitutional Diseases - -	15·3	11	-	-	-	2	4	5	-
Premature Birth - -	51·8	45	45	-	-	-	-	-	-
Atelectasis - - -	5·1	2	2	-	-	-	-	-	-
Congenital Malformations - - -	8·6	8	7	-	1	-	-	-	-
Old Age - - - -	75·5	64	-	-	-	-	1	32	31
Apoplexy - - -	55·8	66	1	-	-	-	21	38	6
Epilepsy - - - -	7·9	4	-	-	-	1	2	1	-
Convulsions - - -	44·0	27	25	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	95·0	75	8	5	6	13	16	17	10
Diseases of Organs of Special Sense -	3·2	2	1	1	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 3rd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 19th January, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	191·1	157	-	-	9	17	55	68	8
Croup - - - -	5·0	1	-	1	-	-	-	-	-
Bronchitis - - -	418·6	245	40	22	2	5	40	104	32
Pneumonia - - -	179·2	140	31	46	5	8	29	18	3
Pleurisy - - - -	5·9	10	-	1	-	-	4	4	1
Other Diseases of Respiratory System -	51·0	26	3	2	-	1	13	5	2
Dentition - - - -	7·8	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	1	-	-	-	-	-
Enteritis - - -	13·0	10	1	-	-	3	2	4	-
Gastro-enteritis -		7	6	-	-	1	-	-	-
Peritonitis - - -	7·0	12	1	1	1	4	1	4	-
Diseases of Liver - -	25·1	17	-	-	-	1	9	6	1
Other Diseases of Digestive System	33·2	31	5	1	1	4	6	9	5
Diseases of Lymphatic System & of Ductless Glands - - -	1·4	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	52·3	51	-	-	1	7	18	23	2
Diseases of Generative System - - -	5·4	7	1	-	1	2	3	-	-
Accidents of Childbirth -	6·1	7	-	-	-	5	2	-	-
Diseases of Locomotive System - - -	8·1	2	1	-	-	-	-	-	1
Diseases of Integumentary System - -	6·9	6	3	-	-	1	1	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·3	1	-	-	-	1	-	-	-
By Vehicles or Horses -	4·4	5	-	-	1	1	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·7	-	-	-	-	-	-	-	-
In Building Operations -	0·6	2	-	-	-	1	1	-	-
In Conflagrations -	0·9	1	-	-	-	-	1	-	-
By Burns, Scalds, Explosions - -	9·7	3	-	2	1	-	-	-	-
By Drowning - - -	4·8	4	-	-	-	2	2	-	-
By Suffocation in Bed -	16·8	22	21	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	-	-	-	-	-	-	-	-
Other or not stated causes - - - -	25·8	20	2	1	1	4	3	6	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·4	3	2	-	-	1	-	-	-
Suicide - - - -	8·1	10	-	-	1	5	3	-	1
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·2	36	32	1	-	2	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th January, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,411,710	2693	1666	299	534	-	36	9	32	38	-	13	-	15	71	166	499	[illegible]
WEST DISTRICTS - - -	778,251	398	287	47	102	-	-	1	8	9	-	4	-	3	18	32	84	-
NORTH DISTRICTS - - -	1,040,694	568	355	64	127	-	2	3	8	4	-	1	-	3	11	32	103	-
CENTRAL DISTRICTS - - -	233,635	127	83	14	23	-	-	-	-	1	-	1	-	-	8	14	27	-
EAST DISTRICTS - - -	716,334	570	330	77	87	-	10	1	7	6	-	1	-	4	16	49	108	1
SOUTH DISTRICTS - - -	1,642,796	1030	585	97	188	-	24	4	9	18	-	6	-	5	18	39	151	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	26	-	7	-	-	-	-	-	-	-	-	-	-	-	26	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	50	32	6	10	-	-	-	1	2	-	-	-	1	1	1	7	-
St. John Paddington *H* - - G.	33,510	12	9	1	4	-	-	-	-	-	-	-	-	-	1	1	4	-
Kensington Town *Ww* - - W.	122,164	53	45	10	15	-	-	-	1	1	-	-	-	-	1	3	15	-
Brompton *HH* - - W. & C.	48,301	13	10	-	2	-	-	-	-	1	-	-	-	-	-	-	2	-
North Hammersmith *H* W. & G	44,638	38	18	5	6	-	-	-	-	2	-	1	-	-	2	2	-	-
South Hammersmith *wH* W. & G	59,561	24	16	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-
North-west Fulham *W*	113,781	47	17	1	6	-	-	-	-	-	-	1	-	-	1	3	8	-
North-east Fulham *w* W. & C.		31	16	6	2	-	-	1	5	-	-	-	-	2	1	1	6	-
South Fulham		33	9	2	2	-	-	-	-	-	-	-	-	-	3	3	-	-
Chelsea Kensal Town - C.	21,450	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	26	35	3	18	-	-	-	-	2	-	-	-	-	-	1	14	-
Chelsea South *HH* - - C.	33,139	11	9	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
May Fair *WH* - - - - G.	23,827	6	15	1	9	-	-	-	-	-	-	-	-	-	-	1	10	-
Belgrave *WHHH* - - - C.	56,140	12	30	4	10	-	-	-	1	1	-	1	-	-	5	9	12	-
St. John Westminster *HH* C.	31,492	18	8	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Margaret Westminster *H* C.	22,097	4	8	-	5	-	-	-	-	-	-	-	-	-	1	3	5	-
St. James Westminster *WH* N. & G.	23,050	9	4	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-
St. Anne Soho *HHHHH* - N.	12,048	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	10	18	2	5	-	-	-	-	-	-	-	-	-	1	2	10	-
Rectory Marylebone *W* G. & W.		11	8	1	3	-	-	-	-	-	-	-	-	-	-	1	4	-
St. Mary Marylebone *HHHH* G. & W.		35	5	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Christchurch Marylebone‡ *H* - W		21	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone‡ *HHH* - W		8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *WwHHHH* - N. & W.	75,449	37	25	2	5	-	-	3	5	1	-	1	-	-	-	1	13	-
Regent's Park *HH* - W.	51,403	23	16	3	2	-	-	-	-	-	-	-	-	-	-	2	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	11	2	3	-	-	-	-	1	-	-	-	-	-	-	6	-
Gray's Inn Lane *HHHH* - N.	29,426	10	16	4	4	-	-	-	-	-	-	-	-	-	-	2	4	-
Somers Town *HH* - - - N.	32,161	15	10	-	3	-	-	-	-	1	-	-	-	-	1	1	2	-
Camden Town *WH* - - N.	40,155	20	25	6	11	-	-	-	-	-	-	-	-	-	4	4	10	-
Kentish Town *WW* - - N.	60,862	41	22	2	10	-	-	-	-	-	-	-	-	-	-	4	7	-
Upper Holloway *WWWWwHH* - - N.	98,273	58	50	6	26	-	-	-	-	-	-	-	-	-	1	1	32	-
Lower Holloway - - - N.	41,805	22	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	56,384	38	13	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *H* - N.	75,725	39	17	2	4	-	-	-	-	-	-	-	-	1	1	1	-	-
Highbury *HH* - - - N.	64,577	26	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	20	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey (part of) - - -	†*16,892*	10	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	15	17	3	8	-	-	-	1	1	-	-	-	-	1	3	-	-
Central Hackney *ww* - E. & N.		29	15	4	7	-	-	-	1	-	-	-	-	1	1	1	1	-
South-west Hackney *HHH* E. & N.		31	22	5	6	-	-	-	-	-	-	-	-	1	1	4	2	-
South-east Hackney *WwH* E. & N.		42	25	5	9	-	2	-	1	-	-	-	-	-	-	2	9	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	13	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St Giles North *H* - - - N.	9,151	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	5	6	-	2	-	-	-	-	-	-	-	-	-	1	3	2	-
Strand *WHH* - - - - - N.	11,839	-	8	-	1	-	-	-	-	-	-	-	-	-	1	2	6	-
Strand Union Workhouse, Edmonton	†*1,037*	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn *WwHHHHHH* - N.	31,042	15	14	4	1	-	-	-	-	1	-	-	-	-	1	3	5	-
St. James Clerkenwell - - N.	15,777	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	32	11	5	1	-	-	-	-	-	-	-	-	-	3	3	-	-
Goswell-street - - - - N.	16,069	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	30	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - - N.	11,630	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H* - - N. & E.	13,061	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	2	9	-	2	-	-	-	-	-	-	1	-	-	1	1	9	-
Allhallows Barking - - - N.	9,059	3	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	11	5	2	2	-	-	-	-	1	-	-	-	-	1	1	1	-
Hoxton New Town *w* - - N.	29,575	20	13	4	6	-	2	-	-	-	-	-	-	-	-	-	5	-
Hoxton Old Town - - - N.	27,645	22	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston *WH* - - N. & E.	47,163	36	33	11	6	-	1	-	-	1	-	-	-	-	1	7	9	-
Bethnal Green North *H* - E.	49,301	45	16	9	1	-	2	-	-	2	-	-	-	-	3	4	-	-
Bethnal Green South - - E.	34,194	29	15	3	1	-	2	1	-	1	-	-	-	1	-	1	-	-
Bethnal Green East *WWHl* - E.	45,667	30	25	3	10	-	-	-	1	-	-	-	-	-	-	2	14	1
Spitalfields - - - E. & N.	26,681	21	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.	51,995	33	42	7	2	-	-	-	2	-	-	-	-	-	4	8	37	-
Goodman's Fields - - - E.		12	7	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
St. George's, North - - - E.	39,576	40	11	2	5	-	-	-	1	-	-	-	-	-	2	3	-	-
St. John, St. George East *W* E.	7 930	10	13	2	2	-	-	-	-	-	-	1	-	-	1	3	11	-
Shadwell *H* - - - E. & N.	10,434	5	7	3	-	-	-	-	-	-	-	-	-	-	1	1	5	-
Ratcliff *W* - - - - E.	14,954	7	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - E.	32,917	25	10	3	4	-	-	-	1	-	-	-	-	-	-	1	-	-
Mile End Old Town West *H* E.	111,060	61	20	7	6	-	-	-	-	-	-	-	-	1	1	2	-	-
Mile End Old Town East *WWww* - E.		34	31	5	14	-	1	-	1	-	-	-	-	1	-	1	11	-
Bow *l* - - - - E.	41,687	33	11	1	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Bromley *wwwH* - - - E.	69,821	60	33	2	9	-	1	-	-	1	-	-	-	-	2	5	11	-
Poplar *WW* - - - - E.	57,759	36	19	8	6	-	1	-	1	-	-	-	-	1	-	5	4	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Saviour Southwark - - S.	12,301	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Kent-road - - - - S. & L.	22,879	10	6	2	2	-	1	-	-	1	-	-	-	-	-	-	-	1
Borough-road *WH* - S. & L.	16,083	15	10	1	2	-	1	-	-	2	-	-	-	-	-	-	4	-
London-road *HL* - - L. & S.	21,316	14	7	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington *H* - S. & L.	28,723	17	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Peter Walworth *W* - S. & L.	62,045	45	18	5	2	-	2	-	-	1	-	-	-	1	-	1	1	-
St. Mary Newington- - L. & S.	30,171	12	8	1	4	-	-	-	-	2	-	-	-	-	-	1	-	-
St. Olave *WH*- - - - S.	11,731	8	18	-	3	-	-	-	-	-	-	1	-	-	-	1	16	-
Bermondsey *W* - - - S.	85,475	66	25	4	12	-	3	-	-	-	-	-	-	-	-	-	1	-
Rotherhithe *Ww* - S. & K.	40,379	29	26	5	10	-	1	-	-	-	-	-	-	-	2	2	7	1
Waterloo-road *HH* - L. & S.	28,396	19	9	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Lambeth Church 1st *H* - L. & S.	18,770	17	9	-	1	-	-	-	-	-	-	-	-	-	-	-	8	-
Lambeth Church 2nd *WW* L. & S.	40,994	24	24	-	13	-	1	-	-	-	-	-	-	-	1	1	17	-
Kennington 1st *H* - S. & L.	52,486	39	20	5	10	-	1	-	-	-	-	-	-	-	-	3	-	-
Kennington 2nd - - S. & L.	43,244	27	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Brixton *w* - - - L. & S.	81,825	42	22	4	8	-	-	2	-	1	-	-	-	-	1	2	1	-
Norwood *WH*- - - - L.	29,318	15	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	53	18	3	6	-	-	-	-	1	-	-	-	-	-	1	-	-
North-west Battersea - - S.	93,385	31	11	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *WwH* - S.		21	24	4	8	-	-	-	-	-	-	-	-	-	1	2	14	-
Clapham *H* - - - - S.	46,953	26	17	2	5	-	-	-	-	2	-	-	-	-	1	1	-	-
Streatham *WwwwwL* - - L.	61,644	30	26	3	6	-	-	-	4	-	-	1	-	-	1	1	6	-
Wandsworth *WHHL* - - S.	58,101	38	12	4	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Putney - - - - - S.	20,566	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	65	56	7	19	-	3	-	-	1	-	3	-	-	5	5	36	-
Peckham *WW* - S., L., & K.	88,242	56	28	6	9	-	6	-	-	-	-	-	-	-	1	1	-	-
St. George Camberwell - L. & S.	67,029	28	23	4	4	-	-	-	-	5	-	-	-	1	1	3	-	-
Deptford North - - - K.	36,152	21	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Deptford Central *w* - - K.	45,441	35	18	5	4	-	1	1	2	-	-	1	-	-	-	-	5	-
Deptford South - - - K.	33,402	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	18	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *WH* - - K.	37,767	21	25	3	6	-	2	-	-	2	-	-	-	-	-	2	12	-
Eltham *wH* - - - - K.	5,911	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Lee *H* - - - - - K.	24,222	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	40	27	2	12	-	-	1	2	-	-	-	-	-	-	-	11	-
Sydenham *H* - - - - L.	37,601	28	7	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *wHH* - - - K.	15,928	10	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Woolwich *HHHH* - - K.	41,314	25	10	2	4	-	1	-	-	-	-	-	-	1	1	2	-	-
Plumstead West *H* - - K.	16,714	9	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	27	18	2	7	-	-	-	-	-	-	-	-	-	-	3	9	-
Banstead Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury Asylum - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th January, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON-OUTER RING -	368,584	1,405,489	1,141	568	152	180	–	10	–	16	12	5	4	11	43	83	1
30 : 1	Carshalton *H* - - -	12,228	26,108	18	6	2	3	–	–	–	–	–	–	–	–	–	2	–
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W* -	2,754	1,598	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH* -	20,851	128,699	75	47	13	21	–	–	–	2	–	–	–	1	3	16	–
2	Mitcham *w* - - -	11,697	23,072	23	4	3	–	–	–	–	–	–	–	1	–	1	–	–
39 : 1	Wimbledon *HHH* - -	3,220	25,777	19	12	3	3	–	1	–	–	–	–	–	–	1	–	–
2	Kingston *WH* - - -	14,672	33,566	22	10	4	3	–	–	–	–	–	–	–	–	1	1	–
3	Surbiton *HH* - - -		12,178	5	6	–	3	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H* -		11,080	5	7	2	4	–	–	–	–	1	–	–	–	–	–	–
5	Hampton *HL* - - -	4,565	18,252	6	5	1	2	–	–	–	–	–	–	1	–	–	–	–
40 : 1	Richmond *WHH* - -	2,160	25,389	13	16	6	5	–	–	–	–	–	–	–	–	1	3	–
2	Mortlake *H* - - -	2,823	16,159	8	8	1	3	–	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley *HHH* - - -	9,127	23,815	19	10	3	3	–	–	–	–	–	–	–	–	2	–	1
2	Beckenham *H* - - -	6,542	21,969	8	5	2	2	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of*† *W* -	6 974	7,714	3	7	–	3	–	–	–	–	–	–	–	1	1	5	–
4	Chislehurst† *HH* - -	7,333	12,658	8	7	3	1	–	–	–	–	–	–	–	–	1	–	–
42 : 1	Bexley *HHH* - - -	12,540	30,590	23	13	6	2	–	–	–	–	2	–	–	1	3	–	–
2	Dartford *WH*, *part of** -	—	—	–	3	1	–	–	–	–	1	–	–	–	–	–	3	–
124 : 1	Sunbury *w* - - -	11,054	13,671	18	7	3	1	–	–	–	–	–	–	–	–	1	–	–
2	Staines *WH* - - -	13,277	13,221	8	7	3	2	–	–	–	1	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH* - -	6,035	12,237	8	6	1	3	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge - - - -	12,757	7,253	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - - -	7,952	11,051	9	9	3	3	–	–	–	–	2	–	–	–	–	–	–
126 : 1	Isleworth *WHH* - -	6,967	26,004	25	17	4	4	–	2	–	–	–	–	–	–	–	4	–
2	Twickenham *HH* - -	2,415	16,027	10	12	3	5	–	–	–	1	–	–	–	–	1	–	–
3	Brentford *HHHH* - -	4,318	37,777	27	15	4	6	–	–	–	1	–	–	–	1	1	3	–
4	Chiswick - - - -	1,245	21,963	23	2	1	–	–	–	–	–	–	–	1	–	–	–	–
5	Acton *wHH* - - -	6,132	30,945	24	17	6	2	–	–	–	–	–	–	–	–	1	–	–
127 : 1	Harrow *HHH* - - -	13,809	15,715	8	2	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - - -	6,994	3,844	3	2	–	1	–	–	–	–	1	–	–	–	–	–	–
3	Willesden *HHH* - -	4,383	61,265	83	24	6	6	–	–	–	–	1	–	–	1	2	1	
4	Hendon *WH* - - -	8,382	15,843	12	6	2	2	–	–	–	–	–	–	–	–	–	2	–
128 : 1	South Mimms *HH* - -	21,077	6,367	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–
2	Barnet *WHH* - - -		14,152	3	6	2	4	–	–	–	–	–	–	–	–	–	1	–
3	Finchley *HHH* - - -	4,688	25,820	8	4	1	1	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey, *part of** *HH* -	2,800	44,205	34	16	3	8	–	1	–	1	–	–	–	–	–	1	–
13 : 3	Amwell, *part of** - - -	65	318	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129 : 2	Tottenham *HHH* - -	4,642	97,174	66	23	5	8	–	–	–	–	–	–	–	–	2	1	–
3	Edmonton *Ww* - -	7,489	36,351	29	17	4	5	–	2	–	1	–	–	–	–	2	1	–
4	Enfield *WWHH* - -	12,602	31,536	26	9	3	1	–	2	–	–	–	–	–	–	–	–	–
5	Waltham Abbey - - -	11,017	6,066	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - - -	8,480	9,620	7	6	1	3	–	2	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W* -	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - - -	9,331	7,737	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H* - - -	4,706	38,612	31	13	4	6	–	–	–	1	–	–	–	–	2	1	–
2	Plaistow *HHH* - - -		58,030	59	24	7	4	–	–	–	3	–	2	–	–	–	5	–
3	Canning Town *H* - -		54,750	61	21	5	5	–	–	–	–	–	–	1	1	2	2	–
4	Forest Gate *w* - - -		53,511	36	21	6	5	–	–	–	–	1	–	–	1	2	–	–
5	East Ham *wHHH* - -	3,266	32,713	82	23	8	6	–	–	–	–	1	1	–	1	4	–	–
6	Wanstead - - - -	4,334	7,042	3	3	–	1	–	–	–	1	–	1	–	–	–	1	–
7	South Leyton *WW* - -		38,232	26	33	7	10	–	–	–	–	1	–	–	–	1	21	–
8	North Leyton *WwH* -		24,874	17	5	–	3	–	–	–	–	–	–	–	1	2	–	–
9	Walthamstow *HHHL* -	6,501	57,370	74	30	8	8	–	–	–	3	2	–	–	2	5	1	–
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	6	4	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** *W* -	6,556	4,324	3	4	–	3	–	–	–	–	–	–	–	–	–	3	–
2	Ilford *H* - - - -	8,493	10,913	23	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town, *H* - -	3,814	14,301	19	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	Eastern Fever Hospital, Homerton.	—	—	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes: 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3. the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 19th January, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,421	6,781,854	17·2	1·5	2234	451	714	-	46	9	48	50	18	19	82	582
INNER LONDON -	74,837	4,651,113	18·7	1·6	1666	299	534	-	36	9	32	38	13	15	71	499
OUTER RING -	368,584	2,130,741	13·9	1·2	568	152	180	-	10	-	16	12	5	4	11	83

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	308,624	January 19	141	135	22·7	-	8	-	3	5	2	-
GLASGOW - -	751,701	" 19	468	376	26·0	3	2	1	1	44	10	7
DUBLIN† - -	346 128	" 19	210	202	30·4	-	-	-	-	12	3	1
CALCUTTA - -	466,460	November 24	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	January 1	276	950	60·1	4	1	?	?	?	289‡	90§
MADRAS - -	452,518	December 14	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,511,629	January 12	1182	1035	21·4	11	4	1	8*	7	8	31
BRUSSELS - -	570,844	" 12	260	213	19·4	-	3	-	2*	-	1	11
AMSTERDAM -	527,181	" 5	287	156	15·4	-	8	-	-	3	-	8
ROTTERDAM -	325,556	" 5	200	103	16·2	-	-	-	-	1	2	-
THE HAGUE -	205,328	" 5	105	56	14·0	-	-	-	-	-	-	-
COPENHAGEN -	354,000	" 12	200	113	16·6	-	2	-	2	2	1	2
STOCKHOLM -	297,148	" 5	149	99	17·3	-	2	1	7*	-	-	3
CHRISTIANIA -	226,423	" 12	157	70	16·1	-	-	-	-	-	-	1
ST. PETERSBURG	1,132,677	" 5	390	581	26·7	2	5	17	28	3	17	66
MOSCOW - -	988,610	" 5	-	557	29·4	3	6	10	12	-	3	49
BERLIN - -	1,857,859	December 29	902	647	18·2	-	20	11	14	9	1	37
HAMBURG - -	705,738	January 12	-	273	20·1	-	1	3	3*	1	-	2
DRESDEN - -	397,000	December 1	196	114	14·9	-	-	2	2*	3	1	3
		" 8	225	116	15·2	-	1	1	2*	3	1	4
BRESLAU - -	412,959	January 12	-	207	26·1	-	-	-	-	2	-	18
MUNICH - -	500,000	" 5	-	229	23·8	-	4	-	5*	3	-	16
VIENNA - -	1,673,688	" 12	756	768	23·8	-	38	6	9*	1	1	34
PRAGUE - -	393,091	" 12	192	192	25·4	-	3	-	3	-	2	4
BUDA-PESTH -	703,959	" 5	395	278	20·5	-	12	2	3	1	2	14
TRIESTE - -	168,951	" 5	86	136	42·0	-	1	1	1*	1	1	1
ROME - - -	518,333	December 15	233	213	21·4	-	1	-	1	-	20‖	14
TURIN (10 days) -	344,203	November 20	181	187	19·8	-	-	-	-	1	1	10
VENICE - -	174,170	January 12	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	December 9	459	335	30·6	-	-	-	5*	-	9	69
ALEXANDRIA -	319,766	" 9	241	201	32·7	2	-	-	-	1	2	46
NEW YORK (including BROOKLYN)	3,444,675	" 22	1379	1186	18·0	-	7	10	48	8	22	15
PHILADELPHIA -	1,293,697	" 29	-	469	18·9	-	1	1	21	-	9	4

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 2 deaths from cholera in Bombay.
‖ Including 4 deaths from malarial fever.
‡ Including 154 deaths from plague.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	13	..	30·311	42·5	35·4	7·1	40·2	+ 2·2	37·7	2·5	3·5	1·1	91	52·2	31·0	43·07	SE. & SSE.	SE.	1·7	0·0	0·1	185	−136	0·00	1·5
MONDAY -	14	..	30·249	44·8	29·3	15·5	36·8	− 1·4	29·5	7·3	12·3	2·3	75	82·2	20·6	43·29	SE., ESE. & E.	ESE.	0·8	0·0	0·0	146	−176	0·00	0·0
TUESDAY -	15	..	29·984	38·9	27·9	11·0	33·4	− 4·9	28·7	4·7	7·4	2·1	83	74·6	18·7	43·19	ESE. & E.	E. & ESE.	1·7	0·0	0·1	193	−131	0·00	0·0
WEDNESDAY	16	..	29·703	46·6	29·2	17·4	39·7	+ 1·2	37·9	1·8	2·7	1·3	93	70·4	18·0	42·84	ESE. & SE.	SSE. & S.	4·3	0·0	0·4	298	− 28	0·05	0·5
THURSDAY-	17	Greatest Dec. S.	29·929	48·2	38·2	10·0	44·1	+ 5·6	42·1	2·0	4·8	0·5	93	57·2	30·0	42·57	S.	S. & SSE.	1·2	0·0	0·0	184	−144	0·00	1·5
FRIDAY -	18	..	29·918	47·9	36·4	11·5	42·6	+ 4·1	41·5	1·1	3·8	0·0	96	70·5	27·8	42·80	Calm; S. & SSW.	SSW.	1·7	0·0	0·1	224	−106	0·06	1·0
SATURDAY-	19	..	29·389	48·2	42·3	5·9	44·6	+ 6·1	42·4	2·2	4·4	1·8	92	49·7	36·3	43·00	S. & SSE.	SSW., SW. & W.	22·6	0·0	1·9	587	+256	0·11	6·0
MEANS -			29·926	45·3	34·1	11·2	40·2	+ 1·8	37·1	3·1	5·6	1·3	89	65·3	26·1	42·97	SE. & SSW.		..	..	..	Sum 1817	Sum −465	Sum 0·22	1·5
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	13	w. P. throughout.	0·0	8·2	Overcast.
MONDAY -	14	w. P. till 2h. A.M.; s. P. generally afterwards.	5·3	8·2	Very fine throughout; the amount of cloud was usually small. Hoar frost in morning and at night.
TUESDAY -	15	s. P. till 10h. A.M.; m. P. afterwards.	6·2	8·3	Generally cloudless; a very fine day. Hoar frost in morning and at night.
WEDNESDAY	16	w. P. till noon; w. P. with occasional w. N. afterwards.	0·7	8·3	Very fine, with hoar frost in morning; generally cloudy with frequent slight rain after 9h. A.M.
THURSDAY-	17	w. P. throughout.	0·0	8·4	Overcast till noon; fine and partially cloudy afterwards, with low fog at night.
FRIDAY -	18	w. P. till 10h. A.M.; w. P. and v. N. till 1h. P.M.; w. P. afterwards.	1·1	8·4	Overcast till noon, with continuous slight rain after 9h. A.M.; fine and partially cloudy afterwards.
SATURDAY-	19	w. P. till 8h. A.M.; v. N. till noon; w. P. with occasional w. N. afterwards.	0·0	8·5	Overcast; frequent rain with strong gusty wind after 8h. A.M.
			Sum 13·3	Sum 58·3	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·25 in. at the beginning of the week to 30·33 in. by 7h. P.M. on the 13th; decreased to 29·65 in. by noon on the 16th; increased to 29·97 in. by 9h. P.M. on the 17th; decreased to 29·25 in. by 7h P.M. on the 19th; and increased to 29·46 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th January, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	7	-	-	2	-	-	1	-
Kensington	177,205	-	4	3	-	-	-	-	-	-
Hammersmith	111,213	-	8	5	-	3	-	-	4	1
Fulham	141,920	-	5	10	-	3	-	-	4	-
Chelsea	73,843	-	1	1	-	1	-	-	-	-
City of Westminster	189,375	-	7	1	-	2	-	-	4	-
NORTH.										
St. Marylebone	140,460	-	12	-	-	-	-	-	5	-
Hampstead	82,605	-	4	3	-	-	-	-	2	-
St. Pancras	246,098	-	7	11	-	1	-	-	2	-
Islington	353,528	-	11	5	-	5	-	-	4	-
Stoke Newington	55,758	-	7	5	-	-	-	-	1	-
Hackney	228,417	-	13	5	-	5	-	-	7	1
CENTRAL.										
Holborn	59,700	-	2	1	-	2	-	-	2	-
Finsbury	106,590	-	2	3	-	3	-	-	2	-
City of London	25,289	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	-	3	-	-	-	-	4	-
Bethnal Green	127,509	-	5	9	-	4	-	-	2	-
Stepney	305,058	-	13	19	-	6	-	-	9	1
Poplar	170,465	-	6	11	-	2	-	-	1	-
SOUTH.										
Southwark	208,869	-	6	5	-	5	-	-	7	-
Bermondsey	136,824	-	8	7	-	2	-	-	2	-
Lambeth	318,530	-	17	4	-	3	-	-	3	-
Battersea	180,017	-	14	4	-	2	-	-	1	-
Wandsworth	242,224	-	5	10	-	4	-	-	7	-
Camberwell	269,102	-	9	12	-	4	-	-	5	1
Deptford	113,562	-	12	5	-	3	-	-	-	1
Greenwich	91,228	-	4	4	-	1	-	-	1	-
Lewisham	112,856	-	6	4	-	-	-	-	-	1
Woolwich	114,106	-	4	2	-	1	-	-	-	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**199**	**152**	-	**65**	-	-	**80**	**6**
Ages 0-1		-	2	4	-	-	-	-	1	-
„ 1-5		-	56	61	-	4	-	-	4	-
„ 5-		-	73	43	-	8	-	-	1	-
„ 10-		-	24	18	-	9	-	-	2	-
„ 15-		-	16	7	-	8	-	-	4	-
„ 20-		-	17	3	-	13	-	-	-	2
„ 25-		-	7	12	-	13	-	-	10	3
„ 35-		-	2	2	-	8	-	-	17	1
„ 45-		-	1	2	-	2	-	-	23	-
„ 55-		-	1	-	-	-	-	-	9	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums' Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 4. 1901. Vol. LXII.] Week ended Saturday, Jan. 26. [Price 1½*d.*

General Register Office, Somerset House,
January 28th, 1901.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 17·5, 19·6, and 19·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended				Towns.	Weeks ended			
	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.		Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.
33 Great Towns	17·5	19·6	19·1	17·9	Leicester - -	14·6	14·4	17·2	16·2
Birkenhead -	21·0	14·4	21·4	21·9	Liverpool - -	22·5	24·9	23·4	24·0
Birmingham -	17·4	21·4	21·8	20·4	London - - -	17·9	19·6	18·7	17·6
Blackburn -	18·7	15·7	19·1	12·7	Manchester - -	21·5	22·8	20·4	20·2
Bolton - -	14·7	17·6	20·4	18·2	Newcastle-on-Tyne	15·2	20·0	18·0	20·4
Bradford -	17·2	19·7	15·8	14·3	Norwich - -	11·2	21·5	18·8	23·7
Brighton -	17·9	16·7	19·6	17·5	Nottingham - -	15·3	22·7	18·9	19·5
Bristol - -	14·6	20·0	19·0	14·1	Oldham - -	13·0	14·1	14·7	16·7
Burnley -	13·8	16·4	17·3	13·0	Plymouth - -	17·6	18·6	22·1	19·1
Cardiff - -	13·9	16·2	14·1	14·9	Portsmouth - -	12·0	20·9	16·0	10·5
Croydon -	10·5	13·9	13·9	13·2	Preston - -	16·1	22·6	24·7	16·1
Derby - -	8·6	13·8	16·7	15·2	Salford - - -	20·1	27·3	18·2	21·0
Gateshead . -	18·6	19·0	23·2	24·6	Sheffield - -	21·4	21·0	20·3	19·7
Halifax -	18·1	13·7	15·1	19·5	Sunderland - -	17·1	21·3	24·8	16·8
Huddersfield-	12·8	12·8	15·8	15·8	Swansea - -	16·5	19·9	23·3	16·0
Hull - -	15·9	18·4	21·2	18·9	West Ham - -	15·4	14·1	14·9	11·6
Leeds - -	20·3	20·1	21·3	17·3	Wolverhampton -	19·0	17·9	15·0	19·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Liverpool, and 1·7 in Wolverhampton; from *whooping-cough*, 1·0 in Bristol and in Oldham, 1·1 in Nottingham, and 1·4 in Sunderland; from "*fever*," 1·0 in Derby, and 1·1 in Hull; and from *diarrhœal diseases*, 1·0 in Oldham. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 75 deaths from *diphtheria* included 23 in London, 10 in Sheffield, 5 in Bristol, 5 in Leicester, and 4 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

London.

In London† 2713 births and 1568 deaths were registered. Allowing for increase of population, the births were 99, and the deaths 397, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

17·9, 19·6 and 18·7, in the preceding three weeks, further fell last week to 17·6. During the four weeks ended on Saturday last the death-rate averaged 18·5 per 1000, being 5·9 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1568 deaths included 24 from measles, 8 from scarlet fever, 23 from diphtheria, 37 from whooping-cough, 16 from enteric fever, 17 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus 125 deaths were referred to these diseases, being 66 below the corrected average weekly number.

The deaths from *measles*, which had been 21, 34, and 36 in the preceding three weeks, fell again last week to 24, and were 20 below the corrected average; 6 cases belonged to the Borough of Southwark. The deaths from *scarlet fever*, which had been 9, 9, and 9 in the preceding three weeks, were 8 last week, the corrected average being 15; 2 cases belonged to Bermondsey, 2 to Lambeth, and 2 to Lewisham. The deaths from *diphtheria*, which had been 24, 25, and 32 in the preceding three weeks, fell again last week to 23, and were 18 below the corrected average; 5 cases belonged to Poplar and 3 to Southwark. The deaths from *whooping-cough*, which had been 29, 32, and 38 in the preceding three weeks, were 37 last week, the corrected average being 65; 5 cases belonged to Islington, 5 to Southwark, and 4 to Shoreditch. The fatal cases of *enteric fever*, which had been 18, 17, and 13 in the preceding three weeks, rose again last week to 16, and were 5 above the corrected average; 3 cases belonged to Hammersmith, 2 to Fulham, and 2 to Finsbury. The deaths from *diarrhœal diseases*, which had been 9, 16, and 15 in the preceding three weeks, were 17 last week, the corrected average being 13. The deaths referred to diseases of the *respiratory organs*, which had been 330, 392, and 422 in the preceding three weeks, fell again last week to 394, and were 142 below the corrected average. The deaths attributed directly to *influenza* numbered 17, having been 10, 10, and 20 in the preceding three weeks.

Different forms of *violence* caused 76 deaths, concerning all but 2 of which inquests were held. Of these 76 deaths, 13 were cases of suicide, while the remaining 63 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 10 to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 16 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums' Board and from the London Fever Hospital there were 3 cases of small-pox, 2078 of scarlet fever, 1153 of diphtheria, and 306 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 172 cases, against 163, 156, and 187; of diphtheria, 158 cases, against 137, 106, and 138; and of enteric fever, 30 cases, against 47, 29, and 27. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended January 19th.

Greater London.

In Greater London 3883 births and 2090 deaths were registered, corresponding to annual rates of 29·9 and 16·1 per 1000 of the estimated population. In the Outer Ring 3 deaths from measles, 1 from scarlet fever, 9 from diphtheria, 18 from whooping-cough, 5 from "fever," and 6 from diarrhœal diseases were registered. Five deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·00 inches, and that of the Thermometer 44°·2; the latter being 5°·7 above the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 28 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·6 hours; the measured rainfall amounted to 0·18 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ended 26th January, 1901.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 26th Jan. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,789,099**	**6708**	**4039**	**847**	**1117**	**-**	**58**	**31**	**75**	**92**	**48**	**43**	**178**	**379**	**979**	**40**	**17·9**	**1·5**	**51·9**	**32·7**	**42·7**	**5·94**	**0·45**	**1·14**	**33 Towns.**
London - -	4,651,113	2713	1568	285	489	-	24	8	23	37	16	17	76	191	517	3	17·6	1·4	52·4	32·7	44·2	6·78	0·18	0·46	London.
West Ham - -	329,377	180	73	13	20	-	-	-	1	2	2	1	5	6	20	-	11·6	0·9	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	72	34	8	15	-	-	-	-	2	-	1	1	4	2	-	13·2	1·2	53·0	30·5	42·9	6·06	0·26	0·66	Croydon.
Brighton - -	125,077	65	42	6	19	-	1	1	1	-	1	-	1	2	8	-	17·5	1·7	52·2	38·0	45·0	7·22	0·09	0·23	Brighton.
Portsmouth -	199,262	105	40	3	17	-	-	-	1	-	-	-	1	3	3	1	10·5	0·3	53·0	39·0	45·9	7·72	0·15	0·38	Portsmouth.
Plymouth - -	103,708	53	38	10	12	-	-	-	1	-	-	-	-	-	4	-	19·1	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	156	89	21	31	-	-	1	5	6	-	-	5	7	16	1	14·1	1·9	50·0	31·6	42·7	5·94	0·53	1·35	Bristol.
Cardiff - -	203,050	97	58	22	5	-	-	-	2	1	-	-	3	3	11	-	14·9	0·8	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	47	33	12	9	-	1	-	-	-	1	1	1	2	1	-	16·0	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	63	33	10	6	-	3	-	-	1	-	-	4	6	3	1	19·0	2·3	52·2	27·6	40·0	4·44	0·16	0·41	Wolverhampton.
Birmingham -	524,307	327	205	54	60	-	2	2	2	5	2	2	6	8	51	3	20·4	1·5	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	64	53	16	14	-	-	-	3	-	2	1	-	-	6	-	23·7	2·7	51·8	29·4	42·1	5·61	0·28	0·71	Norwich.
Leicester - -	224,619	127	70	16	24	-	-	-	5	-	-	1	1	2	8	-	16·2	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	137	92	27	22	-	2	-	2	5	3	2	5	8	18	3	19·5	3·0	51·2	28·8	41·1	5·06	0·39	0·99	Nottingham.
Derby - - -	109,605	45	32	5	8	-	-	-	-	1	2	1	3	6	7	-	15·2	1·9	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	59	50	9	14	-	-	-	1	1	1	1	2	4	8	-	21·9	1·7	-	-	-	-	-	-	Birkenhead.
Liverpool - -	635,348	451	293	61	54	-	12	6	2	3	3	2	15	24	80	9	24·0	2·3	52·3	35·2	43·4	6·33	0·57	1·45	Liverpool.
Bolton - -	166,284	62	58	7	16	-	3	-	2	-	-	1	2	6	5	-	18·2	1·9	-	-	-	-	-	-	Bolton.
Manchester -	553,677	314	215	47	44	-	1	3	3	7	2	5	15	29	56	4	20·2	2·0	-	-	-	-	-	-	Manchester.
Salford - -	223,418	139	90	17	13	-	1	4	2	2	2	1	5	9	22	-	21·0	2·8	-	-	-	-	-	-	Salford.
Oldham - -	155,865	75	50	15	10	-	-	1	-	3	-	3	-	8	6	-	16·7	2·3	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	58	30	7	10	-	-	-	1	-	-	-	1	1	6	1	13·0	0·4	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	67	34	8	8	-	-	-	1	-	-	2	-	-	-	3	12·7	1·1	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	69	37	10	9	-	-	2	-	2	1	-	-	1	2	2	16·1	2·2	51·0	36·0	42·3	5·72	1·17	2·97	Preston.
Huddersfield -	105,514	45	32	4	13	-	-	-	-	-	-	-	-	-	3	1	15·8	-	50·0	31·0	40·7	4·83	0·72	1·83	Huddersfield.
Halifax - -	106,873	43	40	7	13	-	-	-	1	-	-	-	1	2	7	1	19·5	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	107	81	13	21	-	-	-	1	1	1	-	3	5	11	1	14·3	0·5	52·2	34·0	43·3	6·28	1·14	2·90	Bradford.
Leeds - - -	438,814	226	146	23	41	-	5	-	4	-	2	-	7	15	34	-	17·3	1·3	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	247	140	31	35	-	-	1	10	6	-	1	4	7	25	1	19·7	2·5	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	170	88	30	18	-	1	1	-	2	5†	-	3	7	8	2	18·9	1·9	53·0	31·0	40·9	4·94	0·18	0·46	Hull.
Sunderland -	149,205	100	48	8	14	-	-	-	-	4	-	-	1	1	12	-	16·8	1·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	81	53	21	12	-	2	-	-	1	2	-	1	2	4	2	24·6	2·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	144	94	21	21	-	-	1	1	-	-	-	6	10	15	1	20·4	0·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return. † Pneumonic Plague.

TABLE 2. LONDON.—**Births and Deaths** Registered in the FOURTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891-1900.*	1901
TOTAL **Births**	2794	2643	2758	2689	2612	2452	2715	2639	2686	2634	2812·2	2713
Males - -	1441	1313	1444	1377	1294	1228	1419	1322	1360	1329	1428·9	1355
Females - -	1353	1330	1314	1312	1318	1224	1296	1317	1326	1305	1383·3	1358
TOTAL **Deaths** -	1903	3355	1831	1655	1481	1582	1702	1764	1381	1950	1965·2	1568
Males - -	993	1587	939	855	728	808	843	876	698	1009	986·2	777
Females - -	910	1768	892	800	753	774	859	888	683	941	979·0	791

*The numbers in this column are the average weekly numbers in the fourth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.
TOTAL **Births** - - -	2392	2500	2223	2538	2338	2299	2527	2436	1591	2983	2466	2693	2713
TOTAL **Deaths** - - -	1466	1498	1505	1515	1572	1544	1454	1382	1466	1593	1750	1666	1568
Ages at Death: Under 1 year - -	351	347	369	361	397	400	374	346	346	361	362	299	285
1—5 years - -	148	173	172	158	200	187	153	174	182	165	186	195	165
5—20 " - -	102	81	90	87	83	77	86	78	78	64	95	70	97
20—40 " - -	190	209	217	209	205	164	183	180	212	210	216	212	203
40—60 " - -	304	311	311	295	298	327	302	296	275	359	377	356	329
60—80 " - -	302	309	283	325	322	318	274	245	307	335	402	421	386
80 years and upwards	69	68	63	80	67	71	82	63	66	99	112	113	103
Deaths from—													
Small pox - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles - - - -	10	22	18	21	33	23	20	26	27	21	34	36	24
Scarlet Fever - - -	8	8	8	11	6	11	8	4	7	9	9	9	8
Diphtheria - - - -	42	35	32	22	29	34	20	36	26	24	25	32	23
Whooping-cough - - -	13	16	15	27	21	34	28	22	31	29	32	38	37
Typhus - - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever - - -	20	25	17	26	24	21	19	22	22	18	17	13	16
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	27	23	18	8	12	13	15	10	9	9	16	15	17
Cholera - - - -	1	-	-	1	-	1	-	1	-	-	-	-	-
All the above Diseases -	121	129	108	116	127	137	110	121	122	110	133	143	125
Dis. of Respiratory System -	268	307	352	322	435	400	349	306	325	330	392	422	394
Phthisis - - - - -	152	137	150	134	158	150	135	121	146	165	173	182	142
Dis. of Circulatory System -	148	137	140	145	122	137	125	117	137	154	181	157	154
Violence - - - -	70	71	73	51	65	61	64	67	64	90	76	71	76
Inquest Cases - - - -	149	159	157	138	159	141	145	135	160	212	201	166	191
Deaths in Public Institutions*	467	490	469	470	483	459	456	445	431	469	535	499	517
TEMPERATURE OF THE AIR													
Mean - - - - - -	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2
Mean of Highest readings -	57·8	53·6	51·1	46·2	48·1	52·0	52·3	49·3	47·6	41·7	39·0	45·3	49·0
Mean of Lowest readings -	48·5	44·4	38·4	37·7	41·4	42·4	42·9	38·6	38·4	33·1	29·3	34·1	39·3
Humidity of the Air - -	88	83	91	85	88	89	88	87	91	94	88	89	82
Rain-fall (in inches) - -	0·92	0·41	0·81	0·09	0·66	0·77	0·21	0·38	0·30	0·56	0·23	0·22	0·18
Registered Sunshine (in hours)	13·2	18·8	6·0	6·4	7·9	3·1	7·2	23·4	4·6	1·7	8·7	13·3	12·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	-	-	2	2	1	1	1	1	1	1	-	3
Scarlet Fever - - - -	2619	2702	2728	2725	2727	2687	2617	2477	2535	2390	2277	2171	2078
Diphtheria - - - -	1472	1521	1556	1535	1537	1515	1474	1514	1356	1266	1200	1153	1153
Enteric Fever - - - -	444	456	454	442	436	433	425	409	403	374	367	333	306

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTH Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 4th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 26th January, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards
ALL CAUSES - - -	1965·2	1568	285	165	97	203	329	386	103
Small-pox { Vaccinated† -	-	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	-	-	-	-	-	-	-	-	-
Small-pox { No Statement	-	-	-	-	-	-	-	-	-
Measles - - - -	43·7	24	2	20	2	-	-	-	-
Scarlet Fever - - -	15·3	8	-	6	2	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	82·7	17	-	-	-	2	8	6	1
Whooping-cough - -	65·0	37	13	22	2	-	-	-	-
Diphtheria - -	41·3	23	1	13	9	-	-	-	-
Simple Continued and Ill-defined Fever -	0·5	-	-	-	-	-	-	-	-
Enteric Fever - - -	11·3	16	-	-	8	6	2	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	13·3	17	13	2	-	1	-	1	-
Remittent Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections - -	9·4	6	5	1	-	-	-	-	-
Erysipelas - - -	4·6	2	-	-	-	-	1	1	-
Pyæmia and Septicæmia	2·0	1	1	-	-	-	-	-	-
Puerperal Fever - -	5·6	6	-	-	-	6	-	-	-
Other Zymotic Diseases	2·1	3	-	1	-	1	-	1	-
Thrush - - - -	0·5	1	-	1	-	-	-	-	-
Worms and other Parasitical Diseases -	-	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	1·5	3	3	-	-	-	-	-	-
Alcoholism - - -	11·3	10	-	-	-	2	6	2	-
Rheumatic Fever, Rheumatism of Heart	7·8	8	-	-	3	2	3	-	-
Rheumatism - - -	2·1	-	-	-	-	-	-	-	-
Gout - - - - -	4·1	1	-	-	-	-	1	-	-
Rickets - - - -	5·0	7	1	6	-	-	-	-	-
Cancer - - - -	68·6	79	-	-	1	9	33	34	2
Tabes Mesenterica - -	18·3	11	6	2	2	-	1	-	-
Tubercular Meningitis -	21·7	16	2	11	3	-	-	-	-
Phthisis - - - -	169·5	142	1	3	11	64	54	9	-
Scrofula, Tuberculosis -	19·2	16	4	2	5	2	1	2	-
Other Constitutional Diseases - -	14·7	18	1	1	-	2	7	7	-
Premature Birth - -	48·7	33	33	-	-	-	-	-	-
Atelectasis - - -	4·3	4	4	-	-	-	-	-	-
Congenital Malformations - - -	7·0	4	4	-	-	-	-	-	-
Old Age - - - -	64·3	74	-	-	-	-	-	32	42
Apoplexy - - -	47·4	47	1	1	3	3	12	23	4
Epilepsy - - - -	9·6	6	-	-	-	1	3	2	-
Convulsions - - -	39·2	22	20	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	103·6	76	6	11	4	10	16	23	6
Diseases of Organs of Special Sense -	3·3	2	-	-	1	-	-	1	-

CAUSES OF DEATH.	Corrected Averages for the 4th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 26th January, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards
Diseases of Circulatory System - -	165·4	154	2	1	9	28	39	63	12
Croup - - - -	4·3	2	-	2	-	-	-	-	-
Bronchitis - - -	331·4	198	32	12	2	3	40	91	18
Pneumonia - - -	157·4	151	36	25	11	18	28	22	11
Pleurisy - - - -	6·1	4	-	-	1	2	1	-	-
Other Diseases of Respiratory System -	36·9	39	9	1	1	1	14	10	3
Dentition - - - -	10·2	7	3	4	-	-	-	-	-
Quinsy, Sore Throat -	1·5	2	-	1	1	-	-	-	-
Enteritis - - -	13·6	9	5	-	1	1	1	1	-
Gastro-enteritis -		4	4	-	-	-	-	-	-
Peritonitis - - -	6·4	6	-	-	2	2	2	-	-
Diseases of Liver - -	22·6	20	-	-	-	4	13	3	-
Other Diseases of Digestive System	35·9	32	9	2	2	3	10	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	4	-	-	-	2	2	-	-
Diseases of Urinary System - - -	50·9	59	-	-	2	8	16	31	2
Diseases of Generative System - - -	6·7	4	-	-	1	-	2	1	-
Accidents of Childbirth -	5·1	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	7·5	4	-	1	1	-	1	1	-
Diseases of Integumentary System - -	7·4	9	4	1	-	1	-	3	-
VIOLENT DEATHS.‡ (ACCIDENT.)	-								
By Railways - - -	2·3	1	-	-	-	1	-	-	-
By Vehicles or Horses -	4·1	6	-	-	1	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·6	1	-	-	-	-	1	-	-
In Building Operations -	0·5	1	-	-	-	1	-	-	-
In Conflagrations -	0·1	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	8·9	10	-	7	2	-	-	1	-
By Drowning - - -	4·1	2	-	-	-	2	-	-	-
By Suffocation in Bed -	14·9	16	16	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·5	1	-	-	1	-	-	-	-
Other or not stated causes - - - -	23·7	25	8	1	2	5	2	6	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·4	-	-	-	-	-	-	-	-
Suicide - - - -	6·8	13	-	-	1	6	5	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·8	40	36	2	-	-	1	1	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th January, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON - - -	4,411,710	2713	1568	285	489	-	24	8	23	37	-	16	-	17	76	191	517	3
WEST DISTRICTS - - -	778,251	372	257	38	96	-	1	-	6	2	-	4	-	1	16	33	96	-
NORTH DISTRICTS - - -	1,040,694	622	355	61	124	-	3	-	4	10	-	3	-	2	10	35	98	-
CENTRAL DISTRICTS - - -	233,635	110	89	15	23	-	-	-	1	-	-	1	-	1	8	16	37	-
EAST DISTRICTS - - -	716,334	534	273	61	74	-	4	-	3	10	-	3	-	6	18	46	112	-
SOUTH DISTRICTS - - -	1,642,796	1075	571	110	165	-	16	8	9	15	-	5	-	7	24	61	151	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	23	-	7	-	-	-	-	-	-	-	-	-	-	-	23	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	60	26	3	12	-	1	-	-	-	-	-	-	-	2	6	10	-
St. John Paddington *H* - - G.	33,510	6	14	1	6	-	-	-	1	-	-	-	-	-	-	-	6	-
Kensington Town *Ww* - - W.	122,164	51	51	9	23	-	-	-	1	-	-	-	-	-	3	6	20	-
Brompton *HH*- - - W. & C.	48,301	7	6	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
North Hammersmith *H* W. & G	44,638	33	12	2	7	-	-	-	-	-	-	1	-	-	1	2	-	-
South Hammersmith *wH* W. & G	59,561	41	18	2	7	-	-	-	-	-	-	-	-	-	-	-	3	-
North-west Fulham *W*		28	18	2	6	-	-	-	-	-	-	2	-	-	1	1	11	-
North-east Fulham *w* W. & C.	113,781	27	14	5	3	-	-	-	3	-	-	1	-	-	1	2	4	-
South Fulham		29	15	3	3	-	-	-	-	1	-	-	-	-	2	7	-	-
Chelsea Kensal Town - C.	21,450	8	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - C.	42,057	20	20	2	7	-	-	-	1	-	-	-	-	1	-	-	14	-
Chelsea South *HH* - - C.	33,139	11	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
May Fair *WH*- - - - G.	23,827	8	14	2	4	-	-	-	-	-	-	-	-	-	1	1	12	-
Belgrave *WHHH* - - - C.	56,140	14	21	3	5	-	-	-	-	-	-	-	-	-	4	4	7	-
St. John Westminster *HH* C.	31,492	16	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* C.	22,097	4	6	1	2	-	-	-	-	-	-	-	-	-	1	1	3	-
St. James Westminster *WH* N. & G.	23,050	3	5	1	3	-	-	-	-	1	-	-	-	-	-	-	2	-
St. Anne Soho *HHHHH* - N.	12,048	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	13	14	2	2	-	-	-	-	-	-	-	-	-	2	2	5	-
Rectory Marylebone *W* G. & W.		3	5	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.		25	5	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Christchurch Marylebone‡ *H* - W		28	9	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone‡ *HHH* - W		11	7	2	4	-	-	-	-	1	-	-	-	-	-	1	-	-
Hampstead *WwHHHH* - N. & W.	75,449	33	24	6	7	-	-	-	1	-	-	3	-	-	3	4	10	-
Regent's Park *HH* - W.	51,403	35	14	4	4	-	-	-	1	-	-	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	16	2	4	-	-	-	-	-	-	-	-	-	-	1	12	-
Gray's Inn Lane *HHHH* - N.	29,426	22	12	1	1	-	-	-	-	-	-	-	-	-	-	1	4	-
Somers Town *HH* - - - N.	32,161	12	8	2	1	-	-	-	-	1	-	-	-	-	1	2	-	-
Camden Town *WH* - - N.	40,155	32	23	4	15	-	-	-	-	-	-	-	-	-	-	1	10	-
Kentish Town *WW* - - N.	60,862	35	16	-	9	-	1	-	-	-	-	-	-	-	-	-	4	-
Upper Holloway *WWWWwHH* - - N.	98,273	59	57	9	20	-	-	-	-	2	-	-	-	-	-	5	27	-
Lower Holloway - - - N.	41,805	21	13	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	56,384	45	11	4	3	-	-	-	-	2	-	-	-	-	-	1	-	-
Islington South-east *H* - N.	75,725	50	23	2	5	-	1	-	1	-	-	-	-	-	-	3	-	-
Highbury *HH* - - - N.	64,577	27	12	3	6	-	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H* - - N.	33,485	21	10	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Hornsey (part of) - - -	†*16,892*	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	19	13	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Central Hackney *ww* - E. & N.		31	8	2	4	-	-	-	1	-	-	-	-	-	-	-	1	-
South-west Hackney *HHH* E. & N.		43	24	5	7	-	1	-	-	1	-	-	-	-	1	2	7	-
South-east Hackney *WwH* E. & N.		43	28	4	10	-	-	-	-	-	-	-	-	2	3	7	14	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	29,086	7	8	-	4	-	-	-	-	-	-	-	-	-	-	-	3	-
St Giles North *H* - - - N.	9,151	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	3	3	2	-	-	-	-	-	-	-	-	-	-	1	2	2	-
Strand *WHH* - - - - N.	11,839	-	6	1	1	-	-	-	-	-	-	-	-	-	2	2	6	-
Strand Union Workhouse, Edmonton	†1,037	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn *WwHHHHH* - N.	31,042	16	14	3	3	-	-	-	1	-	-	-	-	1	-	-	7	-
St. James Clerkenwell - - N.	15,777	9	8	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Amwell Clerkenwell - - N.	34,356	21	6	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Goswell-street - - - - N.	16,069	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,597	31	13	3	3	-	-	-	-	-	-	1	-	-	1	1	3	-
Finsbury - - - - - N.	11,630	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - N. & E.	13,061	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre *WH* - - - N.	9,591	3	16	2	2	-	-	-	-	-	-	-	-	-	2	4	11	-
Allhallows Barking - - - N.	9,059	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
City of London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *w* - - N.	29,575	24	7	-	3	-	-	-	-	-	-	-	-	-	-	2	4	-
Hoxton Old Town - - - N.	27,845	19	9	3	1	-	-	-	-	2	-	-	-	1	-	1	-	-
Haggerston *WH* - - N. & E.	47,163	31	19	4	7	-	1	-	-	2	-	-	-	-	-	1	8	-
Bethnal Green North *H* - E.	49,301	37	13	3	5	-	-	-	1	1	-	-	-	1	2	2	-	-
Bethnal Green South - - E.	34,194	27	9	3	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Bethnal Green East *WWHl* - E.	45,667	31	20	3	9	-	-	-	-	1	-	-	-	-	2	2	13	-
Spitalfields - - - E. & N.	26,681	32	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	27	41	8	6	-	-	-	-	1	-	2	-	-	5	12	32	-
Goodman's Fields - - - E.		15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	34	10	6	4	-	-	-	-	-	-	-	-	-	1	3	-	-
St. John, St. George East *W* E.	7 930	6	12	-	6	-	-	-	-	1	-	-	-	-	1	2	12	-
Shadwell *H* - - - E. & N.	10,434	9	5	1	-	-	-	-	-	-	-	-	-	-	2	2	4	-
Ratcliff *W* - - - - E.	14,954	8	7	2	-	-	-	-	-	-	-	1	-	-	2	4	-	-
Limehouse - - - - - E.	32,917	17	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* E.	111,060	42	15	7	4	-	1	-	-	-	-	-	-	-	2	3	-	-
Mile End Old Town East *WWww* - E.		48	22	4	8	-	-	-	-	-	-	-	-	-	-	4	11	-
Bow *l* - - - - - E.	41,687	29	15	8	2	-	-	-	-	1	-	-	-	-	-	3	-	-
Bromley *wwwH* - - - E.	69,821	39	40	3	8	-	-	-	-	1	-	-	-	2	-	3	27	-
Poplar *WW* - - - - E.	57,759	45	17	3	7	-	-	-	2	-	-	-	-	2	-	1	1	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th January, 1901—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.	12,301	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	20	14	5	1	-	-	-	1	1	-	-	-	1	-	-	-	-
Borough-road *WH* - S. & L.	16,083	9	11	4	-	-	-	-	-	2	-	-	-	-	-	2	4	-
London-road *HL* - - L. & S.	21,316	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	20	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Peter Walworth *W* - S. & L.	62,045	37	20	5	4	-	4	-	-	2	-	-	-	-	-	2	-	-
St. Mary Newington- - L. & S.	30,171	22	12	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Olave *WH* - - - - S.	11,731	9	10	2	3	-	-	-	-	-	-	-	-	-	1	2	7	-
Bermondsey *W* - - - S.	85,475	66	25	6	7	-	1	-	-	1	-	-	-	-	-	2	1	1
Rotherhithe *Ww* - S. & K.	40,379	32	22	3	9	-	-	-	-	2	-	-	-	-	-	-	17	-
Waterloo-road *HH* - L. & S.	28,396	31	5	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Lambeth Church 1st *H* - L. & S.	18,770	12	15	2	-	-	-	-	1	-	-	-	-	-	2	5	12	-
Lambeth Church 2nd *WW* L. & S.	40,994	35	26	3	13	-	-	-	-	-	-	-	-	-	-	1	18	-
Kennington 1st *H* - - S. & L.	52,486	37	12	5	4	-	1	-	-	-	-	-	-	-	1	4	-	-
Kennington 2nd - - S. & L.	43,244	21	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Brixton *w* - - - L. & S.	81,825	46	21	4	7	-	-	1	1	-	-	1	-	-	1	3	3	-
Norwood *WH*- - - - L.	29,318	13	10	5	3	-	-	-	-	-	-	-	-	-	2	1	-	-
East Battersea - - - - S.	71,730	46	12	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea - - S.	93,385	33	13	6	4	-	-	-	-	-	-	-	-	-	1	3	-	-
South-west Battersea *WwH* - S.		22	18	7	5	-	-	-	-	-	-	-	-	1	1	3	12	-
Clapham *H* - - - - S.	46,953	32	13	1	2	-	-	-	-	1	-	-	-	-	-	-	2	-
Streatham *Wwwwwl* - - L.	61,644	40	19	-	8	-	-	-	1	-	-	1	-	-	-	-	4	-
Wandsworth *WHHL* - - S.	58,101	51	18	6	4	-	-	-	-	1	-	-	-	-	-	2	-	-
Putney - - - - - S.	20,566	12	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	7,519	1	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Camberwell *WWwll* - S. & L.	90,286	40	45	4	19	-	2	-	-	-	-	-	-	1	1	3	29	-
Peckham *WW* - S., L., & K.	88,242	42	27	7	3	-	2	1	-	2	-	-	-	2	2	2	-	-
St. George Camberwell - L. & S.	67,029	48	15	5	3	-	-	-	-	1	-	-	-	1	1	1	-	-
Deptford North - - - K.	36,152	34	13	3	3	-	-	-	-	1	-	-	-	-	1	2	-	1
Deptford Central *w* - - K.	45,441	23	13	3	2	-	-	2	2	-	-	2	-	-	1	2	5	-
Deptford South - - - K.	33,402	23	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	5	5	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	35	25	2	5	-	2	-	-	-	-	1	-	-	4	5	14	-
Eltham *wH* - - - - K.	5,911	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	9	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	39	30	6	10	-	2	4	-	-	-	-	-	-	2	4	14	-
Sydenham *H* - - - - L.	37,601	19	8	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Charlton *wHH* - - - K.	15,928	8	6	1	1	-	-	-	3	-	-	-	-	-	1	2	3	-
Woolwich *HHHH* - - K.	41,314	24	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	5	6	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *WH* - - K.	42,538	34	15	2	7	-	-	-	-	-	-	-	-	-	-	2	4	-
Banstead Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - -	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Central London Sick Asylum, Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th January, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death
	LONDON-OUTER RING -	368,581	1,405,489	1170	522	128	177	-	3	1	9	18	5	6	19	39	74	4
0:1	Carshalton *H* - - - -	12,228	26,108	10	9	4	3	-	1	-	-	1	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
7:1	Godstone, *part of** *W* -	2,754	1,598	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
8:1	Croydon *WWwHHH* -	20,851	128,699	79	39	8	18	-	-	-	-	2	-	1	1	5	4	-
2	Mitcham *w* - - -	11,697	23,072	13	6	2	3	-	-	-	-	-	-	-	-	1	-	-
9:1	Wimbledon *HHH* - -	3,220	25,777	25	6	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	23	12	3	6	-	-	-	-	-	-	-	1	2	5	-
3	Surbiton *HH* - - -		12,178	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-
0:1	Richmond *WHH* - -	2,160	25,389	11	13	3	4	-	-	-	-	2	1	-	1	1	4	-
2	Mortlake *H* - - -	2,823	16,159	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-
1:1	Bromley *HHH* - - -	9,127	23,815	12	4	-	3	-	-	-	-	-	1	-	-	-	1	-
2	Beckenham *H* - - -	6,542	21,969	11	5	4	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	6,974	7,714	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst† *HH* - -	7,333	12,658	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2:1	Bexley *HHH* - - -	12,540	30,590	30	13	6	5	-	-	-	-	-	1	-	-	-	1	1
2	Dartford *WH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4:1	Sunbury *w* - - -	11,054	13,671	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	10	7	2	2	-	-	-	1	-	-	-	-	1	3	-
5:1	Hillingdon *WHH* - -	6,035	12,237	7	7	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	7	8	4	-	-	-	-	-	-	-	-	-	-	-	1
6:1	Isleworth *WHH* - -	6,967	26,004	16	19	5	4	-	-	-	1	1	-	1	2	2	5	-
2	Twickenham *HH* - -	2,415	16,027	7	7	3	2	-	-	-	-	2	-	-	2	2	-	-
3	Brentford *HHHH* - -	4,318	37,777	36	15	4	7	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	12	9	-	5	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	31	10	3	4	-	-	-	-	-	-	-	-	1	-	-
7:1	Harrow *HHH* - - -	13,809	15,715	12	5	2	2	-	-	-	-	-	-	-	-	-	-	1
2	Edgware *HH* - - -	6,994	3,844	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	72	12	2	2	-	-	-	-	1	-	-	1	2	1	-
4	Hendon *WH* - - -	8,382	15,843	15	6	1	1	-	-	-	-	1	-	-	2	2	2	-
8:1	South Mimms *HH* - -	21,077	6,367	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	10	12	-	7	-	-	-	1	-	-	-	-	-	3	-
3	Finchley *HHH* - - -	4,688	25,820	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-
9:1	Hornsey, *part of** *HH* -	2,809	44,205	22	20	5	8	-	-	-	-	1	-	-	1	1	-	-
3:3	Amwell, *part of** - - -	65	318	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:2	Tottenham *HHH* - -	4,642	97,174	94	29	8	8	-	-	-	-	3	-	-	1	3	2	-
3	Edmonton *Ww* - -	7,489	36,351	36	20	3	11	-	-	-	-	-	-	2	-	1	6	-
4	Enfield *WWHH* - -	12,602	31,536	29	16	6	2	-	1	1	-	-	-	-	-	2	3	-
5	Waltham Abbey - - -	11,017	6,066	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5:1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey *H* - - - -	9,331	7,737	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1	Stratford *H* - - -	4,706	38,612	36	7	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Plaistow *HHH* - - -		58,030	57	28	5	7	-	-	-	-	1	1	1	2	2	4	-
3	Canning Town *H* - -		54,750	59	22	6	6	-	-	-	1	1	1	-	3	4	4	-
4	Forest Gate *w* - - -		53,511	28	5	-	2	-	-	-	-	-	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	58	17	5	8	-	-	-	1	-	-	1	1	2	-	-
6	Wanstead - - - -	4,334	7,042	5	3	-	2	-	-	-	-	-	-	-	-	1	-	-
7	South Leyton *WW* - -		38,232	41	30	7	9	-	-	-	-	1	-	-	1	1	18	1
8	North Leyton *WwH* -		24,874	19	15	1	3	-	-	-	-	-	-	-	-	1	-	-
9	Walthamstow *HHHL* -	6,501	57,370	68	29	8	10	-	-	-	3	1	-	-	-	2	-	-
7:1	Chigwell, *part of** *HHHH*	11,779	12,941	7	6	2	4	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, *part of** *W* -	6,556	4,324	5	3	2	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *H* - - - -	8,493	10,913	28	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	32	9	4	1	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 26th January, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,781,854**	**16·1**	**1·3**	**2090**	**413**	**666**	**-**	**27**	**9**	**32**	**55**	**21**	**23**	**95**
INNER LONDON -	74,837	4,651,113	17·6	1·4	1568	285	489	-	24	8	23	37	16	17	76
OUTER RING -	368,584	2,130,741	12·8	1·0	522	128	177	-	3	1	9	18	5	6	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	309 472	January 26	151	123	20·7	-	8	-	3	3	1
GLASGOW - -	753,766	„ 26	441	353	24·4	10	-	-	2	28	11
DUBLIN† - -	346 128	„ 26	165	187	28·2	-	-	1	2	8	6
CALCUTTA - -	466,460	November 24	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	January 8	244	1090	69·0	2	-	?	?	?	361‡
MADRAS - -	452,518	December 14	-	-	-	-	-	-	-	-	-
PARIS - - -	2,511,629	January 19	1131	1069	22·1	6	8	2	10*	8	10
BRUSSELS - -	570,844	„ 19	257	231	21·0	-	6	1	3*	1	2
AMSTERDAM -	520,806	„ 12	320	220	22·0	-	4	-	2	7	1
ROTTERDAM -	325,556	„ 12	269	123	19·3	-	4	1	1	5	1
THE HAGUE -	205,328	„ 12	103	73	18·3	-	-	-	1	1	-
COPENHAGEN -	354,000	„ 19	213	133	-	-	5	1	-	1	-
STOCKHOLM -	297,148	„ 12	144	101	17·6	-	-	-	6*	-	-
CHRISTIANIA -	226,423	„ 19	135	70	16·1	-	-	1	-	3	-
ST. PETERSBURG	1,132,677	„ 12	708	614	28·3	2	12	13	30	5	20
MOSCOW - -	988,610	„ 12	-	584	-	1	8	7	8	4	1
BERLIN - -	1,885,685	„ 5	859	611	16·9	-	17	11	12	13	2
HAMBURG - -	705,738	„ 19	-	234	17·2	-	2	2	5*	2	1
DRESDEN - -	397,000	December 15	241	106	13·9	-	-	2	-	-	1
		„ 22	238	111	14·6	-	-	2	1	2	-
BRESLAU - -	422,415	January 19	-	203	25·1	-	-	-	1	2	1
MUNICH - -	500,000	„ 12	-	230	23·9	-	5	-	2*	2	-
VIENNA - -	1,673,688	„ 19	832	715	22·2	-	28	3	11*	3	2
PRAGUE - -	393,091	„ 19	175	194	25·7	-	2	-	2	-	-
BUDA-PESTH -	703,959	„ 12	427	292	21·4	-	8	3	5	2	2
TRIESTE - -	168,951	„ 12	119	132	40·5	-	-	1	-	1	-
ROME - - -	518,333	December 22	241	221	22·2	-	-	-	-	-	8‖
TURIN (10 days)-	344,203	November 30	194	151	16·0	-	-	-	2	1	1
VENICE - -	174,170	January 12	83	101	30·2	-	-	-	1*	1	2
CAIRO - -	570,062	December 16	493	344	31·4	-	-	-	2*	-	7
ALEXANDRIA -	319,766	„ 16	260	194	31·5	-	1	-	2*	1	6
NEW YORK (including BROOKLYN)	3,444,675	„ 29	1351	1183	17·9	2	5	4	33	5	19
PHILADELPHIA -	1,293,697	January 5	-	453	18·3	-	-	3	22	3	16

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 4 deaths from cholera in Bombay.
‖ Including one death from malarial fever.
‡ Including 222 deaths from plague.

1901. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
January.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday - 20	New	29·852	49·4	38·1	11·3	44·0	+ 5·6	37·2	6·8	8·4	5·0	77	74·0	32·5	43·21	W. & WSW.	WSW.	8·7	0·0	1·3	558	+226	0·00	0·0
Monday - 21	..	30·087	52·4	48·0	4·4	50·3	+12·0	45·4	4·9	6·4	3·6	83	67·1	44·5	43·42	WSW. & SW.	WSW. & SW.	3·6	0·0	0·3	337	+ 5	0·00	0·0
Tuesday - 22	..	30·090	50·0	47·5	2·5	48·7	+10·4	42·6	6·1	8·2	5·0	79	52·9	41·0	43·78	WSW.	WSW & NW.	7·6	0·0	1·1	521	+188	0·00	0·0
Wednesday 23	..	30·404	47·5	32·7	14·8	39·0	+ 0·6	35·5	3·5	8·4	0·6	87	74·0	24·7	44·20	N., NE. & E.	ENE. & ESE.	0·5	0·0	0·0	140	−193	0·00	0·0
Thursday- 24	In Eqr. Perigee.	29·949	47·2	35·0	12·2	42·7	+ 4·2	41·2	1·5	3·6	1·1	95	51·2	28·5	44·31	ESE., SE. & SSE.	SW.	3·9	0·0	0·2	240	− 94	0·10	0·0
Friday - 25	..	29·899	47·2	37·5	9·7	42·8	+ 4·0	35·1	7·7	10·7	5·9	74	79·4	31·6	44·26	SW., WSW. & W.	SW. & WSW.	9·9	0·0	1·3	578	+243	0·07	0·2
Saturday- 26	..	29·697	49·2	36·3	12·9	42·2	+ 3·2	36·6	5·6	8·1	4·6	81	69·0	29·8	44·20	WSW.	WSW. & SW.	7·6	0·0	1·5	610	+275	0·01	0·8
Means -		29·997	49·0	39·3	9·7	44·2	+ 5·7	39·1	5·2	7·7	3·7	82	66·8	33·2	43·91	WSW.		..	..	..	Sum 2984	Sum +650	Sum 0·18	0·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. January.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday - 20	w. P. till 10h. A.M.; m. P. till 7h. P.M.; w. P. afterwards.	3·7	8·5	Cloudy in early morning; very fine till afternoon; overcast, with gusty wind, afterwards.
Monday - 21	w. P. throughout.	0·2	8·5	Generally overcast. Very mild.
Tuesday - 22	w. P. throughout.	0·0	8·6	Overcast, with brisk wind, till evening; fine and partially cloudy after 8h. P.M. Very mild.
Wednesday 23	w. P. till 5h. A.M.; m. P. afterwards.	2·7	8·6	Very fine, with hoar frost in morning; fine, with increasing amounts of cloud, till 2h. P.M.; cloudy afterwards. Slight fog at night.
Thursday- 24	m. P. till 6h. A.M.; w. P. generally with occasional v. N. afterwards.	0·0	8·7	Foggy in morning; generally overcast, with frequent rain after 9h. A.M.
Friday - 25	w. P. generally till 4h. P.M.; w. P. and v. N. till 6h. P.M.; w. P. generally afterwards.	3·6	8·7	Very fine till 11h. A.M.; partially cloudy with occasional slight rain afterwards. Gusty wind at times. Lunar halo in evening.
Saturday- 26	w. P. till 7h. A.M.; m. P. till 4h. P.M.; w. P. generally afterwards.	2·4	8·7	Cloudless, with slight hoar frost in morning; generally cloudy after 11h. A.M., with slight rain during the afternoon. Gusty wind.
		Sum 12·6	Sum 60·3	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·46 in. at the beginning of the week to 30·46 in. by 10h. A.M. on the 23rd; decreased to 29·83 in. by 1h. A.M. on the 25th; increased to 30·01 in. by 10h. A.M. on the same day; and decreased to 29·45 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th January, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	9	5	-	-	-	-	3	1
Kensington	177,205	-	13	3	-	2	-	-	3	-
Hammersmith	111,213	-	6	4	-	3	-	-	2	-
Fulham	141,920	-	6	14	-	1	-	-	5	-
Chelsea	73,843	-	5	1	-	1	-	-	2	1
City of Westminster	189,375	-	2	4	-	3	-	-	3	2
NORTH.										
St. Marylebone	140,460	-	5	4	-	4	-	-	3	-
Hampstead	82,605	-	3	1	-	1	-	-	-	1
St. Pancras	246,098	-	9	7	-	7	-	-	4	-
Islington	353,528	-	18	7	-	4	-	-	3	-
Stoke Newington	55,758	-	3	1	-	-	-	-	-	-
Hackney	228,417	-	10	11	-	3	-	-	10	-
CENTRAL.										
Holborn	59,700	-	3	2	-	4	-	-	2	-
Finsbury	106,590	-	6	4	-	3	-	-	1	-
City of London	25,289	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	3	4	-	2	-	-	-	-
Bethnal Green	127,509	-	3	6	-	5	-	-	6	-
Stepney	305,058	-	14	17	-	5	-	-	3	-
Poplar	170,465	-	10	16	-	5	-	-	8	-
SOUTH.										
Southwark	208,869	-	11	8	-	2	-	-	4	-
Bermondsey	136,824	-	6	3	-	5	-	-	4	-
Lambeth	318,530	-	13	17	-	4	-	-	3	-
Battersea	180,017	-	4	2	-	1	-	-	6	-
Wandsworth	242,224	-	8	9	-	1	-	-	1	-
Camberwell	269,102	-	11	9	-	-	-	-	2	2
Deptford	113,562	-	13	7	-	2	-	-	4	-
Greenwich	91,228	-	4	4	-	1	-	-	2	2
Lewisham	112,856	-	6	5	-	1	-	-	1	1
Woolwich	114,106	-	4	4	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**209**	**179**	-	**70**	-	-	**87**	**10**
Ages 0-1		-	2	7	-	-	-	-	4	-
" 1-5		-	56	67	-	6	-	-	8	-
" 5-		-	74	51	-	13	-	-	3	-
" 10-		-	39	22	-	12	-	-	3	-
" 15-		-	15	9	-	12	-	-	3	1
" 20-		-	11	15	-	11	-	-	6	2
" 25-		-	9	6	-	4	-	-	14	6
" 35-		-	3	2	-	8	-	-	16	1
" 45-		-	-	-	-	4	-	-	13	-
" 55-		-	-	-	-	-	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums' Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 5. 1901. Vol. LXII.] WEEK ENDED SATURDAY, FEB. 2. [Price 1½*d.*

General Register Office, Somerset House,
February 4th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·4 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·6, 19·1, and 17·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Towns.	Weeks ended Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.
33 Great Towns	19·6	19·1	17·9	16·4	Leicester - -	14·4	17·2	16·2	10·2
Birkenhead -	14·4	21·4	21·9	13·1	Liverpool - -	24·8	23·3	23·9	21·9
Birmingham -	21·4	21·8	20·4	15·5	London - - -	19·6	18·7	17·6	16·1
Blackburn -	15·7	19·1	12·7	13·9	Manchester - -	22·8	20·4	20·2	19·6
Bolton - -	17·6	20·4	18·2	14·1	Newcastle-on-Tyne	20·0	18·0	20·4	16·1
Bradford -	19·7	15·8	14·3	17·2	Norwich - -	21·5	18·8	23·7	26·4
Brighton -	16·7	19·6	17·5	15·4	Nottingham - -	22·7	18·9	19·5	17·0
Bristol - -	20·0	19·0	14·1	15·8	Oldham - -	14·1	14·7	16·7	16·1
Burnley -	16·4	17·3	13·0	10·0	Plymouth - -	18·6	22·1	19·1	17·6
Cardiff - -	16·2	14·1	14·9	11·8	Portsmouth - -	20·9	16·0	10·5	16·2
Croydon -	13·9	13·9	13·2	12·4	Preston - -	22·6	24·7	16·1	19·5
Derby - -	13·8	16·7	15·2	11·9	Salford - - -	27·3	18·2	21·0	18·0
Gateshead -	19·0	23·2	24·6	24·1	Sheffield - -	21·0	20·3	19·7	16·5
Halifax -	13·7	15·1	19·5	19·5	Sunderland - -	21·3	24·8	16·8	18·5
Huddersfield-	12·8	15·8	15·8	16·8	Swansea - -	19·9	23·3	16·0	18·5
Hull - -	18·4	21·2	18·9	13·1	West Ham - -	14·1	14·9	11·6	11·9
Leeds - -	20·1	21·3	17·3	16·4	Wolverhampton -	17·9	15·0	19·0	19·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Sunderland, and 1·1 in Liverpool; from *scarlet fever*, 1·2 in Salford; and from *whooping-cough*, 1·0 in Bristol, in Swansea, in Derby, and in Manchester, 1·2 in Wolverhampton, 1·3 in Nottingham, and 1·7 in Birkenhead. In none of the thirty-three towns did the death-rate from "*fever*" or from *diarrhœal diseases*, reach 1·0 per 1000. The 69 deaths from *diphtheria* included 24 in London, 8 in Sheffield, 6 in Liverpool, 5 in Leeds, 4 in West Ham, 3 in Leicester, and 3 in Salford. One death from *small-pox* was registered in Newcastle-on-Tyne, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2410 BIRTHS and 1438 DEATHS were registered. Allowing for increase of population, the births were 411, and the deaths 419, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylum situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7897—670—2/1901 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 19·6, 18·7, and 17·6 in the preceding three weeks, further fell last week to 16·1. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 5·4 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1438 deaths included 25 from measles, 8 from scarlet fever, 24 from diphtheria, 44 from whooping-cough, 1 from typhus, 12 from enteric fever, 11 from diarrhœa and dysentery, and not one death from small-pox, from any ill-defined form of continued fever, or from cholera; thus 125 deaths were referred to these diseases, being 58 below the corrected average weekly number.

The deaths from *measles*, which had been 34, 36, and 24 in the preceding three weeks, were 25 last week, the corrected average being 30; 7 cases belonged to the Borough of Southwark, and 5 to that of Camberwell. The deaths from *scarlet fever*, which had been 9, 9, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 17; 3 cases belonged to Fulham and 2 to Camberwell. The deaths from *diphtheria*, which had been 25, 32, and 23 in the preceding three weeks, were 24 last week, the corrected average being 47; 4 cases belonged to Hackney, 3 to St. Pancras, 3 to Bethnal Green, and 3 to Lewisham. The deaths from *whooping-cough*, which had been 32, 38, and 37 in the preceding three weeks, rose last week to 44, but were 17 below the corrected average; 7 cases belonged to Southwark. The fatal cases of *enteric fever*, which had been 17, 13, and 16 in the preceding three weeks, fell again last week to 12, the corrected average being 11; 2 cases belonged to St. Pancras and 2 to Poplar. The death from *typhus* was that of a female aged 36 years, who had been removed from Deptford to the Brook Fever Hospital. The deaths from *diarrhœal diseases*, which had been 16, 15, and 17 in the preceding three weeks, fell again last week to 11, and were 3 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 392, 422, and 394 in the preceding three weeks, further fell last week to 323, and were 144 below the corrected average. The deaths attributed directly to *influenza* numbered 15, having been 10, 20, and 17 in the preceding three weeks. The death of a horse-keeper, aged 38 years, was certified, after inquest, as due to *glanders*.

Different forms of *violence* caused 64 deaths, concerning all but 1 of which inquests were held. Of these 64 deaths, 2 were cases of suicide, while the remaining 62 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 10 to burns and scalds, and 12 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2037 of scarlet fever, 1128 of diphtheria, and 299 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 178 cases, against 156, 187, and 172; of diphtheria, 120 cases, against 106, 138, and 158; and of enteric fever, 26 cases, against 29, 27, and 30. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended January 26th.

Greater London.

In Greater London 3455 births and 1913 deaths were registered, corresponding to annual rates of 26·6 and 14·7 per 1000 of the estimated population. In the Outer Ring 2 deaths from measles, 1 from scarlet fever, 12 from diphtheria, 20 from whooping-cough, 8 from "fever," and 3 from diarrhœal diseases were registered. Six deaths from diphtheria and 11 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·33 inches, and that of the Thermometer 36°·9; the latter being 2°·7 below the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 31 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·9 hours; the measured rainfall amounted to 0·10 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

TABLE I.—33 GREAT TOWNS: BIRTHS, DEATHS, and METEOROLOGY, during the week ended 2nd February, 1901.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 2nd Feb. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,789,099**	**6018**	**3707**	**838**	**1019**	**1**	**56**	**30**	**69**	**104**	**33**	**30**	**143**	**319**	**845**	**51**	**16·4**	**1·4**	**59·7**	**22·5**	**36·2**	**2·33**	**0·43**	**1·09**	33 Towns.
London - -	4,651,113	2410	1438	321	412	-	25	8	24	44	13	11	64	161	465	9	16·1	1·4	54·1	29·5	36·9	2·72	0·10	0·25	London.
West Ham - -	329,377	180	75	19	16	-	1	1	4	5	2	-	1	2	12	2	11·9	2·1	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	58	32	5	15	-	-	-	1	-	-	-	1	2	-	-	12·4	0·4	54·9	26·3	36·1	2·28	0·12	0·30	Croydon.
Brighton - -	125,077	55	37	7	16	-	-	-	1	1	-	1	-	2	9	-	15·4	1·3	53·4	29·4	38·0	3·33	0·37	0·94	Brighton.
Portsmouth -	199,262	114	62	14	22	-	1	-	-	-	-	-	1	3	14	1	16·2	0·3	59·7	29·0	39·0	3·89	0·53	1·35	Portsmouth.
Plymouth - -	103,708	53	35	8	10	-	-	-	-	-	-	-	-	1	3	1	17·6	-	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	160	100	24	29	-	-	-	2	6	-	1	7	13	19	-	15·8	1·4	50·0	28·0	36·7	2·61	0·40	1·02	Bristol.
Cardiff - -	203,050	116	46	20	7	-	-	-	1	2	1	-	3	4	6	-	11·8	1·0	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	55	38	8	9	-	-	-	-	2	-	1	-	3	1	1	18·5	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	61	34	6	8	-	-	-	-	2	-	-	2	3	5	-	19·6	1·2	50·5	22·5	33·8	1·00	0·69	1·75	Wolverhampton
Birmingham -	524,307	279	156	39	36	-	3	1	2	2	3	2	8	11	32	1	15·5	1·3	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	36	59	16	21	-	-	-	1	-	-	-	1	3	4	-	26·4	0·4	53·0	25·0	35·2	1·78	0·29	0·74	Norwich.
Leicester - -	224,619	103	44	15	13	-	-	-	3	1	-	-	2	6	7	3	10·2	0·9	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	107	80	20	26	-	1	-	-	6	3	1	3	4	18	-	17·0	2·3	-	-	-	-	-	-	Nottingham.
Derby - - -	109,605	54	25	7	8	-	-	-	-	2	1	1	-	-	4	-	11·9	1·9	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	62	30	5	7	-	-	1	-	4	-	-	1	1	7	-	13·1	2·2	-	-	-	-	-	-	Birkenhead.
Liverpool - -	635,348	404	267	53	50	-	13	2	6	4	3	3	11	13	69	7	21·9	2·5	47·2	31·7	36·7	2·61	0·61	1·55	Liverpool.
Bolton - -	166,284	90	45	7	13	-	1	-	-	-	-	-	3	7	5	-	14·1	0·3	-	-	-	-	-	-	Bolton.
Manchester -	553,677	270	208	45	47	-	-	3	2	11	3	1	8	20	50	1	19·6	1·9	-	-	-	-	-	-	Manchester.
Salford - -	223,418	111	77	15	18	-	1	5	3	1	1	3	3	5	13	1	18·0	3·3	-	-	-	-	-	-	Salford.
Oldham - -	155,865	57	48	9	17	-	1	1	1	1	-	-	2	3	6	-	16·1	1·3	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	45	23	12	-	-	-	-	-	1	-	-	-	1	-	1	10·0	0·4	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	50	37	7	13	-	-	1	1	2	-	-	-	-	3	-	13·9	1·5	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	53	45	14	8	-	-	1	-	2	-	-	1	1	4	2	19·5	1·3	48·0	30·0	37·0	2·78	0·85	2·16	Preston.
Huddersfield -	105,514	34	34	6	13	-	-	-	-	-	-	-	1	2	2	-	16·8	-	45·8	28·2	34·3	1·28	0·40	1·02	Huddersfield.
Halifax - -	106,873	40	40	7	14	-	-	-	1	-	-	-	-	-	5	3	19·5	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	118	97	14	39	-	-	2	1	-	-	1	-	11	13	-	17·2	0·7	-	-	-	-	-	-	Bradford.
Leeds - - -	438,814	207	138	35	40	-	2	-	5	2	1	1	7	11	22	-	16·4	1·3	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	217	117	31	28	-	-	1	8	1	1	1	2	5	15	7	16·5	1·7	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	135	61	15	15	-	2	-	1	1	1†	1	2	5	9	1	13·1	1·3	52·0	26·0	34·9	1·61	0·32	0·81	Hull.
Sunderland -	149,205	94	53	11	13	-	3	2	-	1	-	-	4	5	10	3	18·5	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	66	52	11	18	-	1	-	-	-	-	-	1	2	4	5	24·1	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	124	74	12	18	1	1	1	1	-	-	1	4	9	9	2	16·1	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† Pneumonic plague.

TABLE 2. LONDON.—**Births and Deaths** Registered in the FIFTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2991	2808	2768	2708	2587	2461	2582	2603	2696	2498	2820·6	2410
Males - -	1463	1422	1393	1365	1336	1262	1279	1306	1342	1263	1418·8	1254
Females - -	1528	1386	1375	1343	1251	1199	1303	1297	1354	1235	1401·8	1156
TOTAL **Deaths** -	1638	2500	1673	1620	1598	1516	1764	1861	1690	1722	1857·3	1438
Males - -	840	1232	852	821	828	759	884	939	875	856	938·7	709
Females - -	798	1268	821	799	770	757	880	922	815	866	918·6	729

*The numbers in this column are the average weekly numbers in the fifth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.
TOTAL **Births** - - -	2500	2223	2538	2338	2299	2527	2436	1591	2983	2466*	2693	2713	2410
TOTAL **Deaths** - - -	1498	1505	1515	1572	1544	1454	1382	1466	1593	1750	1666	1568	1438
Ages at Death: Under 1 year - -	347	369	361	397	400	374	346	346	361	362	299	285	321
1—5 years - -	173	172	158	200	187	153	174	182	165	186	195	165	159
5—20 " - -	81	90	87	83	77	86	·78	78	64	95	70	97	73
20—40 " - -	209	217	209	205	164	183	180	212	210	216	212	203	168
40—60 " - -	311	311	295	298	327	302	296	275	359	377	356	329	305
60—80 " - -	309	283	325	322	318	274	245	307	335	402	421	386	340
80 years and upwards	68	63	80	67	71	82	63	66	99	112	113	103	72
Deaths from—													
Small pox - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles - - - -	22	18	21	33	23	20	26	27	21	34	36	24	25
Scarlet Fever - - -	8	8	11	6	11	8	4	7	9	9	9	8	8
Diphtheria - - - -	35	32	22	29	34	20	36	26	24	25	32	23	24
Whooping-cough - - -	16	15	27	21	34	28	22	31	29	32	38	37	44
Typhus - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	1
Enteric Fever - - -	25	17	26	24	21	19	22	22	18	17	13	16	12
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	23	18	8	12	13	15	10	9	9	16	15	17	11
Cholera - - - -	-	-	1	-	1	-	1	-	-	-	-	-	-
All the above Diseases -	129	108	116	127	137	110	121	122	110	133	143	125	125
Dis. of Respiratory System -	307	352	322	435	400	349	306	325	330	392	422	394	323
Phthisis - - - - -	137	150	134	158	150	135	121	146	165	173	182	142	152
Dis. of Circulatory System -	137	140	145	122	137	125	117	137	154	181	157	154	161
Violence - - - -	71	73	51	65	61	64	67	64	90	76	71	76	64
Inquest Cases - - - -	159	157	138	159	141	145	135	160	212	201	166	191	161
Deaths in Public Institutions -	490	469	470	483	459	456	445	431	469	535	499	517	465
TEMPERATURE OF THE AIR													
Mean - - - - -	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2	36°·9
Mean of Highest readings -	53·6	51·1	46·2	48·1	52·0	52·3	49·3	47·6	41·7	39·0	45·3	49·0	41·5
Mean of Lowest readings -	44·4	38·4	37·7	41·4	42·4	42·9	38·6	38·4	33·1	29·3	34·1	39·3	31·8
Humidity of the Air - -	83	91	85	88	89	88	87	91	94	88	89	82	82
Rain-fall (in inches) - -	0·41	0·81	0·09	0·66	0·77	0·21	0·38	0·30	0·56	0·23	0·22	0·18	0·10
Registered Sunshine (in hours)	18·8	6·0	6·4	7·9	3·1	7·2	23·4	4·6	1·7	8·7	13·3	12·6	6·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	-	2	2	1	1	1	1	1	1	-	3	3
Scarlet Fever - - - -	2702	2728	2725	2727	2687	2617	2477	2535	2390	2277	2171	2078	2037
Diphtheria - - - -	1521	1556	1535	1537	1515	1474	1514	1356	1266	1200	1153	1153	1128
Enteric Fever - - - -	456	454	442	436	433	425	409	403	374	367	333	306	299

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTH Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 5th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 2nd February, 1901 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1857·3	1438	321	159	73	168	305	340	72
Small-pox { Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·2	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·3	-	-	-	-	-	-	-	-
Measles - - - -	30·4	25	3	22	-	-	-	-	-
Scarlet Fever - - -	17·2	8	1	5	2	-	-	-	-
Typhus - - - -	0·1	1	-	-	-	1	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	67·8	15	2	1	2	-	6	3	1
Whooping-cough - -	61·4	44	20	22	2	-	-	-	-
Diphtheria - -	47·3	24	1	13	10	-	-	-	-
Simple Continued and Ill-defined Fever -	0·4	-	-	-	-	-	-	-	-
Enteric Fever - - -	11·2	12	-	1	3	5	2	1	-
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	14·2	11	6	1	-	1	1	2	-
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	1	-	-	-	1	-	-	-
Cowpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Venereal Affections - -	10·4	8	5	1	-	-	2	-	-
Erysipelas - - -	3·9	6	-	1	-	1	3	-	1
Pyæmia and Septicæmia	1·9	1	1	-	-	-	-	-	-
Puerperal Fever - -	4·3	4	-	-	-	4	-	-	-
Other Zymotic Diseases	1·1	2	1	1	-	-	-	-	-
Thrush - - - -	0·9	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·1	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·7	2	2	-	-	-	-	-	-
Alcoholism - - -	10·7	21	-	-	-	6	12	3	-
Rheumatic Fever, Rheumatism of Heart	7·9	5	-	-	3	-	2	-	-
Rheumatism - - -	1·8	4	-	-	-	-	-	3	1
Gout - - - - -	4·6	-	-	-	-	-	-	-	-
Rickets - - - -	5·1	3	2	1	-	-	-	-	-
Cancer - - - -	69·5	73	-	-	2	5	34	28	4
Tabes Mesenterica - -	17·1	12	4	6	1	1	-	-	-
Tubercular Meningitis -	23·6	17	8	8	-	1	-	-	-
Phthisis - - - -	178·9	152	-	5	14	65	55	13	-
Scrofula, Tuberculosis -	17·2	18	5	6	1	2	2	2	-
Other Constitutional Diseases - -	13·9	8	-	-	-	1	4	3	-
Premature Birth - -	48·1	53	53	-	-	-	-	-	-
Atelectasis - - -	3·5	3	3	-	-	-	-	-	-
Congenital Malformations - - -	8·8	8	7	-	-	1	-	-	-
Old Age - - - -	62·6	52	-	-	-	-	-	29	23
Apoplexy - - -	48·8	32	-	-	-	2	9	16	5
Epilepsy - - - -	6·9	7	-	-	2	-	3	2	-
Convulsions - - -	39·4	30	28	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	96·4	62	10	9	4	4	13	18	4
Diseases of Organs of Special Sense -	3·8	3	1	-	1	1	-	-	-

CAUSES OF DEATH.	Corrected Average for the 5th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 2nd February, 1901 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	156·0	161	1	1	9	11	52	79	8
Croup - - - -	3·4	-	-	-	-	-	-	-	-
Bronchitis - - -	281·3	185	47	7	1	6	27	79	18
Pneumonia - - -	141·5	114	29	31	4	13	16	19	2
Pleurisy - - - -	6·9	4	-	-	1	1	1	1	-
Other Diseases of Respiratory System -	34·3	20	5	2	-	5	3	4	1
Dentition - - - -	9·4	9	7	2	-	-	-	-	-
Quinsy, Sore Throat -	1·1	-	-	-	-	-	-	-	-
Enteritis - - -	14·8	7	2	1	1	1	1	1	-
Gastro-enteritis - -		8	5	2	-	-	-	1	-
Peritonitis - - -	5·7	3	-	-	-	1	2	-	-
Diseases of Liver - -	23·0	18	3	-	-	1	11	3	-
Other Diseases of Digestive System	32·4	18	2	-	2	4	7	3	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	6	-	-	1	1	4	-	-
Diseases of Urinary System - - -	50·5	44	2	-	1	5	17	18	1
Diseases of Generative System - - -	6·1	2	-	-	-	-	2	-	-
Accidents of Childbirth -	5·6	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	4·4	5	-	-	3	1	-	1	-
Diseases of Integumentary System - -	7·2	4	2	-	-	1	1	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·0	-	-	-	-	-	-	-	-
By Vehicles or Horses -	5·5	6	-	1	1	2	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	1	-	-	-	1	-	-	-
In Building Operations -	0·7	1	-	-	-	1	-	-	-
In Conflagrations -	0·5	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	11·7	10	1	5	-	2	-	2	-
By Drowning - - -	4·6	3	1	-	1	-	1	-	-
By Suffocation in Bed -	15·0	12	12	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·5	2	-	-	-	2	-	-	-
Other or not stated causes - - - -	18·1	27	8	-	1	2	9	4	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	-	-	-	-	-	-	-	-
Suicide - - - -	9·1	2	-	-	-	1	1	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·6	34	31	2	-	-	-	1	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd February, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON - - -	4,411,710	2410	1138	321	412	-	25	8	24	44	1	12	-	11	61	161	465	9
WEST DISTRICTS - - -	778,251	324	232	51	57	-	1	4	5	14	-	1	-	1	8	24	75	1
NORTH DISTRICTS - - -	1,040,694	508	313	59	93	-	4	1	9	8	-	4	-	1	9	28	99	-
CENTRAL DISTRICTS - - -	233,635	115	71	18	19	-	-	-	-	1	-	1	-	2	8	17	24	-
EAST DISTRICTS - - -	716,334	474	255	67	73	-	4	-	2	6	-	4	-	2	18	39	93	-
SOUTH DISTRICTS - - -	1,642,796	989	531	126	152	-	16	3	8	15	1	2	-	5	21	53	138	8
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	18	-	-	-	-	-	-	-	-	-	-	-	36	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	49	30	4	15	-	-	-	-	2	-	1	-	-	-	2	5	-
St. John Paddington *H* - - G.	33,510	9	11	2	2	-	-	-	1	1	-	-	-	-	-	-	4	-
Kensington Town *Ww* - - W.	122,164	45	46	12	15	-	-	-	-	-	-	-	-	-	2	8	19	-
Brompton *HH*- - - W. & C.	48,301	5	7	-	3	-	-	-	-	-	-	-	-	-	-	1	3	-
North Hammersmith *H* W. & G	44,638	21	13	3	6	-	-	-	-	3	-	-	-	-	-	1	-	-
South Hammersmith *wH* W. & G	59,561	23	14	5	2	-	-	-	1	1	-	-	-	-	3	4	3	-
North-west Fulham *W*		41	20	8	-	-	1	-	-	3	-	-	-	-	-	1	6	-
North-east Fulham *w* W. & C.	113,781	20	16	2	3	-	-	4	2	2	-	-	-	-	-	-	6	-
South Fulham		27	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea Kensal Town - C.	21,450	11	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - C.	42,057	13	15	1	4	-	-	-	1	1	-	-	-	-	-	-	10	-
Chelsea South *HH* - - C.	33,139	16	7	3	1	-	-	-	-	1	-	-	-	-	-	1	2	-
May Fair *WH*- - - - G.	23,827	2	8	1	2	-	-	-	-	-	-	-	-	1	-	-	6	-
Belgrave *WHHH* - - - C.	56,140	13	7	1	1	-	-	-	-	-	-	-	-	-	2	2	4	1
St. John Westminster *HH* C.	31,492	13	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Margaret Westminster *H* C.	22,097	4	11	-	1	-	-	-	-	-	-	-	-	-	1	1	7	-
St. James Westminster *WH* N. & G.	23,050	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	3	11	-	3	-	-	-	-	-	-	1	-	-	-	-	7	-
Rectory Marylebone *W* G. & W.		6	9	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone *HHHH* G. & W.		23	6	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Christchurch Marylebone‡ *H* - W		21	7	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone‡ *HHH* - W		5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	24	23	4	6	-	-	1	3	-	-	-	-	1	2	2	9	-
Regent's Park *HH* - W.	51,403	22	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	17	1	6	-	-	-	-	-	-	-	-	-	1	2	11	-
Gray's Inn Lane *HHHH* - N.	29,426	22	4	2	-	-	-	-	1	2	-	-	-	-	-	1	1	-
Somers Town *HH* - - - N.	32,161	19	13	3	3	-	-	-	-	1	-	-	-	-	-	2	4	-
Camden Town *WH* - - N.	40,155	20	15	1	9	-	-	-	-	-	-	1	-	-	2	3	11	-
Kentish Town *WW* - - N.	60,862	34	26	4	6	-	2	-	-	-	-	1	-	-	-	-	6	-
Upper Holloway *WWWWwHH* - - N.	98,273	37	46	6	17	-	-	-	-	-	-	-	-	-	-	2	28	-
Lower Holloway - - - N.	41,805	28	9	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Barnsbury - - - - N.	56,384	37	13	7	2	-	-	-	-	1	-	-	-	-	-	2	-	-
Islington South-east *H* - N.	75,725	32	16	2	5	-	-	-	-	1	-	-	-	-	1	1	-	-
Highbury *HH* - - - N.	64,577	28	11	3	7	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H* - - N.	33,485	12	10	2	4	-	-	†	-	-	-	-	-	-	-	-	-	-
Hornsey (part of) - - -	†*16,892*	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	19	7	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *ww* - E. & N.		30	13	1	3	-	-	-	5	1	-	-	-	-	-	1	5	-
South-west Hackney *HHH* E. & N.		43	16	5	3	-	-	-	-	-	-	1	-	-	-	1	6	-
South-east Hackney *WwH* E. & N.		27	23	4	7	-	2	-	-	1	-	-	-	-	2	3	10	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	23	7	1	4	-	-	-	-	-	-	-	-	-	2	2	2	-
St Giles North *H* - - - N.	9,151	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *WHH* - - - - - N.	11,839	5	5	1	1	-	-	-	-	-	-	-	-	1	2	4	3	-
Strand Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WwHHHHH* - N.	31,042	13	9	4	-	-	-	-	-	-	-	-	-	1	1	2	4	-
St. James Clerkenwell - - N.	15,777	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	23	13	4	3	-	-	-	-	1	-	-	-	-	-	3	-	-
Goswell-street - - - - N.	16,069	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	30	8	4	1	-	-	-	-	-	-	-	-	-	1	1	3	-
Finsbury - - - - - N.	11,630	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H* - - N. & E.	13,061	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	1	11	3	2	-	-	-	-	-	-	1	-	-	1	2	9	-
Allhallows Barking - - - N.	9,059	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *w* - - N.	29,575	21	12	3	6	-	-	-	-	-	-	-	-	-	1	2	6	-
Hoxton Old Town - - - N.	27,645	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston *WH* - - N. & E.	47,163	24	25	6	5	-	1	-	-	-	-	1	-	-	2	5	12	-
Bethnal Green North *H* - E.	49,301	45	13	7	1	-	1	-	-	2	-	-	-	-	3	5	-	-
Bethnal Green South - - E.	34,194	30	8	2	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Bethnal Green East *WWHl* - E.	45,667	26	23	3	10	-	-	-	1	-	-	-	-	-	1	1	15	-
Spitalfields - - - E. & N.	26,681	13	5	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.	51,995	28	36	7	4	-	-	-	1	-	-	1	-	1	2	4	29	-
Goodman's Fields - - - E.		12	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.	39,576	19	9	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John, St. George East *W* E.	7 930	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Shadwell *H* - - - E. & N.	10,434	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ratcliff *W* - - - - E.	14,954	8	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - E.	32,917	25	9	5	2	-	-	-	-	-	-	1	-	-	-	3	-	-
Mile End Old Town West *H* E.	111,060	47	17	8	5	-	-	-	-	1	-	-	-	-	2	3	-	-
Mile End Old Town East *WWww* - E.		41	19	7	7	-	-	-	-	-	-	-	-	-	1	1	7	-
Bow *l* - - - - E.	41,687	25	15	4	5	-	-	-	-	-	-	-	-	-	1	3	1	-
Bromley *wwwH* - - - E.	69,821	44	28	5	10	-	-	-	-	2	-	1	-	-	3	5	15	-
Poplar *WW* - - - - E.	57,759	29	14	3	4	-	-	-	-	-	-	-	-	1	1	3	2	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 5 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.	12,301	7	3	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Kent-road - - - - S. & L.	22,879	16	11	4	1	-	1	-	-	-	-	-	-	-	2	2	-	-
Borough-road *WH* - S. & L.	16,083	12	13	5	2	-	-	-	1	1	-	-	-	-	1	1	9	1
London-road *HL* - - L. & S.	21,316	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	19	9	4	-	-	2	-	-	1	-	-	-	-	-	2	-	-
St. Peter Walworth *W* - S. & L.	62,045	40	25	5	8	-	2	-	-	3	-	-	-	-	1	3	-	1
St. Mary Newington- - L. & S.	30,171	14	11	4	4	-	-	-	-	2	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	5	6	1	1	-	-	-	-	-	-	-	-	-	-	1	5	-
Bermondsey *W* - - - S.	85,475	70	34	16	5	-	1	-	-	2	-	-	-	-	-	-	2	3
Rotherhithe *Ww* - S. & K.	40,379	16	14	3	1	-	-	-	-	1	-	-	-	-	-	-	8	-
Waterloo-road *HH* - L. & S.	28,396	28	6	2	2	-	-	-	-	-	-	-	-	-	-	3	-	-
Lambeth Church 1st *H* - L. & S.	18,770	16	13	1	1	-	-	-	-	-	-	-	-	1	2	4	9	-
Lambeth Church 2nd *WW* L. & S.	40,994	19	20	3	10	-	-	-	-	-	-	-	-	-	2	2	12	-
Kennington 1st *H* - - S. & L.	52,486	47	18	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 2nd - - S. & L.	43,244	14	14	4	4	-	-	-	-	-	-	-	-	1	1	4	-	-
Brixton *w* - - - L. & S.	81,825	36	21	5	4	-	-	-	1	-	-	-	-	-	-	2	1	1
Norwood *WH*- - - - L.	29,318	7	7	2	3	-	-	-	-	-	-	-	-	-	1	2	1	-
East Battersea - - - - S.	71,730	40	13	6	-	-	-	-	-	2	-	-	-	-	2	3	-	-
North-west Battersea - - S.	93,385	33	12	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *WwH* - S.		17	22	1	9	-	-	-	-	-	-	-	-	-	3	4	13	-
Clapham *H* - - - - S.	46,953	31	14	4	5	-	1	-	-	1	-	-	-	1	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	38	22	4	6	-	-	-	1	-	-	1	-	1	1	3	3	-
Wandsworth *WHHL* - - S.	58,101	43	14	3	6	-	-	-	-	1	-	-	-	-	-	1	2	-
Putney - - - - - S.	20,566	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	43	37	5	17	-	2	-	-	-	-	-	-	-	-	2	23	-
Peckham *WW* - S., L., & K.	88,242	46	23	3	9	-	3	-	-	-	-	-	-	-	1	1	-	-
St. George Camberwell - L. & S.	67,029	46	9	4	1	-	1	-	-	-	-	-	-	-	1	4	-	-
Deptford North - - - K.	36,152	33	4	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford Central *w* - - K.	45,441	33	7	3	2	-	-	1	-	-	-	-	-	-	-	-	1	1
Deptford South - - - K.	33,402	10	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	11	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	21	29	6	8	-	1	-	-	1	-	-	-	-	1	1	17	-
Eltham *wH* - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	7	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	47	26	6	7	-	-	1	4	-	-	1	-	-	1	2	14	1
Sydenham *H* - - - - L.	37,601	16	10	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	8	4	-	-	-	-	1	-	-	1	-	-	-	-	-	4	-
Woolwich *HHHH* - - K.	41,314	23	10	3	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Plumstead West *H* - - K.	16,714	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	36	15	1	9	-	-	-	-	-	-	-	-	-	1	1	10	-
Banstead Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Horton Asylum, Epsom - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Caterham Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Dartford Heath - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd February, 1901.

egis-ation strict and ub-strict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,584	1,405,489	1045	475	112	144	-	2	1	12	20	8	3	14	31	43	4
0 : 1	Carshalton *H* - - - -	12,228	26,108	17	9	-	4	-	-	-	-	-	-	-	-	1	1	-
2	Epsom, *part of* WwHHH*	10,423	12,508	3	5	1	3	-	-	-	-	-	-	-	-	1	1	-
7 : 1	Godstone, *part of* W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Croydon *WWwHHH* -	20,851	128,699	64	42	10	17	-	-	-	1	-	-	1	1	3	1	-
2	Mitcham *w* - - -	11,697	23,072	17	9	3	2	-	-	-	2	-	-	-	-	-	-	-
9 : 1	Wimbledon *HHH* - -	3,220	25,777	24	9	2	2	-	-	-	-	-	-	-	-	-	1	-
2	Kingston *WH* - - -	14,672	33,566	21	7	3	1	-	-	-	-	-	-	-	-	-	1	-
3	Surbiton *HH* - - -		12,178	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H* - -		11,080	2	6	1	4	-	-	-	-	2	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	6	3	1	1	-	-	-	-	-	1	-	-	-	1	-
0 : 1	Richmond *WHH* - -	2,160	25,389	9	9	-	3	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake *H* - - -	2,823	16,159	10	3	1	1	-	-	-	-	-	-	-	-	1	-	-
1 : 1	Bromley *HHH* - - -	9,127	23,815	17	3	2	-	-	-	-	-	-	-	-	-	1	-	-
2	Beckenham *H* - - -	6,542	21,969	6	6	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*† W* -	6 974	7,714	9	4	-	2	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst† *HH* - -	7,333	12,658	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 : 1	Bexley *HHH* - - -	12,540	30,590	28	9	3	2	-	-	-	-	1	1	-	-	-	-	1
2	Dartford *WH, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
4 : 1	Sunbury *w* - - -	11,054	13,671	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	9	7	2	2	-	-	-	-	-	-	-	2	2	-	-
5 : 1	Hillingdon *WHH* - -	6,035	12,237	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	3	2	-	1	-	-	-	-	1	-	-	-	-	-	-
6 : 1	Isleworth *WHH* - -	6,967	26,004	14	13	6	4	-	-	-	-	-	-	-	1	1	3	-
2	Twickenham *HH* - -	2,415	16,027	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	17	12	2	5	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	12	6	-	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	21	12	4	5	-	-	-	-	-	-	-	-	1	-	-
7 : 1	Harrow *HHH* - - -	13,809	15,715	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	63	13	1	5	-	-	-	-	1	1	-	1	1	1	-
4	Hendon *WH* - - -	8,382	15,843	14	8	3	3	-	-	-	-	1	-	-	-	-	3	-
8 : 1	South Mimms *HH* - -	21,077	6,367	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	2	6	1	3	-	-	-	-	-	-	-	1	1	2	-
3	Finchley *HHH* - - -	4,688	25,820	8	7	3	3	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Hornsey, *part of* HH* -	2,801	44,205	29	12	-	6	-	1	-	-	1	-	-	1	2	-	-
3 : 3	Amwell, *part of** - -	65	318	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
9 : 2	Tottenham *HHH* - -	4,642	97,174	63	37	7	10	-	-	-	1	1	-	-	2	3	3	-
3	Edmonton *Ww* - -	7,489	36,351	30	12	4	4	-	-	-	-	-	-	-	-	-	-	-
4	Enfield *WWHH* - -	12,602	31,536	16	9	2	1	-	-	-	1	-	2	-	1	1	2	-
5	Waltham Abbey - - -	11,017	6,066	8	2	1	1	-	-	-	-	-	-	-	-	-	-	1
6	Cheshunt *H* - - -	8,480	9,620	4	4	1	-	-	-	-	1	-	-	-	-	-	-	-
5 : 1	Hatfield, *part of* W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 : 1	Bushey *H* - - - -	9,331	7,737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 : 1	Stratford *H* - - -	4,706	38,612	25	9	1	2	-	1	-	-	-	-	-	-	-	1	-
2	Plaistow *HHH* - - -		58,030	77	25	5	2	-	-	1	3	2	-	-	1	2	1	1
3	Canning Town *H* - -		54,750	60	15	6	2	-	-	-	1	1	-	-	-	-	-	1
4	Forest Gate *w* - - -		53,511	18	16	6	4	-	-	-	-	2	1	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	62	18	5	3	-	-	-	-	-	-	-	1	3	-	-
6	Wanstead - - - -	4,334	7,042	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
7	South Leyton *WW* - -		38,232	34	30	5	11	-	-	-	-	5	1	1	-	-	14	-
8	North Leyton *WwH* -		24,874	27	6	2	-	-	-	-	-	-	-	-	-	-	-	-
9	Walthamstow *HHHL* -	6,501	57,370	74	26	6	5	-	-	-	2	1	-	-	-	2	-	-
7 : 1	Chigwell, *part of* HHHH*	11,779	12,941	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
9 : 1	Romford, *part of* W* -	6,556	4,324	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	25	8	2	1	-	-	-	-	1	1	-	1	2	-	-
3	Barking Town, *H* - -	3,814	14,301	10	7	-	3	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 2nd February, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15	16
Greater London	**443,421**	**6,781,854**	**26·6**	**1·3**	**1913**	**433**	**556**	**–**	**27**	**9**	**36**	**64**	**21**	**14**	**78**	**50**
Inner London	74,837	4,651,113	16·1	1·4	1438	321	412	–	25	8	24	44	13	11	64	46
Outer Ring	368,584	2,130,741	11·6	1·1	475	112	144	–	2	1	12	20	8	3	14	4

Note.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
Edinburgh	309,472	February 2	130	124	20·9	–	8	–	1	3	1	[illegible]
Glasgow	753,766	" 2	446	340	23·5	24	2	3	3	34	5	2
Dublin†	346 128	" 2	237	182	27·4	–	–	–	1	12	3	[illegible]
Calcutta	466,460	November 24	–	411	45·9	8	–	–	1	–	141‡	7
Bombay	821,764	January 15	224	1172	74·2	4	–	?	?	?	443‡	10
Madras	452,518	December 14	475	402	46·2	1	–	?	?	?	117	5
		" 21	416	427	49·0	2	–	?	?	?	129	7
Paris	2,511,629	January 26	1116	1007	20·8	12	10	1	10*	3	10	2
Brussels	570,844	" 26	288	189	17·2	–	5	–	2*	2	2	1
Amsterdam	520,800	" 19	367	187	18·7	–	4	–	–	8	1	[illegible]
Rotterdam	325,556	" 19	–	–	–	–	–	–	–	–	–	–
The Hague	205,328	" 19	–	–	–	–	–	–	–	–	–	–
Copenhagen	354,000	" 26	210	127	18·7	–	4	–	1	1	–	[illegible]
Stockholm	297,148	" 19	119	108	18·9	–	1	1	5*	–	1	[illegible]
Christiania	226,423	" 26	162	81	18·6	–	1	1	2	1	–	–
St. Petersburg	1,132,677	" 19	666	575	26·5	–	5	13	24	2	13	5
Moscow	988,610	" 19	–	594	31·3	–	9	7	15	4	3	4
Berlin	1,885,685	" 12	991	704	19·6	–	22	9	18	13	–	3
Hamburg	705,738	" 26	–	280	20·6	–	–	4	1*	3	–	[illegible]
Dresden	397,000	December 29	–	121	15·9	–	1	1	–	–	–	[illegible]
Breslau	422,415	January 26	–	244	30·1	–	–	–	1	1	–	1
Munich	500,000	" 19	–	209	21·7	–	3	–	4*	1	–	1
Vienna	1,673,688	" 26	903	809	25·2	–	39	4	8*	3	3	3
Prague	393,091	" 26	225	180	23·8	–	3	–	2	1	1	[illegible]
Buda-Pesth	703,959	" 19	403	314	23·2	–	13	6	1	3	1	[illegible]
Trieste	168,951	" 19	115	117	35·9	–	–	2	3*	2	2	[illegible]
Rome	518,333	December 29	221	275	27·7	–	1	–	1	–	13‖	2
Turin (10 days)	344,203	" 10	213	162	17·2	–	–	–	1	2	2	1
Venice	174,170	January 19	68	80	24·0	–	–	–	2*	–	1	[illegible]
Cairo	570,062	December 23	467	351	32·0	–	1	–	5*	–	7	5
Alexandria	319,766	" 23	233	176	28·6	1	–	–	2*	2	4	3
New York (including Brooklyn)	3,536,517	January 5	1747	1405	20·7	–	–	18	51*	2	18	2
Philadelphia	1,293,697	" 12	–	469	18·9	1	–	6	25	3	7	[illegible]

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 27 deaths from cholera in Calcutta, 5 in Bombay, and 1 and 8 respectively in Madras.
‡ Including 3 deaths from plague in Calcutta, and 328 in Bombay.
‖ Including 3 deaths from malarial fever.

[Under the Superintendence of the Astronomer Royal.]

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
JANUARY. SUNDAY -	27	First Quarter.	29·171	54·1	36·8	17·3	47·5	+ 8·2	40·5	7·0	9·4	4·8	77	68·6	33·2	44·12	WSW.	W. & WNW.	34·4	0·0	4·1	973	+637	0·07	0·0
MONDAY -	28	..	29·292	40·1	34·2	5·9	37·0	− 2·5	33·1	3·9	7·9	1·0	85	55·2	28·4	44·19	W. & WSW.	W., WSW. & NNW.	16·7	0·0	1·5	596	+260	0·03	0·0
TUESDAY -	29	..	29·319	38·2	29·5	8·7	34·0	− 5·7	28·2	5·8	8·8	4·0	79	64·3	23·3	44·04	NNW., W. & WSW.	WNW., W. & WSW.	8·0	0·0	0·8	465	+128	0·00	0·0
WEDNESDAY	30	Greatest Dec. N.	29·215	39·5	31·2	8·3	35·3	− 4·5	29·4	5·9	9·0	2·6	79	67·5	25·4	43·60	WSW.	W. & WSW.	3·6	0·0	0·4	373	+ 36	0·00	0·0
THURSDAY-	31	..	29·327	36·9	30·4	6·5	33·5	− 6·3	30·0	3·5	6·0	1·7	87	45·7	24·9	43·11	WSW. & SW.	WSW. & SW.	0·7	0·0	0·0	217	−121	0·00	0·0
FEBRUARY. FRIDAY -	1	..	29·580	38·8	30·0	8·8	33·8	− 5·9	29·0	4·8	8·2	2·0	82	66·4	22·2	42·70	WSW. & SW.	WSW. & SW.	0·6	0·0	0·0	221	−118	0·00	0·0
SATURDAY-	2	..	29·372	42·8	30·5	12·3	37·3	− 2·4	33·5	3·8	6·6	3·4	86	62·6	23·9	42·30	SSW., S. & SSE.	S., SE. & ESE.	1·9	0·0	0·1	257	− 83	0·00	0·0
MEANS -			29·325	41·5	31·8	9·7	36·9	− 2·7	32·0	5·0	8·0	2·8	82	61·5	25·9	43·44	WSW.		..	..	..	Sum 3102	Sum +739	Sum 0·10	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
JANUARY. SUNDAY -	27	w. P. till 3h. P.M.; v. P. and v. N. till 9h. P.M.; w. P. afterwards.	0·6	8·8	Generally cloudy till afternoon; variable, with heavy showers of rain and hail afterwards. A gale of wind.
MONDAY -	28	w. P. till 10h. A.M.; m. P. generally with occasional s. N. afterwards.	0·5	8·9	Cloudy. Occasional showers of rain, sleet and snow. Strong gusty wind till evening.
TUESDAY -	29	m. P. generally; occasional s. P.	3·4	8·9	Fine and partially cloudy. Hoar frost in morning. Lunar halo at night.
WEDNESDAY	30	s. P. generally.	1·0	9·0	Fine, with hoar frost in morning; partially cloudy afterwards.
THURSDAY-	31	s. P. till 11h. A.M.; m. P. afterwards.	0·1	9·0	Generally cloudy. Hoar frost in morning and at night. A dark dismal day.
FEBRUARY. FRIDAY -	1	m. P. generally; occasional s. P.	1·3	9·1	Fine, but generally cloudy. Slight fog in morning. Lunar halo at night. Hoar frost.
SATURDAY-	2	s. P. till 6h. A.M.; m. P. generally afterwards, with w. N. between noon and 1h. P.M.	0·0	9·2	Fine, with hoar frost, in morning; generally cloudy afterwards, with occasional slight rain till 1h. P.M. Solar halo at 9h. A.M.
			Sum 6·9	Sum 62·9	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·45 in. at the beginning of the week to 29·09 in. by 4h. P.M. on January 27th; increased to 29·42 in. by 5h. A.M. on January 28th; decreased to 29·22 in. by 8h. P.M. on the same day; increased to 29·36 in. by 9h. P.M. on January 29th; decreased to 29·19 in. by 3h. P.M. on January 30th; increased to 29·63 in. by 11h. A.M. on February 1st; decreased to 29·33 in. by 7h. A.M. on February 2nd; and increased to 29·44 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th January, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	10	3	-	5	-	-	2	-
Kensington	177,205	1	3	5	-	3	-	-	2	-
Hammersmith	111,213	-	6	12	-	3	-	-	3	-
Fulham	141,920	-	9	13	-	3	-	-	4	1
Chelsea	73,843	-	5	2	-	1	-	-	-	-
City of Westminster	189,375	-	6	2	-	4	-	-	3	-
NORTH.										
St. Marylebone	140,460	-	2	1	-	-	-	-	2	-
Hampstead	82,605	-	2	3	-	-	-	-	-	1
St. Pancras	246,098	-	11	14	-	6	-	-	5	-
Islington	353,528	-	19	10	-	4	-	-	7	-
Stoke Newington	55,758	-	4	7	-	-	-	-	-	-
Hackney	228,417	-	6	11	-	2	-	-	4	-
CENTRAL.										
Holborn	59,700	-	4	3	-	-	-	-	1	-
Finsbury	106,590	-	6	6	-	1	-	-	1	-
City of London	25,289	-	-	-	-	1	-	-	-	-
EAST.										
Shoreditch	120,614	-	3	3	-	3	-	-	7	-
Bethnal Green	127,509	-	3	6	-	2	-	-	6	-
Stepney	305,058	1	14	11	-	15	-	-	5	-
Poplar	170,465	1	5	19	-	4	-	-	1	-
SOUTH.										
Southwark	208,869	-	13	9	-	3	-	-	8	-
Bermondsey	136,824	-	8	4	-	3	-	-	2	1
Lambeth	318,530	-	18	10	-	3	-	-	1	1
Battersea	180,017	-	10	4	-	-	-	-	1	1
Wandsworth	242,224	-	6	2	-	1	-	-	4	1
Camberwell	269,102	-	10	9	-	8	-	-	4	1
Deptford	113,562	-	6	11	-	-	1	-	5	-
Greenwich	91,228	-	3	3	-	1	-	-	-	-
Lewisham	112,856	-	10	8	-	1	-	-	3	-
Woolwich	114,106	-	3	8	-	1	-	-	3	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	3	205	199	-	78	1†	-	84	7
Ages 0-1		-	2	5	-	-	-	-	3	-
„ 1-5		-	54	68	-	5	-	-	3	-
„ 5-		-	85	77	-	8	-	-	2	-
„ 10-		-	37	31	-	10	-	-	3	-
„ 15-		1	12	4	-	16	-	-	2	-
„ 20-		-	8	4	-	11	-	-	3	3
„ 25-		1	5	8	-	15	-	-	12	2
„ 35-		-	2	1	-	8	1	-	21	2
„ 45-		1	-	-	-	3	-	-	21	-
„ 55-		-	-	-	-	1	-	-	7	-
„ 65 and upwards		-	-	1	-	1	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

† The patient in this case was admitted to the Brook Hospital, where the disease was diagnosed as Typhus Fever.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 6. 1901. VOL. LXII.] WEEK ENDED SATURDAY, FEB. 9. [Price 1½*d.*

General Register Office, Somerset House,
February 11th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·1, 17·9, and 16·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.		Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.
33 Great Towns	19·1	17·9	16·4	19·8	Leicester - -	17·2	16·2	10·2	16·2
Birkenhead -	21·4	21·9	13·1	17·5	Liverpool - -	23·3	23·9	21·9	27·9
Birmingham -	21·8	20·4	15·5	20·2	London - - -	18·7	17·6	16·1	18·7
Blackburn -	19·1	12·7	13·9	18·4	Manchester - -	20·4	20·2	19·6	24·7
Bolton - -	20·4	18·2	14·1	15·1	Newcastle-on-Tyne	18·0	20·4	16·1	22·6
Bradford -	15·8	14·3	17·2	15·1	Norwich - -	18·8	23·7	26·4	29·5
Brighton -	19·6	17·5	15·4	24·2	Nottingham - -	18·9	19·5	17·0	21·4
Bristol - -	19·0	14·1	15·8	21·5	Oldham - -	14·7	16·7	16·1	18·4
Burnley -	17·3	13·0	10·0	18·6	Plymouth - -	22·1	19·1	17·6	22·6
Cardiff - -	14·1	14·9	11·8	12·3	Portsmouth - -	16·0	10·5	16·2	19·4
Croydon -	13·9	13·2	12·4	12·4	Preston - -	24·7	16·1	19·5	20·4
Derby - -	16·7	15·2	11·9	17·6	Salford - - -	18·2	21·0	18·0	27·5
Gateshead - -	23·2	24·6	24·1	20·4	Sheffield - -	20·3	19·7	16·5	20·0
Halifax -	15·1	19·5	19·5	20·0	Sunderland - -	24·8	16·8	18·5	17·8
Huddersfield-	15·8	15·8	16·8	17·8	Swansea - -	23·3	16·0	18·5	21·4
Hull - -	21·2	18·9	13·1	20·4	West Ham - -	14·9	11·6	11·9	14·4
Leeds - -	21·3	17·3	16·4	19·6	Wolverhampton -	15·0	19·0	19·6	20·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Liverpool; from *whooping-cough*, 1·0 in Derby and in Halifax, 1·1 in Bristol, 1·2 in Croydon, 1·5 in Plymouth, 1·7 in Nottingham and in Preston, and 3·5 in Birkenhead; and from "*fever*," 1·0 in Birmingham. In none of the thirty-three towns did the death-rate from *scarlet fever* or from *diarrhœal diseases* reach 1·0 per 1000. The 101 deaths from *diphtheria* included 29 in London, 10 in Sheffield, 8 in Leeds, 8 in Liverpool, 8 in Manchester, 7 in Blackburn, 6 in Leicester, 4 in West Ham, 4 in Portsmouth, and 4 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2687 BIRTHS and 1668 DEATHS were registered. Allowing for increase of population, the births were 260, and the deaths 193, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7952—670—2/1901 Wt 82 D & S 3 F

years. The annual death-rate per 1000 from all causes, which had been 18·7, 17·6, and 16·1 in the preceding three weeks, rose again last week to 18·7. During the four weeks ended on Saturday last the death-rate averaged 17·8 per 1000, being 4·3 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1668 deaths included 20 from measles, 4 from scarlet fever, 29 from diphtheria, 58 from whooping-cough, 1 from typhus, 12 from enteric fever, 12 from diarrhœa and dysentery, and not one death from small-pox, from any ill-defined form of continued fever, or from cholera; thus 136 deaths were referred to these diseases, being 49 below the corrected average weekly number.

The deaths from *measles*, which had been 36, 24, and 25 in the preceding three weeks, fell last week to 20, and were 17 below the corrected average; 6 cases belonged to the Borough of Southwark. The deaths from *scarlet fever*, which had been 9, 8, and 8 in the preceding three weeks, fell last week to 4, the corrected average being 16. The deaths from *diphtheria*, which had been 32, 23, and 24 in the preceding three weeks, rose last week to 29, but were 18 below the corrected average; 6 cases belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 38, 37, and 44 in the preceding three weeks, further rose last week to 58, the corrected average being 59; 8 cases belonged to Lambeth, 6 to Southwark, and 6 to Islington. The fatal cases of *enteric fever*, which had been 13, 16, and 12 in the preceding three weeks, were again 12 last week, the corrected average being 10. The death of a male, aged 38 years, who had been removed from Deptford to the Brook Fever Hospital was certified as due to *typhus*. The deaths from *diarrhœal diseases*, which had been 15, 17, and 11 in the preceding three weeks, were 12 last week, the corrected average being 15. The deaths referred to diseases of the *respiratory organs*, which had been 422, 394, and 323 in the preceding three weeks, rose again last week to 397, but were 75 below the corrected average. The deaths attributed directly to *influenza* numbered 12, having been 20, 17, and 15 in the preceding three weeks.

Different forms of *violence* caused 54 deaths, concerning all but 2 of which inquests were held. Of these 54 deaths, 4 were cases of suicide, while the remaining 50 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 10 to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 13 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1963 cases of scarlet fever, 1150 of diphtheria, and 262 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 145 cases, against 187, 172, and 178; of diphtheria, 138 cases, against 138, 158, and 120; and of enteric fever, 23 cases, against 27, 29, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended February 2nd.

Greater London.

In Greater London 3865 births and 2222 deaths were registered, corresponding to annual rates of 29·7 and 17·1 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 1 from scarlet fever, 12 from diphtheria, 18 from whooping-cough, 4 from "fever," and 4 from diarrhœal diseases were registered. Nine deaths from diphtheria, 5 from whooping-cough, and 3 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 34°·3; the latter being 5°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 29 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week were 2·2 hours; rain and melted snow were measured to the amount of 0·47 inch.

Metropolitan Water Supply (see pp. 77–79).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 9th Feb. 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	11,789,099	6908	4473	960	1257	-	57	26	101	129	44	40	157	384	1049	75	19·8	1·8	46·0	18·9	34·4	1·33	0·50	1·27	33 Towns.
London	4,651,113	2687	1668	358	528	-	20	4	29	58	13	12	54	171	549	8	18·7	1·5	41·5	23·8	34·3	1·28	0·47	1·19	London.
West Ham	329,37.	191	91	23	23	-	-	-	4	2	2	1	10	15	17	1	14·4	1·4	-	-	-	-	-	-	West Ham.
Croydon	134,705	73	32	6	13	-	-	-	-	3	-	-	-	1	6	-	12·4	1·2	42·8	22·5	34·5	1·39	0·68	1·73	Croydon.
Brighton	125,077	50	58	12	26	-	-	-	1	-	-	-	2	5	10	-	24·2	0·4	43·0	29·2	35·6	2·00	0·70	1·78	Brighton.
Portsmouth	199,262	101	74	16	29	-	1	1	4	-	-	-	4	9	20	1	19·4	1·6	42·5	30·0	35·8	2·11	0·33	0·84	Portsmouth.
Plymouth	103,708	76	45	14	12	-	-	-	-	3	-	1	1	5	3	-	22·6	2·0	-	-	-	-	-	-	Plymouth.
Bristol	329,086	172	136	27	36	-	-	-	2	7	1	2	3	8	24	-	21·5	1·9	46·0	25·0	34·8	1·56	0·40	1·02	Bristol.
Cardiff	203,050	99	48	7	10	-	-	1	1	3	1	-	3	8	9	1	12·3	1·5	-	-	-	-	-	-	Cardiff.
Swansea	107,251	62	44	13	13	-	-	-	-	1	-	-	2	2	4	1	21·4	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	68	35	4	14	-	1	1	1	-	1	1	3	3	8	-	20·2	2·9	41·0	18·9	31·1	-0·50	0·68	1·73	Wolverhampton
Birmingham	524,307	327	203	42	42	-	1	1	1	4	10	1	12	13	48	6	20·2	1·8	-	-	-	-	-	-	Birmingham.
Norwich	116,466	91	66	25	17	-	-	-	1	-	-	-	1	8	5	-	29·5	0·4	41·7	26·6	33·5	0·83	0·04	0·10	Norwich.
Leicester	224,619	116	70	13	25	-	-	2	6	1	1	-	1	2	12	1	16·2	2·3	-	-	-	-	-	-	Leicester.
Nottingham	246,013	169	101	34	26	-	2	1	1	8	1	2	1	3	12	1	21·4	3·2	39·7	23·5	32·6	0·33	0·51	1·30	Nottingham.
Derby	109,605	59	37	6	8	-	-	-	-	2	-	-	2	6	7	-	17·6	1·0	-	-	-	-	-	-	Derby.
Birkenhead	119,213	53	40	6	7	-	-	1	-	8	-	-	2	3	5	-	17·5	3·9	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	458	340	66	71	-	13	2	8	6	-	3	14	20	88	21	27·9	2·6	41·7	29·6	36·3	2·39	0·47	1·19	Liverpool.
Bolton	166,284	74	48	11	11	-	2	-	-	-	1	-	-	1	3	-	15·1	0·9	-	-	-	-	-	-	Bolton.
Manchester	553,677	365	262	64	48	-	1	2	8	4	4	5	13	28	68	4	24·7	2·3	-	-	-	-	-	-	Manchester.
Salford	223,418	154	118	26	24	-	3	3	4	1	1	2	4	13	21	1	27·5	3·3	-	-	-	-	-	-	Salford.
Oldham	155,865	61	55	7	10	-	-	-	-	2	1	1	1	2	8	-	18·4	1·3	-	-	-	-	-	-	Oldham.
Burnley	120,497	52	43	13	8	-	-	1	-	-	-	-	2	2	4	-	18·6	0·4	-	-	-	-	-	-	Burnley.
Blackburn	139,089	71	49	9	12	-	1	-	7	-	1	1	1	1	5	5	18·4	3·7	-	-	-	-	-	-	Blackburn.
Preston	120,196	73	47	9	14	-	-	1	1	4	-	1	-	3	7	1	20·4	3·0	46·0	26·0	35·4	1·89	0·43	1·09	Preston.
Huddersfield	105,514	48	36	3	13	-	-	1	-	-	-	-	1	2	3	-	17·8	0·5	42·3	25·0	34·0	1·11	0·39	0·99	Huddersfield.
Halifax	106,873	63	41	3	19	-	-	-	-	2	-	-	2	2	8	4	20·0	1·0	-	-	-	-	-	-	Halifax.
Bradford	294,472	116	85	9	34	-	-	1	1	-	2	-	3	5	11	1	15·1	0·7	43·8	25·6	35·5	1·94	0·82	2·08	Bradford.
Leeds	438,814	257	165	37	54	-	5	2	8	1	-	3	4	15	14	1	19·6	2·3	-	-	-	-	-	-	Leeds.
Sheffield	370,737	277	142	31	36	-	-	1	10	6	1	1	2	8	25	10	20·0	2·7	-	-	-	-	-	-	Sheffield.
Hull	243,287	153	95	26	26	-	4	-	-	-	2†	1	3	7	14	3	20·4	1·5	44·0	24·0	34·1	1·17	0·60	1·52	Hull.
Sunderland	149,205	85	51	13	12	-	1	-	1	2	-	-	1	3	6	1	17·8	1·4	-	-	-	-	-	-	Sunderland.
Gateshead	112,331	75	44	7	7	-	1	-	-	1	-	2	-	1	4	2	20·4	1·9	-	-	-	-	-	-	Gateshead.
Newcastle	240,258	132	104	20	29	-	1	-	2	-	1	-	5	9	21	1	22·6	0·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† Including one death from pneumonic plague.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2814	2651	2884	2709	2736	2656	2917	2843	2802	2889	2947·3	2687
Males	1371	1356	1468	1408	1381	1370	1490	1488	1408	1516	1505·9	1366
Females	1443	1295	1416	1301	1355	1286	1427	1355	1394	1373	1441·4	1321
TOTAL **Deaths**	1673	2010	1579	1532	1768	1762	1588	1922	1991	1792	1861·0	1668
Males	880	992	757	781	880	936	816	954	989	905	939·1	843
Females	793	1018	822	751	888	826	772	968	1002	887	921·9	825

*The numbers in this column are the average weekly numbers in the sixth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.
TOTAL **Births**	2323	2538	2338	2299	2527	2436	1591	2983	2466	2693	2713	2410	2687
TOTAL **Deaths**	1505	1515	1572	1544	1454	1382	1466	1593	1750	1666	1568	1438	1668
Ages at Death: Under 1 year	369	361	397	400	374	346	346	361	362	299	285	321	358
1—5 years	172	158	200	187	153	174	182	165	186	195	165	159	162
5—20 ,,	90	87	83	77	86	78	78	64	95	70	97	73	99
20—40 ,,	217	209	205	164	183	180	212	210	216	212	203	168	194
40—60 ,,	311	295	298	327	302	296	275	359	377	356	329	305	327
60—80 ,,	283	325	322	318	274	245	307	335	402	421	386	340	420
80 years and upwards	63	80	67	71	82	63	66	99	112	113	103	72	108
Deaths from—													
Small pox	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	18	21	33	23	20	26	27	21	34	36	24	25	20
Scarlet Fever	8	11	6	11	8	4	7	9	9	9	8	8	4
Diphtheria	32	22	29	34	20	36	26	24	25	32	23	24	29
Whooping-cough	15	27	21	34	28	22	31	29	32	38	37	44	58
Typhus	-	-	1	-	-	-	-	-	-	-	-	1	1
Enteric Fever	17	26	24	21	19	22	22	18	17	13	16	12	12
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery	18	8	12	13	15	10	9	9	16	15	17	11	12
Cholera	-	1	-	1	-	1	-	-	-	-	-	-	-
All the above Diseases	108	116	127	137	110	121	122	110	133	143	125	125	136
Dis. of Respiratory System	352	322	435	400	349	306	325	330	392	422	394	323	397
Phthisis	150	134	158	150	135	121	146	165	173	182	142	152	148
Dis. of Circulatory System	140	145	122	137	125	117	137	154	181	157	154	161	178
Violence	73	51	65	61	64	67	64	90	76	71	76	64	54
Inquest Cases	157	138	159	141	145	135	160	212	201	166	191	161	171
Deaths in Public Institutions	469	470	483	459	456	445	431	469	535	499	517	465	549
TEMPERATURE OF THE AIR													
Mean	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2	36°·9	34°·3
Mean of Highest readings	51·1	46·2	48·1	52·0	52·3	49·3	47·6	41·7	39·0	45·3	49·0	41·5	38·2
Mean of Lowest readings	38·4	37·7	41·4	42·4	42·9	38·6	38·4	33·1	29·3	34·1	39·3	31·8	29·6
Humidity of the Air	91	85	88	89	88	87	91	94	88	89	82	82	86
Rain-fall (in inches)	0·81	0·09	0·66	0·77	0·21	0·38	0·30	0·56	0·23	0·22	0·18	0·10	0·47
Registered Sunshine (in hours)	6·0	6·4	7·9	3·1	7·2	23·4	4·6	1·7	8·7	13·3	12·6	6·9	2·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	-	2	2	1	1	1	1	1	1	-	3	3	1
Scarlet Fever	2728	2725	2727	2687	2617	2477	2535	2391	2277	2172	2078	2037	1963
Diphtheria	1556	1535	1537	1515	1474	1514	1356	1266	1200	1152	1153	1128	1150
Enteric Fever	454	442	436	433	425	409	403	374	367	333	305	299	262

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTH Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 6th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 9th February, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5	5-20	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1861·0	1668	358	162	99	194	327	420	108
all- Vaccinated† -	-	-	-	-	-	-	-	-	-
all- Unvaccinated	0·3	-	-	-	-	-	-	-	-
all- No Statement	0·3	-	-	-	-	-	-	-	-
sles - - - -	37·3	20	5	13	2	-	-	-	-
let Fever - - -	15·6	4	-	2	2	-	-	-	-
hus - - - -	0·2	1	-	-	-	1	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	50·3	12	-	-	-	3	3	5	1
oping-cough - -	58·6	58	22	35	1	-	-	-	-
htheria - -	46·8	29	1	19	8	-	1	-	-
ple Continued and -defined Fever -	0·2	-	-	-	-	-	-	-	-
eric Fever - - -	10·2	12	-	-	2	9	1	-	-
era and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
rhœa, Dysentery -	15·1	12	9	1	-	-	-	1	1
ittent Fever - -	-	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
aders - - - -	0·1	-	-	-	-	-	-	-	-
pox and Effects of ccination - -	0·1	1	-	1	-	-	-	-	-
ereal Affections - -	10·8	7	5	-	-	-	2	-	-
sipelas - - -	4·5	1	1	-	-	-	-	-	-
mia and Septicæmia	1·9	4	2	-	1	-	1	-	-
rperal Fever - -	5·1	2	-	-	-	2	-	-	-
er Zymotic Diseases	2·2	1	-	-	1	-	-	-	-
ush - - - -	1·0	1	1	-	-	-	-	-	-
ms and other Para- ical Diseases -	0·2	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	2·1	-	-	-	-	-	-	-	-
holism - - -	10·5	13	-	-	-	3	8	2	-
umatic Fever, eumatism of Heart	8·3	13	-	-	7	2	1	3	-
umatism - - -	1·9	1	-	-	-	-	-	1	-
t - - - - -	2·9	2	-	-	-	-	-	-	2
kets - - - -	5·4	5	3	2	-	-	-	-	-
cer - - - -	79·7	84	-	-	1	8	38	34	3
es Mesenterica - -	16·8	18	9	4	2	1	2	-	-
ercular Meningitis -	22·6	22	8	7	5	2	-	-	-
hisis - - - -	178·4	148	1	-	13	67	56	11	-
fula, Tuberculosis -	19·8	22	6	6	5	3	2	-	-
er Constitutional iseases - -	13·1	10	-	1	1	2	4	2	-
mature Birth - -	53·0	53	53	-	-	-	-	-	-
lectasis - - -	5·0	3	3	-	-	-	-	-	-
genital Malforma- ons - - -	9·2	6	6	-	-	-	-	-	-
Age - - - -	57·4	66	-	-	-	-	-	30	36
plexy - - -	47·7	54	-	-	-	3	18	30	3
lepsy - - - -	8·9	8	-	-	2	3	1	1	1
vulsions - - -	38·8	28	27	1	-	-	-	-	-
er Diseases of Brain nd Nervous System	87·7	87	5	8	9	5	21	32	7
eases of Organs of pecial Sense -	3·7	5	1	1	2	1	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 6th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 9th February, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5	5-20	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	162·0	178	3	1	11	22	55	79	7
Croup - - - -	5·0	1	-	1	-	-	-	-	-
Bronchitis - - -	283·1	230	51	14	2	8	32	94	29
Pneumonia - - -	143·6	140	26	31	9	17	24	27	6
Pleurisy - - - -	6·3	4	-	-	-	2	-	2	-
Other Diseases of Respiratory System -	33·7	22	7	3	-	-	4	8	-
Dentition - - - -	10·9	9	8	1	-	-	-	-	-
Quinsy, Sore Throat -	0·7	-	-	-	-	-	-	-	-
Enteritis - - - -	16·1	15	6	2	2	-	4	-	1
Gastro-enteritis -		5	4	-	-	-	-	1	-
Peritonitis - - -	5·1	10	-	-	-	3	2	5	-
Diseases of Liver - -	26·8	27	1	-	-	6	10	10	-
Other Diseases of Digestive System	31·0	30	10	-	1	3	4	10	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	3	-	-	1	1	-	1	-
Diseases of Urinary System - - -	50·3	55	1	-	2	10	19	20	3
Diseases of Generative System - - -	4·8	5	-	-	-	-	4	1	-
Accidents of Childbirth-	5·7	1	-	-	-	1	-	-	-
Diseases of Locomotive System - - -	6·5	6	1	-	2	1	-	1	1
Diseases of Integumentary System- -	6·3	6	1	-	1	-	2	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·8	-	-	-	-	-	-	-	-
By Vehicles or Horses -	4·5	2	-	-	-	-	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	1·6	-	-	-	-	-	-	-	-
In Building Operations -	0·4	1	-	-	-	-	1	-	-
In Conflagrations -	0·4	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	11·1	10	-	7	1	-	1	1	-
By Drowning - - -	5·8	1	-	-	1	-	-	-	-
By Suffocation in Bed -	17·1	13	13	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·6	1	-	-	1	-	-	-	-
Other or not stated causes - - -	19·9	22	7	-	1	3	2	5	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·8	-	-	-	-	-	-	-	-
Suicide - - - -	7·4	4	-	-	-	2	1	1	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·7	54	51	1	-	-	2	-	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered dical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ended Saturday, 9th February, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2687	1668	358	528	-	20	4	29	58	1	12	-	12	54	171	549
WEST DISTRICTS - - -	778,251	390	290	59	96	-	1	1	4	11	-	2	-	2	13	31	93
NORTH DISTRICTS - - -	1,040,694	568	319	67	97	-	3	-	5	13	-	2	-	2	6	30	85
CENTRAL DISTRICTS - - -	233,635	125	84	13	21	-	-	-	3	3	-	-	-	-	2	5	35
EAST DISTRICTS - - -	716,334	525	328	80	110	-	1	-	5	5	-	3	-	2	17	56	126
SOUTH DISTRICTS - - -	1,642,796	1,079	611	139	187	-	15	2	12	26	1	5	-	6	16	48	174
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	17	-	-	1	-	-	-	-	-	-	-	1	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	42	36	8	13	-	-	-	1	2	-	-	-	-	1	2	6
St. John Paddington *H* - - G.	33,510	10	17	2	7	-	-	-	-	-	-	1	-	-	2	1	7
Kensington Town *Ww* - - W.	122,164	73	43	10	13	-	-	-	-	2	-	-	-	1	1	4	18
Brompton *HH*- - - W. & C.	48,301	14	12	3	3	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* W. & G	44,638	17	17	7	3	-	-	-	-	2	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G	59,561	38	16	3	7	-	-	-	-	-	-	-	-	-	1	2	3
North-west Fulham *W*	113,781	39	26	2	9	-	-	-	-	1	-	-	-	-	1	5	17
North-east Fulham *w* W. & C.		25	15	5	2	-	-	1	3	2	-	-	-	-	2	3	4
South Fulham		28	11	6	1	-	1	-	-	-	-	-	-	-	1	2	-
Chelsea Kensal Town - C.	21,450	8	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	21	20	2	11	-	-	-	-	1	-	-	-	1	-	1	9
Chelsea South *HH* - - C.	33,139	9	11	2	5	-	-	-	-	1	-	-	-	-	-	-	1
May Fair *WH*- - - - G.	23,827	9	17	-	8	-	-	-	-	-	-	-	-	-	2	3	13
Belgrave *WHHH* - - - C.	56,140	15	19	6	4	-	-	-	-	-	-	-	-	-	1	4	8
St. John Westminster *HH* C.	31,492	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* C.	22,097	7	6	-	2	-	-	-	-	-	-	1	-	-	-	1	3
St. James Westminster *WH* N. & G.	23,050	8	8	1	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Anne Soho *HHHHH* - N.	12,048	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	14	17	2	4	-	-	-	-	-	-	1	-	-	1	2	9
Rectory Marylebone *W* G. & W.		6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* G. & W.		31	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone‡ *H* - W		25	11	5	1	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone‡ *HHH* - W		8	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	44	21	3	4	-	-	-	3	1	-	1	-	-	2	3	7
Regent's Park *HH* - W.	51,403	13	19	5	7	-	1	-	-	1	-	-	-	-	-	2	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	9	14	3	2	-	-	-	-	-	-	-	-	-	1	4	8
Gray's Inn Lane *HHHH* - N.	29,426	25	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2
Somers Town *HH* - - - N.	32,161	21	10	2	3	-	-	-	-	1	-	-	-	-	-	1	2
Camden Town *WH* - - N.	40,155	22	9	-	7	-	-	-	-	-	-	-	-	-	-	-	5
Kentish Town *WW* - - N.	60,862	20	21	5	6	-	1	-	-	-	-	-	-	-	-	2	9
Upper Holloway *WWWWwHH* - - N.	98,273	54	36	6	14	-	-	-	-	2	-	-	-	-	1	2	19
Lower Holloway - - - N.	41,805	19	13	3	5	-	-	-	-	1	-	-	-	-	-	1	-
Barnsbury - - - - N.	56,384	33	13	2	4	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east *H* - N.	75,725	40	13	5	3	-	-	-	-	-	-	-	-	-	-	2	-
Highbury *HH* - - - N.	64,577	35	19	5	4	-	-	-	-	2	-	-	-	-	1	3	-
Stoke Newington *H* - - N.	33,485	16	7	-	1	-	1	-	1	-	-	-	-	-	-	1	-
Hornsey (part of) - - -	†16,892	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	15	10	2	4	-	-	-	-	-	-	-	-	1	-	2	-
Central Hackney *ww* - E. & N.		38	17	3	3	-	-	-	1	1	-	-	-	-	-	-	2
South-west Hackney *HHH* E. & N.		45	18	8	2	-	-	-	-	2	-	-	-	-	-	1	4
South-east Hackney *WwH* E. & N.		31	26	5	13	-	-	-	-	1	-	-	-	1	-	2	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital: *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged o 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	29,086	21	7	3	2	-	-	-	-	1	-	-	-	-	-	-	2	-
St Giles North *H* - - - N.	9,151	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *WHH* - - - - N.	11,839	4	9	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
Strand Union Workhouse, Edmonton	†*1,037*	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Holborn *WwHHHHH* - N.	31,042	11	12	4	2	-	-	-	1	1	-	-	-	-	-	1	5	-
St. James Clerkenwell - - N.	15,777	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	22	10	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Goswell-street - - - - N.	16,069	10	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
City-road *HHHHL* - - N.	29,897	27	13	4	2	-	-	-	-	-	-	-	-	-	1	1	3	-
Finsbury - - - - - N.	11,630	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†*892*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - N. & E.	13,061	4	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Sepulchre *WH* - - - N.	9,591	2	12	-	1	-	-	-	2	-	-	-	-	-	-	-	10	-
Allhallows Barking - - - N.	9,059	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†*388*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	9	5	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Hoxton New Town *w* - - N.	29,575	25	14	3	6	-	-	-	-	-	-	-	-	-	1	1	6	-
Hoxton Old Town - - - N.	27,845	25	12	4	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Haggerston *WH* - - N. & E.	47,163	35	29	9	7	-	-	-	-	3	-	-	-	-	3	3	16	-
Bethnal Green North *H* - E.	49,301	38	19	7	4	-	1	-	1	-	-	-	-	-	1	2	1	-
Bethnal Green South - - E.	34,194	24	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East *WWHl* - E.	45,667	30	22	2	11	-	-	-	-	-	-	-	-	-	-	4	14	-
Spitalfields - - - E. & N.	26,681	27	7	4	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Mile End New Town *WH* - E.	51,995	26	41	7	7	-	-	-	3	-	-	-	-	-	2	7	39	-
Goodman's Fields - - - E.		10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.	39,576	45	13	6	3	-	-	-	-	-	-	-	-	-	1	3	-	-
St. John, St. George East *W* E.	7 930	4	7	1	1	-	-	-	-	-	-	-	-	-	1	2	6	-
Shadwell *H* - - - E. & N.	10,434	4	3	1	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Ratcliff *W* - - - - E.	14,954	7	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Limehouse - - - - E.	32,917	17	8	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town West *H* E.	111,060	49	13	3	6	-	-	-	-	-	-	-	-	-	-	4	-	-
Mile End Old Town East *WWww* - E.		33	36	4	22	-	-	-	-	-	-	-	-	-	1	6	16	-
Bow *l* - - - - E.	41,687	28	16	6	2	-	-	-	-	-	-	1	-	-	-	3	-	-
Bromley *wwwH* - - - E.	69,821	47	47	10	16	-	-	-	1	-	-	2	-	1	4	9	22	-
Poplar *WW* - - - - E.	57,759	42	26	5	11	-	-	-	-	1	-	-	-	-	-	5	4	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ended Saturday, 9th February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	6	5	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark - - S.	12,301	5	5	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Kent-road - - - - S. & L.	22,879	26	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	18	6	3	1	-	-	-	-	1	-	-	-	-	-	-	2
London-road *HL* - - L. & S.	21,316	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	18	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	33	32	9	7	-	2	-	-	5	-	-	-	-	-	2	3
St. Mary Newington- - L. & S.	30,171	22	7	2	2	-	-	-	1	-	-	-	-	-	1	1	-
St. Olave *WH*- - - - S.	11,731	7	20	3	2	-	-	-	-	-	-	-	-	-	2	4	15
Bermondsey *W* - - - S.	85,475	67	25	11	7	-	-	-	-	1	-	-	-	1	-	1	2
Rotherhithe *Ww* - S. & K.	40,379	22	20	2	7	-	-	-	-	1	-	-	-	-	-	-	13
Waterloo-road *HH* - L. & S.	28,396	23	14	6	4	-	-	-	-	-	-	-	-	-	-	2	1
Lambeth Church 1st *H* - L. & S.	18,770	11	29	7	4	-	-	-	-	-	-	-	-	-	3	5	19
Lambeth Church 2nd *WW* L. & S.	40,994	30	24	4	8	-	1	-	-	2	-	-	-	1	-	-	13
Kennington 1st *H* - - S. & L.	52,486	32	15	3	8	-	-	-	-	2	-	-	-	-	-	1	1
Kennington 2nd - - S. & L.	43,244	13	6	-	3	-	-	-	-	1	-	-	-	-	1	1	-
Brixton *w* - - - L. & S.	81,825	40	27	7	8	-	1	1	2	3	-	1	-	-	1	1	5
Norwood *WH*- - - - L.	29,318	20	9	6	1	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - - S.	71,730	50	18	5	2	-	-	-	-	2	-	-	-	-	-	3	-
North-west Battersea - - S.	93,385	39	17	9	1	-	-	-	-	1	-	-	-	-	-	-	-
South-west Battersea *WwH* - S.		18	23	3	11	-	-	-	-	1	-	-	-	-	1	1	8
Clapham *H* - - - - S.	46,953	22	17	4	3	-	2	-	-	1	-	-	-	-	-	1	4
Streatham *Wwwwwl* - - L.	61,644	40	19	5	8	-	-	-	-	-	-	1	-	-	-	-	2
Wandsworth *WHHL* - - S.	58,101	48	13	4	3	-	-	-	-	-	-	-	-	-	-	2	3
Putney - - - - - - S.	20,566	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	7,519	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	57	55	3	28	-	2	-	-	1	-	1	-	1	-	2	38
Peckham *WW* - S., L., & K.	88,242	66	34	7	13	-	-	-	-	-	-	-	-	-	-	3	2
St. George Camberwell - L. & S.	67,029	58	11	3	4	-	-	-	-	1	-	-	-	-	-	1	-
Deptford North - - - K.	36,152	28	10	5	2	-	1	-	1	-	-	-	-	-	1	1	-
Deptford Central *w* - - K.	45,441	33	16	3	3	-	1	-	2	-	-	1	-	-	-	-	4
Deptford South - - - K.	33,402	15	7	1	6	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	14	6	-	1	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich East *WH* - - K.	37,767	27	25	1	7	-	-	-	-	1	-	-	-	-	1	3	14
Eltham *wH* - - - - K.	5,911	4	6	1	1	-	-	-	-	-	-	-	-	-	1	2	1
Lee *H* - - - - - K.	24,222	7	4	-	1	-	-	-	-	-	-	-	-	-	1	1	1
Lewisham *WwH* - - - K.	38,[illegible]9	25	16	3	8	-	-	-	2	-	-	-	-	1	1	4	9
Sydenham *H* - - - - L.	37,601	25	10	3	4	-	-	-	-	-	-	-	-	1	1	1	-
Charlton *wHH* - - - K.	15,928	12	13	1	2	-	-	1	4	2	1	1	-	-	-	-	7
Woolwich *HHHH* - - K.	41,314	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	6	6	-	3	-	1	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	39	15	6	7	-	1	-	-	-	-	-	-	-	-	2	5
Banstead Asylum - - - -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Dartford Heath - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	3
Hanwell Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Central London Sick Asylum, Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch Asylum - - -	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Claybury Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th February, 1901.

gis-tion trict nd ub-rict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,584	1,405,489	1178	554	140	180	-	5	1	12	18	4	4	22	45	76	2
0 : 1	Carshalton *H* - - -	12,228	26,108	10	6	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
7 : 1	Godstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Croydon *WWwHHH* -	20,851	128,699	86	38	8	16	-	-	-	-	3	-	-	-	1	10	-
2	Mitcham *w* - - -	11,697	23,072	22	3	-	1	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Wimbledon *HHH* - -	3,220	25,777	23	14	5	3	-	1	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	19	18	6	6	-	-	-	-	-	-	-	-	1	2	-
3	Surbiton *HH* - - -		12,178	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** *H* - -		11,080	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-
5	Hampton *HL* - - -	4,565	18,252	9	5	-	1	-	-	-	1	-	-	-	-	-	-	-
0 : 1	Richmond *WHH* - -	2,160	25,389	5	11	-	6	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake *H* - - -	2,823	16,159	17	5	3	-	-	-	-	-	-	-	-	-	-	-	-
1 : 1	Bromley *HHH* - - -	9,127	23,815	10	5	-	2	-	-	-	-	-	-	-	1	1	1	-
2	Beckenham *H* - - -	6,542	21,969	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	6 974	7,714	3	3	1	2	-	-	-	-	-	-	-	1	1	-	-
4	Chislehurst† *HH* - -	7,333	12,658	5	5	2	1	-	-	-	-	1	1	-	-	-	-	-
2 : 1	Bexley *HHH* - - -	12,540	30,590	26	10	3	1	-	-	-	-	-	-	1	1	2	-	-
2	Dartford *WH, part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
4 : 1	Sunbury *w* - - -	11,054	13,671	8	4	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Staines *WH* - - -	13,277	13,221	6	9	1	4	-	-	-	-	-	-	-	-	-	7	-
5 : 1	Hillingdon *WHH* - -	6,035	12,237	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	10	5	2	1	-	-	-	-	1	-	-	-	-	-	-
8 : 1	Isleworth *WHH* - -	6,967	26,004	10	19	8	8	-	1	-	-	-	-	-	1	2	10	-
2	Twickenham *HH* - -	2,415	16,027	4	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	22	14	5	7	-	-	-	-	1	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	20	9	1	3	-	-	-	1	-	-	-	-	1	-	-
5	Acton *wHH* - - -	6,132	30,945	39	16	4	5	-	-	-	-	-	-	-	-	2	-	-
7 : 1	Harrow *HHH* - - -	13,809	15,715	11	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Edgware *HH* - - -	6,994	3,844	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	73	24	5	5	-	-	1	-	-	-	1	-	-	1	-
4	Hendon *WH* - - -	8,382	15,843	5	5	-	1	-	-	-	-	1	-	-	-	-	-	-
8 : 1	South Mimms *HH* - -	21,077	6,367	1	3	1	1	-	-	-	-	-	-	-	1	-	1	-
2	Barnet *WHH* - - -		14,152	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH* - - -	4,688	25,820	14	11	3	8	-	-	-	-	-	-	-	1	1	1	-
9 : 1	Hornsey, *part of** *HH* -	2,809	44,205	23	8	1	4	-	-	-	-	-	-	-	-	1	-	-
3 : 3	Amwell, *part of** - - -	65	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 : 2	Tottenham *HHH* - -	4,642	97,174	93	42	11	8	-	1	-	1	4	-	-	1	2	-	-
3	Edmonton *Ww* - -	7,489	36,351	49	13	5	3	-	1	-	-	-	-	-	-	1	3	-
4	Enfield *WWHH* - -	12,602	31,536	29	10	2	5	-	-	-	-	-	-	-	1	2	1	-
5	Waltham Abbey - - -	11,017	6,066	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	12	5	1	2	-	-	-	-	-	-	-	-	-	1	-
5 : 1	Hatfield, *part of** *W* -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 : 1	Bushey *H* - - - -	9,331	7,737	5	6	1	1	-	-	-	-	-	-	-	1	1	2	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 : 1	Stratford *H* - - -	4,706	38,612	29	14	3	2	-	-	-	-	-	-	-	7	8	5	-
2	Plaistow *HHH* - - -		58,030	76	27	12	6	-	-	-	2	1	1	-	1	2	1	1
3	Canning Town *H* - -		54,750	48	23	3	4	-	-	-	1	1	-	1	1	2	-	-
4	Forest Gate *w* - - -		53,511	38	16	4	7	-	-	-	1	-	-	-	1	2	-	-
5	East Ham *wHHH* - -	3,266	32,713	75	25	4	12	-	-	-	2	-	1	-	1	1	3	-
6	Wanstead - - - -	4,334	7,042	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	31	32	9	10	-	1	-	-	3	1	1	-	2	14	1
8	North Leyton *WwH* -		24,874	30	12	4	4	-	-	-	1	-	-	-	-	1	-	-
9	Walthamstow *HHHL* -	6,501	57,370	53	19	5	9	-	-	-	2	-	-	-	1	3	3	-
7 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	13	8	2	3	-	-	-	-	-	-	-	-	1	1	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0 : 1	Romford, *part of** *W* -	6,556	4,324	5	4	1	-	-	-	-	-	2	-	-	-	-	1	-
2	Ilford *H* - - - -	8,493	10,913	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	18	7	4	1	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 4, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st Januar 1901 Orpington Sub-District was formed out of part of Chislehurst Sub-District

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday 9th February. 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16
GREATER LONDON	443,421	6,781,854	17·1	1·4	2222	498	708	-	25	5	41	76	17	16	76	62
INNER LONDON -	74,837	4,651,113	18·7	1·5	1668	358	528	-	20	4	29	58	13	12	54	54
OUTER RING -	368,584	2,130,741	13·6	1·1	554	140	180	-	5	1	12	18	4	4	22	7

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	309,472	February 9	150	123	20·7	-	6	1	2	5	-	
GLASGOW - -	753,766	" 9	463	370	25·6	10	1	4	2	27	9	
DUBLIN† - -	346,128	" 9	286	226	34·0	-	-	-	-	9	5	
CALCUTTA - -	466,460	December 1	-	387	43·2	7	-	-	1	-	122‡	7
		" 8	-	409	45·7	20	1	-	-	-	149‡	7
BOMBAY - -	821,764	January 22	259	1305	82·6	2	2	?	?	?	508‡	10
MADRAS - -	452,518	December 28	379	430	49·4	-	1	?	?	?	119	7
PARIS - - -	2,511,629	February 2	1087	935	19·3	11	6	1	10*	6	5	2
BRUSSELS - -	570,844	" 2	263	196	17·9	-	2	-	6*	2	2	
AMSTERDAM -	520,800	January 26	318	180	18·0	-	5	-	5	5	-	
ROTTERDAM -	325,556	" 19	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	" 19	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	354,000	February 2	241	140	20·6	-	1	1	-	1	-	
STOCKHOLM -	297,148	January 26	124	89	15·5	-	-	-	2*	-	-	
CHRISTIANIA -	226,423	February 2	168	68	15·8	-	1	-	-	2	-	
ST. PETERSBURG	1,132,677	January 26	524	631	29·0	1	9	17	31	2	19	4
MOSCOW - -	988,610	" 26	-	586	30·9	-	5	12	16	-	3	3
BERLIN - -	1,885,685	" 19	1010	681	18·8	-	18	3	6	17	1	3
HAMBURG - -	705,738	February 2	-	222	16·4	-	-	3	-	1	-	
DRESDEN - -	397,000	January 5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	422,415	February 2	-	207	25·6	-	1	-	2	-	-	1
MUNICH - -	500,000	January 26	-	213	22·2	-	7	-	4*	6	-	1
VIENNA - -	1,673,688	February 2	1061	789	24·7	-	24	5	9*	3	-	3
PRAGUE - -	393,091	" 2	184	193	25·5	-	-	1	2	-	4	
BUDA-PESTH -	703,959	January 26	453	316	23·3	-	13	3	1	1	-	1
TRIESTE - -	168,951	" 26	95	116	36·2	-	-	1	1*	-	1	
ROME - - -	518,333	" 5	-	-	-	-	-	-	-	-	-	-
TURIN (10 days)-	344,203	December 20	182	168	17·8	-	-	-	-	1	-	
VENICE - -	174,170	January 26	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	December 30	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	319,766	" 30	-	-	-	-	-	-	-	-	-	-
NEW YORK (including BROOKLYN)	3,536,517	January 12	1714	1606	23·7	3	2	12	69*	4	13	2
		" 19	1758	1649	24·3	5	3	22	49*	1	11	2
PHILADELPHIA -	1,293,697	" 19	-	477	19·2	-	-	2	21	2	12	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 23 and 24 deaths, respectively, from cholera in Calcutta, 2 in Bombay, and 10 in Madras.
‡ Including 17 and 10 deaths, respectively, from plague in Calcutta, and 371 in Bombay.

TABLE 3. METEOROLOGICAL

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 3	Full	29·427	38·6	30·9	7·7	35·2	− 4·5	32·1	3·1	7·0	1·7	89	52·4	27·3	42·03	ESE., E. & ENE.	ENE. & NE.	1·0	0·0	0·0	213	−128	0·00	0·0
MONDAY - 4	..	29·244	36·5	23·8	12·7	30·5	− 9·3	27·4	3·1	7·0	0·7	88	62·3	22·2	41·87	Variable & SW.	SW. & variable.	1·2	0·0	0·0	179	−162	0·10	0·0
TUESDAY - 5	..	29·279	34·9	31·2	3·7	32·9	− 6·9	30·8	2·1	3·6	0·0	92	45·3	29·3	41·61	ENE, NNE. & N.	N.	4·0	0·0	0·7	453	+113	0·36	0·0
WEDNESDAY 6	In Equator.	29·847	37·9	30·5	7·4	34·9	− 4·8	30·7	4·2	7·7	2·3	85	66·6	27·1	41·32	N. & NNE.	NNE. & N.	2·6	0·0	0·2	314	− 25	0·00	0·0
THURSDAY - 7	..	30·106	37·6	27·5	10·1	32·7	− 6·7	26·2	6·5	11·3	2·7	76	56·2	23·2	41·10	N. & NNW.	NW, WNW. & variable.	1·7	0·0	0·1	189	−148	0·00	0·0
FRIDAY - 8	..	30·182	40·5	27·5	13·0	35·2	− 3·9	32·1	3·1	5·8	2·0	89	59·0	23·2	40·90	SW. & S.	SW. & SSW.	0·1	0·0	0·0	134	−200	0·00	0·0
SATURDAY - 9	Ap gee	30·205	41·5	36·1	5·4	38·7	0·0	34·3	4·4	8·3	1·2	84	46·7	33·9	40·72	SW. & WSW.	W., NW. & NNW.	1·0	0·0	0·0	202	−128	0·01	0·0
MEANS -		29·756	38·2	29·6	8·6	34·3	− 5·2	30·5	3·8	7·2	1·5	86	55·5	26·6	41·36	Variable		..	..	..	Sum 1684	Sum −678	Sum 0·47	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	3	m. P. generally.	0·0	9·2	Cloudy.
MONDAY -	4	s. P. generally.	1·0	9·3	Generally cloudy till afternoon; overcast after wards, with frequent snow after 5h. P.M. Hoar frost in morning. Partial solar halo at 1h. P.M.
TUESDAY -	5	v. P. and s. N. till 5h. A.M.; s. P. generally afterwards.	0·0	9·3	Overcast, with snow in morning; cloudy till evening; fine with small amounts of cloud at night.
WEDNESDAY	6	s. P. generally.	0·8	9·4	Fine, but generally cloudy, till evening; overcast after 8h. P.M.
THURSDAY -	7	s. P. generally.	0·4	9·4	Fine and partially cloudy. Dense haze in forenoon.
FRIDAY -	8	s. P. till noon; m. P. generally afterwards.	0·0	9·5	Generally overcast.
SATURDAY -	9	m. P. throughout.	0·0	9·5	Overcast; slight rain in morning.
			Sum 2·2	Sum 65·6	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative: w weak: m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·44 in. at the beginning of the week to 29·01 in. by 2h. A.M. on the 5th; and increased to 30·25 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd February, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	8	4	-	2	-	-	3	-
Kensington	177,205	-	6	3	-	9	-	-	6	-
Hammersmith	111,213	-	6	6	-	1	-	-	1	-
Fulham	141,920	-	11	9	-	-	1	-	4	-
Chelsea	73,843	-	2	6	-	2	-	-	-	-
City of Westminster	189,375	-	3	3	-	1	-	-	2	-
NORTH.										
St. Marylebone	140,460	-	4	3	-	-	-	-	2	-
Hampstead	82,605	1	2	3	-	1	-	-	1	-
St. Pancras	246,098	-	13	13	-	3	-	-	3	-
Islington	353,528	-	15	11	-	6	-	-	3	2
Stoke Newington	55,758	-	3	-	-	-	-	-	-	-
Hackney	228,417	-	11	9	-	1	-	-	5	-
CENTRAL.										
Holborn	59,700	-	3	3	-	-	-	-	2	-
Finsbury	106,590	-	1	4	-	-	-	-	3	-
City of London	25,289	-	1	2	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	4	5	-	1	-	-	2	-
Bethnal Green	127,509	-	6	11	-	1	-	-	2	1
Stepney	305,058	-	11	11	-	5	-	-	4	1
†Poplar	170,465	-	3	8	-	1	-	-	2	-
SOUTH.										
Southwark	208,869	-	7	10	-	3	-	-	1	-
Bermondsey	136,824	-	2	3	-	2	-	-	3	-
Lambeth	318,530	-	13	10	-	4	-	-	5	-
Battersea	180,017	-	5	7	-	-	-	-	2	-
Wandsworth	242,224	-	9	5	-	1	-	-	5	1
Camberwell	269,102	-	10	11	-	4	-	-	4	-
Deptford	113,562	-	19	8	8	1	-	-	3	-
Greenwich	91,228	-	3	2	-	2	-	-	3	-
Lewisham	112,856	-	7	6	-	-	-	-	1	-
Woolwich	114,106	-	3	7	-	1	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	1	191	183	8	52	-	-	73	5
Ages 0-1		-	2	4	-	-	-	-	3	-
„ 1-5		-	55	79	1	7	-	-	3	-
„ 5-		-	79	62	4	9	-	-	1	-
„ 10-		-	24	13	1	5	-	-	6	-
„ 15-		-	8	6	1	7	-	-	5	-
„ 20-		-	17	5	-	10	-	-	3	2
„ 25-		-	5	12	-	11	-	-	9	2
„ 35-		-	1	1	1	1	-	-	8	1
„ 45-		-	-	-	-	2	-	-	17	-
„ 55-		1	-	-	-	-	-	-	12	-
„ 65 and upwards		-	-	1	-	-	-	-	6	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

† The case notified in Poplar as "small-pox," which appears in the return for the week ended 26th January, 1901, has since been diagnosed as a case of "varicella."

Analysis of Metropolitan Water Supply during January, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
February, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of January.

Thirteen samples of each Companies' supply were examined, making a total of 104 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea	January 11th. Cab Rank, Fulham Road, near Women's Hospital.	—	—	·210	·032	0	—	—	—	—
	January 18th. 16, Parson's Green Lane, Fulham.	4·4	32·04	·210	·027	0	·303	·330	1·8	22·4
West Middlesex	January 18th. Cab Rank, Maida Vale, corner of St. John's Wood Road.	4·6	30·52	·222	·029	0	·257	·286	1·8	21·2
Southwark	January 18th. Cab Rank, Kennington Road, by Lambeth Road.	5·2	32·20	·212	·031	0	·288	·319	1·8	22·4
	January 11th. Cab Rank, High Street, Peckham.	—	—	·263	·038	·005	—	—	—	—
Grand Junction	January 9th. Cab Rank, Shepherd's Bush Green.	—	—	·399	·052	—	—	—	—	—
	January 18th. Cab Rank, Pickering Place, Westbourne Grove.	4·2	32·72	·248	·033	0	·332	·365	1·8	22·7
Lambeth	January 8th. Stand-pipe, Waterloo Road, opposite St. John's Church.	—	—	·275	·044	0	—	—	—	—
	January 18th. Stand-pipe, Waterloo Road, opposite St. John's Church.	4·3	31·92	·230	·031	·004	·307	·341	1·8	23·0
Lea.										
New River	January 18th. Cab Rank, Gray's Inn Road, by King's Cross Station.	6·2	35·92	·070	·010	·002	·318	·330	2·0	24·2
East London	January 10th. Cab Rank, Sidney Street, E.	—	—	·289	·032	0	—	—	—	—
	January 18th. Cab Rank, High Street, Shoreditch.	6·2	35·08	·183	·026	·002	·509	·537	1·9	24·2
Deep Well.										
Kent	January 19th. Cab Rank, New Cross Station, opposite Jerningham Road.	11·0	37·88	·039	·008	0	·471	·479	2·1	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters The Table is to be read thus :—The Chelsea Company's water, collected on the 18th January at 16, Parson's Green Lane, Fulham, had a temperature of 4·4° C. ; 100,000 lbs. of it contained 32·04 lbs. of solid matter ; the organic substances, constituting a portion of this matter, contained ·210 lb. of carbon and ·027 lb. of nitrogen. The above quantity of water also contained no ammonia and ·303 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·330 lb. The above quantity of water also contained 1·8 lbs. of chlorine and 22·4 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples drawn on January 18th and 19th were fully examined, and the organic elements were also estimated in five other samples collected earlier in the month. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·8, New River 1·4, East London (January 18th) 3·5, Chelsea (January 18th) 4·0, Chelsea (January 11th) and Southwark (January 18th) 4·1, West Middlesex 4·3, Lambeth (January 18th) 4·4, Grand Junction (January 18th) 4·8, Southwark (January 11th) 5·1, Lambeth (January 8th) and East London (January 10th) 5·4, and Grand Junction (January 9th) 7·6.

All the Thames derived supplies contained larger amounts of organic matter than were found in December. The Grand Junction Company's water on January 9th was of indifferent quality, owing to the excessive quantity of organic matter in solution. The Grand Junction water on January 18th, and the supplies of the remaining Thames Companies, were of fair chemical quality for this season of the year. The Lambeth Company's water on January 8th (collected in Waterloo Road) was slightly turbid, but all the other samples were clear.

With regard to the Companies dealing with water chiefly obtained from the River Lea, the supply of the New River Company was clear, contained but little organic matter, and was of very good chemical quality. The East London Company's water was clear and of the same average quality as that distributed by the Thames Companies.

The Kent Company's deep-well supply was, as usual, of great organic purity and clear.

The samples collected on January 18th and 19th, when viewed through a stratum two feet deep, gave the following appearances :—the Kent Company's water was colourless, and that of the New River Company nearly colourless; the Chelsea, West Middlesex, Southwark and East London waters were very pale yellow, and the supplies of the Grand Junction and Lambeth Companies pale yellow in colour.

In addition to the above analytical examination, 104 samples, collected during the month of January at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any, (indication of inefficiency of filtration or of disturbance in the mains) has been also recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
Chelsea	·115	·088	·104	·126	·096	·113	·012	·009	·010
West Middlesex	·123	·083	·109	·129	·097	·116	·011	·009	·010
Southwark	·140	·074	·105	·158	·085	·117	·012	·009	·011
Grand Junction	·225	·104	·136	·236	·111	·153	·018	·010	·012
Lambeth	·193	·106	·136	·203	·120	·146	·016	·010	·012
New River	·081	·016	·038	·092	·018	·043	·007	·0025	·003
East London	·208	·068	·117	·217	·077	·120	·017	·008	·011
Kent	·007	0	·002	·012	0	·004	·0025	·001	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

The results obtained in these tri-weekly examinations show, generally, that the Thames derived waters contained more organic impurity during the past month than was observed in December. The Grand Junction and Lambeth Companies' supplies were, on the average, inferior to those of the Chelsea, West Middlesex, and Southwark Companies.

The New River Company's water contained somewhat more organic matter than in December, but the average amount was still low. The East London Company's supply exhibited fluctuations in quality, similar to those noticed in the Thames waters.

The Kent Company's well water suffered no change in quality during the month.

All the samples taken from the mains of the West Middlesex and New River Companies were clear, but in the cases of the other Companies, on a few occasions, slight turbidity was noticed.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of January, 1901. The supply was in the ratio of 220 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	January, 1900.	January, 1901.	January, 1900.	January, 1901.
Total Supply - - -	895,606	917,208	195,458,985	201,587,187
From Thames - - - - - -	428,179	436,831	102,895,144	107,619,609
From Lea and from other Sources -	467,427	480,377	92,563,841	93,967,578
Thames.				
Chelsea - - - - - - -	38,472	39,059	11,400,237	12,367,995
West Middlesex - - - - -	84,987	86,422	19,789,593	20,736,802
Southwark and Vauxhall - -	123,592	124,833	29,635,704	30,807,502
Grand Junction - - - - -	65,718	67,605	18,455,242	18,897,991
Lambeth - - - - - - -	115,410	118,912	23,614,368	24,809,319
Lea and other Sources				
New River - - - - - - -	168,782	171,874	34,797,655	36,782,058
East London - - - - - -	205,036	211,323	40,880,727	39,521,231
Kent - - - - - - - -	93,609	97,180	16,885,459	17,664,289

Note.—The Return for January, 1901, as compared with that for the corresponding month of 1900 shows an increase of 21,602 services and of 6,128,202 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 7. 1901. VOL. LXII.] WEEK ENDED SATURDAY, FEB. 16. [Price 1½*d*.

General Register Office, Somerset House,
February 18th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·5 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 17·9, 16·4, and 19·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.		Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.
33 Great Towns	17·9	16·4	19·8	19·5	Leicester - -	16·2	10·2	16·2	16·5
Birkenhead -	21·9	13·1	17·5	22·7	Liverpool - -	23·9	21·9	27·9	28·8
Birmingham -	20·4	15·5	20·2	22·8	London - - -	17·6	16·1	18·7	19·3
Blackburn -	12·7	13·9	18·4	19·5	Manchester - -	20·2	19·6	24·7	22·5
Bolton - -	18·2	14·1	15·1	16·6	Newcastle-on-Tyne	20·4	16·1	22·6	19·3
Bradford -	14·3	17·2	15·1	13·3	Norwich - -	23·7	26·4	29·5	27·3
Brighton -	17·5	15·4	24·2	18·8	Nottingham - -	19·5	17·0	21·4	21·2
Bristol - -	14·1	15·8	17·9	19·2	Oldham - -	16·7	16·1	18·4	17·4
Burnley -	13·0	10·0	18·6	11·7	Plymouth - -	19·1	17·6	22·6	25·1
Cardiff - -	14·9	11·8	12·3	13·9	Portsmouth - -	10·5	16·2	19·4	18·8
Croydon -	13·2	12·4	12·4	18·2	Preston - -	16·1	19·5	20·4	14·3
Derby - -	15·2	11·9	17·6	18·1	Salford - - -	21·0	18·0	27·5	20·1
Gateshead -	24·6	24·1	20·4	16·7	Sheffield - -	19·7	16·5	20·0	20·7
Halifax -	19·5	19·5	20·0	17·1	Sunderland - -	16·8	18·5	17·8	14·7
Huddersfield-	15·8	16·8	17·8	13·3	Swansea - -	16·0	18·5	21·4	17·0
Hull - -	18·9	13·1	20·4	20·6	West Ham - -	11·6	11·9	14·4	15·2
Leeds - -	17·3	16·4	19·6	17·5	Wolverhampton -	19·0	19·6	20·2	17·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in Bolton, and 1·8 in Liverpool; and from *whooping-cough*, 1·0 in Plymouth, 1·2 in Salford, 1·4 in Bristol, and 2·2 in Birkenhead. In none of the thirty-three towns did the death-rate from *scarlet fever*, from "*fever*," or from *diarrhœal diseases* reach 1·0 per 1000. The 71 deaths from *diphtheria* included 20 in London, 6 in Salford, 5 in Manchester, 5 in Leicester, 4 in Liverpool, and 4 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2690 BIRTHS and 1719 DEATHS were registered. Allowing for increase of population, the births were 58, and the deaths 165,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8046—670—2/1901 Wt 82 D & S 3

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·6, 16·1, and 18·7 in the preceding three weeks, further rose last week to 19·3. During the four weeks ended on Saturday last the death-rate averaged 17·9 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1719 deaths included 36 from measles, 5 from scarlet fever, 20 from diphtheria, 49 from whooping-cough, 11 from enteric fever, 16 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus 137 deaths were referred to these diseases, being 45 below the corrected average weekly number.

The deaths from *measles*, which had been 24, 25, and 20 in the preceding three weeks, rose again last week to 36, but were 9 below the corrected average; 14 cases belonged to the Borough of Camberwell and 9 to that of Southwark. The deaths from *scarlet fever*, which had been 8, 8, and 4 in the preceding three weeks, were 5 last week, the corrected average being 15. The deaths from *diphtheria*, which had been 23, 24, and 29 in the preceding three weeks, fell again last week to 20, and were 21 below the corrected average. The deaths from *whooping-cough*, which had been 37, 44, and 58 in the preceding three weeks, fell again last week to 49, and were 9 below the corrected average; 5 cases belonged to St. Pancras, 5 to Wandsworth, and 4 to Islington. The fatal cases of *enteric fever*, which had been 16, 12, and 12 in the preceding three weeks, were 11 last week, the corrected average being 10. The deaths from *diarrhœal diseases*, which had been 17, 11, and 12 in the preceding three weeks, rose last week to 16, and were 4 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 394, 323, and 397 in the preceding three weeks, further rose last week to 420, but were 68 below the corrected average. The deaths attributed directly to *influenza* numbered 16, having been 17, 15, and 12 in the preceding three weeks.

Different forms of *violence* caused 70 deaths, concerning all but 2 of which inquests were held. Of these 70 deaths, 11 were cases of suicide, and 5 of homicide, while the remaining 54 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 11 to burns and scalds, and 12 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1876 cases of scarlet fever, 1110 of diphtheria, and 258 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 142 cases, against 172, 178, and 145; of diphtheria, 136 cases, against 158, 120, 138; and of enteric fever, 38 cases, against 29, 26, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended February 9th.

Greater London.

In Greater London 3902 births and 2338 deaths were registered, corresponding to annual rates of 30·0 and 18·0 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 3 from scarlet fever, 9 from diphtheria, 22 from whooping-cough, 7 from "fever," and 4 from diarrhœal diseases were registered. Five deaths from diphtheria, and 10 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·23 inches, and that of the Thermometer 32°·6; the latter being 6°·4 below the week's average in the 50 years 1841–90. The direction of the wind was northerly, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 11·9 hours; the measured rainfall amounted to 0·03 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 16th Feb. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,789,099**	**6853**	**4408**	**903**	**1288**	**-**	**78**	**27**	**71**	**105**	**32**	**35**	**177**	**345**	**1058**	**62**	**19·5**	**1·5**	**47·0**	**9·2**	**32·6**	**0·33**	**0·16**	**0·41**	**33 Towns.**
London	4,651,113	2690	1719	333	545	-	36	5	20	49	11	16	70	152	561	9	19·3	1·5	41·9	20·4	32·6	0·33	0·03	0·08	London.
West Ham	329,377	199	96	26	23	-	-	-	3	5	1	1	6	10	19	2	15·2	1·6	-	-	-	-	-	-	West Ham.
Croydon	134,705	57	47	7	17	-	-	-	-	1	-	-	2	6	10	-	18·2	0·4	42·3	19·2	32·1	0·06	0·02	0·05	Croydon.
Brighton	125,077	55	45	8	24	-	1	-	2	-	-	1	-	-	9	-	18·8	1·7	45·0	23·0	33·9	1·06	0·04	0·10	Brighton.
Portsmouth	199,262	108	72	12	25	-	2	-	3	-	-	-	3	4	13	-	18·8	1·3	44·5	23·5	33·8	1·00	0·00	0·00	Portsmouth.
Plymouth	103,708	61	50	14	16	-	-	-	-	2	-	-	-	3	3	-	25·1	1·0	-	-	-	-	-	-	Plymouth.
Bristol	329,086	169	121	25	34	-	-	1	3	9	1	2	3	6	21	1	19·2	2·5	47·0	17·5	32·5	0·28	0·01	0·03	Bristol.
Cardiff	203,050	89	54	20	8	-	-	2	2	3	-	-	3	4	4	-	13·9	1·8	-	-	-	-	-	-	Cardiff.
Swansea	107,251	64	35	6	15	-	-	-	-	-	-	1	2	3	6	-	17·0	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	60	31	11	6	-	-	-	1	-	-	-	1	3	7	1	17·9	0·6	40·9	14·0	29·9	-1·17	0·08	0·20	Wolverhampton
Birmingham	524,307	330	229	40	71	-	4	-	-	3	2	2	7	9	60	6	22·8	1·1	-	-	-	-	-	-	Birmingham.
Norwich	116,466	60	61	19	23	-	-	-	1	-	-	-	1	4	13	-	27·3	0·4	41·6	9·2	30·7	-0·72	1·27	3·23	Norwich.
Leicester	224,619	119	71	16	23	-	-	-	5	1	-	-	7	10	15	2	16·5	1·4	-	-	-	-	-	-	Leicester.
Nottingham	246,013	146	100	29	27	-	-	-	1	4	1	1	2	5	9	1	21·2	1·5	41·2	18·4	32·0	0·00	0·01	0·03	Nottingham.
Derby	109,605	60	38	11	13	-	-	1	1	1	-	-	1	2	2	-	18·1	1·4	-	-	-	-	-	-	Derby.
Birkenhead	119,213	63	52	15	11	-	-	-	1	5	1	-	1	3	7	-	22·7	3·1	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	439	351	63	85	-	22	5	4	2	2	3	14	24	92	13	28·8	3·1	42·7	22·4	33·6	0·89	0·10	0·25	Liverpool.
Bolton	166,284	102	53	10	11	-	4	-	1	-	1	1	-	2	2	1	16·6	2·2	-	-	-	-	-	-	Bolton.
Manchester	553,677	365	239	49	64	-	1	-	5	5	3	1	10	20	57	2	22·5	1·4	-	-	-	-	-	-	Manchester.
Salford	223,418	151	86	17	16	-	-	3	6	5	1	2	3	5	20	-	20·1	4·0	-	-	-	-	-	-	Salford.
Oldham	155,865	65	52	9	12	-	-	-	1	1	-	1	2	5	7	-	17·4	1·0	-	-	-	-	-	-	Oldham.
Burnley	120,497	50	27	10	8	-	-	-	1	-	-	1	-	-	2	1	11·7	0·9	-	-	-	-	-	-	Burnley.
Blackburn	139,089	72	52	12	15	-	-	-	3	1	-	-	5	7	6	4	19·5	1·5	-	-	-	-	-	-	Blackburn.
Preston	120,196	69	33	8	8	-	-	1	-	1	-	-	1	3	5	1	14·3	0·9	43·0	24·0	33·7	0·94	0·00	0·00	Preston.
Huddersfield	105,514	51	27	3	13	-	-	-	-	-	-	-	1	1	4	1	13·3	-	44·2	20·3	32·7	0·39	0·00	0·00	Huddersfield.
Halifax	106,873	48	35	8	13	-	-	-	-	1	-	-	1	2	5	-	17·1	0·5	-	-	-	-	-	-	Halifax.
Bradford	294,472	128	75	14	25	-	-	1	-	-	1	-	3	5	10	-	13·3	0·4	43·4	23·6	33·7	0·94	0·01	0·03	Bradford.
Leeds	438,814	245	147	28	39	-	1	2	4	2	2	-	4	12	19	-	17·5	1·3	-	-	-	-	-	-	Leeds.
Sheffield	370,737	242	147	29	36	-	-	2	2	2	3	-	6	7	28	7	20·7	1·3	-	-	-	-	-	-	Sheffield.
Hull	243,287	177	96	19	27	-	4	3	-	-	1	1	9	15	15	1	20·6	1·9	44·0	20·0	32·7	0·39	0·53	1·35	Hull.
Sunderland	149,205	103	42	8	7	-	1	1	1	1	-	-	3	5	5	1	14·7	1·4	-	-	-	-	-	-	Sunderland.
Gateshead	112,331	76	36	9	8	-	1	-	-	-	1	1	-	-	4	5	16·7	1·4	-	-	-	-	-	-	Gateshead.
Newcastle	240,258	140	89	15	20	-	1	-	-	1	-	-	6	8	18	3	19·3	0·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON. **Births** and **Deaths** Registered in the SEVENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894*	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2655	2233	2762	2602	2737	2575	2621	2527	2862	2439	2747·9	2690
Males - -	1347	1150	1399	1300	1402	1336	1319	1244	1465	1232	1393·8	1373
Females - -	1308	1083	1363	1302	1335	1239	1302	1283	1397	1207	1354·1	1317
TOTAL **Deaths** -	1762	1693	1556	1552	2467	1727	1524	1856	1686	2013	1884·1	1719
Males - -	940	866	767	734	1203	869	787	918	806	1015	946·0	883
Females - -	822	827	789	768	1264	858	737	938	880	998	938·1	836

*The numbers in this column are the average weekly numbers in the seventh week of the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.
TOTAL **Births** - - -	2538	2338	2299	2527	2436	1591	2983	2466	2693	2713	2410	2687	2690
TOTAL **Deaths** - - -	1515	1572	1544	1454	1382	1466	1593	1750	1666	1568	1438	1668	1719
Ages at Death: Under 1 year - -	361	397	400	374	346	346	361	362	299	285	321	358	333
1—5 years - -	158	200	187	153	174	182	165	186	195	165	159	162	181
5—20 " - -	87	83	77	86	78	78	64	95	70	97	73	99	75
20—40 " - -	209	205	164	183	180	212	210	216	212	203	168	194	216
40—60 " - -	295	298	327	302	296	275	359	377	356	329	305	327	369
60—80 " - -	325	322	318	274	245	307	335	402	421	386	340	420	412
80 years and upwards	80	67	71	82	63	66	99	112	113	103	72	108	133
Deaths from—													
Small pox - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	21	33	23	20	26	27	21	34	36	24	25	20	36
Scarlet Fever - - -	11	6	11	8	4	7	9	9	9	8	8	4	5
Diphtheria - - - -	22	29	34	20	36	26	24	25	32	23	24	29	20
Whooping-cough - - -	27	21	34	28	22	31	29	32	38	37	44	58	49
Typhus - - - - -	-	1	-	-	-	-	-	-	-	-	1	1	-
Enteric Fever - - -	26	24	21	19	22	22	18	17	13	16	12	12	11
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	8	12	13	15	10	9	9	16	15	17	11	12	16
Cholera - - - - - -	1	-	1	-	1	-	-	-	-	-	-	-	-
All the above Diseases -	116	127	137	110	121	122	110	133	143	125	125	136	137
Dis. of Respiratory System -	322	435	400	349	306	325	330	392	422	394	323	397	420
Phthisis - - - - -	134	158	150	135	121	146	165	173	182	142	152	148	171
Dis. of Circulatory System -	145	122	137	125	117	137	154	181	157	154	161	178	166
Violence - - - -	51	65	61	64	67	64	90	76	71	76	64	54	70
Inquest Cases - - - -	138	159	141	145	135	160	212	201	166	191	161	171	152
Deaths in Public Institutions -	470	483	459	456	445	431	469	535	499	517	465	549	561
TEMPERATURE OF THE AIR													
Mean - - - - -	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2	36°·9	34°·3	32°·6
Mean of Highest readings -	46·2	48·1	52·0	52·3	49·3	47·6	41·7	39·0	45·3	49·0	41·5	38·2	37·5
Mean of Lowest readings -	37·7	41·4	42·4	42·9	38·6	38·4	33·1	29·3	34·1	39·3	31·8	29·6	26·7
Humidity of the Air - -	85	88	89	88	87	91	94	88	89	82	82	86	72
Rain-fall (in inches) - -	0·09	0·66	0·77	0·21	0·38	0·30	0·56	0·23	0·22	0·18	0·10	0·47	0·03
Registered Sunshine (in hours)	6·4	7·9	3·1	7·2	23·4	4·6	1·7	8·7	13·3	12·6	6·9	2·2	11·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	2	2	1	1	1	1	1	1	-	3	3	1	1
Scarlet Fever - - - -	2725	2727	2687	2617	2477	2535	2391	2277	2172	2078	2037	1963	1876
Diphtheria - - - -	1535	1537	1515	1474	1514	1356	1266	1200	1152	1153	1128	1150	1110
Enteric Fever - - - -	442	436	433	425	409	403	374	367	333	305	299	262	258

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Blobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTH Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 7th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 16th February, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5	5-20	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1884·1	1719	333	181	75	216	369	412	133
Small-pox: Vaccinated† -	-	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·1	-	-	-	-	-	-	-	-
Measles - - - -	45·3	36	4	27	5	-	-	-	-
Scarlet Fever - - -	15·2	5	-	3	2	-	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	44·5	16	-	-	2	4	4	4	2
Whooping-cough - -	58·3	49	16	31	2	-	-	-	-
Diphtheria - - -	40·9	20	4	11	5	-	-	-	-
Simple Continued and Ill-defined Fever -	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	9·6	11	-	-	5	4	1	1	-
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	11·9	16	12	2	-	1	-	1	-
Remittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Venereal Affections - -	9·6	10	8	1	-	-	-	1	-
Erysipelas - - -	3·1	2	-	-	-	-	2	-	-
Pyæmia and Septicæmia	1·9	4	1	-	1	1	1	-	-
Puerperal Fever - -	5·0	3	-	-	-	3	-	-	-
Other Zymotic Diseases	2·2	-	-	-	-	-	-	-	-
Thrush - - - -	1·2	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·1	1	-	-	-	-	-	-	1
Starvation, Want of Breast-milk - -	1·9	-	-	-	-	-	-	-	-
Alcoholism - - -	10·8	10	-	-	-	3	5	2	-
Rheumatic Fever, Rheumatism of Heart	7·9	11	-	1	3	3	2	1	1
Rheumatism - - -	3·0	2	-	-	-	-	2	-	-
Gout - - - - -	3·6	3	-	-	-	-	1	2	-
Dickets - - - -	5·6	4	-	4	-	-	-	-	-
Cancer - - - -	76·6	91	-	-	1	10	44	33	3
Diabetes Mesenterica - -	17·2	9	7	1	-	1	-	-	-
Tubercular Meningitis -	21·3	21	8	6	4	3	-	-	-
Phthisis - - - -	176·2	171	-	3	10	75	67	16	-
Scrofula, Tuberculosis -	19·1	23	4	12	2	2	3	-	-
Other Constitutional Diseases - -	15·3	14	-	-	1	3	4	5	1
Premature Birth - -	52·3	48	48	-	-	-	-	-	-
Atelectasis - - -	3·1	3	3	-	-	-	-	-	-
Congenital Malformations - - -	11·1	7	7	-	-	-	-	-	-
Old Age - - - -	62·3	83	-	-	-	-	-	36	47
Apoplexy - - -	48·4	49	-	-	-	5	15	24	5
Epilepsy - - - -	8·5	10	-	-	-	5	2	3	-
Convulsions - - -	40·9	28	23	4	1	-	-	-	-
Other Diseases of Brain and Nervous System	98·6	84	11	9	3	4	27	28	2
Diseases of Organs of Special Sense -	3·0	3	-	-	1	-	1	-	1

CAUSES OF DEATH.	Corrected Averages for the 7th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 16th February, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5	5-20	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	165·3	166	-	2	8	17	58	66	15
Croup - - - -	3·8	1	-	1	-	-	-	-	-
Bronchitis - - -	289·6	240	45	10	1	9	42	103	30
Pneumonia - - -	148·1	143	32	32	3	16	30	22	8
Pleurisy - - - -	6·9	2	-	-	-	-	2	-	-
Other Diseases of Respiratory System -	39·7	34	4	4	-	3	4	14	5
Dentition - - - -	10·9	8	6	2	-	-	-	-	-
Quinsy, Sore Throat -	2·0	-	-	-	-	-	-	-	-
Enteritis - - -	14·7	7	2	-	1	1	1	-	2
Gastro-enteritis -		6	6	-	-	-	-	-	-
Peritonitis - - -	4·9	7	-	1	1	2	1	2	-
Diseases of Liver - -	24·0	21	4	-	-	3	11	2	1
Other Diseases of Digestive System	32·9	42	8	1	1	9	11	10	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	51·2	55	-	2	2	11	16	22	2
Diseases of Generative System - - -	5·8	4	-	-	-	2	-	2	-
Accidents of Childbirth-	5·6	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	5·6	2	-	-	2	-	-	-	-
Diseases of Integumentary System- -	5·3	10	4	1	1	-	1	1	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	3·0	1	-	-	-	1	-	-	-
By Vehicles or Horses -	4·2	5	-	-	2	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·6	-	-	-	-	-	-	-	-
In Building Operations -	1·4	-	-	-	-	-	-	-	-
In Conflagrations -	1·1	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	9·5	11	-	9	1	1	-	-	-
By Drowning - - -	5·0	4	-	-	-	1	3	-	-
By Suffocation in Bed -	13·2	12	12	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·2	1	-	-	-	1	-	-	-
Other or not stated causes - - - -	21·4	20	4	1	1	2	3	8	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·0	5	1	-	2	2	-	-	-
Suicide - - - -	9·3	11	-	-	1	3	4	2	1
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·5	49	48	-	-	-	-	1	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ended Saturday, 16th February, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2690	1719	333	545	-	36	5	20	49	-	11	-	16	70	152	561
WEST DISTRICTS - - -	778,251	382	278	44	103	-	1	-	4	11	-	2	-	4	8	21	85
NORTH DISTRICTS - - -	1,040,694	578	373	74	123	-	1	-	4	12	-	1	-	3	14	31	112
CENTRAL DISTRICTS - - -	233,635	129	90	12	26	-	-	1	2	3	-	1	-	-	3	7	37
EAST DISTRICTS - - -	716,334	581	327	74	84	-	7	-	3	7	-	4	-	3	22	49	133
SOUTH DISTRICTS - - -	1,642,796	1,020	605	129	187	-	27	4	7	16	-	3	-	6	23	43	148
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	-	22	-	-	-	-	-	-	-	-	-	-	1	46
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	47	40	7	15	-	-	-	1	-	-	-	-	1	2	5	9
St. John Paddington *H* - - G.	33,510	6	15	1	2	-	-	-	-	1	-	1	-	-	1	1	8
Kensington Town *Ww* - - W.	122,164	58	49	7	24	-	-	-	-	2	-	-	-	1	1	3	19
Brompton *HH*- - - W. & C.	48,301	19	10	-	3	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* W. & G	44,638	34	12	3	2	-	-	-	-	2	-	-	-	1	-	2	-
South Hammersmith *wH* W. & G	59,561	31	17	4	6	-	-	-	-	1	-	-	-	-	2	3	3
North-west Fulham *W* W. & C.	113,781	39	15	4	4	-	-	-	-	-	-	-	-	1	-	2	7
North-east Fulham *w* W. & C.		35	18	9	3	-	-	-	3	1	-	1	-	-	-	-	3
South Fulham W. & C.		30	10	3	3	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea Kensal Town - C.	21,450	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	11	15	-	9	-	-	-	-	-	-	-	-	-	-	-	10
Chelsea South *HH* - - C.	33,139	9	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-
May Fair *WH*- - - - G.	23,827	5	21	2	10	-	-	-	-	-	-	-	-	-	1	3	14
Belgrave *WHHH* - - - C.	56,140	20	25	2	9	-	-	-	-	2	-	-	-	-	-	-	4
St. John Westminster *HH* C.	31,492	12	12	1	3	-	-	-	-	-	-	-	-	-	-	1	1
St. Margaret Westminster *H* C.	22,097	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	3
St. James Westminster *WH* N. & G.	23,050	12	5	-	3	-	-	-	-	1	-	-	-	-	1	1	-
St. Anne Soho *HHHHH* - N.	12,048	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	13	20	1	7	-	-	-	-	-	-	-	-	-	2	2	11
Rectory Marylebone *W* G. & W.		7	7	1	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone *HHHH* G. & W.		39	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone‡ *H* - W		18	15	3	4	-	-	-	-	1	-	-	-	-	-	1	-
St. John Marylebone‡ *HHH* - W		5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	34	22	3	3	-	-	-	4	2	-	-	-	-	-	-	7
Regent's Park *HH* - W.	51,403	31	15	5	4	-	-	-	-	-	-	-	-	-	-	2	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	11	2	2	-	-	-	-	1	-	-	-	-	1	2	6
Gray's Inn Lane *HHHH* - N.	29,426	10	10	1	4	-	-	-	-	-	-	-	-	-	-	1	5
Somers Town *HH* - - - N.	32,161	19	13	2	2	-	-	-	-	-	-	-	-	-	-	2	3
Camden Town *WH* - - N.	40,155	29	21	1	12	-	-	-	-	1	-	1	-	1	2	3	15
Kentish Town *WW* - - N.	60,862	26	22	4	5	-	1	-	-	1	-	-	-	-	1	1	4
Upper Holloway *WWWWwHH* - - N.	98,273	69	60	9	26	-	-	-	-	-	-	-	-	1	2	4	41
Lower Holloway - - - N.	41,805	19	13	4	3	-	-	-	-	3	-	-	-	-	-	1	-
Barnsbury - - - N.	56,384	35	13	4	4	-	-	-	-	-	-	-	-	-	2	1	-
Islington South-east *H* - N.	75,725	52	21	7	6	-	-	-	-	1	-	-	-	-	1	2	-
Highbury *HH* - - - N.	64,577	27	16	4	8	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	13	15	4	7	-	-	-	-	-	-	-	-	-	-	3	-
Hornsey (part of) - - -	†16,892	6	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	25	8	2	3	-	-	-	-	-	-	-	-	-	-	2	-
Central Hackney *ww* - E. & N.		26	14	4	3	-	-	-	-	-	-	-	-	-	2	2	-
South-west Hackney *HHH* E. & N.		36	15	4	6	-	-	-	-	-	-	-	-	-	1	1	5
South-east Hackney *WwH* E. & N.		31	28	8	7	-	-	-	-	2	-	-	-	1	-	-	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	17	10	2	4	-	-	-	-	-	-	-	-	-	-	2	1	-
St Giles North *H* - - - N.	9,151	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	2	6	-	-	-	-	1	-	-	-	1	-	-	-	-	4	-
Strand *WHH* - - - - N.	11,839	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand Union Workhouse, Edmonton	†1,037	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Holborn *WwHHHHH* - N.	31,042	11	23	7	4	-	-	-	1	2	-	-	-	-	1	1	11	-
St. James Clerkenwell - - N.	15,777	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	22	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.	16,069	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	31	6	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Finsbury - - - - - N.	11,630	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H* - - N. & E.	13,061	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	5	15	1	5	-	-	-	1	-	-	-	-	-	2	3	9	1
Allhallows Barking - - - N.	9,059	2	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	11	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *w* - - N.	29,575	20	24	3	12	-	1	-	-	-	-	-	-	-	1	3	14	-
Hoxton Old Town - - - N.	27,645	25	12	7	1	-	-	-	-	2	-	-	-	-	-	1	-	-
Haggerston *WH* - - N. & E.	47,163	33	18	3	7	-	-	-	-	1	-	-	-	-	-	-	10	-
Bethnal Green North *H* - E.	49,301	53	14	2	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Bethnal Green South - - E.	34,194	32	6	1	1	-	-	-	-	1	-	-	-	-	1	2	-	-
Bethnal Green East *WWHl* - E.	45,667	42	30	2	14	-	1	-	-	-	-	-	-	-	1	4	22	-
Spitalfields - - - E. & N.	26,681	19	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.	51,995	23	51	9	2	-	3	-	1	1	-	4	-	-	8	12	43	-
Goodman's Fields - - - E.		16	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	43	12	7	1	-	1	-	-	1	-	-	-	1	1	2	-	-
St. John, St. George East *W* E.	7 930	2	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Shadwell *H* - - - E. & N.	10,434	8	6	3	1	-	-	-	-	-	-	-	-	-	2	2	3	-
Ratcliff *W* - - - - E.	14,954	7	8	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Limehouse - - - - E.	32,917	27	11	3	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Mile End Old Town West *H* E.	111,060	54	18	8	4	-	-	-	-	-	-	-	-	-	2	6	-	-
Mile End Old Town East *WWww* - E.		45	16	4	6	-	-	-	-	-	-	-	-	-	-	1	8	-
Bow *l* - - - - E.	41,687	23	17	4	6	-	-	-	-	1	-	-	-	-	-	1	2	-
Bromley *wwwH* - - - E.	69,821	50	48	7	14	-	-	-	2	-	-	-	-	1	2	4	26	-
Poplar *WW* - - - - E.	57,759	48	22	6	3	-	-	-	-	-	-	-	-	-	2	4	1	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.*&S.	13,064	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	6	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Kent-road - - - - S. & L.	22,879	16	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	12	8	3	1	-	-	-	-	-	-	-	-	-	1	1	3	1
London-road *HL* - - L. & S.	21,316	14	6	2	2	-	1	-	-	-	-	-	-	1	2	2	1	-
Trinity Newington *H* - S. & L.	28,723	11	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	39	23	9	4	-	4	-	-	1	-	-	-	1	-	1	1	1
St. Mary Newington- - L. & S.	30,171	27	9	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-
St. Olave *WH* - - - - S.	11,731	7	13	1	-	-	1	-	-	-	-	-	-	-	2	2	12	-
Bermondsey *W* - - - S.	85,475	60	17	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Rotherhithe *Ww* - S. & K.	40,379	32	15	2	3	-	-	-	-	1	-	-	-	-	-	-	6	-
Waterloo-road *HH* - L. & S.	28,396	32	16	7	6	-	-	-	-	-	-	1	-	-	1	1	-	-
Lambeth Church 1st *H* - L. & S.	18,770	19	22	3	6	-	1	-	-	-	-	-	-	-	-	1	14	-
Lambeth Church 2nd *WW* L. & S.	40,994	32	37	5	16	-	-	-	-	-	-	1	-	-	1	3	25	-
Kennington 1st *H* - - S. & L.	52,486	57	17	5	6	-	-	-	-	-	-	-	-	-	2	4	-	-
Kennington 2nd - - S. & L.	43,244	12	12	-	5	-	-	-	-	-	-	-	-	-	-	-	-	1
Brixton *w* - - - L. & S.	81,825	47	24	3	10	-	1	-	-	3	-	-	-	-	2	3	-	2
Norwood *WH* - - - - L.	29,318	13	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
East Battersea - - - - S.	71,730	48	12	4	6	-	-	-	-	1	-	-	-	1	2	2	-	-
North-west Battersea - - S. }	93,585	34	12	4	3	-	-	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea *WwH* - S. }		19	26	4	8	-	-	-	-	-	-	-	-	-	2	4	17	-
Clapham *H* - - - - S.	46,953	26	8	1	3	-	-	-	-	1	-	-	-	-	1	1	1	-
Streatham *WwwwwL* - - L.	61,644	46	29	4	11	-	-	2	1	-	-	-	-	-	-	1	5	-
Wandsworth *WHHL* - - S.	58,101	36	13	3	5	-	-	-	-	3	-	-	-	-	-	1	-	-
Putney - - - - - S.	20,566	11	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	40	61	8	20	-	6	-	-	-	-	-	-	1	1	3	34	-
Peckham *WW* - S., L., & K.	88,242	53	28	9	9	-	6	-	-	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	67,029	28	21	3	7	-	2	-	-	-	-	-	-	-	1	1	-	-
Deptford North - - - K.	36,152	21	11	7	3	-	-	-	-	1	-	-	-	-	1	3	-	-
Deptford Central *w* - - K.	45,441	25	24	8	6	-	-	-	2	-	-	-	-	-	-	2	4	2
Deptford South - - - K.	33,402	17	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	12	7	1	1	-	1	-	-	-	-	-	-	-	1	1	3	-
Greenwich East *WH* - - K.	37,767	23	14	4	3	-	-	-	-	1	-	-	-	-	-	-	7	-
Eltham *wH* - - - - K.	5,911	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	7	6	1	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Lewisham *WwH* - - - K.	38,139	40	12	4	3	-	-	1	2	1	-	1	-	1	-	-	6	-
Sydenham *H* - - - - L.	37,601	16	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	18	12	1	2	-	1	1	2	1	-	-	-	-	-	-	5	-
Woolwich *HHHH* - - K.	41,314	26	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	12	12	3	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *WH* - - K.	42,538	33	17	6	3	-	-	-	-	-	-	-	-	-	-	1	3	-
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Caterham Asylum - - - -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Dartford Heath - - - - - - }	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell Asylum - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Central London Sick Asylum, Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch Asylum - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-
Claybury Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	1	6	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LUNATICS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th February, 1901.

Is-ion ict d b-ict m-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,584	1,405,489	1212	619	154	191	-	6	3	9	22	7	4	22	54	81	4
:1	Carshalton *H* - - -	12,228	26,108	16	5	3	-	-	-	-	-	1	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	7	5	-	4	-	-	-	-	-	-	-	-	-	5	-
:1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	128,699	74	56	8	24	-	-	-	-	1	-	-	2	6	12	-
2	Mitcham *w* - - -	11,697	23,072	16	4	1	1	-	2	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH* - -	3,220	25,777	18	14	4	5	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	22	18	3	7	-	-	-	-	-	-	-	-	2	5	-
3	Surbiton *HH* - - -		12,178	6	5	2	2	-	-	-	-	1	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	3	8	1	2	-	1	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,565	18,252	11	13	7	5	-	-	-	-	-	-	-	-	1	-	-
:1	Richmond *WHH* - -	2,160	25,389	13	10	2	4	-	-	-	-	1	-	-	-	-	1	-
2	Mortlake *H* - - -	2,823	16,159	5	5	1	3	-	-	-	-	-	-	-	-	2	-	-
:1	Bromley *HHH* - - -	9,127	23,815	14	7	2	-	-	-	-	1	-	1	-	-	1	2	-
2	Beckenham *H* - - -	6,542	21,969	13	7	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	6 974	7,714	8	4	-	3	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst† *HH* - -	7,333	12,658	7	4	3	-	-	-	-	-	-	-	-	-	1	-	-
:1	Bexley *HHH* - - -	12,540	30,590	30	12	2	3	-	-	-	2	-	-	-	-	1	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury *w* - - -	11,054	13,671	9	7	2	3	-	-	-	-	-	1	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-
:1	Hillingdon *WHH* - -	6,035	12,237	7	5	2	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge - - - -	12,757	7,253	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,967	26,004	16	12	2	5	-	-	-	-	-	-	-	-	-	1	1
2	Twickenham *HH* - -	2,415	16,027	16	4	1	1	-	-	-	-	2	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	15	10	2	5	-	-	-	-	-	-	-	-	-	1	-
4	Chiswick - - - -	1,245	21,963	16	7	2	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	29	13	3	5	-	-	-	-	-	-	-	-	1	-	-
:1	Harrow *HHH* - - -	13,809	15,715	12	9	3	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	76	29	8	5	-	-	1	1	1	1	-	-	1	4	-
4	Hendon *WH* - - -	8,382	15,843	13	10	-	6	-	-	-	-	-	-	1	-	-	3	-
:1	South Mimms *HH* - -	21,077	6,367	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	9	6	1	4	-	-	-	-	-	-	-	-	1	-	-
3	Finchley *HHH* - - -	4,688	25,820	16	4	1	2	-	-	-	-	-	-	-	1	1	-	-
:1	Hornsey, *part of** *HH* -	2 80	44,205	30	9	1	1	-	-	-	-	1	-	-	3	3	-	-
:3	Amwell, *part of** - - -	65	318	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:2	Tottenham *HHH* - -	4,642	97,174	80	52	13	9	-	1	-	-	3	2	-	4	7	5	-
3	Edmonton *Ww* - -	7,489	36,351	43	17	7	7	-	-	-	-	-	-	1	2	3	3	-
4	Enfield *WWHH* - -	12,602	31,536	24	14	3	5	-	-	-	-	-	-	-	-	2	2	-
5	Waltham Abbey - - -	11,017	6,066	7	3	2	-	-	-	-	-	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	9,620	3	8	2	-	-	2	-	-	1	-	-	-	2	-	1
:1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,331	7,737	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	4,706	38,612	32	13	4	3	-	-	-	-	-	1	1	2	2	2	1
2	Plaistow *HHH* - - -		53,030	66	30	8	7	-	-	-	3	3	-	-	3	5	3	1
3	Canning Town *H* - -		54,750	58	23	9	3	-	-	-	-	1	-	-	-	1	-	-
4	Forest Gate *w* - - -		53,511	43	16	5	3	-	-	-	-	1	-	-	-	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	60	18	6	2	-	-	-	-	2	-	-	1	2	-	-
6	Wanstead - - - -	4,334	7,042	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	38	33	7	10	-	-	-	-	2	-	1	1	1	23	-
8	North Leyton *WwH* -		24,874	34	16	1	10	-	-	-	1	1	-	-	1	1	1	-
9	Walthamstow *HHHL* -	6,501	57,370	89	20	7	3	-	-	-	1	-	-	-	-	2	-	-
:1	Chigwell, *part of** *HHHH*	11,779	12,941	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W* -	6,556	4,324	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	31	13	3	3	-	-	-	-	-	-	-	1	2	-	-
3	Barking Town, *H* - -	3,814	14,301	18	10	2	4	-	-	-	-	-	1	-	-	-	1	-
	North-Western Fever Hospital, Hampstead.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Horton.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3. the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

Table 7.—GREATER LONDON (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 16th February, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15	16.
GREATER LONDON	**443,421**	**6,781,854**	**18·0**	**1·4**	**2338**	**487**	**736**	**-**	**42**	**8**	**29**	**71**	**18**	**20**	**92**	**642**
Inner London -	74,837	4,651,113	19·3	1·5	1719	333	545	-	36	5	20	49	11	16	70	561
Outer Ring -	368,584	2,130,741	15·1	1·2	619	154	191	-	6	3	9	22	7	4	22	81

Note.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
Edinburgh -	309,472	February 16	151	118	19·9	-	15	-	-	-	-	1
Glasgow - -	753,766	" 16	476	365	25·2	20	1	4	6	25	3	6
Dublin† - -	346,128	" 16	199	228	34·3	-	1	2	-	3	2	2
Calcutta - -	466,460	December 15	-	442	49·4	58	3	-	-	1	148‡	68
Bombay - -	821,764	January 29	258	1394	88·2	7	2	?	?	?	592‡	89
Madras - -	452,518	" 4	341	475	54·5	1	3	?	?	?	135	78
Paris - - -	2 511,629	February 9	1163	987	20·4	9	4	-	15*	6	6	18
Brussels - -	570,844	" 9	260	190	17·3	-	3	1	5*	-	5	5
Amsterdam -	520,800	" 2	308	153	15·3	-	2	2	1	2	2	6
Rotterdam -	325,556	January 19	-	-	-	-	-	-	-	-	-	-
The Hague -	205,328	" 19	-	-	-	-	-	-	-	-	-	-
Copenhagen -	354,000	February 9	201	142	20·9	-	5	-	2	-	2	3
Stockholm -	297,148	" 2	136	102	17·8	-	2	1	5*	-	-	6
Christiania -	226,423	" 9	173	90	20·7	-	1	-	-	1	-	6
St. Petersburg	1,132,677	" 2	552	573	26·4	-	3	16	22	7	20	54
Moscow - -	988,610	" 2	-	565	29·8	2	11	9	13	3	3	44
Berlin - -	1,885,685	January 26	1010	750	20·7	-	17	11	15	12	1	54
Hamburg - -	705,738	February 9	-	211	15·5	-	1	2	3*	5	-	12
Dresden - -	397,000	January 5	-	-	-	-	-	-	-	-	-	-
Breslau - -	422,415	February 9	-	215	26·5	-	-	2	-	-	1	13
Munich - -	500,000	" 2	-	233	24·2	-	4	-	3*	1	1	15
Vienna - -	1,673,688	" 9	766	784	24·5	-	18	4	11*	1	-	27
Prague - -	393,091	" 9	214	208	27·5	-	-	1	1	-	4	4
Buda-Pesth -	741,013	" 2	494	343	24·1	-	4	9	1	1	1	12
Trieste - -	168,951	" 2	112	89	27·3	-	-	-	2*	1	-	1
Rome - - -	521,159	January 5	289	245	24·6	-	-	-	-	-	13‖	8
Turin (11 days)-	344,203	December 31	-	-	-	-	-	-	-	-	-	-
Venice - -	174,170	January 26	-	-	-	-	-	-	-	-	-	-
Cairo (8 days) -	570,062	December 31	621	355	28·3	-	-	-	6*	-	6	57
Alexandria (8 days)	319,766	" 31	329	224	31·8	1	-	-	3*	-	3	48
New York (including Brooklyn)	3,536,517	January 26	1431	1482	21·9	1	2	22	52*	6	12	37
Philadelphia -	1,293,697	" 26	-	536	21·6	-	-	4	20	1	17	7

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 15 deaths from cholera in Calcutta, 7 in Bombay, and 15 in Madras.
‡ Including 15 deaths from plague in Calcutta, and 466 in Bombay.
‖ Including 3 deaths from malarial fever.

[Under the Superintendence of the Astronomer Royal.]

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	10	..	30·334	41·4	36·6	4·8	39·3	+ 0·9	34·4	4·9	6·7	3·5	83	56·7	33·2	40·81	NNW. & N.	N., NNW. & WSW.	0·7	0·0	0·0	175	−150	0·00	0·0
Monday -	11	Last Quarter.	30·157	38·6	29·6	9·0	34·2	− 4·1	28·7	5·5	11·0	2·8	80	57·7	22·0	40·90	W., N. & NNE.	NE., NNE. & N.	2·0	0·0	0·2	258	− 62	0·00	0·0
Tuesday -	12	..	30·075	37·0	27·1	9·9	32·2	− 6·3	23·1	9·1	11·2	3·9	68	73·3	20·2	40·93	N. & NNW.	N. & NNW.	2·5	0·0	0·2	279	− 36	0·00	0·5
Wednesday	13	Greatest Dec. S.	30·166	35·9	25·0	10·9	30·7	− 8·1	24·9	5·8	15·9	0·0	78	53·8	20·1	40·70	NNW., NW. & NNE.	ESE. & ENE.	2·6	0·0	0·2	272	− 38	0·00	1·5
Thursday -	14	..	30·310	33·7	20·4	13·3	27·6	−11·6	14·8	12·8	17·8	4·1	56	61·6	18·1	40·39	NE. & N.	N.	2·3	0·0	0·1	188	−117	0·00	0·0
Friday -	15	..	30·397	33·9	23·3	10·6	28·9	−10·7	14·9	14·0	14·7	3·2	53	79·0	14·0	40·06	N., NNE. & NE.	NE., E. & SW.	3·2	0·0	0·3	314	+ 13	0·00	0·0
Saturday -	16	..	30·191	41·9	25·0	16·9	35·0	− 4·8	30·6	4·4	9·9	3·7	84	54·4	16·0	39·72	WSW., W. & NW.	NW. & NNW.	3·8	0·0	0·2	322	+ 24	0·03	0·2
Means -			30·233	37·5	26·7	10·8	32·6	− 6·4	24·5	8·1	12·5	3·0	72	62·4	20·5	40·50	N.		..	..	..	Sum 1808	Sum −366	Sum 0·03	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	10	s. P. till 5h. A.M.; s. N. between 6h. and 7h. A.M.; m. P. generally afterwards.	0·0	9·6	Overcast; slight shower at 6h. 30m. A.M.
Monday -	11	m. P. generally till 1h. P.M.; s. P. afterwards.	0·7	9·7	Generally overcast, with occasional slight snow, till afternoon; cloudless, with hoar frost, at night.
Tuesday -	12	s. P. throughout.	4·4	9·7	Very fine, with small amounts of cloud generally, till 10h. 30m. P.M.; cloudy afterwards. Hoar frost.
Wednesday	13	s. P. generally.	1·0	9·8	Generally cloudy till afternoon; very fine afterwards. Slight snow between 1h. and 3h. P.M.
Thursday -	14	s. P. throughout.	2·0	9·9	Fine and partially cloudy. Intense gloom between 9h. 30m. and 10h. 15m. A.M.
Friday -	15	s. P. generally; s. N. at 2h. A.M.	3·8	9·9	Overcast, with slight snow, in morning; fine and partially cloudy till evening; cloudless, with hoar frost at night.
Saturday -	15	s. P. till afternoon; m. P. afterwards.	0·0	10·0	Generally cloudy; frequent rain during the afternoon.
			Sum 11·9	Sum 68·6	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon: 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative; w. weak: m. moderate: s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·25 in. at the beginning of the week to 30·36 in. by 11h. A.M. on the 10th; decreased to 30·04 in. by 2h. P.M. on the 12th; increased to 30·36 in. by 8h. A.M. on the 14th; decreased to 30·26 in. by 5h. P.M. on the same day; increased to 30·43 in. by 8h. P.M. on the 15th; and decreased to 30·07 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th February, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	9	2	-	2	-	-	3	-
Kensington	177,205	-	6	4	-	1	-	-	4	-
Hammersmith	111,213	-	6	7	-	3	-	-	1	-
Fulham	141,920	-	4	15	-	-	-	-	2	-
Chelsea	73,843	-	5	3	-	1	-	-	1	-
City of Westminster	189,375	-	4	4	-	2	-	-	1	-
NORTH.										
St. Marylebone	140,460	-	5	7	-	2	-	-	6	-
Hampstead	82,605	-	3	11	-	-	-	-	-	-
St. Pancras	246,098	-	11	17	-	2	-	-	6	-
Islington	353,528	-	15	13	-	9	-	-	5	1
Stoke Newington	55,758	-	1	3	-	-	-	-	1	-
Hackney	228,417	-	9	12	-	2	-	-	9	-
CENTRAL.										
Holborn	59,700	-	4	2	-	2	-	-	-	-
Finsbury	106,590	-	3	1	-	1	-	-	1	-
City of London	25,289	-	-	1	-	1	-	-	-	-
EAST.										
Shoreditch	120,614	-	-	5	-	1	-	-	1	-
Bethnal Green	127,509	-	5	5	-	1	-	-	1	-
Stepney	305,058	-	11	9	-	5	-	-	3	1
Poplar	170,465	-	8	4	-	3	-	-	6	-
SOUTH.										
Southwark	208,869	-	8	14	-	3	-	-	3	-
Bermondsey	136,824	-	10	10	-	2	-	-	2	-
Lambeth	318,530	-	14	13	-	6	-	-	3	1
Battersea	180,017	-	7	3	-	1	-	-	2	1
Wandsworth	242,224	-	6	4	-	5	1	-	4	-
Camberwell	269,102	-	9	15	-	1	-	-	1	-
Deptford	113,562	-	10	11	1	1	-	-	5	-
Greenwich	91,228	-	5	5	-	2	-	-	3	-
Lewisham	112,856	-	5	2	-	2	-	-	1	-
Woolwich	114,106	-	6	4	-	1	-	-	2	-
Port of London	—	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**189**	**206**	**1**	**64**	**1**	-	**77**	**4**
Ages 0-1		-	1	1	-	-	-	-	5	-
„ 1-5		-	56	78	-	2	-	-	4	-
„ 5-		-	74	64	-	11	-	-	3	-
„ 10-		-	34	20	-	11	-	-	4	-
„ 15-		-	9	15	-	8	-	-	4	-
„ 20-		-	7	14	-	11	-	-	5	1
„ 25-		-	6	10	-	14	-	-	12	3
„ 35-		-	2	4	1	4	1	-	10	-
„ 45-		-	-	-	-	2	-	-	9	-
„ 55-		-	-	-	-	1	-	-	15	-
„ 65 and upwards		-	-	-	-	-	-	-	6	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 8. 1901. VOL. LXII.] WEEK ENDED SATURDAY, FEB. 23. [Price 1½*d.*

General Register Office, Somerset House,
February 25th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·2 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 16·4, 19·7, and 19·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.		Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.
33 Great Towns	**16·4**	**19·7**	**19·5**	**21·2**	Leicester - -	10·2	16·2	16·5	16·5
Birkenhead -	13·1	17·5	22·7	20·6	Liverpool - -	21·9	27·9	28·8	27·3
Birmingham -	15·5	20·2	22·8	25·5	London - - -	16·1	18·7	19·3	20·8
Blackburn -	13·9	18·4	19·5	20·6	Manchester - -	19·6	24·7	22·5	26·2
Bolton - -	14·1	15·1	16·6	17·6	Newcastle-on-Tyne	16·1	22·6	19·3	24·1
Bradford -	17·2	15·1	13·3	15·6	Norwich - -	26·4	29·5	27·3	25·1
Brighton -	15·4	24·2	18·8	20·0	Nottingham - -	17·0	21·4	21·2	22·0
Bristol - -	15·8	17·9	19·0	23·8	Oldham - -	16·1	18·4	17·4	17·1
Burnley -	10·0	18·6	11·7	11·7	Plymouth - -	17·6	22·6	25·1	36·7
Cardiff - -	11·8	12·3	13·9	20·3	Portsmouth - -	16·2	19·4	18·8	18·1
Croydon -	12·4	12·4	18·2	14·7	Preston - -	19·5	20·4	14·3	23·0
Derby - -	11·9	17·6	18·1	19·0	Salford - - -	18·0	27·5	20·1	25·4
Gateshead -	24·1	20·4	16·7	17·2	Sheffield - -	16·5	20·0	20·7	21·9
Halifax -	19·5	20·0	17·1	20·5	Sunderland - -	18·5	17·8	14·7	22·4
Huddersfield -	16·8	17·8	13·3	13·3	Swansea - -	18·5	21·4	17·0	22·4
Hull - -	13·1	20·4	20·6	24·9	West Ham - -	11·9	14·4	15·2	13·6
Leeds - -	16·4	19·6	17·5	18·3	Wolverhampton -	19·6	20·2	17·9	17·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Hull, 1·3 in Bolton, and 2·5 in Liverpool; from *whooping-cough*, 1·3 in Preston, 1·5 in Cardiff and in Nottingham, and 1·9 in Bristol; and from "*fever*," 1·0 in Derby. In none of the thirty-three towns did the death-rate from *scarlet fever* or from *diarrhœal diseases* reach 1·0 per 1000. The 77 deaths from *diphtheria* included 27 in London, 9 in Leeds, 6 in Leicester, 4 in West Ham, 4 in Salford, 3 in Bristol, 3 in Manchester, 3 in Sheffield, and 3 in Birmingham. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2673 BIRTHS and 1853 DEATHS were registered. Allowing for increase of population, the births were 141, and the deaths 156,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·1, 18·7, and 19·3 in the preceding three weeks, further rose last week to 20·8. During the four weeks ended on Saturday last the death-rate averaged 18·7 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1853 deaths included 36 from measles, 5 from scarlet fever, 27 from diphtheria, 52 from whooping-cough, 6 from enteric fever, 1 from an ill-defined form of continued fever, 10 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus 137 deaths were referred to these diseases, being 60 below the corrected average weekly number.

The deaths from *measles*, which had been 25, 20, and 36 in the preceding three weeks, were again 36 last week, the corrected average being 54; 7 cases belonged to the Borough of Hackney and 7 to that of Camberwell. The deaths from *scarlet fever*, which had been 8, 4, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 13. The deaths from *diphtheria*, which had been 24, 29, and 20 in the preceding three weeks, rose again last week to 27, but were 17 below the corrected average; 3 cases belonged to Poplar, 3 to Camberwell, and 3 to Woolwich. The deaths from *whooping-cough*, which had been 44, 58, and 49 in the preceding three weeks, rose again last week to 52, but were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 12, 12, and 11 in the preceding three weeks, fell last week to 6, and were 4 below the corrected average. The deaths from *diarrhœal diseases*, which had been 11, 12, and 16 in the preceding three weeks, fell again last week to 10, and were 5 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 323, 397, and 420 in the preceding three weeks, further rose last week to 493, but were 60 below the corrected average. The deaths attributed directly to *influenza* numbered 32, having been 15, 12, and 16 in the preceding three weeks.

Different forms of *violence* caused 75 deaths, concerning all but 1 of which inquests were held. Of these 75 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 66 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 17 to burns and scalds, and 14 (13 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1834 cases of scarlet fever, 1118 of diphtheria, and 237 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 162 cases, against 178, 145, and 142; of diphtheria, 124 cases, against 120, 138, and 136; and of enteric fever, 23 cases, against 26, 23, and 38. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended February 16th.

Greater London.

In Greater London 3908 births and 2452 deaths were registered, corresponding to annual rates of 30·0 and 18·9 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 2 from scarlet fever, 13 from diphtheria, 22 from whooping-cough, 4 from "fever," and 1 from diarrhœal diseases were registered. Eight deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·09 inches, and that of the Thermometer 35°·1; the latter being 4°·6 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 21 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·6 hours; the measured rainfall amounted to 0·15 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 23rd Feb. 1901. Births.	Registered during the Week ended 23rd Feb. 1901. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22,	23.	24.	Cols.
33 Towns -	**11,789,099**	**6718**	**4804**	**968**	**1474**	**–**	**94**	**26**	**77**	**126**	**31**	**33**	**165**	**405**	**1152**	**59**	**21·2**	**1·7**	**48·0**	**23·5**	**35·7**	**2·06**	**0·13**	**0·33**	33 Towns.
London - -	4,651,113	2673	1853	340	624	–	36	5	27	52	7	10	75	207	590	6	20·8	1·5	45·7	26·1	35·1	1·72	0·15	0·38	London.
West Ham - -	329,377	187	86	18	25	–	–	–	4	2	–	–	6	6	17	1	13·6	0·9	–	–	–	–	–	–	West Ham.
Croydon - -	134,705	63	38	10	13	–	–	–	–	1	–	–	3	5	5	–	14·7	0·4	44·0	23·5	33·8	1·00	0·17	0·43	Croydon.
Brighton - -	125,077	64	48	10	17	–	–	–	2	–	–	–	2	5	11	–	20·0	0·8	48·0	25·0	36·5	2·50	0·11	0·28	Brighton.
Portsmouth -	199,262	85	69	5	27	–	3	–	1	3	1	1	3	6	21	–	18·1	2·4	46·5	26·0	36·1	2·28	0·06	0·15	Portsmouth.
Plymouth - -	103,708	52	73	17	30	–	–	–	–	2	–	–	1	6	8	–	36·7	1·0	–	–	–	–	–	–	Plymouth.
Bristol - -	329,086	184	150	26	59	–	1	–	3	12	–	2	2	6	29	1	23·8	2·9	48·0	25·0	36·0	2·22	0·04	0·10	Bristol.
Cardiff - -	203,050	104	79	18	23	–	–	1	1	6	–	–	2	4	15	2	20·3	2·1	–	–	–	–	–	–	Cardiff.
Swansea - -	107,251	51	46	13	17	–	–	–	–	1	1	–	–	1	7	2	22·4	1·0	–	–	–	–	–	–	Swansea.
Wolverhampton	90,382	57	31	6	11	–	–	–	–	–	–	–	2	3	5	–	17·9	–	42·0	24·2	33·7	0·94	0·13	0·33	Wolverhampton
Birmingham -	524,307	320	256	59	72	–	5	2	3	5	1	–	7	16	57	4	25·5	1·6	–	–	–	–	–	–	Birmingham.
Norwich - -	116,466	66	56	10	31	–	–	–	–	–	–	–	–	2	6	–	25·1	–	–	–	–	–	–	–	Norwich.
Leicester - -	224,619	122	71	13	21	–	–	–	6	–	1	1	1	5	12	2	16·5	1·9	–	–	–	–	–	–	Leicester.
Nottingham -	246,013	149	104	34	24	–	1	–	–	7	3	1	4	6	24	2	22·0	2·5	45·2	25·4	35·6	2·00	0·16	0·41	Nottingham.
Derby - - -	109,605	60	40	9	15	–	–	–	1	1	2	–	2	8	9	–	19·0	1·9	–	–	–	–	–	–	Derby.
Birkenhead -	119,213	51	47	13	14	–	–	1	–	2	–	–	1	1	7	–	20·6	1·3	–	–	–	–	–	–	Birkenhead.
Liverpool	635,348	439	333	67	76	–	30	3	1	7	1	6	13	21	92	15	27·3	3·9	43·2	31·2	36·8	2·67	0·09	0·23	Liverpool.
Bolton - -	166,284	74	56	10	19	–	4	1	–	–	1	1	1	1	8	1	17·6	2·2	–	–	–	–	–	–	Bolton.
Manchester -	553,677	317	278	63	67	–	3	1	3	6	2	4	10	23	55	2	26·2	1·8	–	–	–	–	–	–	Manchester.
Salford - -	223,418	127	109	23	20	–	–	1	4	3	2	–	7	13	25	1	25·4	2·3	–	–	–	–	–	–	Salford.
Oldham - -	155,865	62	51	6	8	–	–	1	–	1	–	–	2	3	4	–	17·1	0·7	–	–	–	–	–	–	Oldham.
Burnley - -	120,497	52	27	8	6	–	–	–	–	1	–	1	1	1	5	–	11·7	0·9	–	–	–	–	–	–	Burnley.
Blackburn - -	139,089	68	55	11	19	–	–	2	2	1	–	2	–	1	5	3	20·6	2·6	–	–	–	–	–	–	Blackburn.
Preston - -	120,196	75	53	17	17	–	–	1	2	3	2	–	–	1	8	–	23·0	3·5	44·0	29·0	36·5	2·50	0·11	0·28	Preston.
Huddersfield -	105,514	53	27	3	9	–	–	–	1	–	–	–	–	2	1	2	13·3	0·5	44·5	26·2	35·4	1·89	0·18	0·46	Huddersfield.
Halifax - -	106,873	39	42	8	13	–	–	–	–	–	–	–	1	2	7	1	20·5	–	–	–	–	–	–	–	Halifax.
Bradford - -	294,472	110	88	9	30	–	–	2	1	1	1	–	1	6	16	–	15·6	0·9	46·5	26·4	36·9	2·72	0·18	0·46	Bradford.
Leeds - - -	438,814	275	154	32	40	–	2	1	9	2	1	–	3	12	28	1	18·3	1·8	–	–	–	–	–		Leeds.
Sheffield - -	370,737	254	156	38	36	–	–	–	3	4	3	3	4	7	29	5	21·9	1·8	–	–	–	–	–	–	Sheffield.
Hull - - -	243,287	152	116	26	33	–	5	2	–	3	1	–	4	8	13	2	24·9	2·4	–	–	–	–	–	–	Hull.
Sunderland -	149,205	112	64	16	14	–	–	1	2	–	–	–	1	5	10	2	22·4	1·0	–	–	–	–	–		Sunderland.
Gateshead - -	112,331	78	37	8	9	–	–	–	–	–	–	–	1	1	–	1	17·2	–	–	–	–	–	–		Gateshead.
Newcastle - -	240,258	143	111	22	35	–	4	1	1	–	1	1	5	11	23	3	24·1	1·7	–	–	–	–	–		Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the EIGHTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2622	2694	2527	2587	2787	2497	2727	2644	2752	2805	2814·3	2673
Males - -	1315	1371	1265	1337	1412	1345	1376	1345	1470	1379	1438·2	1329
Females - -	1307	1323	1262	1250	1375	1152	1351	1299	1282	1426	1376·1	1344
TOTAL **Deaths** -	2042	1829	1629	1663	2863	1705	1627	1889	1875	1894	2008·7	1853
Males - -	1050	930	857	858	1384	858	821	942	976	992	1021·2	916
Females - -	992	899	772	805	1479	847	806	947	899	902	987·5	937

*The numbers in this column are the average weekly numbers in the eighth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.
TOTAL **Births** - - -	2338	2299	2527	2436	1591	2983	2466	2693	2713	2410	2687	2690	2673
TOTAL **Deaths** - - -	1572	1544	1454	1382	1466	1593	1750	1666	1568	1438	1668	1719	1853
Ages at Death: Under 1 year - -	397	400	374	346	346	361	362	299	285	321	358	333	340
1—5 years - -	200	187	153	174	182	165	186	195	165	159	162	181	199
5—20 " - -	83	77	86	78	78	64	95	70	97	73	99	75	89
20—40 " - -	205	164	183	180	212	210	216	212	203	168	194	216	226
40—60 " - -	298	327	302	296	275	359	377	356	329	305	327	369	375
60—80 " - -	322	318	274	245	307	335	402	421	386	340	420	412	515
80 years and upwards	67	71	82	63	66	99	112	113	103	72	108	133	109
Deaths from—													
Small pox - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	33	23	20	26	27	21	34	36	24	25	20	36	36
Scarlet Fever - - -	6	11	8	4	7	9	9	9	8	8	4	5	5
Diphtheria - - - -	29	34	20	36	26	24	25	32	23	24	29	20	27
Whooping-cough - - -	21	34	28	22	31	29	32	38	37	44	58	49	52
Typhus - - - - - -	1	-	-	-	-	-	-	-	-	1	1	-	-
Enteric Fever - - -	24	21	19	22	22	18	17	13	16	12	12	11	6
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa and Dysentery -	12	13	15	10	9	9	16	15	17	11	12	16	10
Cholera - - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
All the above Diseases - -	127	137	110	121	122	110	133	143	125	125	136	137	137
Dis. of Respiratory System -	435	400	349	306	325	330	392	422	394	323	397	420	493
Phthisis - - - - - -	158	150	135	121	146	165	173	182	142	152	148	171	172
Dis. of Circulatory System -	122	137	125	117	137	154	181	157	154	161	178	166	189
Violence - - - - -	65	61	64	67	64	90	76	71	76	64	54	70	75
Inquest Cases - - - -	159	141	145	135	160	212	201	166	191	161	171	152	207
Deaths in Public Institutions -	483	459	456	445	431	469	535	499	517	465	550	561	590
TEMPERATURE OF THE AIR													
Mean - - - - - -	44°·9	47°·4	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2	36°·9	34°·3	32°·6	35°·1
Mean of Highest readings -	48·1	52·0	52·3	49·3	47·6	41·7	39·0	45·3	49·0	41·5	38·2	37·5	39·1
Mean of Lowest readings -	41·4	42·4	42·9	38·6	38·4	33·1	29·3	34·1	39·3	31·8	29·6	26·7	31·7
Humidity of the Air - -	88	89	88	87	91	94	88	89	82	82	86	72	80
Rain-fall (in inches) - -	0·66	0·77	0·21	0·38	0·30	0·56	0·23	0·22	0·18	0·10	0·47	0·03	0·15
Registered Sunshine (in hours)	7·9	3·1	7·2	23·4	4·6	1·7	8·7	13·3	12·6	6·9	2·2	11·9	6·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	2	1	1	1	1	1	1	-	3	3	1	1	1
Scarlet Fever - - - -	2727	2687	2617	2477	2535	2391	2277	2172	2078	2037	1963	1876	1834
Diphtheria - - - -	1537	1515	1474	1514	1356	1266	1200	1152	1153	1128	1150	1110	1118
Enteric Fever - - - -	436	433	425	409	403	374	367	333	305	299	262	258	237

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTH Week of the Year 1901.

CAUSES OF DEATH	Corrected Average for the 8th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 23rd February, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	2008·7	1853	340	199	89	226	375	515	109
Small-pox { Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·2	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·1	-	-	-	-	-	-	-	-
Measles - - - -	54·0	36	10	22	4	-	-	-	-
Scarlet Fever - - -	12·7	5	-	2	2	1	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	52·8	32	-	2	-	7	4	19	-
Whooping-cough - -	60·2	52	20	30	2	-	-	-	-
Diphtheria - -	44·0	27	1	14	12	-	-	-	-
Simple Continued and Ill-defined Fever -	0·5	1	-	1	-	-	-	-	-
Enteric Fever - - -	10·0	6	-	-	2	4	-	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	14·6	10	5	1	-	-	-	4	-
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Venereal Affections - -	11·2	4	4	-	-	-	-	-	-
Erysipelas - - -	4·1	2	-	-	-	1	-	1	-
Pyæmia and Septicæmia	2·2	1	-	-	-	-	1	-	-
Puerperal Fever - -	4·2	6	-	-	-	5	1	-	-
Other Zymotic Diseases	2·3	1	-	1	-	-	-	-	-
Thrush - - - -	0·8	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·3	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	1·6	3	3	-	-	-	-	-	-
Alcoholism - - -	12·1	19	-	-	-	4	12	3	-
Rheumatic Fever, Rheumatism of Heart	9·5	5	-	1	2	2	-	-	-
Rheumatism - - -	2·1	-	-	-	-	-	-	-	-
Gout - - - - -	3·3	5	-	-	-	-	1	4	-
Rickets - - - -	6·4	5	2	2	1	-	-	-	-
Cancer - - - -	77·0	80	-	1	-	10	27	38	4
Tabes Mesenterica - -	18·7	12	5	4	3	-	-	-	-
Tubercular Meningitis -	24·4	23	5	12	6	-	-	-	-
Phthisis - - - -	183·1	172	2	6	15	71	64	14	-
Scrofula, Tuberculosis -	20·4	17	3	6	3	1	1	3	-
Other Constitutional Diseases - -	14·8	17	1	-	1	1	5	8	1
Premature Birth - -	50·6	41	41	-	-	-	-	-	-
Atelectasis - - -	4·4	4	4	-	-	-	-	-	-
Congenital Malformations - - -	6·8	3	2	1	-	-	-	-	-
Old Age - - - -	61·5	60	-	-	-	-	-	26	34
Apoplexy - - -	51·7	50	-	-	-	2	13	32	3
Epilepsy - - - -	6·8	13	-	-	-	6	5	2	-
Convulsions - - -	44·6	38	36	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	99·9	10	12	11	1	12	29	31	7
Diseases of Organs of Special Sense -	4·4	5	-	-	2	-	1	2	-

CAUSES OF DEATH.	Corrected Average for the 8th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 23rd February, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	173·1	189	1	1	12	25	50	92	8
Croup - - - -	6·2	2	-	2	-	-	-	-	-
Bronchitis - - -	333·9	282	55	14	2	11	44	127	29
Pneumonia - - -	166·7	159	34	38	9	16	38	19	5
Pleurisy - - - -	7·5	5	-	-	-	2	1	2	-
Other Diseases of Respiratory System -	38·3	45	6	4	1	2	11	17	4
Dentition - - - -	10·5	7	4	3	-	-	-	-	-
Quinsy, Sore Throat -	1·3	2	-	1	-	-	-	1	-
Enteritis - - -	16·5	5	5	-	-	1	-	1	-
Gastro-enteritis -		5	5	-	-	-	-	-	-
Peritonitis - - -	5·4	7	-	-	1	2	2	1	1
Diseases of Liver - -	27·6	36	2	-	-	5	16	13	-
Other Diseases of Digestive System	30·3	33	6	3	-	6	6	10	2
Diseases of Lymphatic System & of Ductless Glands - - -	3·4	2	-	1	-	-	1	-	-
Diseases of Urinary System - - -	52·3	67	1	-	2	8	22	30	4
Diseases of Generative System - - -	5·4	9	-	-	-	3	4	2	-
Accidents of Childbirth-	5·8	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	7·6	5	1	-	2	-	1	1	-
Diseases of Integumentary System- -	5·9	7	2	-	1	-	2	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·1	3	-	-	-	3	-	-	-
By Vehicles or Horses -	3·6	4	-	1	-	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·5	-	-	-	-	-	-	-	-
In Building Operations -	1·3	1	-	-	-	-	1	-	-
In Conflagrations -	1·3	2	-	2	-	-	-	-	-
By Burns, Scalds, Explosions - -	12·5	17	1	9	2	1	1	3	-
By Drowning - - -	4·5	4	1	-	-	3	-	-	-
By Suffocation in Bed -	15·4	14	13	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	-	-	-	-	-	-	-	-
Other or not stated causes - - - -	22·1	21	3	-	-	3	5	6	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·0	1	1	-	-	-	-	-	-
Suicide - - - -	7·4	8	-	-	1	3	3	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·7	44	42	-	-	-	-	1	1

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical-men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd February, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
LONDON - - -	4,411,710	2673	1853	340	624	-	36	5	27	52	-	6	1	10	75	207	590	[illegible]
WEST DISTRICTS - - -	778,251	375	320	54	113	-	1	2	4	17	-	-	1	2	15	30	108	[illegible]
NORTH DISTRICTS - - -	1,040,694	582	372	74	124	-	9	1	7	9	-	2	-	1	8	39	95	-
CENTRAL DISTRICTS - - -	233,635	149	98	14	19	-	1	-	-	3	-	-	-	-	8	14	48	-
EAST DISTRICTS - - -	716,334	517	344	79	130	-	3	-	3	4	-	-	-	3	19	66	127	-
SOUTH DISTRICTS - - -	1,642,796	1,050	678	119	218	-	22	2	13	19	-	4	-	4	25	58	171	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	-	17	-	-	-	-	-	-	-	-	-	-	-	41	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	62	29	8	9	-	-	-	1	1	-	-	-	1	1	2	4	-
St. John Paddington *H* - - G.	33,510	12	11	-	1	-	-	-	-	-	-	-	-	-	4	4	7	-
Kensington Town *Ww* - - W.	122,164	59	58	10	23	-	-	-	1	4	-	-	-	-	1	1	22	-
Brompton *HH*- - - W. & C.	48,301	11	11	2	5	-	-	-	-	-	-	-	-	-	-	1	1	-
North Hammersmith *H* W. & G.	44,638	24	5	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G.	59,561	21	23	2	8	-	-	-	-	2	-	-	-	-	2	4	2	-
North-west Fulham *W*	113,781	32	28	3	14	-	-	-	-	1	-	-	-	-	1	2	19	-
North-east Fulham *w* W. & C.		21	15	5	3	-	-	2	1	-	-	-	1	-	-	1	4	-
South Fulham		28	13	3	2	-	-	-	-	-	-	-	-	-	1	3	-	-
Chelsea Kensal Town - C.	21,450	9	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	10	35	4	15	-	-	-	-	1	-	-	-	1	-	1	20	-
Chelsea South *HH* - - C.	33,139	17	10	4	3	-	-	-	-	2	-	-	-	-	-	1	3	-
May Fair *WH*- - - - G.	23,827	6	21	3	10	-	-	-	-	-	-	-	-	-	-	1	10	-
Belgrave *WHHH* - - - C.	56,146	24	26	2	8	-	-	-	-	4	-	-	-	-	2	2	7	-
St. John Westminster *HH* C.	31,492	19	5	2	1	-	-	-	-	-	-	-	-	-	2	1	-	-
St. Margaret Westminster *H* C.	22,097	4	10	1	5	-	1	-	1	-	-	-	-	-	1	3	4	-
St. James Westminster *WH* N. & G.	23,050	12	9	-	3	-	-	-	-	-	-	-	-	-	-	1	5	1
St. Anne Soho *HHHHH* - N.	12,048	4	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	17	16	2	3	-	-	-	-	1	-	-	-	-	1	3	6	-
Rectory Marylebone *W* G. & W.		6	6	1	4	-	-	-	-	-	-	-	-	-	-	1	2	-
St. Mary Marylebone *HHHH* G. & W.		38	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone‡ *H* - W		22	12	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John Marylebone‡ *HHH* - W		8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	28	17	3	5	-	-	1	-	1	-	1	-	-	-	1	5	-
Regent's Park *HH* - W.	51,403	25	17	5	6	-	-	-	1	-	-	-	-	-	-	3	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	14	2	3	-	1	-	-	-	-	-	-	-	-	-	10	-
Gray's Inn Lane *HHHH* - N.	29,426	24	17	4	4	-	-	-	-	2	-	-	-	-	1	3	5	-
Somers Town *HH* - - - N.	32,161	18	12	4	2	-	-	-	-	1	-	-	-	-	-	2	2	-
Camden Town *WH* - - N.	40,155	28	29	4	20	-	-	-	-	-	-	-	-	-	4	5	14	-
Kentish Town *WW* - - N.	60,862	28	20	1	6	-	-	-	1	-	-	-	-	-	1	2	6	-
Upper Holloway *WWWWwHH* - - N.	98,273	50	43	8	14	-	-	-	1	1	-	-	-	1	1	2	18	-
Lower Holloway - - - N.	41,805	23	9	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	56,384	28	18	6	4	-	-	-	-	-	-	-	-	-	-	3	-	-
Islington South-east *H* - N.	75,725	45	20	5	7	-	-	-	-	1	-	-	-	-	-	2	-	-
Highbury *HH* - - - N.	64,577	25	18	6	6	-	-	-	-	1	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	12	13	2	6	-	1	-	-	-	-	-	-	-	-	3	-	-
Hornsey (part of) - - -	†16,892	6	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	18	10	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		39	17	3	2	-	2	-	4	-	-	1	-	-	-	1	6	-
South-west Hackney *HHH* E. & N.		39	22	5	7	-	1	-	-	-	-	-	-	-	-	3	5	-
South-east Hackney *WwH* E. & N.		48	25	4	10	-	4	-	-	-	-	-	-	-	-	3	14	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital: *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	29,086	25	9	2	-	-	-	-	-	-	-	-	-	-	-	1	4	-
Giles North *H* - - - N.	9,151	3	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
.Martin-in-the-Fields *HH* N. & C.	13,077	4	5	-	1	-	-	-	-	-	-	-	-	-	1	1	4	-
rand *WHH* - - - - N.	11,839	5	4	-	1	-	1	-	-	-	-	-	-	-	-	1	3	-
rand Union Workhouse, Edmonton	†1,037	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
olborn *WwHHHHH* - N.	31,042	15	18	1	4	-	-	-	-	1	-	-	-	-	1	1	10	-
.James Clerkenwell - - N.	15,777	14	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nwell Clerkenwell - - N.	34,356	24	11	5	-	-	-	-	-	2	-	-	-	-	1	1	-	-
oswell-street - - - - N.	16,069	11	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ty-road *HHHHL* - - N.	29,897	34	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
nsbury - - - - - N.	11,630	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn Union Workhouse, Mitcham - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.Botolph *H* - - N. & E.	13,061	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
.Sepulchre *WH* - - - N.	9,591	1	25	-	5	-	-	-	-	-	-	-	-	-	4	5	21	-
lhallows Barking - - - N.	9,059	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ty of London Asylum, Stone - -	†388	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	11	8	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
oxton New Town *w* - - N.	29,575	21	20	2	10	-	-	-	-	-	-	-	-	-	1	4	9	-
oxton Old Town - - - N.	27,645	20	17	6	2	-	-	-	-	1	-	-	-	-	1	4	-	-
aggerston *WH* - - N. & E.	47,163	32	32	8	10	-	-	-	-	-	-	-	-	-	3	5	10	-
thnal Green North *H* - E.	49,301	42	17	7	5	-	-	-	-	-	-	-	-	-	1	4	1	-
thnal Green South - - E.	34,194	27	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
thnal Green East *WWHl* - E.	45,667	36	44	6	22	-	2	-	-	-	-	-	-	1	-	5	25	-
italfields - - - E. & N.	26,681	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *WH* - E.	51,995	21	40	4	8	-	1	-	-	-	-	-	-	-	6	10	38	-
odman's Fields - - - E.		10	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
.George's, North - - - E.	39,576	33	9	3	4	-	-	-	-	-	-	-	-	-	-	4	-	-
.John, St. George East *W* E.	7 930	2	10	1	5	-	-	-	-	-	-	-	-	1	-	-	8	-
adwell *H* - - - E. & N.	10,434	4	10	2	6	-	-	-	-	-	-	-	-	-	-	1	3	-
atcliff *W* - - - - E.	14,954	13	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
mehouse - - - - - E.	32,917	22	7	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-
ile End Old Town West *H* E.	111,060	52	13	5	6	-	-	-	-	-	-	-	-	-	1	2	2	-
ile End Old Town East *WWww* - E.		40	36	6	21	-	-	-	-	-	-	-	-	-	-	5	13	-
ow *l* - - - - - E.	41,687	28	12	6	4	-	-	-	-	-	-	-	-	-	3	4	-	-
romley *wwwH* - - - E.	69,821	49	33	8	15	-	-	-	2	1	-	-	-	-	1	7	13	-
oplar *WW* - - - - E.	57,759	36	21	6	8	-	-	-	-	-	-	-	-	1	1	6	4	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd February, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark - - S.	12,301	8	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Kent-road - - - - S. & L.	22,879	23	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Borough-road *WH* - S. & L.	16,083	6	9	2	1	-	-	-	-	-	-	-	-	-	2	2	3	
London-road *HL* - - L. & S.	21,316	14	15	3	3	-	-	-	-	1	-	-	-	-	1	2	2	
Trinity Newington *H* - S. & L.	28,723	20	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
St. Peter Walworth *W* - S. & L.	62,045	47	27	6	7	-	1	-	-	3	-	-	-	-	-	1	5	
St. Mary Newington- - L. & S.	30,171	19	15	6	4	-	2	-	-	-	-	-	-	-	2	2	-	
St. Olave *WH* - - - - S.	11,731	6	24	4	2	-	-	-	2	-	-	-	-	-	1	2	17	
Bermondsey *W* - - - S.	55,475	56	21	5	4	-	2	-	-	2	-	-	-	-	1	2	1	
Rotherhithe *Ww* - S. & K.	40,379	27	15	4	4	-	-	-	-	1	-	-	-	-	-	1	5	
Waterloo-road *HH* - L. & S.	28,396	27	13	6	3	-	-	-	-	1	-	-	-	-	2	3	-	
Lambeth Church 1st *H* - L. & S.	18,770	9	23	3	4	-	1	-	-	-	-	1	-	-	4	6	15	
Lambeth Church 2nd *WW* L. & S.	40,994	29	22	2	12	-	-	-	-	1	-	-	-	1	1	2	13	
Kennington 1st *H* - - S. & L.	52,486	49	15	4	5	-	-	-	-	-	-	-	-	-	-	-	-	
Kennington 2nd - - S. & L.	43,244	15	9	3	4	-	-	-	-	-	-	-	-	-	1	1	-	
Brixton *w* - - - L. & S.	81,825	48	26	4	14	-	-	1	1	-	-	-	-	-	-	1	2	
Norwood *WH* - - - - L.	29,318	10	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1	
East Battersea - - - - S.	71,730	42	19	5	6	-	-	-	-	1	-	-	-	-	1	4	-	
North-west Battersea - - S.	93,385	33	20	4	6	-	-	-	-	-	-	-	-	-	1	2	-	
South-west Battersea *WwH* - S.		19	31	2	10	-	-	-	-	1	-	-	-	1	1	2	17	
Clapham *H* - - - - S.	46,953	23	19	3	7	-	2	-	-	-	-	-	-	1	-	-	1	
Streatham *WwwwL* - - L.	61,644	37	17	1	7	-	-	-	2	-	-	1	-	-	-	-	3	
Wandsworth *WHHL* - - S.	58,101	48	14	2	3	-	-	-	-	-	-	-	-	-	-	2	-	
Putney - - - - - S.	20,566	10	11	-	7	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - L. & S.	7,519	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell *WWwll* - S. & L.	90,286	44	57	4	22	-	1	-	1	1	-	-	-	-	1	3	33	
Peckham *WW* - S., L., & K.	88,242	62	36	7	4	-	5	-	-	-	-	-	-	-	2	4	-	
St. George Camberwell - L. & S.	67,029	39	13	2	2	-	1	-	-	1	-	-	-	-	-	2	-	
Deptford North - - - K.	36,152	29	16	5	4	-	1	-	-	2	-	-	-	-	-	1	-	
Deptford Central *w* - - K.	45,441	36	16	5	4	-	2	1	1	1	-	-	-	-	-	-	3	
Deptford South - - - K.	33,402	17	22	2	16	-	-	-	-	1	-	-	-	1	1	2	-	
Greenwich West *H* - - K.	23,012	17	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	
Greenwich East *WH* - - K.	37,767	29	19	-	14	-	-	-	-	-	-	-	-	-	-	-	14	
Eltham *wH* - - - - K.	5,911	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee *H* - - - - - K.	24,222	12	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-	
Lewisham *WwwH* - - - K.	38,139	30	26	5	5	-	1	-	1	-	-	1	-	-	-	-	13	
Sydenham *H* - - - - L.	37,601	23	11	3	3	-	-	-	-	-	-	-	-	-	-	-	1	
Charlton *wHH* - - - K.	15,928	8	16	1	2	-	-	-	5	-	-	1	-	-	1	1	10	
Woolwich *HHHH* - - K.	41,314	22	13	1	4	-	-	-	-	2	-	-	-	-	-	3	-	
Plumstead West *H* - - K.	16,714	13	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
Plumstead East *WH* - - K.	42,538	24	26	6	9	-	-	-	-	-	-	-	-	-	2	4	12	
Banstead Asylum - - - -	—	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	8	
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Caterham Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Cane Hill Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Dartford Heath - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	
Hanwell Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Colney Hatch Asylum - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden Asylum - - - -	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	
Claybury Asylum - - - -	—	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8	

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd February, 1901.

ris-ion rict d b-rict m-rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,584	1,405,489	1235	599	146	204	-	6	2	13	22	4	1	31	50	78	3
:1	Carshalton *H* - - -	12,228	26,108	14	10	2	4	-	1	-	-	2	-	-	1	1	1	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	4	2	2	-	-	-	-	-	-	-	-	-	1	-
:1	Godstone, *part of** *W* -	2,754	1,598	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	128,699	74	46	12	16	-	-	-	-	1	-	-	3	5	6	-
2	Mitcham *w* - - -	11,697	23,072	25	10	2	2	-	-	-	-	-	-	-	2	2	-	-
:1	Wimbledon *HHH* - -	3,220	25,777	23	7	1	2	-	-	-	-	1	-	-	-	-	1	-
2	Kingston *WH* - - -	14,672	33,566	25	11	3	4	-	-	-	-	1	-	-	-	-	1	-
3	Surbiton *HH* - - -		12,178	5	5	2	1	-	-	-	-	1	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	9	9	2	4	-	1	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	7	8	-	5	-	-	-	-	-	-	-	1	2	-	-
:1	Richmond *WHH* - -	2,160	25,389	10	11	2	4	-	1	-	-	1	-	-	-	2	-	-
2	Mortlake *H* - - -	2,823	16,159	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bromley *HHH* - - -	9,127	23,815	17	7	1	2	-	-	-	1	-	-	-	-	-	2	-
2	Beckenham *H* - - -	6,542	21,969	9	9	2	5	-	-	-	-	1	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	6 974	7,714	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst† *HH* - -	7,333	12,658	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH* - - -	12,540	30,590	33	11	7	1	-	-	-	-	1	-	-	-	-	-	-
2	Dartford *WH, part of** -	—	—	-	5	-	2	-	-	-	1	-	-	-	1	1	5	-
:1	Sunbury *w* - - -	11,054	13,671	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	14	7	2	4	-	-	-	-	-	-	-	-	-	3	-
1	Hillingdon *WHH* - -	6,035	12,237	11	5	1	3	-	-	-	-	-	1	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	20	4	2	1	-	-	-	-	1	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	26	17	8	4	-	1	-	-	1	-	-	-	1	1	-
2	Twickenham *HH* - -	2,415	16,027	21	9	3	5	-	-	-	-	-	-	-	-	-	1	-
3	Brentford *HHHH* - -	4,318	37,777	25	11	3	2	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick - - - -	1,245	21,963	16	8	-	3	-	-	1	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	34	17	4	5	-	-	-	-	-	-	-	1	2	1	-
1	Harrow *HHH* - - -	13,809	15,715	11	7	1	2	-	-	-	-	-	1	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	3	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Willesden *HHH* - -	4,383	61,265	80	30	3	9	-	-	-	1	1	-	-	2	2	2	-
4	Hendon *WH* - - -	8,382	15,843	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	South Mimms *HH* - -	21,077	6,367	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	12	3	1	2	-	-	-	-	-	-	-	-	1	-	-
3	Finchley *HHH* - - -	4,688	25,820	18	4	2	2	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey, *part of** *HH* -	2,809	44,205	27	16	3	5	-	-	-	-	-	-	-	2	3	-	-
3	Amwell, *part of** - - -	65	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	81	40	10	13	-	-	-	1	1	-	-	2	4	3	-
3	Edmonton *Ww* - -	7,489	36,351	42	13	3	7	-	-	-	-	-	-	-	2	3	3	-
4	Enfield *WWHH* - -	12,602	31,536	16	21	5	8	-	1	-	-	1	-	-	2	2	1	1
5	Waltham Abbey - - -	11,017	6,066	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	10	7	2	1	-	1	-	1	-	-	-	-	-	1	-
1	Hatfield, *part of** *W* - -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	39	4	1	2	-	-	-	-	-	-	-	-	-	1	-
2	Plaistow *HHH* - - -		58,030	57	26	4	7	-	-	-	2	-	-	-	2	2	2	-
3	Canning Town *H* - -		54,750	54	33	8	8	-	-	-	2	1	-	-	4	4	2	1
4	Forest Gate *w* - - -		53,511	37	11	5	2	-	-	-	-	1	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	61	26	10	9	-	-	-	2	-	1	-	-	2	2	-
6	Wanstead - - - -	4,334	7,042	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
7	South Leyton *WW* - -		38,232	25	27	1	14	-	-	-	-	-	-	1	-	-	19	-
8	North Leyton *WwH* -		24,874	28	10	1	4	-	-	-	1	1	-	-	-	-	1	1
9	Walthamstow *HHHL* -	6,501	57,370	87	26	6	6	-	-	-	1	1	1	-	3	5	2	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	11	2	2	-	-	-	-	-	-	-	-	-	1	-	-
2	Epping *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	5	7	-	5	-	-	-	-	-	-	-	-	-	6	-
2	Ilford *H* - - - -	8,493	10,913	25	10	6	-	-	-	-	-	3	-	-	-	1	-	-
3	Barking Town, *H* - -	3,814	14,301	16	9	3	2	-	-	-	-	1	-	-	-	1	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	7	-	4	-	-	-	-	-	-	-	-	-	7	-
	London County Lunatic Asylum, Hanwell.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the ter Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; : 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); : 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District uated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping rish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the ter Ring in 42: 2, 137: 2, and 187: 2 are also included.

41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 23rd February, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,421	6,781,854	18·9	1·4	2452	486	828	-	42	7	40	74	11	11	106	668
INNER LONDON -	74,837	4,651,113	20·8	1·5	1853	340	624	-	36	5	27	52	7	10	75	590
OUTER RING -	368,584	2,130,741	14·7	1·2	599	146	204	-	6	2	13	22	4	1	31	78

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	309,472	February 23	152	137	23·1	-	10	1	1	3	2	2
GLASGOW - -	753,766	" 23	484	391	27·0	13	4	2	2	25	2	5
DUBLIN† - -	346,128	" 23	215	224	33·7	-	-	-	-	3	4	4
CALCUTTA - -	466,460	December 22	-	473	52·9	25	1	-	-	1	162‡	98
BOMBAY - -	821,764	February 5	229	1907	120·7	3	3	-	-	-	998‡	107
MADRAS - -	452,518	January 18	329	462	53·0	2	3	?	?	?	154	76
PARIS - - -	2,511,629	February 16	1062	1017	21·0	8	9	3	14*	7	5	28
BRUSSELS - -	570,844	" 16	273	175	15·9	-	7	2	1*	1	4	11
AMSTERDAM -	520,800	" 9	299	169	16·9	-	-	-	1	3	1	5
ROTTERDAM -	325,556	" 9	261	136	21·4	-	3	1	2	2	-	-
THE HAGUE -	205,328	" 9	121	73	18·4	-	-	-	-	1	-	-
COPENHAGEN -	354,000	" 16	195	148	21·8	-	3	1	-	1	1	7
STOCKHOLM -	297,148	" 9	137	97	17·0	-	2	1	5*	2	-	4
CHRISTIANIA -	226,423	" 16	171	88	20·2	-	-	1	-	1	-	5
ST. PETERSBURG	1,132,677	" 9	713	593	27·3	1	7	22	26	3	13	40
MOSCOW - -	988,610	" 9	-	546	28·8	1	2	14	12	1	6	51
BERLIN - -	1,885,685	" 2	967	680	18·8	-	10	10	9	12	-	36
HAMBURG - -	705,738	" 16	-	241	17·8	-	-	1	1*	3	-	12
DRESDEN - -	397,000	January 5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	422,415	February 16	-	191	23·6	-	1	-	1	1	1	21
MUNICH - -	500,000	" 9	-	237	24·6	-	9	-	3*	4	1	21
		" 16	-	207	21·5	-	3	-	1*	2	-	22
VIENNA - -	1 673,688	" 16	1001	749	23·4	-	18	8	11*	3	3	30
PRAGUE - -	393,091	" 16	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	741,013	" 9	455	315	22·1	-	3	6	1	1	-	12
TRIESTE - -	168,951	" 9	118	117	35·9	-	1	-	1*	-	1	1
		" 16	97	101	29·8	-	3	-	-	2	1	1
ROME - - -	521,159	January 12	207	282	28·4	-	-	-	2	-	18‖	13
TURIN (11 days) -	344,203	December 31	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	January 26	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	" 6	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA	319,766	" 6	-	-	-	-	-	-	-	-	-	-
NEW YORK (including BROOKLYN)	3,536,517	February 2	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,293,697	" 2	-	552	22·2	-	1	6	14	2	9	3

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 38 deaths from cholera in Calcutta, 6 in Bombay, and 7 in Madras.
‡ Including 25 deaths from plague in Calcutta, and 786 in Bombay.
‖ Including 3 deaths from malarial fever.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	17	..	30·047	39·9	31·8	8·1	35·5	− 4·3	30·1	5·4	9·0	1·6	81	82·0	26·7	39·57	NNW. & N.	N. & NNE.	12·6	0·0	1·0	421	+125	0·01	0·8
Monday -	18	..	30·226	37·0	30·7	6·3	33·7	− 6·0	26·6	7·1	9·0	2·7	75	69·0	23·8	39·47	N., NNE. & ENE.	NE. N. & WSW.	1·3	0·0	0·1	208	− 87	0·00	0·0
Tuesday -	19	New	30·068	33·3	30·6	2·7	32·1	− 7·5	30·8	1·3	5·8	0·0	95	41·0	23·6	39·33	SW.	SW., SE. & ENE.	0·3	0·0	0·0	145	−151	0·04	0·0
Wednesday	20	In Equator.	30·124	36·4	27·9	8·5	31·1	− 8·4	21·2	9·9	11·6	5·6	66	67·8	21·0	39·23	ENE. & NE.	ESE., E. & ENE.	2·2	0·0	0·1	211	− 87	0·00	0·0
Thursday -	21	Perigee	30·107	37·4	26·1	11·3	31·6	− 7·9	24·0	7·6	12·3	1·3	72	48·8	18·6	39·16	NE., NNE. & W.	W., WSW. & N.	0·9	0·0	0·0	188	−112	0·09	0·0
Friday -	22	..	30·072	44·1	37·4	6·7	40·2	+ 0·6	36·3	3·9	8·3	1·9	86	63·2	31·7	38·99	N.	NE., NNW. & WSW.	2·2	0·0	0·1	197	−105	0·00	0·0
Saturday -	23	..	29·955	45·7	37·3	8·4	41·2	+ 1·4	37·1	4·1	6·9	0·5	85	57·2	31·8	39·08	WSW., W. & WNW.	WNW. NW. & NNE.	2·7	0·0	0·2	281	− 24	0·01	0·2
Means -			30·086	39·1	31·7	7·4	35·1	− 4·6	29·4	5·6	9·0	1·9	80	61·3	25·3	39·26	Variable		..	..	..	Sum 1651	Sum −441	Sum 0·15	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	17	m. P. generally; occasional v. N.	4·2	10·0
Monday -	18	m. P. till 6h. A.M.; s. P. afterwards.	1·3	10·1
Tuesday -	19	v. P. till 4h. P.M.; s. N. till 6h. P.M.; v. P. afterwards.	0·0	10·2
Wednesday	20	v. P. till afternoon; s. P. afterwards.	1·0	10·2
Thursday -	21	s. P. till 7h. P.M.; w. P. and w. N. afterwards.	0·1	10·3
Friday -	22	w. P. throughout.	0·0	10·4
Saturday -	23	w. P. generally.	0·0	10·4
			Sum 6·6	Sum 71·6
No. of Col. -		27	28	29

GENERAL REMARKS.

Sunday 17	Overcast in morning, with showers of rain and snow at 4h. A.M.; variable, with heavy squalls and frequent snow showers, till evening; cloudless, with slight exceptions, after 9h. P.M.
Monday 18	Generally overcast. Slight fog between 9h. and 10h. P.M.
Tuesday 19	Fine and partially cloudy in early morning; overcast after 7h. A.M., with great gloom and frequent snow and rain till evening.
Wednesday 20	Generally overcast till 4h. P.M.; fine and partially cloudy afterwards. Snow between noon and 1h. P.M.
Thursday 21	Partially cloudy, with hoar frost in morning; foggy and gloomy between 10h. A.M. and noon; overcast afterwards, with frequent snow, changing to rain in evening.
Friday 22	Generally overcast; slight gloom about 2h. P.M.
Saturday 23	Overcast. A little fine rain at times.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·07 in. at the beginning of the week to 30·01 in. by 5h. A.M. on the 17th; increased to 30·24 in. by 11h. A.M. on the 18th; decreased to 30·03 in. by 5h. P.M. on the 19th; increased to 30·16 in. by 9h. P.M. on the 20th; decreased to 29·93 in. by 2h. P.M. on the 23rd; and was 29·98 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th February, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	2	3	-	1	-	-	2	-
Kensington	177,205	-	1	7	-	1	-	-	2	1
Hammersmith	111,213	-	2	2	-	1	-	-	3	-
Fulham	141,920	-	5	8	-	3	-	-	2	-
Chelsea	73,843	-	4	3	-	-	-	-	3	-
City of Westminster	189,375	-	2	2	-	-	-	-	-	-
NORTH.										
St. Marylebone	140,460	-	8	3	-	-	-	-	3	-
Hampstead	82,605	-	3	3	-	1	-	-	1	-
St. Pancras	246,098	1	5	12	-	2	-	-	5	-
Islington	353,528	-	12	3	-	6	-	-	8	1
Stoke Newington	55,758	-	1	2	-	-	-	-	1	-
Hackney	228,417	-	-	11	-	-	-	-	1	-
CENTRAL.										
Holborn	59,700	-	4	-	-	-	-	-	1	1
Finsbury	106,590	-	2	6	-	2	-	-	-	-
City of London	25,289	-	1	1	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	1	4	-	1	-	-	3	-
Bethnal Green	127,509	-	3	10	-	-	-	-	5	-
Stepney	305,058	-	10	12	-	5	-	-	10	-
Poplar	170,465	-	9	13	-	2	-	-	5	-
SOUTH.										
Southwark	208,869	-	10	6	-	1	-	-	3	-
Bermondsey	136,824	-	4	12	-	10	-	-	-	-
Lambeth	318,530	-	7	14	-	6	-	-	4	-
Battersea	180,017	-	8	3	-	1	-	-	1	-
Wandsworth	242,224	1	11	7	-	3	-	-	4	-
Camberwell	269,102	-	13	12	-	2	-	-	3	-
Deptford	113,562	-	8	10	-	1	-	-	1	-
Greenwich	91,228	-	7	3	-	3	-	-	2	-
Lewisham	112,856	-	6	6	-	2	-	-	1	1
Woolwich	114,106	-	1	5	-	7	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	2	150	183	-	61	-	-	75	5
Ages 0-1		-	2	6	-	-	-	-	3	-
" 1-5		-	51	76	-	5	-	-	3	-
" 5-		-	49	58	-	3	-	-	5	-
" 10-		-	30	13	-	10	-	-	3	-
" 15-		-	8	10	-	14	-	-	4	-
" 20-		1	3	5	-	8	-	-	6	-
" 25-		-	5	11	-	11	-	-	9	3
" 35-		1	2	2	-	7	-	-	15	2
" 45-		-	-	2	-	2	-	-	14	-
" 55-		-	-	-	-	1	-	-	6	-
" 65 and upwards		-	-	-	-	-	-	-	6	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 9. 1901. Vol. LXII.] Week ended Saturday, Mar. 2. [Price 1½*d*.

General Register Office, Somerset House,
March 4th, 1901.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 21·5 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·7, 19·5, and 21·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended				Towns.	Weeks ended			
	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.		Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.
33 Great Towns	19·7	19·5	21·2	21·5	Leicester - -	16·2	16·5	16·5	13·9
Birkenhead -	17·5	22·7	20·6	22·7	Liverpool - -	27·9	28·8	27·3	31·0
Birmingham -	20·2	22·8	25·5	21·4	London - - -	18·7	19·3	20·8	20·9
Blackburn -	18·4	19·5	20·6	21·7	Manchester - -	24·7	22·5	26·2	22·8
Bolton - -	15·1	16·6	17·6	19·1	Newcastle-on-Tyne	22·6	19·3	24·1	22·1
Bradford -	15·1	13·3	15·6	19·1	Norwich - -	29·5	27·3	25·1	17·0
Brighton -	24·2	18·8	20·0	19·2	Nottingham - -	21·4	21·2	22·0	22·0
Bristol - -	17·9	19·0	23·8	24·7	Oldham - -	18·4	17·4	17·1	14·1
Burnley -	18·6	11·7	11·7	22·1	Plymouth - -	22·6	25·1	36·7	38·2
Cardiff - -	12·3	13·9	20·3	19·8	Portsmouth - -	19·4	18·8	18·1	21·2
Croydon -	12·4	18·2	14·7	15·5	Preston - -	20·4	14·3	23·0	16·1
Derby - -	17·6	18·1	19·0	18·1	Salford - - -	27·5	20·1	25·4	22·6
Gateshead -	20·4	16·7	17·2	18·1	Sheffield - -	20·0	20·7	21·9	21·1
Halifax -	20·0	17·1	20·5	25·4	Sunderland - -	17·8	14·7	22·4	24·1
Huddersfield -	17·8	13·3	13·3	15·3	Swansea - -	21·4	17·0	22·4	24·3
Hull - -	20·4	20·6	24·9	22·3	West Ham - -	14·4	15·2	13·6	16·9
Leeds - -	19·6	17·5	18·3	22·2	Wolverhampton -	20·2	17·9	17·9	26·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in Hull, 1·8 in Portsmouth, and 3·0 in Liverpool; and from *whooping-cough*, 1·0 in Plymouth, in Derby, and in Sunderland, 1·5 in Swansea, 2·1 in Cardiff, and 2·4 in Bristol. In none of the thirty-three towns did the death-rate from *scarlet fever*, from "*fever*," or from *diarrhœal diseases* reach 1·0 per 1000. The 62 deaths from *diphtheria* included 19 in London, 7 in Sheffield, 6 in Birmingham, 5 in Bristol, 5 in Salford, 4 in Leicester, and 3 in Liverpool. No death from *small-pox* was registered in any of the thirty-three towns.

London.

In London† 2681 births and 1865 deaths were registered. Allowing for increase of population, the births were 81, and the deaths 131,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·7, 19·3, and 20·8 in the preceding three weeks, further rose last week to 20·9. During the four weeks ended on Saturday last the death-rate averaged 19·9 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1865 deaths included 36 from measles, 4 from scarlet fever, 19 from diphtheria, 57 from whooping-cough, 9 from enteric fever, 19 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 144 deaths were referred to these diseases, being 47 below the corrected average weekly number.

The deaths from *measles*, which had been 20, 36, and 36 in the preceding three weeks, were again 36 last week, the corrected average being 53; 8 cases belonged to the Borough of Camberwell, 5 to that of Southwark, and 5 to that of Hackney. The deaths from *scarlet fever*, which had been 4, 5, and 5 in the preceding three weeks, were 4 last week, the corrected average being 13. The deaths from *diphtheria*, which had been 29, 20, and 27 in the preceding three weeks, fell again last week to 19, and were 22 below the corrected average; 4 cases belonged to St. Pancras and 4 to Deptford. The deaths from *whooping-cough*, which had been 58, 49, and 52 in the preceding three weeks, further rose last week to 57, but were 2 below the corrected average; 6 cases belonged to Battersea and 5 to Camberwell. The fatal cases of *enteric fever*, which had been 12, 11, and 6 in the preceding three weeks, rose again last week to 9, the corrected average being 10. The deaths from *diarrhœal diseases*, which had been 12, 16, and 10 in the preceding three weeks, rose again last week to 19, and were 5 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 397, 420, and 493 in the preceding three weeks, further rose last week to 501, but were 58 below the corrected average. The deaths attributed directly to *influenza* numbered 35, having been 12, 16, and 32 in the preceding three weeks.

Different forms of *violence* caused 64 deaths, concerning all but 3 of which inquests were held. Of these 64 deaths, 9 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 52 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 11 to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 4 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1823 cases of scarlet fever, 1124 of diphtheria, and 224 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 185 cases, against 145, 142, and 162; of diphtheria, 152 cases, against 138, 136, and 124; and of enteric fever, 17 cases, against 23, 38, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended February 23rd.

Greater London.

In Greater London 3928 births and 2446 deaths were registered, corresponding to annual rates of 30·2 and 18·8 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 1 from scarlet fever, 9 from diphtheria, 23 from whooping-cough, 8 from "fever," and 4 from diarrhœal diseases were registered. Eight deaths from whooping-cough and 4 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·31 inches, and that of the Thermometer 43°·9; the latter being 3°·8 above the week's average in the 50 years 1841–90. The direction of the wind was southwesterly, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 15·7 hours; the measured rainfall amounted to 0·57 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 2nd Mar. 1901. Births.	Registered during the Week ended 2nd Mar. 1901. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,789,099**	**6697**	**4858**	**938**	**1506**	**–**	**109**	**23**	**62**	**129**	**25**	**47**	**163**	**377**	**1152**	**72**	**21·5**	**1·7**	**53·0**	**30·3**	**42·3**	**5·72**	**0·72**	**1·83**	**33 Towns.**
London	4,651,113	2681	1865	333	609	–	36	4	19	57	9	19	64	186	589	15	20·9	1·6	52·9	36·5	43·9	6·61	0·57	1·45	London.
West Ham	329,377	200	107	26	30	–	–	–	1	6	2	3	4	5	28	2	16·9	1·9	–	–	–	–	–	–	West Ham.
Croydon	134,705	65	40	11	15	–	–	–	–	–	–	–	1	1	9	–	15·5	–	53·0	35·0	42·8	6·00	0·89	2·26	Croydon.
Brighton	125,077	50	46	8	17	–	–	–	1	2	–	–	3	6	12	1	19·2	1·3	51·8	39·6	44·3	6·83	0·78	1·98	Brighton.
Portsmouth	199,262	110	81	12	30	–	7	–	–	–	–	–	2	6	11	–	21·2	1·8	52·5	37·0	44·1	6·72	0·84	2·13	Portsmouth.
Plymouth	103,708	43	76	14	30	–	1	–	–	2	1	–	1	3	10	–	38·2	2·0	–	–	–	–	–	–	Plymouth.
Bristol	329,086	174	156	23	68	–	–	–	5	15	–	–	5	14	25	–	24·7	3·2	52·0	34·5	43·3	6·28	1·03	2·62	Bristol.
Cardiff	203,050	90	77	15	19	–	–	1	1	8	–	–	1	3	13	–	19·8	2·6	–	–	–	–	–	–	Cardiff.
Swansea	107,251	60	50	14	15	–	–	–	–	3	1	–	3	6	3	–	24·3	1·9	–	–	–	–	–	–	Swansea.
Wolverhampton	90,382	57	45	12	14	–	–	–	–	–	–	1	2	3	10	–	26·0	0·6	50·5	30·3	40·2	4·56	0·80	2·03	Wolverhampton.
Birmingham	524,307	306	215	48	63	–	4	2	6	7	1	3	6	10	43	4	21·4	2·3	–	–	–	–	–	–	Birmingham.
Norwich	116,466	64	38	8	20	–	–	–	–	1	–	–	–	1	6	–	17·0	0·4	52·8	31·0	42·0	5·56	0·45	1·14	Norwich.
Leicester	224,619	117	60	16	19	–	–	–	4	–	–	2	2	3	11	–	13·9	1·4	–	–	–	–	–	–	Leicester.
Nottingham	246,013	125	104	21	33	–	1	–	1	3	1	–	3	5	15	–	22·0	1·3	50·5	33·5	41·8	5·44	0·39	0·99	Nottingham.
Derby	109,605	59	38	10	15	–	–	–	–	2	–	–	2	3	8	–	18·1	1·0	–	–	–	–	–	–	Derby.
Birkenhead	119,213	72	52	7	18	–	–	–	–	2	–	–	2	4	4	–	22·7	0·9	–	–	–	–	–	–	Birkenhead.
Liverpool	635,348	438	378	70	94	–	36	3	3	5	1	2	12	27	109	12	31·0	4·1	49·7	36·4	41·8	5·44	0·53	1·35	Liverpool.
Bolton	166,284	97	61	11	19	–	2	–	–	–	1	1	2	5	10	–	19·1	1·3	–	–	–	–	–	–	Bolton.
Manchester	553,677	314	242	50	57	–	1	1	1	2	2	6	8	16	61	3	22·8	1·2	–	–	–	–	–	–	Manchester.
Salford	223,418	140	97	16	27	–	1	1	5	3	–	–	2	4	22	1	22·6	2·3	–	–	–	–	–	–	Salford.
Oldham	155,865	64	42	12	9	–	–	1	–	–	–	2	2	3	5	–	14·1	1·0	–	–	–	–	–	–	Oldham.
Burnley	120,497	49	51	13	16	–	–	–	–	1	–	1	3	3	6	3	22·1	0·9	–	–	–	–	–	–	Burnley.
Blackburn	139,089	72	58	13	16	–	2	2	2	1	1	1	1	2	10	2	21·7	3·4	–	–	–	–	–	–	Blackburn.
Preston	120,196	64	37	7	13	–	–	1	–	–	1	1	1	1	7	–	16·1	1·3	48·0	37·0	42·0	5·56	0·61	1·55	Preston.
Huddersfield	105,514	29	31	2	17	–	–	1	–	–	–	1	2	2	3	1	15·3	1·0	49·6	31·8	41·0	5·00	0·94	2·39	Huddersfield.
Halifax	106,873	46	52	6	15	–	–	–	1	–	–	–	3	3	10	5	25·4	0·5	–	–	–	–	–	–	Halifax.
Bradford	294,472	120	108	15	30	–	–	1	–	–	1	–	2	5	15	2	19·1	0·4	49·6	35·5	42·0	5·56	0·82	2·08	Bradford.
Leeds	438,814	228	187	39	56	–	7	3	2	–	2	–	5	18	32	2	22·2	1·7	–	–	–	–	–	–	Leeds.
Sheffield	370,737	257	150	34	36	–	2	–	7	3	–	1	4	6	28	8	21·1	1·8	–	–	–	–	–	–	Sheffield.
Hull	243,287	181	104	29	33	–	6	–	1	1	1	–	4	7	9	2	22·3	1·9	51·0	32·0	40·8	4·89	0·71	1·80	Hull.
Sunderland	149,205	105	69	19	16	–	2	1	–	3	–	2	3	3	4	4	24·1	2·8	–	–	–	–	–	–	Sunderland.
Gateshead	112,331	78	39	8	10	–	1	–	1	2	–	–	–	–	5	4	18·1	1·9	–	–	–	–	–	–	Gateshead.
Newcastle	240,258	142	102	16	27	–	–	1	1	–	–	1	8	13	19	1	22·1	0·7	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the NINTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2872	2295	2783	2564	2671	2628	2511	2585	2676	2561	2761·9	2681
Males - -	1419	1183	1416	1336	1349	1343	1279	1356	1409	1335	1418·1	1351
Females - -	1453	1112	1367	1228	1322	1285	1232	1229	1267	1226	1343·8	1330
TOTAL **Deaths** -	2019	1545	1718	1748	3246	1729	1493	1805	1925	1668	1996·1	1865
Males - -	1009	767	850	865	1562	868	768	925	984	865	999·7	918
Females - -	1010	778	868	883	1684	861	725	880	941	803	996·4	947

*The numbers in this column are the average weekly numbers in the ninth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.
TOTAL **Births** - - -	2299	2527	2436	1591	2983	2466	2693	2713	2410	2687	2690	2673	2681
TOTAL **Deaths** - - -	1544	1454	1382	1466	1593	1750	1666	1568	1438	1668	1719	1853	1865
Ages at Death: Under 1 year - -	400	374	346	346	361	362	299	285	321	358	333	340	333
1—5 years - -	187	153	174	182	165	186	195	165	159	162	181	199	214
5—20 " - -	77	86	78	78	64	95	70	97	73	99	75	89	94
20—40 " - -	164	183	180	212	210	216	212	203	168	194	216	226	223
40—60 " - -	327	302	296	275	359	377	356	329	305	327	369	375	392
60—80 " - -	318	274	245	307	335	402	421	386	340	420	412	515	486
80 years and upward	71	82	63	66	99	112	113	103	72	108	133	109	123
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	23	20	26	27	21	34	36	24	25	20	36	36	36
Scarlet Fever - - -	11	8	4	7	9	9	9	8	8	4	5	5	4
Diphtheria - - - -	34	20	36	26	24	25	32	23	24	29	20	27	19
Whooping-cough - - -	34	28	22	31	29	32	38	37	44	58	49	52	57
Typhus - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-
Enteric Fever - - -	21	19	22	22	18	17	13	16	12	12	11	6	9
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Dysentery -	13	15	10	9	9	16	15	17	11	12	16	10	19
Cholera - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
All the above Diseases -	137	110	121	122	110	133	143	125	125	136	137	137	144
Dis. of Respiratory System -	400	349	306	325	330	392	422	394	323	397	420	493	501
Phthisis - - - -	150	135	121	146	165	173	182	142	152	148	171	172	169
Dis. of Circulatory System -	137	125	117	137	154	181	157	154	161	178	166	189	192
Violence - - - -	61	64	67	64	90	76	71	76	64	54	70	75	64
Inquest Cases - - - -	141	145	135	160	212	201	166	191	161	171	152	207	186
Deaths in Public Institutions -	459	456	445	431	469	535	499	517	465	550	561	590	589
TEMPERATURE OF THE AIR													
Mean - - - - -	47·4°	48·4°	44·5°	42·7°	37·8°	34·6°	40·2°	44·2°	36·9°	34·3°	32·6°	35·1°	43·9°
Mean of Highest readings -	52·0	52·3	49·3	47·6	41·7	39·0	45·3	49·0	41·5	38·2	37·5	39·1	49·1
Mean of Lowest readings -	42·4	42·9	38·6	38·4	33·1	29·3	34·1	39·3	31·8	29·6	26·7	31·7	38·7
Humidity of the Air - -	89	88	87	91	94	88	89	82	82	86	72	80	·84
Rain-fall (in inches) - -	0·77	0·21	0·38	0·30	0·56	0·23	0·22	0·18	0·10	0·47	0·03	0·15	0·57
Registered Sunshine (in hours)	3·1	7·2	23·4	4·6	1·7	8·7	13·3	12·6	6·9	2·2	11·9	6·6	15·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	1	1	-	3	3	1	1	1	1
Scarlet Fever - - - -	2687	2617	2477	2535	2391	2277	2172	2078	2037	1963	1876	1834	1823
Diphtheria - - - -	1515	1474	1514	1356	1266	1200	1152	1153	1128	1150	1110	1118	1124
Enteric Fever - - - -	433	425	409	403	374	367	333	305	299	262	258	237	224

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINTH Week of the Year 1901.

CAUSES OF DEATH	Corrected Averages for the 9th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 2nd March, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	1-5	5-20	20 and under 40	40 and under 60	60 and under 80	80 years and upwards
CAUSES - - -	1996·1	1865	333	214	94	223	392	486	123
Small-pox { Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·6	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·3	-	-	-	-	-	-	-	-
Measles - - - -	53·0	36	7	24	5	-	-	-	-
Scarlet Fever - - -	13·0	4	-	2	-	-	2	-	-
Typhus - - - -	0·1	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	65·3	35	-	2	3	5	6	10	9
Whooping-cough - -	59·0	57	14	41	2	-	-	-	-
Diphtheria - -	41·0	19	3	11	5	-	-	-	-
Simple Continued and Ill-defined Fever -	0·1	-	-	-	-	-	-	-	-
Puerperal Fever - - -	10·0	9	-	-	2	2	4	-	1
Cholera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	13·5	19	13	4	-	-	-	1	1
Intermittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	0·1	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Smallpox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Cerebral Affections - -	8·3	5	-	1	-	1	1	2	-
Erysipelas - - -	4·6	1	1	-	-	-	-	-	-
Pyæmia and Septicæmia	1·9	3	1	1	-	-	1	-	-
Puerperal Fever - -	4·5	5	-	-	1	4	-	-	-
Other Zymotic Diseases	1·7	5	1	1	1	-	-	2	-
Cancer - - - -	0·8	2	2	-	-	-	-	-	-
Gout and other Rheumatic Diseases -	0·7	1	-	-	-	1	-	-	-
Starvation, Want of Breast-milk - -	2·6	4	4	-	-	-	-	-	-
Alcoholism - - -	9·8	14	-	-	-	3	10	1	-
Acute Rheumatic Fever, Rheumatism of Heart	7·3	6	-	-	1	2	3	-	-
Chronic Rheumatism - -	2·5	2	-	-	-	-	1	1	-
Gout - - - - -	3·2	1	-	-	-	-	1	-	-
Rickets - - - -	4·9	5	2	3	-	-	-	-	-
Cancer - - - -	76·8	83	-	-	1	9	36	32	5
Tabes Mesenterica - -	19·8	14	4	5	3	2	-	-	-
Tubercular Meningitis -	22·1	16	3	11	2	-	-	-	-
Phthisis - - - -	179·8	169	2	3	11	70	69	14	-
Scrofula, Tuberculosis -	23·0	18	2	8	3	5	-	-	-
Other Constitutional Diseases - -	14·8	16	1	-	1	2	3	9	-
Premature Birth - -	54·0	46	46	-	-	-	-	-	-
Atelectasis - - -	4·3	4	4	-	-	-	-	-	-
Congenital Malformations - - -	10·0	5	5	-	-	-	-	-	-
Old Age - - - -	62·2	75	-	-	-	-	-	43	32
Apoplexy - - -	48·1	56	-	-	-	2	17	30	7
Epilepsy - - - -	9·2	10	-	-	3	2	1	4	-
Convulsions - - -	40·6	33	28	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	93·7	97	13	7	6	12	25	31	3
Diseases of Organs of Special Sense -	3·5	4	-	-	2	2	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 9th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 2nd March, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	1-5	5-20	20 and under 40	40 and under 60	60 and under 80	80 years and upwards
Diseases of Circulatory System - -	174·0	192	2	-	12	18	62	85	13
Croup - - - -	5·6	2	-	1	1	-	-	-	-
Bronchitis - - -	329·3	273	49	23	-	5	46	121	29
Pneumonia - - -	174·8	186	43	41	6	21	40	29	6
Pleurisy - - - -	8·6	3	1	-	-	2	-	-	-
Other Diseases of Respiratory System -	40·4	37	4	2	3	4	13	8	3
Dentition - - - -	11·6	8	5	3	-	-	-	-	-
Quinsy, Sore Throat -	2·1	-	-	-	-	-	-	-	-
Enteritis - - -	15·8	15	3	1	6	1	-	4	-
Gastro-enteritis -		5	3	2	-	-	-	-	-
Peritonitis - - -	5·3	4	1	1	-	1	1	-	-
Diseases of Liver - -	26·9	20	-	1	1	3	11	4	-
Other Diseases of Digestive System	31·9	41	11	3	1	8	7	9	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·4	4	-	-	3	-	1	-	-
Diseases of Urinary System - - -	51·5	59	-	-	1	8	22	25	3
Diseases of Generative System - - -	5·7	6	-	-	-	3	2	1	-
Accidents of Childbirth-	5·1	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	6·0	7	-	1	1	3	-	1	1
Diseases of Integumentary System- -	6·4	8	1	-	-	1	-	2	4
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·4	2	-	-	-	1	1	-	-
By Vehicles or Horses -	6·2	5	-	-	1	2	-	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	1	-	-	-	1	-	-	-
In Building Operations-	0·8	-	-	-	-	-	-	-	-
In Conflagrations -	0·3	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	7·8	11	-	4	2	1	-	4	-
By Drowning - - -	4·1	2	-	-	-	1	1	-	-
By Suffocation in Bed -	15·5	4	4	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·5	3	-	-	-	1	1	1	-
Other or not stated causes - - - -	18·2	24	4	1	3	3	2	8	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·7	2	1	-	1	-	-	-	-
Suicide - - - -	8·7	9	-	-	-	6	2	1	-
Execution - - -	0·2	1	-	-	-	1	-	-	-
OTHER CAUSES - -	55·3	48	45	1	-	-	-	1	1

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered dical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of cident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ended Saturday, 2nd March, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2681	1865	333	609	-	36	4	19	57	-	9	-	19	64	186	589
WEST DISTRICTS - - -	778,251	372	337	53	125	-	1	-	2	14	-	1	-	2	12	26	95
NORTH DISTRICTS - - -	1,040,694	609	376	68	138	-	6	1	7	9	-	3	-	3	16	45	94
CENTRAL DISTRICTS - - -	233,635	131	114	15	31	-	1	-	-	1	-	1	-	-	6	11	49
EAST DISTRICTS - - -	716,334	511	327	67	101	-	-	-	1	7	-	-	-	6	13	45	121
SOUTH DISTRICTS - - -	1,642,796	1,058	667	130	197	-	28	3	9	26	-	3	-	8	17	59	186
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	44	-	17	-	-	-	-	-	-	1	-	-	-	-	44
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	40	42	8	15	-	-	-	-	1	-	-	-	1	-	2	9
St. John Paddington *H* - - G.	33,510	6	12	2	5	-	-	-	-	-	-	-	-	-	-	1	5
Kensington Town *Ww* - - W.	122,164	62	63	5	26	-	-	-	-	3	-	-	-	-	4	3	28
Brompton *HH*- - - W. & C.	48,301	16	15	3	4	-	-	-	-	-	-	-	-	-	1	1	2
North Hammersmith *H* W. & G	44,638	24	20	3	4	-	-	-	-	2	-	-	-	-	1	4	-
South Hammersmith *wH* W. & G	59,561	39	23	4	9	-	-	-	2	1	-	-	-	-	1	4	2
North-west Fulham *W* W. & C.	113,781	32	22	8	8	-	-	-	-	2	-	-	-	-	-	2	12
North-east Fulham *w* W. & C.		21	16	4	6	-	-	-	-	-	-	-	-	-	1	1	-
South Fulham W. & C.		22	10	1	1	-	1	-	-	-	-	1	-	-	-	-	-
Chelsea Kensal Town - C.	21,450	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	22	25	4	8	-	-	-	-	-	-	-	-	-	-	2	11
Chelsea South *HH* - - C.	33,139	17	14	4	7	-	-	-	-	2	-	-	-	-	-	-	-
May Fair *WH*- - - - G.	23,827	6	15	1	9	-	-	-	-	1	-	-	-	1	-	-	12
Belgrave *WHHH* - - - C.	56,140	22	25	2	10	-	-	-	-	1	-	-	-	-	1	1	6
St. John Westminster *HH* C.	31,492	22	11	2	5	-	-	-	-	1	-	-	-	-	-	1	1
St. Margaret Westminster *H* C.	22,097	7	12	1	4	-	-	-	-	-	-	-	-	-	1	1	6
St. James Westminster *WH* N. & G.	23,050	1	5	-	3	-	-	-	-	-	-	-	-	-	-	1	1
St. Anne Soho *HHHHH* - N.	12,048	4	5	1	1	-	-	-	-	-	-	-	-	-	2	2	-
NORTH DISTRICTS.																	
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	11	18	5	4	-	-	-	-	-	-	-	-	-	1	1	8
Rectory Marylebone *W* G. & W.		11	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.		40	11	-	4	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone‡*H* - W		23	7	2	2	-	-	-	-	2	-	-	-	-	-	-	-
St. John Marylebone‡ *HHH* - W		9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	21	22	2	10	-	-	-	3	1	-	3	-	-	-	-	6
Regent's Park *HH* - W.	51,403	27	22	4	11	-	-	-	-	1	-	-	-	1	2	2	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	22	3	5	-	-	-	1	-	-	-	-	-	2	4	14
Gray's Inn Lane *HHHH* - N.	29,426	10	9	2	4	-	-	-	-	-	-	-	-	-	1	3	4
Somers Town *HH* - - - N.	32,161	19	10	4	1	-	-	-	1	-	-	-	-	-	-	2	1
Camden Town *WH* - - N.	40,155	23	15	1	8	-	-	-	-	-	-	-	-	-	1	1	10
Kentish Town *WW* - - N.	60,862	25	24	5	9	-	-	-	-	1	-	-	-	-	-	3	1
Upper Holloway *WWWWwHH* - - N.	98,273	58	43	5	18	-	-	-	-	-	-	-	-	-	1	8	26
Lower Holloway - - - N.	41,805	31	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Barnsbury - - - - N.	56,384	43	16	5	5	-	-	-	-	1	-	-	-	-	-	3	-
Islington South-east *H* - N.	75,725	46	29	12	8	-	1	-	-	1	-	-	-	-	1	1	-
Highbury *HH* - - - N.	64,577	25	15	2	5	-	-	-	-	1	-	-	-	-	-	1	-
Stoke Newington *H* - - N.	33,485	26	13	-	9	-	-	-	-	-	-	-	-	-	-	1	-
Hornsey (part of) - - -	†*16,892*	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	23	8	2	3	-	-	-	-	-	-	-	-	-	1	3	-
Central Hackney *ww* - E. & N.		30	13	1	3	-	1	-	2	-	-	-	-	-	-	1	2
South-west Hackney *HHH* E. & N.		40	18	4	7	-	-	-	-	-	-	-	-	1	2	3	3
South-east Hackney *WwH* E. & N.		49	40	6	17	-	4	-	-	1	-	-	-	1	3	6	17

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	29,086	18	8	-	2	-	-	-	-	-	-	-	-	-	-	1	4	-
St Giles North *H* - - - N.	9,151	9	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	2	7	1	4	-	-	-	-	-	-	-	-	-	1	1	3	1
Strand *WHH* - - - - N.	11,839	4	13	1	1	-	1	-	-	-	-	-	-	-	-	-	10	-
Strand Union Workhouse, Edmonton	†*1,037*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *WwHHHHH* - N.	31,042	14	21	4	7	-	-	-	-	1	-	-	-	-	1	1	6	-
St. James Clerkenwell - - N.	15,777	14	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Amwell Clerkenwell - - N.	34,356	23	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.	16,069	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	25	13	1	6	-	-	-	-	-	-	-	-	-	1	1	-	-
Finsbury - - - - - N.	11,630	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†*892*	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H* - - N. & E.	13,061	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	5	25	-	4	-	-	-	-	-	-	-	-	-	3	5	19	-
Allhallows Barking - - - N.	9,059	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	7	9	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *w* - - N.	29,575	27	15	3	2	-	-	-	-	1	-	-	-	-	-	1	10	-
Hoxton Old Town - - - N.	27,645	16	13	5	3	-	-	-	-	-	-	-	-	-	1	3	-	-
Haggerston *WH* - - N. & E.	47,163	26	26	4	10	-	-	-	-	-	-	-	-	-	1	2	10	-
Bethnal Green North *H* - E.	49,301	32	6	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Bethnal Green South - - E.	34,194	26	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bethnal Green East *WWHl* - E.	45,667	34	29	3	17	-	-	-	-	-	-	-	-	-	-	1	16	-
Spitalfields - - - E. & N.	26,681	21	8	3	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Mile End New Town *WH* - E.	51,995	28	44	6	9	-	-	-	1	-	-	-	-	1	6	8	35	-
Goodman's Fields - - - E.		17	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	44	7	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John, St. George East *W* E.	7 930	3	6	-	5	-	-	-	-	-	-	-	-	-	-	1	5	-
Shadwell *H* - - - E. & N.	10,434	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ratcliff *W* - - - - E.	14,954	7	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Limehouse - - - - E.	32,917	21	9	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town West *H* E.	111,060	51	15	3	7	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town East *WWww* - E.		33	31	6	9	-	-	-	-	2	-	-	-	-	-	4	14	-
Bow *l* - - - - E.	41,687	23	15	3	4	-	-	-	-	-	-	-	-	1	-	3	1	-
Bromley *wwwH* - - - E.	69,821	42	51	10	21	-	-	-	-	1	-	-	-	3	4	7	26	-
Poplar *WW* - - - - E.	57,759	47	24	7	6	-	-	-	-	1	-	-	-	-	-	4	1	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	13	5	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	11	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	18	4	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Borough-road *WH* - S. & L.	16,083	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-
London-road *HL* - - L. & S.	21,316	13	11	3	2	-	1	-	-	-	-	-	-	-	1	2	-	-
Trinity Newington *H* - S. & L.	28,723	15	11	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Peter Walworth *W* - S. & L.	62,045	40	23	4	5	-	1	-	-	2	-	-	-	-	-	3	4	-
St. Mary Newington- - L. & S.	30,171	25	17	4	6	-	-	-	-	-	-	-	-	-	-	3	-	-
St. Olave *WH* - - - - S.	11,731	6	15	-	2	-	-	-	-	1	-	-	-	-	1	1	14	-
Bermondsey *W* - - - S.	85,475	66	18	7	1	-	1	-	-	-	-	-	-	1	-	3	-	1
Rotherhithe *Ww* - S. & K.	40,379	20	26	4	5	-	1	-	-	2	-	-	-	-	1	2	15	1
Waterloo-road *HH* - L. & S.	28,396	30	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *H* - L. & S.	18,770	9	27	2	2	-	2	-	-	1	-	1	-	-	4	6	20	-
Lambeth Church 2nd *WW* L. & S.	40,994	49	36	5	14	-	1	-	-	1	-	-	-	1	-	-	19	-
Kennington 1st *H* - - S. & L.	52,486	40	15	3	6	-	-	-	-	-	-	-	-	-	1	2	-	-
Kennington 2nd - - S. & L.	43,244	20	14	3	8	-	-	-	-	-	-	-	-	-	-	1	-	2
Brixton *w* - - - L. & S.	81,825	39	28	5	11	-	-	-	1	-	-	-	-	-	-	-	1	2
Norwood *WH* - - - - L.	29,318	9	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	42	22	6	5	-	-	-	-	3	-	-	-	-	-	2	-	-
North-west Battersea - - S. }	93,385	50	8	2	2	-	-	-	-	1	-	-	-	1	-	1	-	-
South-west Battersea *WwH* - S. }		29	30	1	14	-	1	-	-	2	-	-	-	-	1	1	20	-
Clapham *H* - - - - S.	46,953	29	5	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Streatham *WwwwwL* - - L.	61,644	32	24	9	8	-	-	-	1	1	-	-	-	1	-	3	1	1
Wandsworth *WHHL* - - S.	58,101	35	15	3	3	-	-	-	-	1	-	-	-	-	-	2	-	-
Putney - - - - - S.	20,566	5	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich - - - - L. & S.	7,519	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	49	69	5	31	-	2	-	-	2	-	-	-	1	2	7	38	-
Peckham *WW* - S., L., & K.	88,242	47	33	7	12	-	4	-	-	1	-	-	-	-	-	2	-	-
St. George Camberwell - L. & S.	67,029	49	18	2	3	-	2	-	1	2	-	-	-	-	-	2	-	-
Deptford North - - - K.	36,152	32	15	6	1	-	1	-	1	3	-	-	-	1	-	-	-	-
Deptford Central *w* - - K.	45,441	31	19	5	5	-	3	-	2	-	-	-	-	1	-	-	1	2
Deptford South - - - K.	33,402	9	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	14	11	1	3	-	1	-	-	-	-	-	-	-	-	1	4	1
Greenwich East *WH* - - K.	37,767	38	36	6	15	-	-	-	-	1	-	-	-	-	1	4	23	-
Eltham *wH* - - - - K.	5,911	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	16	9	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Lewisham *WwwH* - - - K.	38,139	30	26	7	6	-	2	3	-	-	-	-	-	1	2	4	8	-
Sydenham *H* - - - - L.	37,601	24	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *wHH* - - - K.	15,928	11	12	2	1	-	-	-	3	-	-	2	-	-	1	2	6	-
Woolwich *HHHH* - - K.	41,314	32	12	3	5	-	-	-	-	-	-	-	-	-	-	-	1	1
Plumstead West *H* - - K.	16,714	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K	42,538	33	12	2	5	-	-	-	-	-	-	-	-	-	-	2	5	-
Banstead Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Asylum, Dartford Heath - - - - - }	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum, Hendon	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch Asylum - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	9	-	6	-	-	-	-	-	-	1	-	-	-	-	9	-
Claybury Asylum - - - -	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd March, 1901.

Distrion District id District m-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
LONDON—OUTER RING -		368,584	1,405,489	1247	581	136	172	–	5	1	9	23	8	4	13	37	87	3
:1	Carshalton *H* - - -	12,228	26,108	17	9	3	1	–	1	–	–	1	–	–	–	1	1	–
2	Epsom, *part of** *WwHHH*	10,423	12,508	8	4	–	3	–	–	–	–	–	–	–	–	–	2	–
:1	Godstone, *part of** *W* -	2,754	1,598	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
:1	Croydon *WWwHHH* -	20,851	128,699	74	52	14	18	–	–	1	–	1	–	–	1	1	14	–
2	Mitcham *w* - - -	11,697	23,072	12	11	3	4	–	2	–	–	1	–	–	–	1	–	–
:1	Wimbledon *HHH* - -	3,220	25,777	20	12	4	3	–	–	–	–	–	1	–	–	–	2	–
2	Kingston *WH* - - -	14,672	33,566	22	19	2	9	–	–	–	1	1	–	–	–	2	4	–
3	Surbiton *HH* - - -		12,178	8	5	–	2	–	–	–	1	–	1	–	–	–	2	–
4	Esher, *part of** *H* - -		11,080	5	4	1	2	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL* - - -	4,565	18,252	17	3	1	1	–	–	–	–	–	–	–	–	–	–	–
:1	Richmond *WHH* - -	2,160	25,389	15	10	–	7	–	–	–	–	–	1	–	1	1	2	–
2	Mortlake *H* - - -	2,823	16,159	16	9	1	6	–	–	–	–	–	–	–	1	1	–	–
:1	Bromley *HHH* - - -	9,127	23,815	21	9	2	1	–	–	–	1	–	–	–	–	1	–	–
2	Beckenham *H* - - -	6,542	21,969	13	6	–	2	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of*† *W* -	6 974	7,714	4	2	–	2	–	–	–	–	–	–	–	–	–	1	–
4	Chislehurst† *HH* - -	7,333	12,658	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Bexley *HHH* - - -	12,540	30,590	28	12	4	3	–	–	–	2	1	–	–	1	1	–	–
2	Dartford *WH, part of** -	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
:1	Sunbury *w* - - -	11,054	13,671	5	5	3	–	–	–	–	–	–	–	–	1	3	–	–
2	Staines *WH* - - -	13,277	13,221	8	1	1	–	–	–	–	–	–	–	–	–	–	–	–
:1	Hillingdon *WHH* - -	6,035	12,237	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge - - - -	12,757	7,253	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - - -	7,952	11,051	8	6	2	1	–	–	–	–	–	–	–	–	–	–	–
:1	Isleworth *WHH* - -	6,967	26,004	29	31	7	10	–	1	–	–	2	–	–	–	–	12	–
2	Twickenham *HH* - -	2,415	16,027	7	4	1	3	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH* - -	4,318	37,777	36	12	2	2	–	–	–	–	–	1	–	–	–	2	–
4	Chiswick - - - -	1,245	21,963	14	9	–	2	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wHH* - - -	6,132	30,945	28	13	3	3	–	–	–	–	1	–	–	–	1	–	–
:1	Harrow *HHH* - - -	13,809	15,715	7	6	1	2	–	–	–	–	1	–	–	–	–	1	–
2	Edgware *HH* - - -	6,994	3,844	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* - -	4,383	61,265	68	27	7	5	–	–	–	–	2	–	–	2	4	–	–
4	Hendon *WH* - - -	8,382	15,843	22	3	1	–	–	–	–	–	–	–	–	–	1	–	–
:1	South Mimms *HH* - -	21,077	6,367	4	2	1	1	–	–	–	–	–	–	–	–	1	–	–
2	Barnet *WHH* - - -		14,152	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH* - - -	4,688	25,820	16	7	1	2	–	–	–	–	–	–	–	–	1	–	–
:1	Hornsey, *part of** *HH* -	2,800	44,205	30	11	2	4	–	–	–	–	–	–	–	1	2	–	–
:3	Amwell, *part of** - - -	65	318	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:2	Tottenham *HHH* - -	4,642	97,174	88	38	13	6	–	–	–	1	3	–	–	1	3	2	–
3	Edmonton *Ww* - -	7,489	36,351	45	15	3	5	–	–	–	–	–	–	–	–	2	2	–
4	Enfield *WWHH* - -	12,602	31,536	19	7	2	–	–	–	–	–	–	–	1	–	–	–	–
5	Waltham Abbey - - -	11,017	6,066	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - - -	8,480	9,620	6	3	1	1	–	–	–	–	–	–	–	–	–	–	–
:1	Hatfield, *part of** *W* -	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Bushey *H* - - - -	9,331	7,737	7	1	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH, part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Stratford *H* - - -	4,706	38,612	38	13	3	2	–	–	–	–	–	–	–	1	1	2	1
2	Plaistow *HHH* - - -		58,030	76	31	9	6	–	–	–	1	3	1	3	–	–	4	1
3	Canning Town *H* - -		54,750	60	23	7	5	–	–	–	–	2	–	–	2	3	2	–
4	Forest Gate *w* - - -		53,511	26	20	4	7	–	–	–	–	–	1	–	–	–	–	–
5	East Ham *wHHH* - -	3,266	32,713	79	16	5	2	–	–	–	–	–	1	–	–	–	–	–
6	Wanstead - - - -	4,334	7,042	7	2	–	2	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW* - -		38,232	31	41	6	15	–	1	–	–	2	1	–	1	2	27	1
8	North Leyton *WwH* -		24,874	21	5	–	3	–	–	–	–	1	–	–	–	1	–	–
9	Walthamstow *HHHL* -	6,501	57,370	86	32	9	10	–	–	–	2	–	–	–	–	2	1	–
:1	Chigwell, *part of** *HHHH*	11,779	12,941	7	3	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Epping *WH, part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Romford, *part of** *W* -	6,556	4,324	8	2	–	2	–	–	–	–	–	–	–	–	–	–	–
2	Ilford *H* - - - -	8,493	10,913	37	8	4	1	–	–	–	–	1	–	–	–	–	–	–
3	Barking Town, *H* - -	3,814	14,301	11	6	–	1	–	–	–	–	–	–	–	–	1	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	London County Lunatic Asylum, Dartford Heath.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37: 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 2nd March, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	ANNUAL RATE OF MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,781,854**	**18·8**	**1·5**	**2446**	**469**	**781**	**-**	**41**	**5**	**28**	**80**	**17**	**23**	**77**	**6**
INNER LONDON -	74,837	4,651,113	20·9	1·6	1865	333	609	-	36	4	19	57	9	19	64	5
OUTER RING -	368,584	2,130,741	14·2	1·2	581	136	172	-	5	1	9	23	8	4	13	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTI DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	309,472	March 2	152	133	22·4	-	5	1	1	8	-	
GLASGOW - -	753,766	" 2	467	391	27·0	12	2	1	-	43	-	
DUBLIN† - -	346,128	" 2	179	309	46·6	-	1	-	1	5	3	
CALCUTTA - -	466,460	December 29	-	-	-	-	-	-	-	-	-	
BOMBAY - -	821,764	February 12	241	2027	128·3	3	4	?	?	?	1140‡	1
MADRAS - -	452,518	January 25	314	469	53·8	3	2	?	?	?	150‡	
PARIS - - -	2,511,629	February 23	1322	1248	25·8	3	10	3	17*	8	3	
BRUSSELS - -	570,844	" 23	288	198	18·0	-	3	-	1*	2	1	
AMSTERDAM -	520,800	" 16	315	155	15·5	-	4	-	1	1	-	
ROTTERDAM -	325,556	" 16	-	-	-	-	-	-	-	-	-	
THE HAGUE -	205,328	" 16	-	-	-	-	-	-	-	-	-	
COPENHAGEN -	354,000	" 23	162	137	20·2	-	7	-	2	4	1	
STOCKHOLM -	297,148	" 16	118	121	21·2	-	1	1	2*	-	-	
CHRISTIANIA -	226,423	" 23	147	103	23·7	-	1	-	-	1	-	
ST. PETERSBURG	1,132,677	" 16	734	605	27·9	1	4	19	35	4	10	
MOSCOW - -	988,610	" 16	-	516	27·2	-	3	11	11	1	-	
BERLIN - -	1,885,685	" 9	956	660	18·2	1	14	12	8	12	3	
HAMBURG - -	705,738	" 23	-	243	17·9	-	1	3	3*	-	-	
DRESDEN - -	397,000	January 5	-	-	-	-	-	-	-	-	-	
BRESLAU - -	422,415	February 23	-	202	24·9	-	-	-	1	1	1	
MUNICH - -	500,000	" 23	-	251	26·1	-	7	-	-	5	-	
VIENNA - -	1,673,688	" 23	873	794	24·8	1	21	6	11*	2	1	
PRAGUE - -	393,091	" 16	182	208	27·5	-	2	1	2	-	3	
BUDA-PESTH -	741,013	" 16	474	294	20·6	-	6	7	1	2	-	
TRIESTE - -	168,951	" 23	141	109	32·1	-	-	-	3*	-	-	
ROME - - -	521,159	January 19	-	-	-	-	-	-	-	-	-	
TURIN (11 days)-	344,203	December 31	221	197	19·0	-	-	1	1	-	1	
VENICE - -	174,170	January 26	-	-	-	-	-	-	-	-	-	
CAIRO - -	570,062	" 6	-	-	-	-	-	-	-	-	-	
ALEXANDRIA -	319,766	" 6	-	-	-	-	-	-	-	-	-	
NEW YORK (including BROOKLYN)	3,536,517	February 2	1708	1332	19·7	2	2	14	40*	8	15	
PHILADELPHIA -	1,293,697	" 9	-	549	22·1	-	-	4	17	3	7	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 6 deaths from cholera in Bombay, and 5 in Madras.
‡ Including 923 deaths from plague in Bombay, and one death in Madras.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	24	..	29·770	45·4	38·1	7·3	42·1	+ 2·2	36·5	5·6	8·6	0·2	81	56·2	34·6	39·33	SSW., SW. & WSW.	W. & WSW.	2·6	0·0	0·2	324	+ 15	0·00	0·8
Monday -	25	First Quarter.	29·547	47·7	38·7	9·0	42·9	+ 2·9	39·2	3·7	8·0	1·8	87	82·0	29·6	39·70	WSW. & SW.	WSW., SW. & SSW.	1·8	0·0	0·1	304	− 10	0·00	0·0
Tuesday -	26	Greatest Dec. N.	29·341	45·0	38·5	6·5	42·2	+ 2·1	37·1	5·1	9·0	1·1	82	60·7	29·3	40·08	S.	S. & SSW.	5·5	0·0	0·6	372	+ 54	0·03	0·0
Wednesday	27	..	29·185	47·5	42·6	4·9	44·6	+ 4·5	41·1	3·5	6·9	1·8	87	57·0	36·3	40·40	SSW. & WSW.	W. & WSW.	5·3	0·0	0·6	403	+ 81	0·17	0·0
Thursday- March.	28	..	29·348	52·3	38·4	13·9	44·6	+ 4·4	39·8	4·8	11·6	2·5	83	98·0	29·9	40·73	SW. & SSW.	SW. & SSW.	1·0	0·0	0·0	217	−109	0·01	0·2
Friday -	1	..	28·994	52·9	37·9	15·0	45·5	+ 5·3	39·3	6·2	11·8	1·9	79	97·9	31·8	41·09	SSE., S. & SW.	SW.	10·9	0·0	1·3	486	+157	0·21	0·8
Saturday-	2	..	29·007	52·8	36·5	16·3	45·3	+ 4·9	41·9	3·4	7·6	2·4	88	96·3	27·4	41·39	SW., SSW. & SSE.	SSW.	8·8	0·0	1·4	469	+138	0·15	0·0
Means -			29·313	49·1	38·7	10·4	43·9	+ 3·8	39·3	4·6	9·1	1·7	84	78·3	31·3	40·39	SW.		..	..	..	Sum 2575	Sum +326	Sum 0·57	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	24	w. P. generally.	0·0	10·5	Generally overcast. A little fine rain in early morning.
Monday -	25	w. P. throughout.	1·0	10·6	Generally overcast till 4h. P.M.; fine and partially cloudy afterwards.
Tuesday -	26	w. P. generally; occasional v. N.	0·0	10·6	Overcast; occasional slight rain.
Wednesday	27	w. P. and v. N. till 9h. A.M.; w. P. afterwards.	0·1	10·7	Generally overcast; frequent rain till afternoon.
Thursday- March.	28	w. P. throughout.	4·2	10·7	Fine and partially cloudy generally. A little rain in evening Solar halo in forenoon.
Friday -	1	w. P. and w. N. generally.	5·5	10·8	Overcast, with rain, in morning; showery till afternoon; fine, with variable amounts of cloud afterwards. Brilliant flash of lightning followed by prolonged peal of thunder at 1h. 12m. P.M. Lunar halo in evening.
Saturday -	2	w. P. till 10h. A.M.; m. P. and v. N. till noon; w. P. generally afterwards.	4·9	10·9	Very fine till 6h. A.M.; overcast, with frequent rain till 11h. A.M.; very fine with strong gusty wind till evening; cloudy with occasional slight showers afterwards. Lunar halo at night.
			Sum 15·7	Sum 74·8	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·98 in. at the beginning of the week to 29·01 in. by 7h. A.M. on February 27th; increased to 29·42 in. by 2h. A.M. on February 28th; decreased to 28·94 in. by 8h. A.M. on March 1st; increased to 29·18 in. by 4h. A.M. on March 2nd; decreased to 28·96 in. by 9h. P.M. on the same day; and was 28·99 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd February, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	11	1	-	-	-	-	3	-
Kensington	177,205	-	5	3	-	2	-	-	2	-
Hammersmith	111,213	-	4	6	-	-	-	-	6	1
Fulham	141,920	-	14	7	-	-	-	-	-	-
Chelsea	73,843	-	7	2	-	-	-	-	1	1
City of Westminster	189,375	-	3	3	-	1	-	-	1	1
NORTH.										
St. Marylebone	140,460	-	3	8	-	-	-	-	5	-
Hampstead	82,605	-	1	2	-	1	-	-	4	-
St. Pancras	246,098	-	9	11	-	5	-	-	4	1
Islington	353,528	-	16	7	-	6	-	-	3	1
Stoke Newington	55,758	-	1	3	-	-	-	-	2	-
Hackney	228,417	-	11	9	-	2	-	-	2	-
CENTRAL.										
Holborn	59,700	-	3	-	-	-	-	-	2	-
Finsbury	106,590	-	3	4	-	1	-	-	-	1
City of London	25,289	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	3	4	-	1	-	-	2	-
Bethnal Green	127,509	-	2	5	-	1	-	-	4	-
Stepney	305,058	-	7	12	-	6	-	-	8	-
Poplar	170,465	-	2	13	-	1	-	-	3	-
SOUTH.										
Southwark	208,869	-	13	6	-	2	-	-	3	1
Bermondsey	136,824	-	7	6	-	3	-	-	4	-
Lambeth	318,530	-	10	5	-	1	-	-	2	1
Battersea	180,017	-	4	3	-	-	-	-	1	1
Wandsworth	242,224	-	12	11	-	5	-	-	5	1
Camberwell	269,102	-	14	16	-	5	-	-	-	-
Deptford	113,562	-	11	8	-	-	-	-	1	-
Greenwich	91,228	-	3	3	-	1	-	-	4	-
Lewisham	112,856	-	11	5	-	-	-	-	-	-
Woolwich	114,106	-	3	6	-	2	-	-	3	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**193**	**169**	-	**46**	-	-	**75**	**10**
Ages 0-1		-	1	3	-	-	-	-	5	-
„ 1-5		-	68	70	-	3	-	-	2	-
„ 5-		-	63	53	-	6	-	-	2	-
„ 10-		-	26	14	-	10	-	-	1	-
„ 15-		-	10	7	-	6	-	-	5	1
„ 20-		-	12	6	-	3	-	-	4	2
„ 25-		-	7	12	-	11	-	-	8	5
„ 35-		-	5	2	-	6	-	-	22	2
„ 45-		-	-	2	-	1	-	-	10	-
„ 55-		-	1	-	-	-	-	-	6	-
„ 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 10. 1901. VOL. LXII.] WEEK ENDED SATURDAY, MAR. 9. [Price 1½*d*.

General Register Office, Somerset House,
March 11th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·5 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·5, 21·2, and 21·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.		Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.
33 Great Towns	19·5	21·2	21·5	19·5	Leicester - -	16·5	16·5	13·9	18·3
Birkenhead -	22·7	20·6	22·7	16·2	Liverpool - -	28·8	27·3	31·0	26·3
Birmingham -	22·8	25·5	21·4	21·0	London - - -	19·3	20·8	20·9	19·3
Blackburn -	19·5	20·6	21·7	13·5	Manchester - -	22·5	26·2	22·8	23·6
Bolton - -	16·6	17·6	19·1	17·2	Newcastle-on-Tyne	19·3	24·1	22·1	17·6
Bradford -	13·3	15·6	19·1	16·3	Norwich - -	27·3	25·1	17·0	16·1
Brighton -	18·8	20·0	19·2	17·5	Nottingham - -	21·2	22·0	22·0	15·0
Bristol - -	19·0	23·8	24·7	21·9	Oldham - -	17·4	17·1	14·1	18·7
Burnley -	11·7	11·7	22·1	16·9	Plymouth - -	25·1	36·7	38·2	34·2
Cardiff - -	13·9	20·3	19·8	20·0	Portsmouth - -	18·8	18·1	21·2	17·5
Croydon -	18·2	14·7	15·5	8·9	Preston - -	14·3	23·0	16·1	18·2
Derby - -	18·1	19·0	18·1	15·2	Salford - - -	20·1	25·4	22·6	23·3
Gateshead -	16·7	17·2	18·1	19·0	Sheffield - -	20·7	21·9	21·1	19·7
Halifax -	17·1	20·5	25·4	23·4	Sunderland - -	14·7	22·4	24·1	29·7
Huddersfield-	13·3	13·3	15·3	15·8	Swansea - -	17·0	22·4	24·3	20·9
Hull - -	20·6	24·9	22·3	21·2	West Ham - -	15·2	13·6	16·9	11·6
Leeds - -	17·5	18·3	22·2	18·7	Wolverhampton -	17·9	17·9	26·0	13·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Leeds, 1·4 in Sunderland, 2·4 in Liverpool, and 2·8 in Hull and in Gateshead; from *scarlet fever*, 1·3 in Burnley; from *whooping-cough*, 1·0 in Bristol, 1·1 in Hull, 1·2 in Wolverhampton, and 1·7 in Sunderland; and from *diarrhœal diseases*, 1·0 in Plymouth. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 74 deaths from *diphtheria* included 25 in London, 8 in Sheffield, 7 in Liverpool, 6 in Leeds, 5 in Leicester, 4 in Salford, 3 in West Ham, and 3 in Newcastle-on-Tyne. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2496 BIRTHS and 1723 DEATHS were registered. Allowing for increase of population, the births were 303, and the deaths 307,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1. 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8367—670—3/1901 Wt 82 D & S 3 K

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·3, 20·8, and 20·9 in the preceding three weeks, fell again last week to 19·3. During the four weeks ended on Saturday last the death-rate averaged 20·1 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1723 deaths included 33 from measles, 6 from scarlet fever, 25 from diphtheria, 37 from whooping-cough, 7 from enteric fever, 14 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 122 deaths were referred to these diseases, being 74 below the corrected average weekly number.

The deaths from *measles*, which had been 36, 36, and 36 in the preceding three weeks, fell last week to 33, and were 28 below the corrected average; 6 cases belonged to the Borough of Hackney. The deaths from *scarlet fever*, which had been 5, 5, and 4 in the preceding three weeks, were 6 last week, the corrected average being 11; 2 cases belonged to Southwark. The deaths from *diphtheria*, which had been 20, 27, and 19 in the preceding three weeks, rose again last week to 25, but were 16 below the corrected average. The deaths from *whooping-cough*, which had been 49, 52, and 57 in the preceding three weeks, fell again last week to 37, and were 21 below the corrected average; 5 cases belonged to Poplar. The fatal cases of *enteric fever*, which had been 11, 6, and 9 in the preceding three weeks, fell again last week to 7, and were 2 below the corrected average; 2 cases belonged to St. Pancras. The deaths from *diarrhœal diseases*, which had been 16, 10, and 19 in the preceding three weeks, fell again last week to 14, and were equal to the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 420, 493, and 501 in the preceding three weeks, fell again last week to 463, and were 97 below the corrected average. The deaths attributed directly to *influenza* numbered 39, having been 16, 32, and 35 in the preceding three weeks.

Different forms of *violence* caused 66 deaths, concerning all but 3 of which inquests were held. Of these 66 deaths, 11 were cases of suicide, while the remaining 55 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 10 to burns and scalds, 2 to plumbism, 3 to suffocation by coal gas, and 16 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there was 1 case of small-pox, 1746 cases of scarlet fever, 1118 of diphtheria, and 205 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 140 cases, against 142, 162, and 185; of diphtheria, 153 cases, against 136, 124, and 152; and of enteric fever, 13 cases, against 38, 23, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended March 2nd.

Greater London.

In Greater London 3607 births and 2254 deaths were registered, corresponding to annual rates of 27·7 and 17·3 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 2 from scarlet fever, 10 from diphtheria, 15 from whooping-cough, 3 from "fever," and 4 from diarrhœal diseases were registered. Five deaths from diphtheria and 9 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·51 inches, and that of the Thermometer 42°·0; the latter being 1°·2 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 43 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 11·4 hours; the measured rainfall amounted to 0·76 inch.

Metropolitan Water Supply (see pp. 129–131).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 9th Mar. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,789,099**	**6444**	**4419**	**931**	**1254**	-	**118**	**32**	**74**	**91**	**22**	**39**	**164**	**351**	**1050**	**51**	**19·5**	**1·7**	**56·1**	**28·2**	**41·3**	**5·17**	**0·95**	**2·41**	**33 Towns.**
London - -	4,651,113	2496	1723	359	492	-	33	6	25	37	7	14	66	159	47	6	19·3	1·4	54·1	35·4	42·0	5·56	0·76	1·93	London.
West Ham - -	329,377	150	73	16	18	-	1	1	3	5	1	1	5	8	21	-	11·6	1·9	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	62	23	5	6	-	-	-	-	1	-	-	1	3	1	-	8·9	0·4	53·0	34·5	41·9	5·50	1·21	3·07	Croydon.
Brighton - -	125,077	74	42	6	15	-	-	-	-	-	-	-	2	4	5	-	17·5	-	-	-	-	-	-	-	Brighton.
Portsmouth -	199,262	111	67	10	24	-	1	-	2	1	1	-	2	6	16	-	17·5	1·3	-	-	-	-	-	-	Portsmouth.
Plymouth - -	103,708	49	68	7	29	-	-	-	-	1	-	2	2	3	13	-	34·2	1·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	146	138	23	48	-	-	2	1	6	1	3	1	11	21	-	21·9	2·1	51·0	33·0	42·3	5·72	1·39	3·53	Bristol.
Cardiff - -	203,050	92	78	17	15	-	-	-	-	1	-	-	1	2	10	-	20·0	0·3	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	48	43	8	7	-	1	-	1	-	-	-	-	1	5	1	20·9	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	56	23	9	9	-	-	-	-	2	-	1	-	2	2	-	13·3	1·7	52·4	28·2	39·4	4·11	0·45	1·14	Wolverhampton
Birmingham -	524,307	326	211	51	61	-	4	2	-	3	-	1	15	18	48	6	21·0	1·0	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	57	36	6	17	-	-	-	-	-	-	-	2	2	1	1	16·1	-	56·1	33·0	41·9	5·50	0·73	1·85	Norwich.
Leicester - -	224,619	121	79	27	25	-	-	-	5	1	-	-	4	7	11	2	18·3	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	146	71	11	21	-	3	-	2	1	-	2	1	2	9	1	15·0	1·7	53·2	33·0	40·9	4·94	0·88	2·24	Nottingham.
Derby - - -	109,605	72	32	9	12	-	-	-	-	-	-	-	1	4	5	-	15·2	-	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	65	37	8	7	-	-	-	-	-	-	-	2	4	9	-	16·2	-	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	442	321	67	73	-	29	1	7	4	3	1	7	11	85	14	26·3	3·7	52·2	35·3	41·2	5·11	0·31	0·86	Liverpool.
Bolton - -	166,284	102	55	10	16	-	2	-	-	-	1	1	2	5	11	1	17·2	1·3	-	-	-	-	-	-	Bolton.
Manchester -	553,677	317	251	46	63	-	3	5	2	5	-	3	11	28	64	-	23·6	1·7	-	-	-	-	-	-	Manchester.
Salford - -	223,418	123	100	22	24	-	4	3	4	3	1	1	5	9	21	1	23·3	3·7	-	-	-	-	-	-	Salford.
Oldham - -	155,865	59	56	8	23	-	-	-	-	1	-	2	2	4	11	-	18·7	1·0	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	57	39	10	9	-	1	3	-	-	-	1	-	1	6	-	16·9	2·2	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	69	36	5	8	-	-	1	2	-	1	1	2	2	5	1	13·5	1·9	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	68	42	12	16	-	-	1	-	-	-	-	-	-	5	2	18·2	0·4	50·0	35·0	40·8	4·89	1·58	4·01	Preston.
Huddersfield -	105,514	33	32	4	11	-	-	-	-	-	-	-	-	1	3	-	15·8	-	-	-	-	-	-	-	Huddersfield.
Halifax - -	106,873	49	48	13	16	-	-	-	1	1	-	-	-	1	6	1	23·4	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	132	92	18	35	-	1	1	1	-	-	1	6	8	10	1	16·3	0·7	50·0	36·0	41·4	5·22	1·74	4·42	Bradford.
Leeds - - -	438,814	237	157	35	47	-	8	1	6	1	1	3	5	14	23	2	18·7	2·4	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	236	140	37	30	-	-	4	8	3	3	-	5	7	31	6	19·7	2·5	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	139	99	25	23	-	13	-	-	5	-	-	4	8	14	1	21·2	3·9	50·0	32·0	40·7	4·83	0·45	1·14	Hull.
Sunderland -	149,205	104	85	24	21	-	4	-	-	5	2	-	5	8	12	4	29·7	3·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	78	41	7	9	-	6	-	1	2	-	1	1	2	5	-	19·0	4·6	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	128	81	16	24	-	4	1	3	2	-	-	4	6	14	-	17·6	2·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2505	2510	2769	2636	2681	2534	2654	2736	2627	2841	2798·6	2496
Males - -	1300	1283	1392	1358	1354	1241	1341	1362	1312	1458	1415·7	1286
Females - -	1205	1227	1377	1278	1327	1293	1313	1374	1315	1383	1382·9	1210
TOTAL **Deaths** -	1783	1808	1576	1700	3471	1846	1571	1854	1954	1652	2029·8	1723
Males - -	947	921	805	876	1600	948	808	946	943	884	1022·4	893
Females - -	836	887	771	824	1871	898	763	908	1011	768	1007·4	830

*The numbers in this column are the average weekly numbers in the tenth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 15.	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.
TOTAL **Births** - - -	2527	2436	1591	2983	2466	2693	2713	2410	2687	2690	2673	2681	2496
TOTAL **Deaths** - - -	1454	1382	1466	1593	1750	1666	1568	1438	1668	1719	1853	1865	1723
Ages at Death: Under 1 year - -	374	346	346	361	362	299	285	321	358	333	340	333	359
1—5 years - -	153	174	182	165	186	195	165	159	162	181	199	214	225
5—20 " - -	86	78	78	64	95	70	97	73	99	75	89	94	91
20—40 " - -	183	180	212	210	216	212	203	168	194	216	226	223	201
40—60 " - -	302	296	275	359	377	356	329	305	327	369	375	392	355
60—80 " - -	274	245	307	335	402	421	386	340	420	412	515	486	398
80 years and upwards	82	63	66	99	112	113	103	72	108	133	109	123	94
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	20	26	27	21	34	36	24	25	20	36	36	36	33
Scarlet Fever - - -	8	4	7	9	9	9	8	8	4	5	5	4	6
Diphtheria - - - -	20	36	26	24	25	32	23	24	29	20	27	19	25
Whooping-cough - - -	28	22	31	29	32	38	37	44	58	49	52	57	37
Typhus - - - - -	-	-	-	-	-	-	-	1	1	-	-	-	-
Enteric Fever - - -	19	22	22	18	17	13	16	12	12	11	6	9	7
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	1	-	-
Diarrhœa and Dysentery -	15	10	9	9	16	15	17	11	12	16	10	19	14
Cholera - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
All the above Diseases -	110	121	122	110	133	143	125	125	136	137	137	144	122
Dis. of Respiratory System -	349	306	325	330	392	422	394	323	397	420	493	501	463
Phthisis - - - - -	135	121	146	165	173	182	142	152	148	171	172	169	169
Dis. of Circulatory System -	125	117	137	154	181	157	154	161	178	166	189	192	161
Violence - - - -	64	67	64	90	76	71	76	64	54	70	75	64	66
Inquest Cases - - - -	145	135	160	212	201	166	191	161	171	152	207	186	159
Deaths in Public Institutions -	456	445	431	469	535	499	517	465	550	561	590	589	547
TEMPERATURE OF THE AIR													
Mean - - - - - -	48°·4	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0
Mean of Highest readings -	52·3	49·3	47·6	41·7	39·0	45·3	49·0	41·5	38·2	37·5	39·1	49·1	48·0
Mean of Lowest readings -	42·9	38·6	38·4	33·1	29·3	34·1	39·3	31·8	29·6	26·7	31·7	38·7	37·1
Humidity of the Air - -	88	87	91	94	88	89	82	82	86	72	80	84	85
Rain-fall (in inches) - -	0·21	0·38	0·30	0·56	0·23	0·22	0·18	0·10	0·47	0·03	0·15	0·57	0·76
Registered Sunshine (in hours)	7·2	23·4	4·6	1·7	8·7	13·3	12·6	6·9	2·2	11·9	6·6	15·7	11·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	1	-	3	3	1	1	1	1	1
Scarlet Fever - - - -	2617	2477	2535	2391	2277	2172	2078	2037	1963	1876	1834	1823	1746
Diphtheria - - - -	1474	1514	1356	1266	1200	1152	1153	1128	1150	1110	1118	1124	1118
Enteric Fever - - - -	425	409	403	374	367	333	305	299	262	258	237	224	205

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TENTH Week of the Year 1901.

USES OF DEATH.	Corrected Average for the 10th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 9th March, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	2029·8	1723	359	225	91	201	355	398	94
l- Vaccinated† -	0·5	–	–	–	–	–	–	–	–
Unvaccinated	0·2	–	–	–	–	–	–	–	–
No Statement	0·4	–	–	–	–	–	–	–	–
es - - - -	61·1	33	3	29	1	–	–	–	–
et Fever - - -	11·1	6	1	3	2	–	–	–	–
us - - - -	0·1	–	–	–	–	–	–	–	–
sing Fever - -	–	–	–	–	–	–	–	–	–
nza - - - -	81·4	39	1	2	–	9	10	14	3
ping-cough - -	58·4	37	18	19	–	–	–	–	–
heria - -	40·8	25	–	17	6	–	2	–	–
e Continued and defined Fever -	0·2	–	–	–	–	–	–	–	–
ric Fever - - -	9·2	7	–	–	5	1	1	–	–
rrhœa and Chol. Diarr.	–	–	–	–	–	–	–	–	–
hœa, Dysentery -	13·9	14	9	1	–	–	–	4	–
ttent Fever - -	–	–	–	–	–	–	–	–	–
ophobia - - -	0·2	–	–	–	–	–	–	–	–
hers - - - -	–	–	–	–	–	–	–	–	–
pox and Effects of cination - -	0·2	–	–	–	–	–	–	–	–
real Affections - -	9·9	11	8	2	–	–	1	–	–
pelas - - -	4·2	1	–	–	–	–	1	–	–
nia and Septicæmia	2·2	3	–	–	2	–	1	–	–
peral Fever - -	4·4	–	–	–	–	–	–	–	–
r Zymotic Diseases	1·4	3	–	3	–	–	–	–	–
sh - - - -	1·1	–	–	–	–	–	–	–	–
ns and other Parasical Diseases -	0·2	1	–	–	–	1	–	–	–
ation, Want of east-milk - -	2·3	–	–	–	–	–	–	–	–
holism - - -	10·0	12	–	–	–	3	9	–	–
matic Fever, eumatism of Heart	7·1	14	–	–	3	5	3	3	–
matism - - -	2·5	3	–	–	–	–	1	2	–
- - - - -	2·6	1	–	–	–	–	–	–	1
ets - - - -	6·1	8	3	5	–	–	–	–	–
er - - - -	74·8	71	–	–	–	5	43	22	1
s Mesenterica - -	17·2	19	8	6	3	–	2	–	–
rcular Meningitis -	25·1	27	5	14	7	1	–	–	–
isis - - - -	186·7	169	2	5	12	67	69	14	–
ula, Tuberculosis -	23·0	14	2	7	1	2	2	–	–
r Constitutional eases - -	15·5	24	2	–	2	6	6	7	1
nature Birth - -	50·1	40	40	–	–	–	–	–	–
ectasis - - -	4·6	5	5	–	–	–	–	–	–
enital Malformans - - -	9·4	7	5	1	1	–	–	–	–
Age - - - -	60·0	62	–	–	–	–	–	24	38
plexy - - -	50·4	33	1	–	–	–	7	22	3
epsy - - - -	9·0	5	–	–	–	2	3	–	–
rulsions - - -	42·0	35	32	3	–	–	–	–	–
r Diseases of Brain d Nervous System	94·7	82	14	6	4	11	18	25	4
ases of Organs of ecial Sense -	5·9	7	1	2	1	1	2	–	–

CAUSES OF DEATH.	Corrected Average for the 10th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 9th March, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	165·7	161	–	2	9	22	54	67	7
Croup - - - -	2·6	2	–	2	–	–	–	–	–
Bronchitis - - -	326·5	233	38	27	2	3	35	104	24
Pneumonia - - -	181·9	197	53	42	12	23	32	33	2
Pleurisy - - - -	7·3	6	–	–	–	2	3	1	–
Other Diseases of Respiratory System -	41·4	25	9	3	–	2	1	8	2
Dentition - - - -	11·0	9	4	5	–	–	–	–	–
Quinsy, Sore Throat -	2·1	2	1	1	–	–	–	–	–
Enteritis - - -	15·3	9	7	–	–	1	–	1	–
Gastro-enteritis -		7	5	–	–	–	1	–	1
Peritonitis - - -	5·3	2	–	–	–	–	2	–	–
Diseases of Liver - -	26·4	20	–	–	2	5	7	6	–
Other Diseases of Digestive System	31·0	36	13	4	1	6	6	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	6	–	1	2	1	–	2	–
Diseases of Urinary System - - -	56·4	48	–	1	2	8	14	20	3
Diseases of Generative System - - -	5·3	6	–	–	–	2	1	3	–
Accidents of Childbirth-	4·6	4	–	–	–	4	–	–	–
Diseases of Locomotive System - - -	6·8	5	1	–	1	1	2	–	–
Diseases of Integumentary System- -	6·2	13	6	1	–	–	1	4	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·8	–	–	–	–	–	–	–	–
By Vehicles or Horses -	5·4	5	–	1	3	–	1	–	–
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·4	2	–	–	1	–	1	–	–
In Building Operations -	0·5	–	–	–	–	–	–	–	–
In Conflagrations -	0·3	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions - -	8·1	10	–	7	2	–	–	1	–
By Drowning - - -	4·4	5	–	–	–	2	2	1	–
By Suffocation in Bed -	14·4	16	16	–	–	–	–	–	–
By Poisons or Poisonous Vapours - -	3·2	5	–	–	2	2	1	–	–
Other or not stated causes - - - -	23·0	12	–	1	2	1	4	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	–	–	–	–	–	–	–	–
Suicide - - - -	10·6	11	–	–	–	2	6	3	–
Execution - - -	0·1	–	–	–	–	–	–	–	–
OTHER CAUSES - -	60·5	48	46	2	–	–	–	–	–

he numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase opulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ended Saturday, 9th March, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2496	1723	359	492	-	33	6	25	37	-	7	-	14	66	159	547
WEST DISTRICTS - - -	778,251	383	272	51	85	-	2	-	8	5	-	1	-	-	9	18	97
NORTH DISTRICTS - - -	1,040,694	535	382	76	115	-	7	-	6	11	-	3	-	6	10	33	109
CENTRAL DISTRICTS - - -	233,635	116	100	22	22	-	-	-	-	1	-	-	-	-	5	10	37
EAST DISTRICTS - - -	716,334	482	322	79	86	-	3	-	3	5	-	2	-	2	21	48	116
SOUTH DISTRICTS - - -	1,642,796	980	616	131	177	-	21	5	8	15	-	1	-	6	21	50	157
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	-	7	-	-	1	-	-	-	-	-	-	-	-	31
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	56	30	8	10	-	-	-	2	-	-	-	-	-	2	2	7
St. John Paddington *H* - - G.	33,510	3	17	2	6	-	-	-	1	1	-	-	-	-	-	1	7
Kensington Town *Ww* - - W.	122,164	58	47	9	11	-	-	-	1	-	-	-	-	-	1	4	26
Brompton *HH*- - - W. & C.	48,301	11	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *H* W. & G	44,638	34	19	10	3	-	-	-	-	1	-	-	-	-	1	2	-
South Hammersmith *wH* W. & G	59,561	34	22	3	11	-	-	-	-	1	-	-	-	-	1	1	4
North-west Fulham *W*	113,781	38	14	4	5	-	-	-	-	-	-	-	-	-	-	1	8
North-east Fulham *w* W. & C.		15	13	3	4	-	-	-	3	-	-	-	-	-	-	-	3
South Fulham		24	16	2	3	-	2	-	-	1	-	-	-	-	-	-	-
Chelsea Kensal Town - C.	21,450	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	18	20	1	9	-	-	-	-	1	-	-	-	-	-	-	11
Chelsea South *HH* - - C.	33,139	14	13	2	4	-	-	-	-	-	-	-	-	-	-	2	-
May Fair *WH*- - - - G.	23,827	4	10	2	7	-	-	-	-	-	-	-	-	-	-	-	8
Belgrave *WHHH* - - - C.	56,140	22	19	-	5	-	-	-	-	-	-	1	-	-	3	2	12
St. John Westminster *HH* C.	31,492	14	9	2	3	-	-	-	-	-	-	-	-	-	-	2	1
St. Margaret Westminster *H* C.	22,097	9	7	1	1	-	-	-	1	-	-	-	-	-	1	1	4
St. James Westminster *WH* N. & G.	23,050	11	6	1	1	-	-	-	-	-	-	-	-	-	-	-	4
St. Anne Soho *HHHHH* - N.	12,048	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone‡ *HHHHHHHH* - - W.	141,188	9	9	2	3	-	-	-	-	-	-	-	-	-	1	1	5
Rectory Marylebone *W* G. & W.		3	13	4	3	-	-	-	-	1	-	-	-	1	-	1	3
St. Mary Marylebone *HHHH* G. & W.		20	11	6	2	-	-	-	-	-	-	-	-	-	-	3	5
Christchurch Marylebone‡ *H* - W		24	13	5	2	-	-	-	-	1	-	-	-	1	1	2	-
St. John Marylebone‡ *HHH* - W		9	6	2	1	-	-	-	-	2	-	-	-	-	1	1	-
Hampstead *WwHHHH* - N. & W.	75,449	32	27	4	4	-	-	-	4	-	-	2	-	-	1	3	10
Regent's Park *HH* - W.	51,403	29	15	2	6	-	-	-	-	-	-	-	-	-	-	1	2
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	16	2	4	-	-	-	-	-	-	-	-	-	-	-	10
Gray's Inn Lane *HHHH* - N.	29,426	15	13	1	2	-	-	-	-	1	-	-	-	-	1	2	7
Somers Town *HH* - - - N.	32,161	16	11	1	1	-	-	-	-	-	-	-	-	-	1	1	3
Camden Town *WH* - - N.	40,155	20	24	-	14	-	-	-	-	-	-	-	-	1	1	3	17
Kentish Town *WW* - - N.	60,862	28	22	8	7	-	-	-	-	2	-	-	-	1	-	-	2
Upper Holloway *WWWwHH* - - N.	98,273	48	49	9	13	-	-	-	-	1	-	1	-	-	-	1	24
Lower Holloway - - - N.	41,805	20	10	4	3	-	-	-	-	-	-	-	-	-	-	2	-
Barnsbury - - - - N.	56,384	30	13	6	5	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east *H* - N.	75,725	28	20	8	7	-	-	-	-	1	-	-	-	-	1	1	-
Highbury *HH* - - - N.	64,577	32	11	1	6	-	-	-	-	-	-	-	-	-	-	2	-
Stoke Newington *H* - - N.	33,485	9	9	-	4	-	1	-	-	-	-	-	-	-	-	1	-
Hornsey (part of) - - -	†16,892	8	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	15	14	1	5	-	-	-	-	1	-	-	-	-	1	2	-
Central Hackney *ww* - E. & N.		32	15	3	5	-	1	-	2	-	-	-	-	-	-	-	2
South-west Hackney *HHH* E. & N.		50	22	2	5	-	-	-	-	-	-	-	-	1	-	3	6
South-east Hackney *WwH* E. & N.		41	33	4	11	-	5	-	-	1	-	-	-	1	1	2	13

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	19	5	-	2	-	-	-	-	-	-	-	-	-	1	2	-	-
outh *WH* - - }																		
Giles North *H* - - - N.	9,151	8	5	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Martin-in-the-Fields *HH* N. & C.	13,077	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
and *WHH* - - - - N.	11,839	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-
and Union Workhouse, Edmonton	†*1,037*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
bourn *WwHHHHH* - N.	31,042	14	16	4	1	-	-	-	-	1	-	-	-	-	1	1	9	-
James Clerkenwell - - N.	15,777	12	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	8	9	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-
well-street - - - - N.	16,061	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHHL* - - N.	29,897	30	15	4	6	-	-	-	-	-	-	-	-	-	-	-	4	-
sbury - - - - - N.	11,630	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, } *itcham* - - - -	†*892*	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph *H* - - N. & E.	13,061	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	7	18	2	2	-	-	-	-	-	-	-	-	-	3	4	12	-
hallows Barking - - - N.	9,059	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	7	4	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
xton New Town *w* - - N.	29,575	15	12	1	5	-	-	-	-	-	-	-	-	-	-	2	7	-
xton Old Town - - - N.	27,645	25	7	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
ggerston *WH* - - N. & E.	47,163	29	30	6	10	-	-	-	1	-	-	-	-	-	1	4	12	-
thnal Green North *H* - E.	49,301	37	8	2	1	-	-	-	-	-	-	-	-	-	3	3	-	-
thnal Green South - - E.	34,194	18	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *WWHl* - E.	45,667	31	39	9	15	-	1	-	-	-	-	1	-	-	1	2	23	-
talfields - - - E. & N.	26,681	30	7	2	1	-	-	-	-	-	-	-	-	-	3	3	-	-
le End New Town *WH* - E.	51,995	27	39	8	5	-	1	-	1	-	-	-	-	-	2	9	34	-
odman's Fields - - - E.		17	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
George's, North - - - E.	39,576	38	12	5	1	-	1	-	-	-	-	-	-	-	-	4	-	-
John, St. George East *W* E.	7 930	3	8	2	4	-	-	-	-	-	-	-	-	-	-	1	6	-
adwell *H* - - - E. & N.	10,434	6	12	5	-	-	-	-	-	-	-	1	-	-	1	1	10	-
tcliff *W* - - - - E.	14,954	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - E.	32,917	19	13	1	6	-	-	-	1	-	-	-	-	-	2	2	-	-
le End Old Town West *H* E.	111,060	46	23	5	6	-	-	-	-	-	-	-	-	-	2	3	-	-
le End Old Town East } *WWww* - E.		33	27	6	14	-	-	-	-	-	-	-	-	-	-	-	10	-
w *l* - - - - E.	41,687	26	13	7	1	-	-	-	-	1	-	-	-	1	2	2	-	-
omley *wwwH* - - - E.	69,821	31	37	8	8	-	-	-	-	1	-	-	-	-	1	5	11	-
plar *WW* - - - - E.	57,759	39	21	6	4	-	-	-	-	3	-	-	-	-	2	3	3	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ended Saturday 9th March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	8	3	–	2	–	–	–	–	–	–	–	–	–	–	1	–
St. Saviour Southwark - - S.	12,301	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent-road - - - - S. & L.	22,879	14	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,083	11	6	2	1	–	–	–	–	–	–	–	–	–	–	–	2
London-road *HL* - - L. & S.	21,316	8	6	1	2	–	1	–	–	–	–	–	–	1	–	–	–
Trinity Newington *H* - S. & L.	28,723	18	10	6	1	–	–	–	–	–	–	–	–	–	2	2	–
St. Peter Walworth *W* - S. & L.	62,045	34	24	5	5	–	3	–	–	2	–	–	–	–	–	3	2
St. Mary Newington- - L. & S.	30,171	23	7	1	2	–	–	–	–	–	–	–	–	–	–	–	–
St. Olave *WH* - - - - S.	11,731	9	20	3	3	–	–	–	–	–	–	–	–	–	2	2	14
Bermondsey *W* - - - S.	85,475	48	25	6	8	–	1	–	–	1	–	–	–	1	–	3	2
Rotherhithe *Ww* - S. & K.	40,379	24	26	3	6	–	2	–	–	–	–	–	–	–	2	2	14
Waterloo-road *HH* - L. & S.	28,396	22	8	2	2	–	–	–	–	–	–	–	–	–	1	3	–
Lambeth Church 1st *H* - L. & S.	18,770	7	17	3	2	–	1	–	–	–	–	–	–	–	3	6	10
Lambeth Church 2nd *WW* L. & S.	40,994	27	24	3	9	–	–	–	–	1	–	–	–	–	–	–	16
Kennington 1st *H* - - S. & L.	52,486	35	9	2	5	–	–	–	–	–	–	–	–	–	–	2	–
Kennington 2nd - - S. & L.	43,244	24	12	1	7	–	–	–	–	–	–	–	–	–	1	3	–
Brixton *w* - - - L. & S.	81,825	45	23	5	9	–	–	3	1	2	–	–	–	–	–	1	4
Norwood *WH* - - - - L.	29,318	14	6	2	4	–	–	–	–	–	–	–	–	1	–	–	–
East Battersea - - - - S.	71,730	50	18	6	3	–	–	–	–	1	–	–	–	–	–	2	–
North-west Battersea - - S. }	93,385	31	16	6	4	–	–	–	–	–	–	–	–	–	–	1	–
South-west Battersea *WwH* - S. }		15	25	2	10	–	–	–	–	1	–	–	–	–	1	1	16
Clapham *H* - - - - S.	46,953	24	12	1	4	–	3	–	–	–	–	–	–	–	–	–	1
Streatham *WwwwwL* - - L.	61,644	38	15	8	1	–	–	–	1	2	–	–	–	–	–	1	2
Wandsworth *WHHL* - - S.	58,101	34	22	8	5	–	–	–	–	–	–	–	–	–	3	4	–
Putney - - - - - - S.	20,566	11	4	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Dulwich - - - L. & S.	7,519	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	39	66	5	29	–	–	–	–	–	–	–	–	2	–	–	49
Peckham *WW* - S., L., & K.	88,242	47	36	6	8	–	2	–	1	–	–	–	–	–	–	2	1
St. George Camberwell - L. & S.	67,029	32	18	4	4	–	2	–	–	–	–	–	–	–	1	3	–
Deptford North - - - K.	36,152	26	14	6	1	–	–	–	–	1	–	–	–	–	–	2	–
Deptford Central *w* - - K.	45,441	32	25	6	8	–	2	–	–	3	–	–	–	–	1	1	1
Deptford South - - - K.	33,402	16	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,012	19	7	1	4	–	1	–	–	–	–	–	–	–	–	–	–
Greenwich East *WH* - - K.	37,767	35	16	3	3	–	–	–	–	–	–	–	–	–	2	2	7
Eltham *wH* - - - - K.	5,911	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	24,222	17	4	1	1	–	–	–	–	–	–	–	–	–	1	1	–
Lewisham *WwwH* - - - K.	38,139	43	24	10	6	–	1	2	2	–	–	–	–	1	–	–	8
Sydenham *H* - - - - L.	37,601	20	14	3	4	–	1	–	–	–	–	–	–	–	–	–	–
Charlton *wHH* - - - K.	15,928	11	8	–	2	–	–	–	2	–	–	1	–	–	1	–	5
Woolwich *HHHH* - - K.	41,314	18	12	4	1	–	–	–	–	1	–	–	–	–	–	2	–
Plumstead West *H* - - K.	16,714	13	7	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K	42,538	28	15	1	5	–	–	–	–	–	–	–	–	–	–	–	3
Banstead Asylum - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4
Horton Asylum, Epsom - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Cane Hill Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
London County Asylum, Dartford Heath - - - - - }	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5
Hanwell Asylum - - - -	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6
Central London Sick Asylum, Hendon	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Colney Hatch Asylum - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
N.E. Hospital - - - - -	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Claybury Asylum - - - -	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th March, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,584	1,405,489	1111	531	138	168	–	11	2	10	15	3	4	20	35	75	–
0 : 1	Carshalton *H*	12,228	26,108	12	6	1	2	–	–	–	1	–	–	–	–	–	2	–
2	Epsom, *part of** *WwHHH*	10,423	12,508	7	8	2	4	–	–	–	–	–	–	–	–	–	–	–
7 : 1	Godstone, *part of** *W*	2,754	1,598	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 : 1	Croydon *WWwHHH*	20,851	128,699	73	31	8	8	–	–	–	–	1	–	1	1	3	2	–
2	Mitcham *w*	11,697	23,072	15	10	3	3	–	–	–	–	–	–	–	–	–	–	–
9 : 1	Wimbledon *HHH*	3,220	25,777	25	11	3	4	–	1	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	14,672	33,566	12	16	2	8	–	–	–	–	–	–	–	–	–	4	–
3	Surbiton *HH*		12,178	5	4	1	2	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H*		11,080	3	5	1	1	–	1	–	–	–	–	–	–	–	–	–
5	Hampton *HL*	4,565	18,252	10	6	3	–	–	–	–	1	–	–	–	1	2	1	–
0 : 1	Richmond *WHH*	2,160	25,389	12	10	2	7	–	–	–	–	–	–	–	–	–	3	–
2	Mortlake *H*	2,823	16,159	7	5	–	4	–	–	–	–	–	–	–	1	1	–	–
1 : 1	Bromley *HHH*	9,127	23,815	8	9	1	6	–	–	–	–	–	–	–	–	–	2	–
2	Beckenham *H*	6,542	21,969	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of*†* *W*	6,974	7,714	3	3	–	1	–	–	–	–	–	–	–	–	–	1	–
4	Chislehurst† *HH*	7,333	12,658	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2 : 1	Bexley *HHH*	12,540	30,590	25	8	3	4	–	–	–	–	–	–	–	–	1	–	–
2	Dartford *WH, part of**	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
4 : 1	Sunbury *w*	11,054	13,671	12	10	2	2	–	3	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13,277	13,221	7	4	1	1	–	–	–	–	–	–	–	–	–	3	–
5 : 1	Hillingdon *WHH*	6,035	12,237	6	7	2	4	–	1	–	–	–	–	–	–	–	2	–
2	Uxbridge	12,757	7,253	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	7,952	11,051	11	2	1	1	–	–	–	–	–	–	–	–	–	–	–
6 : 1	Isleworth *WHH*	6,967	26,004	12	6	2	2	–	–	–	–	–	–	–	–	–	–	–
2	Twickenham *HH*	2,415	16,027	14	5	1	2	–	–	–	–	–	–	–	1	1	1	–
3	Brentford *HHHH*	4,318	37,777	23	16	3	7	–	–	–	–	–	–	–	–	2	2	–
4	Chiswick	1,245	21,963	13	7	2	1	–	–	–	1	–	–	–	1	1	–	–
5	Acton *wHH*	6,132	30,945	48	12	5	1	–	–	–	–	1	–	–	–	–	2	–
7 : 1	Harrow *HHH*	13,809	15,715	9	6	3	2	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6,994	3,844	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
3	Willesden *HHH*	4,383	61,265	76	19	10	–	–	–	–	–	2	–	–	–	–	–	–
4	Hendon *WH*	8,382	15,843	19	4	1	2	–	–	–	–	–	–	–	–	–	2	–
8 : 1	South Mimms *HH*	21,077	6,367	5	2	1	–	–	–	–	–	1	–	–	–	–	–	–
2	Barnet *WHH*		14,152	7	6	–	5	–	–	1	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4,688	25,820	16	7	–	3	–	–	–	–	–	–	–	1	1	–	–
9 : 1	Hornsey, *part of** *HH*	2,809	44,205	22	13	2	6	–	–	–	–	–	–	1	2	3	–	–
3 : 3	Amwell, *part of**	65	318	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
9 : 2	Tottenham *HHH*	4,642	97,174	66	34	9	14	–	–	–	–	–	1	–	1	3	4	–
3	Edmonton *Ww*	7,489	36,351	34	24	6	6	–	1	–	1	–	–	–	1	1	5	–
4	Enfield *WWHH*	12,602	31,536	42	9	3	1	–	–	–	–	–	–	–	1	1	1	–
5	Waltham Abbey	11,017	6,066	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,480	9,620	3	2	–	1	–	1	–	–	–	–	–	–	–	–	–
35 : 1	Hatfield, *part of** *W*	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Bushey *H*	9,331	7,737	6	4	2	2	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
36 : 1	Stratford *H*	4,706	38,612	22	13	4	2	–	–	–	1	1	–	–	3	3	2	–
2	Plaistow *HHH*		58,030	48	20	7	2	–	–	1	2	2	1	1	1	2	2	–
3	Canning Town *H*		54,750	57	12	3	1	–	–	–	–	1	–	–	1	1	1	–
4	Forest Gate *w*		53,511	23	12	2	3	–	1	–	–	1	–	–	–	1	–	–
5	East Ham *wHHH*	3,266	32,713	86	32	13	7	–	1	–	1	1	–	1	–	1	1	–
6	Wanstead	4,334	7,042	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*		38,232	30	33	7	13	–	–	–	–	2	1	–	–	2	21	–
8	North Leyton *WwH*		24,874	23	14	2	4	–	–	–	–	–	–	–	–	–	–	–
9	Walthamstow *HHHL*	6,501	57,370	68	30	9	7	–	–	–	1	1	–	–	3	4	–	–
87 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	8	5	–	2	–	1	–	–	–	–	–	1	1	–	–
2	Epping *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
89 : 1	Romford, *part of** *W*	6,556	4,324	4	3	2	1	–	–	–	–	–	–	–	–	–	2	–
2	Ilford *H*	8,493	10,913	19	6	2	1	–	–	–	1	1	–	–	–	–	1	–
3	Barking Town, *H*	3,814	14,301	15	4	–	2	–	–	–	–	–	–	–	–	–	–	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	5	–	1	–	–	–	–	–	–	–	–	–	5	–
	London County Lunatic Asylum, Banstead.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351): 37; 1, Warlingham and Farley parishes: 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892): 13: 3 the part of Hornsey Urban District situated in Amwell Sub-District: 135: 1, Northaw parish: 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 9th March, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15	16.
GREATER LONDON	**443,421**	**6,781,854**	**17·3**	**1·3**	**2254**	**497**	**669**	**-**	**44**	**8**	**35**	**52**	**10**	**18**	**86**	**622**
INNER LONDON -	74,837	4,651,113	19·3	1·4	1723	359	492	-	33	6	25	37	7	14	66	547
OUTER RING -	368,584	2,130,741	13·0	1·1	531	138	168	-	11	2	10	15	3	4	20	75

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	March 9	141	135	22·7	-	9	-	1	10	3	1
GLASGOW - -	753,766	" 9	483	366	25·3	20	1	4	-	30	1	5
DUBLIN† - -	346,128	" 9	227	263	39·6	-	-	-	-	10	1	1
CALCUTTA - -	486,460	December 29	-	454	50·7	39	3	-	-	-	149‡	102§
BOMBAY - -	821,764	February 19	215	2015	127·5	7	1	?	?	?	1145‡	98§
MADRAS - -	452,518	" 1	326	444	51·0	4	2	?	?	?	136	79§
PARIS - - -	2,511,629	March 2	1243	1231	25·4	9	9	5	13*	7	4	26
BRUSSELS - -	570,844	" 2	277	198	18·0	-	1	1	1*	4	1	10
AMSTERDAM -	520,800	February 23	301	176	17·6	-	2	-	2	1	1	13
ROTTERDAM -	325,556	" 16	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	" 16	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	354,000	March 2	303	160	23·6	-	3	1	3	2	1	5
STOCKHOLM -	297,148	February 23	156	114	19·9	-	1	2	2*	-	1	6
CHRISTIANIA -	226,423	March 2	126	79	18·1	-	-	1	1	-	-	4
ST. PETERSBURG	1,248 643	February 23	888	711	29·7	-	9	16	30	6	18	52
MOSCOW - -	988,610	" 23	-	540	28·5	-	7	6	10	-	3	37
BERLIN - -	1,885,685	" 16	926	616	16·5	-	12	6	8	6	3	32
HAMBURG - -	705,738	March 2	-	246	18·1	-	2	2	3*	4	1	6
DRESDEN - -	397,000	January 5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	422,415	March 2	-	198	24·4	-	1	1	-	1	1	11
MUNICH - -	500,000	" 2	-	250	26·0	-	4	-	1*	4	-	17
VIENNA - -	1,662,269	" 2	978	839	26·2	-	26	9	12*	1	4	41
PRAGUE - -	393,091	February 23	227	192	25·4	-	2	1	2	-	2	3
BUDA-PESTH -	741,013	" 23	486	304	21·3	-	8	2	3	1	2	9
TRIESTE - -	176,456	March 2	134	127	37·4	-	2	-	2*	1	-	2
ROME - - -	521,159	January 26	248	254	25·4	-	1	-	2	1	3‖	21
TURIN (10 days) -	344,203	" 10	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	" 26	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	" 7	497	300	27·4	1	-	-	5*	-	9	49
ALEXANDRIA -	319,766	" 7	264	208	33·8	2	-	-	1*	-	4	45
NEW YORK (including BROOKLYN)	3,536,517	February 9	1570	1289	19·0	6	5	30	40*	3	[illegible]	[illegible]
PHILADELPHIA -	1,293,697	" 16	-	522	21·0	-	-	10	14	3	7	4

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 30 deaths from cholera in Calcutta, 3 in Bombay, and 11 in Madras.
‡ Including 14 deaths from plague in Calcutta, 897 in Bombay.
‖ Including one death from malarial fever.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as recorded from Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday	3	..	29·300	48·5	37·0	11·5	42·2	+ 1·7	36·6	5·6	12·4	2·8	81	105·1	31·5	41·60	SW. & WSW.	WSW., W. & WNW.	6·3	0·0	0·9	445	+112	0·02	0·0
Monday	4	..	29·629	53·2	36·2	17·0	44·5	+ 3·8	41·2	3·3	9·2	1·8	88	75·0	31·1	41·70	WSW., SW. & SSW.	WSW. & SW.	4·3	0·0	0·4	372	+ 37	0·12	0·0
Tuesday	5	Full In Eqr.	29·479	54·1	39·4	14·7	45·0	+ 4·1	41·5	3·5	8·0	1·9	88	91·6	35·0	41·78	SW.	SW., WSW. & W.	27·5	0·0	2·6	703	+367	0·16	0·0
Wednesday	6	..	29·249	46·0	38·3	7·7	41·3	+ 0·2	37·7	3·6	7·3	0·0	87	71·7	33·8	42·08	SW. & SSW.	WSW. & W.	15·0	0·0	2·0	629	+293	0·15	0·0
Thursday	7	..	29·080	48·5	36·5	12·0	42·0	+ 1·0	37·3	4·7	11·3	0·9	84	77·0	35·0	42·19	WSW. & SW.	W., SW. & N.	5·6	0·0	0·7	406	+ 71	0·19	0·0
Friday	8	Apogee	29·719	43·1	36·8	6·3	40·0	− 0·9	37·3	2·7	4·6	2·1	90	65·7	35·3	42·20	N., NNE. & NE.	NE. & NNE.	11·0	0·0	1·4	517	+184	0·12	0·0
Saturday	9	..	30·124	42·9	35·4	7·5	39·2	− 1·6	33·0	6·2	9·0	3·1	79	97·9	31·2	42·20	NNE.	NNE., NE. & SE.	2·3	0·0	0·2	281	− 50	0·00	0·2
Means	-		29·511	48·0	37·1	11·0	42·0	+ 1·2	37·8	4·2	8·8	1·8	85	83·4	33·3	41·96	SW. & NNE.		..	..	..	Sum 3353	Sum +1014	Sum 0·76	0·0
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday	3	w. P. till 10h. A.M.; m. P. generally, with occasional s. N. and s. P. afterwards.	5·4	10·9
Monday	4	w. P. till 9h. A.M.; w. P. and v. N. till 1h. P.M.; w. P. afterwards.	0·5	11·0
Tuesday	5	w. P. with occasional v. N. till 5h. P.M.; m. P. afterwards.	1·2	11·1
Wednesday	6	w. P. till 9h. A.M.; s. P. and s. N. till 3h. P.M.; w. P. afterwards.	1·1	11·1
Thursday	7	w. P. till 7h. A.M.; v. P. and v. N. afterwards.	2·4	11·2
Friday	8	w. P. generally, with occasional s. P. and s. N. till 2h. P.M.; w. P. afterwards.	0·0	11·3
Saturday	9	w. P. till 9h. A.M.; m. P. generally afterwards.	0·8	11·3
			Sum 11·4	Sum 77·9
No. of Col.	-	27	28	29

GENERAL REMARKS.

Very fine, with little cloud, till 10h. A.M.; partially cloudy, with brisk wind and occasional showers of rain and hail, till 6h. P.M.; cloudless afterwards.

Very fine in morning; generally overcast after 9h. A.M., with frequent rain in forenoon.

Generally overcast, with frequent showers of rain and hail till 4h. P.M.; very fine afterwards. Lunar halo at night; strong gusty wind prevalent throughout the day.

Generally cloudy: frequent rain and hail till afternoon. Gusty wind.

Cloudy and showery. Thunder at 2h. 45m. P.M.

Generally overcast; frequent rain. Distant thunder at or about 1h. P.M. Brisk wind.

Generally overcast till 10h. 30m. P.M.; fine afterwards.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative; w weak; m. moderate: s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·99 in. at the beginning of the week to 29·70 in. by 8h. P.M. on the 4th; decreased to 29·35 in. by 2h. P.M. on the 5th; increased to 29·69 in. by 9h. P.M. on the same day; decreased to 29·04 in. by 3h. P.M. on the 7th; increased to 30·15 in. by 9h. P.M. on the 9th; and was 30·13 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd March, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	5	5	-	2	-	-	-	-
Kensington	177,205	-	5	2	-	2	-	-	4	-
Hammersmith	111,213	-	9	5	-	-	-	-	-	-
Fulham	141,920	-	10	11	-	1	-	-	4	-
Chelsea	73,843	-	4	-	-	-	-	-	-	-
City of Westminster	189,375	-	5	1	-	1	-	-	1	-
NORTH.										
St. Marylebone	140,460	-	9	4	-	1	-	-	3	-
Hampstead	82,605	-	8	3	-	-	-	-	-	-
St. Pancras	246,098	-	7	12	-	3	-	-	5	-
Islington	353,528	-	13	8	-	1	-	-	4	2
Stoke Newington	55,758	-	1	9	-	-	-	-	1	-
Hackney	228,417	-	12	8	-	2	-	-	6	2
CENTRAL.										
Holborn	59,700	-	3	2	-	1	-	-	2	-
Finsbury	106,590	-	10	4	-	1	-	-	4	-
City of London	25,289	-	-	2	-	1	-	-	-	-
EAST.										
Shoreditch	120,614	-	6	5	-	-	-	-	1	-
Bethnal Green	127,509	-	7	7	-	3	-	-	5	-
Stepney	305,058	-	9	12	-	8	-	-	7	1
Poplar	170,465	-	1	9	-	1	-	-	7	-
SOUTH.										
Southwark	208,869	-	17	9	-	3	-	-	3	-
Bermondsey	136,824	-	8	5	-	3	-	-	3	-
Lambeth	318,530	-	10	8	-	3	-	-	2	-
Battersea	180,017	-	8	5	-	2	-	-	3	-
Wandsworth	242,224	-	4	2	-	-	-	-	7	-
Camberwell	269,102	-	18	12	-	2	-	-	2	-
Deptford	113,562	-	3	10	-	-	-	-	1	-
Greenwich	91,228	-	8	2	-	1	-	-	1	-
Lewisham	112,856	-	13	1	-	-	-	-	3	-
Woolwich	114,106	-	3	3	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**216**	**166**	-	**42**	-	-	**81**	**5**
Ages 0-1		-	7	2	-	-	-	-	1	-
„ 1-5		-	66	64	-	1	-	-	4	-
„ 5-		-	75	54	-	7	-	-	6	-
„ 10-		-	37	19	-	7	-	-	5	-
„ 15-		-	10	12	-	8	-	-	5	-
„ 20-		-	11	5	-	4	-	-	7	3
„ 25-		-	8	8	-	10	-	-	12	1
„ 35-		-	2	1	-	3	-	-	9	1
„ 45-		-	-	1	-	2	-	-	10	-
„ 55-		-	-	-	-	-	-	-	14	-
„ 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during February, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
6th March, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of February by the eight Water Companies.

Twelve samples of each Company's supply were examined, making a total of 96 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - -	February 18th. Cab Rank, Victoria Street.	3·8°	32·64	·230	·026	0	·309	·335	1·8	23·6
West Middlesex -	February 18th. Cab Rank, Turnham Green Station.	3·5	31·80	·254	·030	0	·290	·320	1·8	22·7
Southwark - -	February 18th. Cab Rank, Bond Street, Vauxhall.	3·9	32·42	·260	·032	0	·299	·331	1·8	23·0
Grand Junction -	February 18th. Cab Rank, Portman Street, Oxford Street.	4·0	31·90	·270	·029	0	·314	·343	1·8	22·1
Lambeth - - -	February 18th. Cab Rank, Station Road, near Brixton Station.	3·6	32·84	·263	·025	0	·327	·352	1·8	23·0
Lea.										
New River - -	February 18th. Cab Rank, Lothbury, by Founder's Court.	4·8	32·76	·073	·012	0	·291	·303	1·8	22·7
East London - -	February 18th. Hydrant, opposite Bethnal Green Museum.	5·0	35·18	·275	·031	0	·476	·507	2·0	23·3
Deep Well.										
Kent - - - - -	February 18th. Police Station, Blackheath Road.	10·5	40·38	·044	·010	·0	·516	·526	2·1	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters The Table is to be read thus :—The Chelsea Company's water, collected on the 18th February at the Victoria Street cab rank, had a temperature of 3·8° C.; 100,000 lbs. of it contained 32·64 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·230 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained no ammonia and ·309 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·335 lb. The above weight of water also contained 1·8 lbs. of chlorine and 23·6 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on February 18th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·9, New River 1·4, Chelsea 4·3, West Middlesex 4·8, Southwark and Lambeth 4·9, Grand Junction 5·1, and East London 5·2.

Compared with the corresponding samples examined in January, with the exception of the Grand Junction Company's supply, all the Thames derived waters in February contained slightly more organic matter, but all were clear and of fair chemical quality for this season of the year.

Of the Lea derived supplies, that of the New River Company was clear and of very good chemical quality. The water delivered by the East London Company was clear, but contained considerably more organic matter than in the previous month, and, in quality, was inferior to the Thames waters.

The Kent Company's deep-well water was clear and of great organic purity.

When viewed through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless; the supplies of the Chelsea, West Middlesex, Southwark, and Grand Junction Companies were very pale yellow, and the Lambeth Company's water was pale yellow in colour.

In addition to the above analytical examination, 96 samples, collected during the month of February at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
Chelsea	·113	·098	·105	·128	·106	·117	·014	·010	·012
West Middlesex	·137	·110	·119	·147	·117	·129	·015	·011	·012
Southwark	·119	·076	·096	·129	·077	·105	·012	·009	·011
Grand Junction	·126	·083	·108	·138	·089	·117	·014	·010	·011
Lambeth	·133	·087	·108	·143	·093	·117	·014	·009	·011
New River	·023	·014	·018	·029	·015	·022	·004	·0025	·003
East London	·142	·065	·083	·153	·073	·091	·016	·008	·011
Kent	·005	·002	·004	·008	·004	·006	·003	·002	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

The results obtained in these examinations show that, of the Thames Companies, the Southwark Company, on the average, delivered water with the least proportion of organic matter in it, whilst the West Middlesex Company's water contained the highest amount. The average qualities of the other three Thames Companies' waters were identical. On the whole the Thames supplies were of fair quality throughout the month.

The New River Company's supply was of very good quality, and the East London Company's supply, although it exhibited some fluctuations, was, on the average, of better quality than that distributed in January.

The Kent Company's water, as usual, maintained its excellent quality throughout the month.

All the samples taken from the mains of the several Companies were clear, with the exception of two samples of the Southwark Company's water, in which a few minute particles of rust were observed.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of February, 1901. The supply was in the ratio of 215 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	February, 1900.	February, 1901.	February, 1900.	February, 1901.
Total Supply - - -	896,625	918,439	204,434,914	197,506,763
From Thames - - - - - -	428,500	437,199	108,121,791	105,354,118
From Lea and from other Sources -	468,125	481,240	96,313,123	92,152,645
Thames.				
Chelsea - - - - - -	38,500	38,989	11,400,013	12,107,887
West Middlesex - - - - -	84,987	86,445	20,126,778	20,512,585
Southwark and Vauxhall - -	123,666	124,913	31,623,543	30,938,464
Grand Junction - - - - -	65,811	67,728	19,203,453	18,315,200
Lambeth - - - - - -	115,536	119,124	25,768,004	23,479,982
Lea and other Sources				
New River - - - - - -	168,885	172,091	36,603,210	35,766,651
East London - - - - -	205,436	211,791	42,292,792	38,956,285
Kent - - - - - - -	93,804	97,358	17,417,121	17,429,709

Note.—The Return for February, 1901, as compared with that for the corresponding month of 1900, shows an increase of 21,814 services and a decrease of 6,928,151 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 11. 1901. VOL. LXII.] WEEK ENDED SATURDAY, MAR. 16. [Price 1½*d.*

General Register Office, Somerset House,
March 18th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·9 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 21·2, 21·5, and 19·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.		Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.
33 Great Towns	21·2	21·5	19·6	18·9	Leicester - -	16·5	13·9	18·8	15·1
Birkenhead -	20·6	22·7	16·2	14·9	Liverpool - -	27·3	31·0	26·3	28·2
Birmingham -	25·5	21·4	21·0	22·2	London - - -	20·8	20·9	19·3	17·6
Blackburn -	20·6	21·7	13·5	18·0	Manchester - -	26·2	22·8	23·6	19·9
Bolton - -	17·6	19·1	17·2	14·7	Newcastle-on-Tyne	24·1	22·1	17·6	18·2
Bradford -	15·6	19·1	16·3	14·9	Norwich - -	25·1	17·0	16·1	18·4
Brighton -	20·0	19·2	17·5	14·6	Nottingham - -	22·0	22·0	15·0	18·4
Bristol - -	23·8	24·7	21·9	21·7	Oldham - -	17·1	14·1	18·7	24·8
Burnley -	11·7	22·1	16·9	14·3	Plymouth - -	36·7	38·2	34·2	26·6
Cardiff - -	20·3	19·8	20·0	18·5	Portsmouth - -	18·1	21·2	17·5	20·1
Croydon -	14·7	15·5	8·9	15·1	Preston - -	23·0	16·1	18·2	21·7
Derby - -	19·0	18·1	15·2	14·7	Salford - - -	25·4	22·6	23·3	21·5
Gateshead -	17·2	18·1	19·0	19·0	Sheffield - -	21·9	21·1	19·7	20·7
Halifax -	20·5	25·4	23·4	21·5	Sunderland - -	22·4	24·1	29·7	29·0
Huddersfield-	13·3	15·3	15·8	17·3	Swansea - -	22·4	24·3	20·9	14·6
Hull - -	24·9	22·3	21·2	18·9	West Ham - -	13·6	16·9	11·6	13·8
Leeds - -	18·3	22·2	18·7	19·8	Wolverhampton -	17·9	26·0	13·3	15·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Leeds and in Sunderland, and 2·8 in Liverpool; and from *whooping-cough*, 1·0 in Cardiff and in Halifax, 1·3 in Birkenhead, 1·4 in Derby and in Sunderland, and 1·7 in Bristol. In none of the thirty-three towns did the death-rate from *scarlet fever*, from "*fever*," or from *diarrhœal diseases* reach 1·0 per 1000. The 66 deaths from *diphtheria* included 30 in London, 6 in Sheffield, 4 in Leeds, 4 in Salford, 4 in Liverpool, 4 in Bristol, 3 in Leicester, and 3 in Manchester. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2607 BIRTHS and 1571 DEATHS were registered. Allowing for increase of population, the births were 196, and the deaths 399, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8499—670—3/1901 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 20·8, 20·9, and 19·3 in the preceding three weeks, further fell last week to 17·6. During the four weeks ended on Saturday last the death-rate averaged 19·7 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1571 deaths included 35 from measles, 10 from scarlet fever 30 from diphtheria, 43 from whooping-cough, 8 from enteric fever, 13 from diarrhœa and dysentery, 1 from cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 140 deaths were referred to these diseases, being 69 below the corrected average weekly number.

The deaths from *measles*, which had been 36, 36, and 33 in the preceding three weeks, rose again last week to 35, but were 29 below the corrected average; 8 cases belonged to the Borough of Camberwell, 5 to that of Hackney, and 4 to that of Southwark. The deaths from *scarlet fever*, which had been 5, 4, and 6 in the preceding three weeks, further rose last week to 10, but were 3 below the corrected average; 3 cases belonged to Lambeth. The deaths from *diphtheria*, which had been 27, 19, and 25 in the preceding three weeks, further rose last week to 30, but were 13 below the corrected average; 5 cases belonged to Camberwell, 4 to St. Pancras, 3 to Poplar, and 3 to Lambeth. The deaths from *whooping-cough*, which had been 52, 57, and 37 in the preceding three weeks, rose again last week to 43, but were 23 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 9, and 7 in the preceding three weeks, were 8 last week, the corrected average being 10; 2 cases belonged to Fulham. The deaths from *diarrhœal diseases*, which had been 10, 19, and 14 in the preceding three weeks, were again 14 last week, the corrected average being 13. The deaths referred to diseases of the *respiratory organs*, which had been 493, 501, and 463 in the preceding three weeks, further fell last week to 394, and were 124 below the corrected average. The deaths attributed directly to *influenza* numbered 30, having been 32, 35, and 39 in the preceding three weeks.

Different forms of *violence* caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 9 were cases of suicide, while the remaining 54 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 8 to burns and scalds, 6 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1652 cases of scarlet fever, 1115 of diphtheria, 3 of typhus, and 184 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 130 cases, against 162, 185, and 140; of diphtheria, 149 cases, against 124, 152, and 153; and of enteric fever, 20 cases, against 23, 17, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended March 9th.

Greater London.

In Greater London 3820 births and 2089 deaths were registered, corresponding to annual rates of 29·4 and 16·1 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 1 from scarlet fever, 11 from diphtheria, 18 from whooping-cough, 2 from "fever," and 3 from diarrhœal diseases were registered. Six deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 39° 0; the latter being 2°·0 below the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 79 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·4 hours; the measured rainfall amounted to 0·09 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 16th Mar. 1901. Births.	Registered during the Week ended 16th Mar. 1901. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,789,099**	**6822**	**4280**	**985**	**1149**	**-**	**105**	**30**	**66**	**112**	**28**	**29**	**168**	**365**	**960**	**63**	**18·9**	**1·6**	**57·0**	**27·4**	**40·3**	**4·61**	**0·10**	**0·25**	**33 Towns.**
London	4,651,113	2607	1571	333	442	-	35	10	30	43	8	14	63	158	490	6	17·6	1·6	51·9	29·0	39·0	3·89	0·09	0·23	London.
West Ham	329,377	202	87	21	26	-	-	-	1	3	1	-	4	7	12	1	13·8	0·8	-	-	-	-	-	-	West Ham.
Croydon	134,705	68	39	8	16	-	-	-	-	1	-	1	-	1	12	-	15·1	0·8	52·0	27·5	38·5	3·61	0·17	0·43	Croydon.
Brighton	125,077	54	35	4	16	-	-	-	-	-	-	-	2	3	4	-	14·6	-	53·4	33·8	41·0	5·00	0·20	0·51	Brighton.
Portsmouth	199,262	117	77	19	23	-	1	-	1	-	-	-	3	6	11	1	20·1	0·5	52·5	33·0	40·3	4·61	0·24	0·61	Portsmouth.
Plymouth	103,708	62	53	7	16	-	-	-	-	1	-	-	3	6	6	2	26·6	0·5	-	-	-	-	-	-	Plymouth.
Bristol	329,086	168	137	22	45	-	1	-	4	11	1	1	4	15	17	-	21·7	2·9	55·0	41·0	41·4	5·22	0·03	0·08	Bristol.
Cardiff	203,050	112	72	18	18	-	-	-	1	4	-	-	-	2	4	2	18·5	1·3	-	-	-	-	-	-	Cardiff.
Swansea	107,251	66	30	4	9	-	-	-	-	-	-	-	-	1	5	-	14·6	-	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	71	26	12	2	-	-	-	-	-	1	-	1	2	3	-	15·0	0·6	53·4	27·4	39·2	4·00	0·00	0·00	Wolverhampton.
Birmingham	524,307	366	223	60	59	-	8	1	1	7	2	2	19	26	42	5	22·2	2·1	-	-	-	-	-	-	Birmingham.
Norwich	116,466	86	41	11	19	-	-	-	-	-	1	-	1	2	6	-	18·4	0·4	50·0	28·8	37·9	3·28	0·21	0·53	Norwich.
Leicester	224,619	103	65	21	13	-	-	-	3	-	2	-	1	5	9	2	15·1	1·2	-	-	-	-	-	-	Leicester.
Nottingham	246,013	141	87	17	28	-	4	1	-	2	2	-	1	3	19	1	18·4	1·9	52·7	29·0	39·4	4·11	0·01	0·03	Nottingham.
Derby	109,605	49	31	7	7	-	-	-	1	3	1	1	2	5	6	-	14·7	2·9	-	-	-	-	-	-	Derby.
Birkenhead	119,213	74	34	5	5	-	-	-	-	3	-	-	1	4	5	1	14·9	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	450	344	84	70	-	34	1	4	2	1	1	18	22	92	16	28·2	3·5	53·4	32·7	41·3	5·17	0·11	0·28	Liverpool.
Bolton	166,284	98	47	13	12	-	2	-	-	-	-	1	-	3	7	-	14·7	0·9	-	-	-	-	-	-	Bolton.
Manchester	553,677	316	211	48	52	-	-	-	3	7	1	2	9	17	46	-	19·9	1·2	-	-	-	-	-	-	Manchester.
Salford	223,418	132	92	27	19	-	-	3	4	3	1	1	4	9	20	1	21·5	2·8	-	-	-	-	-	-	Salford.
Oldham	155,865	85	74	17	17	-	-	1	1	1	-	2	-	5	6	-	24·8	1·7	-	-	-	-	-	-	Oldham.
Burnley	120,497	51	33	12	6	-	-	-	-	1	-	1	-	1	2	1	14·3	0·9	-	-	-	-	-	-	Burnley.
Blackburn	139,089	64	48	17	9	-	-	2	-	-	1	2	2	4	3	2	18·0	1·9	-	-	-	-	-	-	Blackburn.
Preston	120,196	71	50	13	18	-	-	1	-	1	-	-	1	4	9	2	21·7	0·9	52·0	36·0	42·2	5·67	0·04	0·10	Preston.
Huddersfield	105,514	37	35	2	13	-	-	-	-	-	1	-	1	1	4	-	17·3	0·5	54·5	32·2	41·5	5·28	0·07	0·18	Huddersfield.
Halifax	106,873	50	44	5	13	-	-	1	-	2	-	-	-	1	6	1	21·5	1·5	-	-	-	-	-	-	Halifax.
Bradford	294,472	127	84	17	28	-	-	1	1	-	1	-	1	4	7	-	14·9	0·5	57·0	34·6	42·4	5·78	0·08	0·20	Bradford.
Leeds	438,814	282	167	47	44	-	8	1	4	4	1	-	6	20	16	-	19·8	2·1	-	-	-	-	-	-	Leeds.
Sheffield	370,737	246	147	42	43	-	-	3	6	4	1	-	4	4	33	10	20·7	2·0	-	-	-	-	-	-	Sheffield.
Hull	243,287	147	88	18	21	-	3	1	1	1	-	-	5	7	14	3	18·9	1·3	53·0	31·0	39·9	4·39	0·03	0·08	Hull.
Sunderland	149,205	105	83	25	17	-	3	2	-	4	-	-	5	6	15	4	29·0	3·1	-	-	-	-	-	-	Sunderland.
Gateshead	112,331	75	41	15	7	-	2	1	-	2	-	-	1	1	7	1	19·0	2·3	-	-	-	-	-	-	Gateshead.
Newcastle	240,258	140	84	14	16	-	4	-	-	2	1	-	6	10	22	1	18·2	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the ELEVENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2751	2576	2656	2558	2821	2806	2551	2576	2613	2628	2803·1	2607
Males - -	1413	1303	1314	1287	1451	1435	1288	1332	1326	1315	1422·3	1290
Females - -	1338	1273	1342	1271	1370	1371	1263	1244	1287	1313	1380·8	1317
TOTAL **Deaths** -	1751	1983	1578	1608	2817	1752	1531	1869	2099	1659	1969·8	1571
Males - -	887	1037	799	862	1310	898	806	934	1030	851	994·5	799
Females - -	864	946	779	746	1507	854	725	935	1069	808	975·3	772

*The numbers in this column are the average weekly numbers in the eleventh week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 22.	Dec. 29.	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.
TOTAL **Births** - - -	2436	1591	2983	2466	2693	2713	2410	2687	2690	2673	2681	2496	2607
TOTAL **Deaths** - - -	1382	1466	1593	1750	1666	1568	1438	1668	1719	1853	1865	1723	1571
Ages at Death: Under 1 year - -	346	346	361	362	299	285	321	358	333	340	333	359	333
1—5 years - -	174	182	165	186	195	165	159	162	181	199	214	225	189
5—20 " - -	78	78	64	95	70	97	73	99	75	89	94	91	96
20—40 " - -	180	212	210	216	212	203	168	194	216	226	223	201	197
40—60 " - -	296	275	359	377	356	329	305	327	369	375	392	355	314
60—80 " - -	245	307	335	402	421	386	340	420	412	515	486	398	366
80 years and upward.	63	66	99	112	113	103	72	108	133	109	123	94	76
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	26	27	21	34	36	24	25	20	36	36	36	33	35
Scarlet Fever - - -	4	7	9	9	9	8	8	4	5	5	4	6	10
Diphtheria - - - -	36	26	24	25	32	23	24	29	20	27	19	25	30
Whooping-cough - - -	22	31	29	32	38	37	44	58	49	52	57	37	43
Typhus - - - - -	-	-	-	-	-	-	1	1	-	-	-	-	-
Enteric Fever - - -	22	22	18	17	13	16	12	12	11	6	9	7	8
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa and Dysentery -	10	9	9	16	15	17	11	12	16	10	19	14	13
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
All the above Diseases -	121	122	110	133	143	125	125	136	137	137	144	122	140
Dis. of Respiratory System -	306	325	330	392	422	394	323	397	420	493	501	463	394
Phthisis - - - - -	121	146	165	173	182	142	152	148	171	172	169	169	168
Dis. of Circulatory System -	117	137	154	181	157	154	161	178	166	189	192	161	138
Violence - - - - -	67	64	90	76	71	76	64	54	70	75	64	66	63
Inquest Cases - - - -	135	160	212	201	166	191	161	171	152	207	186	159	158
Deaths in Public Institutions -	445	431	469	535	499	517	465	550	561	590	589	547	490
TEMPERATURE OF THE AIR													
Mean - - - - - -	44°·5	42°·7	37°·8	34°·6	40°·2	44°·2	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0
Mean of Highest readings -	49·3	47·6	41·7	39·0	45·3	49·0	41·5	38·2	37·5	39·1	49·1	48·0	44·6
Mean of Lowest readings -	38·6	38·4	33·1	29·3	34·1	39·3	31·8	29·6	26·7	31·7	38·7	37·1	33·7
Humidity of the Air - -	87	91	94	88	89	82	82	86	72	80	84	85	91
Rain-fall (in inches) - -	0·38	0·30	0·56	0·23	0·22	0·18	0·10	0·47	0·03	0·15	0·57	0·76	0·09
Registered Sunshine (in hours)	23·4	4·6	1·7	8·7	13·3	12·6	6·9	2·2	11·9	6·6	15·7	11·4	5·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	–	3	3	1	1	1	1	1	1
Scarlet Fever - - - -	2477	2535	2391	2277	2172	2078	2037	1963	1876	1834	1823	1746	1652
Diphtheria - - - -	1514	1356	1266	1200	1152	1153	1128	1150	1110	1118	1124	1118	1115
Typhus - - - - -	—	—	—	—	—	1	7	6	6	6	2	2	3
Enteric Fever - - - -	409	403	374	367	333	305	299	262	258	237	224	205	184

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the ELEVENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages* for the 11th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 16th March, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1969·8	1571	333	189	96	197	314	366	76
Small-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·4	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·2	-	-	-	-	-	-	-	-
Measles - - - -	63·8	35	6	24	5	-	-	-	-
Scarlet Fever - - -	12·8	10	3	5	2	-	-	-	-
Whooping-cough - -	-	-	-	-	-	-	-	-	-
Diphtheria - - -	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	74·7	30	1	3	4	2	5	14	1
Relapsing Fever - -	66·1	43	19	21	3	-	-	-	-
Typhus - - - -	43·0	30	-	21	9	-	-	-	-
Cholera Continued and Undefined Fever -	0·1	-	-	-	-	-	-	-	-
Puerperal Fever - - -	9·7	8	-	-	2	4	2	-	-
Cholera and Chol. Diarr.	0·1	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	12·5	13	11	1	-	-	1	-	-
Scarlet Fever - -	0·3	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Plague - - - -	0·1	-	-	-	-	-	-	-	-
Small-pox and Effects of Vaccination - -	0·2	-	-	-	-	-	-	-	-
Erysipelas - - -	9·2	7	3	-	-	2	2	-	-
Pyæmia and Septicæmia	4·2	5	1	-	-	1	1	1	1
Puerperal Fever - -	1·4	-	-	-	-	-	-	-	-
Other Zymotic Diseases	3·7	3	-	-	-	3	-	-	-
	1·7	1	1	-	-	-	-	-	-
Thrush - - - -	0·7	-	-	-	-	-	-	-	-
Parasites and other Parasitical Diseases -	0·4	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·6	2	2	-	-	-	-	-	-
Alcoholism - - -	9·4	7	-	-	-	1	5	1	-
Rheumatic Fever, Rheumatism of Heart	7·0	3	-	-	2	-	1	-	-
Rheumatism - - -	2·5	2	-	-	-	-	1	-	1
Gout - - - -	3·0	2	-	-	-	-	1	1	-
Cholera - - - -	5·9	5	3	2	-	-	-	-	-
Cancer - - - -	74·4	71	-	2	1	7	31	29	1
Disease Mesenterica - -	19·1	12	3	2	4	2	1	-	-
Cerebro-spinal Meningitis -	25·7	18	6	6	3	3	-	-	-
Phthisis - - - -	185·1	168	-	1	11	68	72	15	1
Scrofula, Tuberculosis -	22·4	18	5	4	6	3	-	-	-
Other Constitutional Diseases - -	14·9	13	1	1	1	3	1	6	-
Premature Birth - -	51·8	49	49	-	-	-	-	-	-
Atelectasis - - -	4·1	1	1	-	-	-	-	-	-
Congenital Malformations - - -	8·2	9	8	1	-	-	-	-	-
Old Age - - - -	58·9	56	-	-	-	-	-	33	23
Apoplexy - - -	51·1	33	1	-	-	-	11	14	7
Epilepsy - - - -	7·7	10	-	-	2	4	3	1	-
Convulsions - - -	42·7	26	24	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	98·3	69	15	6	9	4	9	24	2
Diseases of Organs of Special Sense -	3·2	3	1	-	1	1	-	-	-

CAUSES OF DEATH.	Corrected Averages* for the 11th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 16th March 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	158·5	138	2	1	10	23	49	50	3
Croup - - - -	3·5	1	1	-	-	-	-	-	-
Bronchitis - - -	302·5	214	37	17	-	5	40	91	24
Pneumonia - - -	166·5	148	34	48	6	15	21	21	3
Pleurisy - - - -	7·1	8	-	-	-	1	3	4	-
Other Diseases of Respiratory System -	37·9	23	8	3	-	3	3	6	-
Dentition - - - -	13·1	12	8	4	-	-	-	-	-
Quinsy, Sore Throat -	1·7	2	-	1	1	-	-	-	-
Enteritis - - -	14·0	17	8	-	3	2	1	3	-
Gastro-enteritis -		3	1	2	-	-	-	-	-
					-	1	1	-	-
Peritonitis - - -	6·5	2	-	-	-	-	-	-	-
Diseases of Liver - -	25·0	24	2	-	1	1	11	8	1
Other Diseases of Digestive System	32·4	36	9	2	-	7	10	7	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·7	2	-	-	-	-	2	-	-
Diseases of Urinary System - - -	51·3	57	-	-	2	12	14	27	2
Diseases of Generative System - - -	5·0	4	-	-	-	2	2	-	-
Accidents of Childbirth -	4·5	-	-	-	-	-	-	-	-
Diseases of Locomotive System - - -	5·6	1	-	1	-	-	-	-	-
Diseases of Integumentary System - -	6·2	6	1	-	-	2	1	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·2	3	-	-	1	1	-	1	-
By Vehicles or Horses -	5·2	4	-	1	-	-	1	1	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	-	-	-	-	-	-	-	-
In Building Operations -	0·4	-	-	-	-	-	-	-	-
In Conflagrations -	0·6	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	8·3	8	-	3	2	1	-	1	1
By Drowning - - -	4·0	6	-	-	-	3	2	1	-
By Suffocation in Bed -	16·6	11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·9	4	-	-	1	1	1	1	-
Other or not stated causes - - - -	20·4	18	3	1	3	5	2	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·9	-	-	-	-	-	-	-	-
Suicide - - - -	10·4	9	-	-	-	4	3	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·2	47	43	3	1	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ended Saturday, 16th March, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2607	1571	333	442	-	35	10	30	43	-	8	-	14	63	158	490
WEST DISTRICTS - - -	778,251	385	282	68	79	-	2	2	3	13	-	2	-	5	8	18	93
NORTH DISTRICTS - - -	1,040,694	600	319	61	95	-	6	-	9	7	-	2	-	3	21	44	93
CENTRAL DISTRICTS - - -	233,635	110	81	13	16	-	-	-	-	1	-	-	-	-	5	14	38
EAST DISTRICTS - - -	716,334	491	264	58	77	-	1	-	2	10	-	-	-	-	10	32	104
SOUTH DISTRICTS - - -	1,642,796	1,021	598	133	163	-	26	8	16	12	-	4	-	6	19	50	135
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	-	12	-	-	-	-	-	-	-	-	-	-	-	27
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	54	28	10	6	-	-	-	1	1	-	-	-	-	-	-	8
St. John Paddington *H* - - G.	33,510	14	16	-	9	-	-	-	-	-	-	-	-	-	-	-	7
Kensington Town *Ww* - - W.	122,164	43	47	12	9	-	-	-	-	3	-	-	-	-	2	8	17
Brompton *HH*- - - W. & C.	48,301	9	10	2	4	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *H* W. & G	44,638	26	11	3	-	-	-	-	-	3	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G	59,561	35	22	4	6	-	-	-	1	-	-	-	-	1	1	3	4
North-west Fulham *W* W. & C.	113,781	44	16	2	6	-	-	-	-	-	-	1	-	-	-	2	6
North-east Fulham *w* W. & C.		25	11	5	-	-	-	2	1	-	-	1	-	1	-	-	4
South Fulham W. & C.		30	13	3	2	-	2	-	-	-	-	-	-	-	1	1	-
Chelsea Kensal Town - C.	21,450	17	8	6	1	-	-	-	-	2	-	-	-	1	-	-	-
Chelsea North *WHHHH* - C.	42,057	19	20	5	5	-	-	-	-	2	-	-	-	-	-	-	12
Chelsea South *HH* - - C.	33,139	22	10	2	2	-	-	-	-	-	-	-	-	-	1	1	2
May Fair *WH*- - - - G.	23,827	3	21	2	14	-	-	-	-	2	-	-	-	-	1	1	15
Belgrave *WHHH* - - - C.	56,140	19	23	5	9	-	-	-	-	-	-	-	-	2	1	1	10
St. John Westminster *HH* C.	31,492	15	8	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster *H* C.	22,097	4	8	2	2	-	-	-	-	-	-	-	-	-	-	-	5
St. James Westminster *WH* N. & G.	23,050	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	12,048	3	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	12	16	-	3	-	-	-	-	-	-	-	-	-	1	1	12
Rectory Marylebone *W* G. & W.		11	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.		26	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Christchurch Marylebone‡ *H* - W		25	13	5	-	-	-	-	-	1	-	-	-	-	1	3	-
St. John Marylebone‡ *HHH* - W		8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	32	19	1	7	-	-	-	4	1	-	1	-	-	-	-	6
Regent's Park *HH* - W.	51,403	26	12	2	2	-	-	-	1	-	-	-	-	-	1	3	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	17	14	2	3	-	-	-	-	1	-	-	-	-	1	1	9
Gray's Inn Lane *HHHH* - N.	29,426	22	15	5	4	-	-	-	-	-	-	-	-	-	4	5	4
Somers Town *HH* - - - N.	32,161	21	10	1	4	-	-	-	-	1	-	-	-	-	-	2	3
Camden Town *WH* - - N.	40,155	26	13	1	5	-	-	-	-	-	-	-	-	-	1	1	7
Kentish Town *WW* - - N.	60,862	30	18	3	5	-	-	-	1	-	-	-	-	-	1	2	8
Upper Holloway *WWWWwHH* - - N.	98,273	58	47	6	16	-	-	-	-	-	-	-	-	-	2	5	25
Lower Holloway - - - N.	41,805	27	10	5	1	-	-	-	-	-	-	-	-	-	1	2	-
Barnsbury - - - - N.	56,384	43	11	6	-	-	1	-	-	1	-	-	-	-	-	-	-
Islington South-east *H* - N.	75,725	33	19	5	6	-	-	-	-	1	-	-	-	-	-	4	-
Highbury *HH* - - - N.	64,577	36	12	2	6	-	-	-	-	-	-	-	-	1	-	-	-
Stoke Newington *H* - - N.	33,485	20	12	2	3	-	-	-	-	-	-	-	-	1	1	1	-
Hornsey (part of) - - -	†*16,892*	7	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - E. & N.	213,044	18	9	2	4	-	-	-	-	-	-	-	-	-	2	3	-
Central Hackney *ww* - E. & N.		30	13	3	2	-	3	-	2	-	-	-	-	-	1	3	2
South-west Hackney *HHH* E. & N.		32	21	3	10	-	-	-	-	-	-	1	-	-	1	2	5
South-east Hackney *WwH* E. & N.		40	25	5	11	-	2	-	-	-	-	-	-	1	3	4	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the **Kent Company.**

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged 1st January, 1901.

Population in 1891, not included in the total population of the North Districts or of London

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	29,086	18	10	2	4	-	-	-	-	-	-	-	-	-	1	4	4	-
St Giles North *H* - - - N.	9,151	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	-	8	-	1	-	-	-	-	-	-	-	-	-	2	2	3	-
Strand *WHH* - - - - N.	11,839	2	6	2	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Strand Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WwHHHHH* - N.	31,042	14	12	3	3	-	-	-	-	1	-	-	-	-	-	1	6	-
St. James Clerkenwell - - N.	15,777	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	22	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Goswell-street - - - - N.	16,069	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	31	9	2	2	-	-	-	-	-	-	-	-	-	-	1	3	-
Finsbury - - - - - N.	11,630	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†*892*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - N. & E.	13,061	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre *WH* - - - N.	9,591	2	17	1	2	-	-	-	-	-	-	-	-	-	2	3	16	-
Allhallows Barking - - - N.	9,059	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	9	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *w* - - N.	29,575	15	17	1	8	-	-	-	-	1	-	-	-	-	1	3	7	-
Hoxton Old Town - - - N.	27,645	13	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Haggerston *WH* - - N. & E.	47,163	28	27	7	7	-	-	-	-	1	-	-	-	-	-	-	15	-
Bethnal Green North *H* - E.	49,301	45	16	5	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Bethnal Green South - - E.	34,194	20	7	3	2	-	-	-	-	1	-	-	-	-	-	2	-	-
Bethnal Green East *WWHl* - E.	45,667	20	22	-	12	-	-	-	-	-	-	-	-	-	-	1	16	-
Spitalfields - - - E. & N.	26,681	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	30	35	11	7	-	-	-	-	2	-	-	-	-	4	5	27	-
Goodman's Fields - - - E.		11	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	41	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John, St. George East *W* E.	7 930	8	5	1	2	-	-	-	-	-	-	-	-	-	-	1	3	-
Shadwell *H* - - - E. & N.	10,434	7	8	4	-	-	-	-	1	-	-	-	-	-	-	-	6	-
Ratcliff *W* - - - - E.	14,954	7	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Limehouse - - - - - E.	32,917	24	8	2	3	-	-	-	-	-	-	-	-	-	1	4	-	-
Mile End Old Town West *H* E.	111,060	37	13	2	4	-	1	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town East *WWww* - E.		40	24	4	9	-	-	-	-	1	-	-	-	-	-	3	12	-
Bow *l* - - - - - E.	41,687	28	5	1	-	-	-	-		-	-	-	-	-	1	1	-	-
Bromley *wwwH* - - - E.	69,821	50	32	4	11	-	-	-	-	2	-	-	-	-	-	3	14	-
Poplar *WW* - - - - E.	57,759	47	18	4	5	-	-	-	-	1	-	-	-	-	1	2	1	-

† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 16th March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WH* L.&S.	13,064	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark - - S.	12,301	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S.&L.	22,879	12	9	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S.&L.	16,083	7	9	7	-	-	-	-	-	1	-	-	-	1	-	-	3	1
London-road *HL* - - L.&S.	21,316	15	8	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington *H* - S.&L.	28,723	24	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Peter Walworth *W* - S.&L.	62,045	35	18	4	6	-	1	-	-	1	-	-	-	-	-	2	2	-
St. Mary Newington- - L.&S.	30,171	23	6	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Olave *WH* - - - - S.	11,731	11	12	3	-	-	-	-	-	-	-	-	-	-	1	2	10	-
Bermondsey *W* - - - S.	85,475	57	21	7	7	-	1	-	-	-	-	-	-	1	-	1	1	1
Rotherhithe *Ww* - S.&K.	40,379	19	18	1	7	-	2	-	-	-	-	-	-	-	-	2	7	-
Waterloo-road *HH* - L.&S.	28,396	22	11	2	3	-	1	-	-	-	-	-	-	-	-	3	-	-
Lambeth Church 1st *H* - L.&S.	18,770	13	15	1	2	-	1	-	-	-	-	-	-	-	1	2	7	-
Lambeth Church 2nd *WW* L.&S.	40,994	41	24	5	8	-	1	-	-	3	-	-	-	-	1	2	10	-
Kennington 1st *H* - - S.&L.	52,486	43	18	4	4	-	-	-	-	-	-	-	-	-	2	2	-	-
Kennington 2nd - - S.&L.	43,244	19	15	2	7	-	-	-	-	-	-	-	-	1	-	-	-	-
Brixton *w* - - - L.&S.	81,825	29	21	6	4	-	-	3	1	-	-	1	-	1	-	1	5	-
Norwood *WH* - - - - L.	29,318	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	41	20	5	5	-	1	-	-	1	-	-	-	-	1	2	-	-
North-west Battersea - - S.	93,385	25	15	1	5	-	-	-	-	-	-	1	-	-	-	1	-	-
South-west Battersea *WwH* - S.		17	23	2	9	-	-	-	-	-	-	-	-	-	1	1	10	-
Clapham *H* - - - - S.	46,953	29	10	2	4	-	-	-	-	1	-	-	-	-	-	1	1	-
Streatham *WwwwwL* - - L.	61,644	48	21	8	3	-	-	2	2	-	-	1	-	-	2	2	6	1
Wandsworth *WHHL* - - S.	58,101	56	10	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Putney - - - - - S.	20,566	10	6	1	2	-	-	-	-	-	-	-	-	-	2	3	-	-
Dulwich - - - L.&S.	7,519	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S.&L.	90,286	38	49	4	25	-	1	-	-	-	-	-	-	-	-	3	30	-
Peckham *WW* - S.,L.,&K.	88,242	51	41	12	11	-	4	-	-	2	-	-	-	-	1	4	1	-
St. George Camberwell - L.&S.	67,029	40	32	12	5	-	3	-	1	1	-	-	-	-	3	5	-	-
Deptford North - - - K.	36,152	26	13	7	2	-	1	-	1	1	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	37	18	-	3	-	-	2	4	-	-	1	-	-	1	1	7	-
Deptford South - - - K.	33,402	12	13	2	5	-	2	-	-	-	-	-	-	-	2	2	-	-
Greenwich West *H* - - K.	23,012	15	13	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	31	21	4	7	-	-	-	1	-	-	-	-	-	-	1	12	-
Eltham *wH* - - - - K.	5,911	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *WwwH* - - - K.	38,139	37	22	2	4	-	2	-	4	-	-	-	-	2	-	-	12	1
Sydenham *H* - - - - L.	37,601	20	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	14	8	1	2	-	-	1	2	-	-	-	-	-	-	-	5	-
Woolwich *HHHH* - - K.	41,314	27	14	4	4	-	1	-	-	-	-	-	-	-	1	1	1	-
Plumstead West *H* - - K.	16,714	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K	42,538	33	15	4	3	-	-	-	-	-	-	-	-	-	-	1	3	1
Banstead Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Dartford Heath - - - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Hanwell Asylum - - - -	—	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	8	-
Central London Sick Asylum, Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch Asylum - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th March, 1901.

gis-tion trict nd ub-trict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	1,405,489	1213	518	129	186	-	6	1	11	18	2	3	16	36	76	2
0 : 1	Carshalton *H* - - -	12,228	26,108	18	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	6	6	1	4	-	-	-	-	-	-	-	-	-	5	-
7 : 1	Godstone, *part of** *W* -	2,754	1,598	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Croydon *WWwHHH* -	20,851	128,699	78	51	8	22	-	-	-	2	1	-	1	-	1	19	-
2	Mitcham *w* - - -	11,697	23,072	17	7	3	3	-	1	-	-	-	-	-	-	1	-	-
9 : 1	Wimbledon *HHH* - -	3,220	25,777	22	8	1	4	-	-	-	-	-	-	-	1	3	-	-
2	Kingston *WH* - - -	14,672	33,566	18	10	1	6	-	-	-	-	-	-	-	-	-	-	-
3	Surbiton *HH* - - -		12,178	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	12	5	2	-	-	-	-	-	-	-	-	-	-	1	-
0 : 1	Richmond *WHH* - -	2,160	25,389	10	12	-	7	-	-	-	-	-	-	-	-	-	2	-
2	Mortlake *H* - - -	2,823	16,159	12	2	-	-	-	-	-	-	-	-	-	1	1	-	-
1 : 1	Bromley *HHH* - - -	9,127	23,815	14	6	1	2	-	-	-	-	-	-	1	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	9	5	1	1	-	-	-	-	1	-	-	1	1	-	-
3	Orpington, *part of*†* *W* -	6 974	7,714	5	2	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst† *HH* - -	7,333	12,658	7	4	-	2	-	-	-	-	-	-	-	-	1	1	-
2 : 1	Bexley *HHH* - - -	12,540	30,590	32	11	3	3	-	-	-	1	-	-	-	-	-	-	-
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 : 1	Sunbury *w* - - -	11,054	13,671	12	6	4	2	-	1	-	-	2	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-
5 : 1	Hillingdon *WHH* - -	6,035	12,237	9	7	1	5	-	-	-	-	-	-	-	1	1	2	-
2	Uxbridge - - - -	12,757	7,253	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	6	7	-	1	-	-	-	-	-	-	-	-	-	-	-
6 : 1	Isleworth *WHH* - -	6,967	26,004	12	10	1	6	-	-	-	-	-	-	-	2	2	3	-
2	Twickenham *HH* - -	2,415	16,027	16	5	1	2	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	24	14	6	6	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	34	11	4	2	-	-	1	-	-	-	-	-	-	-	-
7 : 1	Harrow *HHH* - - -	13,809	15,715	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1
3	Willesden *HHH* - -	4,383	61,265	71	27	9	10	-	-	-	-	2	-	-	1	1	1	-
4	Hendon *WH* - - -	8,382	15,843	15	10	2	3	-	-	-	-	1	-	-	-	-	2	-
8 : 1	South Mimms *HH* - -	21,077	6,367	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	12	7	-	3	-	-	-	-	1	1	-	-	-	2	-
3	Finchley *HHH* - - -	4,688	25,820	10	5	3	1	-	1	-	-	-	-	1	-	-	-	-
9 : 1	Hornsey, *part of** *HH* -	2,809	44,205	29	9	1	4	-	1	-	1	1	-	-	-	-	1	-
13 : 3	Amwell, *part of** - - -	65	318	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29 : 2	Tottenham *HHH* - -	4,642	97,174	88	39	16	11	-	1	-	-	1	-	-	2	6	-	-
3	Edmonton *Ww* - -	7,489	36,351	51	12	3	4	-	-	-	-	-	-	-	-	-	4	-
4	Enfield *WWHH* - -	12,602	31,536	25	12	1	6	-	-	-	-	1	-	-	1	1	1	-
5	Waltham Abbey - - -	11,017	6,066	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
35 : 1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Bushey *H* - - - -	9,331	7,737	4	3	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Watford *WHH, part of** -	—	—	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
36 : 1	Stratford *H* - - -	4,706	38,612	39	20	4	8	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow *HHH* - - -		58,030	79	19	6	4	-	-	-	-	1	-	-	3	4	2	-
3	Canning Town *H* - -		54,750	56	23	7	2	-	-	-	1	1	-	-	1	3	1	-
4	Forest Gate *w* - - -		53,511	28	13	4	4	-	-	-	-	1	-	-	-	-	1	1
5	East Ham *wHHH* - -	3,266	32,713	70	18	9	2	-	-	-	-	-	-	-	1	1	-	-
6	Wanstead - - - -	4,334	7,042	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	31	28	4	15	-	1	-	1	1	1	-	-	1	19	-
8	North Leyton *WwH* -		24,874	27	9	1	3	-	-	-	2	-	-	-	-	1	2	-
9	Walthamstow *HHHL* -	6,501	57,370	75	24	7	7	-	-	-	2	-	-	-	1	5	1	-
37 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	14	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Romford, *part of** *W* -	6,556	4,324	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Ilford *H* - - - -	8,493	10,913	21	8	3	3	-	-	-	1	3	-	-	-	-	1	-
3	Barking Town, *H* - -	3,814	14,301	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	London County Lunatic Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 14.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 16th March, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,421	6,781,854	16·1	1·4	2089	462	628	-	41	11	41	61	10	17	79	566
INNER LONDON -	74,837	4,651,113	17·6	1·6	1571	333	442	-	35	10	30	43	8	14	63	490
OUTER RING -	368,584	2,130,741	12·7	1·0	518	129	186	-	6	1	11	18	2	3	16	76

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	March 16	151	151	25·4	-	5	1	6	7	-	1
GLASGOW - -	753,766	" 16	478	354	24·5	24	2	4	1	22	3	3
DUBLIN† - -	346,128	" 16	313	230	34·6	-	-	-	2	11	1	-
CALCUTTA - -	466,460	January 5	-	509	56·9	83	5	-	-	1	170‡	92§
BOMBAY - -	821,764	February 26	228	2447	154·8	7	4	?	?	?	1375‡	117§
MADRAS - -	452,518	" 8	363	474	54·4	8	-	?	?	?	130	91§
PARIS - - -	2,511,629	March 9	1212	1181	24·4	7	6	4	13*	3	5	31
BRUSSELS - -	570,844	" 9	281	165	15·0	-	1	1	2*	-	3	6
AMSTERDAM -	520,800	" 2	331	178	17·8	-	2	-	-	1	2	7
ROTTERDAM -	325,556	February 16	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	" 16	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	March 9	180	146	20·1	-	6	1	-	2	-	1
STOCKHOLM -	297,148	" 2	138	146	25·5	-	1	2	2*	1	-	1
CHRISTIANIA -	226,423	" 9	150	61	14·0	-	-	-	-	1	-	-
ST. PETERSBURG	1,248 643	" 2	560	636	26·6	-	5	19	20	4	20	38
MOSCOW - -	988,610	" 2	-	557	29·4	1	7	13	5	-	2	43
BERLIN - -	1,885,685	February 23	1003	700	19·3	1	10	12	16	8	1	40
HAMBURG - -	705,738	March 9	-	241	17·8	-	-	3	1*	3	1	5
DRESDEN - -	397,000	January 5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	422,415	March 9	-	192	23·7	-	-	-	4	-	-	21
MUNICH - -	500,000	" 9	-	256	26·6	-	9	-	2*	5	-	13
VIENNA - -	1,662,269	" 9	968	747	23·4	-	22	6	8*	2	1	29
PRAGUE - -	393,091	" 2	223	200	26·5	-	1	-	4	1	3	4
BUDA-PESTH -	741,013	" 2	504	337	23·6	-	6	8	1	3	-	13
		" 9	439	340	23·9	-	9	5	2	2	1	19
TRIESTE - -	176,456	" 9	109	95	28·0	-	-	-	-	1	1	2
ROME - - -	521,159	February 2	-	-	-	-	-	-	-	-	-	-
TURIN (10 days)-	344,203	January 10	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	" 26	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	" 14	512	288	26·3	-	-	-	5*	-	6	51
ALEXANDRIA -	319,766	" 14	264	191	31·1	4	-	-	1*	2	2	41
NEW YORK (including BROOKLYN)	3,536,517	February 16	1605	1389	20·5	6	7	24	50*	4	11	52
PHILADELPHIA -	1,293,697	" 23	-	517	20·8	-	-	4	14	3	6	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 26 deaths from cholera in Calcutta, 6 in Bombay, and 11 in Madras.
‡ Including 32 deaths from plague in Calcutta, and 1118 in Bombay.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	10	..	30·017	42·9	30·5	12·4	36·9	− 3·8	32·3	4·6	8·6	1·6	84	88·8	23·6	42·11	SE., NE. & ESE.	E. & ENE.	0·8	0·0	0·0	153	−176	0·00	0·8
Monday -	11	..	29·707	44·5	30·2	14·3	37·7	− 2·9	33·9	3·8	7·7	2·2	86	85·6	22·8	42·00	NE., NNE. & N.	N. & NNW.	1·6	0·0	0·1	214	−112	0·00	0·0
Tuesday -	12	..	29·851	51·9	35·7	16·2	43·1	+ 2·4	40·5	2·6	7·2	0·5	91	67·0	28·0	41·80	NNW., N. & SW.	NNW., N. & NE.	0·4	0·0	0·0	125	−199	0·00	0·2
Wednesday	13	Gr. Dec. S. Last Qr.	29·880	41·7	29·0	12·7	36·5	− 4·4	35·5	1·0	5·3	0·0	96	50·5	22·8	41·90	NE., ENE. & NNE.	ENE. & E.	3·8	0·0	0·3	268	− 54	0·00	0·8
Thursday -	14	..	29·745	45·8	36·0	9·8	39·7	− 1·5	38·3	1·4	6·1	0·0	95	68·2	30·0	41·88	ENE. & NE.	ENE., E. & NE.	1·0	0·0	0·4	330	+ 11	0·00	0·0
Friday -	15	..	29·587	42·2	37·3	4·9	39·4	− 2·0	36·2	3·2	5·7	0·7	89	57·0	36·6	41·83	NE. & ENE.	ENE. NE. & E.	2·5	0·0	0·2	306	− 11	0·04	0·0
Saturday -	16	..	29·588	43·4	36·9	6·5	39·5	− 2·0	37·4	2·1	5·1	0·0	93	75·0	34·5	41·83	NE., NNE. & N.	N. & SSE.	0·7	0·0	0·0	165	−150	0·05	0·2
Means -			29·768	44·6	33·7	11·0	39·0	− 2·0	36·3	2·7	6·5	0·7	91	70·3	28·3	41·91	NE.		..	..	..	Sum 1561	Sum −691	Sum 0·09	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	10	m. P. till 11h. A.M.; w. P. till 7h. P.M.; m. P. afterwards.	3·3	11·4	Cloudy in morning; fine, with large amounts of cloud, till evening; generally cloudless, with hoar frost, at night.
Monday -	11	m. P. till 4h. P.M.; w. P. afterwards.	1·9	11·5	Partially cloudy, with hoar frost, in morning; generally overcast till evening; fine, with variable clouds, at night.
Tuesday -	12	w. P. generally.	0·0	11·5	Generally overcast, with slight fog and occasional gloomy intervals, till evening; cloudless, with hoar frost, at night.
Wednesday	13	m. P. generally.	0·0	11·6	Cloudless, with hoar frost, in early morning; overcast after 3h. A.M. A little misty rain in forenoon.
Thursday -	14	w. P. throughout.	0·1	11·7	Generally overcast; slight misty rain at times during the evening.
Friday -	15	w. P. generally till 9h. P.M.; w. P. and w. N. afterwards.	0·0	11·8	Overcast. Frequent rain after 7h. P.M.
Saturday -	16	w. P. and w. N. till 6h. A.M.; w. P. generally afterwards.	0·1	11·8	Overcast generally; frequent slight rain till afternoon.
			Sum 5·4	Sum 81·3	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·13 in. at the beginning of the week to 29·67 in. by 3h. P.M. on the 11th; increased to 29·94 in. by 8h. A.M. on the 13th; decreased to 29·54 in. by 6h. A.M. on the 16th and increased to 29·65 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th March, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	9	4	-	2	-	-	5	1
Kensington	177,205	-	5	5	-	-	-	-	2	-
Hammersmith	111,213	-	5	5	-	1	1	-	2	-
Fulham	141,920	-	8	6	-	2	-	-	2	-
Chelsea	73,843	-	5	2	-	-	-	-	3	-
City of Westminster	189,375	-	9	7	-	1	-	-	2	-
NORTH.										
St. Marylebone	140,460	-	-	2	-	1	-	-	2	-
Hampstead	82,605	-	3	2	-	-	-	-	-	-
St. Pancras	246,098	-	6	7	-	2	-	-	6	1
Islington	353,528	-	10	7	-	3	-	-	10	-
Stoke Newington	55,758	-	2	6	-	1	-	-	-	-
Hackney	228,417	-	7	10	-	2	-	-	8	-
CENTRAL.										
Holborn	59,700	-	2	-	-	1	-	-	1	-
Finsbury	106,590	-	4	3	-	-	-	-	2	-
City of London	25,289	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	3	8	-	-	-	-	1	-
Bethnal Green	127,509	-	2	7	-	1	-	-	3	-
Stepney	305,058	-	12	16	-	2	-	-	7	-
Poplar	170,465	-	7	19	-	3	-	-	-	-
SOUTH.										
Southwark	208,869	-	18	10	-	-	-	-	1	-
Bermondsey	136,824	-	3	7	-	2	-	-	2	-
Lambeth	318,530	-	9	9	-	1	-	-	3	-
Battersea	180,017	-	6	7	-	1	-	-	1	-
Wandsworth	242,224	-	9	14	-	1	-	-	-	-
Camberwell	269,102	-	9	20	-	3	-	-	4	-
Deptford	113,562	-	12	4	-	-	-	-	1	-
Greenwich	91,228	-	5	6	-	-	-	-	1	-
Lewisham	112,856	-	6	8	-	1	-	-	1	-
Woolwich	114,106	-	3	5	-	2	-	-	2	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**179**	**206**	-	**33**	**1**	-	**72**	**3**
Ages 0-1		-	1	2	-	-	-	-	1	-
„ 1-5		-	55	86	-	3	-	-	1	-
„ 5-		-	57	71	-	1	-	-	6	-
„ 10-		-	26	18	-	7	-	-	2	-
„ 15-		-	16	12	-	9	1	-	3	-
„ 20-		-	13	5	-	1	-	-	8	-
„ 25-		-	8	8	-	8	-	-	13	3
„ 35-		-	1	1	-	3	-	-	11	-
„ 45-		-	2	2	-	-	-	-	13	-
„ 55-		-	-	1	-	-	-	-	6	-
„ 65 and upwards		-	-	-	-	1	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 12. 1901. Vol. LXII.] Week ended Saturday, Mar. 23. [Price 1½*d.*

General Register Office, Somerset House,
March 25th, 1901.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 21·5, 19·6, and 18·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended				Towns.	Weeks ended			
	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.		Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.
33 Great Towns	21·5	19·6	18·9	18·4	Leicester - -	13·9	18·8	15·1	13·5
Birkenhead -	22·7	16·2	14·9	20·1	Liverpool - -	31·0	26·3	28·2	23·6
Birmingham -	21·4	21·0	22·2	19·3	London - - -	20·9	19·3	17·6	17·8
Blackburn -	21·7	13·5	18·0	22·1	Manchester - -	22·8	23·6	19·9	23·4
Bolton - -	19·1	17·2	14·7	20·4	Newcastle-on-Tyne	22·1	17·6	18·2	18·4
Bradford -	19·1	16·3	14·9	15·9	Norwich - -	17·0	16·1	18·4	18·8
Brighton -	19·2	17·5	14·6	12·9	Nottingham - -	22·0	15·0	18·4	15·7
Bristol - -	24·7	21·9	21·7	21·2	Oldham - -	14·1	18·7	24·8	13·0
Burnley -	22·1	16·9	14·3	14·7	Plymouth - -	38·2	34·2	26·6	17·1
Cardiff - -	19·8	20·0	18·5	14·4	Portsmouth - -	21·2	17·5	20·1	15·7
Croydon -	15·5	8·9	15·1	15·5	Preston - -	16·1	18·2	21·7	23·0
Derby - -	18·1	15·2	14·7	17·1	Salford - - -	22·6	23·3	21·5	20·8
Gateshead -	18·1	19·0	19·0	21·4	Sheffield - -	21·1	19·7	20·7	21·2
Halifax -	25·4	23·4	21·5	10·7	Sunderland - -	24·1	29·7	29·0	18·9
Huddersfield-	15·3	15·8	17·3	22·7	Swansea - -	24·3	20·9	14·6	21·9
Hull - -	22·3	21·2	18·9	21·2	West Ham - -	16·9	11·6	13·8	11·4
Leeds - -	22·2	18·7	19·8	19·4	Wolverhampton -	26·0	13·3	15·0	12·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Hull, 1·3 in Bolton, and 1·7 in Liverpool; from *scarlet fever*, 1·0 in Sunderland; from *whooping-cough*, 1·0 in Swansea, 1·1 in Hull, 1·3 in Birkenhead, 1·6 in Bristol, 1·8 in Cardiff, and 1·9 in Gateshead; and from *diarrhœal diseases*, 1·3 in Burnley. In none of the thirty-three towns did the death-rate from "*fever*," reach 1·0 per 1000. The 53 deaths from *diphtheria* included 14 in London, 5 in Sheffield, 3 in Bristol, 3 in Leicester, and 3 in Blackburn. One death from *small-pox* was registered in Cardiff, but not one in any other of the thirty-three towns.

London.

In London† 2424 births and 1588 deaths were registered. Allowing for increase of population, the births were 264, and the deaths 283, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8604—670—3/1901 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 20·9, 19·3, and 17·6 in the preceding three weeks, rose again last week to 17·8. During the four weeks ended on Saturday last the death-rate averaged 18·9 per 1000, being 3·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1588 deaths included 42 from measles, 6 from scarlet fever, 14 from diphtheria, 63 from whooping-cough, 5 from enteric fever, 1 from an ill-defined form of continued fever, 13 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus, 144 deaths were referred to these diseases, being 64 below the corrected average weekly number.

The deaths from *measles*, which had been 36, 33, and 35 in the preceding three weeks, further rose last week to 42, but were 22 below the corrected average; 10 cases belonged to the Borough of Camberwell, 5 to that of Hackney, and 4 to that of Stepney. The deaths from *scarlet fever*, which had been 4, 6, and 10 in the preceding three weeks, fell again last week to 6, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 19, 25, and 30 in the preceding three weeks, fell again last week to 14, and were 29 below the corrected average; 3 cases belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 57, 37, and 43 in the preceding three weeks, further rose last week to 63, but were 6 below the corrected average; 8 cases belonged to Kensington, 7 to Shoreditch, 5 to Islington, 4 to Chelsea, 4 to Southwark, and 4 to Battersea. The fatal cases of *enteric fever*, which had been 9, 7, and 8 in the preceding three weeks, fell last week to 5, the corrected average being 6; 2 cases belonged to Poplar. The deaths from *diarrhœal diseases*, which had been 19, 14, and 13 in the preceding three weeks, were again 13 last week, and were equal to the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 501, 463, and 394 in the preceding three weeks, further fell last week to 332, and were 152 below the corrected average. The deaths attributed directly to *influenza* numbered 30, having been 35, 39, and 30 in the preceding three weeks.

Different forms of *violence* caused 73 deaths, concerning all of which inquests were held. Of these 73 deaths, 12 were cases of suicide, 1 of homicide, and 1 of execution, while the remaining 59 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 4 to a conflagration, 14 others to burns and scalds, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1598 cases of scarlet fever, 1103 of diphtheria, 3 of typhus, and 182 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 151 cases, against 185, 140, and 130; of diphtheria, 128 cases, against 152, 153, and 149; and of enteric fever, 18 cases, against 17, 13, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended March 16th.

Greater London.

In Greater London 3550 births and 2133 deaths were registered, corresponding to annual rates of 27·3 and 16·4 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 7 from diphtheria, 21 from whooping-cough, 2 from "fever," and 7 from diarrhœal diseases were registered. Five deaths from measles occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·71 inches, and that of the Thermometer 38° 3; the latter being 3°·3 below the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 47 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·2 hours; the measured rainfall amounted to 0·31 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 23rd Mar. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,789,099**	**6324**	**4162**	**910**	**1162**	**1**	**93**	**27**	**53**	**122**	**22**	**38**	**166**	**370**	**981**	**53**	**18·4**	**1·6**	**51·0**	**23·7**	**37·5**	**3·06**	**0·22**	**0·56**	**33 Towns.**
London	4,651,113	2424	1588	299	481	–	42	6	14	63	6	13	73	196	510	5	17·8	1·6	48·9	31·3	38·3	3·50	0·31	0·79	London.
West Ham	329,377	180	72	12	16	–	1	–	1	1	1	1	2	5	8	3	11·4	0·8	–	–	–	–	–	–	West Ham.
Croydon	134,705	87	40	7	14	–	–	–	–	–	–	–	–	2	10	–	15·5	–	50·0	29·5	38·0	3·33	0·37	0·94	Croydon.
Brighton	125,077	54	31	4	13	–	–	–	2	1	–	1	1	2	10	–	12·9	1·7	50·0	33·2	39·5	4·17	0·27	0·69	Brighton.
Portsmouth	199,262	74	60	9	15	–	2	–	1	1	–	–	2	4	14	2	15·7	1·0	48·5	31·5	38·9	3·83	0·18	0·46	Portsmouth.
Plymouth	103,708	36	34	15	10	–	–	–	1	1	–	–	–	–	1	–	17·1	1·0	–	–	–	–	–	–	Plymouth.
Bristol	329,086	162	134	21	45	–	–	–	3	10	2	2	5	14	23	–	21·2	2·7	51·0	27·0	38·2	3·44	0·28	0·71	Bristol.
Cardiff	203,050	93	56	18	5	1	–	–	–	7	–	–	3	4	8	2	14·4	2·1	–	–	–	–	–	–	Cardiff.
Swansea	107,251	29	45	11	11	–	–	–	–	2	–	–	1	3	3	–	21·9	1·0	–	–	–	–	–	–	Swansea.
Wolverhampton	90,382	60	21	3	11	–	–	–	–	1	–	–	2	2	4	–	12·1	0·6	46·0	25·5	35·0	1·67	0·28	0·71	Wolverhampton.
Birmingham	524,307	337	194	52	53	–	4	1	2	3	1	1	10	14	40	3	19·3	1·2	–	–	–	–	–	–	Birmingham.
Norwich	116,466	58	42	6	18	–	–	–	2	1	–	–	1	1	8	–	18·8	1·3	42·4	33·0	37·4	3·00	0·34	0·86	Norwich.
Leicester	224,619	94	58	17	21	–	–	–	3	–	–	–	3	6	9	2	13·5	0·7	–	–	–	–	–	–	Leicester.
Nottingham	246,013	119	74	21	16	–	–	–	1	4	1	2	2	6	15	–	15·7	1·7	44·6	23·7	35·6	2·00	0·34	0·86	Nottingham.
Derby	109,605	52	36	12	10	–	–	–	–	–	1	1	2	5	6	–	17·1	1·0	–	–	–	–	–	–	Derby.
Birkenhead	119,213	57	46	15	14	–	–	–	1	3	–	–	–	3	6	–	20·1	1·7	–	–	–	–	–	–	Birkenhead.
Liverpool	635,348	428	288	58	76	–	21	2	2	2	3	–	17	19	79	7	23·6	2·5	44·2	30·5	37·9	3·28	0·00	0·00	Liverpool.
Bolton	166,284	94	65	12	16	–	4	–	1	1	–	1	–	1	4	–	20·4	2·2	–	–	–	–	–	–	Bolton.
Manchester	553,677	306	248	52	59	–	3	3	2	4	–	4	9	18	66	5	23·4	1·5	–	–	–	–	–	–	Manchester.
Salford	223,418	142	89	23	18	–	–	2	2	2	1	1	1	4	20	3	20·8	1·9	–	–	–	–	–	–	Salford.
Oldham	155,865	80	39	12	9	–	–	1	–	–	–	–	2	4	4	–	13·0	0·3	–	–	–	–	–	–	Oldham.
Burnley	120,497	48	34	13	7	–	–	–	–	–	–	3	2	2	5	–	14·7	1·3	–	–	–	–	–	–	Burnley.
Blackburn	139,089	72	59	9	12	–	–	1	3	–	–	1	3	6	10	3	22·1	1·9	–	–	–	–	–	–	Blackburn.
Preston	120,196	79	53	13	18	–	–	1	1	1	–	1	1	1	7	–	23·0	1·7	46·0	31·0	38·3	3·50	0·00	0·00	Preston.
Huddersfield	105,514	48	46	7	20	–	–	–	–	–	–	1	1	2	4	1	22·7	0·5	42·3	29·0	35·2	1·78	0·07	0·18	Huddersfield.
Halifax	106,873	51	22	4	8	–	–	–	–	–	–	–	–	2	–	1	10·7	–	–	–	–	–	–	–	Halifax.
Bradford	294,472	140	90	18	38	–	–	1	2	–	–	3	2	7	13	1	15·9	1·1	45·0	32·4	38·1	3·39	0·21	0·53	Bradford.
Leeds	428,814	232	163	41	41	–	6	3	2	1	2	–	6	13	21	–	19·4	1·7	–	–	–	–	–	–	Leeds.
Sheffield	370,737	235	151	43	29	–	–	3	5	1	2	2	3	4	30	7	21·2	1·8	–	–	–	–	–	–	Sheffield.
Hull	243,287	140	99	35	21	–	5	–	–	5	1	–	5	9	19	4	21·2	2·4	45·0	30·0	36·5	2·50	0·22	0·56	Hull.
Sunderland	149,205	111	54	15	12	–	1	3	–	2	1	–	1	3	6	2	18·9	2·4	–	–	–	–	–	–	Sunderland.
Gateshead	112,331	75	46	15	12	–	2	–	–	4	–	–	2	2	1	1	21·4	2·8	–	–	–	–	–	–	Gateshead.
Newcastle	240,258	127	85	18	13	–	2	–	2	1	–	–	4	6	17	1	18·4	1·1	–	–	–	–	–	–	Newcastle.

* See note to first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWELFTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2575	2437	2729	2496	2650	2483	2707	2218	2480	2675	2688·4	2424
Males	1335	1269	1373	1289	1340	1258	1393	1123	1249	1378	1374·0	1233
Females	1240	1168	1356	1207	1310	1225	1314	1095	1231	1297	1314·4	1191
TOTAL **Deaths**	1667	1744	1708	1689	2190	1603	1534	1731	2025	1817	1870·6	1588
Males	879	930	877	849	1099	825	802	873	981	973	960·0	813
Females	788	814	831	840	1091	778	732	858	1044	844	910·6	775

*The numbers in this column are the average weekly numbers in the twelfth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 29	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.
TOTAL **Births**	1591	2983	2466	2693	2713	2410	2687	2690	2673	2681	2496	2607	2424
TOTAL **Deaths**	1466	1593	1750	1666	1568	1438	1668	1719	1853	1865	1723	1571	1588
Ages at Death: Under 1 year	346	361	362	299	285	321	358	333	340	333	359	333	299
1—5 years	182	165	186	195	165	159	162	181	199	214	225	189	203
5—20 "	78	64	95	70	97	73	99	75	89	94	91	96	85
20—40 "	212	210	2 6	212	203	168	194	216	226	223	201	197	202
40—60 "	275	359	377	356	329	305	327	369	375	392	355	314	318
60—80 "	307	335	402	421	386	340	420	412	515	486	398	366	393
80 years and upwards	66	99	112	113	103	72	108	133	109	123	94	76	88
Deaths from—													
Small pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	27	21	34	36	24	25	20	36	36	36	33	35	42
Scarlet Fever	7	9	9	9	8	8	4	5	5	4	6	10	6
Diphtheria	26	24	25	32	23	24	29	20	27	19	25	30	14
Whooping-cough	31	29	32	38	37	44	58	49	52	57	37	43	63
Typhus	-	-	-	-	-	1	1	-	-	-	-	-	-
Enteric Fever	22	18	17	13	16	12	12	11	6	9	7	8	5
Simple Continued Fever	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa and Dysentery	9	9	16	15	17	11	12	16	10	19	14	13	13
Cholera	-	-	-	-	-	-	-	-	-	-	-	1	-
All the above Diseases	122	110	133	143	125	125	36	137	137	144	122	140	144
Dis. of Respiratory System	325	330	392	422	394	323	397	420	493	501	463	394	332
Phthisis	146	165	173	182	142	152	148	171	172	169	169	168	149
Dis. of Circulatory System	137	154	181	157	154	161	178	166	189	192	161	138	187
Violence	64	90	76	71	76	64	54	70	75	64	66	63	73
Inquest Cases	160	212	201	166	191	161	171	152	207	186	159	158	196
Deaths in Public Institutions	431	469	535	499	517	465	550	561	590	589	517	490	510
TEMPERATURE OF THE AIR													
Mean	42·7°	37·8°	34·6°	40·2°	44·2°	36·9°	34·3°	32·6°	35·1°	43·9°	42·0°	39·0°	38·3°
Mean of Highest readings	47·6	41·7	39·0	45·3	49·0	41·5	38·2	37·5	39·1	49·1	48·0	44·6	43·1
Mean of Lowest readings	38·4	33·1	29·3	34·1	39·3	31·8	29·6	26·7	31·7	38·7	37·1	33·7	34·2
Humidity of the Air	91	94	88	89	82	82	86	72	80	84	85	91	78
Rain-fall (in inches)	0·30	0·56	0·23	0·22	0·18	0·10	0·47	0·03	0·15	0·57	0·76	0·09	0·31
Registered Sunshine (in hours)	4·6	1·7	8·7	13·3	12·6	6·9	2·2	11·9	6·6	15·7	11·4	5·4	13·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	1	1	1	-	3	3	1	1	1	1	1	1	-
Scarlet Fever	2535	2391	2277	2172	2078	2037	1963	1876	1834	1823	1746	1652	1598
Diphtheria	1356	1266	1200	1152	1153	1128	1150	1110	1118	1124	1118	1115	1103
Typhus	-	—	—	—	1	7	6	6	6	2	2	3	3
Enteric Fever	403	374	367	333	305	299	262	258	237	224	205	184	182

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Hasher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Bobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWELFTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 12th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 23rd March, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1870·6	1588	299	203	85	202	318	393	88
all-pox: Vaccinated† -	-	-	-	-	-	-	-	-	-
all-pox: Unvaccinated	0·5	-	-	-	-	-	-	-	-
all-pox: No Statement	0·1	-	-	-	-	-	-	-	-
sles - - - -	63·9	42	10	30	2	-	-	-	-
let Fever - - -	12·8	6	-	3	3	-	-	-	-
hus - - - -	0·1	-	-	-	-	-	-	-	-
pping Fever - -	0·1	-	-	-	-	-	-	-	-
enza - - - -	54·2	30	-	2	-	8	6	10	4
oping-cough - -	68·5	63	23	36	4	-	-	-	-
itheria - -	42·8	14	2	8	4	-	-	-	-
ole Continued and -defined Fever -	-	1	-	-	-	-	1	-	-
eric Fever - - -	6·3	5	-	-	1	2	1	1	-
lera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rhœa, Dysentery -	13·1	13	9	1	-	-	1	2	-
ittent Fever - -	-	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of vaccination - -	0·3	-	-	-	-	-	-	-	-
ereal Affections - -	7·6	7	4	-	-	-	1	2	-
sipelas - - -	3·4	1	1	-	-	-	-	-	-
mia and Septicæmia	1·7	1	-	1	-	-	-	-	-
rperal Fever - -	3·7	2	-	-	-	2	-	-	-
er Zymotic Diseases	1·5	2	-	1	-	-	-	1	-
ush - - - -	0·3	-	-	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·3	1	-	1	-	-	-	-	-
rvation, Want of breast-milk - -	1·6	2	2	-	-	-	-	-	-
oholism - - -	9·5	14	-	-	-	6	7	1	-
eumatic Fever, Rheumatism of Heart	7·5	7	-	-	2	3	-	2	-
eumatism - - -	2·5	-	-	-	-	-	-	-	-
ut - - - - -	4·6	2	-	-	-	-	-	2	-
ckets - - - -	7·0	2	2	-	-	-	-	-	-
ncer - - - -	69·5	85	-	1	-	6	34	40	4
bes Mesenterica - -	19·1	20	6	7	7	-	-	-	-
bercular Meningitis -	26·3	20	4	13	3	-	-	-	-
thisis - - - -	178·5	149	-	4	6	70	60	9	-
ofula, Tuberculosis -	22·2	18	5	5	2	3	2	1	-
ner Constitutional Diseases - -	12·4	15	2	-	3	2	3	4	1
emature Birth - -	46·9	37	37	-	-	-	-	-	-
electasis - - -	3·5	3	3	-	-	-	-	-	-
ngenital Malformations - - -	8·7	10	8	1	1	-	-	-	-
d Age - - - -	60·0	61	-	-	-	-	-	28	33
oplexy - - -	44·5	42	1	-	-	1	12	26	2
pilepsy - - - -	8·1	10	-	-	2	2	2	4	-
nvulsions - - -	39·3	23	20	3	-	-	-	-	-
her Diseases of Brain and Nervous System	94·1	78	7	11	6	11	20	18	5
seases of Organs of Special Sense -	3·6	4	1	1	-	1	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 12th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 23rd March 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	154·6	187	2	1	14	29	59	69	13
Croup - - - -	4·2	-	-	-	-	-	-	-	-
Bronchitis - - -	262·6	172	38	17	2	4	19	72	20
Pneumonia - - -	176·3	126	27	36	6	10	22	25	-
Pleurisy - - - -	5·8	5	1	-	-	2	1	1	-
Other Diseases of Respiratory System -	35·2	29	2	2	2	2	9	11	1
Dentition - - - -	11·8	9	8	1	-	-	-	-	-
Quinsy, Sore Throat -	1·6	-	-	-	-	-	-	-	-
Enteritis - - -	14·2	9	1	2	4	2	-	-	-
Gastro-enteritis -		1	1	-	-	-	-	-	-
Peritonitis - - -	6·1	8	-	1	2	2	1	2	-
Diseases of Liver - -	25·7	21	2	-	1	3	10	5	-
Other Diseases of Digestive System	32·1	26	6	1	2	3	8	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·5	4	-	-	1	1	-	2	-
Diseases of Urinary System - - -	50·7	55	1	-	1	2	19	32	-
Diseases of Generative System - - -	6·2	4	-	-	-	1	2	1	-
Accidents of Childbirth -	5·6	7	-	-	-	6	1	-	-
Diseases of Locomotive System - - -	4·9	4	-	-	-	3	1	-	-
Diseases of Integumentary System - -	6·5	8	1	1	-	1	3	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·8	1	-	-	-	-	1	-	-
By Vehicles or Horses -	5·2	4	-	-	-	2	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	-	-	-	-	-	-	-	-
In Building Operations -	1·4	2	-	-	-	-	1	1	-
In Conflagrations -	0·4	4	-	-	1	2	-	1	-
By Burns, Scalds, Explosions - - -	7·2	14	3	8	-	-	-	2	1
By Drowning - - -	5·9	2	-	-	-	1	-	1	-
By Suffocation in Bed -	13·3	10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·2	1	-	-	-	1	-	-	-
Other or not stated causes - - -	18·2	21	3	1	2	3	4	6	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Battle - - - -	0·1	-	-	-	-	-	-	-	-
Homicide - - -	0·7	1	-	-	1	-	-	-	-
Suicide - - - -	9·1	12	-	-	-	4	5	3	-
Execution - - -	-	1	-	-	-	1	-	-	-
OTHER CAUSES - -	48·5	50	46	3	-	-	-	1	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ended Saturday, 23rd March, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2424	1588	299	481	-	42	6	14	63	-	5	1	13	73	196	510
WEST DISTRICTS - - -	778,251	326	264	53	78	-	1	3	2	19	-	2	-	1	15	29	88
NORTH DISTRICTS - - -	1,040,694	536	347	74	116	-	6	1	3	10	-	-	-	4	17	43	95
CENTRAL DISTRICTS - - -	233,635	116	79	10	18	-	1	-	1	4	-	-	-	2	3	8	36
EAST DISTRICTS - - -	716,334	466	292	54	83	-	8	-	5	10	-	3	-	1	14	53	123
SOUTH DISTRICTS - - -	1,642,796	980	568	108	169	-	26	2	3	20	-	-	1	5	24	62	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	-	17	-	-	-	-	-	-	-	-	-	-	1	38
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	52	22	4	5	-	-	-	-	3	-	-	-	-	-	1	6
St. John Paddington *H* - - G.	33,510	4	20	-	4	-	-	-	-	1	-	1	-	-	1	1	9
Kensington Town *Ww* - - W.	122,164	47	46	10	12	-	-	-	-	7	-	1	-	-	2	3	17
Brompton *HH*- - - W. & C.	48,301	7	7	-	4	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *H* W. & G	44,638	33	15	5	3	-	-	-	-	2	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G	59,561	36	21	8	7	-	-	-	-	-	-	-	-	-	2	3	4
North-west Fulham *W*	113,781	26	19	4	6	-	-	-	-	1	-	-	-	-	-	6	8
North-east Fulham *w* W. & C.		11	13	-	4	-	-	3	2	-	-	-	-	-	-	-	4
South Fulham		17	14	3	3	-	-	-	-	-	-	-	-	-	2	4	-
Chelsea Kensal Town - C.	21,450	8	7	2	4	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North *WHHHH* - C.	42,057	12	15	4	4	-	-	-	-	3	-	-	-	-	-	1	7
Chelsea South *HH* - - C.	33,139	22	14	2	6	-	1	-	-	1	-	-	-	-	1	2	-
May Fair *WH*- - - - G.	23,827	2	14	2	7	-	-	-	-	-	-	-	-	1	1	1	13
Belgrave *WHHH* - - - C.	56,140	20	18	5	4	-	-	-	-	1	-	-	-	-	2	2	9
St. John Westminster *HH* C.	31,492	22	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Margaret Westminster *H* C.	22,097	2	8	2	1	-	-	-	-	-	-	-	-	-	2	2	7
St. James Westminster *WH* N. & G.	23,050	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	12,048	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																	
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	10	11	3	2	-	-	-	-	-	-	-	-	1	-	-	7
Rectory Marylebone *W* G. & W.		6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.		29	8	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone‡ *H* - W		34	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone‡ *HHH* - W		8	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *WwHHHH* - N. & W.	75,449	27	22	4	8	-	-	1	1	1	-	-	-	-	1	1	9
Regent's Park *HH* - W.	51,403	30	17	5	4	-	-	-	-	-	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	3	17	1	6	-	-	-	1	-	-	-	-	-	3	4	11
Gray's Inn Lane *HHHH* - N.	29,426	16	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Somers Town *HH* - - - N.	32,161	12	12	5	2	-	-	-	-	-	-	-	-	1	2	3	1
Camden Town *WH* - - N.	40,155	17	15	3	4	-	-	-	-	-	-	-	-	-	1	4	9
Kentish Town *WW* - - N.	60,862	34	23	4	9	-	-	-	-	2	-	-	-	-	-	2	9
Upper Holloway *WWWWwHH* - - N.	98,273	53	50	15	18	-	-	-	-	2	-	-	-	1	2	4	22
Lower Holloway - - - N.	41,805	21	11	2	3	-	-	-	-	2	-	-	-	-	-	-	-
Barnsbury - - - N.	56,384	27	7	-	4	-	-	-	-	-	-	-	-	-	1	1	-
Islington South-east *H* - N.	75,725	41	27	9	7	-	1	-	1	1	-	-	-	1	1	6	-
Highbury *HH* - - - N.	64,577	34	23	4	11	-	-	-	-	-	-	-	-	-	1	3	1
Stoke Newington *H* - - N.	33,485	11	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Hornsey (part of) - - -	†*16,892*	7	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - E. & N.	213,044	15	11	1	6	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney *ww* - E. & N.		30	10	1	3	-	-	-	-	-	-	-	-	-	-	3	3
South-west Hackney *HHH* E. & N.		32	25	5	7	-	-	-	-	1	-	-	-	-	2	3	6
South-east Hackney *WwH* E. & N.		39	33	6	11	-	5	-	-	1	-	-	-	-	1	2	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

† Population in 1891, not included in the total population of the North Districts or of London

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	29,086	15	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St Giles North *H* - - - N.	9,151	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Strand *WHH* - - - - N.	11,839	5	8	2	2	-	-	-	-	-	-	-	-	1	-	2	5	-
Strand Union Workhouse, Edmonton	†1,037	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Holborn *WwHHHHH* - N.	31,042	9	16	1	2	-	-	-	1	1	-	-	-	-	-	1	9	-
St. James Clerkenwell - - N.	15,777	10	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Amwell Clerkenwell - - N.	34,356	21	10	3	3	-	1	-	-	3	-	-	-	-	-	-	-	-
Goswell-street - - - - N.	16,069	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	32	6	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Finsbury - - - - - - N.	11,630	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - N. & E.	13,061	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	2	10	-	2	-	-	-	-	-	-	-	-	-	1	1	8	-
Allhallows Barking - - - N.	9,059	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *w* - - N.	29,575	25	17	4	9	-	-	-	-	3	-	-	-	-	1	3	5	-
Hoxton Old Town - - - N.	27,645	22	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston *WH* - - N. & E.	47,163	30	26	3	7	-	-	-	-	4	-	-	-	-	1	3	12	-
Bethnal Green North *H* - - E.	49,301	35	13	2	3	-	-	-	-	-	-	-	-	-	3	4	2	-
Bethnal Green South - - E.	34,194	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East *WWHl* - E.	45,667	20	25	3	12	-	1	-	1	-	-	-	-	-	1	1	16	-
Spitalfields - - - E. & N.	26,681	21	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End New Town *WH* - E.	51,995	14	39	4	4	-	1	-	2	-	-	1	-	1	3	6	33	-
Goodman's Fields - - - E.		10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	32	15	3	3	-	-	-	-	1	-	-	-	-	1	5	-	-
St. John, St. George East *W* E.	7 930	6	11	2	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Shadwell *H* - - - E. & N.	10,434	5	11	5	1	-	-	-	2	-	-	-	-	-	-	1	9	-
Ratcliff *W* - - - - E.	14,954	5	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Limehouse - - - - E.	32,917	18	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town West *H* E.	111,060	59	7	2	1	-	3	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town East *WWww* - E.		38	30	4	13	-	-	-	-	-	-	-	-	-	-	4	15	-
Bow *l* - - - - E.	41,687	15	7	2	3	-	-	-	-	-	-	1	-	-	-	1	-	-
Bromley *wwwH* - - - E.	69,821	33	41	7	12	-	1	-	-	1	-	1	-	-	1	12	22	-
Poplar *WW* - - - - E.	57,759	48	21	8	6	-	1	-	-	1	-	-	-	-	2	8	3	-

† Population in 1891 not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 23rd March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 1 Year and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	18	11	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Borough-road *WH* - S. & L.	16,083	12	10	2	1	-	-	-	-	4	-	-	-	-	-	-	6	-
London-road *HL* - - L. & S.	21,316	16	4	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	33	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	45	14	5	1	-	2	-	-	-	-	-	-	-	-	-	1	-
St. Mary Newington- - L. & S.	30,171	16	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Olave *WH* - - - - S.	11,731	3	16	2	6	-	-	-	-	-	-	-	-	-	4	6	12	-
Bermondsey *W* - - - S.	85,475	51	25	5	3	-	1	-	-	1	-	-	-	-	1	1	2	-
Rotherhithe *Ww* - S. & K.	40,379	20	23	5	6	-	1	-	-	-	-	-	-	-	2	4	8	1
Waterloo-road *HH* - L. & S.	28,396	17	9	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Lambeth Church 1st *H* - L. & S.	18,770	3	14	2	1	-	1	-	-	-	-	-	-	-	4	5	10	-
Lambeth Church 2nd *WW* L. & S.	40,994	20	22	4	6	-	-	-	1	1	-	-	-	-	-	2	6	-
Kennington 1st *H* - - S. & L.	52,486	40	18	4	5	-	1	-	-	-	-	-	1	1	-	-	2	-
Kennington 2nd - - S. & L.	43,244	9	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	46	19	1	12	-	-	-	-	-	-	-	-	-	-	2	-	-
Norwood *WH* - - - - L.	29,318	13	8	-	5	-	-	-	-	-	-	-	-	-	4	4	-	-
East Battersea - - - - S.	71,730	41	20	6	4	-	-	-	-	3	-	-	-	1	1	2	-	-
North-west Battersea - - S. }	93,385	27	11	2	2	-	-	-	-	1	-	-	-	-	-	2	-	-
South-west Battersea *WwH* - S. }		18	24	1	8	-	-	-	-	1	-	-	-	-	-	1	14	-
Clapham *H* - - - - S.	46,953	22	13	1	5	-	1	-	-	-	-	-	-	-	-	2	1	-
Streatham *Wwwwwl* - - L.	61,644	46	19	4	11	-	-	1	-	1	-	-	-	-	-	1	4	-
Wandsworth *WHHL* - - S.	58,101	33	13	2	8	-	-	-	-	-	-	-	-	-	1	2	1	-
Putney - - - - - - S.	20,566	13	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich - - - L. & S.	7,519	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	38	54	5	20	-	4	-	-	1	-	-	-	-	1	1	34	-
Peckham *WW* - S., L., & K.	88,242	57	37	10	13	-	5	-	-	1	-	-	-	-	1	5	1	1
St. George Camberwell - L. & S.	67,029	37	27	9	5	-	2	-	-	-	-	-	-	-	1	2	-	-
Deptford North - - - K.	36,152	31	10	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	46	17	4	1	-	1	1	1	1	-	-	-	-	-	3	3	-
Deptford South - - - K.	33,402	16	13	2	5	-	1	-	-	1	-	-	-	-	-	2	-	-
Greenwich West *H* - - K.	23,012	10	6	-	-	-	1	-	-	-	-	-	-	-	2	2	1	-
Greenwich East *WH* - - K.	37,767	26	19	1	4	-	1	-	-	-	-	-	-	-	-	3	13	-
Eltham *wH* - - - - - K.	5,911	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Lee *H* - - - - - - K.	24,222	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	1
Lewisham *WwwH* - - - K.	38,139	35	20	6	7	-	3	-	1	-	-	-	-	1	-	-	6	-
Sydenham *H* - - - - L.	37,601	25	6	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	11	6	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Woolwich *HHHH* - - K.	41,314	19	6	1	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Plumstead West *H* - - K.	16,714	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *WH* - - K	42,538	32	13	1	6	-	-	-	-	-	-	-	-	1	-	1	3	-
Banstead Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill Asylum - - - -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	1	8	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - - }	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell Asylum - - - -	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Central London Sick Asylum, Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital - - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd March, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,584	1,405,489	1126	545	126	163	-	9	-	7	21	2	7	16	32	82	5
30 : 1	Carshalton *H* - - -	12,228	26,108	18	11	6	-	-	-	-	-	5	-	-	1	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W* -	2,754	1,598	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH* -	20,851	128,699	103	52	10	16	-	-	-	-	-	-	-	1	3	13	-
2	Mitcham *w* - - -	11,697	23,072	20	6	2	2	-	-	-	-	1	-	-	1	1	-	-
39 : 1	Wimbledon *HHH* - -	3,220	25,777	14	9	3	2	-	1	-	-	-	-	1	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	19	16	3	7	-	-	-	-	-	-	-	-	-	8	-
3	Surbiton *HH* - - -		12,178	2	5	1	2	-	-	-	-	-	-	1	1	1	1	-
4	Esher, *part of** *H* - -		11,080	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	10	5	1	2	-	-	-	-	1	-	-	-	-	1	-
40 : 1	Richmond *WHH* - -	2,160	25,389	17	6	1	4	-	-	-	-	-	-	-	-	-	3	-
2	Mortlake *H* - - -	2,823	16,159	8	4	1	1	-	-	-	-	-	-	-	-	1	-	-
41 : 1	Bromley *HHH* - - -	9,127	23,815	11	4	-	1	-	-	-	-	-	-	-	-	1	1	-
2	Beckenham *H* - - -	6,542	21,969	14	8	3	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	6 974	7,714	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst† *HH* - -	7,333	12,658	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *HHH* - - -	12,540	30,590	41	10	4	1	-	-	-	-	-	1	-	1	1	1	1
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w* - - -	11,054	13,671	10	5	2	1	-	1	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	8	4	1	3	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon *WHH* - -	6,035	12,237	7	7	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge - - - -	12,757	7,253	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	8	7	3	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* - -	6,967	26,004	11	17	2	10	-	-	-	-	-	-	-	-	-	11	-
2	Twickenham *HH* - -	2,415	16,027	9	9	2	3	-	-	-	-	-	-	-	1	1	1	-
3	Brentford *HHHH* - -	4,318	37,777	22	12	4	4	-	-	-	-	-	-	-	1	1	1	-
4	Chiswick - - - -	1,245	21,963	11	4	-	2	-	-	-	1	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	25	10	1	3	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Harrow *HHH* - - -	13,809	15,715	6	4	-	2	-	-	-	1	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	63	28	6	10	-	-	-	-	4	-	-	-	1	-	-
4	Hendon *WH* - - -	8,382	15,843	11	10	2	3	-	-	-	1	-	-	-	-	-	1	-
128 : 1	South Mimms *HH* - -	21,077	6,367	6	5	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	5	4	2	-	-	-	-	-	1	-	1	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	16	5	1	2	-	-	-	-	-	-	-	1	1	1	-
129 : 1	Hornsey, *part of** *HH* -	2,809	44,205	28	10	3	2	-	-	-	-	1	-	-	-	1	-	-
13 : 3	Amwell, *part of** - - -	65	318	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
129 : 2	Tottenham *HHH* - -	4,642	97,174	64	29	8	9	-	2	-	-	3	-	-	1	3	1	-
3	Edmonton *Ww* - -	7,489	36,351	39	19	4	7	-	-	-	-	-	-	-	-	1	4	-
4	Enfield *WWHH* - -	12,602	31,536	17	12	3	2	-	-	-	1	-	-	-	2	2	-	-
5	Waltham Abbey - - -	11,017	6,066	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	3	3	2	1	-	-	-	-	-	-	-	-	1	-	1
135 : 1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - - -	9,331	7,737	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford *H* - - -	4,706	38,612	24	9	-	-	-	-	-	-	-	-	1	1	1	1	-
2	Plaistow *HHH* - - -		58,030	67	24	4	7	-	-	-	1	-	1	-	1	3	4	1
3	Canning Town *H* - -		54,750	56	26	7	4	-	1	-	-	1	-	-	-	1	1	1
4	Forest Gate *w* - - -		53,511	33	11	1	4	-	-	-	-	-	-	-	-	-	-	1
5	East Ham *wHHH* - -	3,266	32,713	80	18	9	3	-	-	-	-	1	-	-	-	-	-	-
6	Wanstead - - - -	4,334	7,042	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	27	25	5	6	-	4	-	-	1	-	1	-	-	6	-
8	North Leyton *WwH* -		24,874	31	11	2	5	-	-	-	1	1	-	1	1	2	1	-
9	Walthamstow *HHHL* -	6,501	57,370	75	32	7	5	-	-	-	-	-	-	1	-	1	2	-
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W* -	6,556	4,324	1	11	2	8	-	-	-	-	-	-	-	-	-	8	-
2	Ilford *H* - - - -	8,493	10,913	22	6	2	1	-	-	-	-	1	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	15	4	2	-	-	-	-	-	-	-	-	-	1	2	-
	North-Western Fever Hosp., Hampstead.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum Annexe, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	4	-	3	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes: 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892); 13: 3. the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41 : 3, '4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 23rd March, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,421**	**6,781,854**	**16·4**	**1·5**	**2133**	**425**	**644**	**-**	**51**	**6**	**21**	**84**	**8**	**20**	**89**	**592**
INNER LONDON -	74,837	4,651,113	17·8	1·6	1588	299	481	-	42	6	14	63	6	13	73	510
OUTER RING -	368,584	2,130,741	13·3	1·1	545	126	163	-	9	-	7	21	2	7	16	82

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	March	23	150	123	20·7	-	5	-	3	6	3	2
GLASGOW - -	753,766	,,	23	509	335	23·2	11	-	2	3	18	3	5
DUBLIN† - -	346,128	,,	23	214	243	36·6	-	-	-	1	7	2	5
CALCUTTA - -	466,460	January	12	-	470	52·5	102	2	-	1	3	139‡	76§
BOMBAY - -	821,764	March	5	74	2573	162·8	7	4	?	?	?	1568‡	112§
MADRAS - -	452,518	February	15	315	384	44·1	5	1	?	?	?	124	69§
PARIS - - -	2,511,629	March	16	1127	1099	22·7	11	8	5	12*	8	6	25
BRUSSELS - -	570,844	,,	16	262	181	16·5	-	-	-	2*	1	2	11
AMSTERDAM -	520,800	,,	9	317	144	14·4	-	1	-	2	3	-	13
ROTTERDAM -	325,556	February	16	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	,,	16	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	March	16	208	147	20·3	-	9	-	-	2	1	2
STOCKHOLM -	297,148	,,	9	160	139	24·3	-	1	4	6*	1	-	4
CHRISTIANIA -	226,423	,,	16	206	71	16·3	-	-	-	-	1	-	6
ST. PETERSBURG	1,248 643	,,	9	603	616	25·7	1	13	9	17	4	18	50
MOSCOW - -	988,610	,,	9	-	504	26·6	3	7	10	5	-	2	34
BERLIN - -	1,885,085	,,	2	961	655	18·1	-	9	9	11	16	-	38
HAMBURG - -	705,738	,,	16	-	257	18·9	-	-	2	-	3	2	10
DRESDEN - -	397,000	January	5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	422,415	March	16	-	198	24·4	-	-	-	-	-	2	17
MUNICH - -	500,000	,,	16	-	266	27·7	-	4	1	1*	2	-	26
VIENNA - -	1,662,269	,,	16	986	767	24·0	-	16	5	7*	4	-	18
PRAGUE - -	393,091	,,	9	209	206	27·8	-	8	1	4	-	3	4
		,,	16	221	218	29·4	-	4	1	3	1	3	4
BUDA-PESTH -	741,013	,,	16	542	320	22·5	-	7	2	1	4	-	7
TRIESTE - -	176,456	,,	16	106	91	26·8	-	1	-	3*	2	-	-
ROME - - -	521,159	February	2	249	228	22·8	-	-	-	3	1	3‖	7
TURIN (10 days) -	344,203	January	10	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	,,	26	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	,,	21	515	339	30·9	-	-	-	4*	-	6	48
ALEXANDRIA -	319,766	,,	21	244	216	35·1	1	-	-	1*	3	5	42
NEW YORK (including BROOKLYN)	3,536,517	February	23	1626	1371	20·2	9	5	24	37*	3	5	28
		March	2	1773	1410	20·8	11	8	30	36*	8	11	34
PHILADELPHIA -	1,293,697	,,	2	-	538	21·7	-	-	9	27	1	5	3

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 24 deaths from cholera in Calcutta, 13 in Bombay, and 12 in Madras.
‡ Including 36 deaths from plague in Calcutta, and 1253 in Bombay.
‖ Including one death from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	17	..	29·581	48·9	35·8	13·1	42·3	+ 0·7	36·7	5·6	9·9	1·8	81	102·3	25·6	41·81	Calm & E.	E. & NE.	1·6	0·0	0·1	219	− 94	0·00	0·8
Monday -	18	..	29·431	41·2	35·3	5·9	38·1	− 3·5	32·7	5·4	8·0	3·0	81	55·1	31·9	41·94	NE.	NE.	7·6	0·0	1·1	497	+185	0·00	0·5
Tuesday -	19	In Equator.	29·348	43·4	34·2	9·2	37·0	− 4·5	31·7	5·3	10·6	0·0	81	106·6	32·5	42·02	NE. & NNE.	NNE. & N.	7·7	0·0	1·4	535	+224	0·04	1·5
Wednesday	20	New	29·409	40·0	36·8	3·2	37·8	− 3·6	34·7	3·1	6·2	0·0	89	41·2	35·5	41·80	NE.	NE.	8·5	0·0	1·9	617	+307	0·27	1·0
Thursday -	21	Perigee	29·731	42·2	33·1	9·1	37·5	− 3·9	28·2	9·3	13·0	3·8	68	90·0	27·2	41·89	NE. & ENE.	E., ENE. & NE.	17·5	0·0	2·9	685	+376	0·00	3·2
Friday -	22	..	30·174	43·9	31·3	12·6	37·3	− 4·2	27·0	10·3	15·6	6·8	66	104·6	25·5	41·63	NNE.	NE. & NNE.	4·7	0·0	0·6	392	+ 85	0·00	0·8
Saturday -	23	..	30·295	42·1	33·2	8·9	37·8	− 4·0	31·4	6·4	9·0	4·6	78	60·2	25·0	41·43	NNE. & N.	N., NNE. & NE.	1·6	0·0	0·1	245	− 59	0·00	0·0
Means -			29·710	43·1	34·2	8·9	38·3	− 3·3	31·8	6·5	10·3	2·9	78	80·0	29·0	41·78	NE.		..	..	..	Sum 3190	Sum +1024	Sum 0·31	1·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	17	w. P. throughout.	5·5	11·9
Monday -	18	w. P. till 9h. A.M.; m. P. afterwards.	0·0	12·0
Tuesday -	19	m. P. generally till 1h. P.M.; v. P. and v. N. afterwards.	2·6	12·0
Wednesday	20	w. P. with occasional v. N. till 3h. P.M.; m. P. afterwards.	0·0	12·1
Thursday -	21	m. P. generally.	1·0	12·1
Friday -	22	s. P. generally.	4·1	12·2
Saturday -	23	s. P. throughout.	0·0	12·3
			Sum 13·2	Sum 84·6
No. of Column -		27	28	29

GENERAL REMARKS.

Generally overcast till 8h. A.M.; fine and partially cloudy till 4h. P.M.; overcast afterwards.

Overcast. Brisk wind prevalent after 8h. A.M.

Cloudy in morning: variable, with frequent snow showers, till afternoon; overcast, with snow, sleet and rain, afterwards. Gusty wind.

Overcast throughout with continuous rain and sleet till 3h. P.M. Gusty wind.

Generally overcast till 10h. P.M.; very fine afterwards. Strong gusty wind prevalent throughout the day. Solar halo in afternoon.

Fine; partially cloudy.

Generally overcast.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·65 in. at the beginning of the week to 29·31 in. by 10h. P.M. on the 19th; increased to 30·32 in. by 9h. A.M. on the 23rd; and decreased to 30·27 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th March, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	6	3	-	3	-	-	2	-
Kensington	177,205	-	9	4	-	4	-	-	1	-
Hammersmith	111,213	-	2	5	-	-	-	-	2	-
Fulham	141,920	-	6	7	-	1	-	-	4	-
Chelsea	73,843	-	2	2	-	-	-	-	2	-
City of Westminster	189,375	-	5	2	-	2	-	-	3	-
NORTH.										
St. Marylebone	140,460	-	10	15	-	1	-	-	4	-
Hampstead	82,605	-	1	4	-	-	-	-	-	-
St. Pancras	246,093	-	7	11	-	-	-	-	3	-
Islington	353,528	-	11	7	-	6	-	-	1	-
Stoke Newington	55,758	-	2	1	-	-	-	-	-	-
Hackney	228,417	-	4	6	-	3	-	-	3	-
CENTRAL.										
Holborn	59,700	-	4	4	-	-	-	-	-	-
Finsbury	106,590	-	-	1	-	3	-	-	1	-
City of London	25,289	-	1	2	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	2	2	-	1	-	-	1	2
Bethnal Green	127,509	-	3	3	-	-	-	-	-	-
Stepney	305,058	-	8	5	-	3	-	-	5	-
Poplar	170,465	-	10	10	-	2	-	-	2	-
SOUTH.										
Southwark	208,869	-	10	10	-	2	-	-	1	-
Bermondsey	136,824	-	6	7	-	2	-	-	5	-
Lambeth	318,530	-	11	12	-	2	1	-	3	-
Battersea	180,017	-	5	1	-	-	-	-	3	-
Wandsworth	242,224	-	7	4	-	2	-	-	3	-
Camberwell	269,102	-	9	20	-	2	-	-	4	1
Deptford	113,562	-	6	8	-	-	-	-	1	-
Greenwich	91,228	-	2	3	-	-	-	-	3	-
Lewisham	112,856	-	4	10	-	3	-	-	-	-
Woolwich	114,106	-	1	5	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	-	154	174	-	42	1	-	57	3
Ages 0-1		-	3	4	-	-	-	-	3	-
" 1-5		-	45	56	-	3	-	-	4	-
" 5-		-	52	58	-	4	-	-	1	-
" 10-		-	24	20	-	6	-	-	2	-
" 15-		-	16	11	-	7	-	-	4	-
" 20-		-	6	14	-	7	-	-	6	2
" 25-		-	5	10	-	7	-	-	7	1
" 35-		-	-	-	-	4	1	-	3	-
" 45-		-	2	1	-	4	-	-	13	-
" 55-		-	-	-	-	-	-	-	9	-
" 65 and upwards		-	1	-	-	-	-	-	5	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 13. 1901. Vol. LXII.] WEEK ENDED SATURDAY, MAR. 30. [Price 1½*d*

General Register Office, Somerset House,
April 1*st*, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·6, 18·9, and 18·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Towns.	Weeks ended Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.
33 Great Towns	19·6	18·9	18·4	19·7	Leicester - -	18·8	15·1	13·5	17·4
Birkenhead -	16·2	14·9	20·1	14·0	Liverpool - -	26·3	28·2	23·6	28·1
Birmingham -	21·0	22·2	19·3	23·4	London - - -	19·3	17·6	17·8	18·4
Blackburn -	13·5	18·0	22·1	17·6	Manchester - -	23·6	19·9	23·4	22·0
Bolton - -	17·2	14·7	20·4	18·5	Newcastle-on-Tyne	17·6	18·2	18·4	23·2
Bradford -	16·3	14·9	15·9	16·6	Norwich - -	16·1	18·4	18·8	21·5
Brighton -	17·5	14·6	12·9	14·6	Nottingham - -	15·0	18·4	15·7	22·9
Bristol - -	21·9	21·7	21·2	21·5	Oldham - -	18·7	24·8	13·0	20·1
Burnley -	16·9	14·3	14·7	17·7	Plymouth - -	34·2	26·6	17·1	29·7
Cardiff - -	20·0	18·5	14·4	16·9	Portsmouth - -	17·5	20·1	15·7	18·1
Croydon -	8·9	15·1	15·5	12·8	Preston - -	18·2	21·7	23·0	17·8
Derby - -	15·2	14·7	17·1	21·4	Salford - - -	23·3	21·5	20·8	22·4
Gateshead -	19·0	19·0	21·4	20·4	Sheffield - -	19·7	20·7	21·2	20·3
Halifax -	23·4	21·5	10·7	17·1	Sunderland - -	29·7	29·0	18·9	21·7
Huddersfield-	15·8	17·3	22·7	23·2	Swansea - -	20·9	14·6	21·9	18·0
Hull - -	21·2	18·9	21·2	21·4	West Ham - -	11·6	13·8	11·4	13·0
Leeds - -	18·7	19·8	19·4	18·7	Wolverhampton -	13·3	15·0	12·1	19·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·7 in Hull, 2·2 in Liverpool, and 2·3 in Gateshead; from *scarlet fever*, 1·7 in Preston; and from *whooping-cough*, 1·0 in Cardiff, 1·2 in Wolverhampton and in Salford, 1·3 in Nottingham, 1·4 in Bristol and in Sunderland, 1·5 in Swansea and in Hull, and 2·2 in Birkenhead. In none of the thirty-three towns did the death-rate from "*fever*," or from *diarrhœal diseases*, reach 1·0 per 1000. The 59 deaths from *diphtheria* included 16 in London, 6 in Bristol, 6 in Leicester, 6 in Sheffield, 5 in Salford, 4 in Birmingham, 4 in Liverpool, and 4 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2634 BIRTHS and 1645 DEATHS were registered. Allowing for increase of population, the births were 139, and the deaths 195,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8767—670—4/1901 Wt D & S 3 N.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·3, 17·6, and 17·8 in the preceding three weeks, further rose last week to 18·4. During the four weeks ended on Saturday last the death-rate averaged 18·3 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1645 deaths included 56 from measles, 8 from scarlet fever, 16 from diphtheria, 55 from whooping-cough, 8 from enteric fever, 21 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 164 deaths were referred to these diseases, being 47 below the corrected average weekly number.

The deaths from *measles*, which had been 33, 35, and 42 in the preceding three weeks, further rose last week to 56, but were 15 below the corrected average; 13 cases belonged to the Borough of Hackney, 10 to that of Camberwell, 6 to that of Stepney, and 5 to that of Bermondsey. The deaths from *scarlet fever*, which had been 6, 10, and 6 in the preceding three weeks, rose again last week to 8, but were 8 below the corrected average. The deaths from *diphtheria*, which had been 25, 30, and 14 in the preceding three weeks, rose again last week to 16, but were 22 below the corrected average; 5 cases belonged to Camberwell. The deaths from *whooping-cough*, which had been 37, 43, and 63 in the preceding three weeks, fell again last week to 55, and were 11 below the corrected average; 7 cases belonged to Kensington, 6 to Lambeth, 5 to Hammersmith, and 5 to St. Pancras. The fatal cases of *enteric fever*, which had been 7, 8, and 5 in the preceding three weeks, rose again last week to 8, and were equal to the corrected average; 2 cases belonged to Islington. The deaths from *diarrhœal diseases*, which had been 14, 14, and 13 in the preceding three weeks, rose last week to 21, and were 11 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 463, 394, and 332 in the preceding three weeks, rose again last week to 363, but were 78 below the corrected average. The deaths attributed directly to *influenza* numbered 26, having been 39, 30, and 30 in the preceding three weeks.

Different forms of *violence* caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 49 were attributed to accident or negligence. One of these were referred to a vehicle in the street, 1 to a conflagration, 4 others to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1568 cases of scarlet fever, 1089 of diphtheria, 2 of typhus, and 162 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 167 cases, against 140, 130, and 151; of diphtheria, 110 cases, against 153, 149, and 128; and of enteric fever, 19 cases, against 13, 20, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended March 23rd.

Greater London.

In Greater London 3865 births and 2176 deaths were registered, corresponding to annual rates of 29·7 and 16·7 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 27 from whooping-cough, 6 from "fever," and 7 from diarrhœal diseases were registered. Nine deaths from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·62 inches, and that of the Thermometer 34°·2; the latter being 9°·1 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·2 hours; the measured rainfall amounted to 0·44 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 30th Mar. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,789,099**	**6609**	**4450**	**1005**	**1244**	**–**	**120**	**34**	**59**	**146**	**25**	**43**	**155**	**315**	**1025**	**67**	**19·7**	**1·9**	**51·3**	**17·3**	**33·5**	**0·83**	**0·63**	**1·60**	**33 Towns.**
London	4,651,113	2634	1645	349	471	–	56	8	16	55	8	21	64	136	523	8	18·4	1·8	47·5	24·2	34·2	1·22	0·44	1·12	London.
West Ham	329,377	205	82	27	14	–	1	1	1	6	2	–	3	8	24	1	13·0	1·7	–	–	–	–	–	–	West Ham.
Croydon	134,705	85	33	12	11	–	–	–	–	2	–	1	1	2	2	–	12·8	1·2	47·0	19·3	32·4	0·22	0·38	0·97	Croydon.
Brighton	125,077	53	35	5	16	–	–	–	–	–	–	–	1	1	8	–	14·6	–	47·0	25·8	35·2	1·78	0·24	0·61	Brighton.
Portsmouth	199,262	104	69	11	28	–	2	–	–	1	–	–	3	4	10	–	18·1	0·8	–	–	–	–	–	–	Portsmouth.
Plymouth	103,708	63	59	10	22	–	–	–	–	1	–	–	1	2	8	–	29·7	0·5	–	–	–	–	–	–	Plymouth.
Bristol	329,086	170	136	34	49	–	–	–	6	9	–	–	2	8	27	–	21·5	2·4	51·3	23·0	34·6	1·44	0·38	0·97	Bristol.
Cardiff	203,050	118	66	19	21	–	–	1	1	4	1	–	2	5	7	1	16·9	1·8	–	–	–	–	–	–	Cardiff.
Swansea	107,251	54	37	9	9	–	–	–	1	3	–	–	1	3	6	–	18·0	1·9	–	–	–	–	–	–	Swansea.
Wolverhampton	90,382	48	34	6	9	–	1	–	–	2	–	–	–	1	7	1	19·6	1·7	46·8	17·3	30·9	–0·61	0·82	2·08	Wolverhampton.
Birmingham	524,307	333	235	61	66	–	5	4	4	7	5	4	10	13	42	5	23·4	2·9	–	–	–	–	–	–	Birmingham.
Norwich	116,466	66	48	12	22	–	1	–	–	–	–	–	3	3	5	1	21·5	0·4	47·0	25·5	33·7	0·94	0·52	1·32	Norwich.
Leicester	224,619	130	75	20	21	–	–	–	6	2	–	–		5	17	–	17·4	1·9	–	–	–	–	–	–	Leicester.
Nottingham	246,013	136	108	25	39	–	2	3	1	6	–	1	2	8	18	1	22·9	2·8	48·3	20·8	32·8	0·44	0·31	0·79	Nottingham.
Derby	109,605	62	45	13	10	–	–	–	–	2	1	–	2	4	3	–	21·4	1·4	–	–	–	–	–	–	Derby.
Birkenhead	119,213	58	32	7	13	–	–	1	–	5	1	–	–	1	6	–	14·0	3·1	–	–	–	–	–	–	Birkenhead.
Liverpool	635,348	419	343	62	73	–	27	2	4	5	3	3	14	22	94	18	28·1	3·6	48·7	26·9	35·4	1·89	0·77	1·96	Liverpool.
Bolton	166,284	72	59	16	15	–	3	–	–	–	–	2	3	5	3	–	18·5	1·6	–	–	–	–	–	–	Bolton.
Manchester	553,677	304	234	46	65	–	–	1	–	8	–	–	14	29	54	4	22·0	0·8	–	–	–	–	–	–	Manchester.
Salford	223,418	130	96	32	18	–	–	–	5	5	–	2	3	4	23	–	22·4	2·8	–	–	–	–	–	–	Salford.
Oldham	155,865	58	60	14	10	–	–	1	1	2	–	–	–	–	9	1	20·1	1·3	–	–	–	–	–	–	Oldham.
Burnley	120,497	42	41	6	14	–	–	–	1	2	–	1	2	3	5	–	17·7	1·7	–	–	–	–	–	–	Burnley.
Blackburn	139,089	61	47	7	14	–	–	–	–	–	–	1	–	1	7	2	17·6	0·4	–	–	–	–	–	–	Blackburn.
Preston	120,196	67	41	10	13	–	–	4	–	–	1	–	2	4	5	2	17·8	2·2	45·0	25·0	33·1	0·61	0·90	2·29	Preston.
Huddersfield	105,514	35	47	8	22	–	–	–	–	–	–	–	1	3	6	–	23·2	–	48·5	22·2	31·8	–0·11	1·17	2·97	Huddersfield.
Halifax	106,873	54	35	5	15	–	–	–	–	–	–	1	1	3	7	2	17·1	0·5	–	–	–	–	–	–	Halifax.
Bradford	294,472	123	94	17	28	–	–	1	1	1	–	2	1	2	11	–	16·6	0·9	46·0	23·4	33·7	0·94	0·94	2·39	Bradford.
Leeds	438,814	225	157	44	35	–	5	2	4	–	1	1	4	12	21	2	18·7	1·5	–	–	–	–	–	–	Leeds.
Sheffield	370,737	262	144	43	35	–	1	1	6	4	2	–	1	5	21	7	20·3	2·0	–	–	–	–	–	–	Sheffield.
Hull	243,287	151	100	24	22	–	8	–	1	7	–	2	3	6	13	4	21·4	3·9	51·0	21·0	34·1	1·17	0·66	1·68	Hull.
Sunderland	149,205	104	62	18	11	–	–	2	–	4	–	–	1	1	10	2	21·7	2·1	–	–	–	–	–	–	Sunderland.
Gateshead	112,331	56	44	13	9	–	5	1	–	1	–	–	3	3	–	2	20·4	3·2	–	–	–	–	–	–	Gateshead.
Newcastle	240,258	127	107	20	24	–	3	1	–	2	–	1	7	8	23	3	23·2	1·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2781	2498	2553	2437	2466	2780	2533	2860	2609	2736	2773·2	2634
Males - -	1457	1259	1276	1244	1227	1401	1320	1458	1338	1407	1414·1	1349
Females - -	1324	1239	1277	1193	1239	1379	1213	1402	1271	1329	1359·1	1285
TOTAL **Deaths** -	1799	1753	1732	1736	1781	1526	1505	1883	1922	1785	1840·4	1645
Males - -	944	900	918	863	927	778	778	948	936	933	942·8	846
Females - -	855	853	814	873	854	748	727	935	986	852	897·6	799

*The numbers in this column are the average weekly numbers in the thirteenth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.
TOTAL **Births** - - -	2983	2466	2693	2713	2410	2687	2690	2673	2681	2496	2607	2424	2634
TOTAL **Deaths** - - -	1593	1750	1666	1568	1438	1668	1719	1853	1865	1723	1571	1588	1645
Ages at Death: Under 1 year - -	361	362	299	285	321	358	333	340	333	359	333	299	349
1—5 years - -	165	186	195	165	159	162	181	199	214	225	189	203	221
5—20 " - -	64	95	70	97	73	99	75	89	94	91	96	85	85
20—40 " - -	210	216	212	203	168	194	216	226	223	201	197	202	206
40—60 " - -	359	377	356	329	305	327	369	375	392	355	314	318	313
60—80 " - -	335	402	421	386	340	420	412	515	486	398	366	393	375
80 years and upwards	99	112	113	103	72	108	133	109	123	94	76	88	96
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	21	34	36	24	25	20	36	36	36	33	35	42	56
Scarlet Fever - - -	9	9	9	8	8	4	5	5	4	6	10	6	8
Diphtheria - - - -	24	25	32	23	24	29	20	27	19	25	30	14	16
Whooping-cough - - -	29	32	38	37	44	58	49	52	57	37	43	63	55
Typhus - - - - -	-	-	-	-	1	1	-	-	-	-	-	-	-
Enteric Fever - - -	18	17	13	16	12	12	11	6	9	7	8	5	8
Simple Continued Fever -	-	-	-	-	-	-	-	1	-	-	-	1	-
Diarrhœa and Dysentery -	9	16	15	17	11	12	16	10	19	14	13	13	21
Cholera - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
All the above Diseases -	110	133	143	125	125	136	137	137	144	122	140	144	164
Dis. of Respiratory System -	330	392	422	394	323	397	420	493	501	463	394	332	363
Phthisis - - - - -	165	173	182	142	152	148	171	172	169	169	168	149	165
Dis. of Circulatory System -	154	181	157	154	161	178	166	189	192	161	138	187	157
Violence - - - -	90	76	71	76	64	54	70	75	64	66	63	73	64
Inquest Cases - - - -	212	201	166	191	161	171	152	207	186	159	158	196	136
Deaths in Public Institutions -	469	535	499	517	465	550	561	590	589	548	489	510	523
TEMPERATURE OF THE AIR													
Mean - - - - - -	37°·8	34°·6	40°·2	44°·2	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	31°·2
Mean of Highest readings -	41·7	39·0	45·3	49·0	41·5	38·2	37·5	39·1	49·1	48·0	44·6	43·1	41·1
Mean of Lowest readings -	33·1	29·3	34·1	39·3	31·8	29·6	26·7	31·7	38·7	37·1	33·7	34·2	28·4
Humidity of the Air - -	94	88	89	82	82	86	72	80	84	85	91	78	70
Rain-fall (in inches) - -	0·56	0·23	0·22	0·18	0·10	0·47	0·03	0·15	0·57	0·76	0·09	0·31	0·44
Registered Sunshine (in hours)	1·7	8·7	13·3	12·6	6·9	2·2	11·9	6·6	15·7	11·4	5·4	13·2	21·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	1	1	-	3	3	1	1	1	1	1	1	-	-
Scarlet Fever - - - -	2391	2277	2172	2078	2037	1963	1876	1834	1823	1746	1652	1598	1568
Diphtheria - - - -	1266	1200	1152	1153	1128	1150	1110	1118	1124	1118	1115	1103	1089
Typhus - - - - -	—	—	—	1	7	6	6	6	2	2	3	3	2
Enteric Fever - - - -	374	367	333	305	299	262	258	237	224	205	184	182	162

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.P., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTEENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 13th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 30th March, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1840·4	1645	349	221	85	206	313	375	96
all-pox { Vaccinated† -	-	-	-	-	-	-	-	-	-
all-pox { Unvaccinated	0·5	-	-	-	-	-	-	-	-
all-pox { No Statement	0·4	-	-	-	-	-	-	-	-
asles - - - -	71·2	56	12	41	3	-	-	-	-
arlet Fever - - -	16·1	8	-	5	3	-	-	-	-
hus - - - -	0·1	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	44·3	26	2	1	1	2	11	7	2
ooping-cough - -	66·3	55	21	31	3	-	-	-	-
htheria - -	38·2	16	1	8	6	-	1	-	-
ple Continued and l-defined Fever -	0·3	-	-	-	-	-	-	-	-
teric Fever - - -	7·6	8	-	-	3	5	-	-	-
olera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	10·1	21	15	2	-	-	2	1	1
mittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	0·1	-	-	-	-	-	-	-	-
wpox and Effects of vaccination - -	0·3	-	-	-	-	-	-	-	-
nereal Affections - -	10·0	9	4	-	-	1	2	2	-
ysipelas - - -	3·4	2	1	-	-	-	-	1	-
æmia and Septicæmia	1·8	-	-	-	-	-	-	-	-
erperal Fever - -	4·5	2	-	-	-	2	-	-	-
her Zymotic Diseases	1·5	3	1	1	1	-	-	-	-
rush - - - -	0·4	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
arvation, Want of Breast-milk - -	2·5	4	4	-	-	-	-	-	-
coholism - - -	10·1	9	-	-	-	2	3	4	-
heumatic Fever, Rheumatism of Heart	7·0	6	-	1	5	-	-	-	-
heumatism - - -	1·7	3	-	-	-	-	1	2	-
out - - - - -	3·0	4	-	-	-	-	1	3	-
ickets - - - -	6·5	5	1	4	-	-	-	-	-
ancer - - - -	70·1	72	-	-	1	5	33	29	4
abes Mesenterica - -	17·4	19	8	8	2	-	1	-	-
ubercular Meningitis -	28·6	25	6	14	3	2	-	-	-
nthisis - - - -	173·2	165	2	3	12	76	56	15	1
rofula. Tuberculosis -	23·1	29	6	8	6	7	1	1	-
ther Constitutional Diseases - -	13·9	19	1	1	-	5	6	6	-
remature Birth - -	53·2	51	51	-	-	-	-	-	-
telectasis - - -	3·9	4	4	-	-	-	-	-	-
ongenital Malformations - - -	10·2	7	7	-	-	-	-	-	-
ld Age - - - -	53·1	75	-	-	-	-	-	35	40
poplexy - - -	48·0	52	2	-	-	-	16	31	3
pilepsy - - - -	7·2	6	-	-	-	4	1	-	1
onvulsions - - -	38·0	29	27	2	-	-	-	-	-
ther Diseases of Brain and Nervous System	93·3	71	7	11	3	11	20	14	5
Diseases of Organs of Special Sense -	4·2	3	-	1	1	1	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 13th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 30th March 1901 — Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	161·7	157	1	1	11	18	45	70	11
Croup - - - -	4·3	1	-	1	-	-	-	-	-
Bronchitis - - -	243·1	177	37	21	1	-	29	74	15
Pneumonia - - -	157·8	156	46	45	5	18	26	14	2
Pleurisy - - - -	6·8	4	-	-	-	3	-	1	-
Other Diseases of Respiratory System -	29·2	25	3	2	2	2	5	7	4
Dentition - - - -	11·0	10	5	5	-	-	-	-	-
Quinsy, Sore Throat -	1·6	1	1	-	-	-	-	-	-
Enteritis - - -	16·5	17	4	-	5	3	3	1	1
Gastro-enteritis -		2	2	-	-	-	-	-	-
Peritonitis - - -	5·8	6	-	-	-	3	2	1	-
Diseases of Liver - -	26·2	20	3	-	-	3	10	4	-
Other Diseases of Digestive System	50·6	39	7	2	3	4	6	16	1
Diseases of Lymphatic System & of Ductless Glands - - -	3·0	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	50·2	44	-	-	-	7	11	22	4
Diseases of Generative System - - -	5·2	5	-	-	-	4	1	-	-
Accidents of Childbirth-	5·1	7	-	-	-	4	3	-	-
Diseases of Locomotive System - - -	6·0	-	-	-	-	-	-	-	-
Diseases of Integumentary System- -	6·0	6	2	-	-	-	3	-	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·2	3	-	-	1	2	-	-	-
By Vehicles or Horses -	4·5	1	-	-	-	-	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	2	-	-	-	1	-	1	-
In Building Operations -	1·1	1	-	-	-	1	-	-	-
In Conflagrations -	1·3	1	-	-	-	-	-	1	-
By Burns, Scalds, Explosions - -	6·7	4	-	1	-	1	1	1	-
By Drowning - - -	5·4	3	-	-	-	1	2	-	-
By Suffocation in Bed -	16·6	11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	1	-	-	-	-	1	-	-
Other or not stated causes- - - -	22·5	22	4	-	2	1	6	9	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·0	2	1	-	1	-	-	-	-
Suicide - - - -	9·8	13	-	-	1	7	3	2	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·2	40	39	1	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th March, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Causes of Uncertified
LONDON - - -	4,411,710	2634	1645	349	471	-	56	8	16	55	-	8	-	21	64	136	523	8
WEST DISTRICTS - - -	778,251	402	260	54	86	-	1	2	2	20	-	-	-	3	16	22	84	-
NORTH DISTRICTS - - -	1,040,694	566	339	68	102	-	14	2	1	10	-	5	-	2	8	24	86	-
CENTRAL DISTRICTS - - -	233,635	130	103	13	27	-	3	-	-	5	-	1	-	2	5	12	46	1
EAST DISTRICTS - - -	716,334	500	297	70	79	-	10	-	4	5	-	2	-	4	14	35	114	1
SOUTH DISTRICTS - - -	1,642,796	1036	607	144	167	-	28	4	9	15	-	-	-	10	21	43	154	6
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	10	-	-	-	-	-	-	-	-	-	-	-	39	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	52	30	5	12	-	-	-	-	2	-	-	-	1	1	2	6	-
St. John Paddington *H* - - G.	33,510	4	7	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Kensington Town *Ww* - - W.	122,164	58	51	15	18	-	-	-	-	7	-	-	-	-	3	4	23	-
Brompton *HH*- - - W. & C.	48,301	10	12	2	3	-	-	1	-	-	-	-	-	1	-	1	2	-
North Hammersmith *H* W. & G	44,638	38	8	1	4	-	-	-	-	2	-	-	-	-	1	1	-	-
South Hammersmith *wH* W. & G	59,561	31	12	3	2	-	-	-	-	3	-	-	-	-	2	2	1	-
North-west Fulham *W* W. & C.	113,781	47	18	4	7	-	-	-	-	2	-	-	-	-	3	5	7	-
North-east Fulham *w* W. & C.		25	10	2	2	-	-	1	2	1	-	-	-	-	-	-	3	-
South Fulham W. & C.		34	13	4	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Chelsea Kensal Town - C.	21,450	10	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - C.	42 057	21	25	4	10	-	-	-	-	1	-	-	-	-	1	1	14	-
Chelsea South *HH* - - C.	33,139	15	6	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-
May Fair *WH*- - - - G.	23,827	2	10	-	4	-	-	-	-	-	-	-	-	-	-	-	8	-
Belgrave *WHHH* - - - C.	56,140	23	26	5	8	-	1	-	-	-	-	-	-	-	2	2	12	-
St. John Westminster *HH* C.	31,492	15	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* C.	22,097	3	10	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
St. James Westminster *WH* N. & G.	23,050	7	4	1	2	-	-	-	-	-	-	-	-	-	2	2	-	-
St. Anne Soho *HHHHH* - N.	12,048	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone‡ *HHHHHHHHH* - - W.	141,188	7	9	1	2	-	-	-	-	-	-	-	-	-	1	2	4	-
Rectory Marylebone *W* G. & W.		9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.		31	9	2	4	-	-	-	-	3	-	-	-	-	1	2	1	-
Christchurch Marylebone‡ *H* - W		24	15	6	2	-	-	-	-	-	-	-	-	1	1	5	-	-
St. John Marylebone‡ *HHH* - W		9	8	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Hampstead *WwHHHH* - N. & W.	75,449	34	22	1	9	-	-	2	-	-	-	2	-	-	-	-	7	-
Regent's Park *HH* - W.	51,403	38	18	6	3	-	-	-	-	1	-	-	-	-	-	2	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	10	11	-	3	-	-	-	-	1	-	-	-	-	-	-	5	-
Gray's Inn Lane *HHHH* - N.	29,426	10	10	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Somers Town *HH* - - - N.	32,161	18	12	4	2	-	-	-	-	2	-	-	-	-	-	1	4	-
Camden Town *WH* - - N.	40,155	17	15	4	6	-	-	-	-	-	-	-	-	-	-	-	7	-
Kentish Town *WW* - - N.	60,862	27	16	3	7	-	-	-	-	-	-	-	-	-	-	-	6	-
Upper Holloway *WWWWwHH* - - N.	98,273	57	46	4	21	-	-	-	-	-	-	2	-	-	-	1	26	-
Lower Holloway - - - N.	41,805	33	8	5	1	-	-	-	-	-	-	-	-	-	1	3	-	-
Barnsbury - - - - N.	56,384	48	12	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *H* - N.	75,725	34	16	4	7	-	1	-	-	-	-	-	-	-	1	2	-	-
Highbury *HH* - - - N.	64,577	28	13	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Stoke Newington *H* - - N.	33,485	10	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey (part of) - - -	†*16,892*	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	18	16	2	7	-	1	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		33	15	5	2	-	6	-	1	-	-	-	-	-	-	-	1	-
South-west Hackney *HHH* E. & N.		29	24	3	8	-	2	-	-	2	-	1	-	-	2	2	6	-
South-east Hackney *WwH* E. & N.		38	28	5	7	-	4	-	-	1	-	-	-	-	1	3	14	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of All Souls Marylebone, Christchurch Marylebone, and St. John Marylebone, were re-arranged on 1st January, 1901.

Population in 1891, not included in the total population of the North Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	21	8	2	4	-	1	-	-	-	-	-	-	-	-	1	2	-
St Giles North *H* - - - N.	9,151	6	3	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	3	7	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1
Strand *WHH* - - - - N.	11,839	3	9	1	2	-	-	-	-	-	-	-	-	-	1	2	6	-
Strand Union Workhouse, Edmonton	†*1,037*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *WwHHHHH* - N.	31,042	11	24	4	3	-	1	-	-	2	-	1	-	1	1	1	13	-
St. James Clerkenwell - - N.	15,777	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	23	4	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Goswell-street - - - - N.	16,069	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	32	12	3	3	-	-	-	-	-	-	-	-	1	-	2	3	-
Finsbury - - - - - N.	11,630	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†*892*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - N. & E.	13,061	4	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	1	17	1	4	-	-	-	-	-	-	-	-	-	1	2	14	-
Allhallows Barking - - - N.	9,059	1	3	2	-	-	1	-	-	-	-	-	-	-	1	2	-	-
City of London Asylum, Stone - -	†*388*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hoxton New Town *w* - - N.	29,575	17	17	5	5	-	-	-	1	-	-	-	-	1	1	3	4	-
Hoxton Old Town - - - N.	27,645	15	8	5	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Haggerston *WH* - - N. & E.	47,163	38	23	5	8	-	-	-	-	1	-	-	-	-	1	1	14	-
Bethnal Green North *H* - E.	49,301	41	12	4	3	-	-	-	-	1	-	-	-	1	2	3	-	1
Bethnal Green South - - E.	34,194	29	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bethnal Green East *WWHl* - E.	45,667	31	19	3	6	-	1	-	-	-	-	-	-	-	-	-	12	-
Spitalfields - - - E. & N.	26,681	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	18	39	7	6	-	2	-	-	-	-	1	-	-	4	6	34	-
Goodman's Fields - - - E.		7	9	2	2	-	1	-	-	-	-	-	-	-	1	2	-	-
St. George's, North - - - E.	39,576	38	8	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. John, St. George East *W* E.	7 930	5	10	3	3	-	1	-	-	-	-	-	-	-	1	3	8	-
Shadwell *H* - - - E. & N.	10,434	12	9	2	-	-	-	-	2	-	-	-	-	-	1	1	5	-
Ratcliff *W* - - - - E.	14,954	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - E.	32,917	25	8	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town West *H* E.	111,060	38	16	6	4	-	2	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town East *WWww* - E.		23	18	1	7	-	1	-	-	-	-	-	-	-	-	2	6	-
Bow *l* - - - - E.	41,687	28	15	5	5	-	-	-	1	-	-	-	-	-	-	1	1	-
Bromley *wwwH* - - - E.	69,821	55	43	4	15	-	-	-	-	1	-	1	-	1	1	3	25	-
Poplar *WW* - - - - E.	57,759	48	22	6	7	-	2	-	-	-	-	-	-	1	1	5	4	-

† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 30th March, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark - - S.	12,301	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	15	8	6	-	-	1	-	-	-	-	-	-	-	1	1	-	1
Borough-road *WH* - S. & L.	16,083	10	8	3	2	-	1	-	-	1	-	-	-	-	-	-	3	-
London-road *HL* - - L. & S.	21,316	14	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	21	7	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	32	15	3	8	-	-	-	-	-	-	-	-	-	-	1	2	1
St. Mary Newington- - L. & S.	30,171	17	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,751	7	12	1	3	-	1	-	-	-	-	-	-	-	4	4	8	-
Bermondsey *W* - - - S.	85,475	67	29	10	3	-	-	-	-	1	-	-	-	-	2	4	2	-
Rotherhithe *Ww* - S. & K.	40,379	25	20	5	7	-	3	-	-	-	-	-	-	-	2	4	7	2
Waterloo-road *HH* - L. & S.	28,396	24	14	3	2	-	-	-	-	2	-	-	-	-	-	1	2	-
Lambeth Church 1st *H* - L. & S.	18,770	11	18	5	1	-	-	-	-	2	-	-	-	1	4	4	11	-
Lambeth Church 2nd *WW* L. & S.	40,994	32	25	5	10	-	1	-	-	2	-	-	-	-	-	-	9	-
Kennington 1st *H* - - S. & L.	52,486	32	11	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Kennington 2nd - - S. & L.	43,244	17	11	2	3	-	1	-	1	-	-	-	-	1	-	-	-	-
Brixton *w* - - - L. & S.	81,825	35	14	1	8	-	-	-	-	-	-	-	-	1	-	-	-	-
Norwood *WH* - - - - L.	29,318	13	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea - - - - S.	71,730	47	18	9	4	-	-	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea - - S. } 93,385	32	15	2	4	-	1	-	-	-	-	-	-	2	-	1	-	-
South-west Battersea *WwH* - S. }	13	35	8	9	-	-	-	-	2	-	-	-	1	2	4	27	-
Clapham *H* - - - - S.	46,953	27	12	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Streatham *Wwwwl* - - L.	61,644	45	23	6	7	-	1	1	-	1	-	-	-	1	1	2	2	-
Wandsworth *WHHL* - - S.	58,101	60	23	8	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney - - - - - - S.	20,566	12	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	52	55	4	21	-	-	-	1	-	-	-	-	-	-	2	35	-
Peckham *WW* - S., L., & K.	88,242	62	32	9	4	-	3	-	1	1	-	-	-	-	-	1	-	-
St. George Camberwell - L. & S.	67,029	45	26	4	6	-	7	-	1	-	-	-	-	-	1	2	-	-
Deptford North - - - K.	36,152	25	17	6	4	-	1	-	-	2	-	-	-	-	1	1	-	-
Deptford Central *w* - - K.	45,441	32	17	5	2	-	3	1	1	-	-	-	-	-	-	-	3	-
Deptford South - - - K.	33,462	14	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	10	8	1	2	-	1	-	1	-	-	-	-	-	-	-	1	-
Greenwich East *WH* - - K.	37,767	19	20	3	9	-	-	-	-	-	-	-	-	1	-	1	13	1
Eltham *wH* - - - - K.	5,911	7	5	1	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Lee *H* - - - - - - K.	24,222	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - - K.	38,139	43	21	2	7	-	1	1	3	-	-	-	-	-	-	-	15	-
Sydenham *H* - - - - L.	37,601	23	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	16	7	1	2	-	-	1	-	-	-	-	-	-	-	-	2	-
Woolwich *HHHH* - - K.	41,314	19	9	4	4	-	-	-	-	-	-	-	-	1	2	3	-	-
Plumstead West *H* - - K.	16,714	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,598	30	23	4	7	-	-	-	-	-	-	-	-	-	-	-	9	-
Banstead Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Dartford Heath - - - - - - }	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
Hanwell Asylum - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Central London Sick Asylum, Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury Asylum - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th March, 1901.

gis-tion trict nd ub-trict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	1,405,489	1231	531	150	140	-	9	2	6	27	6	7	17	41	83	2
0 : 1	Carshalton *H* - - -	12,228	26,108	9	12	3	4	-	-	-	-	3	-	-	-	1	1	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	6	7	-	3	-	-	-	1	-	-	-	1	1	6	-
7 : 1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Croydon *WWwHHH* -	20,851	128,699	97	41	12	11	-	-	-	-	2	-	1	1	2	2	-
2	Mitcham *w* - - -	11,697	23,072	15	7	2	2	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Wimbledon *HHH* - -	3,220	25,777	21	10	3	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	23	17	5	8	-	-	-	-	-	-	-	-	-	4	-
3	Surbiton *HH* - - -		12,178	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-
10 : 1	Richmond *WHH* - -	2,160	25,389	10	4	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Mortlake *H* - - -	2,823	16,159	14	4	2	-	-	-	-	-	-	1	-	-	-	-	-
11 : 1	Bromley *HHH* - - -	9,127	23,815	13	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*** *W* -	6,974	7,714	2	3	1	1	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst† *HH* - -	7,333	12,658	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-
12 : 1	Bexley *HHH* - - -	12,540	30,590	30	13	7	3	-	1	-	1	2	-	1	1	2	1	-
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 : 1	Sunbury *w* - - -	11,054	13,671	10	7	2	2	-	1	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
25 : 1	Hillingdon *WHH* - -	6,035	12,237	9	2	-	1	-	-	-	-	-	-	-	-	-	-	1
2	Uxbridge - - - -	12,757	7,253	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Hayes *wH* - - - -	7,952	11,051	11	8	5	2	-	-	-	-	1	-	-	-	-	-	-
26 : 1	Isleworth *WHH* - -	6,967	26,004	23	11	3	5	-	-	-	-	1	-	-	-	-	3	-
2	Twickenham *HH* - -	2,415	16,027	12	7	-	4	-	-	-	-	-	-	-	-	-	2	-
3	Brentford *HHHH* - -	4,318	37,777	25	10	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	18	10	3	3	-	-	-	-	-	-	1	1	1	-	-
5	Acton *wHH* - - -	6,132	30,945	18	10	5	2	-	-	-	-	1	-	1	-	-	-	-
27 : 1	Harrow *HHH* - - -	13,809	15,715	13	4	-	1	-	-	-	-	-	1	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	84	30	14	2	-	-	-	-	6	-	-	1	3	1	-
4	Hendon *WH* - - -	8,382	15,843	17	12	2	6	-	-	-	-	-	-	-	1	1	7	-
28 : 1	South Mimms *HH* - -	21,077	6,367	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	11	8	2	2	-	-	-	-	-	-	-	-	2	-	-
29 : 1	Hornsey, *part of** *HH* -	2,800	44,205	36	15	2	4	-	-	-	1	-	1	-	2	3	-	-
13 : 3	Amwell, *part of** - - -	65	318	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29 : 2	Tottenham *HHH* - -	4,642	97,174	72	38	9	8	-	1	-	-	1	-	-	2	5	1	-
3	Edmonton *Ww* - -	7,489	36,351	48	16	5	3	-	2	-	-	-	-	-	-	1	4	-
4	Enfield *WWHH* - -	12,602	31,536	25	5	-	-	-	1	1	-	1	-	-	-	-	-	-
5	Waltham Abbey - - -	11,017	6,066	4	3	1	1	-	-	-	-	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	9,620	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
35 : 1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Bushey *H* - - - -	9,331	7,737	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H* - - -	4,706	38,612	30	13	6	1	-	-	-	-	-	-	-	2	4	2	-
2	Plaistow *HHH* - - -		58,030	65	17	6	1	-	-	1	1	1	1	-	-	1	3	-
3	Canning Town *H* - -		54,750	73	24	11	2	-	1	-	-	4	-	-	1	3	1	-
4	Forest Gate *w* - - -		53,511	37	10	3	3	-	-	-	-	1	-	-	-	-	-	1
5	East Ham *wHHH* - -	3,266	32,713	61	23	13	2	-	-	-	1	-	-	2	-	2	1	-
6	Wanstead - - - -	4,334	7,042	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	39	34	3	10	-	1	-	-	1	2	-	-	-	24	-
8	North Leyton *WwH* -		24,874	36	12	1	5	-	-	-	-	2	-	-	2	3	1	-
9	Walthamstow *HHHL* -	6,501	57,370	76	21	7	9	-	1	-	-	-	-	-	-	-	2	-
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	6	4	1	1	-	-	-	-	-	-	-	-	1	2	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W* -	6,556	4,324	2	7	2	3	-	-	-	-	-	-	-	-	-	3	-
2	Ilford *H* - - - -	8,493	10,913	23	6	1	3	-	-	-	-	-	-	1	-	1	-	-
3	Barking Town, *H* - -	3,814	14,301	16	7	1	1	-	-	-	-	-	-	-	-	-	-	-
	Eastern Fever Hospital, Hackney.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	4	-	-	-	-	-	-	-	-	-	1	1	4	-
	London County Lunatic Asylum, Cane Hill.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes: 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097): 129: 1, excepting the part in the Borough of Stoke Newington (pop. 16,892): 13: 3, the part of Hornsey Urban District situated in Amwell Sub-District; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 41: 3, 4.—On 1st January, 1901, Orpington Sub-District was formed out of part of Chislehurst Sub-District.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 30th March, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,421**	**6,781,854**	**16·7**	**1·7**	**2176**	**499**	**611**	**-**	**65**	**10**	**22**	**82**	**14**	**28**	**81**	**606**
INNER LONDON -	74,837	4,651,113	18·4	1·8	1645	349	471	-	56	8	16	55	8	21	64	523
OUTER RING -	368,584	2,130,741	13·0	1·4	531	150	140	-	9	2	6	27	6	7	17	83

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	309,472	March	30	169	143	24·1	-	8	-	2	5	1	2
GLASGOW - -	753,766	"	30	451	331	22·9	10	5	3	2	14	2	8
DUBLIN† - -	346,128	"	30	236	226	34·0	-	1	11	-	-	1	1
CALCUTTA - -	466,460	January	19	-	470	52·5	82	1	-	-	-	158‡	95§
BOMBAY - -	821,764	March	12	173	2450	155·0	10	2	?	?	?	1519‡	78§
MADRAS - -	452,518	February	22	310	388	44·5	2	5	?	?	?	120	76§
PARIS - - -	2,511,629	March	23	1190	1091	22·5	6	16	1	17*	8	9	28
BRUSSELS - -	570,844	"	23	267	195	17·8	-	1	-	1*	2	1	10
AMSTERDAM -	520,800	"	16	306	181	18·1	-	2	-	1	5	-	13
ROTTERDAM -	325,556	February	16	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	"	16	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	March	23	181	143	19·7	-	6	2	1	1	-	6
STOCKHOLM -	297,148	"	16	118	125	21·8	-	-	3	5*	-	-	3
CHRISTIANIA -	226,423	"	23	121	71	16·3	-	-	-	-	2	-	6
ST. PETERSBURG	1,248,643	"	16	600	635	26·5	2	4	12	26	3	17	42
MOSCOW - -	988,610	"	16	-	519	27·4	3	4	13	7	2	1	51
BERLIN - -	1,885,685	"	9	1014	651	18·0	-	7	13	8	14	1	43
HAMBURG - -	705,738	"	23	-	241	17·8	-	1	1	2*	3	1	10
DRESDEN - -	397,000	January	5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	422,415	March	23	-	222	27·4	-	-	1	-	1	1	26
MUNICH - -	500,000	"	23	-	249	25·9	-	3	1	2*	7	-	25
VIENNA - -	1,662,269	"	23	1039	748	23·4	-	18	14	7*	6	2	42
PRAGUE - -	393,091	"	23	199	199	26·8	-	4	2	1	-	2	6
BUDA-PESTH -	741,013	"	23	-	-	-	-	-	-	-	-	-	-
TRIESTE - -	176,456	"	23	124	114	33·6	-	-	-	1*	2	-	5
ROME - - -	521,159	February	9	241	206	20·6	-	-	-	-	-	5‖	10
TURIN (10 days) -	344,203	January	10	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	"	26	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	"	28	422	322	29·4	-	-	-	4*	-	5	50
ALEXANDRIA -	319,766	"	28	248	208	33·8	1	-	-	4*	3	2	39
NEW YORK (including BROOKLYN)	3,536,517	March	9	1667	1434	21·2	10	8	32	44*	6	12	31
PHILADELPHIA -	1,293,697	"	9	-	495	20·0	-	-	5	11	3	7	-

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 28 deaths from cholera in Calcutta, 4 in Bombay, and 7 in Madras.
‡ Including 40 deaths from plague in Calcutta, and 1196 in Bombay.
‖ Including one death from malarial fever.

Under the Superintendence of the Astronomer Royal.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
March.																									
Sunday -	24	..	30·071	40·8	30·6	10·2	34·8	− 7·3	29·5	5·3	10·1	2·5	81	75·1	19·0	41·43	NE., NNE. & N.	NNE., SSW. & WSW.	0·6	0·0	0·0	151	− 151	0·00	0·0
Monday -	25	Greatest Dec. N.	29·744	38·5	28·8	9·7	32·3	−10·1	28·7	3·6	11·0	0·0	86	67·9	23·0	41·13	W. & NE.	NNE. & N.	5·0	0·0	0·4	331	+ 30	0·02	0·0
Tuesday -	26	..	29·769	38·6	26·4	12·2	31·9	−11·0	17·1	14·8	19·8	2·4	52	65·0	22·2	40·46	N. & NNW.	NNW., NW. & SW.	4·2	0·0	0·3	297	− 3	0·00	0·0
Wednesday	27	First Quarter.	29·526	39·2	26·4	12·8	31·8	−11·5	17·9	13·9	17·0	4·1	54	91·4	21·0	40·40	WSW., NNW. & W.	NNW., N. & NW.	4·6	0·0	0·5	340	+ 40	0·00	0·2
Thursday -	28	..	29·599	39·7	25·5	14·2	31·7	−12·0	22·4	9·3	15·4	4·4	67	105·8	19·7	40·37	NW., WNW. & NNW.	NNE., W. & WSW.	4·6	0·0	0·4	316	+ 17	0·00	0·8
Friday -	29	..	29·590	43·2	24·2	19·0	34·3	− 9·8	23·1	11·2	17·4	6·1	63	96·0	20·3	40·08	WSW. & SW.	SW. & SSW.	6·6	0·0	0·8	396	+ 97	0·01	1·2
Saturday -	30	..	29·040	47·5	37·1	10·4	42·3	− 2·3	39·6	2·7	5·5	0·9	90	70·9	31·8	39·82	SSW.	SW.	18·0	0·0	3·5	732	+434	0·41	3·8
Means -			29·620	41·1	28·4	12·6	34·2	− 9·1	25·5	8·7	13·7	2·9	70	81·7	22·4	40·53	N. & SW.		..	..	..	Sum 2563	Sum +464	Sum 0·44	0·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	24	s. P. till 11h. A.M.; m. P. afterwards.	1·0	12·3
Monday -	25	m. P. generally till noon; v. P. with occasional s. N. till 7h. P.M.; s. P. afterwards.	0·5	12·4
Tuesday -	26	s. P. throughout.	6·5	12·5
Wednesday	27	s. P. generally; s. N. at 5h. P.M.	5·7	12·5
Thursday -	28	s. P. generally; s. N. at 2h. and 6h. P.M.	2·5	12·6
Friday -	29	v. P. till noon; v. P. and v. N. till 5h. P.M.; s. P. generally afterwards.	4·7	12·7
Saturday -	30	w. P. and v. N. till 3h. P.M.; m. P. afterwards.	0·3	12·7
			Sum 21·2	Sum 87·7
No. of Col. -		27	28	29

GENERAL REMARKS.

Very fine till 1h. A.M.; generally overcast till afternoon; fine but hazy afterwards. Partial solar halo at 2h. P.M. Hoar frost and slight fog at night.

Fine, with fog and hoar frost, in morning; overcast, with frequent snow till afternoon; partially cloudy till 7h. P.M.; cloudless, with hoar frost, at night.

Very fine, with hoar frost, in morning; fine, with small amounts of cloud generally, afterwards. Slight snow at 11h. 30m. P.M.

Cloudy, with slight snow, in early morning; fine, with variable clouds, till evening; cloudless, with hoar frost, at night. Slight snow at 5h. P.M.

Very fine with hoar frost in morning; fine and partially cloudy with occasional slight snow afterwards. Lunar halo and hoar frost at night.

Very fine with hoar frost in morning; fine generally with variable amounts of cloud afterwards. Slight snow at 2h. P.M. and occasional slight rain during the evening. Gusty wind and lunar halo at night.

Overcast with frequent heavy rain till afternoon; fine with large amounts of cloud afterwards. A gale of wind till evening.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative; w. weak; m. moderate: s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·27 in. at the beginning of the week to 29·70 in. by 8h. A.M. on the 25th; increased to 29·84 in. by 8h. A.M. on the 26th: decreased to 29·48 in. by 3h. P.M. on the 27th: increased to 29·68 in. by 9h. A.M. on the 29th; decreased to 28·98 in. by 3h. P.M. on the 30th; increased to 29·10 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd March, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	12	2	-	-	-	-	3	-
Kensington	177,205	-	5	7	-	1	-	-	1	1
Hammersmith	111,213	-	2	2	-	2	-	-	2	-
Fulham	141,920	-	9	8	-	1	-	-	1	-
Chelsea	73,843	-	2	3	-	1	-	-	1	-
City of Westminster	189,375	-	4	5	-	-	-	-	1	-
NORTH.										
St. Marylebone	140,460	-	2	6	-	1	-	-	5	-
Hampstead	82,605	-	6	1	-	-	-	-	2	-
St. Pancras	246,098	-	12	11	-	2	-	-	2	-
Islington	353,528	-	7	8	-	5	-	-	5	-
Stoke Newington	55,758	-	2	2	-	-	-	-	-	-
Hackney	228,417	-	11	12	-	1	-	-	1	1
CENTRAL.										
Holborn	59,700	-	-	1	-	-	-	-	2	-
Finsbury	106,590	-	1	3	-	1	-	-	2	-
City of London	25,289	-	1	-	-	-	-	-	1	-
EAST.										
Shoreditch	120,614	-	3	1	-	2	-	-	4	-
Bethnal Green	127,509	-	3	7	-	-	-	-	3	-
Stepney	305,058	-	6	13	-	2	-	-	7	-
Poplar	170,465	-	10	17	-	5	-	-	3	-
SOUTH.										
Southwark	208,869	-	10	9	-	1	-	-	1	-
Bermondsey	136,824	-	3	1	1	3	-	-	3	-
Lambeth	318,530	-	14	15	-	1	-	-	4	-
Battersea	180,017	-	5	6	-	2	-	-	-	-
Wandsworth	242,224	-	4	6	-	3	-	-	2	-
Camberwell	269,102	-	21	26	-	-	-	-	2	-
Deptford	113,562	-	4	4	-	-	-	-	3	-
Greenwich	91,228	-	3	2	-	-	-	-	2	-
Lewisham	112,856	-	9	5	-	-	-	-	-	-
Woolwich	114,106	-	3	4	-	3	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	-	174	187	1	37	-	-	63	2
Ages 0-1		-	3	8	-	-	-	-	5	-
" 1-5		-	49	63	-	2	-	-	2	-
" 5-		-	64	54	-	7	-	-	1	-
" 10-		-	29	20	-	8	-	-	2	-
" 15-		-	11	10	-	4	-	-	3	-
" 20-		-	10	14	1	6	-	-	5	-
" 25-		-	7	10	-	2	-	-	11	2
" 35-		-	1	7	-	4	-	-	7	-
" 45-		-	-	1	-	2	-	-	7	-
" 55-		-	-	-	-	2	-	-	11	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 14. 1901. VOL. LXII.] WEEK ENDED SATURDAY, APR. 6. [Price 1½*d.*

General Register Office, Somerset House,
April 9th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·2 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 18·9, 18·4, and 19·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.		Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.
33 Great Towns	18·9	18·4	19·7	19·2	Leicester - -	15·1	13·5	17·4	18·6
Birkenhead -	14·9	20·1	14·0	11·8	Liverpool - -	28·2	23·6	28·1	27·7
Birmingham -	22·2	19·3	23·4	24·2	London - - -	17·6	17·8	18·4	17·6
Blackburn -	18·0	22·1	17·6	19·9	Manchester - -	19·9	23·4	22·0	24·3
Bolton - -	14·7	20·4	18·5	22·0	Newcastle-on-Tyne	18·2	18·4	23·2	16·9
Bradford -	14·9	15·9	16·6	22·1	Norwich - -	18·4	18·8	21·5	18·8
Brighton -	14·6	12·9	14·6	12·5	Nottingham - -	18·4	15·7	22·9	21·2
Bristol - -	21·7	21·2	21·5	20·0	Oldham - -	24·8	13·0	20·1	17·7
Burnley -	14·3	14·7	17·7	19·5	Plymouth - -	26·6	17·1	29·7	15·6
Cardiff - -	18·5	14·4	16·9	16·2	Portsmouth - -	20·1	15·7	18·1	14·1
Croydon -	15·1	15·5	12·8	9·7	Preston - -	21·7	23·0	17·8	18·2
Derby - -	14·7	17·1	21·4	17·6	Salford - - -	21·5	20·8	22·4	24·7
Gateshead -	19·0	21·4	20·4	24·1	Sheffield - -	20·7	21·2	20·3	19·8
Halifax -	21·5	10·7	17·1	22·4	Sunderland - -	29·0	18·9	21·7	23·4
Huddersfield-	17·3	22·7	23·2	20·8	Swansea - -	14·6	21·9	18·0	18·0
Hull - -	18·9	21·2	21·4	15·9	West Ham - -	13·8	11·4	13·0	13·6
Leeds - -	19·8	19·4	18·7	18·4	Wolverhampton -	15·0	12·1	19·6	24·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in Bolton, 1·6 in Liverpool, 1·7 in Sunderland, and 4·6 in Gateshead; from *scarlet fever*, 1·1 in Blackburn; from *whooping-cough*, 1·0 in Bristol and in Derby, 1·2 in Wolverhampton, 1·4 in Sunderland and in Gateshead, and 1·9 in Swansea; from "*fever*," 1·0 in Halifax; and from *diarrhœal diseases*, 1·0 in Halifax. The 64 deaths from *diphtheria* included 21 in London, 8 in Sheffield, 4 in Leicester, 4 in Salford, 3 in Manchester, 3 in Leeds, and 3 in Portsmouth. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2538 BIRTHS and 1573 DEATHS were registered. Allowing for increase of population, the births were 209, and the deaths 208, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8802—670—4/1901 Wt D & S 3 O

years. The annual death-rate per 1000 from all causes, which had been 17·6, 17·8, and 18·4 in the preceding three weeks, fell again last week to 17·6. During the four weeks ended on Saturday last the death-rate averaged 17·9 per 1000, being 3·0 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1573 deaths included 38 from measles, 8 from scarlet fever, 21 from diphtheria, 62 from whooping-cough, 5 from enteric fever, 12 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 146 deaths were referred to these diseases, being 63 below the corrected average weekly number.

The deaths from *measles*, which had been 35, 42, and 56 in the preceding three weeks, fell again last week to 38, and were 31 below the corrected average; 9 cases belonged to the Borough of Camberwell, 7 to that of Hackney, 5 to that of Stepney, and 5 to that of Bermondsey. The deaths from *scarlet feevr*, which had been 10, 6, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 16; 2 cases belonged to St. Pancras and 2 to Bethnal Green. The deaths from *diphtheria*, which had been 30, 14, and 16 in the preceding three weeks, further rose last week to 21, but were 16 below the corrected average; 5 cases belonged to Hackney and 3 to Lewisham. The deaths from *whooping-cough*, which had been 43, 63, and 55 in the preceding three weeks, rose again last week to 62, but were 3 below the corrected average; 7 cases belonged to Hammersmith, 7 to Lambeth, 6 to Paddington, and 5 to Camberwell. The fatal cases of *enteric fever*, which had been 8, 5, and 8 in the preceding three weeks, fell again last week to 5, and were 4 below the corrected average. The deaths from *diarrhœal diseases*, which had been 14, 13, and 21 in the preceding three weeks, fell again last week to 12, and were equal to the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 394, 332, and 363 in the preceding three weeks, fell again last week to 360, and were 51 below the corrected average. The deaths attributed directly to *influenza* numbered 18, having been 30, 30, and 26 in the preceding three weeks.

Different forms of *violence* caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 12 were cases of suicide, while the remaining 52 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 9 to burns and scalds, and 11 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1572 cases of scarlet fever, 1073 of diphtheria, 1 case of typhus, and 146 cases of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 180 cases, against 130, 151, and 167; of diphtheria, 126 cases, against 149, 128, and 110; and of enteric fever, 11 cases, against 20, 18, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended March 30th.

Greater London.

In Greater London 3634 births and 2091 deaths were registered, corresponding to annual rates of 27·9 and 16·1 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 4 from scarlet fever, 8 from diphtheria, 22 from whooping-cough, 2 from "fever," and 3 from diarrhœal diseases were registered. Six deaths from measles, 3 from scarlet fever, 4 from diphtheria, and 6 from whooping-cough occurred in West Ham district; 4 deaths from measles occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·60 inches, and that of the Thermometer 44°·4; the latter being 1°·4 below the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 42 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 27·4 hours; the measured rainfall amounted to 0·97 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 6th April 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,789,099	6593	4341	917	1239	-	105	39	64	109	22	41	148	340	1041	66	19·2	1·7	61·0	27·5	41·8	5·44	0·64	1·63	33 Towns.
London - -	4,651,113	2538	1573	325	459	-	38	8	21	62	5	12	64	157	520	6	17·6	1·6	58·0	30·3	44·4	6·89	0·97	2·46	London.
West Ham - -	329,377	168	86	14	22	-	2	3	-	-	-	1	4	9	16	1	13·6	0·9	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	61	25	4	9	-	-	-		-	-	-	2	4	3	-	9·7	-	57·0	29·0	43·7	6·50	0·72	1·83	Croydon.
Brighton - -	125,077	53	30	3	15	-	-	-	-	-	-	-	-	3	5	1	12·5	-	53·6	32·2	43·1	6·17	1·11	2·82	Brighton.
Portsmouth -	199,262	101	54	10	17	-	3	1	3	-	-	2	-	-	8	1	14·1	2·4	-	-	-	-	-	-	Portsmouth.
Plymouth - -	103,708	55	31	6	9	-	-	-	1	-	-	-	1	2	3	-	15·6	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	189	126	31	43	-	-	2	2	6	-	2	4	11	24	1	20·0	1·9	-	-	-	-	-	-	Bristol.
Cardiff - -	203,050	99	63	13	18	-	-	2	1	1	-	-	1	2	12	1	16·2	1·0	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	39	37	8	12	-	-	-	-	4	-	-	1	1	6	1	18·0	1·9	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	71	43	8	11	-	-	-	2	2	-	-	-	2	6	1	24·8	2·3	53·0	27·5	39·1	3·94	0·61	1·55	Wolverhampton.
Birmingham -	524,307	317	243	47	72	-	7	1	1	5	3	3	6	10	57	6	24·2	2·0	-	-	-	-	-		Birmingham.
Norwich - -	116,466	67	42	8	18	-	-	-	-	-	-	-	2	4	7	1	18·8	-	61·0	29·0	42·5	5·83	0·78	1·98	Norwich.
Leicester - -	224,619	150	80	26	28	-	-	-	4	-	-	2	3	7	11	2	18·6	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	146	100	26	28	-	1	-	1	1	1	1	-	1	22	1	21·2	1·1	52·9	32·0	40·9	4·94	0·92	2·34	Nottingham.
Derby - - -	109,605	58	37	8	16	-	-	-	-	2	-	-	3	5	7	-	17·6	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	66	27	4	4	-	-	-	1	2	-	-	1	3	6	-	11·8	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	407	337	75	83	-	20	2	2	1	3	4	11	17	90	20	27·7	2·6	55·0	33·3	41·4	5·22	0·36	0·91	Liverpool.
Bolton - -	166,284	81	70	16	26	-	4	-	-	-	-	-	1	3	8	-	22·0	1·3	-	-	-	-	-	-	Bolton.
Manchester -	553,677	283	258	46	64	-	1	4	3	4	-	5	9	21	74	1	24·3	1·6	-	-	-	-	-	-	Manchester.
Salford - -	223,418	135	106	23	26	-	2	1	4	-	-	2	7	17	17	-	24·7	2·1	-	-	-	-	-	-	Salford.
Oldham - -	155,865	74	53	12	12	-	-	2	-	1	-	-	-	2	5	-	17·7	1·0	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	57	45	9	12	-	-	-	-	-	1	1	2	3	7	-	19·5	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	71	53	12	8	-	2	3	1	-	-	-	1	1	1	6	19·9	2·2	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	76	42	5	11	-	-	1	-	-	1	-	1	2	6	1	18·2	0·9	49·0	35·0	40·5	4·72	0·54	1·37	Preston.
Huddersfield -	105,514	37	42	7	13	-	-	-	1	-	-	-	1	2	8	1	20·8	0·5	53·0	32·8	40·7	4·83	0·35	0·89	Huddersfield.
Halifax - -	106,873	65	46	9	17	-	-	-	-	-	2	2	1	1	5	4	22·4	2·0	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	142	125	30	41	-	-	2	1	2	-	1	5	16	14	1	22·1	1·1	51·2	32·0	40·9	4·94	0·33	0·84	Bradford.
Leeds - - -	438,814	287	155	31	40	-	4	3	3	-	2	1	9	15	26	-	18·4	1·5	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	244	141	34	42	-	1	1	8	4	4	1	3	6	24	3	19·8	2·7	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	162	74	18	18	-	3	1	-	2	-	-	-	2	13	2	15·9	1·3	53·0	30·0	42·6	5·89	0·33	0·84	Hull.
Sunderland -	149,205	78	67	16	13	-	5	2	2	4	-	-	2	3	9	-	23·4	4·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	92	52	15	13	-	10	-	-	3	-	1	2	2	3		24·1	6·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	124	78	18	19	-	2	-	2	3	-	-	1	6	18	-	16·9	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2820	2448	2566	2682	2731	2629	2577	2415	2554	2580	2746·7	2538
Males - -	1468	1246	1275	1324	1390	1322	1259	1230	1289	1289	1383·0	1307
Females - -	1352	1202	1291	1358	1341	1307	1318	1185	1265	1291	1363·7	1231
TOTAL **Deaths** -	1722	1812	1683	1587	1597	1522	1501	1691	1816	1932	1781·3	1573
Males - -	914	953	884	836	868	767	787	881	908	1006	930·0	836
Females - -	808	859	799	751	729	755	714	810	908	926	851·3	737

*The numbers in this column are the average weekly numbers in the fourteenth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.
TOTAL **Births** - - -	2466	2693	2713	2410	2687	2690	2673	2681	2496	2607	2424	2634	2538
TOTAL **Deaths** - - -	1750	1666	1568	1438	1668	1719	1853	1865	1723	1571	1588	1615	1573
Ages at Death: Under 1 year - -	362	299	285	321	358	333	340	333	359	333	299	349	325
1—5 years - -	186	195	165	159	162	181	199	214	225	189	203	220	223
5—20 ,, - -	95	70	97	73	99	75	89	94	91	96	85	85	70
20—40 ,, - -	216	212	203	168	194	216	226	223	201	197	202	207	195
40—60 ,, - -	377	356	329	305	327	369	375	392	355	314	318	313	301
60—80 ,, - -	402	421	386	340	420	412	515	486	398	366	393	375	380
80 years and upwards	112	113	103	72	108	133	109	123	94	76	88	96	79
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	34	36	24	25	20	36	36	36	33	35	42	56	38
Scarlet Fever - - -	9	9	8	8	4	5	5	4	6	10	6	8	8
Diphtheria - - - -	25	32	23	24	29	20	27	19	25	30	14	16	21
Whooping-cough - - -	32	38	37	44	58	49	52	57	37	43	63	55	62
Typhus - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-
Enteric Fever - - -	17	13	16	12	12	11	6	9	7	8	5	8	5
Simple Continued Fever -	-	-	-	-	-	-	1	-	-	-	1	-	-
Diarrhœa and Dysentery -	16	15	17	11	12	16	10	19	14	13	13	21	12
Cholera - - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
All the above Diseases -	133	143	125	125	136	137	137	144	122	140	144	164	146
Dis. of Respiratory System -	392	422	394	323	397	420	493	501	463	394	332	363	360
Phthisis - - - - -	173	182	142	152	148	171	172	169	169	168	149	165	168
Dis. of Circulatory System -	181	157	154	161	178	166	189	192	161	138	187	157	133
Violence - - - - -	76	71	76	64	54	70	75	64	66	63	73	64	64
Inquest Cases - - - -	201	166	191	161	171	152	207	186	159	158	196	136	157
Deaths in Public Institutions -	535	499	517	465	550	561	590	589	548	489	510	523	520
TEMPERATURE OF THE AIR													
Mean - - - - - -	34°·6	40°·2	44°·2	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4
Mean of Highest readings -	39·0	45·3	49·0	41·5	38·2	37·5	39·1	49·1	48·0	44·6	43·1	41·1	53·2
Mean of Lowest readings -	29·3	34·1	39·3	31·8	29·6	26·7	31·7	38·7	37·1	33·7	34·2	28·4	36·1
Humidity of the Air - -	88	89	82	82	86	72	80	84	85	91	78	70	80
Rain-fall (in inches) - -	0·23	0·22	0·18	0·10	0·47	0·03	0·15	0·57	0·76	0·09	0·31	0·44	0·97
Registered Sunshine (in hours)	8·7	13·3	12·6	6·9	2·2	11·9	6·6	15·7	11·4	5·4	13·2	21·2	27·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	1	-	3	3	1	1	1	1	1	1	-	-	-
Scarlet Fever - - - -	2277	2172	2078	2037	1963	1876	1834	1823	1746	1652	1598	1568	1572
Diphtheria - - - -	1200	1152	1153	1128	1150	1110	1118	1124	1118	1115	1103	1089	1073
Typhus - - - - -	—	—	1	7	6	6	6	2	2	3	3	2	1
Enteric Fever - - - -	367	333	305	299	262	258	237	224	205	184	182	162	146

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTEENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 14th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 6th April, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1781·3	1573	325	223	70	195	301	380	79
Small-pox { Vaccinated†	0·3	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·2	-	-	-	-	-	-	-	-
Measles	69·3	38	13	23	2	-	-	-	-
Scarlet Fever	16·2	8	1	5	2	-	-	-	-
Typhus	0·1	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	37·4	18	-	1	1	5	3	7	1
Whooping-cough	64·6	62	26	33	3	-	-	-	-
Diphtheria	36·7	21	2	12	7	-	-	-	-
Simple Continued and Ill-defined Fever	0·4	-	-	-	-	-	-	-	-
Enteric Fever	9·2	5	-	-	1	3	1	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	11·9	12	6	1	-	-	3	1	1
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of vaccination	0·1	-	-	-	-	-	-	-	-
Venereal Affections	8·7	4	1	1	-	-	1	1	-
Erysipelas	4·0	5	-	-	-	2	2	1	-
Pyæmia and Septicæmia	2·1	2	1	-	-	-	1	-	-
Puerperal Fever	4·2	1	-	-	-	1	-	-	-
Other Zymotic Diseases	1·1	2	-	2	-	-	-	-	-
Thrush	0·7	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·5	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk	1·4	3	3	-	-	-	-	-	-
Alcoholism	9·0	9	-	-	-	5	4	-	-
Rheumatic Fever, Rheumatism of Heart	6·1	-	-	-	-	-	-	-	-
Rheumatism	1·7	3	-	-	-	-	1	2	-
Gout	3·1	2	-	-	-	1	-	1	-
Rickets	6·0	5	2	3	-	-	-	-	-
Cancer	76·2	67	-	2	1	4	22	38	-
Tabes Mesenterica	18·3	11	4	4	-	2	1	-	-
Tubercular Meningitis	27·0	17	4	9	4	-	-	-	-
Phthisis	169·2	168	2	6	8	81	56	14	1
Scrofula, Tuberculosis	22·4	18	6	5	4	2	-	1	-
Other Constitutional Diseases	14·0	14	1	-	1	1	7	4	-
Premature Birth	49·8	60	60	-	-	-	-	-	-
Atelectasis	3·9	4	4	-	-	-	-	-	-
Congenital Malformations	8·8	7	6	-	1	-	-	-	-
Old Age	55·7	61	-	-	-	-	1	28	32
Apoplexy	46·5	53	-	-	-	2	16	29	6
Epilepsy	8·0	8	1	-	-	1	1	4	1
Convulsions	38·7	23	20	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	94·0	84	11	13	6	13	19	20	2
Diseases of Organs of Special Sense	3·1	2	-	1	-	-	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 14th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 6th April, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	150·8	133	1	1	2	15	36	65	13
Croup	3·9	-	-	-	-	-	-	-	-
Bronchitis	218·8	187	29	29	-	6	26	83	14
Pneumonia	151·1	143	31	49	6	11	23	22	1
Pleurisy	7·2	6	1	2	-	-	1	2	-
Other Diseases of Respiratory System	29·8	24	4	-	-	1	8	10	1
Dentition	11·6	12	6	6	-	-	-	-	-
Quinsy, Sore Throat	1·3	1	1	-	-	-	-	-	-
Enteritis	13·2	9	3	-	4	1	1	-	-
Gastro-enteritis		7	7	-	-	-	-	-	-
Peritonitis	6·7	4	1	-	1	2	-	-	-
Diseases of Liver	22·0	22	1	-	-	4	7	10	-
Other Diseases of Digestive System	35·3	34	10	3	2	5	7	7	-
Diseases of Lymphatic System & of Ductless Glands	2·6	2	-	1	-	-	1	-	-
Diseases of Urinary System	49·3	63	-	1	3	11	25	19	4
Diseases of Generative System	4·9	6	-	-	-	1	3	1	1
Accidents of Childbirth	4·1	4	-	-	-	4	-	-	-
Diseases of Locomotive System	4·6	7	-	1	4	1	-	1	-
Diseases of Integumentary System	5·8	7	2	-	1	-	-	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	1·9	1	-	-	-	1	-	-	-
By Vehicles or Horses	5·8	8	-	-	1	3	1	3	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	1	-	-	-	-	1	-	-
In Building Operations	0·7	-	-	-	-	-	-	-	-
In Conflagrations	0·3	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·3	9	-	5	3	-	-	1	-
By Drowning	5·2	3	-	-	-	-	3	-	-
By Suffocation in Bed	16·1	11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours	2·1	2	-	-	-	-	2	-	-
Other or not stated causes	23·2	17	4	1	2	1	7	1	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·2	-	-	-	-	-	-	-	-
Suicide	11·3	12	-	-	-	5	7	-	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	51·6	40	39	-	-	-	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th April, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Fever. Continued	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON - - -	4,411,355†	2538	1573	325	459	-	38	8	21	62	-	5	-	12	64	157	520	6
WEST DISTRICTS - - -	The figures cannot be given.	379	282	61	78	-	3	2	2	21	-	1	-	1	11	30	94	-
NORTH DISTRICTS - - -		530	324	52	102	-	7	2	8	10	-	1	-	1	13	36	117	-
CENTRAL DISTRICTS - - -		110	79	13	24	-	1	-	1	2	-	-	-	-	5	12	26	-
EAST DISTRICTS - - -		528	285	70	78	-	8	-	-	7	-	1	-	4	14	37	121	-
SOUTH DISTRICTS - - -		991	570	129	169	-	19	3	10	22	-	2	-	6	20	41	129	6
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *		-	33	-	8	-	-	1	-	-	-	-	-	-	1	1	33	-
WEST DISTRICTS.	In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. The Census shall have been ascertained.																	
St. Mary Paddington *WHH* G. & W.		46	34	11	7	-	-	-	-	6	-	-	-	-	2	2	8	-
St. John Paddington *H* - - G.		7	9	1	3	-	-	-	-	-	-	-	-	-	2	2	3	-
North-West Paddington† - - C.		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.		56	44	10	17	-	-	-	1	1	-	-	-	-	1	3	22	-
Brompton *HH* - - - W. & C.		11	9	3	2	-	-	-	-	-	-	-	-	-	1	1	1	-
North Hammersmith *H* / South Hammersmith *wH* W. & G.		34	13	4	4	-	-	-	-	2	-	-	-	-	-	1	-	-
		41	30	4	14	-	-	-	-	4	-	1	-	-	-	4	4	-
North-west Fulham *W* / North-east Fulham *w* / South Fulham W. & C.		32	24	6	5	-	1	-	-	3	-	-	-	1	-	2	15	-
		25	13	1	2	-	-	2	1	-	-	-	-	-	-	3	3	-
		32	18	6	6	-	1	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WWHHHH* - C.		17	25	3	7	-	1	-	-	1	-	-	-	-	1	3	17	-
Chelsea South *HH* - - C.		9	9	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
May Fair and Knightsbridge† *H* C. & G.		6	7	2	1	-	-	-	-	3	-	-	-	-	2	2	-	-
Belgrave *HHH* - - - C.		23	19	4	4	-	-	-	-	-	-	-	-	-	1	2	11	-
St. Margaret & St. John Westminster† *HHH* C.		18	20	2	5	-	-	-	-	-	-	-	-	-	-	2	9	-
St. James Westminster *WH* N. & G.		14	6	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
St. Anne Soho *HHHHH* - N.		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS																		
All Souls Marylebone *HHHHHHHHH* - - W.		7	20	2	4	-	-	-	-	-	-	-	-	-	-	-	12	-
Rectory Marylebone *W* G. & W.		9	4	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-
St. Mary Marylebone *HHHH* G. & W.		26	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H* - W		21	8	4	2	-	-	-	-	1	-	-	-	-	-	2	-	-
St. John Marylebone *HHH* - W		5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.		15	12	1	2	-	-	2	1	2	-	-	-	-	1	1	8	-
Regent's Park *HH* - W.		25	13	3	7	-	-	-	-	-	-	-	-	-	-	2	-	-
Tottenham-court *wHHHHHH* - N. & W.		7	10	1	1	-	-	-	1	-	-	-	-	-	-	-	8	-
Gray's Inn Lane *HHHH* - N.		14	11	1	1	-	-	-	-	-	-	-	-	-	2	2	4	-
Somers Town *HH* - - - N.		17	10	2	3	-	-	-	-	-	-	-	-	-	1	3	3	-
Camden Town *WH* - - N.		17	16	1	10	-	-	-	-	-	-	-	-	-	1	3	10	-
Kentish Town *W.W* - - N.		37	25	5	7	-	-	-	-	1	-	-	-	-	1	3	9	-
Upper Holloway *WWWWwHH* - - N.		58	50	6	22	-	-	-	-	1	-	1	-	-	-	3	32	-
Lower Holloway - - - N.		22	13	3	2	-	-	-	-	1	-	-	-	1	-	1	-	-
Barnsbury - - - - N.		32	11	3	6	-	-	-	-	-	-	-	-	-	-	2	-	-
Islington South-east *H* - N.		39	11	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Highbury *HH* - - - N.		31	16	4	4	-	-	-	1	1	-	-	-	-	1	2	1	-
Stoke Newington *H* - - N.		19	14	3	8	-	-	-	-	-	-	-	-	-	1	2	-	-
North Hackney - E. & N.		23	16	3	5	-	2	-	1	-	-	-	-	-	1	3	-	-
Central Hackney *ww* - E. & N.		31	15	2	1	-	4	-	3	2	-	-	-	-	-	-	4	-
South-west Hackney *HHH* E. & N.		41	20	-	3	-	1	-	1	-	-	-	-	-	1	3	7	-
South-east Hackney *WwH* E. & N.		34	23	3	8	-	-	-	-	-	-	-	-	-	2	3	16	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	The figures for 1901 will be given. In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be inserted when the results of the recent Census shall have been ascertained.	16	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St Giles North *H* - - - - N.		6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.		2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Strand *WHH* - - - - N.		3	4	-	1	-	-	-	-	-	-	-	-	-	2	2	3	-
Strand Union Workhouse, Edmonton		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WwHHHHH* - N.		18	14	3	3	-	-	-	1	1	-	-	-	-	1	1	7	-
St. James Clerkenwell - - N.		4	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.		20	12	5	2	-	-	-	-	1	-	-	-	-	-	3	-	-
Goswell-street - - - - N.		11	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
City-road *HHHL* - - - N.		19	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -		-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H* - - N. & E.		2	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre *WH* - - - N.		2	14	1	4	-	-	-	-	-	-	-	-	-	1	2	9	-
Allhallows Barking - - - N.		-	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone - -		-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.		14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *vH* - - N.		19	18	5	7	-	-	-	-	-	-	-	-	2	-	2	11	-
Hoxton Old Town - - - N.		15	10	6	1	-	-	-	-	1	-	-	-	-	1	1	-	-
Haggerston *W* - - N. & E.		40	23	6	9	-	-	-	-	3	-	-	-	-	2	5	7	-
Bethnal Green North *HH* - E.		30	13	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Bethnal Green South - - E.		24	4	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
Bethnal Green East *WWHl* - E.		25	24	2	7	-	-	-	-	-	-	-	-	-	-	1	13	-
Spitalfields - - - E. & N.		21	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.		21	38	5	4	-	-	-	-	1	-	-	-	-	3	4	32	-
Goodman's Fields - - - E.		11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.		50	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John, St. George East *W* E.		4	6	1	2	-	1	-	-	-	-	-	-	-	1	1	4	-
Shadwell *H* - - - E. & N.		4	14	7	-	-	-	-	-	-	-	1	-	-	-	-	11	-
Ratcliff *W* - - - - E.		11	6	2	1	-	1	-	-	-	-	-	-	-	-	2	-	-
Limehouse - - - - E.		26	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town West *H* E.		62	13	5	4	-	3	-	-	-	-	-	-	-	2	3	-	-
Mile End Old Town East *WWw* - E.		27	24	3	9	-	-	-	-	-	-	-	-	-	1	6	13	-
Bow *l* - - - - E.		28	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bromley *wwwH* - - - E.		56	49	10	18	-	-	-	-	1	-	-	-	1	3	6	27	-
Poplar *WW* - - - - E.		40	17	7	7	-	1	-	-	1	-	-	-	1	-	3	-	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 6th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 1 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL* & S.	The figures for 1901 will be given. In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be ascertained.	4	6	2		-	1	-	-	-	-	-	-	-	1	1	1	1
St. Saviour Southwark - - S.		3	11	2	3	-	-	-	-	-	-	-	-	-	3	3	7	-
Kent-road - - - - S. & L.		14	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Borough-road *WH* - S. & L.		12	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1
London-road *HL* - - L. & S.		20	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington *H* - S. & L.		23	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Peter Walworth *W* - S. & L.		52	21	8	5	-	1	-	-	4	-	-	-	-	-	-	-	-
St. Mary Newington- - L. & S.		20	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.		6	7	1	1	-	2	-	-	-	-	-	-	-	1	1	1	-
Bermondsey *W* - - - S.		66	30	9	11	-	-	-	-	-	-	-	-	-	-	2	-	1
Rotherhithe *Ww* - S. & K.		23	21	7	10	-	3	-	-	-	-	-	-	-	2	2	9	-
Waterloo-road *HH* - L. & S.		24	10	4	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Lambeth Church 1st *HH* L. & S.		10	21	2	3	-	1	-	-	1	-	-	-	1	2	3	14	-
Lambeth Church 2nd *WW* L. & S.		26	30	1	15	-	-	-	-	2	-	-	-	-	2	2	23	-
Kennington 1st *H* - - S. & L.		36	20	3	9	-	-	-	1	3	-	-	-	-	-	1	-	-
Kennington 2nd - - S. & L.		23	10	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.		37	9	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood *WH*- - - - L.		13	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.		53	22	9	7	-	1	-	-	-	-	-	-	1	-	4	-	-
North-west Battersea - - S.		31	14	6	3	-	1	-	-	1	-	-	-	1	-	-	-	-
South-west Battersea *WwH* - S.		21	24	2	7	-	-	-	-	-	-	-	-	-	1	2	14	-
Clapham *H* - - - - S.		23	17	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *WwwwL* - - L.		39	27	5	10	-	-	-	2	1	-	-	-	-	-	1	4	1
Wandsworth *WHHL* - - S.		29	10	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-
Putney - - - - - S.		5	7	4	1	-	-	-	-	-	-	-	-	-	2	3	-	-
Dulwich - - - L. & S.		2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.		35	44	7	16	-	1	-	1	2	-	-	-	-	-	-	22	-
Peckham *WW* - S., L., & K.		56	27	8	9	-	2	-	-	2	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.		55	27	6	6	-	6	-	-	1	-	-	-	-	2	4	-	-
Deptford North - - - K.		20	9	5	1	-	-	-	1	-	-	-	-	-	1	1	-	1
Deptford Central *w* - - K.		22	21	4	5	-	-	3	1	2	-	-	-	1	1	2	3	1
Deptford South - - - K.		18	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.		20	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *WH* - - K.		23	14	2	7	-	-	-	-	-	-	-	-	-	-	-	7	-
Eltham *wH* - - - - K.		3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.		4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *WwwH* - - - K.		52	19	1	8	-	-	-	2	-	-	-	-	1	-	1	13	-
Sydenham *H* - - - - L.		19	9	3	2	-	-	-	1	-	-	-	-	-	-	1	-	-
Charlton *wHH* - - - K.		6	6	-	2	-	-	-	1	-	-	1	-	-	-	-	3	-
Woolwich *HHHH* - - K.		17	9	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.		7	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *WH* - - K		29	11	1	3	-	-	-	-	-	-	-	-	-	1	1	3	-
Banstead Asylum - - - -		-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Horton Asylum, Epsom - - -		-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Caterham Asylum - - - -		-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - -		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - - -		-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Hanwell Asylum - - - -		-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Central London Sick Asylum, Hendon		-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -		-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
N.E. Hospital - - - - -		-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -		-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury Asylum - - - -		-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table is exclusive of the added part of Hornsey, which was not enumerated in 1896.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th April, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	1,405,489	1096	518	124	155	-	12	4	8	22	2	3	15	37	66	6
30 : 1	Carshalton *H* - - -	12,228	26,108	17	5	2	1	-	-	-	-	1	-	-	-	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH* -	20,851	128,699	71	37	6	15	-	-	-	-	-	-	-	2	5	7	-
2	Mitcham *w* - - -	11,697	23,072	14	8	1	2	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* - -	3,220	25,777	23	12	1	3	-	-	-	-	1	-	-	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	23	12	3	5	-	-	-	-	1	-	-	1	1	5	-
3	Surbiton *HH* - - -		12,178	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-
40 : 1	Richmond *WHH* - -	2,160	25,389	9	15	1	8	-	-	-	-	-	-	-	-	1	3	-
2	Mortlake *H* - - -	2,823	16,159	9	7	2	2	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley *HHH* - - -	9,127	23,815	14	9	-	3	-	-	-	-	-	-	-	-	-	2	1
2	Beckenham *H* - - -	6,542	21,969	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** *W* -	6 974	7,714	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-
4	Chislehurst *HH* - -	7,333	12,658	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *HHH* - - -	12,540	30,590	17	7	1	3	-	-	-	-	-	-	-	-	-	-	1
2	Dartford *WH, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w* - - -	11,054	13,671	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	14	2	-	-	-	-	-	-	1	-	-	-	-	1	-
125 : 1	Hillingdon *WHH* - -	6,035	12,237	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	7	5	-	1	-	-	-	-	-	-	-	2	2	-	-
126 : 1	Isleworth *WHH* - -	6,967	26,004	21	10	4	5	-	-	-	-	1	-	-	-	-	-	-
2	Twickenham *HH* - -	2,415	16,027	6	5	2	3	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	24	11	5	2	-	-	-	-	1	-	-	2	2	-	-
4	Chiswick - - - -	1,245	21,963	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	23	6	3	2	-	-	-	-	1	-	-	-	-	-	-
127 : 1	Harrow *HHH* - - -	13,809	15,715	7	6	1	1	-	-	-	-	-	1	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	73	36	15	9	-	-	1	-	4	-	-	-	2	1	2
4	Hendon *WH* - - -	8,382	15,843	8	7	2	2	-	-	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms *HH* - -	21,077	6,367	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	13	10	1	2	-	1	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey† *HH* - - -	2,874	44,523	26	13	6	4	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham *HHH* - -	4,642	97,174	75	33	10	7	-	4	-	1	-	-	-	1	5	1	-
3	Edmonton *Ww* - -	7,489	36,351	41	19	2	5	-	-	-	-	-	-	-	-	1	8	-
4	Enfield *WWHH* - -	12,602	31,536	23	13	6	5	-	-	-	-	1	-	2	-	-	1	-
5	Waltham Abbey - - -	11,017	6,066	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	3	-	1	-	-	-	-	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** *W* -	3,306	582	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
137 : 1	Bushey *H* - - - -	9,331	7,737	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H* - - -	4,706	38,612	40	13	2	3	-	-	-	-	-	-	-	1	2	-	-
2	Plaistow *HHH* - - -		58,030	70	23	5	3	-	-	3	-	-	-	-	2	2	4	1
3	Canning Town *H* - -		54,750	34	24	5	4	-	2	-	-	-	-	1	-	4	-	-
4	Forest Gate *w* - - -		53,511	24	14	2	5	-	-	-	-	-	-	-	1	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	89	28	11	7	-	-	-	-	-	-	-	-	2	1	-
6	Wanstead - - - -	4,334	7,042	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		38,232	37	33	4	13	-	4	-	2	3	-	-	-	-	18	-
8	North Leyton *WwH* -		24,874	25	8	1	5	-	-	-	2	-	-	-	-	-	2	-
9	Walthamstow *HHHL* -	6,501	57,370	69	19	5	5	-	-	-	-	3	-	-	1	2	1	-
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	7	3	-	2	-	1	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W* -	6,556	4,324	2	4	1	2	-	-	-	-	-	-	-	-	-	2	1
2	Ilford *H* - - - -	8,493	10,913	14	14	7	2	-	-	-	-	3	-	-	1	1	-	-
3	Barking Town, *H* - -	3,814	14,301	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Eastern Fever Hospital, Hackney.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† *See* note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 6th April 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,421	6,781,854	16·1	1·5	2091	449	614	–	50	12	29	81	7	15	79	586
INNER LONDON -	74,837	4,651,113	17·6	1·6	1573	325	459	–	38	8	21	62	5	12	64	520
OUTER RING -	368,584	2,130,741	12·7	1·2	518	124	155	–	12	4	8	22	2	3	15	66

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-Rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	April 6	132	124	20·9	–	8	1	3	13	–	1
GLASGOW - -	753,766	" 6	434	369	25·5	5	2	1	5	31	4	5
DUBLIN† - -	346,128	" 6	136	212	31·9	–	–	–	2	5	4	1
CALCUTTA - -	466,460	January 26	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	821,764	March 19	256	2450	155·0	10	4	?	?	?	1536‡	85§
MADRAS - -	452,518	" 1	272	406	46·6	6	4	?	?	?	114‡	72§
PARIS - - -	2,511,629	" 30	1078	1130	23·3	12	14	5	18*	2	3	28
BRUSSELS - -	570,844	" 30	225	209	19·0	–	1	1	1*	1	2	6
AMSTERDAM -	520,800	" 23	–	–	–	–	–	–	–	–	–	–
ROTTERDAM -	325,556	February 16	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	" 16	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	March 30	–	–	–	–	–	–	–	–	–	–
STOCKHOLM -	297,148	" 23	139	103	18·0	–	–	–	5*	–	–	7
CHRISTIANIA -	226,423	" 30	135	59	13·6	–	–	1	–	–	–	2
ST. PETERSBURG	1,248,643	" 23	793	631	26·3	3	9	15	23	4	16	46
MOSCOW - -	988,610	" 23	–	512	27·0	–	3	12	8	2	4	38
BERLIN - - -	1,885,685	" 16	945	639	17·6	–	10	4	14	13	3	33
HAMBURG - -	705,738	" 30	–	251	18·5	–	–	1	1*	4	–	13
DRESDEN - -	397,000	January 5	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	422,415	March 30	–	212	26·2	–	–	–	2	–	–	23
MUNICH - -	500,000	" 30	–	225	23·4	–	3	1	–	2	–	23
VIENNA - -	1,662,269	" 30	577	690	21·6	–	20	9	11*	3	1	36
PRAGUE - -	393,091	" 30	–	–	–	–	–	–	–	–	–	–
BUDA-PESTH -	741,013	" 23	450	299	21·0	–	7	5	1	2	1	11
TRIESTE - -	176,456	" 30	124	96	28·3	–	1	–	1*	1	–	1
ROME - - - -	521,159	February 16	258	199	19·9	–	–	–	1	–	5‖	14
TURIN (10 days) -	344,203	January 10	–	–	–	–	–	–	–	–	–	–
VENICE - - -	174,170	" 26	–	–	–	–	–	–	–	–	–	–
CAIRO - - -	570,062	February 4	509	316	28·8	2	1	–	3*	–	10	37
ALEXANDRIA -	319,766	" 4	278	206	33·5	4	1	–	1*	–	3	43
NEW YORK (including BROOKLYN)	3,536,517	March 16	1584	1459	21·5	6	6	29	58*	5	10	41
PHILADELPHIA -	1,293,697	" 16	–	526	21·2	–	–	9	9	2	3	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 3 deaths from cholera in Bombay, and 4 in Madras.
‡ Including 1203 deaths from plague in Bombay, and one death in Madras.
‖ Including one death from malarial fever.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday	31	..	29·074	51·0	40·6	10·4	44·6	− 0·4	41·8	2·8	6·4	2·0	90	107·6	34·4	39·97	SW. & SSW.	SW.	5·8	0·0	0·9	436	+138	0·21	0·0
April. Monday	1	..	29·540	52·2	37·1	15·1	43·9	− 1·5	33·9	10·0	16·0	5·5	68	113·0	29·7	40·35	SW. & WSW.	WSW., W. & SW.	7·4	0·0	0·6	410	+112	0·00	0·0
Tuesday	2	In Equator.	29·777	54·7	30·3	24·4	45·7	0·0	35·4	10·3	16·6	3·6	67	115·0	25·0	40·76	SW., SSE. & S.	S. & SSE.	6·6	0·0	0·8	371	+ 74	0·02	0·2
Wednesday	3	..	29·542	58·0	44·6	13·4	49·6	+ 3·6	46·9	2·7	9·3	0·4	90	102·2	42·8	41·08	S., SSW. & SW.	SW. & SSW.	16·0	0·0	1·7	571	+274	0·36	0·8
Thursday	4	Full	29·790	52·6	37·7	14·9	43·7	− 2·5	33·4	10·3	18·5	3·6	67	109·4	29·4	41·72	SW., NW. & WNW.	W. & WNW.	20·1	0·0	2·1	603	+306	0·25	0·0
Friday	5	Ap gee	29·928	47·6	31·8	15·8	39·3	− 6·9	33·5	5·8	15·5	1·0	80	99·8	24·0	42·32	SW. & E.	E., ESE. & SE.	0·5	0·0	0·0	171	−125	0·00	0·2
Saturday	6	..	29·567	56·1	30·7	25·4	44·2	− 2·0	42·9	1·3	5·1	0·0	95	89·0	23·5	42·40	SE. & S.	SW.	8·3	0·0	0·9	392	+ 97	0·13	0·8
Means	-		29·603	53·2	36·1	17·1	44·4	− 1·4	38·3	6·2	12·5	2·3	80	105·1	29·8	41·23	SW. & SE.		..	..	..	Sum 2954	Sum +876	Sum 0·97	0·3
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
March.					
Sunday	31	w.P. with occasional v. N. till 2h. P.M.; m. P. generally afterwards.	0·7	12·8	Generally overcast, with frequent rain, till afternoon; fine and partially cloudy afterwards. Gusty wind in early morning. Lunar halo at night.
April. Monday	1	m. P. generally till noon; s. P. afterwards.	9·2	12·9	Very fine generally, with small amounts of cloud, till 7h. P.M.; cloudless afterwards. A slight shower at 2h. P.M.
Tuesday	2	s. P. till 10h. A.M.; m. P. till 9h. P.M.; w. P. and s. N. afterwards.	7·7	12·9	Cloudless, with hoar frost, in morning; fine and partially cloudy till afternoon; generally overcast after 3h. P.M., with occasional slight rain at night. Bright solar halo between 9h. A.M. and 2h. P.M.
Wednesday	3	w. P. generally till 9h. P.M.; v. N. afterwards.	1·2	13·0	Generally overcast. Rain in early morning and at night. Gusty wind throughout.
Thursday	4	v. N. till 5h. 30m. A.M.; m. P. till 9h. A.M.; s. P. afterwards.	5·8	13·1	Overcast, with rain, till 6h. A.M.; fine and partially cloudy afterwards. Strong gusty wind prevalent till evening. Lunar halo at night.
Friday	5	s. P. generally.	2·1	13·1	Fine in early morning; cloudy till afternoon; very fine afterwards, with hoar frost at night. Faint solar halo in afternoon.
Saturday	6	m. P. till 9h. A.M.; v. N. till 11h. A.M.; w. P. afterwards.	0·7	13·2	Very fine, with hoar frost, in early morning; generally overcast afterwards, with rain between 8h. A.M. and 11h. 30m. A.M. Brisk wind after 11h. A.M.
			Sum 27·4	Sum 91·0	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative: w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·10 in. at the beginning of the week to 29·06 in. by 6h. A.M. on March 31st; increased to 29·90 in. by 7h. A.M. on April 2nd; decreased to 29·42 in. by 8h. A.M. on April 3rd; increased to 29·67 in. by 5h. P.M. and decreased to 29·42 in. by 11h. P.M. on the same day; increased to 30·04 in. by midnight on April 4th; decreased to 29·47 in. by 5h. P.M. on April 6th; and was 29·52 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th March, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	6	3	-	1	-	-	3	-
Kensington	177,205	-	5	4	-	-	-	-	2	-
Hammersmith	111,213	-	4	4	-	3	-	-	2	-
Fulham	141,920	1	9	10	-	-	-	-	3	-
Chelsea	73,843	-	3	2	-	1	-	-	1	-
City of Westminster	189,375	-	6	2	-	4	-	-	3	-
NORTH.										
St. Marylebone	140,460	-	4	5	-	2	-	-	-	-
Hampstead	82,605	-	2	1	-	1	-	-	-	-
St. Pancras	246,098	-	7	9	-	2	-	-	2	-
Islington	353,528	-	18	11	-	1	-	-	1	-
Stoke Newington	55,758	-	1	1	-	1	-	-	-	1
Hackney	228,417	-	3	9	-	3	-	-	5	-
CENTRAL.										
Holborn	59,700	-	1	-	-	-	-	-	2	-
Finsbury	106,590	-	5	5	-	1	-	-	4	-
City of London	25,289	-	1	1	-	-	-	-	1	-
EAST.										
Shoreditch	120,614	-	-	4	-	4	-	-	3	1
Bethnal Green	127,509	-	6	-	-	1	-	-	1	-
Stepney	305,058	-	8	7	-	2	-	-	4	-
Poplar	170,465	-	17	13	-	1	-	-	1	-
SOUTH.										
Southwark	208,869	-	15	8	-	-	-	-	1	-
Bermondsey	136,824	-	16	6	-	1	-	-	1	-
Lambeth	318,530	-	8	9	-	-	-	-	4	-
Battersea	180,017	-	4	4	-	-	-	-	1	-
Wandsworth	242,224	-	6	6	-	3	-	-	2	-
Camberwell	269,102	-	13	18	-	1	-	-	3	-
Deptford	113,562	-	10	6	-	1	-	-	2	1
Greenwich	91,228	-	6	6	-	-	-	-	1	-
Lewisham	112,856	-	13	5	-	-	-	-	2	-
Woolwich	114,106	-	7	4	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	1	204	163	-	34	-	-	56	3
Ages 0-1		-	2	4	-	-	-	-	1	-
" 1-5		-	64	68	-	1	-	-	2	-
" 5-		-	82	48	-	3	-	-	3	-
" 10-		-	25	12	-	5	-	-	1	-
" 15-		-	17	15	-	4	-	-	-	-
" 20-		-	6	4	-	7	-	-	5	2
" 25-		1	5	10	-	6	-	-	10	1
" 35-		-	2	1	-	6	-	-	9	-
" 45-		-	1	-	-	1	-	-	13	-
" 55-		-	-	-	-	1	-	-	4	-
" 65 and upwards		-	-	1	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 15. 1901. VOL. LXII.] WEEK ENDED SATURDAY, APR. 13. [Price 1½*d.*

General Register Office, Somerset House,
April 15th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·2 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 19·7, and 19·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.		Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.
33 Great Towns	18·4	19·7	19·2	19·2	Leicester - -	13·5	17·4	18·6	21·4
Birkenhead -	20·1	14·0	11·8	15·7	Liverpool - -	23·6	28·1	27·7	25·0
Birmingham -	19·3	23·4	24·2	21·8	London - - -	17·8	18·4	17·6	18·3
Blackburn -	22·1	17·6	19·9	21·7	Manchester - -	23·4	22·0	24·3	24·2
Bolton - -	20·4	18·5	22·0	17·6	Newcastle-on-Tyne	18·4	23·2	16·9	23·7
Bradford -	15·8	16·6	22·1	18·9	Norwich - -	18·8	21·5	18·8	19·3
Brighton -	12·9	14·6	12·5	19·2	Nottingham - -	15·7	22·9	21·2	17·4
Bristol - -	21·2	21·5	20·0	20·3	Oldham - -	13·0	20·1	17·7	21·4
Burnley -	14·7	17·7	19·5	20·3	Plymouth - -	17·1	29·7	15·6	18·1
Cardiff - -	14·4	16·9	16·2	11·6	Portsmouth - -	15·7	18·1	14·1	16·2
Croydon -	15·5	12·8	9·7	11·2	Preston - -	23·0	17·8	18·2	23·9
Derby - -	17·1	21·4	17·6	18·1	Salford - - -	20·8	22·4	24·7	20·8
Gateshead -	21·4	20·4	24·1	19·5	Sheffield - -	21·2	20·3	19·8	20·4
Halifax -	10·7	17·1	22·4	18·5	Sunderland - -	18·9	21·7	23·4	22·0
Huddersfield-	22·7	23·2	20·8	16·3	Swansea - -	21·9	18·0	18·0	16·5
Hull - -	21·2	21·4	15·9	16·9	West Ham - -	11·4	13·0	13·6	12·3
Leeds - -	19·4	18·7	18·4	19·0	Wolverhampton -	12·1	19·6	24·8	17·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Portsmouth and in Sunderland, 1·1 in Leeds and in Hull, 1·4 in Liverpool, and 1·9 in Gateshead; from *scarlet fever*, 1·0 in Derby; and from *whooping-cough*, 1·0 in Swansea, 1·2 in Wolverhampton, and 1·3 in Bristol. In none of the thirty-three towns did the death-rate from "*fever*," or from *diarrhœal diseases*, reach 1·0 per 1,000. The 68 deaths from *diphtheria* included 26 in London, 5 in Bristol, 5 in Leicester, 4 in Birmingham, 4 in Manchester, 3 in West Ham, 3 in Liverpool, and 3 in Sheffield. Two deaths from *small-pox* were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2358 BIRTHS and 1633 DEATHS were registered. Allowing for increase of population, the births were 312, and the deaths 113,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8898—670—4/1901 Wt 45 D & S 3

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·8, 18·4, and 17·6 in the preceding three weeks, rose again last week to 18·3. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1633 deaths included 52 from measles, 8 from scarlet fever, 26 from diphtheria, 74 from whooping-cough, 4 from enteric fever, 9 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 173 deaths were referred to these diseases, being 35 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 56, and 38 in the preceding three weeks, rose again last week to 52, but were 24 below the corrected average; 10 cases belonged to the Borough of Stepney and 9 to that of Camberwell. The deaths from *scarlet fever*, which had been 6, 8, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 14; 3 cases belonged to St. Pancras. The deaths from *diphtheria*, which had been 14, 16, and 21 in the preceding three weeks, further rose last week to 26, but were 9 below the corrected average; 4 cases belonged to Southwark and 4 to Camberwell. The deaths from *whooping-cough*, which had been 63, 55, and 62 in the preceding three weeks, further rose last week to 74, and were 12 above the corrected average; 10 cases belonged to Lambeth, 7 to Battersea, and 7 to Kensington. The fatal cases of *enteric fever*, which had been 5, 8, and 5 in the preceding three weeks, were 4 last week, the corrected average being 7. The deaths from *diarrhœal diseases*, which had been 13, 21, and 12 in the preceding three weeks, further fell last week to 9, and were 4 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 332, 363, and 360 in the preceding three weeks, further fell last week to 345, and were 45 below the corrected average. The deaths attributed directly to *influenza* numbered 27, having been 30, 26, and 18 in the preceding three weeks. A table showing the corrected mortality of the several Metropolitan Boroughs last quarter is given on page 193.

Different forms of *violence* caused 89 deaths, concerning all but 2 of which inquests were held. Of these 89 deaths, 17 were cases of suicide, and 2 of homicide, while the remaining 70 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 1 to a conflagration, 9 others to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 14 (including 13 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1601 cases of scarlet fever, 1020 of diphtheria, 1 case of typhus, and 141 cases of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 205 cases, against 151, 167, and 180; of diphtheria, 98 cases, against 128, 110, and 126; and of enteric fever, 17 cases, against 18, 19, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended April 6th.

Greater London.

In Greater London 3445 births and 2162 deaths were registered, corresponding to annual rates of 26·5 and 16·6 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 2 from scarlet fever, 8 from diphtheria, 21 from whooping-cough, 4 from "fever," and 5 from diarrhœal diseases were registered. Four deaths from measles, 5 from diphtheria, and 7 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·50 inches, and that of the Thermometer 46°·2; the latter being 0°·5 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 41 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 29·0 hours; the measured rainfall amounted to 0·71 inch.

Metropolitan Water Supply (see pp. 194–196.)

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 13th April 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,789,099**	**6177**	**4339**	**943**	**1179**	**2**	**112**	**31**	**68**	**130**	**19**	**35**	**205**	**442**	**1018**	**66**	**19·2**	**1·8**	**63·0**	**27·4**	**44·6**	**7·00**	**0·83**	**2·11**	**33 Towns.**
London - -	4,651,113	2358	1633	325	454	-	52	8	26	74	4	9	89	207	530	7	18·3	1·9	60·6	35·4	46·2	7·89	0·71	1·80	London.
West Ham - -	329,377	163	78	17	16	-	-	-	3	2	1	2	2	5	11	1	12·3	1·3	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	61	29	8	10	-	-	-	-	1	-	-	2	3	3	-	11·2	0·4	60·5	31·5	45·9	7·72	0·82	2·08	Croydon.
Brighton - -	125,077	63	46	10	21	-	1	-	-	-	-	-	-	-	8	-	19·2	0·4	52·4	37·0	45·5	7·50	0·64	1·63	Brighton.
Portsmouth -	199,262	98	62	12	21	-	4	1	1	2	-	2	-	5	6	1	16·2	2·6	54·5	39·0	46·0	7·78	0·68	1·73	Portsmouth.
Plymouth - -	103,708	45	36	9	17	-	-	-	-	-	-	-	2	3	6	-	18·1	-	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	147	128	21	52	-	-	2	5	8	-	1	3	10	34	1	20·3	2·5	57·0	37·0	45·0	7·22	1·64	4·17	Bristol.
Cardiff - -	203,050	102	45	17	6	-	-	-	1	2	-	-	1	4	6	1	11·6	0·8	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	75	34	7	8	-	-	-	1	2	-	-	-	3	5	1	16·5	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	47	31	6	8	-	1	-	-	2	1	1	-	1	3	-	17·9	2·9	59·0	27·4	42·1	5·61	0·88	2·24	Wolverhampton.
Birmingham -	524,307	282	219	51	60	-	3	1	4	3	2	1	6	10	38	4	21·8	1·4	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	62	43	12	18	-	-	-	-	-	-	1	4	5	4	3	19·3	0·4	62·2	32·4	45·5	7·50	1·04	2·64	Norwich.
Leicester - -	224,619	112	92	26	31	-	-	1	5	-	-	-	4	8	13	2	21·4	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	113	82	22	17	-	2	-	-	-	1	1	2	8	14	-	17·4	0·8	59·6	32·5	43·6	6·44	0·46	1·17	Nottingham.
Derby - - -	109,605	56	38	7	11	-	-	2	1	-	1	-	-	3	14	-	18·1	1·9	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	73	36	8	11	-	1	-	-	-	1	-	-	4	7	-	15·7	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	429	305	76	65	2	17	-	3	4	3	5	19	29	75	12	25·0	2·8	55·0	36·1	43·5	6·39	0·93	2·36	Liverpool.
Bolton - -	166,284	105	56	14	20	-	3	-	1	1	-	-	2	2	5	-	17·6	1·6	-	-	-	-	-	-	Bolton.
Manchester -	553,677	298	257	46	61	-	3	4	4	7	2	4	19	38	81	3	24·2	2·3	-	-	-	-	-	-	Manchester.
Salford - -	223,418	114	89	16	16	-	1	2	2	3	-	-	6	10	23	-	20·8	1·9	-	-	-	-	-	-	Salford.
Oldham - -	155,865	70	64	11	18	-	-	1	1	1	1	1	2	5	4	-	21·4	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	58	47	15	14	-	-	1	2	2	-	1	3	4	9	-	20·3	2·6	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	71	58	10	15	-	-	-	-	1	-	-	4	4	4	4	21·7	0·4	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	62	55	17	17	-	-	-	-	2	-	1	2	3	2	4	23·9	1·3	54·0	38·0	44·3	6·83	0·67	1·70	Preston.
Huddersfield -	105,514	56	33	4	15	-	-	-	-	-	-	-	3	4	7	1	16·3	-	56·3	34·5	43·4	6·33	0·98	2·49	Huddersfield.
Halifax - -	106,873	35	38	5	17	-	-	-	-	1	-	-	-	-	6	3	18·5	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	115	107	14	38	-	-	1	1	4	-	1	4	6	10	-	18·9	1·2	59·0	36·0	43·8	6·51	0·99	2·51	Bradford.
Leeds - - -	438,814	257	160	42	36	-	9	3	1	-	-	3	5	17	23	-	19·0	1·9	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	222	145	35	37	-	1	2	3	3	1	1	7	13	26	7	20·4	1·5	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	140	79	24	11	-	5	-	-	2	1	-	3	9	11	-	16·9	1·7	63·0	33·0	44·5	6·94	0·34	0·86	Hull.
Sunderland -	149,205	93	63	21	4	-	3	2	-	1	-	-	3	4	9	5	22·0	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	72	42	9	7	-	4	-	1	-	-	-	2	3	-	4	19·5	2·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	143	109	26	27	-	2	-	2	2	-	-	6	12	21	2	23·7	1·3	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891-1900.*	1901
TOTAL **Births**	2716	2187	2667	2600	2380	2682	2250	2623	2875	2292	2669·6	2358
Males - -	1345	1112	1313	1338	1233	1414	1144	1336	1526	1131	1361·9	1223
Females - -	1371	1075	1354	1262	1147	1268	1106	1287	1349	1161	1307·7	1135
TOTAL **Deaths** -	1766	1590	1681	1609	1622	1727	1418	1648	1624	1844	1746·0	1633
Males - -	978	836	894	815	817	888	752	863	865	932	912·7	847
Females - -	788	754	787	794	805	839	666	785	759	912	833·3	786

*The numbers in this column are the average weekly numbers in the fifteenth week of the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.
TOTAL **Births** - - -	2693	2713	2410	2687	2690	2673	2681	2496	2607	2424	2634	2538	2358
TOTAL **Deaths** - - -	1666	1568	1438	1668	1719	1853	1865	1723	1571	1588	1645	1573	1633
Ages at Death: Under 1 year - -	299	285	321	358	333	340	333	359	333	299	349	325	325
1—5 years - -	195	165	159	162	181	199	214	225	189	203	220	223	256
5—20 ,, - -	70	97	73	99	75	89	94	91	96	85	85	70	91
20—40 ,, - -	212	203	168	194	216	226	223	201	197	202	207	195	200
40—60 ,, - -	356	329	305	327	369	375	392	355	314	318	313	301	307
60—80 ,, - -	421	386	340	420	412	515	486	398	366	393	375	380	363
80 years and upwards	113	103	72	108	133	109	123	94	76	88	96	79	91
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	36	24	25	20	36	36	36	33	35	42	56	38	52
Scarlet Fever - - -	9	8	8	4	5	5	4	6	10	6	8	8	8
Diphtheria - - - -	32	23	24	29	20	27	19	25	30	14	16	21	26
Whooping-cough - - -	38	57	44	58	49	52	57	37	43	63	55	62	74
Typhus - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	13	16	12	12	11	6	9	7	8	5	8	5	4
Simple Continued Fever -	-	-	-	-	-	1	-	-	-	1	-	-	-
Diarrhœa and Dysentery -	15	17	11	12	16	10	19	14	13	13	21	12	9
Cholera - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
All the above Diseases -	143	125	125	136	137	137	144	122	140	144	164	146	173
Dis. of Respiratory System -	422	394	323	397	420	493	501	463	394	332	363	360	345
Phthisis - - - - -	182	142	152	148	171	172	169	169	168	149	165	168	139
Dis. of Circulatory System -	157	154	161	178	166	189	192	161	138	187	157	133	161
Violence - - - -	71	76	64	54	70	75	64	66	63	73	64	64	89
Inquest Cases - - - -	166	191	161	171	152	207	186	159	158	196	136	157	207
Deaths in Public Institutions -	499	517	465	550	561	590	589	548	489	510	523	520	530
TEMPERATURE OF THE AIR													
Mean - - - - -	40°·2	44°·2	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4	46°·2
Mean of Highest readings -	45·3	49·0	41·5	38·2	37·5	39·1	49·1	48·0	44·6	43·1	41·1	53·2	54·1
Mean of Lowest readings -	34·1	39·3	31·8	29·6	26·7	31·7	38·7	37·1	33·7	34·2	28·4	36·1	41·0
Humidity of the Air - -	89	82	82	86	72	80	84	85	91	78	70	80	83
Rain-fall (in inches) - -	0·22	0·18	0·10	0·47	0·03	0·15	0·57	0·76	0·09	0·31	0·44	0·97	0·71
Registered Sunshine (in hours)	13·3	12·6	6·9	2·2	11·9	6·6	15·7	11·4	5·4	13·2	21·2	27·4	29·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	3	3	1	1	1	1	1	1	-	-	-	-
Scarlet Fever - - - -	2172	2078	2037	1963	1876	1834	1823	1746	1652	1598	1568	1572	1601
Diphtheria - - - -	1152	1153	1128	1150	1110	1118	1124	1118	1115	1103	1089	1073	1020
Typhus - - - - -	—	1	7	6	6	6	2	2	3	3	2	1	1
Enteric Fever - - - -	333	305	299	262	258	237	224	205	184	182	162	146	141

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTEENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 15th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 13th April, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1746·0	1633	325	256	91	200	307	363	91
Small-pox { Vaccinated† -	-	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·2	-	-	-	-	-	-	-	-
Measles - - - -	75·7	52	10	36	6	-	-	-	-
Scarlet Fever - - -	13·8	8	-	5	2	1	-	-	-
Typhus - - - -	0·1	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	32·5	27	-	2	2	4	12	6	1
Whooping-cough - -	62·0	74	20	54	-	-	-	-	-
Diphtheria - -	34·6	26	1	17	8	-	-	-	-
Simple Continued and Ill-defined Fever -	0·1	-	-	-	-	-	-	-	-
Enteric Fever - - -	7·4	4	-	1	2	1	-	-	-
Cholera	0·4	-	-	-	-	-	-	-	-
Cholera and Chol. Diarr.	13·3	9	5	3	-	-	-	1	-
Diarrhœa, Dysentery -	0·1	-	-	-	-	-	-	-	-
Intermittent Fever - -	0·1	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	0·2	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	10·5	6	6	-	-	-	-	-	-
Venereal Affections - -	4·9	3	1	-	1	-	-	1	-
Erysipelas - - -	1·1	3	1	-	1	1	-	-	-
Pyæmia and Septicæmia	4·3	2	-	-	-	2	-	-	-
Puerperal Fever - -	2·7	-	-	-	-	-	-	-	-
Other Zymotic Diseases									
Thrush - - - -	0·6	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·8	1	-	-	1	-	-	-	-
Starvation, Want of Breast-milk - -	1·5	7	7	-	-	-	-	-	-
Alcoholism - - -	11·7	11	-	-	-	6	5	-	-
Rheumatic Fever, Rheumatism of Heart	6·9	3	-	-	1	1	1	-	-
Rheumatism - - -	3·2	3	-	-	1	-	1	1	-
Gout - - - - -	3·4	2	-	-	-	-	1	1	-
Rickets - - - -	6·4	7	2	5	-	-	-	-	-
Cancer - - - -	73·8	91	-	1	-	6	40	39	5
Tabes Mesenterica - -	17·2	22	10	6	5	1	-	-	-
Tubercular Meningitis -	25·1	18	4	9	3	2	-	-	-
Phthisis - - - -	162·3	139	2	1	11	66	45	14	-
Scrofula. Tuberculosis -	18·5	24	5	9	3	3	4	-	-
Other Constitutional Diseases - -	15·2	17	-	1	3	2	5	6	-
Premature Birth - -	53·3	42	42	-	-	-	-	-	-
Intelectasis - - -	3·5	9	9	-	-	-	-	-	-
Congenital Malformations - - -	7·7	10	9	-	1	-	-	-	-
Old Age - - - -	52·4	46	-	-	-	-	-	17	29
Apoplexy - - -	45·0	45	1	-	-	3	17	18	6
Epilepsy - - - -	9·0	9	-	-	1	4	1	2	1
Convulsions - - -	43·9	34	29	4	1	-	-	-	-
Other Diseases of Brain and Nervous System	86·5	78	9	13	4	3	27	19	3
Diseases of Organs of Special Sense -	3·3	2	1	-	1	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 15th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 13th April, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	148·1	161	3	1	10	22	42	63	20
Croup - - - -	4·3	-	-	-	-	-	-	-	-
Bronchitis - - -	188·2	162	27	22	2	1	15	82	13
Pneumonia - - -	163·4	152	31	41	4	19	25	30	2
Pleurisy - - - -	7·5	9	2	2	1	1	3	-	-
Other Diseases of Respiratory System -	26·4	22	2	3	-	1	6	9	1
Dentition - - - -	9·7	16	12	4	-	-	-	-	-
Quinsy, Sore Throat -	1·6	-	-	-	-	-	-	-	-
Enteritis - - -	14·5	9	3	2	-	1	2	-	1
Gastro-enteritis -		4	3	-	-	-	-	1	-
Peritonitis - - -	5·6	5	-	-	2	-	1	2	-
Diseases of Liver - -	27·4	16	2	-	-	2	5	6	1
Other Diseases of Digestive System	32·5	37	7	4	3	7	9	7	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	52·7	57	-	2	1	13	23	16	2
Diseases of Generative System - - -	6·1	5	-	-	-	1	1	3	-
Accidents of Childbirth -	6·1	1	-	-	-	1	-	-	-
Diseases of Locomotive System - - -	6·2	8	1	-	3	2	1	1	-
Diseases of Integumentary System - -	6·4	8	2	-	-	-	1	4	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·5	2	-	-	-	1	1	-	-
By Vehicles or Horses -	5·7	7	-	-	2	2	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·4	1	-	-	-	1	-	-	-
In Building Operations -	1·6	-	-	-	-	-	-	-	-
In Conflagrations - -	0·1	1	-	-	-	1	-	-	-
By Burns, Scalds, Explosions - -	7·2	9	2	3	1	2	-	-	1
By Drowning - - -	5·1	6	-	-	2	3	1	-	-
By Suffocation in Bed -	13·8	14	13	1	-	-	-	-	-
By Poison or Poisonous Vapours - -	1·4	4	-	-	1	2	-	1	-
Other or not stated causes - - -	20·4	26	5	2	-	2	4	9	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·2	2	-	-	-	1	1	-	-
Suicide - - - -	9·5	17	-	-	1	8	4	4	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·5	38	36	2	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th April, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,411,355†	2358	1633	325	454	-	52	8	26	74	-	4	-	9	89	207	530	7
WEST DISTRICTS - - -	The figures In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. for 1901 will be inserted when the results of the recent Census shall have been ascertained.	330	270	58	83	-	1	-	1	24	-	1	-	-	10	28	88	-
NORTH DISTRICTS - - -		497	351	63	110	-	10	4	6	11	-	1	-	1	23	40	99	-
CENTRAL DISTRICTS - - -		88	93	18	19	-	2	-	3	1	-	-	-	1	9	15	39	-
EAST DISTRICTS - - -		508	275	57	69	-	12	-	2	9	-	-	-	3	15	51	119	-
SOUTH DISTRICTS - - -		935	611	129	160	-	27	3	14	29	-	2	-	4	31	71	152	7
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	33	-	13	-	-	1	-	-	-	-	-	-	1	2	33	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.		45	21	5	6	-	-	-	-	1	-	-	-	-	-	1	4	-
St. John Paddington *H* - - G.		7	14	2	2	-	-	-	-	-	-	-	-	-	5	6	9	-
North-West Paddington† - - C.		6	6	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Kensington Town† *Ww* - W. & C.		39	45	12	20	-	-	-	-	6	-	-	-	-	1	6	17	-
Brompton *HH* - - - W. & C.		14	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
North Hammersmith *H* } W. & G		29	7	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
South Hammersmith *wH* } W. & G		33	25	8	8	-	-	-	-	2	-	-	-	-	1	1	5	-
North-west Fulham *W* } W. & C.		29	22	3	8	-	-	-	1	-	-	-	-	-	-	2	11	-
North-east Fulham *w* } W. & C.		28	14	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-
South Fulham } W. & C.		25	11	3	-	-	1	-	-	1	-	-	-	-	1	2	-	-
Chelsea North *WWHHHH* - C.		17	25	2	13	-	-	-	-	2	-	-	-	-	-	1	18	-
Chelsea South *HH* - - C.		10	10	1	5	-	-	-	-	1	-	1	-	-	-	1	2	-
May Fair and Knightsbridge† *H* } C. & G.		7	5	-	2	-	-	-	-	2	-	-	-	-	-	1	-	-
Belgrave *HHH* - - - C.		13	32	5	11	-	-	-	-	1	-	-	-	-	1	2	15	-
St. Margaret & St. John Westminster† *HHH* } C.		20	19	7	1	-	-	-	-	-	-	-	-	-	1	2	4	-
St. James Westminster *WH* } N. & G.		3	6	-	1	-	-	-	-	1	-	-	-	-	-	2	2	-
St. Anne Soho *HHHHH* - N.		5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* } - - W.		13	16	-	7	-	-	-	-	-	-	-	-	-	2	2	9	-
Rectory Marylebone *W* G. & W.		11	12	1	3	-	-	-	-	-	-	-	-	-	2	2	2	-
St. Mary Marylebone *HHHH* } G. & W.		32	6	2	1	-	-	-	-	-	-	-	-	-	2	2	1	-
Christchurch Marylebone *H* - W		20	8	4	1	-	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone *HHH* - W		3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *WwHHHH* } - N. & W.		21	27	4	2	-	-	4	3	2	-	1	-	1	-	-	14	-
Regent's Park *HH* - W.		33	7	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* } - N. & W.		6	14	-	6	-	-	-	-	-	-	-	-	-	-	-	10	-
Gray's Inn Lane *HHHH* - N.		12	8	1	3	-	-	-	-	-	-	-	-	-	3	2	2	-
Somers Town *HH* - - - N.		9	16	6	2	-	1	-	-	-	-	-	-	-	-	2	4	-
Camden Town *WH* - - N.		22	21	3	8	-	-	-	-	2	-	-	-	-	2	3	4	-
Kentish Town *WW* - - N.		28	17	3	3	-	1	-	-	2	-	-	-	-	-	4	6	-
Upper Holloway *WWWWwHH* } - - N.		49	42	6	19	-	-	-	-	-	-	-	-	-	5	7	22	-
Lower Holloway - - - N.		18	10	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnsbury - - - - N.		33	14	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Islington South-east *H* - N.		34	22	5	8	-	3	-	-	1	-	-	-	-	-	1	-	-
Highbury *HH* - - - N.		27	13	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H* - - N.		17	15	1	6	-	-	-	-	1	-	-	-	-	-	2	-	-
North Hackney - E. & N.		25	13	3	6	-	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *ww* - E. & N.		21	13	2	1	-	4	-	2	-	-	-	-	-	-	2	4	-
South-west Hackney *HHH* E. & N.		30	22	5	2	-	-	-	-	2	-	-	-	-	2	3	6	-
South-east Hackney *WwH* E. & N.		33	31	4	19	-	1	-	-	-	-	-	-	-	2	3	13	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.		12	7	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St Giles North *H* - - - N.		1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Martin-in-the-Fields *HH* N. & C		6	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand *WHH* - - - - N		2	10	2	1	-	-	-	-	-	-	-	-	-	1	1	7	-
Strand Union Workhouse, Edmonton		-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Holborn *WwHHHHH* - N.		9	17	5	3	-	-	-	1	1	-	-	-	-	3	3	10	-
St. James Clerkenwell - - N		5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.		14	8	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Goswell-street - - - N.		6	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.		24	11	6	-	-	1	-	-	-	-	-	-	1	1	5	-	-
Finsbury - - - - - N.		2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Holborn Union Workhouse, Mitcham - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H* - - N. & E.		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.		5	15	-	3	-	-	-	2	-	-	-	-	-	2	3	13	-
All hallows Barking - - - N		-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.		5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *wH* - - N.		23	21	4	7	-	-	-	-	2	-	-	-	-	-	1	9	-
Hoxton Old Town - - - N.		21	6	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Haggerston *W* - - N. & E.		27	16	4	2	-	-	-	-	2	-	-	-	1	1	3	8	-
Bethnal Green North *HH* - E.		45	13	2	3	-	-	-	-	1	-	-	-	1	1	1	3	-
Bethnal Green South - - E.		24	6	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Bethnal Green East *WWHl* - E.		23	25	1	14	-	1	-	-	-	-	-	-	-	-	1	19	-
Spitalfields - - - E. & N.		28	7	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E		32	36	5	9	-	3	-	-	-	-	-	-	-	2	8	33	-
Goodman's Fields - - - E.		13	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.		40	7	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
St. John, St. George East *W* E.		5	12	3	3	-	-	-	-	-	-	-	-	-	1	5	8	-
Shadwell *H* - - - E. & N.		7	8	1	-	-	-	-	1	-	-	-	-	-	-	-	7	-
Ratcliff *W* - - - - E.		7	6	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Limehouse - - - - E.		27	9	5	1	-	-	-	-	1	-	-	-	-	1	4	-	-
Mile End Old Town West *H* E.		56	24	7	2	-	5	-	-	1	-	-	-	-	-	6	1	-
Mile End Old Town East *WW* - E.		40	13	2	4	-	-	-	-	-	-	-	-	-	-	2	4	-
Bow *l* - - - - E.		19	15	3	2	-	-	-	-	-	-	-	-	-	2	4	-	-
Bromley *wwwH* - - - E.		36	32	3	11	-	-	-	-	1	-	-	-	1	2	6	21	-
Poplar *WW* - - - - E.		30	14	3	4	-	1	-	-	1	-	-	-	-	2	4	5	-

In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. The figures for 1901 will be inserted when the results of the recent Census shall have been ascertained.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 13th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 1 Year and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	The figures for 1901 will be inserted when the results of the recent Census shall have been ascertained.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - *S.*		9	19	5	1	–	–	–	1	–	–	–	–	–	–	–	16
Kent-road - - - - *S.& L.*		14	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Borough-road *WH* - *S.& L.*		7	6	–	1	–	–	–	–	–	–	1	–	–	–	–	3
London-road *HL* - - *L.& S.*		10	9	3	1	–	–	–	–	1	–	–	–	–	1	3	–
Trinity Newington *H* - *S.& L.*		11	12	5	3	–	–	–	–	1	–	–	–	1	–	–	–
St. Peter Walworth *W* - *S.& L.*		50	24	6	10	–	1	–	–	1	–	–	–	–	–	5	2
St. Mary Newington- - *L.& S.*		23	9	4	1	–	1	–	1	1	–	–	–	–	–	–	–
St. Olave *W* - - - - *S.*		3	3	–	1	–	–	–	–	–	–	–	–	–	2	2	1
Bermondsey *W* - - - *S.*		48	32	10	9	–	1	–	–	1	–	–	–	–	1	5	–
Rotherhithe *Ww* - *S.& K.*		19	21	1	7	–	2	–	–	–	–	–	–	–	2	3	9
Waterloo-road *HH* - *L.& S.*		23	8	1	1	–	–	–	–	2	–	–	–	–	–	–	1
Lambeth Church 1st *HH* *L.& S.*		12	15	2	1	–	–	–	1	1	–	–	–	–	2	5	8
Lambeth Church 2nd *WW* *L.& S.*		26	33	9	8	–	1	–	–	4	–	–	–	–	1	2	15
Kennington 1st *H* - - *S.& L.*		36	9	1	3	–	–	–	–	1	–	–	–	–	–	2	–
Kennington 2nd - - *S.& L.*		19	9	2	5	–	–	–	–	–	–	–	–	–	1	2	–
Brixton *w* - - - *L.& S.*		48	23	8	4	–	1	–	–	–	–	–	–	–	4	5	1
Norwood *WH* - - - - *L.*		15	9	2	3	–	–	–	–	–	–	–	–	–	3	3	1
East Battersea - - - - *S.*		45	25	8	6	–	–	–	–	6	–	–	–	–	–	2	–
North-west Battersea - - *S.*		25	17	1	3	–	1	–	–	–	–	–	–	–	–	2	–
South-west Battersea *WwH* - *S.*		25	25	5	8	–	1	–	–	2	–	–	–	1	–	–	13
Clapham *H* - - - - *S.*		24	13	6	2	–	2	–	–	–	–	–	–	–	–	–	1
Streatham *WwwwwL* - - *L.*		49	21	6	4	–	2	–	2	2	–	–	–	–	–	–	5
Wandsworth *WHHL* - - *S.*		48	16	7	3	–	–	–	–	–	–	–	–	–	2	3	1
Putney - - - - - *S.*		9	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich - - - *L.& S.*		4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - *S & L.*		47	54	3	30	–	–	–	1	–	–	–	–	–	1	3	37
Peckham *WW* - *S..L..& K.*		47	22	2	7	–	3	–	1	2	–	–	–	–	1	4	1
St. George Camberwell - *L.& S.*		32	21	5	1	–	6	–	–	–	–	–	–	–	–	–	–
Deptford North - - - *K.*		24	14	5	2	–	1	–	1	1	–	–	–	–	1	3	–
Deptford Central *w* - - *K.*		26	8	1	1	–	1	–	3	–	–	1	–	–	1	2	4
Deptford South - - - *K.*		7	9	–	5	–	–	–	–	–	–	–	–	–	2	3	–
Greenwich West *H* - - *K.*		16	8	1	1	–	1	–	–	–	–	–	–	–	–	1	1
Greenwich East *WH* - - *K.*		18	24	6	4	–	–	–	–	1	–	–	–	–	1	1	13
Eltham *wH* - - - - *K.*		1	3	1	1	–	–	–	–	–	–	–	–	1	–	–	1
Lee *H* - - - - - *K.*		10	9	–	4	–	–	–	–	–	–	–	–	–	–	–	1
Lewisham *WwwH* - - - *K.*		29	14	3	2	–	1	2	–	1	–	–	–	1	1	2	5
Sydenham *H* - - - - *L.*		13	12	3	4	–	–	–	–	1	–	–	–	–	–	–	1
Charlton *wHH* - - - *K.*	In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given.	11	8	1	2	–	–	1	2	–	–	–	–	–	–	–	4
Woolwich *HHHH* - - *K.*		21	12	1	1	–	1	–	–	–	–	–	–	–	3	5	–
Plumstead West *H* - - *K.*		7	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - *K*		20	19	2	4	–	–	–	1	–	–	–	–	–	1	2	7
Banstead Asylum - - - -		–	10	–	5	–	–	–	–	–	–	–	–	–	–	–	10
Horton Asylum, Epsom - - -		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -		–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Hospital Ships and Camp, Dartford		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -		–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5
London County Asylum, Dartford Heath - - - - - -		–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Hanwell Asylum - - - -		–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Central London Sick Asylum, Hendon		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Colney Hatch Asylum - - -		–	4	–	2	–	–	–	–	–	–	–	–	–	1	2	4
N.E. Hospital - - - - -		–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Winchmore Hill Hospital - -		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -		–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Claybury Asylum - - - -		–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1

NOTE.—On 1st April the area of London was changed: part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table is exclusive of the added part of Hornsey, which was not enumerated in 1896.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th April, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,584	1,405,489	1087	529	137	160	-	14	2	8	21	4	5	18	39	67	4
30 : 1	Carshalton *H*	12,228	26,108	16	15	3	6	-	-	-	-	3	-	-	-	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	9	6	3	1	-	2	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** *W*	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH*	20,851	128,699	75	40	9	16	-	-	-	-	1	-	-	2	3	7	-
2	Mitcham *w*	11,697	23,072	21	10	3	2	-	-	-	-	1	-	-	-	-	-	1
39 : 1	Wimbledon *HHH*	3,220	25,777	13	17	5	6	-	-	-	-	-	-	-	-	-	1	-
2	Kingston *WH*	14,672	33,566	25	11	5	4	-	-	-	-	-	-	-	-	1	1	-
3	Surbiton *HH*		12,178	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*		11,080	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL*	4,565	18,252	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *WHH*	2,160	25,389	7	4	-	3	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake *H*	2,823	16,159	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH*	9,127	23,815	13	10	3	2	-	-	-	1	-	-	-	1	2	1	-
2	Beckenham *H*	6,542	21,969	11	3	2	-	-	-	-	-	-	-	-	-	1	1	-
3	Orpington, *part of** *W*	6,974	7,714	4	4	-	-	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH*	7,333	12,658	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *HHH*	12,540	30,590	31	10	4	3	-	-	-	-	1	-	-	-	1	-	-
2	Dartford *WH*, *part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w*	11,054	13,671	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH*	13,277	13,221	8	3	-	1	-	-	-	-	1	-	-	-	-	-	-
125 : 1	Hillingdon *WHH*	6,035	12,237	8	8	2	4	-	-	-	-	1	-	-	-	-	-	1
2	Uxbridge	12,757	7,253	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	7,952	11,051	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH*	6,967	26,004	24	15	4	6	-	3	-	-	-	-	-	-	-	7	-
2	Twickenham *HH*	2,415	16,027	9	8	1	2	-	-	-	-	-	1	-	-	-	2	-
3	Brentford *HHHH*	4,318	37,777	19	12	3	4	-	-	-	-	-	-	-	-	2	1	-
4	Chiswick	1,245	21,963	21	9	3	5	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wHH*	6,132	30,945	46	11	4	4	-	-	-	-	1	1	-	-	1	-	-
127 : 1	Harrow *HHH*	13,809	15,715	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Edgware *HH*	6,994	3,844	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4,383	61,265	66	27	8	11	-	-	-	-	1	-	-	3	3	-	-
4	Hendon *WH*	8,382	15,843	15	15	1	7	-	-	-	-	-	-	-	-	-	5	-
128 : 1	South Mimms *HH*	21,077	6,367	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH*		14,152	10	5	2	1	-	-	-	-	1	-	-	-	-	1	-
3	Finchley *HHH*	4,688	25,820	10	7	3	1	-	2	-	-	-	-	-	1	1	1	-
129 : 1	Hornsey† *HH*	2,874	44,523	31	15	1	8	-	-	-	-	1	-	-	-	-	-	-
2	Tottenham *HHH*	4,642	97,174	71	35	12	6	-	2	-	1	1	-	-	3	6	1	-
3	Edmonton *Ww*	7,489	36,351	32	18	2	7	-	1	-	-	-	-	-	-	1	5	1
4	Enfield *WWHH*	12,602	31,536	16	11	1	5	-	-	1	-	-	1	-	-	-	1	-
5	Waltham Abbey	11,017	6,066	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8,480	9,620	9	4	-	1	-	-	-	-	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** *W*	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9,331	7,737	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Watford *WHH*, *part of**	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
186 : 1	Stratford *H*		38,612	22	15	4	5	-	-	-	-	-	-	-	-	-	2	-
2	Plaistow *HHH*	4,706	58,030	53	23	6	5	-	-	-	2	-	1	1	-	1	1	-
3	Canning Town *H*		54,750	56	22	4	1	-	-	-	1	2	-	-	1	2	1	1
4	Forest Gate *w*		53,511	32	11	2	2	-	-	-	-	-	-	-	1	2	-	-
5	East Ham *wHHH*	3,266	32,713	52	23	9	4	-	1	-	1	1	-	1	2	2	1	-
6	Wanstead		7,042	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW*	4,334	38,232	19	24	7	5	-	2	-	-	1	-	2	1	2	15	-
8	North Leyton *WwH*		24,874	24	8	2	2	-	-	1	-	1	-	-	-	2	1	-
9	Walthamstow *HHHL*	6,501	57,370	78	17	7	1	-	1	-	1	2	-	-	-	1	-	-
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W*	6,556	4,324	8	7	2	2	-	-	-	-	1	-	1	-	-	4	-
2	Ilford *H*	8,493	10,913	23	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H*	3,814	14,301	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 13th April, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,421**	**6,781,854**	**16·6**	**1·7**	**2162**	**462**	**614**	**–**	**66**	**10**	**34**	**95**	**8**	**14**	**197**	**597**
INNER LONDON -	74,837	4,651,113	18·3	1·9	1633	325	454	–	52	8	26	74	4	9	89	530
OUTER RING -	368,584	2,130,741	12·9	1·3	529	137	160	–	14	2	8	21	4	5	18	67

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	April 13	171	142	23·9	–	10	2	–	10	1	–
GLASGOW - -	753,766	„ 13	506	350	24·2	6	3	1	4	27	–	6
DUBLIN† - -	346,128	„ 13	186	236	35·6	–	–	2	–	8	2	3
CALCUTTA - -	466,460	January 26	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	821,764	March 26	212	1901	128·2	12	1	?	?	?	1129‡	71§
MADRAS - -	452,518	„ 8	330	392	45·0	11	7	?	?	?	117	70
PARIS - - -	2,511,629	April 6	1112	1072	22·1	10	18	3	15*	7	7	18
BRUSSELS - -	570,844	„ 6	262	192	17·5	–	1	–	1*	1	–	8
AMSTERDAM -	520,800	March 23	317	190	19·0	–	2	–	–	2	–	13
		„ 30	292	202	20·2	–	2	–	1	6	2	18
ROTTERDAM -	325,556	February 16	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	„ 16	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	March 30	226	145	20·0	–	4	2	2	1	–	6
STOCKHOLM -	297,148	„ 30	147	109	19·0	–	–	2	4*	–	–	6
CHRISTIANIA -	226,423	April 6	168	56	12·8	–	–	–	–	–	–	4
ST. PETERSBURG	1,248,643	March 30	646	595	24·8	–	10	18	16	8	13	50
MOSCOW - -	988,610	„ 30	–	546	28·8	2	7	13	4	2	2	36
BERLIN - -	1,885,685	„ 23	921	637	17·6	–	6	9	7	11	1	24
HAMBURG - -	705,738	April 6	–	216	15·9	–	–	–	–	2	–	5
DRESDEN - -	397,000	January 5	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	422,415	April 6	–	222	27·4	–	–	1	1	1	–	21
MUNICH - -	500,000	„ 6	–	212	22·1	–	4	–	–	–	–	23
VIENNA - -	1,662,269	„ 6	873	737	23·1	–	15	11	10*	2	2	41
PRAGUE - -	393,091	March 30	201	189	25·5	–	6	2	2	3	–	2
BUDA-PESTH -	741,013	„ 30	486	302	21·2	–	6	2	2	2	2	7
TRIESTE - -	176,456	April 6	101	111	32·7	–	1	–	2*	3	–	2
ROME - - -	521,159	February 23	274	277	27·7	–	1	–	–	–	8‖	17
TURIN (10 days)-	344,203	January 10	–	–	–	–	–	–	–	–	–	–
VENICE - -	174,170	„ 26	–	–	–	–	–	–	–	–	–	–
CAIRO - -	570,062	February 11	452	298	27·2	–	–	–	–	1	5	39
ALEXANDRIA -	319,766	„ 11	263	205	33·3	–	–	–	–	1	2	47
NEW YORK (including BROOKLYN)	3,536,517	March 23	1553	1497	22·1	6	4	40	59*	4	5	43
PHILADELPHIA -	1,293,697	„ 23	–	487	19·6	–	–	5	17	4	3	4

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 4 deaths from cholera.
‡ Including 886 deaths from plague.
‖ Including 2 deaths from malarial fever

TABLE 9.—METEOROLOGICAL OBSERVATIONS [Under the Superintendence of the Astronomer Royal.]

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	7	..	29·538	60·6	49·3	11·3	52·5	+ 6·4	48·5	4·0	10·8	2·7	86	113·2	44·3	42·52	SW.	SW. & SSW.	6·1	0·0	0·8	418	+125	0·00	1·2
MONDAY -	8	..	29·454	56·7	43·8	12·9	49·7	+ 3·8	39·6	10·1	15·8	2·0	68	114·4	38·1	43·02	SSW. & SW.	SW. & SSW.	14·0	0·0	2·5	669	+377	0·15	7·8
TUESDAY -	9	Greatest Dec. S.	29·518	57·1	42·4	14·7	48·8	+ 3·2	39·2	9·6	16·7	1·5	69	119·2	35·2	43·51	SW. & WSW.	SSW.	9·8	0·0	1·4	508	+218	0·00	5·0
WEDNESDAY	10	..	29·287	52·6	38·3	14·3	44·7	− 0·8	42·1	2·6	6·8	2·1	91	97·8	32·5	43·80	SSW. & S.	SW. & W.	4·5	0·0	0·6	391	+102	0·24	0·0
THURSDAY -	11	..	29·285	52·9	40·2	12·7	45·0	− 0·5	42·6	2·4	7·6	1·9	91	100·0	30·3	43·98	SSW., S. & SE.	SW., W. & N.	2·8	0·0	0·1	221	− 67	0·13	0·2
FRIDAY -	12	Last Quarter.	29·705	49·9	37·3	12·6	41·5	− 4·2	38·1	3·4	10·7	2·6	88	106·0	27·7	44·08	NNW. & N.	N. & NNW.	7·6	0·0	0·5	290	+ 2	0·06	0·8
SATURDAY -	13	..	29·701	49·0	35·4	13·6	41·5	− 4·5	38·3	3·2	8·6	1·3	88	68·3	24·9	44·08	WSW. & SW.	SSW., NW. & W.	4·8	0·0	0·6	353	+ 65	0·13	0·5
MEANS -			29·498	54·1	41·0	13·2	46·2	+ 0·5	41·2	5·0	11·0	2·0	83	102·7	33·3	43·57	SW.		..	..	..	Sum 2850	Sum +822	Sum 0·71	2·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	7	w. P. throughout.	3·3	13·2
MONDAY -	8	w. P. with occasional w. N. till 5h. P.M.; v. P. and v. N. afterwards.	10·8	13·3
TUESDAY -	9	w. P. generally till 4h. P.M.; s. P. till 10h. P.M.; v. P. and v. N. afterwards.	9·9	13·4
WEDNESDAY	10	v. P. and v. N. till 4h. P.M.; s. P. generally afterwards.	0·7	13·4
THURSDAY -	11	m. P. till 5h. A.M.; v. P. and v. N. afterwards.	2·0	13·5
FRIDAY -	12	s. P. generally till 2h. P.M.; v. P. and s. M. till 5h. P.M.: s. P. afterwards.	2·3	13·6
SATURDAY -	13	m. P. generally till 10h. A.M.; v. N. till 3h. P.M.; m. P. generally afterwards.	0·0	13·6
			Sum 29·0	Sum 94·0
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Overcast till 11h. A.M.; fine and partially cloudy afterwards. A very warm day.

Overcast and showery in morning; very fine generally, with occasional showers, afterwards. Strong gusty wind.

Cloudy, with strong gusty wind, in morning; very fine, with variable amounts of cloud, afterwards.

Variable, with light showers, in morning; generally overcast, with frequent rain, till evening; very fine after 7h. P.M. Solar halo in afternoon.

Partially cloudy in early morning; generally overcast, with frequent rain, afterwards. Gloomy between 5h. and 5h. 30m. P.M.

Generally cloudy with occasional gloomy intervals and frequent showers, till evening; cloudless after 7h. P.M.

Overcast, with frequent rain, till evening; fine and partially cloudy afterwards.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·52 in. at the beginning of the week to 29·56 in. by noon on the 7th; decreased to 29·37 in. by 3h. A.M. on the 8th; increased to 29·49 in. by 1h. P.M. on the same day; decreased to 29·35 in. by 11h. P.M. on the same day; increased to 29·56 in. by 11h. A.M. on the 9th; decreased to 29·22 in. by 1h. P.M. on the 10th; increased to 29·42 in. by 11h. P.M. on the same day; decreased to 29·24 in. by 5h. P.M. on the 11th; increased to 29·85 in. by 11h. P.M. on the 12th; decreased to 29·59 in. by 5h. P.M. on the 13th; and increased to 29·70 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th April, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	4	4	-	1	-	-	2	-
Kensington	177,205	-	2	2	-	-	-	-	1	-
Hammersmith	111,213	-	9	5	-	-	-	-	1	-
Fulham	141,920	-	18	7	-	-	-	-	2	-
Chelsea	73,843	-	3	2	-	1	-	-	1	-
City of Westminster	189,375	-	1	3	-	1	-	-	2	-
NORTH.										
St. Marylebone	140,460	-	7	2	-	-	-	-	4	-
Hampstead	82,605	-	7	2	-	-	-	-	-	-
St. Pancras	246,098	-	14	6	-	1	-	-	2	-
Islington	353,528	-	8	17	1	2	-	-	3	-
Stoke Newington	55,758	-	-	1	-	-	-	-	1	-
Hackney	228,417	-	7	9	-	-	-	-	-	-
CENTRAL.										
Holborn	59,700	-	-	1	-	-	-	-	-	-
Finsbury	106,590	-	1	3	-	-	-	-	-	-
City of London	25,289	-	-	-	-	1	-	-	1	-
EAST.										
Shoreditch	120,614	-	1	3	-	2	1	-	2	-
Bethnal Green	127,509	-	3	2	-	-	-	-	1	-
Stepney	305,058	-	3	6	-	-	-	-	4	-
Poplar	170,465	-	11	8	-	-	-	-	3	-
SOUTH.										
Southwark	208,869	-	11	8	-	1	-	-	2	-
Bermondsey	136,824	-	8	7	-	-	-	-	2	-
Lambeth	318,530	-	6	2	-	1	-	-	1	-
Battersea	180,017	-	4	8	-	-	-	-	3	-
Wandsworth	242,224	-	9	9	-	-	-	-	3	-
Camberwell	269,102	-	12	14	-	3	-	-	2	-
Deptford	113,562	-	7	8	-	1	-	-	1	-
Greenwich	91,228	-	3	2	-	1	-	-	3	-
Lewisham	112,856	-	8	2	-	-	-	-	-	-
Woolwich	114,106	-	-	4	-	2	-	-	-	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	-	167	147	1	18	1	-	47	1
Ages 0-1		-	4	7	-	-	-	-	-	-
„ 1-5		-	47	64	-	3	-	-	1	-
„ 5-		-	64	37	-	3	-	-	5	-
„ 10-		-	20	10	-	1	-	-	-	-
„ 15-		-	13	9	-	2	-	-	3	-
„ 20-		-	11	5	-	2	-	-	4	-
„ 25-		-	7	11	-	4	-	-	5	1
„ 35-		-	1	3	-	1	-	-	4	-
„ 45-		-	-	1	1	2	-	-	8	-
„ 55-		-	-	-	-	-	1	-	7	-
„ 65 and upwards		-	-	-	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 30th MARCH, 1901.

BOROUGHS.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple continued Fever.	Diarrhœal Diseases.			
COUNTY OF LONDON -	21,060	-	432	91	305	594	2	134	2	186	2,061	4,287	126
West.													
PADDINGTON - - -	633	-	1	2	10	24	-	6	-	8	57	112	127
KENSINGTON - - -	711	-	-	4	12	32	-	4	-	5	60	114	160
HAMMERSMITH - -	489	-	5	4	15	32	-	7	-	2	33	110	138
FULHAM - - -	582	-	9	8	13	26	-	4	1	7	53	159	136
CHELSEA - - -	377	-	1	-	4	21	-	2	-	2	33	52	119
CITY OF WESTMINSTER -	837	-	2	2	6	16	-	4	-	8	85	112	136
North.													
ST. MARYLEBONE - -	627	-	-	3	6	19	-	4	-	5	84	121	114
HAMPSTEAD - - -	253	-	-	1	7	9	-	2	-	2	23	39	99
ST. PANCRAS - - -	1,194	-	12	6	21	35	-	11	-	5	126	229	141
ISLINGTON - - -	1,415	-	8	1	16	42	-	8	-	7	140	304	126
STOKE NEWINGTON - -	198	-	3	1	4	1	-	-	-	1	20	26	88
HACKNEY - - -	897	-	48	-	13	17	-	4	-	11	89	164	98
Central.													
HOLBORN - - -	314	-	2	-	1	2	-	5	-	3	39	43	100
FINSBURY - - -	557	-	2	2	5	13	-	5	-	4	62	109	100
CITY OF LONDON - -	148	-	1	1	1	2	-	1	-	1	15	17	172
East.													
SHOREDITCH - - -	689	-	9	-	5	27	-	2	-	4	75	178	164
BETHNAL GREEN - -	705	-	20	3	22	14	-	5	-	6	78	153	125
STEPNEY - - -	1,610	-	23	8	17	20	-	14	-	16	171	354	123
POPLAR - - -	912	-	6	-	24	22	-	8	-	12	94	210	141
South.													
SOUTHWARK - - -	1,231	-	67	6	12	43	-	6	-	11	143	252	142
BERMONDSEY - - -	724	-	29	7	8	21	-	2	-	4	66	169	139
LAMBETH - - -	1,372	-	20	8	14	35	-	8	1	11	124	269	115
BATTERSEA - - -	718	-	5	2	4	24	-	3	-	7	69	159	128
WANDSWORTH - -	806	-	10	2	7	29	-	3	-	9	77	154	97
CAMBERWELL - -	1,210	-	82	8	27	29	-	6	-	10	103	230	123
DEPTFORD - - -	531	-	25	3	13	19	2	2	-	7	31	134	146
GREENWICH - - -	410	-	21	2	4	11	-	2	-	2	30	71	94
LEWISHAM - - -	448	-	16	5	5	2	-	3	-	12	26	110	127
WOOLWICH - - -	462	-	5	2	9	7	-	3	-	4	55	98	110

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 517 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 587 cases the previous residence was outside London, and these have been excluded from the Table.

Analysis of Metropolitan Water Supply during March, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
April, 1901.

SIR,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of March, by the eight Water Companies.

Thirteen samples of each Company's supply were examined, making a total of 104 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea - - -	March 18th. Cab Rank, Horse Guards, Whitehall.	6·5	31·72	·246	·026	0	·270	·296	1·9	21·2
West Middlesex -	March 18th. Cab Rank, Riding House Street.	6·9	30·76	·238	·024	0	·266	·290	1·9	20·6
Southwark - -	March 18th. Cab Rank, St. George's Church, Borough.	7·7	32·48	·290	·029	0	·258	·287	1·9	21·8
Grand Junction -	March 18th. Cab Rank, Portman Street, Oxford Street.	6·9	32·74	·301	·027	0	·278	·305	1·9	21·8
Lambeth - - -	March 18th. Cab Rank, St George's Road, Southwark.	6·3	33·36	·288	·033	0	·297	·330	1·9	22·1
Lea.										
New River - -	March 18th. Cab Rank, Tottenham Court Road.	7·5	32·94	·141	·013	0	·318	·331	1·8	23·3
East London - -	March 18th. Cab Rank, High Street, Shoreditch.	8·0	35·90	·273	·031	0	·552	·583	2·2	23·6
Deep Well.										
Kent- - - - -	March 18th. Police Station, Blackheath Road.	10·5	41·24	·043	·010	0	·509	·519	2·3	29·0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 18th March at the Horse Guards cab rank, had a temperature of 6·5° C.; 100,000 lbs. of it contained 31·72 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·246 lb. of carbon and ·026 lb. of nitrogen. The above quantity of water also contained no ammonia and ·270 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·296 lb. The above weight of water also contained 1·9 lbs. of chlorine and 21·2 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on March 18th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·9, New River 2·6, West Middlesex 4·4, Chelsea 4·6, East London 5·2, Southwark and Lambeth 5·4, and Grand Junction 5·6.

All the Thames derived supplies, with the exception of that of the West Middlesex Company, contained more organic matter than was found in the corresponding February samples. All the samples were clear but the Southwark, Grand Junction, and Lambeth waters were of indifferent chemical quality.

With regard to the waters chiefly obtained from the River Lea, that of the New River Company was clear, and although it contained more organic matter than was found in February it was still of good chemical quality. The East London Company's supply was also clear, and in chemical quality it closely resembled the average of that of the five Thames Companies.

The Kent Company's deep-well water was clear and maintained its usual excellent quality.

When viewed through a stratum two feet deep, the Kent Company's water was colourless, the supplies of the Chelsea, West Middlesex, Southwark and New River Companies were very pale yellow, and the remaining waters were pale yellow in colour.

In addition to the above analytical examination, 104 samples, collected during the month of March, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
Chelsea	·143	·090	·107	·155	·091	·122	·012	·009	·011
West Middlesex	·132	·095	·111	·138	·106	·124	·011	·010	·011
Southwark	·181	·074	·112	·200	·089	·129	·016	·008	·012
Grand Junction	·173	·087	·117	·192	·095	·131	·014	·010	·012
Lambeth	·173	·086	·122	·197	·092	·139	·015	·010	·012
New River	·090	·015	·050	·104	·017	·056	·008	·003	·005
East London	·112	·063	·084	·142	·058	·095	·012	·008	·010
Kent	·007	·003	·004	·012	·005	·007	·002	·001	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

In the case of the Thames derived waters these results show that, with the exception of the West Middlesex Company's water, all the supplies contained higher maximum and mean proportions of organic matter than they did in February. The chief increments were observed in the Southwark, Grand Junction and Lambeth Companies' supplies, and the records show that the samples of these waters collected between the 8th and 20th of March were of inferior quality to those taken earlier and later in the month.

With regard to the Lea supplies, the New River Company's water during March was inferior to that delivered in February, mainly on account of the higher amounts of organic matter found in samples taken in the middle of the month; this Company's water was, however, always superior to that of the Thames Companies. The East London Company's water exhibited some fluctuations, but was, on the whole, of fair quality for the season. The samples of the Kent Company's water were invariably of excellent quality.

All the samples drawn from the mains of the New River and East London Companies were clear, but in the cases of the other Companies, on a few occasions a very slight turbidity, probably derived from the mains, was observed.

I am, Sir,

Your obedient Servant.

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of March, 1901. The supply was in the ratio of 213 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	March, 1900.	March, 1901.	March, 1900.	March, 1901.
Total Supply	898,756	920,455	201,564,911	195,914,551
From Thames	429,381	438,225	107,868,218	105,044,922
From Lea and from other Sources	469,375	482,230	93,696,693	90,869,629
Thames.				
Chelsea	38,529	39,027	11,758,336	12,132,286
West Middlesex	85,203	86,699	19,942,599	20,094,714
Southwark and Vauxhall	123,794	125,050	33,024,941	29,789,785
Grand Junction	65,989	67,935	18,801,842	18,264,405
Lambeth	115,866	119,514	24,340,500	24,763,732
Lea and other Sources.				
New River	169,052	172,239	35,811,739	35,891,414
East London	206,198	212,462	41,026,219	38,002,607
Kent	94,125	97,529	16,858,735	16,975,608

Note.—The Return for March, 1901, as compared with that for the corresponding month of 1900 shows an increase of 21,699 services and a decrease of 5,650,360 gallons of water supplied daily.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 16. 1901. VOL. LXII.] WEEK ENDED SATURDAY, APR. 20. [Price 1½*d.*

General Register Office, Somerset House,
April 22nd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·7, 19·2, and 19·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.		Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.
33 Great Towns	19·7	19·2	19·2	18·4	Leicester - -	17·4	18·6	21·4	16·2
Birkenhead -	14·0	11·8	15·7	19·2	Liverpool - -	28·1	27·7	25·0	22·9
Birmingham -	23·4	24·2	21·8	21·6	London - - -	18·4	17·6	18·3	17·5
Blackburn -	17·6	19·9	21·7	19·5	Manchester - -	22·0	24·3	24·2	22·7
Bolton - -	18·5	22·0	17·6	19·4	Newcastle-on-Tyne	23·2	16·9	23·7	20·4
Bradford -	16·6	22·1	18·9	16·1	Norwich - -	21·5	18·8	19·3	16·6
Brighton -	14·6	12·5	19·2	15·0	Nottingham - -	22·9	21·2	17·4	23·7
Bristol - -	21·5	20·0	20·3	18·4	Oldham - -	20·1	17·7	21·4	14·4
Burnley -	17·7	19·5	20·3	10·8	Plymouth - -	29·7	15·6	18·1	13·1
Cardiff - -	16·9	16·2	11·6	12·3	Portsmouth - -	18·1	14·1	16·2	19·1
Croydon -	12·8	9·7	11·2	13·5	Preston - -	17·8	18·2	23·9	18·2
Derby - -	21·4	17·6	18·1	17·1	Salford - - -	22·4	24·7	20·8	18·7
Gateshead -	20·4	24·1	19·5	22·3	Sheffield - -	20·3	19·8	20·4	21·9
Halifax -	17·1	22·4	18·5	11·2	Sunderland - -	21·7	23·4	22·0	22·0
Huddersfield-	23·2	20·8	16·3	14·8	Swansea - -	18·0	18·0	16·5	20·4
Hull - -	21·4	15·9	16·9	18·0	West Ham - -	13·0	13·6	12·3	11·9
Leeds - -	18·7	18·4	19·0	20·3	Wolverhampton -	19·6	24·8	17·9	25·4

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Portsmouth and in Liverpool, 1·4 in Leeds, 1·6 in Bolton, 2·4 in Sunderland, and 3·7 in Gateshead; from *scarlet fever*, 1·1 in Blackburn; and from *whooping-cough*, 1·0 in Bristol, 1·3 in Hull, and 1·4 in Sunderland. In none of the thirty-three towns did the death-rate from "*fever*," or from *diarrhœal diseases*, reach 1·0 per 1000. The 39 deaths from *diphtheria* included 11 in London, 4 in Bristol, 4 in Manchester, 3 in Leeds, and 3 in Sheffield. Two deaths from *small-pox* were registered in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2835 BIRTHS and 1564 DEATHS were registered. Allowing for increase of population, the births were 53 above, and the deaths 164

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1. 6, and 7, added to the Outer Ring, or to other areas to which they belong.

8956—670—4/1901 Wt 45 D & S 3

below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·4, 17·6, and 18·3, in the preceding three weeks, fell again last week to 17·5. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1564 deaths included 37 from measles, 3 from scarlet fever, 11 from diphtheria, 58 from whooping-cough, 7 from enteric fever, 14 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 130 deaths were referred to these diseases, being 88 below the corrected average weekly number.

The deaths from *measles*, which had been 56, 38, and 52 in the preceding three weeks, fell again last week to 37, and were 46 below the corrected average; 10 cases belonged to the Borough of Camberwell, 4 to that of Wandsworth, and 4 to that of Stepney. The deaths from *scarlet fever*, which had been 8, 8, and 8 in the preceding three weeks, fell last week to 3, the corrected average being 13. The deaths from *diphtheria*, which had been 16, 21, and 26 in the preceding three weeks, fell again last week to 11, and were 25 below the corrected average. The deaths from *whooping-cough*, which had been 55, 62, and 74 in the preceding three weeks, fell again last week to 58, and were 5 below the corrected average. The fatal cases of *enteric fever*, which had been 8, 5, and 4 in the preceding three weeks, rose again last week to 7, and were equal to the corrected average. The deaths from *diarrhœal diseases*, which had been 21, 12, and 9 in the preceding three weeks, rose again last week to 14, the corrected average being 13. The deaths referred to diseases of the *respiratory organs*, which had been 363, 360, and 345 in the preceding three weeks, rose again last week to 374, but were 4 below the corrected average. The deaths attributed directly to *influenza* numbered 31, having been 26, 18, and 27 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all but 3 of which inquests were held. Of these 51 deaths, 9 were cases of suicide, and 3 of homicide, while the remaining 39 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 1 to a conflagration, and 8 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1526 cases of scarlet fever, 958 of diphtheria, and 132 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 150 cases, against 167, 180, and 205; of diphtheria, 102 cases, against 110, 126, and 98; and of enteric fever, 13 cases, against 19, 11, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended April 13th.

Greater London.

In Greater London 4144 births and 2076 deaths were registered, corresponding to annual rates of 31·9 and 16·0 per 1000 of the estimated population. In the Outer Ring 20 deaths from measles, 1 from scarlet fever, 8 from diphtheria, 18 from whooping-cough, 2 from "fever," and 2 from diarrhœal diseases were registered. Nine deaths from measles, 4 from diphtheria, and 5 from whooping-cough occurred in West Ham district; 7 deaths from whooping-cough occurred in Hendon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·73 inches, and that of the Thermometer 47° 3; the latter being 0°·3 below the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 8 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 48·6 hours; the measured rainfall amounted to 0·33 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

TABLE I.—50 GREAT TOWNS.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 20th April 1901. Births.	Registered during the Week ended 20th April 1901. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,789,099**	**7385**	**4159**	**850**	**1165**	**2**	**117**	**20**	**39**	**108**	**27**	**33**	**140**	**320**	**1075**	**39**	**18·4**	**1·5**	**69·0**	**28·4**	**45·1**	**7·28**	**0·37**	**0·94**	**33 Towns.**
London	4,651,113	2835	1564	300	469	-	37	3	11	58	7	14	51	137	513	6	17·5	1·5	66·9	36·2	47·3	8·50	0·33	0·84	London.
West Ham	329,377	196	75	10	19	-	5	-	2	-	-	-	4	5	17	-	11·9	1·1	-	-	-	-	-	-	West Ham.
Croydon	134,705	92	35	7	13	-	-	-	-	-	-	-	-	-	4	-	13·5	-	69·0	32·5	44·8	7·11	0·57	1·45	Croydon.
Brighton	125,077	50	36	7	13	-	-	-	-	2	-	-	1	2	17	-	15·0	0·8	62·8	35·4	46·4	8·00	0·03	0·08	Brighton.
Portsmouth	199,262	112	73	19	21	-	4	1	1	1	-	-	3	7	15	1	19·1	1·8	61·5	35·5	45·9	7·72	0·39	0·99	Portsmouth.
Plymouth	103,708	66	26	5	10	-	-	-	-	-	-	-	3	5	1	-	13·1	-	-	-	-	-	-	-	Plymouth.
Bristol	329,086	200	116	27	34	-	-	-	4	6	-	-	2	10	23	-	18·4	1·6	67·0	32·0	45·5	7·50	0·38	0·97	Bristol.
Cardiff	203,050	115	48	9	11	-	-	-	1	1	-	1	2	4	8	-	12·3	0·8	-	-	-	-	-	-	Cardiff.
Swansea	107,251	78	42	9	15	-	-	-	-	1	-	-	1	1	4	-	20·4	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	66	44	9	17	-	-	-	-	-	1	1	3	5	8	1	25·4	1·2	64·3	28·4	42·1	5·61	0·17	0·43	Wolverhampton.
Birmingham	524,307	387	217	43	57	-	8	1	1	1	6	1	12	19	63	5	21·6	1·8	-	-	-	-	-	-	Birmingham.
Norwich	116,466	53	37	7	19	-	-	-	-	-	-	1	1	3	6	-	16·6	0·4	-	-	-	-	-	-	Norwich.
Leicester	224,619	158	70	21	25	-	-	-	1	2	-	1	1	1	14	-	16·2	0·9	-	-	-	-	-	-	Leicester.
Nottingham	246,013	159	112	19	32	-	4	-	-	2	3	2	7	9	33	-	23·7	2·3	62·8	35·0	44·4	6·89	0·31	0·79	Nottingham.
Derby	109,605	60	36	6	9	-	-	-	1	1	-	1	-	9	5	-	17·1	1·4	-	-	-	-	-	-	Derby.
Birkenhead	119,213	70	44	4	14	-	-	-	-	-	1	-	3	4	11	-	19·2	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	483	279	58	71	-	12	2	1	1	2	-	10	16	77	13	22·9	1·5	67·7	35·3	46·2	7·89	0·31	0·79	Liverpool.
Bolton	166,284	79	62	15	17	-	5	-	-	-	-	1	1	4	10	-	19·4	1·9	-	-	-	-	-	-	Bolton.
Manchester	553,677	362	241	49	60	-	4	2	4	7	3	2	6	16	58	1	22·7	2·1	-	-	-	-	-	-	Manchester.
Salford	223,418	137	80	17	16	-	2	1	1	1	-	1	4	3	16	-	18·7	1·4	-	-	-	-	-	-	Salford.
Oldham	155,865	64	43	6	20	-	-	1	-	-	-	-	-	2	6	-	14·4	0·3	-	-	-	-	-	-	Oldham.
Burnley	120,497	67	25	5	4	-	-	-	1	2	-	-	1	1	2	-	10·8	1·3	-	-	-	-	-	-	Burnley.
Blackburn	139,089	79	52	18	9	-	-	3	-	-		2	3	5	10	1	19·5	1·9	-	-	-	-	-	-	Blackburn.
Preston	120,196	78	42	14	12	-	-	-	1	-	-	1	2	2	5	1	18·2	0·9	60·0	34·0	44·6	7·00	0·42	1·07	Preston.
Huddersfield	105,514	49	30	4	11	-	-	-	-	-	-	-	2	1	3	1	14·3	-	67·7	33·2	44·5	6·94	0·51	1·30	Huddersfield.
Halifax	106,873	55	23	4	9	-	-	-	-	-	-	-	-	2	8	-	11·2	-	-	-	-	-	-	-	Halifax.
Bradford	294,472	152	91	17	24	-	-	1	-	4	1	-	-	3	17	-	16·1	1·1	65·0	35·0	45·1	7·28	0·76	1·93	Bradford.
Leeds	428,814	283	171	46	28	-	12	2	3	1	-	1	4	21	33	-	20·3	2·3	-	-	-	-	-	-	Leeds.
Sheffield	370,737	256	156	43	33	-	4	1	3	5	2	1	4	4	28	1	21·9	2·3	-	-	-	-	-	-	Sheffield.
Hull	243,287	196	84	17	29	2	4	2	1	6	1	1	3	7	15	3	18·0	3·6	65·0	31·0	43·9	6·61	0·26	0·66	Hull.
Sunderland	149,205	114	63	15	11	-	7	-	1	4	-	1	1	3	14	1	22·0	4·5	-	-	-	-	-	-	Sunderland.
Gateshead	112,331	72	48	8	10	-	8	-	-	2	-	-	-	-	3	4	22·3	4·6	-	-	-	-	-	-	Gateshead.
Newcastle	240,258	162	94	12	23	-	1	-	1	-	-	-	5	9	28	-	20·4	0·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the SIXTEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2577	2494	2660	2457	2677	2836	2499	2769	2759	2610	2782·2	2835
Males - -	1308	1311	1357	1249	1355	1430	1255	1425	1388	1298	1413·0	1415
Females - -	1269	1183	1303	1208	1322	1406	1244	1344	1371	1312	1369·2	1420
TOTAL **Deaths** -	1809	1715	1730	1599	1585	1653	1500	1546	1499	1811	1727·9	1564
Males - -	928	876	872	787	854	900	790	805	789	985	907·0	812
Females - -	881	839	858	722	731	753	710	741	710	826	820·9	752

*The numbers in this column are the average weekly numbers in the sixteenth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 26	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6	Apr. 13.	Apr. 20.
TOTAL **Births** - - -	2713	2410	2687	2690	2673	2681	2496	2607	2424	2634	2538	2358	2835
TOTAL **Deaths** - - -	1568	1438	1668	1719	1853	1865	1723	1571	1588	1645	1573	1633	1564
Ages at Death: Under 1 year - -	285	321	358	333	340	333	359	333	299	349	325	325	300
1—5 years - -	165	159	162	181	199	214	225	189	203	220	223	256	184
5—20 ,, - -	97	73	99	75	89	94	91	96	85	85	70	91	77
20—40 ,, - -	203	168	194	216	226	223	201	197	202	207	195	200	203
40—60 ,, - -	329	305	327	369	375	392	355	314	318	313	301	307	325
60—80 ,, - -	386	340	420	412	515	486	398	366	393	375	380	363	377
80 years and upward	103	72	108	133	109	123	94	76	88	96	79	91	92
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	24	25	20	36	36	36	33	35	42	56	38	52	37
Scarlet Fever - - -	8	8	4	5	5	4	6	10	6	8	8	8	3
Diphtheria - - - -	23	24	29	20	27	19	25	30	14	16	21	26	11
Whooping-cough - - -	37	44	58	49	52	57	37	43	63	55	62	74	58
Typhus - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	16	12	12	11	6	9	7	8	5	8	5	4	7
Simple Continued Fever -	-	-	-	-	1	-	-	-	1	-	-	-	-
Diarrhœa and Dysentery -	17	11	12	16	10	19	14	13	13	21	12	9	14
Cholera - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
All the above Diseases -	125	125	136	137	137	144	122	140	144	164	146	173	130
Dis. of Respiratory System -	394	323	397	420	493	501	463	394	332	363	360	345	374
Phthisis - - - - -	142	152	148	171	172	169	169	168	149	165	168	139	158
Dis. of Circulatory System -	154	161	178	166	189	192	161	138	187	157	133	161	137
Violence - - - -	76	64	54	70	75	64	66	63	73	64	64	89	51
Inquest Cases - - - -	191	161	171	152	207	186	159	158	196	136	157	207	137
Deaths in Public Institutions -	517	465	550	561	590	589	548	489	510	523	522	530	513
TEMPERATURE OF THE AIR													
Mean - - - - -	44°·2	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	31°·2	44°·4	46°·2	47°·3
Mean of Highest readings -	49·0	41·5	38·2	37·5	39·1	49·1	48·0	44·6	43·1	41·1	53·2	54·1	56·7
Mean of Lowest readings -	39·3	31·8	29·6	26·7	31·7	38·7	37·1	33·7	34·2	28·4	36·1	41·0	38·2
Humidity of the Air - -	82	82	86	72	80	84	85	91	78	70	80	83	67
Rain-fall (in inches) - -	0·18	0·10	0·47	0·03	0·15	0·57	0·76	0·00	0·31	0·44	0·97	0·71	0·33
Registered Sunshine (in hours)	12·6	6·9	2·2	11·9	6·6	15·7	11·4	5·4	13·2	21·2	27·4	29·0	48·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	3	3	1	1	1	1	1	1	-	-	-	-	-
Scarlet Fever - - - -	2078	2037	1963	1876	1834	1823	1746	1652	1598	1568	1572	1601	1526
Diphtheria - - - -	1153	1128	1150	1110	1118	1124	1118	1115	1103	1089	1073	1020	958
Typhus - - - - -	1	7	6	6	6	2	2	3	3	2	1	1	-
Enteric Fever - - - -	305	299	262	258	237	224	205	184	182	162	146	141	132

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTEENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 16th Week of the 10 years 1891–1900*.	In the Week ended Saturday 20th April, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1727·9	1564	300	184	77	209	325	377	92
Small-pox: Vaccinated†	0·9	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·5	-	-	-	-	-	-	-	-
Small-pox: No Statement	-	-	-	-	-	-	-	-	-
Measles	83·0	37	7	30	-	-	-	-	-
Scarlet Fever	13·4	3	-	3	-	-	-	-	-
Typhus	0·2	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	28·4	31	1	3	1	4	6	11	5
Whooping-cough	62·9	58	19	36	3	-	-	-	-
Diphtheria	36·1	11	2	6	3	-	-	-	-
Simple Continued and Ill-defined Fever	0·2	-	-	-	-	-	-	-	-
Enteric Fever	7·2	7	-	-	1	4	2	-	-
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	13·2	14	6	3	-	1	1	3	-
Remittent Fever	0·2	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·2	-	-	-	-	-	-	-	-
Venereal Affections	7·3	3	2	-	-	-	1	-	-
Erysipelas	2·5	2	-	-	-	-	2	-	-
Pyæmia and Septicæmia	2·2	3	1	-	1	-	1	-	-
Puerperal Fever	3·9	2	-	-	-	1	1	-	-
Other Zymotic Diseases	1·6	3	1	-	-	1	-	1	-
Thrush	0·3	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·1	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	1·7	4	4	-	-	-	-	-	-
Alcoholism	12·0	13	-	-	-	3	8	2	-
Rheumatic Fever, Rheumatism of Heart	6·8	5	-	-	1	1	2	1	-
Rheumatism	1·9	2	-	-	-	-	-	1	1
Gout	3·9	4	-	-	-	-	-	4	-
Rickets	6·7	3	2	1	-	-	-	-	-
Cancer	71·4	67	-	-	-	6	33	26	2
Tabes Mesenterica	19·3	14	4	4	4	1	1	-	-
Tubercular Meningitis	26·1	20	5	9	6	-	-	-	-
Phthisis	171·7	158	1	3	10	68	64	12	-
Scrofula, Tuberculosis	21·1	18	4	7	2	4	1	-	-
Other Constitutional Diseases	11·5	16	-	-	2	4	4	6	-
Premature Birth	51·9	40	40	-	-	-	-	-	-
Atelectasis	4·8	4	4	-	-	-	-	-	-
Congenital Malformations	7·5	15	15	-	-	-	-	-	-
Old Age	53·7	62	-	-	-	-	-	32	30
Apoplexy	43·9	43	-	-	-	1	14	23	5
Epilepsy	6·2	7	-	-	1	4	1	1	-
Convulsions	39·4	32	28	3	1	-	-	-	-
Other Diseases of Brain and Nervous System	87·3	94	10	10	6	12	23	27	6
Diseases of Organs of Special Sense	4·0	1	1	-	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 16th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 20th April, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	151·2	137	-	3	16	19	35	60	4
Croup	3·0	-	-	-	-	-	-	-	-
Bronchitis	185·0	184	34	17	-	8	29	73	23
Pneumonia	155·2	153	37	36	5	13	31	27	4
Pleurisy	8·6	7	-	-	-	3	3	1	-
Other Diseases of Respiratory System	26·5	30	4	1	3	5	5	10	2
Dentition	11·5	6	2	4	-	-	-	-	-
Quinsy, Sore Throat	1·7	1	-	-	-	1	-	-	-
Enteritis	16·1	6	3	-	-	2	-	-	1
Gastro-enteritis		2	2	-	-	-	-	-	-
Peritonitis	5·6	7	-	-	1	3	3	-	-
Diseases of Liver	22·5	27	-	-	-	4	12	11	-
Other Diseases of Digestive System	31·3	33	4	-	1	4	15	7	2
Diseases of Lymphatic System & of Ductless Glands	2·6	4	1	-	1	-	2	-	-
Diseases of Urinary System	49·1	59	2	1	1	10	19	23	3
Diseases of Generative System	5·8	4	-	-	-	2	-	2	-
Accidents of Childbirth	5·2	7	-	-	2	5	-	-	-
Diseases of Locomotive System	5·2	4	-	1	1	1	-	1	-
Diseases of Integumentary System	5·0	9	3	-	1	-	1	2	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	0·9	-	-	-	-	-	-	-	-
By Vehicles or Horses	5·4	6	-	1	3	2	-	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-	-
In Building Operations	0·7	-	-	-	-	-	-	-	-
In Conflagrations	0·3	1	-	-	-	1	-	-	-
By Burns, Scalds, Explosions	4·3	1	-	1	-	-	-	-	-
By Drowning	7·0	2	-	-	-	1	1	-	-
By Suffocation in Bed	14·4	8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours	2·2	1	-	-	-	1	-	-	-
Other or not stated causes	19·0	20	6	1	-	1	2	8	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·4	3	2	-	-	1	-	-	-
Suicide	12·3	9	-	-	-	5	2	2	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	51·6	36	34	-	-	2	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th April, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,411,355†	2835	1564	300	469	-	37	3	11	58	-	7	-	14	51	137	513	6
WEST DISTRICTS - - -	The figures In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. for 1901 will be inserted when the results of the recent Census shall have been ascertained.	416	252	44	87	-	1	-	1	14	-	3	-	3	8	22	87	-
NORTH DISTRICTS - - -		591	352	63	128	-	3	-	3	9	-	1	-	4	13	33	90	2
CENTRAL DISTRICTS - - -		138	69	14	19	-	-	-	2	1	-	-	-	-	4	9	28	-
EAST DISTRICTS - - -		598	291	67	71	-	8	-	-	12	-	1	-	2	11	38	131	-
SOUTH DISTRICTS - - -		1092	549	112	148	-	25	1	5	22	-	2	-	4	14	33	126	4
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	51	-	16	-	-	2	-	-	-	-	-	1	1	2	51	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.		45	28	7	6	-	-	-	-	3	-	1	-	-	1	3	9	-
St. John Paddington *H* - - G.		13	7	1	2	-	-	-	-	-	-	-	-	-	1	1	4	-
North-West Paddington† - - C.		7	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.		72	54	9	18	-	-	-	-	6	-	-	-	1	1	3	24	-
Brompton *HH* - - - W. & C.		17	12	2	5	-	1	-	-	-	-	-	-	-	-	-	3	-
North Hammersmith *H* } W. & G.		31	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
South Hammersmith *wH* } W. & G.		44	17	5	4	-	-	-	-	2	-	-	-	-	3	5	3	-
North-west Fulham *W* } W. & C.		32	20	4	7	-	-	-	-	1	-	2	-	-	-	1	15	-
North-east Fulham *w* } W. & C.		26	10	1	4	-	-	-	1	1	-	-	-	-	-	-	1	-
South Fulham } W. & C.		40	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WWHHHH* - C.		10	25	2	12	-	-	-	-	-	-	-	-	1	1	2	16	-
Chelsea South *HH* - - C.		21	11	2	7	-	-	-	-	-	-	-	-	-	-	-	1	-
May Fair and Knightsbridge† *H* } C. & G.		5	6	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Belgrave *HHH* - - - C.		19	25	3	9	-	-	-	-	-	-	-	-	-	-	1	4	-
St. Margaret & St. John Westminster† *HHH* } C.		18	12	3	3	-	-	-	-	-	-	-	-	-	1	3	3	-
St. James Westminster *WH* } N. & G.		10	8	2	2	-	-	-	-	-	-	-	-	-	-	1	3	-
St. Anne Soho *HHHHH* - N.		6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* } - - W.		17	16	1	5	-	-	-	-	-	-	-	-	-	1	1	4	-
Rectory Marylebone *W* G. & W.		3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.		22	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H* - W		36	9	4	1	-	-	-	-	2	-	-	-	-	1	1	-	2
St. John Marylebone *HHH* - W		4	6	-	3	-	-	-	-	1	-	-	-	1	-	-	-	-
Hampstead *WwHHHH* } - N. & W.		33	26	3	14	-	-	-	1	1	-	-	-	-	2	2	8	-
Regent's Park *HH* - W.		25	12	-	5	-	-	-	-	-	-	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* } - N. & W.		10	6	3	-	-	-	-	-	-	-	-	-	1	-	-	5	-
Gray's Inn Lane *HHHH* - N.		12	9	3	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Somers Town *HH* - - - N.		19	8	2	2	-	-	-	-	-	-	-	-	1	1	1	6	-
Camden Town *WH* - - N.		25	19	2	9	-	-	-	-	1	-	-	-	-	1	2	10	-
Kentish Town *WW* - - N.		41	25	4	9	-	-	-	-	3	-	-	-	-	-	1	7	-
Upper Holloway *WWWWwHH* } - - N.		46	52	5	24	-	-	-	-	-	-	1	-	-	-	2	31	-
Lower Holloway - - - N.		28	9	3	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Barnsbury - - - - N.		35	14	2	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Islington South-east *H* - N.		37	27	6	9	-	1	-	1	-	-	-	-	-	1	4	-	-
Highbury *HH* - - - N.		37	18	4	6	-	-	-	-	-	-	-	-	-	1	1	-	-
Stoke Newington *H* - - N.		26	21	2	11	-	-	-	-	-	-	-	-	-	2	2	-	-
North Hackney - E. & N.		16	14	2	7	-	1	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *ww* - E. & N.		35	9	4	1	-	1	-	1	-	-	-	-	-	-	1	1	-
South-west Hackney *HHH* E. & N.		49	20	5	4	-	-	-	-	-	-	-	-	-	1	3	6	-
South-east Hackney *WwH* E. & N.		35	25	7	9	-	-	-	-	-	-	-	-	1	1	5	8	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. The figures for 1901 will be inserted when the results of the recent Census shall have been ascertained.	15	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles North *H* - - - N.		3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.		8	5	-	2	-	-	-	-	-	-	-	-	-	1	3	2	-
Strand *WHH* - - - - N.		3	6	1	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Strand Union Workhouse, Edmonton		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WwHHHHHH* - N.		17	9	3	1	-	-	-	1	1	-	-	-	-	-	-	6	-
St. James Clerkenwell - - N.		14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.		18	8	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Goswell-street - - - N.		11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.		28	8	5	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Finsbury - - - - - N.		6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -		-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H* - - N. & E.		7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.		4	11	2	1	-	-	-	-	-	-	-	-	-	2	2	10	-
Allhallows Barking - - - N.		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.		6	6	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Hoxton New Town *wH* - - N.		25	15	3	3	-	-	-	-	2	-	-	-	1	-	3	9	-
Hoxton Old Town - - - N.		21	11	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Haggerston *W* - - N. & E.		43	20	5	6	-	-	-	-	2	-	-	-	-	2	6	6	-
Bethnal Green North *HH* - E.		49	19	4	1	-	1	-	-	1	-	-	-	-	-	-	5	-
Bethnal Green South - - E.		26	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bethnal Green East *WWHl* - E.		30	27	2	14	-	-	-	-	-	-	-	-	-	1	1	19	-
Spitalfields - - - E. & N.		29	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.		34	45	8	6	-	1	-	-	1	-	-	-	-	3	7	39	-
Goodman's Fields - - - E.		19	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.		40	5	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. John, St. George East *W* E.		14	9	3	2	-	4	-	-	-	-	-	-	-	-	1	8	-
Shadwell *H* - - - E. & N.		10	8	5	-	-	-	-	-	-	-	-	-	-	-	1	7	-
Ratcliff *W* - - - - E.		5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - - E.		29	9	1	2	-	-	-	-	2	-	1	-	-	-	2	-	-
Mile End Old Town West *H* E.		59	14	5	6	-	-	-	-	-	-	-	-	-	1	3	-	-
Mile End Old Town East *WW* - E.		38	17	6	7	-	-	-	-	-	-	-	-	-	-	1	8	-
Bow *l* - - - - - E.		26	10	1	3	-	1	-	-	1	-	-	-	-	-	1	2	-
Bromley *wwwH* - - - E.		55	46	7	11	-	1	-	-	2	-	-	-	-	2	6	25	-
Poplar *WW* - - - - E.		40	16	3	3	-	-	-	-	1	-	-	-	-	-	3	2	-

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 20th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL* & S.	The figures for 1901 will be inserted when the results of the recent Census shall have been ascertained. In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given.	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.		8	16	4	3	-	-	-	-	-	-	-	-	-	-	1	11	-
Kent-road - - - - S. & L.		21	11	5	1	-	1	-	-	2	-	-	-	1	-	2	-	-
Borough-road *WH* - S. & L.		12	6	2	1	-	-	-	-	-	-	-	-	-	1	1	3	-
London-road *HL* - - L. & S.		11	5	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.		15	9	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Peter Walworth *W* - S. & L.		42	16	5	3	-	-	-	-	1	-	-	-	-	1	2	3	-
St. Mary Newington- - L. & S.		21	6	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Olave *W* - - - - S.		6	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Bermondsey *W* - - - S.		67	24	7	3	-	-	-	-	3	-	-	-	-	-	-	-	-
Rotherhithe *Ww* - S. & K.		28	15	2	6	-	1	-	-	-	-	-	-	-	-	-	7	-
Waterloo-road *HH* - L. & S.		23	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *HH* L. & S.		14	25	4	2	-	-	-	1	-	-	-	-	-	1	2	16	-
Lambeth Church 2nd *WW* L. & S.		29	24	5	7	-	1	-	-	-	-	-	-	-	-	2	9	-
Kennington 1st *H* - - S. & L.		34	17	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 2nd - - S. & L.		20	10	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Brixton *w* - - - L. & S.		50	24	6	6	-	1	1	-	-	-	-	-	-	1	2	3	-
Norwood *WH* - - - - L.		14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea - - - - S.		53	16	8	2	-	-	-	-	4	-	-	-	-	2	2	-	-
North-west Battersea - - S.		34	12	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-
South-west Battersea *WwH* - S.		15	18	2	10	-	-	-	-	1	-	-	-	-	-	-	11	-
Clapham *H* - - - - S.		21	11	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Streatham *WwwwwL* - - L.		40	28	4	9	-	5	-	1	1	-	-	-	2	2	4	4	1
Wandsworth *WHHL* - - S		43	16	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - - S.		9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.		1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.		49	48	8	12	-	4	-	-	1	-	1	-	-	1	-	28	-
Peckham *WW* - S., L., & K.		84	25	6	8	-	2	-	-	1	-	-	-	-	1	1	-	-
St. George Camberwell - L. & S.		42	23	3	8	-	4	-	-	-	-	-	-	-	1	3	-	-
Deptford North - - - K.		38	15	4	2	-	1	-	-	2	-	-	-	1	-	1	-	1
Deptford Central *w* - - K.		22	11	-	5	-	1	-	1	-	-	-	-	-	1	1	1	1
Deptford South - - - K.		14	10	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.		17	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Greenwich East *WH* - - K.		30	13	1	6	-	-	-	-	3	-	-	-	-	-	-	7	-
Eltham *wH* - - - - K.		9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.		9	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - - K.		44	15	3	5	-	-	-	2	-	-	1	-	-	-	-	9	-
Sydenham *H* - - - - L.		20	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.		5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Woolwich *HHHH* - - K.		22	12	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *H* - - K.		5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K		40	18	3	4	-	-	-	-	-	-	-	-	-	-	1	6	-
Banstead Asylum - - - -		-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Horton Asylum, Epsom - - -		-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Caterham Asylum - - - -		-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - -		-	10	-	3	-	-	-	-	-	-	-	-	-	-	-	10	-
Hospital Ships and Camp, Dartford		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - -		-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell Asylum - - - -		-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Central London Sick Asylum, Hendon		-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -		-	6	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
N.E. Hospital - - - - -		-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Winchmore Hill Hospital - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -		-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury Asylum - - - -		-	10	-	3	-	-	-	-	-	-	-	-	1	1	1	10	-

NOTE.—On 1st April the area of London was changed: part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table is exclusive of the added part of Hornsey, which was not enumerated in 1896.

LE 3.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th April, 1901.

District Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,584	1,405,489	1309	512	103	161	-	20	1	8	18	2	2	28	41	60	3
1	Carshalton *H* - - -	12,228	26,108	10	7	2	2	-	-	-	-	1	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, *part of** *W* -	2,754	1,598	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	117	44	7	17	-	-	-	-	-	-	-	-	-	4	-
2	Mitcham *w* - - -	11,697	23,072	12	6	2	-	-	-	-	-	1	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	28	9	1	2	-	-	-	1	1	-	-	1	1	-	-
2	Kingston *WH* - - -	14,672	33,566	25	9	3	3	-	-	-	-	-	-	-	1	1	2	-
3	Surbiton *HH* - - -		12,178	11	6	1	3	-	-	-	1	-	-	-	1	1	1	-
4	Esher, *part of** *H* - -		11,080	6	2	-	1	-	-	-	-	-	-	-	1	1	1	-
5	Hampton *HL* - - -	4,565	18,252	10	8	3	2	-	-	-	-	-	-	-	2	3	-	-
1	Richmond *WHH* - -	2,160	25,389	16	9	-	4	-	-	-	-	-	-	-	-	-	5	-
2	Mortlake *H* - - -	2,823	16,158	12	4	1	2	-	-	-	-	-	-	1	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	12	9	1	1	-	-	-	-	1	-	-	-	-	1	-
2	Beckenham *H* - - -	6,542	21,969	15	7	-	7	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** *W* -	6,974	7,714	6	4	1	1	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst *HH* - -	7,333	12,658	5	5	2	2	-	-	-	-	-	-	-	-	-	1	-
1	Bexley *HHH* - - -	12,540	30,590	36	13	3	3	-	-	-	-	-	-	-	1	1	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - - -	11,054	13,671	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	6	7	2	1	-	3	-	1	-	-	-	2	2	-	-
1	Hillingdon *WHH* - -	6,035	12,237	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	16	3	2	1	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	14	14	3	5	-	2	-	-	-	-	-	-	-	5	-
2	Twickenham *HH* - -	2,415	16,027	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	30	18	1	6	-	1	-	-	2	-	-	1	1	-	-
4	Chiswick - - - -	1,245	21,963	18	5	2	2	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wHH* - - -	6,132	30,945	38	17	6	6	-	-	-	-	-	-	-	2	2	-	-
1	Harrow *HHH* - - -	13,809	15,715	21	4	2	2	-	-	-	-	2	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	93	24	8	4	-	-	1	1	5	1	1	-	2	1	-
4	Hendon *WH* - - -	8,382	15,843	20	8	2	1	-	-	-	-	-	-	-	-	-	3	2
1	South Mimms *HH* - -	21,077	6,367	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	12	3	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Finchley *HHH* - - -	4,688	25,820	11	8	1	4	-	1	-	-	-	-	-	-	-	-	-
1	Hornsey† *HH* - - -	2,874	44,523	22	12	-	5	-	-	-	-	-	-	-	1	2	-	-
2	Tottenham *HHH* - -	4,642	97,174	90	31	4	9	-	-	-	-	-	-	-	4	7	-	-
3	Edmonton *Ww* - -	7,489	36,351	46	20	5	9	-	4	-	-	-	-	-	-	3	4	-
4	Enfield *WWHH* - -	12,602	31,536	20	12	3	5	-	-	-	-	-	-	-	1	2	2	-
5	Waltham Abbey - - -	11,017	6,066	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* -	3,306	582	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	7	2	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	31	14	2	4	-	2	-	-	-	-	-	2	3	3	-
2	Plaistow *HHH* - - -		58,030	74	20	4	3	-	-	-	2	-	-	-	2	2	2	-
3	Canning Town *H* - -		54,750	62	18	3	2	-	3	-	-	-	-	-	-	-	-	-
4	Forest Gate *w* - - -		53,511	29	11	1	4	-	-	-	-	-	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	70	15	4	1	-	1	-	-	-	-	-	1	1	-	-
6	Wanstead - - - -	4,334	7,042	2	3	1	2	-	-	-	-	1	-	-	1	1	-	-
7	South Leyton *WW* - -		38,232	36	29	2	11	-	1	-	1	3	-	-	-	-	16	1
8	North Leyton *WwH* -		24,874	29	11	3	2	-	-	-	-	-	-	-	-	-	-	-
9	Walthamstow *HHHL* -	6,501	57,370	71	19	7	6	-	2	-	1	1	-	-	-	-	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	9	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *H* - - - -	8,493	10,913	19	6	2	1	-	-	-	-	-	1	-	-	-	1	-
3	Barking Town, *H* - -	3,814	14,301	16	8	-	1	-	-	-	-	-	-	-	2	2	-	-
	Middlesex County Lunatic Asylum Annexe, Streatham	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes: 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 20th April, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,421	6,731,854	16·0	1·4	2076	403	630	–	57	4	19	76	9	16	79	573
INNER LONDON -	74,837	4,651,113	17·5	1·5	1564	300	469	–	37	3	11	58	7	14	51	513
OUTER RING -	368,584	2,130,741	12·5	1·2	512	103	161	–	20	1	8	18	2	2	28	60

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·351 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	April 20	162	140	23·6	–	8	–	–	14	1	5
GLASGOW - -	753,766	" 20	516	320	22·1	10	2	2	1	37	2	12
DUBLIN† - -	346,128	" 20	207	235	35·4	–	–	2	–	9	3	4
CALCUTTA - -	466,460	January 26	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	821,764	April 2	258	1681	113·4	6	1	?	?	?	941‡	72§
MADRAS - -	452,518	March 15	284	393	45·1	11	7	?	?	?	134‡	59§
PARIS - - -	2,511,629	" 13	1142	1016	21·0	7	9	5	11*	4	2	32
BRUSSELS - -	570,844	" 13	292	182	16·6	–	2	–	–	–	2	9
AMSTERDAM -	523,822	" 6	308	191	19·0	–	2	–	1	6	1	9
ROTTERDAM -	325,556	February 16	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	" 16	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	April 6	174	155	21·4	–	10	1	1	1	–	3
		" 13	299	151	20·8	–	6	2	–	2	–	5
STOCKHOLM -	301,050	" 6	137	99	17·1	–	1	1	3*	1	–	3
CHRISTIANIA -	226,423	" 13	121	73	16·8	–	–	–	–	–	–	3
ST. PETERSBURG	1,248 643	" 6	651	650	27·1	3	10	10	26	8	14	50
MOSCOW - -	1,023,817	" 6	–	–	–	–	–	–	–	–	–	–
BERLIN - -	1,891.431	March 30	888	669	18·4	1	7	9	7	15	1	41
HAMBURG - -	705,738	April 13	–	251	18·5	–	–	2	2*	2	1	6
DRESDEN - -	397,000	January 5	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	422,415	April 13	–	220	27·2	–	2	2	2	1	–	14
MUNICH - -	500,000	" 13	–	257	26·7	–	5	–	–	3	1	21
VIENNA - -	1,662,269	" 13	1069	769	24·1	–	25	13	15*	3	–	51
PRAGUE - -	389,741	" 6	205	212	28·3	–	8	2	3	–	4	5
BUDA-PESTH -	741,013	" 6	460	327	22·9	–	8	4	2	4	–	11
TRIESTE - -	176,456	" 13	103	102	30·0	–	–	–	1*	1	–	2
ROME - - -	521,159	March 2	260	271	27·1	–	1	–	4	2	4‖	16
TURIN (10 days) -	344,203	January 10	–	–	–	–	–	–	–	–	–	–
VENICE - -	174,170	February 2	82	77	23·0	–	–	–	2*	–	–	–
		" 9	75	63	18·8	–	–	–	1*	–	1	5
CAIRO - -	570,062	" 18	461	287	26·2	1	–	–	4*	–	8	34
ALEXANDRIA -	319,766	" 18	283	179	29·1	3	–	–	–	–	3	27
NEW YORK (including BROOKLYN)	3,536,517	March 30	–	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,293,697	" 30	–	532	21·4	–	–	8	14	3	4	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 6 deaths from cholera in Bombay, and 3 in Madras.
‡ Including 709 deaths from plague in Bombay, and one death in Madras.
‖ Including one death from malarial fever

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th April, 1901.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit.)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
APRIL.																									
SUNDAY -	14	..	29·345	56·8	37·0	19·8	45·6	− 0·8	40·2	5·4	10·1	1·9	81	99·0	32·0	44·01	SSW. & S.	SW. & WSW.	4·2	0·0	0·6	370	+ 81	0·04	1·7
MONDAY -	15	..	29·298	49·7	37·2	12·5	42·2	− 4·7	36·2	6·0	12·8	1·4	80	111·1	31·3	43·96	SW., WSW. & W.	W. & WSW.	10·0	0·0	1·4	535	+245	0·14	0·8
TUESDAY -	16	In Equator	29·459	47·4	36·5	10·9	42·1	− 5·2	35·9	6·2	10·3	1·2	79	95·8	30·6	44·00	SW., WNW. & NW.	NW., NNW. & N.	7·5	0·0	0·8	386	+ 95	0·15	0·0
WEDNESDAY	17	..	30·064	53·0	36·2	16·8	43·9	− 3·8	34·5	9·4	17·2	3·0	69	101·3	28·0	43·95	N.	NW. & SW.	1·3	0·0	0·1	203	− 89	0·00	0·0
THURSDAY -	18	Perigee.	30·093	60·0	40·8	19·2	49·3	+ 1·2	34·4	14·9	20·7	4·6	57	117·3	29·7	43·84	SW. & WSW.	WSW., SW. & SSW.	3·1	0·0	0·1	256	− 36	0·00	0·0
FRIDAY -	19	New. ..	30·000	63·4	39·0	24·4	52·6	+ 4·3	36·1	16·5	22·8	5·1	54	122·3	28·3	43·98	SSW. & SW.	SSW., S. & SE.	1·6	0·0	0·1	208	− 85	0·00	0·0
SATURDAY -	20	..	29·842	65·9	40·6	26·3	55·7	+ 7·2	35·8	19·9	27·9	3·5	47	125·3	26·0	44·37	ESE. & SE.	SSE. & SE.	3·5	0·0	0·4	236	− 57	0·00	0·0
MEANS -	-		29·729	56·7	38·2	18·6	47·3	− 0·3	36·2	11·2	17·4	3·0	67	110·3	29·4	44·02	SW.		..	..	..	Sum 2194	Sum +154	Sum 0·33	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
APRIL.					
SUNDAY -	14	v. P. till 9h. A.M.; w. N. and w. P. till 10h. A.M.; w. P. afterwards.	1·2	13·7	Overcast, with frequent rain, till afternoon; fine and partially cloudy afterwards.
MONDAY -	15	w. P. till 3h. A.M.; v. P. and v. N. till 8h. P.M.; s. P. afterwards.	5·3	13·8	Variable; frequent showers of rain and hail, with gusty wind, till evening; cloudless and very fine at night.
TUESDAY -	16	v. P. and v. N. generally till 8h. P.M.; m. P. afterwards.	2·3	13·8	Very fine till 3h. A.M.; generally cloudy with frequent showers accompanied by gusty wind till 8h. P.M.; cloudless afterwards.
WEDNESDAY	17	m. P. till 9h. A.M.; s. P. till 7h. P.M.; m. P. generally afterwards.	9·0	13·9	Very fine, with variable amounts of cloud. Hoar frost in morning.
THURSDAY -	18	m. P. generally; occasional s. P.	5·7	14·0	Fine and partially cloudy till evening; cloudless after 9h. P.M. Solar halo in forenoon.
FRIDAY -	19	s. P. till 10h. A.M.; w. P. generally afterwards.	12·4	14·0	Cloudless. A very fine day.
SATURDAY -	20	w. P. generally; occasional m. P.	12·7	14·1	Cloudless. A very fine and warm day. Low fog in early morning.
			Sum 48·6	Sum 97·3	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong: and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·70 in. at the beginning of the week to 29·23 in. by 3h. A.M. on the 15th; increased to 30·13 in. by 8h. A.M. on the 18th; and decreased to 29·81 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th April, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	4	3	-	1	-	-	1	-
Kensington	177,205	-	5	1	-	2	-	-	5	1
Hammersmith	111,213	-	7	2	-	-	-	-	1	-
Fulham	141,920	-	6	8	-	1	-	-	2	-
Chelsea	73,843	-	3	-	-	-	-	-	-	-
City of Westminster	189,375	-	2	5	-	-	-	-	1	-
NORTH.										
St. Marylebone	140,460	-	10	8	-	1	-	-	5	-
Hampstead	82,605	-	2	2	-	-	-	-	-	-
St. Pancras	246,098	-	11	7	-	2	-	-	4	-
Islington	353,528	-	7	6	-	4	-	-	3	-
Stoke Newington	55,758	-	3	1	-	1	-	-	-	1
Hackney	228,417	-	6	10	-	2	-	-	8	1
CENTRAL.										
Holborn	59,700	-	4	-	-	-	-	-	1	-
Finsbury	106,590	-	6	6	-	1	-	-	5	-
City of London	25,289	-	-	4	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	1	5	-	2	-	-	1	1
Bethnal Green	127,980	-	8	3	-	1	-	-	4	-
Stepney	304,321	-	19	11	1	2	-	-	9	-
Poplar	170,731	-	4	10	-	1	-	-	-	-
SOUTH.										
Southwark	208,869	-	21	14	-	1	-	-	3	-
Bermondsey	136,824	-	7	2	-	1	-	-	1	-
Lambeth	318,530	-	18	11	-	-	-	-	6	-
Battersea	180,017	-	7	6	-	-	-	-	1	-
Wandsworth	242,224	-	10	9	-	2	-	-	4	-
Camberwell	269,102	-	11	12	-	1	-	-	2	-
Deptford	113,562	-	6	5	-	-	-	-	1	-
Greenwich	91,228	-	10	3	-	-	-	-	2	-
Lewisham	112,856	-	11	4	-	-	-	-	4	-
Woolwich	114,106	-	4	8	-	3	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,651,113	-	216	166	1	29	-	-	75	4
Ages 0-1		-	3	5	-	-	-	-	3	-
" 1-5		-	69	72	-	2	-	-	1	-
" 5-		-	73	43	-	2	-	-	1	-
" 10-		-	31	13	-	7	-	-	3	-
" 15-		-	15	13	-	4	-	-	4	-
" 20-		-	11	10	-	3	-	-	8	1
" 25-		-	10	6	-	6	-	-	13	2
" 35-		-	4	1	1	3	-	-	22	1
" 45-		-	-	1	-	2	-	-	11	-
" 55-		-	-	1	-	-	-	-	2	-
" 65 and upwards		-	-	1	-	-	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 17. 1901. Vol. LXII.] Week ended Saturday, Apr. 27. [Price 1½*d.*

General Register Office, Somerset House,
April 29th, 1901.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated* at 11,789,099 persons in the middle of this year. In the preceding three weeks the rates had been 19·2, 19·2, and 18·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ended				Towns.	Weeks ended			
	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.		Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.
33 Great Towns	19·2	19·2	18·4	17·9	Leicester - -	18·6	21·4	16·2	14·9
Birkenhead -	11·8	15·7	19·2	11·8	Liverpool - -	27·7	25·0	22·9	22·8
Birmingham -	24·2	21·8	21·6	18·2	London - - -	17·6	18·3	17·5	17·4
Blackburn -	19·9	21·7	19·5	18·0	Manchester - -	24·3	24·2	22·7	21·2
Bolton - -	22·0	17·6	19·4	24·8	Newcastle-on-Tyne	16·9	23·7	20·4	19·5
Bradford -	22·1	18·9	16·1	19·7	Norwich - -	18·8	19·3	16·6	13·4
Brighton -	12·5	19·2	15·0	11·7	Nottingham - -	21·2	17·4	23·7	19·9
Bristol - -	20·0	20·3	18·4	18·7	Oldham - -	17·7	21·4	14·4	17·7
Burnley -	19·5	20·3	10·8	18·6	Plymouth - -	15·6	18·1	13·1	26·1
Cardiff - -	16·2	11·6	12·3	12·3	Portsmouth - -	14·1	16·2	19·1	21·5
Croydon -	9·7	11·2	13·5	13·9	Preston - -	18·2	23·9	18·2	20·8
Derby - -	17·6	18·1	17·1	11·4	Salford - - -	24·7	20·8	18·7	20·8
Gateshead -	24·1	19·5	22·3	22·3	Sheffield - -	19·8	20·4	21·9	18·6
Halifax -	22·4	18·5	11·2	24·4	Sunderland - -	23·4	22·0	22·0	17·8
Huddersfield-	20·8	16·3	14·8	16·3	Swansea - -	18·0	16·5	20·4	18·0
Hull - -	15·9	16·9	18·0	13·5	West Ham - -	13·6	12·3	11·9	10·3
Leeds - -	18·4	19·0	20·3	16·6	Wolverhampton -	24·8	17·9	25·4	15·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Sunderland, 1·2 in Wolverhampton, 1·9 in Bolton, and 2·3 in Gateshead; from *scarlet fever*, 1·7 in Preston; from *whooping-cough*, 1·2 in Bradford, 1·3 in Cardiff, 1·4 in Sunderland, 1·5 in Halifax, 1·7 in Bristol, and 1·9 in Swansea; and from "*fever*," 1·0 in Sunderland and 1·1 in Blackburn. In none of the thirty-three towns did the death-rate from *diarrhœal diseases* reach 1·0 per 1000. The 48 deaths from *diphtheria* included 20 in London, 4 in Salford, 4 in Leeds, and 3 in Liverpool. No death from *small-pox* was registered in any of the thirty-three towns.

London.

In London† 2585 births and 1552 deaths were registered. Allowing for increase of population, the births were 192, and the deaths 140 below the average numbers in the corresponding weeks of the last ten years.

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

9023—670—4/1901 Wt 45 D & S 3 R

The annual death-rate per 1000 from all causes, which had been 17·6, 18·3, and 17·5, in the preceding three weeks, further fell last week to 17·4. During the four weeks ended on Saturday last the death-rate averaged 17·7 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1552 deaths included 50 from measles, 6 from scarlet fever, 20 from diphtheria, 48 from whooping-cough, 10 from enteric fever, 12 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 146 deaths were referred to these diseases, being 78 below the corrected average weekly number.

The deaths from *measles*, which had been 38, 52, and 37 in the preceding three weeks, rose again last week to 50, but were 34 below the corrected average; 6 cases belonged to the Borough of Camberwell, 5 to that of Southwark, and 4 each to the Boroughs of Bermondsey, Lambeth, Greenwich, and Hackney. The deaths from *scarlet fever*, which had been 8, 8, and 3 in the preceding three weeks, rose again last week to 6, but were 10 below the corrected average. The deaths from *diphtheria*, which had been 21, 26, and 11 in the preceding three weeks, rose again last week to 20, but were 16 below the corrected average; 5 cases belonged to Hackney and 3 to Islington. The deaths from *whooping-cough*, which had been 62, 74, and 58 in the preceding three weeks, further fell last week to 48, and were 20 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 4, and 7 in the preceding three weeks, further rose last week to 10, and were 3 above the corrected average; 2 cases belonged to Poplar. The deaths from *diarrhœal diseases*, which had been 12, 9, and 14 in the preceding three weeks, fell again last week to 12, the corrected average being 11. The deaths referred to diseases of the *respiratory organs*, which had been 360, 345, and 374 in the preceding three weeks, fell again last week to 286, and were 71 below the corrected average. The deaths attributed directly to *influenza* numbered 29, having been 18, 27, and 31 in the preceding three weeks.

Different forms of *violence* caused 79 deaths, concerning all of which inquests were held. Of these 79 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 70 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 6 to burns and scalds, 11 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 21 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1522 cases of scarlet fever, 959 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 198 cases, against 180, 205, and 150; of diphtheria, 145 cases, against 126, 98, and 102; and of enteric fever, 21 cases, against 11, 17, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended April 20th.

Greater London.

In Greater London 3706 births and 2067 deaths were registered, corresponding to annual rates of 28·5 and 15·9 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 2 from scarlet fever, 10 from diphtheria, 27 from whooping-cough, 4 from "fever," and 1 from diarrhœal diseases were registered. Five deaths from diphtheria, and 8 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 54° 7; the latter being 6°·2 above the week's average in the 50 years 1841–90. The direction of the wind was easterly, the horizontal movement of the air being practically equal to the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 77·2 hours; the measured rainfall amounted to 0·02 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901.*	Registered during the Week ended 27th April 1901. Births.	Registered during the Week ended 27th April 1901. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,789,099**	**6671**	**4047**	**874**	**1136**	-	**101**	**30**	**48**	**122**	**26**	**36**	**181**	**345**	**1024**	**46**	**17·9**	**1·6**	**77·0**	**35·0**	**53·6**	**12·00**	**0·04**	**0·10**	**33 Towns.**
London - -	4,651,113	2585	1552	323	443	-	50	6	20	48	10	12	79	150	534	6	17·4	1·6	76·6	37·1	54·7	12·61	0·02	0·05	London.
West Ham - -	329,377	187	65	16	14	-	-	1	1	5	-	-	2	5	17	1	10·3	1·1	-	-	-	-	-	-	West Ham.
Croydon - -	134,705	63	36	6	13	-	-	-	-	1	-	-	2	5	7	-	13·9	0·4	75·2	38·5	54·4	12·44	0·00	0·00	Croydon.
Brighton - -	125,077	50	28	4	10	-	-	-	2	-	-	-	1	1	6	-	11·7	0·8	70·2	38·0	54·8	12·67	0·00	0·00	Brighton.
Portsmouth -	199,262	99	82	20	26	-	3	-	2	-	-	-	3	5	16	1	21·5	1·3	71·0	39·0	53·6	12·00	0·00	0·00	Portsmouth.
Plymouth - -	103,708	48	52	6	19	-	-	-	-	1	-	-	1	6	15	1	26·1	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,086	160	118	24	41	-	-	-	-	11	1	-	6	11	21	1	18·7	1·9	73·0	39·0	52·0	11·11	0·01	0·03	Bristol.
Cardiff - -	203,050	101	48	12	14	-	-	-	2	5	-	-	-	-	8	1	12·3	1·8	-	-	-	-	-	-	Cardiff.
Swansea - -	107,251	49	37	9	11	-	-	-	-	4	-	-	-	-	4	1	18·0	1·9	-	-	-	-	-	-	Swansea.
Wolverhampton	90,382	73	26	10	9	-	2	-	-	-	-	-	1	2	-	-	15·0	1·2	72·8	35·0	52·8	11·56	0·00	0·00	Wolverhampton.
Birmingham -	524,307	328	183	45	52	-	4	2	2	2	-	6	10	13	35	2	18·2	1·6	-	-	-	-	-	-	Birmingham.
Norwich - -	116,466	61	30	6	14	-	-	-	1	-	-	-	1	3	5	-	13·4	0·4	-	-	-	-	-	-	Norwich.
Leicester - -	224,619	112	64	14	22	-	-	1	-	1	1	-	1	4	13	-	14·9	0·7	-	-	-	-	-	-	Leicester.
Nottingham -	246,013	136	94	24	28	-	2	-	-	1	2	4	3	7	25	-	19·9	1·9	74·1	38·0	55·2	12·89	0·08	0·20	Nottingham.
Derby - - -	109,605	69	24	7	4	-	-	-	-	1	-	-	-	3	5	-	11·4	0·5	-	-	-	-	-	-	Derby.
Birkenhead -	119,213	66	27	7	7	-	-	-	-	-	1	-	1	2	2	-	11·8	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool	635,348	411	278	55	82	-	10	1	3	1	2	2	14	15	95	10	22·8	1·6	71·3	37·7	52·9	11·61	0·02	0·05	Liverpool.
Bolton - -	166,284	107	79	20	19	-	6	1	1	3	-	-	1	7	11	-	24·8	3·4	-	-	-	-	-	-	Bolton.
Manchester -	553,677	342	225	47	50	-	6	3	2	7	1	3	15	28	58	2	21·2	2·1	-	-	-	-	-	-	Manchester.
Salford - -	223,418	130	89	16	14	-	2	4	4	1	1	1	1	3	15	-	20·8	3·0	-	-	-	-	-	-	Salford.
Oldham - -	155,865	80	53	6	15	-	-	1	-	1	-	2	3	6	11	-	17·7	1·3	-	-	-	-	-	-	Oldham.
Burnley - -	120,497	45	43	9	12	-	-	-	-	-	-	-	3	3	3	1	18·6	-	-	-	-	-	-	-	Burnley.
Blackburn - -	139,089	67	48	16	7	-	1	1	1	1	3	1	1	2	4	3	18·0	3·0	-	-	-	-	-	-	Blackburn.
Preston - -	120,196	63	48	15	11	-	-	4	-	2	-	-	2	3	2	1	20·8	2·6	70·0	41·0	55·6	13·11	0·00	0·00	Preston.
Huddersfield -	105,514	56	33	5	15	-	-	-	-	-	-	1	1	1	4	1	16·3	0·5	73·7	37·0	52·0	11·11	0·10	0·25	Huddersfield.
Halifax - -	106,873	50	50	7	20	-	-	-	-	3	-	-	3	4	10	3	24·4	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	294,472	138	111	27	33	-	-	1	-	7	-	-	4	14	24	-	19·7	1·4	75·0	40·0	55·0	12·78	0·04	0·10	Bradford.
Leeds - - -	438,814	271	140	26	36	-	2	2	4	2	-	1	5	12	15	1	16·6	1·3	-	-	-	-	-	-	Leeds.
Sheffield - -	370,737	258	132	30	40	-		2	2	4	1	1	5	9	28	4	18·6	1·4	-	-	-	-	-	-	Sheffield.
Hull - - -	243,287	159	63	12	19	-	2	-	-	3	-	-	-	3	10	1	13·5	1·1	77·0	36·0	49·6	9·78	0·25	0·63	Hull.
Sunderland -	149,205	95	51	14	10	-	3	-	1	4	3	1	2	3	5	2	17·8	4·2	-	-	-	-	-	-	Sunderland.
Gateshead - -	112,331	76	48	12	7	-	5	-	-	-	-	-	4	5	3	2	22·3	2·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	240,258	136	90	24	19	-	3	-	-	3	-	1	6	10	13	1	19·5	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2507	2614	2582	2485	2691	2743	2750	2522	2693	2697	2776·5	2585
Males - -	1310	1318	1318	1274	1380	1374	1379	1260	1402	1361	1413·0	1320
Females - -	1197	1296	1264	1211	1311	1369	1371	1262	1291	1336	1363·5	1265
TOTAL **Deaths** -	2006	1619	1570	1513	1508	1641	1442	1485	1478	1721	1691·5	1552
Males - -	1060	823	857	788	802	831	766	778	733	927	883·6	788
Females - -	946	796	713	755	706	810	676	707	745	794	807·9	764

* The numbers in this column are the average weekly numbers in the seventeenth week of the ten years 1891–1900, raised by 5·634 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.
TOTAL **Births** - - -	2410	2687	2690	2673	2681	2496	2607	2424	2634	2538	2358	2835	2585
TOTAL **Deaths** - - -	1438	1668	1719	1853	1865	1723	1571	1588	1645	1573	1633	1564	1552
Ages at Death: Under 1 year - -	321	358	333	340	333	359	333	299	349	325	325	300	323
1—5 years - -	159	162	181	199	214	225	189	203	220	223	256	184	217
5—20 ,, - -	73	99	75	89	94	91	96	85	85	70	91	77	85
20—40 ,, - -	168	194	216	226	223	201	197	202	207	195	200	209	200
40—60 ,, - -	305	327	369	375	392	355	314	318	313	301	307	325	284
60—80 ,, - -	340	420	412	515	486	398	366	393	375	380	363	377	347
80 years and upwards	72	108	133	109	123	94	76	88	96	79	91	92	96
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	25	20	36	36	36	33	35	42	56	38	52	37	50
Scarlet Fever - - -	8	4	5	5	4	6	10	6	8	8	8	3	6
Diphtheria - - - -	24	29	20	27	19	25	30	14	16	21	26	11	20
Whooping-cough - - -	44	58	49	52	57	37	43	63	55	62	74	58	48
Typhus - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	12	12	11	6	9	7	8	5	8	5	4	7	10
Simple Continued Fever -	-	-	-	1	-	-	-	1	-	-	-	-	-
Diarrhœa and Dysentery -	11	12	16	10	19	14	13	13	21	12	9	14	12
Cholera - - - - -	-	-	-	-	-	-	1	-	-	-	-	-	-
All the above Diseases -	125	136	137	137	144	122	140	144	164	146	173	130	146
Dis. of Respiratory System -	323	397	420	493	501	463	394	332	363	360	345	374	286
Phthisis - - - - -	152	148	171	172	169	169	168	149	165	168	139	158	153
Dis. of Circulatory System -	161	178	166	189	192	161	138	187	157	133	161	137	132
Violence - - - -	64	54	70	75	64	66	63	73	64	64	89	51	79
Inquest Cases - - - -	161	171	152	207	186	159	158	196	136	157	207	137	150
Deaths in Public Institutions -	465	550	561	580	589	548	489	510	523	522	530	514	534
TEMPERATURE OF THE AIR													
Mean - - - - - -	36°·9	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4	46°·2	47°·3	54°·7
Mean of Highest readings -	41·5	38·2	37·5	39·1	49·1	48·0	44·6	43·1	41·1	53·2	54·1	56·7	66·2
Mean of Lowest readings -	31·8	29·6	26·7	31·7	38·7	37·1	33·7	34·2	28·4	36·1	41·0	38·2	43·3
Humidity of the Air - -	82	86	72	80	84	85	91	78	70	80	83	67	57
Rain-fall (in inches) - -	0·10	0·47	0·03	0·15	0·57	0·76	0·09	0·31	0·44	0·97	0·71	0·33	0·02
Registered Sunshine (in hours)	6·9	2·2	11·9	6·6	15·7	11·4	5·4	13·2	21·2	27·4	29·0	48·6	77·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	3	1	1	1	1	1	1	-	-	-	-	-	-
Scarlet Fever - - - -	2037	1963	1876	1834	1823	1746	1652	1598	1568	1572	1601	1526	1522
Diphtheria - - - -	1128	1150	1110	1118	1124	1118	1115	1103	1089	1073	1020	955	959
Typhus - - - - -	7	6	6	6	2	2	3	3	2	1	1	-	-
Enteric Fever - - - -	299	262	258	237	224	205	184	182	162	146	141	132	121

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTEENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 17th Week of the 10 years 1891-1900*.	In the Week ended Saturday 27th April, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1691·5	1552	323	217	85	200	284	347	96
Small-pox: Vaccinated†	0·6	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·4	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·3	-	-	-	-	-	-	-	-
Measles	84·3	50	9	41	-	-	-	-	-
Scarlet Fever	15·5	6	-	3	3	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	27·8	29	1	1	-	4	5	15	3
Whooping-cough	67·5	48	22	25	1	-	-	-	-
Diphtheria	36·4	20	3	13	4	-	-	-	-
Simple Continued and Ill-defined Fever	0·3	-	-	-	-	-	-	-	-
Enteric Fever	6·9	10	-	1	3	5	1	-	-
Cholera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	11·1	12	9	2	-	-	-	1	-
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	-	-	-	-	-	-	-	-	-
Venereal Affections	8·6	5	3	-	-	-	1	1	-
Erysipelas	3·0	3	1	-	-	-	-	2	-
Pyæmia and Septicæmia	2·1	1	-	-	1	-	-	-	-
Puerperal Fever	4·0	5	-	-	-	5	-	-	-
Other Zymotic Diseases	1·6	1	-	-	-	-	-	1	-
Thrush	0·5	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·6	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	0·8	-	-	-	-	-	-	-	-
Alcoholism	11·4	14	-	-	-	-	10	4	-
Rheumatic Fever, Rheumatism of Heart	6·5	11	-	-	6	2	2	1	-
Rheumatism	3·9	1	-	-	-	-	-	1	-
Gout	3·5	4	-	-	-	-	-	4	-
Rickets	5·5	8	-	8	-	-	-	-	-
Cancer	75·3	93	-	-	1	7	45	36	4
Tabes Mesenterica	18·1	12	4	4	3	-	1	-	-
Tubercular Meningitis	23·7	33	8	17	6	1	1	-	-
Phthisis	165·6	153	6	9	8	72	38	19	1
Scrofula, Tuberculosis	22·2	19	5	6	3	4	1	-	-
Other Constitutional Diseases	12·3	13	-	1	2	1	4	4	1
Premature Birth	47·1	47	47	-	-	-	-	-	-
Atelectasis	3·7	9	9	-	-	-	-	-	-
Congenital Malformations	7·0	9	9	-	-	-	-	-	-
Old Age	49·3	74	-	-	-	-	1	32	41
Apoplexy	47·1	48	2	-	1	2	15	22	6
Epilepsy	8·9	7	-	-	1	1	4	1	-
Convulsions	36·1	28	21	6	1	-	-	-	-
Other Diseases of Brain and Nervous System	85·0	79	16	5	9	9	18	17	5
Diseases of Organs of Special Sense	5·5	2	-	-	2	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 17th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 27th April, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	140·7	132	3	2	11	15	37	60	4
Croup	3·2	-	-	-	-	-	-	-	-
Bronchitis	165·4	122	27	13	1	6	17	45	13
Pneumonia	151·7	134	22	37	4	19	27	22	3
Pleurisy	9·1	3	-	-	-	1	-	2	-
Other Diseases of Respiratory System	27·6	27	2	3	1	2	9	7	3
Dentition	8·9	8	4	4	-	-	-	-	-
Quinsy, Sore Throat	1·3	2	-	-	1	1	-	-	-
Enteritis	13·3	13	6	2	1	4	-	-	-
Gastro-enteritis		3	1	-	-	-	1	1	-
Peritonitis	5·8	5	-	-	-	3	2	-	-
Diseases of Liver	25·1	14	-	-	-	1	8	5	-
Other Diseases of Digestive System	34·4	34	13	1	1	8	2	7	2
Diseases of Lymphatic System & of Ductless Glands	2·7	4	1	-	-	3	-	-	-
Diseases of Urinary System	45·0	49	-	1	1	5	13	25	4
Diseases of Generative System	4·6	6	-	-	1	2	2	1	-
Accidents of Childbirth	5·5	5	-	-	-	2	3	-	-
Diseases of Locomotive System	5·3	6	-	-	3	1	-	1	1
Diseases of Integumentary System	4·3	10	4	-	-	1	-	3	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	3·3	2	-	-	-	1	1	-	-
By Vehicles or Horses	6·5	7	-	1	1	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·5	-	-	-	-	-	-	-	-
In Building Operations	1·4	1	-	-	-	-	1	-	-
In Conflagrations	0·8	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	6·0	6	1	3	-	1	-	1	-
By Drowning	7·3	11	1	-	1	6	3	-	-
By Suffocation in Bed	13·9	21	21	-	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	3	-	2	-	-	1	-	-
Other or not stated causes	23·6	19	4	2	3	2	3	2	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	2·0	1	1	-	-	-	-	-	-
Suicide	11·1	8	-	-	-	2	4	2	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	49·2	41	36	4	-	-	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 5·634 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th April, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,411,355†	2585	1552	323	443	-	50	6	20	48	-	10	-	12	79	150	534	6
WEST DISTRICTS - - -	The figures in consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. for 1901 will be inserted when the results of the recent Census shall have been ascertained.	380	255	51	74	-	1	1	2	7	-	1	-	1	14	20	87	3
NORTH DISTRICTS - - -		557	343	64	102	-	10	2	12	13	-	3	-	1	17	36	125	-
CENTRAL DISTRICTS - - -		115	95	16	20	-	1	-	-	4	-	-	-	1	4	12	49	-
EAST DISTRICTS - - -		528	278	74	63	-	9	-	1	2	-	1	-	4	13	31	114	-
SOUTH DISTRICTS - - -		1005	548	118	166	-	29	2	5	22	-	5	-	5	31	51	126	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	33	-	18	-	-	1	-	-	-	-	-	-	-	-	33	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.		49	27	4	10	-	-	-	-	1	-	-	-	-	1	2	4	-
St. John Paddington *H* - - G.		11	18	1	3	-	-	-	-	-	-	-	-	-	2	4	10	-
North-West Paddington† - - C.		15	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town† *Ww* - W. & C.		66	39	11	13	-	-	-	-	2	-	-	-	-	2	3	14	-
Brompton *HH* - - - W. & C.		9	16	2	7	-	-	-	-	-	-	-	-	-	1	1	3	-
North Hammersmith *H*		23	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G.		33	20	1	6	-	-	-	1	1	-	-	-	-	-	-	5	1
North-west Fulham *W*		38	13	3	6	-	-	-	-	1	-	-	-	-	1	1	7	-
North-east Fulham *w* W. & C.		23	11	1	2	-	-	1	-	1	-	1	-	-	-	-	3	-
South Fulham		36	13	6	-	-	1	-	-	-	-	-	-	1	2	3	-	-
Chelsea North *WWHHHH* - C.		13	25	3	12	-	-	-	-	-	-	-	-	-	1	1	18	-
Chelsea South *HH* - - C.		6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
May Fair and Knightsbridge† *H* C. & G.		6	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *HHH* - - - C.		19	20	5	2	-	-	-	1	1	-	-	-	-	1	1	12	-
St. Margaret & St. John Westminster† *HHH* C.		19	21	2	5	-	-	-	-	-	-	-	-	-	2	2	10	1
St. James Westminster *WH* N. & G.		10	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.		4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.		12	21	1	4	-	-	-	-	-	-	-	-	-	-	-	16	-
Rectory Marylebone *W* G. & W.		9	4	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Mary Marylebone *HHHH* G. & W.		36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W		20	12	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *HHH* - W		7	4	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* - N. & W.		28	19	4	6	-	-	1	4	2	-	-	-	-	-	-	10	-
Regent's Park *H* - W.		27	7	3	1	-	-	-	-	1	-	-	-	-	1	2	-	-
Tottenham-court *wHHHHHH* - N. & W.		9	16	3	3	-	-	-	-	-	-	-	-	-	1	1	12	-
Gray's Inn Lane *HHHH* - N.		18	6	3	1	-	-	-	-	-	-	-	-	-	2	2	2	-
Somers Town *HH* - - - N.		23	14	2	4	-	-	-	-	1	-	-	-	-	1	2	4	-
Camden Town *WH* - - N.		16	14	1	7	-	1	-	-	-	-	-	-	-	1	2	7	-
Kentish Town *WW* - - N.		40	13	1	4	-	-	-	-	-	-	-	-	-	1	2	7	-
Upper Holloway *WWWWwHH* - - N.		36	54	6	19	-	1	-	1	-	-	-	-	1	2	6	31	-
Lower Holloway - - - N.		26	11	5	-	-	-	-	-	3	-	-	-	-	2	3	-	-
Barnsbury - - - - N.		28	13	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *H* - N.		36	26	10	4	-	2	-	-	1	-	-	-	-	1	4	-	-
Highbury *HH* - - - N.		31	14	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.		24	11	1	4	-	2	-	-	1	-	-	-	-	-	-	-	-
North Hackney - E. & N.		18	10	2	5	-	-	-	-	1	-	-	-	-	1	1	-	-
Central Hackney *ww* - E. & N.		38	23	3	5	-	2	1	7	-	-	3	-	-	1	2	10	-
South-west Hackney *HHH* E. & N.		39	17	4	5	-	-	-	-	1	-	-	-	-	1	3	5	-
South-east Hackney *WwH* E. & N.		36	33	6	13	-	2	-	-	-	-	-	-	-	1	4	20	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.	In consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be given. The figures for 1901 will be inserted when the results of the recent Census shall have been ascertained.																	
Bloomsbury and St. Giles South *WH* - - - N.		15	10	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St Giles North *H* - - - N.		7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.		6	8	-	2	-	-	-	-	-	-	-	-	-	-	1	5	-
Strand *WHH* - - - - - N.		2	5	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-
Strand Union Workhouse, Edmonton		-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *WwHHHHHH* - N.		7	24	5	1	-	-	-	-	4	-	-	-	1	-	-	18	-
St. James Clerkenwell - - N.		4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Amwell Clerkenwell - - N.		19	6	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Goswell-street - - - - N.		6	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
City-road *HHHL* - - - N.		34	8	3	1	-	-	-	-	-	-	-	-	-	2	3	-	-
Finsbury - - - - - - N.		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - N. & E.		5	5	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Sepulchre *WH* - - - N.		1	19	3	2	-	-	-	-	-	-	-	-	-	1	1	17	-
All Hallows Barking - - - N.		3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -		-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.		15	10	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *wH* - - N.		26	13	6	3	-	-	-	-	-	-	-	-	-	1	2	6	-
Hoxton Old Town - - - N.		24	8	3	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Haggerston *W* - - N. & E.		32	19	3	6	-	-	-	-	1	-	-	-	-	1	3	11	-
Bethnal Green North *HH* - E.		31	19	6	1	-	2	-	-	-	-	-	-	-	1	2	5	-
Bethnal Green South - - E.		22	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East *WWHl* - E.		26	20	2	7	-	1	-	-	-	-	-	-	-	-	-	11	-
Spitalfields - - - E. & N.		25	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.		24	40	10	3	-	-	-	-	-	-	-	-	-	2	6	37	-
Goodman's Fields - - - E.		16	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.		48	7	2	2	-	-	-	-	-	-	-	-	1	1	1	-	-
St. John, St. George East *W* E.		3	8	2	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Shadwell *H* - - - E. & N.		3	11	6	-	-	-	-	1	-	-	1	-	3	-	1	10	-
Ratcliff *W* - - - - E.		11	6	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Limehouse - - - - - E.		23	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* E.		43	9	3	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town East *WWW* - E.		39	18	6	6	-	-	-	-	-	-	-	-	-	3	3	8	-
Bow *l* - - - - - - E.		23	11	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-
Bromley *wwwH* - - - - E.		53	31	5	11	-	-	-	-	-	-	-	-	-	2	6	17	-
Poplar *WW* - - - - - E.		41	22	6	4	-	1	-	-	1	-	-	-	-	2	2	-	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 27th April, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 1 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *W H* L.&S.	The figures for 1901 will be given, in consequence of numerous changes of area, the populations in 1896 of the several sub-districts cannot be inserted when the results of the recent Census shall have been ascertained.	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.		4	15	-	-	-	2	-	-	-	-	1	-	-	1	1	15	-
Kent-road - - - - S. & L.		19	7	3	2	-	2	-	-	-	-	-	-	-	-	-	-	1
Borough-road *WH* - S. & L.		9	6	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
London-road *HL* - - L. & S.		16	5	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Trinity Newington *H* - S. & L.		24	9	4	1	-	-	-	-	-	-	-	-	-	2	2	-	-
St. Peter Walworth *W* - S. & L.		48	22	6	7	-	1	-	-	1	-	-	-	1	1	2	2	-
St. Mary Newington - - L. & S.		21	8	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.		6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - S.		57	25	10	2	-	2	-	-	1	-	-	-	-	3	4	1	-
Rotherhithe *Ww* - S. & K.		30	17	4	4	-	2	-	-	2	-	-	-	-	-	-	5	-
Waterloo-road *HH* - L. & S.		22	12	8	1	-	1	-	-	-	-	-	-	-	1	1	3	-
Lambeth Church 1st *HH* L. & S.		15	11	2	1	-	-	-	-	-	-	-	-	-	2	3	9	-
Lambeth Church 2nd *W W* L. & S.		24	25	5	11	-	1	-	-	1	-	-	-	-	-	1	13	-
Kennington 1st *H* - - S. & L.		28	13	-	5	-	1	-	-	-	-	-	-	-	2	3	-	-
Kennington 2nd - - S. & L.		11	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Brixton *w* - - - L. & S.		37	17	6	6	-	-	-	1	1	-	-	-	-	-	-	1	-
Norwood *WH* - - - - L.		14	8	-	4	-	1	-	-	1	-	-	-	-	-	-	1	-
East Battersea - - - - S.		49	14	6	2	-	-	-	1	4	-	-	-	-	-	-	-	-
North-west Battersea - - S.		31	16	4	4	-	-	-	-	-	-	-	-	1	-	2	-	-
South-west Battersea *WwH* - S.		24	22	2	10	-	2	-	-	-	-	-	-	-	-	1	10	-
Clapham *H* - - - - S.		32	20	6	5	-	-	-	-	-	-	-	-	-	-	-	4	-
Streatham *WwwwwL* - - L.		36	21	4	8	-	-	1	1	-	-	1	-	-	1	1	6	-
Wandsworth *WHHL* - - S.		38	16	7	6	-	-	-	-	-	-	-	-	1	1	4	-	-
Putney - - - - - S.		9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.		4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.		50	56	8	22	-	1	-	-	-	-	-	-	-	5	6	27	-
Peckham *WW* - S., L., & K.		55	25	4	9	-	2	-	-	1	-	-	-	-	1	1	-	-
St. George Camberwell - L. & S.		57	18	2	5	-	3	-	-	2	-	-	-	-	1	2	-	-
Deptford North - - - K.		23	11	3	1	-	3	-	-	2	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.		19	9	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.		16	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *H* - - K.		11	7	-	1	-	1	-	-	-	-	1	-	-	-	-	2	-
Greenwich East *WH* - - K.		37	30	4	10	-	2	-	-	1	-	1	-	-	2	3	16	1
Eltham *wH* - - - - K.		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - K.		7	7	1	4	-	-	-	-	1	-	1	-	-	-	-	1	-
Lewisham *WwwH* - - - K.		35	17	3	7	-	-	-	1	1	-	-	-	-	-	-	6	-
Sydenham *H* - - - - L.		20	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.		8	8	1	4	-	-	1	-	-	-	-	-	-	1	2	1	-
Woolwich *HHHH* - - K.		22	14	3	2	-	-	-	-	1	-	-	-	1	5	6	-	-
Plumstead West *H* - - K.		12	5	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *WH* - - K		38	8	2	2	-	-	-	1	-	-	-	-	-	-	2	2	1
Banstead Asylum - - - -		-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Horton Asylum, Epsom - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -		-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - -		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -		-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Dartford Heath - - - - - -		-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell Asylum - - - - -		-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Central London Sick Asylum, Hendon		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -		-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
N.E. Hospital - - - - -		-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -		-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury Asylum - - - -		-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table is exclusive of the added part of Hornsey, which was not enumerated in 1896.

ABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th April, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	1,405,489	1121	515	122	158	-	11	2	10	27	4	1	15	39	80	3
30 : 1	Carshalton *H* - - -	12,228	26,108	15	8	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	6	1	1	-	-	-	-	1	-	-	-	-	3	-
37 : 1	Godstone, *part of** *W* -	2,754	1,598	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
38 : 1	Croydon *WWwHHH* -	20,851	128,699	73	47	7	17	-	-	-	-	2	-	-	2	6	11	-
2	Mitcham *w* - - -	11,697	23,072	14	10	2	4	-	-	-	-	2	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* - -	3,220	25,777	18	9	2	3	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	25	11	1	5	-	-	-	1	-	-	-	-	-	6	-
3	Surbiton *HH* - - -		12,178	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	3	4	-	2	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,565	18,252	9	6	3	-	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond *WHH* - -	2,160	25,389	8	8	1	5	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *H* - - -	2,823	16,159	16	6	2	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH* - - -	9,127	23,815	10	11	2	5	-	-	-	-	-	-	-	-	1	1	-
2	Beckenham *H* - - -	6,542	21,969	17	5	2	-	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** *W* -	6 974	7,714	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *HH* - -	7,333	12,658	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *HHH* - - -	12,540	30,590	36	11	-	4	-	1	-	-	-	-	-	1	1	1	-
2	Dartford *WH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w* - - -	11,054	13,671	8	4	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Staines *WH* - - -	13,277	13,221	8	5	2	2	-	-	-	-	-	-	-	1	1	-	-
125 : 1	Hillingdon *WHH* - -	6,035	12,237	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	13	5	2	-	-	1	-	-	-	-	-	-	-	1	-
126 : 1	Isleworth *WHH* - -	6,967	26,004	20	13	1	8	-	-	-	-	1	-	-	-	-	8	-
2	Twickenham *HH* - -	2,415	16,027	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	29	11	4	5	-	-	-	-	-	-	-	-	1	1	1
4	Chiswick - - - -	1,245	21,963	14	13	5	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	37	13	4	4	-	-	-	-	2	-	1	1	1	-	-
127 : 1	Harrow *HHH* - - -	13,809	15,715	17	5	3	-	-	-	-	-	2	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	64	28	6	7	-	-	-	-	2	1	-	1	2	1	1
4	Hendon *WH* - - -	8,382	15,843	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms *HH* - -	21,077	6,367	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	10	5	-	2	-	-	-	-	-	-	-	-	-	3	-
3	Finchley *HHH* - - -	4,688	25,820	14	8	1	1	-	1	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey† *HH* - - -	2,874	44,523	37	15	4	2	-	1	-	-	1	-	-	1	1	-	-
2	Tottenham *HHH* - -	4,642	97,174	74	33	8	7	-	1	-	2	2	1	-	-	3	2	-
3	Edmonton *Ww* - -	7,489	36,351	43	18	4	9	-	1	-	-	1	-	-	1	3	6	-
4	Enfield *WWHH* - -	12,602	31,536	25	9	3	6	-	-	-	-	1	-	-	-	-	1	-
5	Waltham Abbey - - -	11,017	6,066	3	3	-	-	-	-	-	1	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	9,620	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W* -	3,306	582	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - - -	9,331	7,737	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H* - - -	4,706	38,612	30	9	4	-	-	-	-	-	-	-	-	1	2	2	-
2	Plaistow *HHH* - - -		58,030	64	15	2	5	-	-	1	1	1	-	-	-	-	3	-
3	Canning Town *H* - -		54,750	65	14	3	1	-	-	-	-	2	-	-	1	2	1	-
4	Forest Gate *w* - - -		53,511	28	16	7	2	-	-	-	-	1	-	-	-	1	-	1
5	East Ham *wHHH* - -	3,266	32,713	52	22	12	3	-	2	-	-	-	-	-	1	3	-	-
6	Wanstead - - - -	4,334	7,042	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
7	South Leyton *WW* - -		38,232	23	27	2	16	-	-	-	1	2	-	-	-	2	16	-
8	North Leyton *WwH* -		24,874	22	10	1	5	-	-	-	2	2	-	-	-	-	2	-
9	Walthamstow *HHHL* -	6,501	57,370	64	19	9	2	-	1	-	1	-	1	-	-	1	-	-
187 : 1	Chigwell, *part of** *HHHH*	11,779	12,941	5	8	-	4	-	1	-	-	-	1	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** *W* -	6,556	4,324	1	3	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Ilford *H* - - - -	8,493	10,913	18	7	1	1	-	1	-	-	2	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	11	3	2	-	-	-	-	-	-	-	-	1	1	-	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	Brook Hospital, Kidbrook -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 27th April, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,421**	**6,781,854**	**15·9**	**1·5**	**2067**	**445**	**601**	**–**	**61**	**8**	**30**	**75**	**14**	**13**	**94**	**614**
INNER LONDON -	74,837	4,651,113	17·4	1·6	1552	323	443	–	50	6	20	48	10	12	79	534
OUTER RING -	368,584	2,130,741	12·6	1·3	515	122	158	–	11	2	10	27	4	1	15	80

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-Rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	April 27	152	146	24·6	–	6	1	1	18	–	–
GLASGOW - -	753,766	" 27	489	343	23·7	3	7	4	2	34	3	7
DUBLIN† - -	346,128	" 27	184	195	29·4	–	–	1	–	8	1	–
CALCUTTA - -	466,460	January 26	–	464	51·9	79	2	–	–	–	148‡	78§
		February 2	–	409	45·7	107	3	–	1	–	132‡	63§
BOMBAY - -	821,764	April 9	194	1767	119·2	4	3	?	?	?	1001‡	84§
MADRAS - -	452,518	March 22	315	400	45·9	10	6	?	?	?	129	61§
PARIS - - -	2,511,629	April 20	1090	1031	21·3	11	15	2	13*	7	–	26
BRUSSELS - -	570,844	" 20	246	194	17·7	–	3	–	–	2	3	10
AMSTERDAM -	523,822	" 13	278	176	17·5	–	2	1	–	–	–	17
ROTTERDAM -	325,556	February 16	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	" 16	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	April 20	174	147	20·3	–	7	–	1	3	–	9
STOCKHOLM -	301,050	" 13	144	99	17·1	–	2	–	2*	–	–	3
CHRISTIANIA -	226,423	" 20	154	65	14·9	–	–	–	–	–	–	1
ST. PETERSBURG	1,248,643	" 13	457	604	25·2	2	12	19	28	4	4	45
MOSCOW - -	1,023,817	" 6	–	520	26·5	1	9	7	12	2	1	52
		" 13	–	520	26·5	3	5	2	12	1	4	52
BERLIN - -	1,891,431	" 6	939	718	19·8	1	10	7	10	20	1	36
HAMBURG - -	705,738	" 20	–	212	15·6	–	2	–	1*	2	–	7
DRESDEN - -	397,000	January 5	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	422,415	April 20	–	202	24·9	–	1	1	2	1	1	18
MUNICH - -	500,000	" 20	–	224	23·3	–	5	1	1*	3	–	22
VIENNA - -	1,662,269	" 20	902	692	21·6	–	14	11	7*	3	–	26
PRAGUE - -	389,741	" 13	231	190	25·4	–	4	3	3	2	2	2
BUDA-PESTH -	747,535	" 13	454	276	19·3	–	3	10	1	2	1	9
TRIESTE - -	176,456	" 20	113	75	22·1	–	1	–	2*	2	–	3
ROME - - -	521,159	March 9	229	225	22·5	1	–	–	1	2	3	12
TURIN (10 days) -	344,203	January 10	–	–	–	–	–	–	–	–	–	–
VENICE - -	174,170	February 16	64	73	21·8	–	–	–	4*	–	–	6
		" 23	81	104	31·1	–	–	–	–	–	–	9
CAIRO - -	570,062	" 25	474	257	23·4	2	–	–	2*	–	1	49
ALEXANDRIA -	319,766	" 25	272	172	28·0	–	–	–	3*	–	3	40
NEW YORK (including BROOKLYN)	3,536,517	March 30	1609	1409	20·8	10	8	38	47*	2	11	34
PHILADELPHIA -	1,293,697	April 6	–	490	19·8	1	–	7	12	6	8	2

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 18 and 7 deaths, respectively, from cholera in Calcutta, 4 in Bombay, and one death in Madras.
‡ Including 35 and 50 deaths, respectively, from plague in Calcutta, and 698 in Bombay.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th April, 1901.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit.)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	..	29·738	71·3	43·4	27·9	59·4	+10·9	41·1	18·3	29·0	5·1	51	133·0	26·5	44·83	SE. & SSE.	SSE. & SE.	3·3	0·0	0·2	214	− 78	0·00	0·0
MONDAY - 22	Greatest Dec. N.	29·690	73·6	46·6	27·0	60·2	+11·7	40·8	19·4	28·2	6·1	49	131·8	30·6	45·39	SE., SSE. & S.	S. & SE.	3·2	0·0	0·2	230	− 60	0·00	0·0
TUESDAY - 23	..	29·766	76·6	45·4	31·2	61·1	+12·7	44·6	16·5	25·3	3·6	55	132·7	29·8	46·17	SE., NE. & SSW.	SSW., ESE. & calm.	1·4	0·0	0·0	121	−166	0·00	0·0
WEDNESDAY 24	..	29·829	69·0	44·5	24·5	56·5	+ 8·1	41·4	15·1	25·0	2·9	57	128·0	31·8	46·82	Calm & ENE.	E.	5·7	0·0	0·4	249	− 34	0·00	0·0
THURSDAY- 25	First Quarter.	29·744	63·1	46·0	17·1	54·7	+ 6·3	41·1	13·6	18·8	4·2	60	124·7	34·1	47·41	ENE. & E.	E. & ENE.	9·1	0·0	0·9	376	+ 97	0·00	1·0
FRIDAY - 26	..	29·751	56·8	40·1	16·7	47·5	− 0·9	32·7	14·8	21·4	8·0	57	125·5	29·4	47·80	ENE.	ENE., NE. & NNE.	13·6	0·0	1·5	518	+243	0·00	3·0
SATURDAY- 27	..	29·719	52·9	37·1	15·8	43·3	− 5·2	35·2	8·1	15·3	0·7	73	121·0	28·1	47·96	NNE. & N.	N. & ENE.	2·7	0·0	0·3	261	− 11	0·02	0·0
MEANS - -		29·748	66·2	43·3	22·9	54·7	+ 6·2	39·6	15·1	23·3	4·4	57	128·1	30·0	46·63	SE. & NE.		..	..	..	Sum 1969	Sum − 9	Sum 0·02	0·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	m. P. till 9h. A.M.; w. P. till 7h. P.M.; m. P. afterwards.	13·1	14·1	Cloudless throughout. A very fine day.
MONDAY - 22	w. P. generally till 7h. P.M.; m. P. afterwards.	11·5	14·2	A very fine day and generally cloudless.
TUESDAY - 23	m. P. generally till 11h. A.M.; w. P. till 8h. P.M.; s. P. afterwards.	10·9	14·2	Very fine, with small amounts of cloud. Partial solar halo in forenoon.
WEDNESDAY 24	m. P. generally.	10·0	14·3	Cloudless till noon; fine, with variable amounts of cloud, afterwards. Solar halo in afternoon. Lunar halo at night.
THURSDAY- 25	w. P. till noon; w. P. and w. N. till 3h. P.M.; w. P. till 9h. P.M.; Loss of Register afterwards.	12·1	14·4	Very fine. Small amounts of cloud prevalent till afternoon; cloudless at night. Solar halo in forenoon. Brisk wind till evening.
FRIDAY - 26	Loss of Register till 11h. A.M.; v. P. afterwards.	13·3	14·4	A very fine day. The amount of cloud was usually small. Brisk wind till evening.
SATURDAY- 27	v. P. with occasional s. N. till 7h. P.M.; s. P. afterwards.	6·3	14·5	Fine and partially cloudy, with occasional slight showers.
		Sum 77·2	Sum 100·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·67 in. by 4h. A.M. on the 22nd; increased to 29·86 in. by 7h. A.M. on the 24th; decreased to 29·69 in. by 5h. A.M. on the 27th; and increased to 29·76 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th April, 1901.*

BOROUGHS.	Estimated Population (middle of 1901).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	148,148	-	6	-	-	2	-	-	2	-
Kensington	177,205	-	6	10	-	2	-	-	2	-
Hammersmith	111,213	-	1	3	-	1	-	-	1	-
Fulham	141,920	-	18	5	-	1	-	-	1	-
Chelsea	73,843	-	3	-	-	-	-	-	1	-
City of Westminster	189,375	-	10	3	-	2	-	-	1	-
NORTH.										
St. Marylebone	140,460	-	5	3	-	1	-	-	4	1
Hampstead	82,605	-	4	8	-	-	-	-	-	-
St. Pancras	246,098	-	12	6	-	3	-	-	2	-
Islington	353,528	-	13	8	-	1	-	-	1	1
Stoke Newington	55,758	-	2	2	-	-	-	-	1	-
Hackney	228,417	-	2	10	-	1	-	-	4	-
CENTRAL.										
Holborn	59,700	-	5	2	-	1	-	-	2	-
Finsbury	106,590	-	5	-	-	-	-	-	3	-
City of London	25,289	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch	120,614	-	4	7	-	3	-	-	1	-
Bethnal Green	127,980	-	1	5	-	1	-	-	3	-
Stepney	304,321	-	10	16	-	2	-	-	6	-
Poplar	170,731	-	5	3	-	2	-	-	3	1
SOUTH.										
Southwark	208,869	-	10	4	-	2	-	-	5	-
Bermondsey	136,824	-	6	3	-	1	-	-	4	-
Lambeth	318,530	-	13	9	-	-	-	-	3	1
Battersea	180,017	-	5	8	-	2	-	-	1	-
Wandsworth	242,224	-	5	2	-	1	-	-	4	-
Camberwell	269,102	-	11	8	-	2	-	-	5	-
Deptford	113,562	-	2	3	-	1	-	-	2	-
Greenwich	91,228	-	2	1	-	1	-	-	2	-
Lewisham	112,856	-	5	1	-	-	-	-	3	-
Woolwich	114,106	-	6	5	-	1	-	-	3	-
Port of London	—	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,651,113**	-	**178**	**135**	-	**34**	-	-	**70**	**4**
Ages 0-1		-	4	4	-	1	-	-	4	-
" 1-5		-	51	65	-	1	-	-	1	-
" 5-		-	55	28	-	7	-	-	2	-
" 10-		-	27	10	-	3	-	-	2	-
" 15-		-	17	7	-	7	-	-	4	-
" 20-		-	9	8	-	2	-	-	2	2
" 25-		-	9	11	-	6	-	-	9	2
" 35-		-	6	2	-	5	-	-	15	-
" 45-		-	-	-	-	-	-	-	19	-
" 55-		-	-	-	-	2	-	-	4	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 18. 1901. Vol. LXII.] Week ended Saturday, May 4. [Price 1½*d.*

General Register Office, Somerset House,
May 6th, 1901.

Results of the Recent Census.

On page 233 are given the populations, at the recent Census, of the 67 County Boroughs in England and Wales, of the Administrative County of London, and of the 29 Metropolitan Boroughs. These figures are all subject to revision. The several estimates of population, and the death-rates given in this Return, are based on the Census results.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated* at 11,469,114 persons in the middle of this year. In the preceding three weeks the rates had been 19·7, 18·9, and 18·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

Towns.	Weeks ended				Towns.	Weeks ended			
	Apr. 13.	Apr. 20.	Apr. 27.	May 4.		Apr. 13.	Apr. 20.	Apr. 27.	May 4.
33 Great Towns	**19·7**	**18·9**	**18·4**	**17·3**	Leicester - -	22·6	17·2	15·7	11·5
Birkenhead -	16·9	20·6	12·7	15·9	Liverpool - -	23·2	21·2	21·1	20·7
Birmingham -	21·8	21·6	18·2	18·0	London - - -	18·7	17·9	17·8	16·7
Blackburn -	23·7	21·2	19·6	20·0	Manchester - -	24·8	23·1	21·5	18·5
Bolton - -	17·3	19·2	24·4	21·6	Newcastle-on-Tyne	26·4	22·7	21·8	18·9
Bradford -	19·9	16·9	20·7	15·6	Norwich - -	20·0	17·2	14·0	16·3
Brighton -	19·4	15·2	11·8	14·3	Nottingham - -	17·8	24·3	20·4	19·3
Bristol - -	20·2	18·3	18·7	15·2	Oldham - -	24·3	16·3	20·1	15·6
Burnley -	25·2	13·4	23·0	16·1	Plymouth - -	17·4	12·6	25·1	14·5
Cardiff - -	14·2	15·2	15·2	13·9	Portsmouth - -	17·0	20·0	22·5	16·7
Croydon -	11·2	13·6	13·9	9·7	Preston - -	23·7	18·1	20·7	18·5
Derby - -	18·7	17·7	11·8	17·2	Salford - - -	20·9	18·8	20·9	20·5
Gateshead -	19·8	22·7	22·7	24·1	Sheffield - -	19·8	21·3	18·0	18·6
Halifax -	18·8	11·4	24·8	18·8	Sunderland - -	22·3	22·3	18·1	21·3
Huddersfield-	18·1	16·5	18·1	15·9	Swansea - -	18·7	23·1	20·4	26·5
Hull - -	17·2	18·3	13·7	18·5	West Ham - -	15·1	14·5	12·6	13·2
Leeds - -	19·4	20·7	17·0	18·0	Wolverhampton -	17·1	24·3	14·4	12·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Bolton, 1·4 in Liverpool, 1·5 in Hull, 2·7 in Portsmouth, and 2·8 in Gateshead ; from *scarlet fever*, 1·3 in Preston ; from *whooping-cough*, 1·0 in Birmingham, in Derby, and in Manchester, 1·1 in Hull, 1·3 in Bradford, and 1·7 in Swansea ; and from *diarrhœal diseases*, 1·1 in Swansea. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 55 deaths from *diphtheria* included 20 in London, 6 in Sheffield, 5 in Salford, 4 in Manchester, 4 in Leeds, 3 in Liverpool, and 3 in Bristol. No death from *small-pox* was registered in any of the thirty-three towns.

London.

In London† 2562 births and 1454 deaths were registered. Allowing

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9094—670—5/1901 Wt 45 D & S 3

for increase of population, the births were 187, and the deaths 148 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·7, 18·0, and 17·8, in the preceding three weeks, further fell last week to 16·7. During the four weeks ended on Saturday last the death-rate averaged 17·8 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1454 deaths included 39 from measles, 9 from scarlet fever, 20 from diphtheria, 66 from whooping-cough, 2 from enteric fever, 16 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 152 deaths were referred to these diseases, being 59 below the corrected average weekly number.

The deaths from *measles*, which had been 52, 37, and 50 in the preceding three weeks, fell again last week to 39, and were 40 below the corrected average; 9 cases belonged to the Borough of Camberwell, 6 to that of Southwark, 5 to that of Stepney, and 4 to that of Bermondsey. The deaths from *scarlet fever*, which had been 8, 3, and 6 in the preceding three weeks, further rose last week to 9, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 26, 11, and 20 in the preceding three weeks, were again 20 last week, the corrected average being 34; 4 cases belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 74, 58, and 48 in the preceding three weeks, rose again last week to 66, and were 8 above the corrected average; 6 cases belonged to Fulham, 6 to Poplar, 5 to Westminster, 5 to Bermondsey, and 5 to Lambeth. The fatal cases of *enteric fever*, which had been 4, 7, and 10 in the preceding three weeks, fell again last week to 2, the corrected average being 8. The deaths from *diarrhœal diseases*, which had been 9, 14, and 12 in the preceding three weeks, rose again last week to 16, the corrected average being 15. The deaths referred to diseases of the *respiratory organs*, which had been 345, 374, and 286 in the preceding three weeks, further fell last week to 251, and were 78 below the corrected average. The deaths attributed directly to *influenza* numbered 19, having been 27, 31, and 29 in the preceding three weeks. The death of a dock labourer, aged 34 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 72 deaths, concerning all but 1 of which inquests were held. Of these 72 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 64 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 12 to drowning, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1705 cases of scarlet fever, 983 of diphtheria, 1 of typhus, and 108 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 371 cases, against 205, 150, and 198; of diphtheria, 147 cases, against 98, 102, and 145; and of enteric fever, 14 cases, against 17, 13, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended April 27th.

Greater London.

In Greater London 3699 births and 1900 deaths were registered. In the the Outer Ring 13 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 15 from whooping-cough, 1 from "fever," and 4 from diarrhœal diseases were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 49°·3; the latter being equal to the week's average in the 50 years 1841–90. The direction of the wind was easterly, the horizontal movement of the air being 38 per per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 45·6 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Registered during the Week ended 4th May 1961. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,469,114**	**6517**	**3799**	**820**	**950**	**–**	**107**	**34**	**55**	**133**	**20**	**45**	**144**	**282**	**965**	**45**	**17·3**	**1·8**	**67·9**	**31·0**	**47·7**	**8·72**	**0·16**	**0·41**	**33 Towns.**
London - -	4,543,727	2562	1454	306	372	–	39	9	20	66	2	16	72	149	483	3	16·7	1·7	67·9	33·4	49·3	9·61	0·00	0·00	London.
West Ham - -	268,868	185	68	12	21	–	2	1	2	2	–	1	–	3	13	–	13·2	1·6	–	–	–	–	–	–	West Ham.
Croydon - -	134,665	60	25	7	6	–	–	–	–	–	–	–	–	–	3	–	9·7	–	66·0	32·0	47·2	8·44	0·03	0·08	Croydon.
Brighton - -	123,668	75	34	8	11	–	–	–	–	2	–	–	2	3	7	–	14·3	0·8	66·0	37·0	49·4	9·67	0·02	0·05	Brighton.
Portsmouth -	189,907	99	61	7	17	–	10	–	1	1	1	–	3	4	10	1	16·7	3·6	66·5	35·0	48·9	9·39	0·00	0·00	Portsmouth.
Plymouth - -	107,974	61	30	7	11	–	–	–	–	–	–	–	1	1	7	–	14·5	–	–	–	–	–	–	–	Plymouth.
Bristol - -	329,825	196	96	24	27	–	1	1	3	3	–	2	4	6	26	1	15·2	1·6	64·2	32·4	47·7	8·72	0·06	0·15	Bristol.
Cardiff - -	164,717	110	44	18	5	–	–	–	1	3	–	–	1	4	6	–	13·9	1·3	–	–	–	–	–	–	Cardiff.
Swansea - -	94,609	48	48	9	7	–	–	–	–	3	–	2	1	2	6	2	26·5	2·8	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	58	23	7	7	–	–	1	–	–	–	–	–	1	2	–	12·7	0·6	66·2	31·0	45·5	7·50	0·04	0·10	Wolverhampton.
Birmingham -	523,284	345	181	48	44	–	7	2	–	10	1	1	3	8	47	3	18·0	2·1	–	–	–	–	–	–	Birmingham.
Norwich - -	111,997	43	35	9	9	–	–	–	–	–	1	–	–	2	4	–	16·3	0·5	–	–	–	–	–	–	Norwich.
Leicester - -	212,498	142	47	10	13	–	–	–	1	2	1	1	4	6	9	–	11·5	1·2	–	–	–	–	–	–	Leicester.
Nottingham -	240,400	141	89	17	25	–	3	–	–	3	2	–	7	8	20	–	19·3	1·7	63·5	36·4	46·2	7·89	0·07	0·18	Nottingham.
Derby - - -	106,076	60	35	10	13	–	–	–	–	2	–	1	–	1	5	–	17·2	1·5	–	–	–	–	–	–	Derby.
Birkenhead -	111,182	66	34	3	14	–	–	1	–	1	–	1	–	–	12	–	15·9	1·4	–	–	–	–	–	–	Birkenhead.
Liverpool	686,669	408	272	51	63	–	18	–	3	1	3	4	8	14	84	16	20·7	2·2	64·8	40·8	50·1	10·06	0·11	0·28	Liverpool.
Bolton - -	168,748	76	70	13	14	–	4	1	–	3	1	–	1	4	7	–	21·6	3·1	–	–	–	–	–	–	Bolton.
Manchester -	544,894	318	193	45	38	–	4	2	4	10	3	3	8	17	49	1	18·5	2·5	–	–	–	–	–	–	Manchester.
Salford - -	221,587	103	87	21	21	–	1	4	5	–	–	1	1	3	22	–	20·5	2·6	–	–	–	–	–	–	Salford.
Oldham - -	137,382	54	41	5	15	–	–	1	–	–	–	–	1	2	5	–	15·6	0·4	–	–	–	–	–	–	Oldham.
Burnley - -	97,295	40	30	7	6	–	–	–	1	–	–	1	1	2	5	1	16·1	1·1	–	–	–	–	–	–	Burnley.
Blackburn - -	127,714	76	49	10	12	–	–	1	1	–	–	1	–	–	5	2	20·0	1·2	–	–	–	–	–	–	Blackburn.
Preston - -	121,192	62	43	8	15	–	–	3	–	–	–	–	1	1	8	–	18·5	1·3	66·0	39·0	48·8	9·33	0·48	1·22	Preston.
Huddersfield -	94,998	28	29	5	11	–	–	–	–	–	–	–	1	3	5	–	15·9	–	64·7	37·0	46·4	8·00	0·18	0·46	Huddersfield.
Halifax - -	105,179	33	38	4	12	–	–	–	–	–	–	–	–	–	6	2	18·8	–	–	–	–	–	–	–	Halifax.
Bradford - -	280,161	123	84	17	22	–	–	2	1	7	–	–	1	5	8	1	15·6	1·9	66·0	38·6	47·4	8·56	0·78	1·98	Bradford.
Leeds - - -	430,489	245	149	37	28	–	3	1	4	1	–	3	2	7	22	–	18·0	1·5	–	–	–	–	–	–	Leeds.
Sheffield - -	382,129	243	136	32	31	–	1	–	6	2	2	3	7	8	23	3	18·6	1·9	–	–	–	–	–	–	Sheffield.
Hull - - -	239,514	134	85	21	19	–	7	–	1	5	1	2	3	4	12	2	18·5	3·5	62·0	35·0	45·8	7·67	0·11	0·28	Hull.
Sunderland -	147,207	105	60	16	9	–	–	1	1	2	–	2	4	5	11	1	21·3	2·1	–	–	–	–	–	–	Sunderland.
Gateshead - -	110,496	83	51	15	10	–	6	–	–	2	2	–	3	3	11	5	24·1	4·7	–	–	–	–	–	–	Gateshead.
Newcastle - -	215,596	135	78	11	22	–	1	3	–	2	–	–	4	6	22	1	18·9	1·5	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2658	2735	2625	2637	2837	2565	2638	2449	2623	2737	2749·1	2562
Males - -	1408	1394	1338	1288	1421	1322	1365	1232	1314	1364	1394·7	1278
Females - -	1250	1341	1287	1349	1416	1243	1273	1217	1309	1373	1354·4	1284
TOTAL **Deaths** -	2069	1549	1576	1428	1395	1570	1323	1464	1397	1675	1602·1	1454
Males - -	1056	819	805	756	729	815	720	761	705	889	835·5	777
Females - -	1013	730	771	672	666	755	603	703	692	786	766·6	677

*The numbers in this column are the average weekly numbers in the eighteenth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.
TOTAL **Births** - - -	2687	2690	2673	2681	2496	2607	2424	2634	2538	2358	2835	2585	2562
TOTAL **Deaths** - - -	1668	1719	1853	1865	1723	1571	1588	1615	1573	1633	1564	1552	1454
Ages at Death: Under 1 year - -	358	333	340	333	359	333	299	349	325	325	300	323	306
1—5 years - -	162	181	199	214	225	189	203	220	223	256	184	217	178
5—20 ,, - -	99	75	89	94	91	96	85	85	70	91	77	85	91
20—40 ,, - -	194	216	226	223	201	197	202	207	195	200	209	200	180
40—60 ,, - -	327	369	375	392	355	314	318	313	301	307	325	284	327
60—80 ,, - -	420	412	515	486	398	366	393	375	380	363	377	347	299
80 years and upwards	108	133	109	123	94	76	88	96	79	91	92	96	73
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	20	36	36	36	33	35	42	56	38	52	37	50	39
Scarlet Fever - - -	4	5	5	4	6	10	6	8	8	8	3	6	9
Diphtheria - - - -	29	20	27	19	25	30	14	16	21	26	11	20	20
Whooping-cough - - -	58	49	52	57	37	43	63	55	62	74	58	48	66
Typhus - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	12	11	6	9	7	8	5	8	5	4	7	10	2
Simple Continued Fever -	-	-	1	-	-	-	1	-	-	-	-	-	-
Diarrhœa and Dysentery -	12	16	10	19	14	13	13	21	12	9	14	12	16
Cholera - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-
All the above Diseases -	136	137	137	144	122	140	144	164	146	173	130	146	152
Dis. of Respiratory System -	397	420	493	501	463	394	332	363	360	345	374	286	251
Phthisis - - - - -	148	171	172	169	169	168	149	165	168	139	158	153	143
Dis. of Circulatory System -	178	166	189	192	161	138	187	157	133	161	137	132	136
Violence - - - -	54	70	75	64	66	63	73	64	64	89	51	79	72
Inquest Cases - - - -	171	152	207	186	159	158	196	136	157	207	137	150	149
Deaths in Public Institutions -	550	561	590	589	548	489	510	523	522	530	514	534	483
TEMPERATURE OF THE AIR													
Mean - - - - -	34°·3	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4	46°·2	47°·3	54°·7	49°·3
Mean of Highest readings -	38·2	37·5	39·1	49·1	48·0	44·6	43·1	41·1	53·2	54·1	56·7	66·2	61·0
Mean of Lowest readings -	29·6	26·7	31·7	38·7	37·1	33·7	34·2	28·4	36·1	41·0	38·2	43·3	39·0
Humidity of the Air - -	86	72	80	84	85	91	78	70	80	83	67	57	72
Rain-fall (in inches) - -	0·27	0·03	0·15	0·57	0·76	0·09	0·31	0·44	0·97	0·71	0·33	0·02	0·00
Registered Sunshine (in hours)	2·2	11·9	6·6	15·7	11·4	5·4	13·2	21·2	27·4	29·0	48·6	77·2	45·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	1	1	-	-	-	-	-	-	-
Scarlet Fever - - - -	1963	1876	1834	1823	1746	1652	1598	1568	1572	1601	1526	1522	1705
Diphtheria - - - -	1150	1110	1118	1124	1118	1115	1103	1089	1073	1020	958	962	983
Typhus - - - - -	6	6	6	2	2	3	3	2	1	1	-	-	1
Enteric Fever - - - -	262	258	237	224	205	184	182	162	146	141	132	121	108

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTEENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Average for the 18th Week of the 10 years 1891–1900*.	In the Week ended Saturday 4th May, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1602·1	1454	306	178	91	180	327	299	73
Small-pox: Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·4	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·5	-	-	-	-	-	-	-	-
Measles - - - -	79·4	39	12	27	-	-	-	-	-
Scarlet Fever - - -	14·2	9	1	4	3	1	-	-	-
Diphtheria - - -	-	-	-	-	-	-	-	-	-
Whooping-fever - -	-	-	-	-	-	-	-	-	-
Whooping-cough - -	35·2	19	1	-	1	2	4	10	1
Enteric - - -	58·2	66	33	30	3	-	-	-	-
Relapsing Fever - -	34·0	20	-	13	5	-	1	1	-
Typhus - - -	0·1	-	-	-	-	-	-	-	-
Ill-defined Fever -	7·9	2	-	-	1	1	-	-	-
Puerperal Fever - -	0·1	-	-	-	-	-	-	-	-
Cholera and Chol. Diarr.	15·3	16	10	1	-	-	3	-	2
Erysipelas - - -	-	-	-	-	-	-	-	-	-
Intermittent Fever - -	-	-	-	-	-	-	-	-	-
Malarial Cachexia - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Small-pox and Effects of Vaccination - -	0·1	-	-	-	-	-	-	-	-
Cerebral Affections - -	5·6	10	6	2	-	1	1	-	-
Erysipelas - - -	3·8	2	1	-	-	-	-	1	-
Pyæmia and Septicæmia	1·3	5	1	-	2	2	-	-	-
Puerperal Fever - -	3·4	6	-	-	-	6	-	-	-
Other Zymotic Diseases	1·9	3	1	1	-	1	-	-	-
Cancer - - - -	0·8	1	1	-	-	-	-	-	-
Diabetes and other Parasitical Diseases -	0·2	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·9	1	1	-	-	-	-	-	-
Alcoholism - - -	10·3	19	-	-	-	5	13	1	-
Rheumatic Fever, Rheumatism of Heart	5·2	-	-	-	-	-	-	-	-
Rheumatism - - -	1·6	1	-	-	-	-	-	-	1
Gout - - - - -	3·9	1	-	-	-	-	1	-	-
Dropsy - - - -	5·7	3	-	3	-	-	-	-	-
Cancer - - - -	70·5	77	-	1	1	8	35	28	4
Tabes Mesenterica - -	16·8	10	2	6	2	-	-	-	-
Tubercular Meningitis -	25·2	26	1	17	8	-	-	-	-
Phthisis - - - -	160·7	143	1	1	16	62	53	9	1
Other Tuberculous Diseases, Tuberculosis -	23·7	26	7		5	6	3	1	-
Other Constitutional Diseases - -	14·4	17	-	1	-	4	8	4	-
Premature Birth - -	49·6	56	56	-	-	-	-	-	-
Congenital Malformations - - -	3·4	5	5	-	-	-	-	-	-
Congenital Malformations - - -	8·2	5	5	-	-	-	-	-	-
Old Age - - - -	50·1	53	-	-	-	-	-	25	28
Apoplexy - - -	41·0	59	1	-	-	2	21	32	3
Epilepsy - - - -	7·6	4	-	-	1	-	2	1	-
Convulsions - - -	30·7	29	24	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	79·4	72	7	10	11	13	10	18	3
Diseases of Organs of Special Sense -	2·3	6	-	1	-	4	-	1	-

CAUSES OF DEATH.	Corrected Average for the 18th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 4th May, 1901. — Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upward.
Diseases of Circulatory System - - -	136·7	136	1	1	7	13	43	61	10
Croup - - - -	3·3	1	-	1	-	-	-	-	-
Bronchitis - - -	157·2	98	24	8	1	1	17	40	7
Pneumonia - - -	139.3	128	24	26	3	13	38	21	3
Pleurisy - - - -	7·3	11	1	-	2	1	4	3	-
Other Diseases of Respiratory System -	22·1	13	1	2	1	3	4	2	-
Dentition - - - -	9·8	3	2	1	-	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	-	-	-	-	1	-
Enteritis - - -	13·3	9	2	2	3	-	1	1	-
Gastro-enteritis -		3	2	1	-	-	-	-	-
Peritonitis - - -	6·1	5	-	1	-	2	1	-	1
Diseases of Liver - -	26·3	24	1	-	-	2	16	5	-
Other Diseases of Digestive System	31·4	28	6	1	-	5	7	7	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	2	-	-	1	1	-	-	-
Diseases of Urinary System - - -	44·2	40	-	-	-	6	17	15	2
Diseases of Generative System - - -	5·5	7	-	-	-	-	5	2	-
Accidents of Childbirth -	5·0	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	5·8	5	1	-	2	-	-	2	-
Diseases of Integumentary System - -	5·9	7	2	-	-	-	2	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·5	2	-	-	1	1	-	-	-
By Vehicles or Horses -	5·4	5	-	2	1	-	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·7	-	-	-	-	-	-	-	-
In Building Operations -	1·0	2	-	-	-	-	2	-	-
In Conflagrations -	0·4	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	7·2	5	-	3	1	1	-	-	-
By Drowning - - -	7·2	12	-	-	6	3	3	-	-
By Suffocation in Bed -	9·5	10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·9	2	-	-	1	-	1	-	-
Other or not stated causes - - - -	16·4	26	8	-	2	4	4	4	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	1	1	-	-	-	-	-	-
Suicide - - - -	10·4	7	-	-	-	3	3	1	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	39·8	47	43	2	-	1	1	-	-

*The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase population.

†Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th May, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquests & Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,034†	2562	1454	306	372	-	39	9	20	66	-	2	-	16	72	149	483
WEST DISTRICTS - - -	805,227	381	264	52	75	-	3	-	3	17	-	-	-	4	15	26	80
NORTH DISTRICTS - - -	1,055,978	529	282	56	75	-	2	2	8	10	-	-	-	1	4	17	92
CENTRAL DISTRICTS - - -	209,235	133	84	17	12	-	-	-	-	1	-	-	-	3	9	14	37
EAST DISTRICTS - - -	713,865	497	272	73	72	-	9	-	8	9	-	1	-	5	9	28	105
SOUTH DISTRICTS - - -	1,748,570	1022	522	108	125	-	25	6	1	29	-	1	-	3	34	62	139
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	30	-	13	-	-	1	-	-	-	-	-	-	1	2	30
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	39	24	4	7	-	-	-	1	2	-	-	-	1	-	-	4
St. John Paddington *H* - - G.	33,608	5	10	1	5	-	-	-	-	1	-	-	-	-	-	-	3
North-West Paddington† - - C.	17,181	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	70	45	8	17	-	-	-	-	1	-	-	-	1	6	8	21
Brompton *HH* - - - W. & C.	48,598	6	10	3	1	-	-	-	-	-	-	-	-	-	3	5	1
North Hammersmith *H* W. & G.	49,335	27	10	3	3	-	-	-	-	-	-	-	-	-	-	1	-
South Hammersmith *wH* W. & G.	62,898	27	21	6	6	-	1	-	-	2	-	-	-	-	3	3	5
North-west Fulham *W* W. & C.	45,176	45	23	7	4	-	-	-	-	3	-	-	-	-	-	1	9
North-east Fulham *w* W. & C.	46,404	16	7	2	2	-	-	-	1	-	-	-	-	-	-	1	1
South Fulham W. & C.	45,704	37	17	7	-	-	-	-	-	2	-	-	-	1	1	2	-
Chelsea North *WWHHHH* - C.	42,515	26	25	5	9	-	-	-	1	-	-	-	-	-	-	-	16
Chelsea South *HH* - - C.	31,340	10	11	2	3	-	1	-	-	-	-	-	-	-	-	-	1
May Fair and Knightsbridge† *H* C. & G.	28,744	8	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,801	18	27	2	9	-	1	-	-	4	-	-	-	1	1	1	15
St. Margaret & St. John Westminster† *HHH* C.	43,646	21	14	1	2	-	-	-	-	-	-	-	-	-	1	2	3
St. James Westminster *WH* N. & G.	21,595	6	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	11,492	9	5	-	1	-	-	-	-	-	-	-	-	-	-	2	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	14	14	2	2	-	-	-	-	-	-	-	-	-	-	-	8
Rectory Marylebone *W* G. & W.	19,869	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	28	5	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	39,541	21	7	1	1	-	-	-	-	-	-	-	-	-	-	4	-
St. John Marylebone *HHH* - W	20,426	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* - N. & W.	81,902	19	31	6	7	-	-	2	5	2	-	-	-	1	-	-	14
Regent's Park *H* - W.	50,647	26	10	5	2	-	-	-	-	2	-	-	-	-	-	-	1
Tottenham-court *wHHHHHH* - N. & W.	24,814	7	5	1	2	-	-	-	1	-	-	-	-	-	-	-	3
Gray's Inn Lane *HHHH* - N.	30,886	16	14	1	2	-	-	-	-	-	-	-	-	-	1	3	3
Somers Town *HH* - - - N.	30,131	15	13	5	1	-	-	-	-	1	-	-	-	-	1	1	7
Camden Town *WH* - - N.	40,079	28	13	1	8	-	-	-	-	-	-	-	-	-	-	1	9
Kentish Town *WW* - - - N.	58,727	22	18	2	7	-	-	-	-	-	-	-	-	-	-	-	10
Upper Holloway *WWWWwHH* - - N.	99,841	55	39	8	13	-	-	-	-	1	-	-	-	-	1	1	19
Lower Holloway - - - N.	41,411	24	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	54,479	37	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *H* - N.	75,402	33	16	5	1	-	-	-	1	1	-	-	-	-	-	2	1
Highbury *HH* - - - N.	63,795	30	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	51,247	17	12	1	4	-	1	-	-	-	-	-	-	-	-	1	-
North Hackney - E. & N.	50,570	24	15	3	6	-	1	-	-	1	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.	50,535	33	10	2	-	-	-	-	1	-	-	-	-	-	1	3	2
South-west Hackney *HHH* E. & N.	59,929	36	13	4	1	-	-	-	-	-	-	-	-	-	-	-	3
South-east Hackney *WwH* E. & N.	58,254	31	21	4	10	-	-	-	-	1	-	-	-	-	-	1	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	18	4	2	–	–	–	–	–	–	–	–	–	–	1	1	2	–
St. Giles North *H* - - - N.	8,959	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Martin-in-the-Fields *HH* N. & C.	12,975	2	6	–	1	–	–	–	–	–	–	–	–	–	3	3	4	–
Strand *WHH* - - - - N.	8,694	2	6	–	1	–	–	–	–	–	–	–	–	–	–	1	4	–
Strand Union Workhouse, Edmonton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *WwHHHHH* - N.	29,579	22	15	4	1	–	–	–	–	1	–	–	–	1	–	–	8	–
St. James Clerkenwell - - N.	15,634	13	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Clerkenwell - - N.	32,691	23	7	4	1	–	–	–	–	–	–	–	–	1	1	1	–	–
Goswell-street - - - - N.	15,390	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
City-road *HHHL* - - - N.	25,404	32	7	3	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Finsbury - - - - - N.	9,972	5	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H* - - N. & E.	11,036	6	7	1	–	–	–	–	–	–	–	–	–	–	2	3	–	–
St. Sepulchre *WH* - - - N.	7,897	3	19	–	2	–	–	–	–	–	–	–	–	1	1	2	18	–
All Hallows Barking - - - N.	8,509	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
City of London Asylum, Stone - -	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	3	5	4	–	–	–	–	–	1	–	–	–	–	1	1	–	–
Hoxton New Town *wH* - - N.	29,761	18	19	4	6	–	–	–	–	–	–	–	–	–	–	1	10	–
Hoxton Old Town - - - N.	26,499	23	6	2	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Haggerston *W* - - N. & E.	46,064	25	24	8	7	–	1	–	–	–	–	–	–	–	–	1	9	–
Bethnal Green North *HH* - E.	51,513	29	8	2	3	–	–	–	–	–	–	–	–	–	–	1	3	–
Bethnal Green South - - E.	33,473	21	4	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Bethnal Green East *WWHl* - E.	44,695	29	18	2	7	–	–	–	3	–	–	–	–	–	–	–	8	–
Spitalfields - - - E. & N.	27,965	26	10	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *WH* - E.	28,711	34	45	10	5	–	–	–	3	–	–	–	–	–	2	6	40	–
Goodman's Fields - - - E.	21,847	10	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
St. George's, North - - - E.	40,965	43	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
St. John, St. George East *W* E.	7,886	6	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Shadwell *H* - - - E. & N.	10,586	8	8	3	1	–	1	–	–	1	–	–	–	–	–	–	5	–
Ratcliff *W* - - - - E.	14,668	7	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Limehouse - - - - E.	32,121	22	10	4	2	–	–	–	2	–	–	–	–	2	–	1	–	–
Mile End Old Town West *H* E.	59,467	48	10	1	5	–	1	–	–	–	–	–	–	–	–	1	–	–
Mile End Old Town East *WWw* - E.	53,348	19	12	4	5	–	–	–	–	–	–	–	–	–	1	2	4	–
Bow *l* - - - - E.	41,987	35	9	2	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Bromley *wwwH* - - - E.	68,320	56	51	12	15	–	2	–	–	3	–	–	–	2	1	6	23	–
Poplar *WW* - - - - E.	57,619	35	18	6	6	–	–	–	–	3	–	–	–	1	3	4	1	–

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.* & S.	11,207	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	9	11	3	2	-	2	-	-	-	-	-	-	-	2	2	8	-
Kent-road - - - - S. & L.	21,899	16	5	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,882	12	6	1	-	-	-	-	-	1	-	-	-	-	1	1	3	-
London-road *HL* - - L. & S.	22,209	15	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington *H* - S. & L.	28,485	28	9	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
St. Peter Walworth *W* - S. & L.	61,773	43	20	3	6	-	3	-	-	1	-	-	-	1	-	-	2	-
St. Mary Newington- - L. & S.	31,592	22	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.	9,669	9	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Bermondsey *W* - - - S.	82,363	61	25	8	4	-	4	-	-	5	-	-	-	-	1	2	-	-
Rotherhithe *Ww* - S. & K.	37,904	22	21	1	7	-	-	-	-	-	-	-	-	-	2	2	8	-
Waterloo-road *HH* - L. & S.	27,420	22	9	2	-	-	-	-	-	2	-	-	-	-	1	1	2	-
Lambeth Church 1st *HH* L. & S.	18,408	12	15	1	2	-	-	-	-	-	-	-	-	-	2	2	9	-
Lambeth Church 2nd *WW* L. & S.	39,818	20	22	1	5	-	-	-	-	2	-	-	-	-	2	4	19	-
Kennington 1st *H* - - S. & L.	53,176	36	8	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Kennington 2nd - - S. & L.	42,891	24	9	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Brixton *w* - - - L. & S.	84,226	38	15	1	8	-	-	-	-	-	-	-	-	-	-	1	1	1
Norwood *WH* - - - - L.	35,887	14	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea - - - - S.	72,182	56	22	9	6	-	-	-	-	3	-	-	-	-	1	4	-	1
North-west Battersea - - S.	49,647	21	15	5	1	-	1	-	-	1	-	-	-	-	1	2	-	-
South-west Battersea *WwH* - S.	47,045	25	18	2	6	-	-	-	-	-	-	-	-	-	2	3	12	-
Clapham *H* - - - - S.	51,353	23	15	3	1	-	-	-	-	1	-	-	-	1	2	3	3	-
Streatham *WwwwL* - - L.	88,129	38	18	2	4	-	-	3	-	2	-	-	-	-	-	1	3	-
Wandsworth *WHHL* - - S.	68,398	49	14	2	3	-	1	-	-	-	-	-	-	-	2	4	1	-
Putney - - - - - S.	24,135	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	10,246	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	47	46	6	15	-	2	-	-	-	-	-	-	-	-	4	30	-
Peckham *WW* - S., L., & K.	93,022	57	27	11	7	-	4	-	-	2	-	-	-	1	1	2	-	-
St. George Camberwell - L. & S.	65,586	39	9	4	2	-	2	1	-	1	-	-	-	-	1	2	-	-
Deptford North - - - K.	37,482	30	17	7	1	-	2	-	-	3	-	-	-	-	1	1	-	1
Deptford Central *w* - - K.	45,621	33	14	7	1	-	-	1	1	-	-	-	-	-	1	1	3	-
Deptford South - - - K.	34,622	10	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,417	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,774	28	24	-	9	-	-	-	-	-	-	-	-	-	3	4	15	-
Eltham *wH* - - - - K.	7,218	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	7	6	2	2	-	-	-	-	1	-	-	-	-	-	1	1	-
Lewisham *WwwH* - - - K.	58,341	42	24	6	8	-	2	-	-	-	-	1	-	-	1	2	12	-
Sydenham *H* - - - - L.	43,650	26	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *wHH* - - - K.	21,109	10	5	1	2	-	-	1	-	1	-	-	-	-	-	-	1	-
Woolwich *HHHH* - - K.	41,515	17	11	2	2	-	-	-	-	-	-	-	-	-	3	4	1	-
Plumstead West *H* - - K.	18,076	8	7	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead East *WH* - - K.	50,264	35	11	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Banstead Asylum - - - -	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Central London Sick Asylum, Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Colney Hatch Asylum - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	9	-	6	-	-	-	-	-	-	-	-	-	-	-	9	-
Claybury Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table includes 3,159 persons who were enumerated on board ships and boats; these have not yet been allocated to the several sub-districts.

ABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th May, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,584	The populations of the Outer Ring and its several parts cannot be given until the recent Census shall have been ascertained.	1137	446	113	124	–	13	3	7	15	1	4	11	29	50	1
30:1	Carshalton *H*	12,228		13	8	1	3	–	–	–	–	1	–	–	–	–	–	–
2	Epsom, *part of* WwHHH*	10,423		7	3	–	1	–	1	–	–	–	–	–	–	–	1	–
37:1	Godstone, *part of* W*	2,754		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38:1	Croydon *WWwHHH*	20,851		72	35	9	10	–	–	–	–	1	–	–	1	1	4	–
2	Mitcham *w*	11,697		21	8	3	2	–	–	–	–	1	–	1	–	–	–	–
39:1	Wimbledon *HHH*	3,220		17	6	2	2	–	–	–	–	1	–	–	–	2	–	–
2	Kingston *WH*	14,672		22	10	2	3	–	–	1	–	–	–	–	1	1	4	–
3	Surbiton *HH*			8	3	–	1	–	–	–	–	–	–	–	–	–	1	–
4	Esher, *part of* H*			8	4	2	1	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL*	4,565		10	4	1	–	–	–	–	–	–	–	1	–	1	–	–
40:1	Richmond *WHH*	2,160		12	7	–	3	–	–	–	–	–	1	–	–	–	2	–
2	Mortlake *H*	2,823		9	1	–	–	–	–	–	–	–	–	–	–	–	–	–
41:1	Bromley *HHH*	9,127		7	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6,542		9	4	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of* W*	6,974		7	3	–	1	–	–	–	–	–	–	–	–	–	3	–
4	Chislehurst *HH*	7,333		6	3	2	1	–	–	–	–	–	–	–	–	–	–	–
42:1	Bexley *HHH*	12,540		36	10	4	4	–	–	–	–	2	–	–	–	–	–	–
2	Dartford *WH, part of**	—		–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
44:1	Sunbury *w*	11,054		10	3	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13,277		11	4	1	1	–	–	–	–	–	–	–	–	–	–	–
45:1	Hillingdon *WHH*	6,035		11	5	3	1	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge	12,757		1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	7,952		2	4	2	1	–	–	–	–	1	–	–	–	–	–	–
46:1	Isleworth *WHH*	6,967		17	10	1	4	–	–	–	–	2	–	–	2	2	2	–
2	Twickenham *HH*	2,415		14	3	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4,318		29	9	1	2	–	–	–	1	–	–	–	–	–	1	–
4	Chiswick	1,245		16	8	2	1	–	1	–	–	–	–	–	–	–	–	–
5	Acton *wHH*	6,132		16	10	5	2	–	–	–	–	–	–	–	–	2	–	–
47:1	Harrow *HHH*	13,809		15	7	1	–	–	–	–	–	1	–	–	–	–	–	–
2	Edgware *HH*	6,994		5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,383		68	16	4	5	–	–	–	1	–	–	–	–	2	1	–
4	Hendon *WH*	8,382		9	11	3	2	–	–	–	–	–	–	1	–	–	–	–
48:1	South Mimms *HH*	21,077		3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*			12	9	1	2	–	–	–	–	–	–	–	–	–	1	–
3	Finchley *HHH*	4,688		14	5	–	2	–	1	–	–	–	–	–	–	–	–	–
49:1	Hornsey† *HH*	2,874		25	7	4	2	–	1	–	–	–	–	–	1	2	–	–
2	Tottenham *HHH*	4,642		86	26	6	9	–	1	–	–	–	–	–	2	4	3	–
3	Edmonton *Ww*	7,489		40	15	5	1	–	–	–	–	1	–	–	1	2	2	–
4	Enfield *WWHH*	12,602		24	15	3	5	–	–	–	1	1	–	–	–	–	1	1
5	Waltham Abbey	11,017		3	5	2	1	–	–	–	–	–	–	–	1	1	–	–
6	Cheshunt *H*	8,480		7	1	1	–	–	–	–	–	–	–	–	–	–	–	–
50:1	Hatfield, *part of* W*	3,306		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
51:1	Bushey *H*	9,331		7	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH, part of**	—		–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
53:1	Stratford *H*	4,706		30	13	1	6	–	1	–	–	–	–	–	–	1	2	–
2	Plaistow *HHH*			64	21	6	3	–	1	–	2	–	–	1	–	2	–	–
3	Canning Town *H*			58	14	4	1	–	–	1	–	1	–	–	–	–	1	–
4	Forest Gate *w*			33	10	1	4	–	–	–	–	1	–	–	–	–	–	–
5	East Ham *wHHH*	3,266		70	18	8	2	–	–	–	–	–	–	–	1	1	–	–
6	Wanstead	4,334		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*			31	25	3	12	–	–	–	1	–	–	–	–	1	15	–
8	North Leyton *WwH*			29	12	3	8	–	–	–	–	–	–	–	–	1	–	–
9	Walthamstow *HHHL*	6,501		59	21	5	4	–	4	–	–	–	–	–	–	2	1	–
57:1	Chigwell, *part of** *HHHH*	11,779		6	7	3	2	–	2	1	–	–	–	–	–	–	2	–
2	Epping *WH, part of**	—		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59:1	Romford, *part of** *W*	6,556		5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford *H*	8,493		15	10	6	–	–	–	–	1	1	–	–	–	–	–	–
3	Barking Town *H*	3,814		21	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	Park Hospital, Lewisham	—		–	1	–	–	–	–	–	–	–	–	–	1	1	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 45: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 1, and 187: 2 are also included.

† See note on previous page.

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 4th May, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
Greater London	**443,421**	?	?	?	**1900**	**419**	**496**	–	**52**	**12**	**27**	**81**	**3**	**20**	**83**	**533**
Inner London	74,837	4,543,727	16·7	1·7	1454	306	372	–	39	9	20	66	2	16	72	483
Outer Ring	368,584	?	?	?	446	113	124	–	13	3	7	15	1	4	11	50

Note.—The population of the extra-Metropolitan portion of Greater London at the recent Census has not yet been ascertained.

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
Edinburgh	309,472	May 4	183	139	23·4	–	4	1	1	15	1	3
Glasgow	753,766	" 4	467	290	20·1	3	6	6	–	16	–	4
Dublin†	346,128	" 4	297	176	26·5	–	–	–	–	9	2	2
Calcutta	466,460	February 9	–	480	53·6	82	1	–	1	1	205‡	62§
Bombay	821,764	April 16	265	1625	109·6	6	5	?	?	?	924‡	64§
Madras	452,518	March 29	290	359	41·2	11	9	?	?	?	117	46§
Paris	2,511,629	April 27	1105	1060	21·9	20	21	2	12*	7	4	21
Brussels	570,844	" 27	247	184	16·8	–	1	–	3*	–	1	11
Amsterdam	523,822	" 20	287	210	20·9	–	–	–	–	4	–	25
Rotterdam	325,556	February 16	–	–	–	–	–	–	–	–	–	–
The Hague	205,328	" 16	–	–	–	–	–	–	–	–	–	–
Copenhagen	378,200	April 27	167	147	20·3	–	8	1	–	3	–	4
Stockholm	301,050	" 20	144	103	17·8	–	1	4	3*	–	–	3
Christiania	226,423	" 27	171	67	15·4	–	–	–	1	1	–	–
St. Petersburg	1,248,643	" 20	982	620	25·9	1	16	13	37	3	13	58
Moscow	1,023,817	" 20	–	552	28·1	2	4	4	6	4	1	64
Berlin	1,891,431	" 13	905	711	19·7	1	1	4	8	18	1	48
Hamburg	705,738	" 27	–	216	15·9	–	2	2	–	6	1	10
Dresden	397,000	January 5	–	–	–	–	–	–	–	–	–	–
Breslau	427,505	April 27	–	210	25·6	–	2	–	–	–	–	15
Munich	500,000	" 27	–	264	27·5	–	5	–	–	3	1	31
Vienna	1,662,269	" 27	944	704	22·0	–	16	7	10*	2	–	64
Prague	389,741	" 20	203	189	25·2	–	3	1	–	–	2	4
Buda-Pesth	747,535	" 20	445	273	19·0	–	7	3	1	1	–	10
Trieste	176,456	" 27	104	84	24·7	–	–	–	1*	1	1	2
Rome	521,159	March 16	–	–	–	–	–	–	–	–	–	–
Turin (10 days)	344,203	January 10	–	–	–	–	–	–	–	–	–	–
Venice	174,170	March 9	74	117	35·0	–	–	–	–	–	–	5
		" 16	75	102	30·5	–	2	–	2*	–	1	1
Cairo	570,062	" 4	483	304	27·7	1	–	–	–	–	7	52
Alexandria	319,766	" 4	227	192	31·2	5	–	–	–	1	5	42
New York (including Brooklyn)	3,536,517	April 13	1602	1413	20·9	11	10	50	47*	10	14	37
Philadelphia	1,293,697	" 13	–	469	18·9	–	–	6	7	6	5	[illegible]

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 12 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras.
‡ Including 112 deaths from plague in Calcutta, and 681 in Bombay.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	28	..	29·778	56·7	36·6	20·1	45·0	− 3·6	38·3	6·7	16·9	0·7	77	122·1	28·8	47·92	NNW., NNE.&SW.	SW., NE. & SE.	0·4	0·0	0·0	122	−147	0·00	0·0
Monday -	29	In Equator	29·711	57·9	33·4	24·5	46·6	− 2·2	36·2	10·4	18·8	0·0	67	115·0	20·8	47·82	Calm & N.	N., ENE. & ESE.	1·2	0·0	0·0	120	−146	0·00	0·0
Tuesday -	30	..	29·831	65·0	38·7	26·3	50·3	+ 1·3	40·7	9·6	19·6	1·8	70	128·1	25·9	47·77	SE. & N.	ESE. & S.	1·0	0·0	0·0	138	−124	0·00	0·0
May. Wednesday	1	..	29·947	64·9	35·3	29·6	49·8	+ 0·6	41·1	8·7	19·3	1·8	72	139·8	23·3	47·73	SSE., NE. & ENE.	ENE, NNE. & N.	2·1	0·0	0·1	200	− 59	0·00	0·0
Thursday-	2	Apogee	30·058	55·2	45·0	10·2	49·8	+ 0·4	45·7	4·1	8·0	0·8	86	71·2	37·3	47·91	N.	N., NE. & E.	1·0	0·0	0·0	131	−126	0·00	0·0
Friday -	3	Full	30·166	67·9	44·3	23·6	54·1	+ 4·4	40·2	13·9	25·7	0·7	59	139·8	36·0	48·30	NNE., N. & NE.	E., SE. & NE.	3·0	0·0	0·1	201	− 54	0·00	0·0
Saturday-	4	..	30·135	59·2	39·8	19·4	49·2	− 0·8	41·5	7·7	13·5	0·2	75	128·6	27·4	48·48	NNE. & NE.	N., NNE. & NE.	1·6	0·0	0·1	225	− 29	0·00	0·0
Means -	-		29·947	61·0	39·0	22·0	49·3	0·0	40·5	8·7	17·4	0·9	72	120·7	28·5	47·99	NE. & SE.		..	..	..	Sum 1137	Sum −685	Sum 0·00	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	28	m. P. till 10h. A.M.; v. P. afterwards.	6·6	14·6
Monday -	29	v. P. generally.	6·6	14·6
Tuesday -	30	v. P. till noon; w. P. till 8h. P.M.; m. P. afterwards.	6·6	14·7
May. Wednesday	1	m. P. generally.	5·9	14·8
Thursday-	2	m. P. generally.	0·0	14·8
Friday -	3	m. P. till noon; w. P. till 8h. P.M.; v. P. afterwards.	8·1	14·9
Saturday-	4	m. P. generally till 9h. P.M.; Loss of Register afterwards.	11·8	14·9
			Sum 45·6	Sum 103·3
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Cloudless till 8h. A.M.; fine and partially cloudy till evening; cloudless at night.

Cloudless, with hoar frost and slight fog, in morning; fine and partially cloudy till 8h. P.M.; cloudless at night, with slight fog after 11h. P.M.

Cloudy and foggy in morning, with light shower at 3h. 30m. A.M.; fine and partially cloudy till evening; cloudless at night.

Foggy in morning; very fine till noon; cloudy with occasional light showers afterwards.

Overcast, with occasional slight rain, till evening; fine and partially cloudy, with slight fog, at night.

Overcast and foggy in morning; partially cloudy till 7h. p.m.; cloudless afterwards.

A very fine day. The amount of cloud was usually small.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higner*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·76 in. at the beginning of the week to 29·78 in. by 10h. A.M. on April 28; decreased to 29·67 in. by 3h. P.M. on April 29; increased to 30·19 in. by 9h. A.M. on May 3; and decreased to 30·05 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th April, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	9	4	-	1	-	-	3	-
Kensington	176,787	-	6	2	-	1	-	-	1	-
Hammersmith	112,619	-	8	5	-	-	-	-	2	-
Fulham	138,426	-	7	7	-	1	-	-	2	1
Chelsea	73,879	-	2	5	-	1	-	-	1	-
City of Westminster	182,502	-	5	4	-	-	-	-	1	-
NORTH.										
St. Marylebone	133,060	-	7	4	-	-	-	-	1	-
Hampstead	82,246	-	1	4	-	2	-	-	1	-
St. Pancras	235,297	-	22	4	-	2	-	-	1	-
Islington	335,325	-	17	18	-	4	-	-	8	1
Stoke Newington	51,328	-	2	1	-	1	-	-	-	-
Hackney	219,780	-	9	16	-	5	-	-	7	-
CENTRAL.										
Holborn	59,205	-	2	-	-	-	-	-	1	1
Finsbury	101,263	-	7	2	-	-	-	-	2	-
City of London	26,638	-	2	-	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	3	3	-	3	-	-	-	-
Bethnal Green	129,700	-	5	3	-	1	-	-	6	-
Stepney	298,884	-	7	21	-	2	-	-	7	1
Poplar	168,887	-	4	9	-	-	-	-	3	-
SOUTH.										
Southwark	206,219	-	11	9	-	1	-	-	1	-
Bermondsey	130,348	-	5	9	-	4	-	-	2	-
Lambeth	302,460	-	10	3	-	-	-	-	8	-
Battersea	169,364	-	9	6	-	1	-	-	1	-
Wandsworth	233,943	-	16	4	-	-	-	-	5	-
Camberwell	259,897	-	17	12	-	1	-	-	-	1
Deptford	110,732	-	6	10	-	2	-	-	2	-
Greenwich	96,188	-	3	3	-	1	-	-	-	2
Lewisham	128,423	-	10	3	-	-	-	-	-	-
Woolwich	117,619	-	11	2	-	1	-	-	1	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,727	-	223	173	-	36	-	-	67	7
Ages 0-1		-	2	6	-	-	-	-	1	-
" 1-5		-	68	77	-	2	-	-	1	-
" 5-		-	69	44	-	6	-	-	1	-
" 10-		-	27	15	-	6	-	-	2	-
" 15-		-	26	8	-	8	-	-	1	1
" 20-		-	23	11	-	3	-	-	5	3
" 25-		-	6	8	-	5	-	-	11	2
" 35-		-	1	2	-	4	-	-	10	1
" 45-		-	1	2	-	1	-	-	9	-
" 55-		-	-	-	-	1	-	-	7	-
" 65 and upwards		-	-	-	-	-	-	-	19	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

POPULATION ENUMERATED in 1901, in the 67 COUNTY BOROUGHS of ENGLAND and WALES.

COUNTY BOROUGHS.	ENUMERATED POPULATION, 1901.	COUNTY BOROUGHS.	ENUMERATED POPULATION, 1901.	COUNTY BOROUGHS.	ENUMERATED POPULATION. 1901.
BARROW-IN-FURNESS	57,589	GATESHEAD	109,891	OXFORD	49,413
BATH	49,817	GLOUCESTER	47,944	PLYMOUTH	107,509
BIRKENHEAD	110,906	GREAT YARMOUTH	51,250	PORTSMOUTH	189,160
BIRMINGHAM	522,182	GRIMSBY	63,119	PRESTON	120,860
BLACKBURN	127,527	HALIFAX	104,997	READING	72,214
BOLTON	168,205	HANLEY	61,519	ROCHDALE	83,112
BOOTLE	57,913	HASTINGS	65,528	SAINT HELENS	84,410
BOURNEMOUTH	47,003	HUDDERSFIELD	95,008	SALFORD	221,015
BRADFORD	279,809	IPSWICH	66,622	SHEFFIELD	380,717
BRIGHTON	123,478	KINGSTON-UPON-HULL	238,562	SOUTHAMPTON	103,500
BRISTOL	328,836	LEEDS	428,953	SOUTH SHIELDS	97,272
BURNLEY	97,044	LEICESTER	211,574	STOCKPORT	78,871
BURTON-UPON-TRENT	50,386	LINCOLN	48,783	SUNDERLAND	146,828
BURY	58,028	LIVERPOOL	685,276	SWANSEA	94,505
CANTERBURY	24,401	MANCHESTER	543,930	WALSALL	86,440
CARDIFF	163,844	MIDDLESBROUGH	91,300	WARRINGTON	64,241
CHESTER	36,281	NEWCASTLE-UPON-TYNE	214,881	WEST BROMWICH	65,172
COVENTRY	69,877	NEWPORT (MONMOUTH)	67,279	WEST HAM	267,308
CROYDON	133,885	NORTHAMPTON	87,021	WIGAN	60,770
DERBY	105,785	NORWICH	111,728	WOLVERHAMPTON	94,179
DEVONPORT	69,674	NOTTINGHAM	239,753	WORCESTER	46,620
DUDLEY	48,809	OLDHAM	137,238	YORK	77,790
EXETER	47,180				

POPULATION ENUMERATED in 1901, in the ADMINISTRATIVE COUNTY of LONDON, and in the 29 METROPOLITAN BOROUGHS.

METROPOLITAN BOROUGHS.	ENUMERATED POPULATION, 1901.	METROPOLITAN BOROUGHS.	ENUMERATED POPULATION, 1901.	METROPOLITAN BOROUGHS.	ENUMERATED POPULATION, 1901.
CITY OF LONDON	26,908	HACKNEY	219,288	ST. MARYLEBONE	133,329
BATTERSEA	168,896	HAMMERSMITH	112,245	ST. PANCRAS	235,284
BERMONDSEY	130,486	HAMPSTEAD	81,902	SHOREDITCH	118,705
BETHNAL GREEN	129,681	HOLBORN	59,390	SOUTHWARK	206,128
CAMBERWELL	259,258	ISLINGTON	334,928	STEPNEY	298,548
CHELSEA	73,856	KENSINGTON	176,623	STOKE NEWINGTON	51,247
DEPTFORD	110,513	LAMBETH	301,873	WANDSWORTH	232,030
FINSBURY	101,476	LEWISHAM	127,460	WESTMINSTER, CITY OF	182,977
FULHAM	137,289	PADDINGTON	143,954	WOOLWICH	117,165
GREENWICH	95,757	POPLAR	168,838		
				ADMINISTRATIVE COUNTY OF LONDON.	4,536,034

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 19. 1901. VOL. LXII.] WEEK ENDED SATURDAY, MAY 11. [Price 1½*d.*

General Register Office, Somerset House,
May 13th, 1901.

RESULTS OF THE RECENT CENSUS.

On page 247 are given the populations, at the recent Census, of England and Wales, and of the 62 Administrative Counties. A few errors had occurred in making up the populations of the County Boroughs which were given in the Return for the Week ended 4th May; these errors are corrected in the present Return. All the figures are subject to revision.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·5 per 1000 of their aggregate population, which is estimated* at 11,463,187 persons in the middle of this year. In the preceding three weeks the rates had been 18·9, 18·4, and 17·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Apr. 20.	Apr. 27.	May 4.	May 11.		Apr. 20.	Apr. 27.	May 4.	May 11.
33 Great Towns	18·9	18·4	17·3	16·5	Leicester - -	17·2	15·7	11·5	14·2
Birkenhead -	20·6	12·7	15·9	12·7	Liverpool - -	21·2	21·1	20·7	18·5
Birmingham -	21·6	18·2	18·0	18·9	London - - -	17·9	17·8	16·7	15·9
Blackburn -	21·2	19·6	20·0	17·1	Manchester - -	23·1	21·5	18·5	20·7
Bolton - -	19·2	24·4	21·6	15·8	Newcastle-on-Tyne	22·7	21·8	18·9	17·2
Bradford -	16·9	20·7	15·6	17·3	Norwich - -	17·2	14·0	16·3	17·2
Brighton -	15·2	11·8	14·3	22·3	Nottingham - -	24·3	20·4	19·3	15·6
Bristol - -	18·3	18·7	15·2	17·4	Oldham - -	16·3	20·1	15·6	18·6
Burnley -	13·4	23·0	16·1	13·9	Plymouth - -	12·6	25·1	14·5	11·6
Cardiff - -	15·2	15·2	13·9	14·2	Portsmouth - -	20·0	22·5	16·7	17·0
Croydon -	13·6	13·9	9·7	7·7	Preston - -	19·4	22·1	19·8	14·3
Derby - -	17·7	11·8	17·2	15·2	Salford - - -	18·8	20·9	20·5	18·4
Gateshead -	22·7	22·7	24·1	13·2	Sheffield - -	21·3	18·0	18·6	16·5
Halifax -	11·4	24·8	18·8	15·9	Sunderland - -	22·3	18·1	21·3	16·6
Huddersfield-	16·5	18·1	15·9	14·3	Swansea - -	23·1	20·4	26·5	20·4
Hull - -	18·2	13·6	18·4	19·5	West Ham - -	14·5	12·6	13·2	14·9
Leeds - -	20·7	17·0	18·0	16·1	Wolverhampton -	24·3	14·4	12·7	16·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Bolton, 1·9 in Gateshead, and 2·2 in Portsmouth; from *whooping-cough*, 1·0 in Birmingham and in Newcastle-on-Tyne, 1·1 in Burnley, 1·3 in Bristol, and 1·7 in Swansea; and from "*fever*" 1·2 in Blackburn. In none of the thirty-three towns did the death-rate from *scarlet fever* or from *diarrhœal diseases* reach 1·0 per 1000. The 63 deaths from *diphtheria* included 23 in London, 11 in Sheffield, 4 in Blackburn, 3 in Liverpool, 3 in Birmingham, and 3 in Leicester. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2510 BIRTHS and 1386 DEATHS were registered. Allowing

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9126—670—5/1901 Wt 45 D & S 3

for increase of population, the births were 169, and the deaths 203 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·9, 17·8, and 16·7, in the preceding three weeks, further fell last week to 15·9. During the four weeks ended on Saturday last the death-rate averaged 17·1 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1386 deaths included 1 from small-pox, 38 from measles, 17 from scarlet fever, 23 from diphtheria, 45 from whooping-cough, 7 from enteric fever, 9 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 140 deaths were referred to these diseases, being 64 below the corrected average weekly number.

The death from *small-pox* was that of a female aged 38 years, and occurred in Bethnal Green Infirmary. The deaths from *measles*, which had been 37, 50, and 39 in the preceding three weeks, were 38 last week, the corrected average being 74; 6 cases belonged to the Borough of Poplar, and 6 to that of Southwark. The deaths from *scarlet fever*, which had been 3, 6, and 9 in the preceding three weeks, further rose last week to 17, and were 4 above the corrected average; 2 cases belonged to Shoreditch, 2 to Bethnal Green, 2 to Lambeth, and 2 to Camberwell. The deaths from *diphtheria*, which had been 11, 20, and 20 in the preceding three weeks, rose last week to 23, but were 16 below the corrected average; 3 cases belonged to Hackney. The deaths from *whooping-cough*, which had been 58, 48, and 66 in the preceding three weeks, fell again last week to 45, and were 8 below the corrected average; 5 cases belonged to St. Pancras and 5 to Lambeth. The fatal cases of *enteric fever*, which had been 7, 10, and 2 in the preceding three weeks, rose again last week to 7, and were equal to the corrected average. The deaths from *diarrhœal diseases*, which had been 14, 12, and 16 in the preceding three weeks, fell again last week to 9, and were 5 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 374, 286, and 251 in the preceding three weeks, further fell last week to 237, and were 73 below the corrected average. The deaths attributed directly to *influenza* numbered 17, having been 31, 29, and 19 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all but 1 of which inquests were held. Of these 65 deaths, 17 were cases of suicide, and 1 of homicide, while the remaining 47 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 3 to a conflagration, 2 to the effects of anæsthetics administered for surgical purposes, and 14 (including 12 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1913 cases of scarlet fever, 1038 of diphtheria, 1 of typhus, and 112 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 397 cases, against 150, 198, and 371; of diphtheria, 192 cases, against 102, 145, and 147; and of enteric fever, 19 cases, against 13, 21, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended May 4th.

Greater London.

In Greater London 3601 births and 1816 deaths were registered, corresponding to annual rates of 28·4 and 14·3 per 1000 of the estimated population. In the Outer Ring 12 deaths from measles, 10 from diphtheria, 16 from whooping-cough, and 6 from diarrhœal diseases were registered. Eight deaths from measles, 5 from diphtheria, and 5 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·60 inches, and that of the Thermometer 47°·1; the latter being 3°·9 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 31 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·3 hours; the measured rainfall amounted to 1·56 inches.

Metropolitan Water Supply (see pp. 248-250).

* The figures represent persons notified as suffering from the several specified forms of infectiou disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Registered during the Week ended 11th May 1901. Births.	Registered during the Week ended 11th May 1901. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Death-rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Temperature of the Air. Lowest. Fahrenheit.	Temperature of the Air. Mean. Fahrenheit.	Temperature of the Air. Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,463,187	6449	3635	788	914	1	90	38	63	118	25	46	156	302	957	35	16·5	1·7	65·0	33·0	47·2	8·44	0·62	1·57	33 Towns.
London - -	4,543,727	2510	1386	268	380	1	38	17	23	45	7	9	65	145	512	4	15·9	1·6	61·2	39·3	47·1	8·39	1·56	3·96	London.
West Ham - -	268,868	163	77	22	18	-	3	-	2	3	-	2	5	8	17	1	14·9	1·9	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	59	20	5	5	-	-	-	-	1	-	-	-	1	4	-	7·7	0·4	62·5	37·5	46·9	8·28	1·01	2·57	Croydon.
Brighton - -	123,668	65	53	11	17	-	-	-	2	1	-	1	3	4	10	-	22·3	1·7	64·8	38·2	48·5	9·17	0·52	1·32	Brighton.
Portsmouth -	189,907	94	62	11	18	-	8	-	1	1	-	-	-	1	7	1	17·0	2·7	61·0	38·5	47·6	8·67	0·35	0·89	Portsmouth.
Plymouth - -	107,974	43	24	9	7	-	-	-	-	-	-	1	1	1	2	-	11·6	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,825	164	110	25	38	-	1	-	-	8	-	2	4	13	25	-	17·4	1·7	63·4	38·5	47·0	8·33	0·80	2·03	Bristol.
Cardiff - -	165,200	102	45	13	12	-	-	-	1	2	-	-	2	2	5	-	14·2	0·9	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	48	37	9	5	-	-	-	-	3	-	-	2	5	2	-	20·4	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	50	29	9	7	-	-	-	-	-	-	-	-	-	7	-	16·0	-	64·5	34·6	45·9	7·72	0·74	1·88	Wolverhampton.
Birmingham -	523,284	324	190	36	44	-	5	1	3	10	-	2	8	11	40	1	18·9	2·1	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	59	37	8	12	-	-	1	-	-	1	1	4	6	9	-	17·2	1·4	61·0	37·0	46·5	8·06	0·62	1·57	Norwich.
Leicester - -	212,498	121	58	17	17	-	-	1	3	1	-	2	3	5	10	1	14·2	1·7	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	123	72	19	16	-	3	-	-	2	3	2	3	4	10	-	15·6	2·2	63·2	33·0	46·1	7·83	0·33	0·84	Nottingham.
Derby - - -	106,076	59	31	6	9	-	-	-	-	-	1	-	4	7	12	-	15·2	0·5	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	70	27	2	8	-	-	-	-	-	1	-	-	2	8	-	12·7	0·5	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	389	243	41	57	-	12	1	3	5	2	5	12	17	74	8	18·5	2·1	61·3	37·7	46·6	8·11	0·50	1·27	Liverpool.
Bolton - -	168,748	87	51	8	12	-	4	1	-	2	-	-	1	5	8	-	15·8	2·2	-	-	-	-	-	-	Bolton.
Manchester -	544,894	308	216	43	40	-	3	2	2	8	2	4	9	15	64	2	20·7	2·0	-	-	-	-	-	-	Manchester.
Salford - -	221,587	121	78	21	15	-	3	1	2	3	-	3	-	1	17	2	18·4	2·8	-	-	-	-	-	-	Salford.
Oldham - -	137,382	76	49	10	8	-	-	2	-	1	-	1	3	4	2	-	18·6	1·5	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	58	26	5	7	-	-	-	-	2	-	1	1	2	1	1	13·9	1·6	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	74	42	10	7	-	-	2	4	-	3	2	1	2	6	3	17·1	4·5	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	74	31	10	7	-	-	2	2	1	-	-	2	2	2	-	14·3	2·3	63·0	38·0	48·2	9·00	0·42	1·07	Preston.
Huddersfield -	94,998	35	26	5	8	-	-	-	-	-	-	-	4	5	-	-	14·3	-	62·5	34·3	45·9	7·72	0·35	0·89	Huddersfield.
Halifax - -	105,118	41	32	6	12	-	-	-	1	1	1	-	-	1	7	-	15·9	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	128	93	20	28	-	-	1	-	4	-	1	2	2	12	-	17·3	1·1	63·8	38·4	51·7	10·94	0·46	1·17	Bradford.
Leeds - - -	430,489	254	133	42	18	-	3	3	1	1	2	3	4	7	27	2	16·1	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	243	121	26	25	-	-	2	11	5	2	1	1	2	24	4	16·5	2·9	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	190	90	29	26	-	2	1	-	3	-	1	3	7	11	-	19·5	1·5	65·0	36·0	46·2	7·89	0·41	1·04	Hull.
Sunderland -	147,207	99	47	12	13	-	-	-	1	1	-	2	2	5	5	1	16·6	1·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	74	28	11	5	-	4	-	-	-	-	-	1	1	-	4	13·2	1·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	144	71	19	13	-	1	-	1	4	-	-	6	9	17	-	17·2	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINETEENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2582	2877	2532	2589	2549	2690	2430	2425	2574	2581	2670·1	2510
Males - -	1292	1459	1290	1322	1271	1376	1235	1252	1320	1318	1362·4	1284
Females - -	1290	1418	1242	1267	1278	1314	1195	1173	1254	1263	1316·7	1226
TOTAL **Deaths** -	2245	1597	1460	1531	1398	1523	1334	1356	1428	1446	1588·8	1386
Males - -	1138	821	779	784	717	816	709	730	772	767	833·2	715
Females - -	1107	776	681	747	681	707	625	626	656	679	755·6	671

*The numbers in this column are the average weekly numbers in the nineteenth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.
TOTAL **Births** - - -	2690	2673	2681	2496	2607	2424	2634	2538	2358	2835	2585	2562	2510
TOTAL **Deaths** - - -	1719	1853	1865	1723	1571	1588	1545	1573	1633	1564	1552	1454	1386
Ages at Death: Under 1 year - -	333	340	333	359	333	299	349	325	325	300	323	306	268
1—5 years - -	181	199	214	225	189	203	220	223	256	184	217	178	169
5—20 ,, - -	75	89	94	91	96	85	85	70	91	77	85	91	78
20—40 ,, - -	216	226	223	201	197	202	207	195	200	209	200	180	198
40—60 ,, - -	369	375	392	355	314	318	313	301	307	325	284	327	293
60—80 ,, - -	412	515	486	398	366	393	375	380	363	377	347	299	299
80 years and upwards	133	109	123	94	76	88	96	79	91	92	96	73	81
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - - - -	36	36	36	33	35	42	56	38	52	37	50	39	38
Scarlet Fever - - -	5	5	4	6	10	6	8	8	8	3	6	9	17
Diphtheria - - - -	20	27	19	25	30	14	16	21	26	11	20	20	23
Whooping-cough - - -	49	52	57	37	43	63	55	62	74	58	48	66	45
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	11	6	9	7	8	5	8	5	4	7	10	2	7
Simple Continued Fever -	-	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	16	10	19	14	13	13	21	12	9	14	12	16	9
Cholera - - - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
All the above Diseases -	137	137	144	122	140	144	164	146	173	130	146	152	140
Dis. of Respiratory System -	420	493	501	463	394	332	363	360	345	374	286	251	237
Phthisis - - - - -	171	172	169	169	168	149	165	168	139	158	153	143	161
Dis. of Circulatory System -	166	189	192	161	138	187	157	133	161	137	132	136	133
Violence - - - - -	70	75	64	66	63	73	64	64	89	51	79	72	65
Inquest Cases - - - -	152	207	186	159	158	196	136	157	207	137	150	149	145
Deaths in Public Institutions -	561	590	589	548	489	510	523	522	530	514	534	483	512
TEMPERATURE OF THE AIR													
Mean - - - - - -	32°·6	35°·1	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4	46°·2	47°·3	51°·7	49°·3	47°·1
Mean of Highest readings -	37·5	39·1	49·1	48·0	44·6	43·1	41·1	53·2	54·1	56·7	66·2	61·0	55·3
Mean of Lowest readings -	26·7	31·7	38·7	37·1	33·7	34·2	28·4	36·1	41·0	38·2	43·3	39·0	41·2
Humidity of the Air - -	72	80	84	85	91	78	70	80	83	67	57	72	81
Rain-fall (in inches) - -	0·03	0·15	0·57	0·76	0·09	0·31	0·44	0·97	0·71	0·33	0·02	0·00	1·56
Registered Sunshine (in hours)	11·9	6·6	15·7	11·4	5·4	13·2	21·2	27·4	29·0	48·6	77·2	45·6	17·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	1876	1834	1823	1746	1652	1598	1568	1572	1601	1526	1522	1705	1913
Diphtheria - - - -	1110	1118	1124	1118	1115	1103	1089	1073	1020	958	962	983	1038
Typhus - - - - -	6	6	2	2	3	3	2	1	1	-	-	1	1
Enteric Fever - - - -	258	237	224	205	184	182	162	146	141	132	121	108	112

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq. F.R.Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINETEENTH Week of the Year 1901.

SES OF DEATH.	Corrected Averages for the 19th Week of the 10 years 1891-1900*.	In the Week ended Saturday 11th May, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1588·8	1386	268	169	78	198	293	299	81
- Vaccinated† -	0·5	-	-	-	-	-	-	-	-
- Unvaccinated	0·8	-	-	-	-	-	-	-	-
- No Statement	0·7	1	-	-	-	1	-	-	-
s - - - -	74·3	38	8	28	1	1	-	-	-
Fever - - -	13·2	17	-	14	3	-	-	-	-
s - - - -	0·2	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	45·0	17	-	-	2	1	8	5	1
ing-cough - -	53·0	45	27	17	1	-	-	-	-
eria - -	39·0	23	2	17	3	1	-	-	-
Continued and fined Fever -	0·3	-	-	-	-	-	-	-	-
c Fever - - -	7·4	7	-	-	1	5	1	-	-
and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
œa, Dysentery -	14·2	9	4	2	-	-	-	3	-
ent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·1	-	-	-	-	-	-	-	-
al Affections - -	11·3	3	1	1	-	1	-	-	-
plas - - -	3·2	5	2	-	-	-	2	1	-
a and Septicæmia	3·2	2	-	-	-	2	-	-	-
ral Fever - -	4·6	5	-	-	-	5	-	-	-
Zymotic Diseases	1·0	-	-	-	-	-	-	-	-
- - - - -	0·3	-	-	-	-	-	-	-	-
and other Parasitical Diseases -	0·2	-	-	-	-	-	-	-	-
ion, Want of t-milk - -	1·7	1	1	-	-	-	-	-	-
lism - - -	11·3	9	-	-	-	3	4	2	-
atic Fever, matism of Heart	6·7	10	-	-	4	2	-	4	-
atism - - -	2·6	5	-	-	-	-	2	3	-
- - - - -	3·1	3	-	-	-	-	-	2	1
s - - - -	4·7	4	3	1	-	-	-	-	-
- - - - -	69·2	82	-	-	2	5	28	44	3
Mesenterica - -	17·0	7	3	1	2	1	-	-	-
ular Meningitis -	26·0	20	3	11	5	-	1	-	-
s - - - -	161·4	161	2	1	14	66	62	15	1
a, Tuberculosis -	21·0	19	3	3	3	8	1	1	-
Constitutional ses - -	14·4	13	-	-	-	3	4	4	2
ure Birth - -	50·2	49	49	-	-	-	-	-	-
asis - - -	3·9	4	4	-	-	-	-	-	-
ital Malforma- - - -	7·6	8	7	-	1	-	-	-	-
e - - - -	50·1	49	-	-	-	-	-	16	33
xy - - -	43·2	51	-	-	-	5	22	23	1
sy - - - -	8·7	6	-	-	1	3	2	-	-
sions - - -	33·3	27	24	3	-	-	-	-	-
Diseases of Brain Nervous System	78·0	59	9	6	5	4	13	19	3
s of Organs of al Sense -	3·6	2	-	1	-	-	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 19th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 11th May, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	130·6	133	1	-	6	18	48	53	7
Croup - - - -	2·4	1	-	-	1	-	-	-	-
Bronchitis - - -	145·2	104	19	15	-	2	9	45	14
Pneumonia - - -	150·8	115	18	29	5	12	27	19	5
Pleurisy - - - -	7·7	3	-	-	-	1	1	1	-
Other Diseases of Respiratory System -	24·2	14	2	4	-	-	3	2	3
Dentition - - - -	7·5	6	4	2	-	-	-	-	-
Quinsy, Sore Throat -	1·5	1	-	-	-	-	-	1	-
Enteritis - - -	13·3	15	5	1	2	5	1	1	-
Gastro-enteritis -		8	4	1	2	-	1	-	-
Peritonitis - - -	5·9	3	-	-	1	1	1	-	-
Diseases of Liver - -	24·6	20	-	-	1	2	11	5	1
Other Diseases of Digestive System	30·3	31	7	2	1	4	7	10	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	6	-	-	2	3	1	-	-
Diseases of Urinary System - - -	46·3	43	-	1	2	8	17	13	2
Diseases of Generative System - - -	4·9	4	-	-	-	2	2	-	-
Accidents of Childbirth -	3·9	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	5·0	6	-	3	-	1	-	2	-
Diseases of Integumentary System - -	5·5	7	5	-	-	-	-	1	1
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	2·0	2	-	-	-	2	-	-	-
By Vehicles or Horses -	6·8	6	-	1	2	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·3	2	-	-	-	1	1	-	-
In Building Operations -	0·7	1	-	-	-	1	-	-	-
In Conflagrations -	0·1	3	-	-	2	1	-	-	-
By Burns, Scalds, Explosions - -	4·7	1	-	1	-	-	-	-	-
By Drowning - - -	5·9	2	-	-	1	-	1	-	-
By Suffocation in Bed -	8·8	14	12	1	1	-	-	-	-
By Poisons or Poisonous Vapours - -	2·2	3	-	1	-	1	1	-	-
Other or not stated causes - - - -	19·2	13	4	1	1	1	2	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	8·4	17	-	-	-	9	6	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	46·0	35	35	-	-	-	-	-	-

numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase lation.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the f death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ended Saturday, 11th May, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,034†	2510	1386	268	380	1	38	17	23	45	-	7	-	9	65	145	512
WEST DISTRICTS - - -	805,227	342	198	30	63	-	5	3	4	10	-	-	-	1	11	17	84
NORTH DISTRICTS - - -	1,055,978	545	299	63	76	-	4	1	8	9	-	2	-	2	19	38	106
CENTRAL DISTRICTS - - -	209,235	89	82	14	17	-	-	-	2	3	-	1	-	-	10	16	30
EAST DISTRICTS - - -	713,865	510	254	42	82	1	11	-	1	5	-	1	-	-	7	25	108
SOUTH DISTRICTS - - -	1,748,570	1024	519	119	134	-	18	8	8	18	-	3	-	6	18	49	150
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	8	-	-	5	-	-	-	-	-	-	-	-	34
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	42	18	3	5	-	-	-	-	-	-	-	-	-	2	2	6
St. John Paddington *H* - - G.	33,608	9	13	1	5	-	-	-	-	-	-	-	-	-	2	4	6
North-West Paddington† - - C.	17,181	6	5	3	2	-	-	-	-	2	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	56	31	4	13	-	1	-	-	1	-	-	-	-	1	1	16
Brompton *HH* - - - W. & C.	48,598	15	7	1	1	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* W. & G	49,335	27	7	4	3	-	-	-	-	2	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G	62,898	29	9	3	3	-	-	-	-	-	-	-	-	1	2	2	2
North-west Fulham *W* W. & C.	45,176	32	19	4	4	-	-	-	-	1	-	-	-	-	-	1	8
North-east Fulham *w* W. & C.	46,404	19	15	2	3	-	1	2	4	3	-	-	-	-	-	-	8
South Fulham W. & C.	45,704	33	6	-	4	-	-	-	-	-	-	-	-	-	1	2	-
Chelsea North *WWHHHH* - C.	42,515	18	25	1	12	-	-	-	-	-	-	-	-	-	-	-	17
Chelsea South *HH* - - C.	31,340	8	8	1	3	-	2	-	-	-	-	-	-	-	1	1	-
May Fair and Knightsbridge† *H* C. & G.	28,744	3	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,801	21	19	2	2	-	1	1	-	-	-	-	-	-	1	2	12
St. Margaret & St. John Westminster† *HHH* C.	43,646	12	9	1	1	-	-	-	-	-	-	-	-	-	1	2	5
St. James Westminster *WH* N. & G.	21,595	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	11,492	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	14	15	2	3	-	-	-	-	1	-	-	-	-	1	-	5
Rectory Marylebone *W* G. & W.	19,869	5	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.	18,099	30	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	39,541	27	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W	20,426	5	6	1	3	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *WwHHHHH* - N. & W.	81,902	26	14	1	4	-	-	-	1	-	-	-	-	1	-	-	5
Regent's Park *H* - W.	50,647	29	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	10	24	1	8	-	-	-	-	1	-	-	-	-	1	2	16
Gray's Inn Lane *HHHH* - N.	30,886	9	11	2	-	-	-	-	-	-	-	1	-	-	5	7	5
Somers Town *HH* - - - N.	30,131	20	6	1	3	-	-	-	-	1	-	-	-	-	-	-	3
Camden Town *WH* - - N.	40,079	18	22	5	8	-	1	-	-	1	-	-	-	-	3	4	12
Kentish Town *WW* - - N.	58,727	35	21	7	5	-	-	-	-	2	-	-	-	-	3	3	6
Upper Holloway *WWWWwHH* - - N.	99,841	51	50	5	15	-	-	-	-	1	-	-	-	1	3	4	32
Lower Holloway - - - N.	41,411	27	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	54,479	29	11	4	-	-	-	-	-	-	-	1	-	-	1	1	-
Islington South-east *H* - N.	75,402	42	19	8	4	-	2	-	1	-	-	-	-	-	1	2	-
Highbury *HH* - - - N.	63,795	34	8	3	2	-	-	-	-	-	-	-	-	-	-	1	1
Stoke Newington *H* - - N.	51,247	21	9	2	2	-	-	1	1	-	-	-	-	-	-	1	-
North Hackney - E. & N.	50,570	26	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.	50,535	15	17	4	5	-	-	-	5	2	-	-	-	-	-	3	6
South-west Hackney *HHH* E. & N.	59,929	25	12	-	3	-	-	-	-	-	-	-	-	-	1	2	4
South-east Hackney *WwH* E. & N.	58,254	47	23	6	5	-	1	-	-	-	-	-	-	-	-	4	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unascertained Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles South *WH* - - - N.	22,495	6	6	1	1	-	-	-	-	-	-	-	-	-	2	2	1	-
Giles North *H* - - - N.	8,959	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
.Martin-in-the-Fields *HH* N. & C.	12,975	1	4	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
rand *WHH* - - - - N.	8,694	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
rand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
olborn *WwHHHHHH* - N.	29,579	12	15	4	1	-	-	-	1	1	-	-	-	-	-	-	11	-
.James Clerkenwell - - N.	15,634	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
mwell Clerkenwell - - N.	32,691	13	8	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-
oswell-street - - - - N.	15,390	6	7	1	-	-	-	-	-	1	-	-	-	-	2	2	-	-
ty-road *HHHL* - - - N.	25,404	30	11	4	2	-	-	-	-	1	-	-	-	-	-	3	-	-
nsbury - - - - - N.	9,972	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn Union Workhouse, Mitcham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.Botolph *H* - - N. & E.	11,036	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.Sepulchre *WH* - - - N.	7,897	1	16	1	6	-	-	-	1	-	-	-	-	-	3	3	13	-
lhallows Barking - - - N.	8,509	1	3	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
ty of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
horeditch South *Hl* - E. & N.	16,370	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
oxton New Town *wH* - - N.	29,761	27	17	1	11	-	1	-	-	-	-	-	-	-	1	1	10	-
oxton Old Town - - - N.	26,499	12	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
aggerston *W* - - N. & E.	46,064	30	17	1	7	-	-	-	-	-	-	-	-	-	-	2	9	-
ethnal Green North *HH* - E.	51,513	37	19	7	2	-	2	-	-	-	-	-	-	-	2	3	4	-
ethnal Green South - - E.	33,473	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ethnal Green East *WWHl* - E.	44,695	25	30	1	15	1	-	-	-	-	-	-	-	-	-	2	22	-
pitalfields - - - E. & N.	27,965	24	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *WH* - E.	28,711	28	32	5	4	-	-	-	1	-	-	1	-	-	2	5	30	-
oodman's Fields - - - E.	21,847	13	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
t. George's, North - - - E.	40,965	42	8	5	1	-	1	-	-	-	-	-	-	-	1	2	-	-
t. John, St. George East *W* E.	7,886	4	6	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
hadwell *H* - - - E. & N.	10,586	-	6	4	-	-	1	-	-	2	-	-	-	-	-	-	4	-
atcliff *W* - - - - E.	14,668	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
imehouse - - - - E.	32,121	22	11	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-
ile End Old Town West *H* E.	59,467	51	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town East *WWw* - E.	53,348	37	19	3	8	-	-	-	-	-	-	-	-	-	-	3	9	-
ow *l* - - - - E.	41,987	30	9	-	2	-	3	-	-	-	-	-	-	-	-	1	2	-
romley *wwwH* - - - E.	68,320	52	33	4	8	-	3	-	-	1	-	-	-	-	-	2	12	-
oplar *WW* - - - - E.	57,619	34	15	2	3	-	-	-	-	1	-	-	-	-	1	2	-	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 1 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WBL* & S.	11,207	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	10	15	2	5	–	–	–	1	–	–	–	–	–	3	4	12	1
Kent-road - - - - S. & L.	21,899	19	4	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Borough-road *WH* - S. & L.	16,882	7	4	2	1	–	–	–	–	–	–	–	–	–	–	–	2	–
London-road *HL* - - L. & S.	22,209	17	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,485	28	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Peter Walworth *W* - S. & L.	61,773	34	16	6	2	–	2	–	–	1	–	–	–	–	–	3	–	–
St. Mary Newington - - L. & S.	31,592	24	11	4	3	–	3	–	–	–	–	–	–	–	–	1	–	–
St. Olave *W* - - - - S.	9,669	4	6	4	–	–	–	–	–	–	–	–	–	–	1	1	2	–
Bermondsey *W* - - - S.	82,363	64	26	5	7	–	2	–	–	2	–	–	–	–	–	3	1	–
Rotherhithe *Ww* - S. & E.	37,804	18	18	6	6	–	–	–	–	–	–	–	–	1	–	1	7	–
Waterloo-road *HH* - L. & S.	27,420	29	8	4	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Lambeth Church 1st *HH* L. & S.	18,408	12	17	2	2	–	–	–	–	1	–	–	–	–	1	2	11	1
Lambeth Church 2nd *WW* L. & S.	39,818	21	28	5	8	–	1	–	–	2	–	–	–	1	–	2	13	–
Kennington 1st *H* - - S. & L.	53,176	32	10	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Kennington 2nd - - S. & L.	42,891	17	8	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *w* - - - L. & S.	84,226	45	25	6	6	–	–	1	1	1	–	–	–	2	–	1	2	–
Norwood *WH* - - - - L.	35,887	17	5	3	–	–	1	–	–	–	–	–	–	–	–	1	1	–
East Battersea - - - - S.	72,182	47	9	3	–	–	1	–	–	3	–	–	–	–	–	1	–	–
North-west Battersea - - S.	49,647	36	8	2	2	–	2	–	–	–	–	–	–	–	–	1	–	–
South-west Battersea *WwH* - S.	47,045	15	22	3	4	–	–	–	–	–	–	–	–	–	2	2	13	–
Clapham *H* - - - - S.	51,353	31	8	4	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Streatham *Wwwwwl* - - L.	88,129	46	20	2	9	–	–	2	1	1	–	1	–	–	–	1	9	–
Wandsworth *WHHL* - - S.	68,398	36	10	3	2	–	–	–	–	–	–	–	–	–	2	3	–	–
Putney - - - - - S.	24,135	8	7	1	1	–	–	–	–	–	–	–	–	–	2	3	–	–
Dulwich - - - L. & S.	10,246	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,404	51	55	9	21	–	1	–	–	–	–	–	–	1	2	3	38	–
Peckham *WW* - S., L., & K.	93,022	64	18	4	6	–	1	–	–	–	–	–	–	–	1	3	–	–
St. George Camberwell - L. & S.	65,586	40	17	6	1	–	–	1	–	–	–	–	–	–	1	1	–	–
Deptford North - - - K.	37,482	26	8	2	3	–	3	–	–	–	–	–	–	–	–	–	–	–
Deptford Central *w* - - K.	45,621	21	9	4	1	–	–	–	1	1	–	–	–	–	–	–	2	–
Deptford South - - - K.	34,622	15	9	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Greenwich West *H* - - K.	23,417	10	4	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Greenwich East *WH* - - K.	43,774	21	16	4	6	–	–	–	–	1	–	–	–	–	2	3	10	–
Eltham *wH* - - - - K.	7,218	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Lewisham *WwwH* - - - K.	58,341	35	31	8	12	–	–	2	2	2	–	1	–	–	–	1	13	–
Sydenham *H* - - - - L.	43,630	29	7	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
Charlton *wHB* - - - K.	21,109	15	12	–	–	–	–	2	2	2	–	1	–	–	–	–	6	–
Woolwich *HHHH* - - K.	41,515	26	9	2	2	–	–	–	–	–	–	–	–	1	1	1	–	–
Plumstead West *H* - - K.	18,076	6	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	31	18	3	7	–	–	–	–	1	–	–	–	–	–	–	4	–
Banstead Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Horton Asylum, Epsom - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Caterham Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asylum, Dartford Heath - - - - -	—	–	8	–	3	–	–	–	–	–	–	–	–	–	–	–	8	–
Banwell Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Central London Sick Asylum, Hendon	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Colney Hatch Asylum - - -	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–
N.E. Hospital - - - - -	—	–	5	–	–	–	–	5	–	–	–	–	–	–	–	–	5	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Claybury Asylum - - - -	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–

NOTE.—On 1st April the area of London was changed: part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished: part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table includes 3,159 persons who were enumerated on board ships and boats; these have not yet been allocated to the several sub-districts.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th May, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,584	2,042,750	1091	430	108	118	–	12	–	10	16	–	6	24	42	53	2
0:1	Carshalton *H*	12,228	32,997	15	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Epsom, *part of* WwHHH*	10,423	15,548	7	5	1	2	–	–	–	–	–	–	–	–	–	3	–
7:1	Godstone, *part of* W*	2,754	2,692	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8:1	Croydon *WWwHHH*	20,851	164,519	67	26	7	7	–	–	–	–	1	–	–	–	2	5	–
2	Mitcham *w*	11,697	29,906	13	2	–	–	–	–	–	–	–	–	–	–	–	–	–
9:1	Wimbledon *HHH*	3,220	41,604	16	9	1	3	–	1	–	–	1	–	–	–	–	1	–
2	Kingston *WH*	14,672	42,066	22	8	1	2	–	–	–	1	–	–	–	–	–	–	–
3	Surbiton *HH*		15,019	8	3	–	–	–	–	–	–	–	–	–	–	1	–	–
4	Esher, *part of* H*		13,003	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL*	4,565	23,447	18	3	2	–	–	–	–	–	–	–	–	–	1	–	–
0:1	Richmond *WHH*	2,160	28,871	8	4	1	1	–	–	–	–	–	–	–	2	2	–	–
2	Mortlake *H*	2,823	20,625	10	8	1	3	–	–	–	–	–	–	–	–	–	–	–
1:1	Bromley *HHH*	9,127	29,638	15	6	1	2	–	–	–	1	–	–	–	–	–	1	–
2	Beckenham *H*	6,542	27,658	14	6	2	3	–	–	–	–	1	–	–	–	1	–	–
3	Orpington, *part of* W*	6 974	8,415	1	1	–	–	–	–	–	–	–	–	–	1	1	1	–
4	Chislehurst *HH*	7,333	16,458	8	2	–	–	–	1	–	–	–	–	–	–	–	–	–
2:1	Bexley *HHH*	12,540	46,231	26	13	3	2	–	–	–	–	2	–	–	2	2	1	–
2	Dartford *WH, part of**	—	—	–	4	–	3	–	–	–	–	–	–	–	–	–	4	–
4:1	Sunbury *w*	11,054	18,682	9	3	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13,277	15,179	4	2	1	–	–	–	–	–	–	–	–	–	1	–	–
5:1	Hillingdon *WHH*	6,035	13,661	10	3	–	–	–	–	–	–	–	–	–	1	1	2	–
2	Uxbridge	12,757	8,984	9	2	2	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	7,952	16,358	12	2	1	–	–	–	–	–	–	–	–	–	1	–	–
6:1	Isleworth *WHH*	6,967	30,838	16	5	1	2	–	–	–	–	–	–	–	–	–	1	–
2	Twickenham *HH*	2,415	20,991	4	3	–	–	–	–	–	–	–	–	–	2	2	–	–
3	Brentford *HHHH*	4,318	48,290	29	10	6	1	–	–	–	–	1	–	–	–	–	–	–
4	Chiswick	1,245	29,809	23	9	2	4	–	–	–	1	–	–	–	–	–	–	–
5	Acton *wHH*	6,132	48,913	34	9	2	5	–	–	–	–	–	–	–	1	2	–	–
7:1	Harrow *HHH*	13,809	25,522	18	6	1	1	–	–	–	–	1	–	–	–	–	–	–
2	Edgware *HH*	6,994	4,520	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,383	114,815	57	26	7	7	–	–	–	–	3	–	–	–	1	1	–
4	Hendon *WH*	8,382	22,450	11	10	2	4	–	–	–	–	–	–	–	–	1	3	–
8:1	South Mimms *HH*	21,077	7,308	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–
2	Barnet *WHH*		17,970	6	2	1	–	–	–	–	–	–	–	–	–	1	1	–
3	Finchley *HHH*	4,688	33,692	15	8	1	3	–	–	–	–	–	–	–	–	–	–	–
9:1	Hornsey† *HH*	2,874	72,056	34	9	3	2	–	–	–	1	–	–	–	1	1	1	–
2	Tottenham *HHH*	4,642	136,702	69	21	5	9	–	–	–	–	–	–	1	1	4	1	–
3	Edmonton *Ww*	7,489	61,892	31	18	4	7	–	2	–	1	–	–	1	–	–	2	–
4	Enfield *WWHH*	12,602	42,738	27	7	–	2	–	–	–	–	–	–	–	1	1	–	–
5	Waltham Abbey	11,017	6,547	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,480	12,288	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
5:1	Hatfield, *part of* W*	3,306	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7:1	Bushey *H*	9,331	9,173	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6:1	Stratford *H*	4,706	44,825	25	13	4	3	–	–	–	–	1	–	–	–	–	1	–
2	Plaistow *HHH*		90,917	62	21	7	3	–	1	–	2	–	–	2	–	1	7	–
3	Canning Town *H*		69,658	56	19	6	1	–	–	–	–	1	–	–	3	5	2	1
4	Forest Gate *w*		60,897	20	17	4	7	–	2	–	–	1	–	–	2	2	–	–
5	East Ham *wHHH*	3,266	95,469	70	12	5	4	–	–	–	1	–	–	–	1	2	–	–
6	Wanstead	4,334	9,198	2	5	1	2	–	–	–	1	1	–	–	–	–	–	–
7	South Leyton *WW*		50,458	29	18	5	8	–	1	–	–	–	–	–	–	–	9	–
8	North Leyton *WwH*		48,441	27	10	2	2	–	–	–	1	–	–	–	1	1	–	–
9	Walthamstow *HHHL*	6,501	108,931	52	24	5	3	–	4	–	–	1	–	–	3	3	1	–
7:1	Chigwell, *part of* HHHH*	11,779	16,396	6	3	1	1	–	–	–	–	–	–	–	–	–	–	1
2	Epping *WH, part of**	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
9:1	Romford, *part of* W*	6,556	6,070	5	2	1	1	–	–	–	–	1	–	–	–	–	–	–
2	Ilford *H*	8,493	41,240	24	9	2	4	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town, *H*	3,814	21,511	16	6	2	1	–	–	–	–	–	–	1	1	1	–	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
	London County Lunatic Asylum, Colney Hatch.	—	—	–	1	–	1	–	–	–	–	–	–	–	1	1	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 3, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 11th May, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
Greater London	**443,421**	**6,602,409**	**14·3**	**1·5**	**1816**	**376**	**498**	**1**	**50**	**17**	**33**	**61**	**7**	**15**	**89**	**565**
Inner London -	74,837	4,543,727	15·9	1·6	1386	268	380	1	38	17	23	45	7	9	65	512
Outer Ring -	368,584	2,058,682	10·9	1·1	430	108	118	–	12	–	10	16	–	6	24	53

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
Edinburgh -	309,472	May 11	156	127	21·4	–	6	2	1	16	–	1
Glasgow - -	753,766	„ 11	521	279	19·3	1	5	2	1	21	–	9
Dublin† - -	346,128	„ 11	191	182	27·4	–	1	2	–	7	2	3
Calcutta - -	466,460	February 16	–	583	65·2	76	4	–	–	1	312‡	69§
Bombay - -	821,764	April 23	246	1349	91·0	6	3	?	?	?	719‡	75§
Madras - -	452,518	„ 5	238	335	38·4	5	6	?	?	?	126	40
Paris - - -	2,511,629	May 4	1064	1076	22·2	5	17	2	15*	10	7	35
Brussels - -	570,844	„ 4	266	206	18·8	–	3	–	1*	4	1	13
Amsterdam -	523,822	April 27	257	167	16·6	–	1	–	–	–	1	13
Rotterdam -	320,991	February 16	–	–	–	–	–	–	–	–	–	–
The Hague -	205,328	„ 16	–	–	–	–	–	–	–	–	–	–
Copenhagen -	378,200	May 4	237	146	20·1	–	7	2	1	6	1	3
Stockholm -	301,050	April 27	170	83	14·3	–	2	3	3*	–	–	4
Christiania -	226,423	May 4	105	60	13·8	–	–	–	–	–	–	1
St. Petersburg	1,248,643	April 27	754	592	24·7	–	14	17	22	1	9	50
Moscow - -	1,023,817	„ 27	–	563	28·7	2	7	9	9	–	7	54
Berlin - -	1,891,431	„ 20	938	659	18·2	–	3	12	9	13	–	49
Hamburg - -	705,738	May 4	–	213	15·7	–	1	2	–	2	–	3
Dresden - -	400,140	January 5	–	–	–	–	–	–	–	–	–	–
Breslau - -	427,505	May 4	–	238	29·0	–	4	1	3	3	–	30
Munich - -	500,000	„ 4	–	262	27·2	–	5	1	3*	4	–	28
Vienna - -	1,662,269	„ 4	1058	746	22·9	–	17	10	8*	–	–	42
Prague - -	389,741	April 27	183	196	26·2	–	3	1	3	1	2	2
Buda-Pesth -	747,535	„ 27	426	305	21·2	–	4	6	1	1	–	7
Trieste - -	176,456	May 4	76	85	25·0	–	–	–	1*	2	–	4
Rome - - -	467,236	March 16	229	222	24·8	–	1	1	–	2	4‖	9
Turin (10 days) -	344,203	January 10	–	–	–	–	–	–	–	–	–	–
Venice - -	174,378	April 20	63	65	19·4	–	–	–	1*	–	–	2
		„ 27	87	66	19·7	–	–	–	1*	–	–	2
Cairo - -	570,062	March 11	458	314	28·6	1	1	–	3*	1	8	42
Alexandria -	319,766	„ 11	238	184	29·9	2	–	–	1*	–	2	42
New York (including Brooklyn)	3,536,517	April 20	–	–	–	–	–	–	–	–	–	–
Philadelphia -	1,293,697	„ 20	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 13 deaths from cholera in Calcutta, and 4 in Bombay.
‡ Including 204 deaths from plague in Calcutta, and 459 in Bombay.
‖ Including one death from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	5	..	29·791	61·2	42·4	18·8	47·8	− 2·5	43·0	4·8	17·1	1·5	83	130·3	26·8	48·70	NNE. & SW.	SW. & SE.	0·9	0·0	0·0	112	−141	0·00	1·0
MONDAY -	6	Greatest Dec. S.	29·356	52·1	40·2	11·9	46·2	− 4·4	40·2	6·0	9·9	2·8	80	76·4	26·1	48·86	WSW., NNW. & N.	W., WSW. & SW.	0·5	0·0	0·0	174	− 78	0·00	0·0
TUESDAY -	7	..	29·127	56·8	41·9	14·9	48·3	− 2·5	37·8	10·5	16·8	1·1	67	123·8	37·0	48·98	SSW., SW. & WSW.	W., WSW. & S.	3·9	0·0	0·2	281	+ 29	0·21	0·0
WEDNESDAY	8	..	29·326	51·8	40·2	11·6	44·7	− 6·3	40·1	4·6	10·6	1·1	84	107·1	34·6	48·89	Variable & calm.	ESE., ENE. & N.	2·8	0·0	0·0	140	−111	0·33	0·0
THURSDAY-	9	..	29·665	50·8	42·2	8·6	46·1	− 5·1	43·7	2·4	6·5	1·1	91	60·2	38·4	48·79	N.	Variable & N.	2·8	0·0	0·1	193	− 58	1·01	0·0
FRIDAY -	10	..	29·884	55·1	42·0	13·1	46·6	− 4·9	42·8	3·8	10·2	1·3	86	110·2	35·0	48·51	N.	N., NNW. & S.	2·1	0·0	0·0	200	− 51	0·01	0·0
SATURDAY -	11	Last Quarter.	30·053	59·4	39·3	20·1	50·3	− 1·4	43·5	6·8	12·9	0·5	78	108·5	33·0	48·50	S. & variable.	Variable & N.	0·1	0·0	0·0	106	−144	0·00	0·0
MEANS -	-		29·600	55·3	41·2	14·1	47·1	− 3·9	41·6	5·6	12·0	1·3	81	102·4	33·0	48·75	Variable		..	..	..	Sum 1206	Sum −554	Sum 1·56	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	5	Loss of Register till 10h. A.M.; w. P. afterwards.	5·6	15·0	Generally overcast till noon; fine and partially cloudy afterwards.
MONDAY -	6	m. P. till 10h. A.M.; v. P. generally afterwards.	0·0	15·0	Foggy in early morning; generally overcast afterwards, with a little rain at times.
TUESDAY -	7	s. N. till 1h. A.M.; m. P. generally till noon; v. P. with occasional s. N. afterwards.	7·6	15·1	Variable and showery.
WEDNESDAY	8	v. P. and v. N. till 6h. PM.; s. P. afterwards.	1·0	15·1	Generally overcast, with frequent rain, till 4h. P.M.; fine and partially cloudy afterwards. Hail in afternoon.
THURSDAY-	9	s. P. and s. N. generally.	0·0	15·2	Generally overcast; frequent rain. Thunder storm with very heavy rain and hail between noon and 2h. P.M. Slight fog in afternoon and in evening.
FRIDAY -	10	s. P. generally.	2·0	15·2	Generally cloudy; occasional slight showers till noon.
SATURDAY-	11	m. P. generally till noon; s. P. afterwards.	1·1	15·3	Generally cloudy. A dull day.
			Sum 17·3	Sum 105·9	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·05 in. at the beginning of the week to 29·11 in. by 2h. P.M. on the 7th; and increased to 30·16 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th May, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	9	5	-	-	-	-	-	-
Kensington	176,787	-	6	1	1	1	-	-	3	-
Hammersmith	112,619	-	10	6	-	1	-	-	2	-
Fulham	138,426	-	22	8	-	1	-	-	2	-
Chelsea	73,879	-	7	1	-	-	-	-	3	-
City of Westminster	182,502	-	8	7	-	2	-	-	3	-
NORTH.										
St. Marylebone	133,060	1	6	3	-	-	-	-	3	-
Hampstead	82,246	-	4	5	-	-	-	-	-	-
St. Pancras	235,297	-	10	16	-	1	-	-	4	-
Islington	335,325	-	24	4	-	2	-	-	3	-
Stoke Newington	51,328	-	3	1	-	-	-	-	-	1
Hackney	219,780	-	13	17	-	3	-	-	11	-
CENTRAL.										
Holborn	59,205	-	5	1	-	-	-	-	1	-
Finsbury	101,263	-	13	1	-	-	-	-	-	-
City of London	26,638	-	2	-	-	1	-	-	-	-
EAST.										
Shoreditch	118,554	-	57	14	-	-	-	-	5	-
Bethnal Green	129,700	-	71	22	-	-	-	-	5	-
Stepney	298,884	-	23	11	-	4	-	-	4	1
Poplar	168,887	-	8	10	-	1	-	-	4	-
SOUTH.										
Southwark	206,219	-	20	9	-	2	-	-	2	-
Bermondsey	130,348	-	8	6	-	1	-	-	3	-
Lambeth	302,460	-	17	5	-	1	1	-	7	1
Battersea	169,364	-	12	4	-	-	-	-	-	-
Wandsworth	233,943	-	20	4	-	3	-	-	3	-
Camberwell	259,897	-	23	20	-	-	-	-	6	1
Deptford	110,732	-	8	3	-	-	-	-	1	-
Greenwich	96,188	-	9	-	-	-	-	-	4	-
Lewisham	128,423	-	12	2	-	1	-	-	-	-
Woolwich	117,619	-	2	1	-	1	-	-	1	-
Port of London	—	-	2	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,727	1	434	187	1	27	1	-	80	4
Ages 0-1		-	6	2	-	-	-	-	1	-
„ 1-5		-	139	65	-	3	-	-	7	-
„ 5-		-	146	45	-	3	-	-	3	-
„ 10-		-	46	15	-	2	-	-	1	-
„ 15-		-	36	14	-	2	-	-	4	-
„ 20-		-	31	20	-	3	1	-	5	-
„ 25-		1	19	16	-	9	-	-	7	3
„ 35-		-	7	6	-	4	-	-	16	1
„ 45-		-	3	2	1	-	-	-	12	-
„ 55-		-	1	2	-	1	-	-	8	-
„ 65 and upwards		-	-	-	-	-	-	-	16	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

Population Enumerated in 1901 in England and Wales, and in Administrative Counties.

Administrative Counties.	Enumerated Population 1901.	Administrative Counties.	Enumerated Population 1901.
England and Wales	**32,525,716**	Northumberland	387,728
62 Administrative Counties	23,386,526	Nottinghamshire	274,683
67 County Boroughs (*see* Note)	9,139,190	Oxfordshire	137,118
		Rutlandshire	19,708
Bedfordshire	171,699	Shropshire	239,297
Berkshire	180,366	Somersetshire	385,059
Buckinghamshire	196,843	Southampton	377,121
Cambridgeshire	120,634	Isle of Wight	82,387
Isle of Ely	64,494	Staffordshire	879,625
Chester	601,042	Suffolk—Eastern	189,153
Cornwall	322,857	„ Western	117,535
Cumberland	266,904	Surrey	519,522
Derbyshire	504,577	Sussex—Eastern	261,691
Devonshire	436,913	„ Western	151,540
Dorsetshire	202,093	Warwickshire	347,693
Durham	833,310	Westmorland	64,411
Essex	816,524	Wiltshire	271,372
Gloucestershire	331,515	Worcestershire	358,357
Herefordshire	114,150	Yorkshire—East Riding	145,877
Hertfordshire	258,044	„ North Riding	285,681
Huntingdonshire	54,127	„ West Riding	1,460,857
Kent	936,003	Anglesey	50,475
Lancaster	1,827,330	Brecknock	54,211
Leicestershire	225,895	Cardigan	61,068
Lincolnshire—Holland	77,583	Carmarthen	135,320
„ Kesteven	103,957	Carnarvon	125,654
„ Lindsey	206,497	Denbigh	131,588
London	4,536,034	Flint	81,487
Middlesex	792,225	Glamorgan	601,080
Monmouthshire	230,792	Merioneth	48,786
Norfolk	313,438	Montgomery	54,892
Northamptonshire	207,466	Pembroke	87,856
Soke of Peterborough	41,119	Radnor	23,263

Note.—The following figures should be substituted for those published on page 233 in the Return for the week ended 4th May: For the population of Bootle, 58,481; Canterbury, 24,868; Cardiff, 164,315; Gateshead, 109,887; Halifax, 104,937; Kingston-upon-Hull, 240,133; Newcastle-upon-Tyne, 214,998; Preston, 112,982; Southampton, 104,911; Worcester, 46,623; York, 77,793. These figures are still subject to revision.

Analysis of Metropolitan Water Supply during April, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
May, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of April, by the eight Water Companies.

Eleven samples of each Company's supply were examined, making a total of 88 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - -	April 16th. Cab Rank, Fulham Road, near Women's Hospital.	8·8°	29·34	·181	·023	0	·240	·263	1·8	20·6
West Middlesex -	April 16th. Cab Rank, near "George" public-house, Hammersmith.	10·0	29·02	·227	·021	0	·222	·243	1·8	21·6
Southwark - -	April 16th. Cab Rank, "Bricklayer's Arms," Old Kent Road.	9·3	29·18	·214	·021	0	·221	·242	1·8	21·4
Grand Junction -	April 16th. Cab Rank, Shepherd's Bush Green.	8·5	28·46	·308	·030	·0005	·217	·247	1·8	21·0
Lambeth - - -	April 16th. Cab Rank, St. George's Road, Southwark.	9·4	30·96	·286	·030	0	·238	·268	1·9	22·4
Lea.										
New River - -	April 16th. Cab Rank, Canonbury Station.	8·5	28·48	·124	·012	0	·225	·237	1·8	21·2
East London - -	April 16th. Cab Rank, Sydney Street, E.	9·0	36·54	·195	·019	0	·346	·365	2·3	24·5
Deep Well.										
Kent- - - -	April 16th. Cab Rank, New Cross Station, opposite Jerningham Road.	10·5	38·36	·043	·008	0	·493	·501	2·2	29·6
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected at the cab rank in Fulham Road, had a temperature of 8·8° C.; 100,000 lbs. of it contained 29·34 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·181 lb. of carbon and ·023 lb. of nitrogen. The above quantity of water also contained no ammonia and ·240 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·263 lb. The above weight of water also contained 1·8 lbs. of chlorine and 20·6 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on April 16th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :— Kent 0·9, New River 2·3, Chelsea 3·5, East London 3·6, Southwark 4·0, West Middlesex 4·2, Lambeth 5·4, and Grand Junction 5·7.

Of the waters derived from the River Thames, the supplies of the Chelsea, West Middlesex and Southwark Companies contained less organic matter than was found in the previous month, and were of good chemical quality; but the waters of the Grand Junction and Lambeth Companies exhibited no reduction in this respect, and were again of indifferent chemical quality. All the samples were clear.

From a comparison with the analytical records obtained in previous years, it appears that the past April has not been so favourable as usual to the operations of the Thames Companies, as the average proportion of organic matter in the filtered waters was somewhat higher than had been observed, at this season, for many years past.

With regard to the waters chiefly derived from the Lea, the supplies of the New River and East London Companies were clear and of good chemical quality.

The Kent Company's deep-well water was, as usual, clear and of high organic purity.

When viewed through a stratum two feet deep, the Kent Company's water was colourless, the supplies of the Chelsea, West Middlesex, Southwark, New River and East London Companies were very pale yellow, and the waters of the Grand Junction and Lambeth Companies pale yellow in colour.

In addition to the above analytical examination, the 88 samples, collected during the month of April, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·125	·080	·102	·143	·091	·110	·011	·008	·010
West Middlesex	·124	·103	·113	·133	·112	·123	·012	·010	·011
Southwark	·144	·075	·111	·160	·075	·120	·012	·009	·010
Grand Junction	·181	·082	·135	·202	·084	·148	·014	·008	·012
Lambeth	·188	·091	·142	·200	·096	·152	·016	·008	·012
New River	·087	·031	·058	·097	·033	·064	·008	·004	·005
East London	·106	·075	·088	·115	·084	·096	·011	·008	·009
Kent	·007	·002	·005	·010	·003	·006	·002	·001	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

With regard to the Thames waters the above results show that during the past month the Grand Junction and Lambeth Companies' supplies contained, on the average, more organic matter and exhibited greater fluctuations in quality than the supplies of the three other companies. The largest amounts of organic matter in the Grand Junction and Lambeth waters were observed on the 10th and 19th of April, respectively. The Southwark Company's water during April was of better average quality than that delivered in March. The storage possessed by the Chelsea and West Middlesex Companies enabled them to deliver water of fairly uniform quality during the month.

With reference to the Lea-derived supplies the average qualities of the New River and East London waters were similar to those distributed by these Companies, respectively, during the previous month, but the maximum contamination was, in each case, less. The New River water was much, and the East London Company's water slightly, superior to any of the Thames-derived supplies.

The Kent Company's water contained, as usual, only minute amounts of oxidisable organic matter, and was of excellent quality.

All the samples of the Chelsea and Lambeth Companies' supplies were clear, but those of the remaining Companies occasionally contained minute quantities of suspended matter, probably derived from the culverts and mains.

I am, Sir,
Your obedient Servant,
T. E. Thorpe.

The Registrar-General,
Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of April, 1901. The supply was in the ratio of 218 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	April, 1900.	April, 1901.	April, 1900.	April, 1901.
Total Supply - - -	900,691	922,212	202,608,540	201,424,312
From Thames - - - - - -	430,140	438,766	107,622,558	108,227,509
From Lea and from other Sources -	470,551	483,446	94,985,982	93,196,803
Thames.				
Chelsea - - - - - - -	38,598	39,094	11,907,706	12,464,351
West Middlesex - - - - - -	85,356	86,828	20,180,969	20,933,363
Southwark and Vauxhall - -	123,926	125,160	31,704,800	30,018,999
Grand Junction - - - - - -	66,122	67,976	19,032,136	18,955,739
Lambeth - - - - - - -	116,138	119,708	24,796,947	25,855,057
Lea and other Sources.				
New River - - - - - - -	169,349	172,588	36,648,500	36,671,818
East London - - - - - -	206,869	212,951	41,254,733	38,782,000
Kent - - - - - - - -	94,333	97,907	17,082,749	17,742,985

Note.—The Return for April, 1901, as compared with that for the corresponding month of 1900 shows an increase of 21,521 services and a decrease of 1,184,228 gallons of water supplied daily.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 20. 1901. VOL. LXII.] WEEK ENDED SATURDAY, MAY 18. [Price 1½*d.*

General Register Office, Somerset House,
May 20th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated* at 11,463,187 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 17·3, and 16·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Apr. 27.	May 4.	May 11.	May 18.		Apr. 27.	May 4.	May 11.	May 18.
33 Great Towns	18·4	17·3	16·5	16·8	Leicester - -	15·7	11·5	14·2	12·8
Birkenhead -	12·7	15·9	12·7	15·5	Liverpool - -	21·1	20·7	18·5	20·0
Birmingham -	18·2	18·0	18·9	19·1	London - - -	17·8	16·7	15·9	15·8
Blackburn -	19·6	20·0	17·1	18·8	Manchester - -	21·5	18·5	20·7	20·7
Bolton - -	24·4	21·6	15·8	18·8	Newcastle-on-Tyne	21·8	18·9	17·2	15·7
Bradford -	20·7	15·6	17·3	17·3	Norwich - -	14·0	16·3	17·2	14·4
Brighton -	11·8	14·3	22·3	12·6	Nottingham - -	20·4	19·3	15·6	17·6
Bristol - -	18·7	15·2	17·4	16·9	Oldham - -	20·1	15·6	18·6	14·0
Burnley -	23·0	16·1	13·9	18·2	Plymouth - -	25·1	14·5	11·6	16·9
Cardiff - -	15·2	13·9	14·2	14·2	Portsmouth - -	22·5	16·7	17·0	15·1
Croydon -	13·9	9·7	7·7	8·9	Preston - -	22·1	19·8	14·3	22·1
Derby - -	11·8	17·2	15·2	17·2	Salford - - -	20·9	20·5	18·4	19·1
Gateshead -	22·7	24·1	13·2	15·1	Sheffield - -	18·0	18·6	16·5	15·8
Halifax -	24·8	18·8	15·9	19·8	Sunderland - -	18·1	21·3	16·6	22·0
Huddersfield-	18·1	15·9	14·3	14·3	Swansea - -	20·4	26·5	20·4	19·8
Hull - -	13·6	18·4	19·5	16·7	West Ham - -	12·6	13·2	14·9	16·7
Leeds - -	17·0	18·0	16·1	17·6	Wolverhampton -	14·4	12·7	16·0	16·6

On pages 263–4 are given the death-rates from all causes and from the principal zymotic diseases for the first eighteen weeks of the year, calculated by means of the present estimates of population. These rates should be substituted for the figures which have appeared in the several Weekly Returns.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·1 in Portsmouth, in Wolverhampton, and in Birmingham, and 1·4 in Sunderland; and from *whooping-cough*, 1·0 in West Ham, 1·1 in Wolverhampton, 1·3 in Bristol and in Hull, 1·4 in Birkenhead and in Preston, 1·8 in Sunderland, 2·0 in Bradford, 2·4 in Gateshead, and 3·3 in Swansea. In none of the thirty-three towns did the death-rate from *scarlet fever*, from "*fever*" or from *diarrhœal diseases* reach 1·0 per 1000. The 45 deaths from *diphtheria* included 14 in London, 4 in Burnley, 4 in Leeds, 3 in Sheffield, and 3 in West Ham. One death from *small-pox* was registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2602 BIRTHS and 1375 DEATHS were registered. Allowing for increase of population, the births were 65 above, and the deaths 205 below,

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·8, 16·7, and 15·9 in the preceding three weeks, further fell last week to 15·8. During the four weeks ended on Saturday last the death-rate averaged 16·6 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1375 deaths included 33 from measles, 14 from scarlet fever, 14 from diphtheria, 48 from whooping-cough, 4 from enteric fever, 16 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 129 deaths were referred to these diseases, being 73 below the corrected average weekly number.

The deaths from *measles*, which had been 50, 39, and 38 in the preceding three weeks, further fell last week to 33, and were 44 below the corrected average; 5 cases belonged to the Borough of Battersea and 5 to that of Camberwell. The deaths from *scarlet fever*, which had been 6, 9, and 17 in the preceding three weeks, fell again last week to 14, and were equal to the corrected average; 4 cases belonged to Bethnal Green and 3 to Shoreditch. The deaths from *diphtheria*, which had been 20, 20, and 23 in the preceding three weeks, fell again last week to 14, and were 24 below the corrected average; 3 cases belonged to Camberwell. The deaths from *whooping-cough*, which had been 48, 66, and 45 in the preceding three weeks, rose again last week to 48, the corrected average being 49; 5 cases belonged to Stepney and 4 to Shoreditch. The fatal cases of *enteric fever*, which had been 10, 2, and 7 in the preceding three weeks, fell again last week to 4, and were 4 below the corrected average. The deaths from *diarrhœal diseases*, which had been 12, 16, and 9 in the preceding three weeks, rose again last week to 16, and were 2 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 286, 251, and 237 in the preceding three weeks, rose again last week to 249, but were 46 below the corrected average. The deaths attributed directly to *influenza* numbered 16, having been 29, 19, and 17 in the preceding three weeks.

Different forms of *violence* caused 72 deaths, concerning all but 2 of which inquests were held. Of these 72 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 58 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 6 to drowning, and 11 (including 10 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2052 cases of scarlet fever, 1099 of diphtheria, 1 of typhus, and 106 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 323 cases, against 198, 371, and 397; of diphtheria, 188 cases, against 145, 147, and 192; and of enteric fever, 13 cases, against 21, 14, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended May 11th.

Greater London.

In Greater London 3785 births and 1835 deaths were registered, correponding to annual rates of 29·9 and 14·5 per 1000 of the estimated population. In the Outer Ring 15 deaths from measles, 2 from scarlet fever, 9 from diphtheria, 21 from whooping-cough, and 10 from diarrhœal diseases were registered. Seven deaths from measles, 5 from diphtheria, and 7 from whooping-cough occurred in West Ham district; 5 deaths from whooping-cough occurred in Brentford district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·13 inches, and that of the Thermometer 51°·7; the latter being 1°·1 below the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 5 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 69·7 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectiou disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Registered during the Week ended 18th May 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Death-rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,187**	**6704**	**3689**	**810**	**918**	**1**	**81**	**31**	**45**	**150**	**16**	**48**	**183**	**330**	**866**	**30**	**16·8**	**1·7**	**72·0**	**33·0**	**50·2**	**10·11**	**0·00**	**0·00**	**33 Towns.**
London - -	4,543,727	2602	1375	281	370	-	33	14	14	48	4	16	72	148	449	-	15·8	1·5	69·5	36·6	51·7	10·94	0·00	0·00	London.
West Ham - -	268,868	184	86	26	16	-	1	-	3	5	-	4	5	7	16	-	16·7	2·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	86	23	4	6	-	1	-	1	1	-	-	-	2	7	-	8·9	1·2	71·0	38·0	51·0	10·56	0·00	0·00	Croydon.
Brighton - -	123,668	50	30	5	9	-	-	-	1	1	-	-	2	3	4	-	12·6	0·8	70·2	40·0	52·3	11·28	0·00	0·00	Brighton.
Portsmouth -	189,907	110	55	13	15	-	4	-	-	1	-	-	4	5	8	1	15·1	1·4	72·0	43·0	52·7	11·50	0·00	0·00	Portsmouth.
Plymouth - -	107,974	54	35	7	12	-	-	-	-	1	-	-	1	3	5	-	16·9	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,825	170	107	23	35	-	-	1	2	8	-	2	4	7	20	1	16·9	2·1	69·0	36·5	50·3	10·17	0·00	0·00	Bristol.
Cardiff - -	165,200	114	45	11	10	-	-	-	2	2	-	-	1	2	9	-	14·2	1·3	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	56	36	7	8	-	-	-	1	6	-	-	1	4	2	-	19·8	3·9	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	72	30	9	5	-	2	-	-	2	-	-	3	3	4	-	16·6	2·2	68·6	33·0	48·3	9·06	0·00	0·00	Wolverhampton.
Birmingham -	523,284	336	192	51	34	-	11	1	-	7	-	2	10	16	41	3	19·1	2·1	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	60	31	8	9	-	-	-	-	-	1	-	1	2	4	1	14·4	0·5	63·8	33·4	47·2	8·44	0·00	0·00	Norwich.
Leicester - -	212,498	128	52	15	15	-	-	-	1	3	1	1	6	6	7	-	12·8	1·5	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	127	81	19	23	-	2	-	1	4	1	2	5	6	17	1	17·6	2·2	64·5	38·0	48·8	9·33	0·00	0·00	Nottingham.
Derby - - -	106,076	72	35	9	12	-	-	-	1	1	-	-	2	7	5	-	17·2	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	63	33	2	10	-	1	-	-	3	-	1	4	6	6	-	15·5	2·3	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	440	264	59	45	1	9	4	1	4	2	4	14	17	78	8	20·0	1·9	66·8	42·2	51·4	10·78	0·00	0·00	Liverpool.
Bolton - -	168,748	107	61	15	16	-	2	-	1	1	-	-	3	6	3	-	18·8	1·2	-	-	-	-	-	-	Bolton.
Manchester -	544,894	308	216	46	53	-	2	1	2	6	-	2	10	22	45	1	20·7	1·2	-	-	-	-	-	-	Manchester.
Salford - -	221,587	125	81	22	16	-	4	2	2	2	-	2	3	6	14	1	19·1	2·8	-	-	-	-	-	-	Salford.
Oldham - -	137,382	58	37	5	8	-	-	1	-	1	1	1	1	2	3	1	14·0	1·5	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	52	34	5	13	-	-	1	4	-	-	-	-	-	8	-	18·2	2·7	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	70	46	8	15	-	-	1	-	2	-	1	2	4	12	4	18·8	1·6	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	80	48	12	15	-	-	1	-	3	1	-	2	2	3	-	22·1	2·3	69·0	41·0	51·5	10·83	0·00	0·00	Preston.
Huddersfield -	94,998	43	26	3	9	-	-	-	-	-	-	-	3	4	4	-	14·3	-	65·6	36·0	48·6	9·22	0·00	0·00	Huddersfield.
Halifax - -	105,118	40	40	5	15	-	-	-	-	1	1	1	-	4	10	1	19·8	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	118	93	23	21	-	-	1	-	11	-	2	2	3	8	-	17·3	2·6	66·0	39·6	50·1	10·06	0·01	0·03	Bradford.
Leeds - - -	430,489	278	145	36	29	-	1	2	4	2	1	3	3	7	15	2	17·6	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	262	116	30	25	-	-	-	3	6	2	3	5	7	22	2	15·8	1·9	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	142	77	21	17	-	3	-	-	6	-	-	6	9	9	1	16·7	1·9	69·0	36·0	48·1	8·94	0·00	0·00	Hull.
Sunderland -	147,207	98	62	15	7	-	4	1	1	5	1	-	1	1	8	2	22·0	4·3	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	76	32	8	5	-	1	-	-	5	-	1	1	1	2	-	15·1	3·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	123	65	7	20	-	-	-	-	2	-	-	6	8	18	-	15·7	0·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWENTIETH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2374	2600	2445	2241	2496	2462	2444	2285	2598	2512	2536·8	2602
Males - -	1214	1328	1267	1121	1246	1287	1260	1155	1318	1282	1294·3	1285
Females - -	1160	1272	1178	1120	1250	1175	1184	1130	1280	1230	1242·5	1317
TOTAL **Deaths** -	2235	1587	1503	1463	1389	1516	1321	1360	1419	1437	1579·7	1375
Males - -	1166	883	796	759	747	812	693	705	730	781	837·3	704
Females - -	1069	704	707	704	642	704	628	655	689	656	742·4	671

*The numbers in this column are the average weekly numbers in the twentieth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.
TOTAL **Births** - - -	2673	2681	2496	2607	2424	2634	2538	2358	2835	2585	2562	2510	2602
TOTAL **Deaths** - - -	1853	1865	1723	1571	1588	1645	1573	1633	1564	1552	1454	1386	1375
Ages at Death: Under 1 year - -	340	333	359	333	299	349	325	325	300	323	306	269	281
1—5 years - -	199	214	225	189	203	220	223	256	184	217	178	169	185
5—20 ,, - -	89	94	91	96	85	85	70	91	77	85	91	77	56
20—40 ,, - -	226	223	201	197	202	207	195	200	209	200	180	198	192
40—60 ,, - -	375	392	355	314	318	313	301	307	325	284	327	293	291
60—80 ,, - -	515	486	298	366	393	375	380	363	377	347	299	299	298
80 years and upwards	109	123	94	76	88	96	79	91	92	96	73	81	72
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Measles - - - - -	36	36	33	35	42	56	38	52	37	50	39	38	33
Scarlet Fever - - -	5	4	6	10	6	8	8	8	3	6	9	17	14
Diphtheria - - - -	27	19	25	30	14	16	21	26	11	20	20	23	14
Whooping-cough - - -	52	57	37	43	63	55	62	74	58	48	66	45	48
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	6	9	7	8	5	8	5	4	7	10	2	7	4
Simple Continued Fever -	1	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	10	19	14	13	13	21	12	9	14	12	16	9	16
Cholera - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-
All the above Diseases -	137	144	122	140	144	164	146	173	130	146	152	140	129
Dis. of Respiratory System -	493	501	463	394	332	363	360	345	374	286	251	237	249
Phthisis - - - - -	172	169	169	168	149	165	168	139	158	153	143	161	128
Dis. of Circulatory System -	189	192	161	138	187	157	133	161	137	132	136	133	123
Violence - - - -	75	64	66	63	73	64	64	89	51	79	72	65	72
Inquest Cases - - - -	207	186	159	158	196	136	157	207	137	150	149	145	148
Deaths in Public Institutions -	590	589	548	489	510	523	522	530	514	534	483	512	449
TEMPERATURE OF THE AIR													
Mean - - - - -	35°·1	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4	46°·2	47°·3	54°·7	49°·3	47°·1	51°·7
Mean of Highest readings -	39·1	49·1	48·0	44·6	43·1	41·1	53·2	54·1	56·7	66·2	61·0	55·3	62·9
Mean of Lowest readings -	31·7	38·7	37·1	33·7	34·2	28·4	36·1	41·0	38·2	43·3	39·0	41·2	41·4
Humidity of the Air - -	80	84	85	91	78	70	80	83	67	57	72	81	73
Rain-fall (in inches) - -	0·15	0·57	0·76	0·09	0·31	0·44	0·97	0·71	0·33	0·02	0·00	1·56	0·00
Registered Sunshine (in hours)	6·6	15·7	11·4	5·4	13·2	21·2	27·4	29·0	48·6	77·2	45·6	17·3	69·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	1834	1823	1746	1652	1598	1568	1572	1601	1526	1522	1705	1913	2052
Diphtheria - - - -	1118	1124	1118	1115	1103	1089	1073	1020	958	962	983	1038	1099
Typhus - - - - -	6	2	2	3	3	2	1	1	-	-	1	1	1
Enteric Fever - - - -	237	224	205	184	182	162	146	141	132	121	108	112	106

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTIETH Week of the Year 1901.

USES OF DEATH.	Corrected Average for the 20th Week of the 10 years 1891–1900*.	In the Week ended Saturday 18th May, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1579·7	1375	281	185	56	192	291	298	72
ll- Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Unvaccinated	0·3	-	-	-	-	-	-	-	-
No Statement	0·7	-	-	-	-	-	-	-	-
es - - - - -	77·2	33	3	29	1	-	-	-	-
et Fever - - -	14·3	14	1	10	2	1	-	-	-
us - - - - -	-	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	47·9	16	1	-	-	2	4	8	1
ping-cough - -	49·1	48	16	32	-	-	-	-	-
heria - -	37·8	14	1	10	2	1	-	-	-
e Continued and efined Fever - -	0·2	-	-	-	-	-	-	-	-
ic Fever - - -	8·1	4	-	-	-	2	2	-	-
ra and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
hœa, Dysentery -	13·9	16	11	2	-	-	1	1	1
ttent Fever - -	-	-	-	-	-	-	-	-	-
ophobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects of cination - -	0·3	-	-	-	-	-	-	-	-
eal Affections - -	8·2	6	4	-	-	1	1	-	-
pelas - - -	3·6	4	2	1	-	1	-	-	-
ia and Septicæmia	2·6	3	2	-	1	-	-	-	-
eral Fever - -	4·7	6	-	-	-	5	1	-	-
Zymotic Diseases	1·7	2	-	1	-	1	-	-	-
h - - - -	0·4	-	-	-	-	-	-	-	-
s and other Parasitical Diseases -	0·4	-	-	-	-	-	-	-	-
ation, Want of ast-milk - -	0·6	-	-	-	-	-	-	-	-
olism - - -	12·4	12	-	-	-	2	8	2	-
matic Fever, umatism of Heart	6·8	5	-	-	3	1	-	1	-
matism - - -	1·2	2	-	-	-	-	-	2	-
- - - - -	3·0	3	-	-	-	-	2	1	-
ts - - - - -	5·5	3	-	3	-	-	-	-	-
er - - - - -	74·8	76	-	-	1	10	30	29	6
Mesenterica - -	17·9	12	3	6	3	-	-	-	-
ocular Meningitis -	26·1	21	7	12	2	-	-	-	-
sis - - - -	154·1	128	-	3	6	56	55	8	-
ula, Tuberculosis -	20·1	21	3	3	5	5	5	-	-
Constitutional eases - -	14·3	10	-	-	-	3	2	5	-
ature Birth - -	47·9	47	47	-	-	-	-	-	-
ctasis - - -	2·0	4	4	-	-	-	-	-	-
nital Malformations - - - -	7·8	3	3	-	-	-	-	-	-
age - - - -	45·2	47	-	-	-	-	-	20	27
dexy - - -	42·1	52	-	-	-	3	13	32	4
psy - - - -	6·1	8	-	-	-	1	5	2	-
llsions - - -	36·3	30	27	3	-	-	-	-	-
Diseases of Brain Nervous System	78·1	77	12	9	7	13	15	19	2
ses of Organs of cial Sense -	4·0	4	1	1	-	2	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 20th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 18th May, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	134·8	123	2	-	2	26	38	50	5
Croup - - - -	3·0	1	-	1	-	-	-	-	-
Bronchitis - - -	136·3	96	19	10	-	-	8	45	14
Pneumonia - - -	125·7	128	29	34	6	15	24	23	6
Pleurisy - - - -	6·0	10	-	-	1	2	4	3	-
Other Diseases of Respiratory System -	24·0	14	2	1	-	4	1	4	2
Dentition - - - -	9·0	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	2·4	1	-	-	-	1	-	-	-
Enteritis - - -	13·8	14	7	1	2	3	1	-	-
Gastro-enteritis -		5	5	-	-	-	-	-	-
Peritonitis - - -	6·3	9	3	1	-	2	3	-	-
Diseases of Liver - -	25·0	24	-	-	-	1	16	7	-
Other Diseases of Digestive System	30·2	34	9	4	1	1	9	9	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	2	-	-	-	-	2	-	-
Diseases of Urinary System - - -	44·1	45	2	-	2	9	16	15	1
Diseases of Generative System - - -	6·1	5	-	-	-	-	3	2	-
Accidents of Childbirth -	5·8	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	4·7	2	1	-	-	1	-	-	-
Diseases of Integumentary System - -	5·5	7	3	-	-	-	3	-	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·2	1	-	-	-	-	1	-	-
By Vehicles or Horses -	6·9	11	-	-	5	2	3	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·4	-	-	-	-	-	-	-	-
In Building Operations -	1·2	1	-	-	-	-	1	-	-
In Conflagrations -	0·4	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·7	3	-	2	1	-	-	-	-
By Drowning - - -	7·3	6	-	-	1	4	1	-	-
By Suffocation in Bed -	12·7	11	10	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·8	-	-	-	-	-	-	-	-
Other or not stated causes - - - -	20·2	25	3	3	1	4	6	7	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	11·4	13	-	-	1	4	6	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	44·8	43	42	-	-	-	1	-	-

ie numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement.'

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 18th May, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,034†	2602	1375	281	370	–	33	14	14	48	–	4	–	16	72	148	449
WEST DISTRICTS	805,227	381	222	45	61	–	1	2	2	8	–	1	–	2	13	22	93
NORTH DISTRICTS	1,055,978	586	293	50	93	–	1	5	4	7	–	1	–	2	10	21	80
CENTRAL DISTRICTS	209,235	101	79	17	21	–	1	–	2	2	–	–	–	2	5	11	33
EAST DISTRICTS	713,865	510	244	52	58	–	8	2	–	14	–	1	†	2	16	40	85
SOUTH DISTRICTS	1,748,570	1024	502	117	124	–	22	3	6	17	–	1	–	8	27	53	123
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	35	–	13	–	–	2	–	–	–	–	–	–	1	1	35
WEST DISTRICTS.																	
St. Mary Paddington *WHH* (G. & W.)	93,165	50	19	7	2	–	–	–	1	1	–	–	–	1	2	4	7
St. John Paddington *H* (G.)	33,608	11	9	–	3	–	–	–	–	–	–	–	–	–	3	3	6
North-West Paddington† (C.)	17,181	12	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kensington Town† *Ww* (W. & C.)	128,025	57	38	8	18	–	–	–	–	1	–	–	–	–	3	3	17
Brompton *HH* (W. & C.)	48,598	16	9	1	4	–	–	–	–	–	–	–	–	–	–	2	1
North Hammersmith *H* (W. & G)	49,335	37	9	1	3	–	–	–	–	1	–	–	–	–	–	–	–
South Hammersmith *wH* (W. & G)	62,898	29	23	6	4	–	–	–	–	1	–	–	–	–	1	2	7
North-west Fulham *W* (W. & C.)	45,176	30	18	–	6	–	–	–	–	2	–	–	–	–	–	–	14
North-east Fulham *w* (W. & C.)	46,404	28	15	6	2	–	–	2	–	1	–	–	–	–	–	1	2
South Fulham (W. & C.)	45,704	32	10	3	1	–	–	–	–	1	–	–	–	–	1	1	–
Chelsea North *WWHHHH* (C.)	42,515	11	25	4	11	–	–	–	–	–	–	–	–	1	–	1	18
Chelsea South *HH* (C.)	31,340	16	8	4	–	–	1	–	–	–	–	–	–	–	–	–	3
May Fair and Knightsbridge† *H* (C. & G.)	28,744	8	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *HHH* (C.)	55,801	19	17	4	3	–	–	–	–	–	–	1	–	–	2	2	13
St. Margaret & St. John Westminster† *HHH* (C.)	43,646	7	10	–	1	–	–	–	–	–	–	–	–	–	1	2	4
St. James Westminster *WH* (N. & G.)	21,595	9	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–
St. Anne Soho *HHHHH* (N.)	11,492	9	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* (W.)	35,394	14	10	3	–	–	–	–	–	–	–	–	–	2	1	2	2
Rectory Marylebone *W* (G. & W.)	19,869	9	4	2	–	–	–	–	–	1	–	–	–	–	–	–	1
St. Mary Marylebone *HHHH* (G. & W.)	18,099	40	7	2	–	–	–	–	–	–	–	–	–	–	–	1	2
Christchurch Marylebone *H* (W)	39,541	19	9	2	2	–	–	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *HHH* (W)	20,426	5	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WwHHHHH* (N. & W.)	81,902	32	24	2	9	–	–	2	1	–	–	–	–	–	1	1	6
Regent's Park *H* (W.)	50,647	29	12	–	6	–	–	–	–	–	–	–	–	–	1	3	–
Tottenham-court *wHHHHHH* (N. & W.)	24,814	5	14	1	6	–	–	–	–	–	–	–	–	–	–	–	8
Gray's Inn Lane *HHHH* (N.)	30,886	19	8	3	2	–	1	–	–	1	–	–	–	–	–	–	1
Somers Town *HH* (N.)	30,131	18	7	–	2	–	–	–	–	1	–	–	–	–	1	2	3
Camden Town *WH* (N.)	40,079	24	14	2	9	–	–	–	–	–	–	–	–	–	1	1	8
Kentish Town *WW* (N.)	58,727	28	20	2	8	–	–	–	–	–	–	–	–	–	1	2	11
Upper Holloway *WWWWwHH* (N)	99,841	66	38	2	14	–	–	1	1	1	–	–	–	–	2	2	21
Lower Holloway (N.)	41,411	23	7	1	5	–	–	–	–	–	–	–	–	–	–	–	–
Barnsbury (N)	54,479	34	10	2	5	–	–	–	–	1	–	–	–	–	–	–	–
Islington South-east *H* (N.)	75,402	44	15	2	5	–	–	–	–	1	–	–	–	–	1	2	–
Highbury *HH* (N.)	63,795	31	22	8	4	–	–	–	–	–	–	1	–	–	–	2	–
Stoke Newington *H* (N.)	51,247	13	8	1	3	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney (E. & N.)	50,570	25	10	3	4	–	–	–	–	1	–	–	–	–	–	–	–
Central Hackney *ww* (E. & N.)	50,535	36	15	4	3	–	–	2	2	–	–	–	–	–	–	1	5
South-west Hackney *HHH* (E. & N.)	59,929	28	15	3	2	–	–	–	–	–	–	–	–	–	–	1	6
South-east Hackney *WwH* (E. & N.)	58,254	44	21	5	3	–	–	–	–	–	–	–	–	–	1	1	6

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company

* See note † on first page of this Return.

† See note at foot of last page of this Table

LE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles outh *WH* - - - N.	22,495	20	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Giles North *H* - - - N.	8,959	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin-in-the-Fields *HH* N. & C.	12,975	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
and *WHH* - - - - N.	8,694	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
and Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
bborn *WwHHHHHH* - N.	29,579	12	8	3	-	-	1	-	2	-	-	-	-	-	-	1	6	-
James Clerkenwell - - N.	15,634	6	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
well Clerkenwell - - N.	32,691	15	9	4	3	-	-	-	-	-	-	-	-	1	-	1	-	-
well-street - - - - N.	15,390	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHL* - - - N.	25,404	24	10	6	1	-	-	-	-	-	-	-	-	-	1	3	2	-
sbury - - - - - - N.	9,972	2	6	1	3	-	-	-	-	1	-	-	-	-	2	2	-	-
bborn Union Workhouse, Hitcham - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - N. & E.	11,036	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	7,897	2	23	1	8	-	-	-	-	-	-	-	-	-	1	2	20	-
nallows Barking - - - N.	8,509	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
y of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	16,370	15	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
kton New Town *wH* - - N.	29,761	17	12	2	7	-	-	-	-	-	-	-	-	1	-	1	5	-
kton Old Town - - - N.	26,499	23	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-
ggerston *W* - - N. & E.	46,064	26	23	5	9	-	-	1	-	3	-	-	-	-	-	1	10	-
hnal Green North *HH* - E.	51,513	30	20	6	3	-	1	1	-	3	-	-	-	-	1	3	2	-
hnal Green South - - E.	33,473	27	8	2	3	-	1	-	-	-	-	-	-	-	1	2	-	-
hnal Green East *WWHl* - E.	44,695	21	16	3	6	-	-	-	-	-	-	-	-	-	-	-	9	-
talfields - - - E. & N.	27,965	22	6	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-
e End New Town *WH* - E.	28,711	16	24	2	2	-	2	-	-	1	-	-	-	-	3	5	21	-
dman's Fields - - - E.	21,847	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.	40,965	39	9	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
John, St. George East *W* E.	7,886	4	5	1	2	-	-	-	-	-	-	-	-	-	-	1	4	-
dwell *H* - - - E. & N.	10,586	7	9	1	3	-	-	-	-	-	-	-	-	-	1	2	2	-
cliff *W* - - - - E.	14,668	14	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
nehouse - - - - E.	32,121	19	11	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-
e End Old Town West *H* E.	59,467	51	10	4	2	-	1	-	-	2	-	-	-	-	-	-	-	-
e End Old Town East *WWw* - E.	53,348	43	16	6	6	-	-	-	-	-	-	-	-	-	3	3	4	-
w *l* - - - - E.	41,987	26	8	4	1	-	-	-	-	1	-	-	-	-	1	3	-	-
mley *wwwH* - - - E.	68,320	49	40	4	8	-	3	-	-	-	-	-	-	-	4	12	27	-
plar *WW* - - - - E.	57,619	48	9	2	-	-	-	-	-	1	-	-	-	-	-	1	1	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 18th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS																	
Christchurch Southwark *WL* L. & S.	11,207	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	6	19	2	3	-	1	-	-	-	-	-	-	-	8	9	16
Kent-road - - - - S. & L.	21,899	20	6	5	-	-	1	-	-	-	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,882	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London-road *HL* - - L. & S.	22,209	15	6	3	2	-	-	-	-	-	-	-	-	-	-	1	-
Trinity Newington *H* - S. & L.	28,485	15	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61,773	37	10	1	4	-	2	-	-	-	-	-	-	-	-	3	1
St. Mary Newington- - L. & S.	31,592	27	8	3	-	-	-	-	-	2	-	-	-	-	-	-	-
St. Olave *W* - - - - S.	9,669	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - S.	82,363	56	25	12	3	-	1	-	-	2	-	-	-	1	1	4	-
Rotherhithe *Ww* - S. & K.	37,904	25	17	3	5	-	-	-	-	1	-	-	-	1	-	-	7
Waterloo-road *HH* - L. & S.	27,420	30	9	4	2	-	-	-	-	-	-	-	-	-	1	1	2
Lambeth Church 1st *HH* L. & S.	18,408	9	18	1	2	-	1	-	1	1	-	-	-	-	2	2	12
Lambeth Church 2nd *WW* L. & S.	39,818	27	18	4	8	-	-	-	-	-	-	-	-	1	1	1	11
Kennington 1st *H* - - S. & L.	53,176	37	11	1	4	-	2	-	-	1	-	-	-	-	1	1	1
Kennington 2nd - - S. & L.	42,891	20	11	3	5	-	-	-	-	-	-	-	-	-	2	2	-
Brixton *w* - - - L. & S.	84,226	44	24	7	7	-	-	1	-	-	-	-	-	-	2	3	1
Norwood *WH* - - - - L.	35,887	15	7	1	2	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - - S.	72,182	50	25	4	3	-	1	-	-	1	-	-	-	2	1	2	-
North-west Battersea - - S.	49,647	34	15	4	2	-	3	-	-	1	-	-	-	1	-	5	-
South-west Battersea *WwH* - S.	47,045	15	9	2	4	-	1	-	-	-	-	-	-	-	1	2	4
Clapham *H* - - - - S.	51,353	20	14	2	4	-	-	-	-	1	-	-	-	-	-	-	2
Streatham *WwwwwL* - - L.	88,129	36	16	3	6	-	-	-	1	1	-	-	-	-	-	-	2
Wandsworth *WHHL* - - S.	68,398	34	10	3	-	-	1	-	-	-	-	-	-	1	2	2	-
Putney - - - - - - S.	24,135	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	10,246	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	44	40	8	13	-	1	-	-	1	-	-	-	-	-	2	24
Peckham *WW* - S., L., & K.	93,022	42	24	4	7	-	1	-	-	2	-	-	-	-	-	2	-
St. George Camberwell - L. & S.	65,586	52	11	4	2	-	2	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	37,482	27	10	4	1	-	-	-	-	1	-	-	-	-	-	1	-
Deptford Central *w* - - K.	45,621	35	15	5	-	-	1	-	-	-	-	1	-	-	-	-	1
Deptford South - - - K.	34,622	18	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,417	12	4	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Greenwich East *WH* - - K.	43,774	21	25	5	9	-	-	-	-	1	-	-	-	-	3	3	13
Eltham *wH* - - - - - K.	7,218	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	25,489	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - - K.	58,341	42	23	3	2	-	-	2	4	1	-	-	-	-	-	1	15
Sydenham *H* - - - - L.	43,630	18	9	-	5	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *wHH* - - - K.	21,109	12	4	1	1	-	2	-	-	-	-	-	-	-	-	-	2
Woolwich *HHHH* - - K.	41,515	28	11	2	1	-	-	-	-	-	-	-	-	-	1	2	-
Plumstead West *H* - - K.	18,076	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	45	23	5	7	-	-	-	-	-	-	-	-	-	1	1	8
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Caterham Asylum - - - -	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	1	1	7
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - - -	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7
Hanwell Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	3	-	-	-	-	2	-	-	-	-	-	-	-	-	3
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Claybury Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table includes 3,159 persons who were enumerated on board ships and boats; these have not yet been allocated to the several sub-districts.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th May, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,584	2,042,750	1183	460	117	118	-	15	2	9	21	-	10	22	47	65	-
30:1	Carshalton *H*	12,228	32,997	15	5	3	1	-	-	-	-	3	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
37:1	Godstone, *part of** *W*	2,754	2,692	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Croydon *WWwHHH*	20,851	164,519	92	29	5	10	-	1	-	1	1	-	-	-	2	10	-
2	Mitcham *w*	11,697	29,906	16	2	-	2	-	-	-	-	-	-	-	-	1	-	-
39:1	Wimbledon *HHH*	3,220	41,604	29	10	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH*	14,672	42,066	20	26	2	11	-	-	-	1	1	-	1	1	3	10	-
3	Surbiton *HH*		15,019	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*		13,003	4	7	1	3	-	-	-	-	-	-	-	-	-	1	-
5	Hampton *HL*	4,565	23,447	7	1	-	-	-	-	-	-	-	-	-	1	1	-	-
40:1	Richmond *WHH*	2,160	28,871	12	8	2	2	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake *H*	2,823	20,625	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
41:1	Bromley *HHH*	9,127	29,638	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H*	6,542	27,658	26	5	2	2	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of** *W*	6,974	8,415	9	3	1	1	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH*	7,333	16,458	6	2	2	-	-	1	-	-	-	-	-	-	-	-	-
42:1	Bexley *HHH*	12,540	46,231	37	8	-	3	-	-	-	-	-	-	-	2	2	2	-
2	Dartford *WH*, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44:1	Sunbury *w*	11,054	18,682	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH*	13,277	15,179	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-
45:1	Hillingdon *WHH*	6,035	13,661	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	12,757	8,984	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	7,952	16,358	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
46:1	Isleworth *WHH*	6,967	30,838	18	15	3	4	-	1	1	-	2	-	-	-	-	6	-
2	Twickenham *HH*	2,415	20,991	9	4	1	1	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH*	4,318	48,290	24	16	6	4	-	-	-	1	3	-	-	-	-	1	-
4	Chiswick	1,245	29,809	15	4	-	3	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wHH*	6,132	48,913	23	11	4	1	-	-	-	-	-	-	2	1	1	-	-
47:1	Harrow *HHH*	13,809	25,522	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6,994	4,520	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4,383	114,815	72	25	9	6	-	-	-	1	1	-	-	-	3	-	-
4	Hendon *WH*	8,382	22,450	13	8	-	1	-	-	-	-	1	-	-	1	1	3	-
48:1	South Mimms *HH*	21,077	7,308	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH*		17,970	5	5	2	3	-	-	-	-	-	-	-	-	-	3	-
3	Finchley *HHH*	4,688	33,692	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-
49:1	Hornsey† *HH*	2,874	72,056	22	12	3	3	-	-	-	-	1	-	1	1	1	-	-
2	Tottenham *HHH*	4,642	136,702	96	32	11	5	-	1	-	-	-	-	-	2	5	2	-
3	Edmonton *Ww*	7,489	61,892	37	12	1	3	-	-	-	-	1	-	-	2	3	1	-
4	Enfield *WWHH*	12,602	42,738	22	4	-	2	-	-	-	-	-	-	1	-	-	-	-
5	Waltham Abbey	11,017	6,547	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8,480	12,288	9	5	1	1	-	-	-	-	-	-	-	1	1	-	-
50:1	Hatfield, *part of** *W*	3,306	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47:1	Bushey *H*	9,331	9,173	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46:1	Stratford *H*	4,706	44,825	37	12	3	1	-	-	-	-	1	-	1	-	-	-	-
2	Plaistow *HHH*		90,917	63	26	7	4	-	-	-	3	-	-	-	2	4	3	-
3	Canning Town *H*		69,658	49	24	12	4	-	1	-	-	3	-	3	3	3	2	-
4	Forest Gate *w*		60,897	35	13	4	3	-	-	-	-	1	-	-	-	-	-	-
5	East Ham *wHHH*	3,266	95,469	80	23	8	2	-	2	-	-	1	-	-	-	-	-	-
6	Wanstead	4,334	9,198	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW*		50,458	31	20	1	10	-	-	-	-	-	-	-	-	3	16	-
8	North Leyton *WwH*		48,441	19	11	3	-	-	1	-	2	-	-	-	-	2	2	-
9	Walthamstow *HHHL*	6,501	108,931	69	23	6	6	-	3	-	-	1	-	1	2	6	-	-
47:1	Chigwell, *part of** *HHHH*	11,779	16,396	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49:1	Romford, *part of** *W*	6,556	6,070	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H*	8,493	41,240	20	5	2	1	-	-	-	-	-	-	-	1	1	-	-
3	Barking Town, *H*	3,814	21,511	19	7	2	-	-	4	-	-	-	-	-	-	-	-	-
	North-Western Fever Hosp., Hampstead.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 18th May, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14.	15.	16
GREATER LONDON	443,421	6,602,409	14·5	1·5	1835	398	488	–	48	16	23	69	4	26	94	514
INNER LONDON -	74,837	4,543,727	15·8	1·5	1375	281	370	–	33	14	14	48	4	16	72	449
OUTER RING -	368,584	2,058,682	11·7	1·4	460	117	118	–	15	2	9	21	–	10	22	65

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths.	Annual Death-Rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	309,472	May 18	155	116	19·5	–	4	–	1	14	1	4
GLASGOW -	753,766	„ 18	497	307	21·2	3	9	1	4	18	2	16
DUBLIN† -	346,128	„ 18	178	182	27·4	–	–	–	–	8	1	1
CALCUTTA -	466,460	February 23	–	–	–	–	–	–	–	–	–	–
BOMBAY -	821,764	April 30	146	1352	91·2	9	5	?	?	?	634‡	72
MADRAS -	452,518	„ 12	308	387	44·4	11	12	?	?	?	131	53
PARIS -	2,511,629	May 11	991	1010	20·9	6	8	–	8*	12	8	34
BRUSSELS -	570,844	„ 11	258	191	17·4	–	1	–	2*	2	1	16
AMSTERDAM -	523,822	„ 4	293	149	14·8	–	–	1	1	3	1	15
ROTTERDAM -	320,991	February 16	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	„ 16	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	May 11	–	–	–	–	–	–	–	–	–	–
STOCKHOLM -	301,050	„ 4	130	90	15·5	–	2	–	–	–	–	2
CHRISTIANIA -	226,423	„ 11	173	56	12·8	–	–	–	–	1	–	2
ST. PETERSBURG	1,248,643	„ 4	425	610	25·5	3	10	15	18	4	18	52
MOSCOW -	1,023,817	„ 4	–	511	26·0	2	4	4	7	1	3	60
BERLIN -	1,891,431	April 27	913	669	18·5	–	9	7	8	15	–	45
HAMBURG -	705,738	May 11	–	200	14·7	–	2	2	3*	1	2	3
DRESDEN -	400,140	January 5	–	–	–	–	–	–	–	–	–	–
BRESLAU -	427,505	May 11	–	219	26·7	–	6	–	3	3	–	26
MUNICH -	500,000	„ 11	–	208	21·6	–	1	–	2*	1	–	23
VIENNA -	1,691,996	„ 11	929	702	21·6	–	19	9	4*	1	1	45
PRAGUE -	389,741	„ 4	200	171	22·8	–	4	–	–	1	2	1
BUDA-PESTH -	747,535	„ 4	426	294	20·5	–	4	5	3	3	–	12
TRIESTE -	176,456	„ 11	81	73	21·5	–	1	1	1*	–	–	1
ROME -	467,236	March 23	201	203	22·7	–	2	–	3	1	6‖	7
TURIN (10 days) -	344,203	January 10	–	–	–	–	–	–	–	–	–	–
VENICE -	174,378	May 4	79	57	17·0	–	1	–	2*	–	–	2
CAIRO -	570,062	March 18	474	276	25·2	–	3	–	1*	1	8	44
ALEXANDRIA -	319,766	„ 18	240	200	32·5	4	–	–	1*	–	2	40
NEW YORK (including BROOKLYN)	3,536,517	April 20	1425	1368	20·2	10	10	37	45*	3	13	34
PHILADELPHIA -	1,293,697	„ 20	–	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 4 deaths from cholera in Bombay, and one death in Madras.
‡ Including 403 deaths from plague.
‖ Including 3 death from malarial fever.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
May.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	12	..	30·242	62·0	41·5	20·5	50·7	− 1·3	45·4	5·3	15·8	1·9	82	125·6	31·2	48·52	Variable, NE.& ENE.	NE., ESE. & E.	2·6	0·0	0·1	205	− 45	0·00	0·0
Monday -	13	In Equator	30·193	63·5	43·9	19·6	52·8	+ 0·5	44·6	8·2	15·1	3·7	74	131·0	38·2	48·71	NE.	NE., ENE. & E.	2·8	0·0	0·4	351	+101	0·00	0·0
Tuesday -	14	..	30·187	69·5	41·3	28·2	55·9	+ 3·3	44·5	11·4	19·1	2·1	66	141·0	35·0	48·99	NE. & NNE.	ENE., E. & NE.	2·8	0·0	0·2	293	+ 44	0·00	0·0
Wednesday	15	..	30·143	67·3	42·1	25·2	54·6	+ 1·8	43·0	11·6	22·1	2·1	65	130·6	30·0	49·30	NE., NNE. & ENE.	E., ESE. & NE.	2·2	0·0	0·2	268	+ 19	0·00	1·0
Thursday-	16	..	30·016	60·1	43·4	16·7	50·7	− 2·4	41·3	9·4	16·3	4·2	70	134·0	35·6	49·59	NE. & NNE.	N., NNE. & NE.	2·4	0·0	0·4	335	+ 86	0·00	3·0
Friday -	17	Perigee	30·055	54·2	40·9	13·3	47·1	− 6·2	41·4	5·7	10·8	3·1	81	85·2	33·5	49·90	NE. & NNE.	NNE., SE. & E.	1·7	0·0	0·1	210	− 38	0·00	0·0
Saturday-	18	New	30·063	63·4	36·6	26·8	50·1	− 3·5	40·6	9·5	18·6	2·2	70	134·8	25·2	50·20	E., NE. & NNE.	NNE.,SSW. & SW.	0·4	0·0	0·0	170	− 78	0·00	0·0
Means -	-		30·128	62·9	41·4	21·5	51·7	− 1·1	43·0	8·7	16·8	2·8	73	126·0	32·7	49·32	NE.		..	..	..	Sum 1832	Sum + 89	Sum 0·00	0·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	12	w. P. generally.	12·3	15·4	A very fine day, with small amounts of cloud till 10h. P.M.; cloudy afterwards.
Monday -	13	m. P. generally.	10·0	15·4	Cloudy in morning; cloudless and very fine after 9h. A.M.
Tuesday -	14	w. P. till 7h. A.M.; m. P. till 3h. P.M.; w. P. till 7h. P.M.; s. P. afterwards.	13·6	15·5	A very fine day and generally cloudless.
Wednesday	15	m. P. till noon; w.P. till 8h. P.M.; m. P. afterwards.	14·1	15·5	Generally cloudless; a very fine day.
Thursday-	16	m. P. generally till 8h. P.M.; Loss of Register afterwards.	8·9	15·6	Cloudy in morning; fine and partially cloudy till evening; cloudless at night.
Friday -	17	Loss of Register till 3h. P.M.; v. P. afterwards.	0·0	15·6	Very fine in early morning; generally overcast afterwards.
Saturday-	18	m. P. generally; occasional s. P.	10·8	15·7	Very fine; the amount of cloud was usually small.
			Sum 69·7	Sum 108·7	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·16 in. at the beginning of the week to 29·98 in. by 6h. P.M. on the 16th; increased to 30·10 in. by 10h. A.M. on the 18th; and decreased to 30·03 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th May, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	11	11	-	2	-	-	-	1
Kensington	176,787	-	5	8	-	-	-	-	4	-
Hammersmith	112,619	-	6	3	-	-	-	-	1	-
Fulham	138,426	-	18	7	-	3	-	-	2	-
Chelsea	73,879	-	3	1	-	-	-	-	-	-
City of Westminster	182,502	-	8	9	-	4	-	-	1	-
NORTH.										
St. Marylebone	133,060	-	13	12	-	1	-	-	4	1
Hampstead	82,246	-	4	2	-	1	-	-	-	-
St. Pancras	235,297	-	36	18	-	2	-	-	2	-
Islington	335,325	-	21	17	-	2	-	-	5	1
Stoke Newington	51,328	-	-	2	-	-	-	-	-	-
Hackney	219,780	-	23	24	-	-	-	-	-	1
CENTRAL.										
Holborn	59,205	-	1	4	-	-	-	-	1	-
Finsbury	101,263	-	22	10	-	2	-	-	2	-
City of London	26,638	-	8	2	-	-	-	-	1	-
EAST.										
Shoreditch	118,554	-	93	11	-	4	-	-	4	-
Bethnal Green	129,700	1	83	18	-	1	-	-	4	1
Stepney	298,884	-	19	21	-	3	-	-	8	2
Poplar	168,887	-	14	10	-	-	-	-	8	-
SOUTH.										
Southwark	206,219	-	19	7	-	-	-	-	2	-
Bermondsey	130,348	-	16	10	-	-	-	-	3	-
Lambeth	302,460	-	17	11	-	1	-	-	4	-
Battersea	169,364	-	4	2	-	1	-	-	3	-
Wandsworth	233,943	-	14	4	-	-	-	-	5	1
Camberwell	259,897	-	19	12	-	2	-	-	4	-
Deptford	110,732	-	11	5	-	1	-	-	-	-
Greenwich	96,188	-	4	1	-	-	-	-	2	-
Lewisham	128,423	-	9	7	-	-	-	-	2	-
Woolwich	117,619	-	7	1	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,727	1	508	250	-	30	-	-	73	8
Ages 0-1		-	6	7	-	-	-	-	2	-
" 1-5		-	158	98	-	1	-	-	1	-
" 5-		-	153	75	-	1	-	-	-	-
" 10-		-	84	24	-	4	-	-	1	-
" 15-		-	45	20	-	6	-	-	9	2
" 20-		-	24	8	-	3	-	-	3	-
" 25-		-	34	11	-	8	-	-	8	4
" 35-		1	4	5	-	3	-	-	14	2
" 45-		-	-	-	-	3	-	-	12	-
" 55-		-	-	2	-	1	-	-	11	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

Towns.	Weeks ended Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	Towns.
33 Towns	**18·0**	**20·2**	**19·6**	**18·4**	**16·9**	**20·2**	**20·0**	**21·9**	**22·1**	**20·1**	**19·5**	**18·9**	**20·2**	**19·7**	**19·7**	**18·9**	**18·4**	**17·3**	**33 Towns.**
London	18·3	20·1	19·1	18·0	16·5	19·1	19·7	21·3	21·4	19·8	18·0	18·2	18·9	18·1	18·7	17·9	17·8	16·7	London.
West Ham	18·8	17·3	18·2	14·2	14·5	17·6	18·6	16·7	20·8	14·2	16·9	14·0	15·9	16·7	15·1	14·5	12·6	13·2	West Ham.
Croydon	10·5	13·9	13·9	13·2	12·4	12·4	18·2	14·7	15·5	8·9	15·1	15·5	12·8	9·7	11·2	13·6	13·9	9·7	Croydon.
Brighton	18·1	16·9	19·8	17·7	15·6	24·5	19·0	20·2	19·4	17·7	14·8	13·1	14·8	12·6	19·4	15·2	11·8	14·3	Brighton.
Portsmouth	12·6	22·0	16·7	11·0	17·0	20·3	19·8	18·9	22·2	18·4	21·1	16·5	18·9	14·8	17·0	20·0	22·5	16·7	Portsmouth.
Plymouth	16·9	17·9	21·2	18·4	16·9	21·7	24·1	35·3	36·7	32·8	25·6	16·4	28·5	15·0	17·4	12·6	25·1	14·5	Plymouth.
Bristol	14·5	19·9	19·0	14·1	15·8	17·9	19·0	23·7	24·7	21·8	21·7	21·2	21·5	19·9	20·2	18·3	18·7	15·2	Bristol.
Cardiff	17·0	19·9	17·4	18·3	14·5	15·2	17·0	24·9	24·3	24·6	22·7	17·7	20·8	19·9	14·2	15·2	15·2	13·9	Cardiff.
Swansea	18·7	22·6	26·5	18·2	20·9	24·3	19·3	25·4	27·6	23·7	16·5	24·8	20·4	20·4	18·7	23·1	20·4	26·5	Swansea.
Wolverhampton	18·2	17·1	14·4	18·2	18·8	19·3	17·1	17·1	24·8	12·7	14·4	11·6	18·8	23·7	17·1	24·3	14·4	12·7	Wolverhampton.
Birmingham	17·4	21·4	21·8	20·4	15·5	20·2	22·8	25·5	21·4	21·0	22·2	19·3	23·4	24·2	21·8	21·6	18·2	18·0	Birmingham.
Norwich	11·6	22·3	19·6	24·7	27·5	30·7	28·4	26·1	17·7	16·8	19·1	19·6	22·3	19·6	20·0	17·2	14·0	16·3	Norwich.
Leicester	15·5	15·2	18·2	17·2	10·8	17·2	17·4	17·4	14·7	19·9	15·9	14·2	18·4	19·6	22·6	17·2	15·7	11·5	Leicester.
Nottingham	15·6	23·2	19·3	20·0	17·4	21·9	21·7	22·6	22·6	15·4	18·9	16·1	23·4	21·7	17·8	24·3	20·4	19·3	Nottingham.
Derby	8·8	14·3	17·2	15·7	12·3	18·2	18·7	19·7	18·7	15·7	15·2	17·7	22·1	18·2	18·7	17·7	11·8	17·2	Derby.
Birkenhead	22·5	15·5	23·0	23·4	14·1	18·8	24·4	22·0	24·4	17·4	15·9	21·6	15·0	12·7	16·9	20·6	12·7	15·9	Birkenhead.
Liverpool	20·8	22·9	21·6	22·1	20·3	25·8	26·7	25·3	28·7	24·4	26·1	21·9	26·0	25·6	23·2	21·2	21·1	20·7	Liverpool.
Bolton	14·5	17·3	20·1	17·9	13·9	14·8	16·4	17·3	18·8	17·0	14·5	20·1	18·2	21·6	17·3	19·2	24·4	21·6	Bolton.
Manchester	21·8	23·2	20·8	20·6	19·9	25·1	22·9	26·6	23·2	24·0	20·2	23·7	22·4	24·7	24·8	23·1	21·5	18·5	Manchester.
Salford	20·2	27·5	18·4	21·2	18·1	27·8	20·2	25·6	22·8	23·5	21·6	20·9	22·6	24·9	20·9	18·8	20·9	20·5	Salford.
Oldham	14·8	15·9	16·7	19·4	18·2	20·9	19·7	19·4	15·9	21·3	28·1	14·8	22·8	20·1	24·3	16·3	20·1	15·6	Oldham.
Burnley	17·1	20·4	21·4	16·1	12·3	23·0	14·5	14·5	27·3	20·9	17·7	18·2	22·0	24·1	25·2	13·4	23·0	16·1	Burnley.
Blackburn	20·4	17·1	20·8	13·9	15·1	20·0	21·2	22·5	23·7	14·7	19·6	24·1	19·2	21·6	23·7	21·2	19·6	20·0	Blackburn.
Preston	17·1	24·0	26·3	17·1	20·7	21·7	15·2	24·4	17·1	19·4	23·0	24·4	18·9	19·4	25·4	19·4	22·1	19·8	Preston.
Huddersfield	14·3	14·3	17·6	17·6	18·7	19·8	14·8	14·8	17·0	17·6	19·2	25·2	25·8	23·1	18·1	16·5	18·1	15·9	Huddersfield.
Halifax	18·4	13·9	15·4	19·8	19·8	20·3	17·4	20·8	25·8	23·8	21·8	10·9	17·4	22·8	18·8	11·4	24·8	18·8	Halifax.
Bradford	18·1	20·7	16·6	15·1	18·1	15·8	14·0	16·4	20·1	17·1	15·6	16·6	17·5	23·3	19·9	16·9	20·7	15·6	Bradford.
Leeds	20·7	20·5	21·7	17·7	16·7	20·0	17·8	18·7	22·6	19·0	20·2	19·7	19·0	18·8	19·4	20·7	17·0	18·0	Leeds.
Sheffield	20·7	20·3	19·6	19·1	16·0	19·4	20·1	21·3	21·5	19·1	20·1	20·6	19·6	19·2	19·8	21·3	18·0	18·6	Sheffield.
Hull	16·0	18·6	21·4	19·0	13·2	20·5	20·8	25·1	22·5	21·4	19·0	21·4	21·6	16·0	17·1	18·2	13·6	18·4	Hull.
Sunderland	17·4	21·6	25·1	17·0	18·8	18·1	14·9	22·7	24·4	30·1	29·4	19·1	22·0	23·7	22·3	22·3	18·1	21·3	Sunderland.
Gateshead	18·9	19·3	23·6	25·0	24·5	20·8	17·0	17·5	18·4	19·3	19·3	21·7	20·8	24·5	19·8	22·7	22·7	24·1	Gateshead.
Newcastle	16·9	22·2	20·1	22·7	17·9	25·1	21·5	26·8	24·7	19·6	20·3	20·5	25·9	18·9	26·3	22·7	21·8	18·9	Newcastle.
Greater London	16·9	18·1	17·7	16·5	15·1	17·5	18·5	19·4	19·3	17·8	16·5	16·9	17·2	16·5	17·1	16·4	16·3	15·0	Greater London.
Outer Ring	13·9	13·6	14·4	13·2	12·0	14·0	15·7	15·2	14·7	13·5	13·1	13·8	13·5	13·1	12·4	13·0	13·0	11·3	Outer Ring.

DEATH RATES from the PRINCIPAL ZYMOTIC DISEASES in 33 GREAT TOWNS, in GREATER LONDON, and in the OUTER RING, during the first 18 Weeks of 1901, based on the Provisional Results of the recent Census.

TOWNS.	WEEKS ENDED																			TOWNS.
	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	
33 TOWNS	**1·5**	**1·8**	**1·7**	**1·6**	**1·5**	**1·8**	**1·6**	**1·8**	**1·8**	**1·7**	**1·7**	**1·6**	**1·9**	**1·7**	**1·8**	**1·6**	**1·7**	**1·8**	**33 TOWNS.**
LONDON	1·3	1·5	1·6	1·4	1·4	1·6	1·6	1·6	1·6	1·4	1·6	1·6	1·9	1·7	2·0	1·5	1·7	1·7	LONDON.
WEST HAM	2·9	1·7	1·7	1·2	2·5	1·7	1·9	1·2	2·3	2·3	1·0	1·0	2·1	1·2	1·6	1·4	1·4	1·6	WEST HAM.
CROYDON	1·2	1·2	0·8	1·2	0·4	1·2	0·4	0·4	—	0·4	0·8	—	1·2	—	0·4	—	0·4	—	CROYDON.
BRIGHTON	2·1	1·3	1·3	1·7	1·3	0·4	1·7	0·8	1·3	—	—	1·7	—	—	0·4	0·8	0·8	0·8	BRIGHTON.
PORTSMOUTH	1·9	1·9	0·5	0·3	0·3	1·6	1·4	2·5	1·9	1·4	0·5	1·1	0·8	2·5	2·7	1·9	1·4	3·6	PORTSMOUTH.
PLYMOUTH	1·0	2·9	1·0	0·5	—	1·9	1·0	1·0	1·9	1·4	0·5	1·0	0·5	0·5	—	—	0·5	—	PLYMOUTH.
BRISTOL	1·3	2·2	2·2	1·9	1·4	1·9	2·4	2·8	3·2	2·1	2·8	2·7	2·4	1·9	2·5	1·6	1·9	1·6	BRISTOL.
CARDIFF	0·3	1·3	0·9	0·9	1·3	1·9	2·2	2·5	3·2	0·3	1·6	2·5	2·2	1·3	0·9	0·9	2·2	1·3	CARDIFF.
SWANSEA	1·7	1·7	2·2	1·7	1·7	0·6	0·6	1·1	2·2	1·1	—	1·1	2·2	2·2	1·7	0·6	2·2	2·8	SWANSEA.
WOLVERHAMPTON	2·8	0·6	2·2	2·2	1·1	2·8	0·6	—	0·6	1·7	0·6	0·6	1·7	2·2	2·8	1·1	1·1	0·6	WOLVERHAMPTON.
BIRMINGHAM	1·0	2·2	1·7	1·5	1·3	1·8	1·1	1·6	2·3	1·0	2·1	1·2	2·9	2·0	1·4	1·8	1·6	2·1	BIRMINGHAM.
NORWICH	0·9	0·9	0·9	2·8	0·5	0·5	0·5	—	0·5	—	0·5	1·4	0·5	—	0·5	0·5	0·5	0·5	NORWICH.
LEICESTER	2·0	1·5	1·7	1·5	1·0	2·5	1·5	2·0	1·5	1·5	1·2	0·7	2·0	1·5	1·5	1·0	0·7	1·2	LEICESTER.
NOTTINGHAM	2·0	3·3	2·6	3·0	2·4	3·3	1·5	2·6	1·3	1·7	2·0	1·7	2·8	1·1	0·9	2·4	2·0	1·7	NOTTINGHAM.
DERBY	1·0	1·5	1·5	2·0	2·0	1·0	1·5	2·0	1·0	—	2·9	1·0	1·5	1·0	2·0	1·5	0·5	1·5	DERBY.
BIRKENHEAD	1·4	1·9	1·4	1·9	2·3	4·2	3·3	1·4	0·9	—	1·4	1·9	3·3	1·4	0·9	0·5	0·5	1·4	BIRKENHEAD.
LIVERPOOL	2·1	2·5	1·4	2·1	2·4	2·4	2·9	3·6	3·8	3·4	3·3	2·3	3·3	2·4	2·6	1·4	1·4	2·2	LIVERPOOL.
BOLTON	0·6	1·9	2·5	1·9	0·3	0·9	2·2	2·2	1·2	1·2	0·9	2·2	1·5	1·2	1·5	1·9	3·4	3·1	BOLTON.
MANCHESTER	1·6	1·6	1·5	2·0	1·9	2·3	1·4	1·8	1·3	1·7	1·1	1·5	0·9	1·6	2·3	2·1	2·1	2·5	MANCHESTER.
SALFORD	2·6	4·0	2·1	2·8	3·3	3·3	4·0	2·4	2·4	3·8	2·8	1·9	2·6	2·4	1·9	1·4	3·1	2·6	SALFORD.
OLDHAM	1·9	0·4	0·4	2·7	1·5	1·5	1·0	0·8	1·1	1·1	1·9	0·4	1·5	1·1	1·9	0·4	1·5	0·4	OLDHAM.
BURNLEY	0·5	1·1	1·6	0·5	0·5	0·5	1·1	1·1	1·1	2·7	1·1	1·6	2·1	1·1	3·2	1·6	—	1·1	BURNLEY.
BLACKBURN	4·1	4·5	3·3	1·2	1·6	4·1	1·6	2·9	3·7	2·0	2·0	2·0	0·4	2·4	0·4	2·0	3·3	1·2	BLACKBURN.
PRESTON	1·8	3·7	2·8	2·3	1·4	3·2	0·9	3·7	1·4	0·5	0·9	1·8	2·3	0·9	1·4	0·9	2·8	1·4	PRESTON.
HUDDERSFIELD	—	1·1	0·5	—	—	0·5	—	0·5	1·1	—	0·5	0·5	—	0·5	—	—	0·5	—	HUDDERSFIELD.
HALIFAX	0·5	0·5	0·5	0·5	0·5	1·0	0·5	—	0·5	1·0	1·5	—	0·5	2·0	0·5	—	1·5	—	HALIFAX.
BRADFORD	1·1	1·3	1·5	0·6	0·7	0·7	0·4	0·9	0·4	0·7	0·6	1·1	0·9	1·1	1·3	1·1	1·5	1·9	BRADFORD.
LEEDS	1·7	1·3	1·9	1·3	1·3	2·3	1·3	1·8	1·7	2·4	2·2	1·7	1·6	1·6	1·9	2·3	1·3	1·5	LEEDS.
SHEFFIELD	2·9	2·3	3·0	2·5	1·6	2·6	1·2	1·8	1·8	2·5	1·9	1·8	1·9	2·6	1·5	2·2	1·4	1·9	SHEFFIELD.
HULL	0·4	2·4	2·4	1·9	1·3	1·5	1·9	2·4	1·9	3·9	1·3	2·4	3·9	1·3	1·7	3·3	1·1	3·5	HULL.
SUNDERLAND	1·1	2·1	2·1	1·4	2·1	1·4	1·4	1·1	2·8	3·9	3·2	2·5	2·1	4·6	2·1	4·6	4·3	2·1	SUNDERLAND.
GATESHEAD	1·4	0·5	1·4	2·4	0·5	1·9	1·4	—	1·9	4·7	2·4	2·8	3·3	6·6	2·4	4·7	2·4	4·7	GATESHEAD.
NEWCASTLE	0·5	0·7	1·7	0·5	1·2	1·0	0·5	1·9	0·7	2·4	1·7	1·2	1·7	1·7	1·5	0·5	1·7	1·5	NEWCASTLE.
GREATER LONDON	1·4	1·5	1·5	1·3	1·4	1·4	1·5	1·5	1·5	1·3	1·4	1·5	1·7	1·6	1·8	1·4	1·6	1·5	GREATER LONDON.
OUTER RING	1·7	1·6	1·2	1·1	1·2	1·1	1·3	1·2	1·3	1·1	1·0	1·2	1·4	1·3	1·4	1·3	1·4	1·1	OUTER RING.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 21. 1901. Vol. LXII.] WEEK ENDED SATURDAY, MAY 25. [Price 1½*d.*

General Register Office, Somerset House,
May 28th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated* at 11,463,187 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 16·5, and 16·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

Towns.	Weeks ended				Towns.	Weeks ended			
	May 4.	May 11.	May 18.	May 25.		May 4.	May 11.	May 18.	May 25.
33 Great Towns	17·3	16·5	16·8	16·7	Leicester - -	11·5	14·2	12·8	15·0
Birkenhead -	15·9	12·7	15·5	17·4	Liverpool - -	20·7	18·5	20·0	19·3
Birmingham -	18·0	18·9	19·1	21·8	London - - -	16·7	15·9	15·8	15·7
Blackburn -	20·0	17·1	18·8	14·3	Manchester - -	18·5	20·7	20·7	18·5
Bolton - -	21·6	15·8	18·8	18·2	Newcastle-on-Tyne	18·9	17·2	15·7	18·1
Bradford -	15·6	17·3	17·3	19·5	Norwich - -	16·3	17·2	14·4	12·1
Brighton -	14·3	22·3	12·6	12·6	Nottingham - -	19·3	15·6	17·6	19·5
Bristol - -	15·2	17·4	16·9	13·6	Oldham - -	15·6	18·6	14·0	16·7
Burnley -	16·1	13·9	18·2	20·4	Plymouth - -	14·5	11·6	16·9	16·4
Cardiff - -	13·9	14·2	14·2	15·8	Portsmouth - -	16·7	17·0	15·1	16·2
Croydon -	9·7	7·7	8·9	11·2	Preston - -	19·8	14·3	22·1	17·1
Derby - -	17·2	15·2	17·2	17·2	Salford - - -	20·5	18·4	19·1	22·1
Gateshead -	24·1	13·2	15·1	17·5	Sheffield - -	18·6	16·5	15·8	16·4
Halifax -	18·8	15·9	19·8	18·8	Sunderland - -	21·3	16·6	22·0	15·9
Huddersfield-	15·9	14·3	14·3	13·7	Swansea - -	26·5	20·4	19·8	21·5
Hull - -	18·4	19·5	16·7	15·8	West Ham - -	13·2	14·9	16·7	14·7
Leeds - -	18·0	16·1	17·6	15·3	Wolverhampton -	12·7	16·0	16·6	22·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·1 in Sunderland and in Nottingham, and 2·2 in Portsmouth ; from *scarlet fever*, 1·8 in Preston ; from *whooping-cough*, 1·0 in Derby and in Newcastle-on-Tyne, and 1·1 in Swansea and in Wolverhampton ; and from "*fever*" 1·4 in West Ham and 2·2 in Wolverhampton. In none of the thirty-three towns did the death-rate from *diarrhœal diseases* reach 1·0 per 1000. The 55 deaths from *diphtheria* included 22 in London, 4 in Birmingham, 3 in Bristol, 3 in Leicester, and 3 in Blackburn. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2559 BIRTHS and 1364 DEATHS were registered. Allowing for increase of population, the births were 2 above, and the deaths 204 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·7, 15·9,

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

and 15·8 in the preceding three weeks, further fell last week to 15·7. During the four weeks ended on Saturday last the death-rate averaged 16·0 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1364 deaths included 44 from measles, 18 from scarlet fever, 22 from diphtheria, 58 from whooping-cough, 5 from enteric fever, 22 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 169 deaths were referred to these diseases, being 37 below the corrected average weekly number.

The deaths from *measles*, which had been 39, 38, and 33 in the preceding three weeks, rose again last week to 44, but were 31 below the corrected average; 11 cases belonged to the Borough of Poplar, 5 to that of Southwark, and 5 to that of Lambeth. The deaths from *scarlet fever*, which had been 9, 17, and 14 in the preceding three weeks, rose again last week to 18, and were 4 above the corrected average; 3 cases belonged to Bethnal Green, 3 to Camberwell, 2 to St. Pancras, and 2 to Poplar. The deaths from *diphtheria*, which had been 20, 23, and 14 in the preceding three weeks, rose again last week to 22, but were 15 below the corrected average; 3 cases belonged to Hackney. The deaths from *whooping-cough*, which had been 66, 45, and 48 in the preceding three weeks, further rose last week to 58, and were 4 above the corrected average; 5 cases belonged to Fulham, 5 to Islington, 5 to Southwark, and 5 to Lambeth. The fatal cases of *enteric fever*, which had been 2, 7, and 4 in the preceding three weeks, were 5 last week, the corrected average being 8. The deaths from *diarrhœal diseases*, which had been 16, 9, and 16 in the preceding three weeks, further rose last week to 22, and were 7 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 251, 237, and 249 in the preceding three weeks, fell again last week to 191, and were 98 below the corrected average. The deaths attributed directly to *influenza* numbered 6, having been 19, 17, and 16 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all but 3 of which inquests were held. Of these 65 deaths, 9 were cases of suicide, and 5 of homicide, while the remaining 51 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 8 to burns and scalds, 1 to sunstroke, 1 to the effects of ether administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2241 cases of scarlet fever, 1087 of diphtheria, 1 of typhus, and 111 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 341 cases, against 371, 397, and 323; of diphtheria, 141 cases, against 147, 192, and 188; and of enteric fever, 16 cases, against 14, 19, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended May 18th.

Greater London.

In Greater London 3729 births and 1804 deaths were registered, corresponding to annual rates of 29·5 and 14·2 per 1000 of the estimated population. In the Outer Ring 16 deaths from measles, 2 from scarlet fever, 9 from diphtheria, 23 from whooping-cough, 9 from "fever," and 6 from diarrhœal diseases were registered. Five deaths from measles, 6 from whooping-cough, and 7 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·11 inches, and that of the Thermometer 56°·3; the latter being 1°·4 above the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 29 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 80·9 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Registered during the Week ended 25th May 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,187**	**6561**	**3674**	**768**	**964**	**-**	**96**	**38**	**55**	**120**	**28**	**49**	**156**	**300**	**928**	**39**	**16·7**	**1·8**	**72·0**	**37·0**	**53·5**	**11·94**	**0·01**	**0·03**	33 Towns.
London - -	4,543,727	2559	1364	259	379	-	44	18	22	58	5	22	65	150	483	3	15·7	1·9	69·8	43·0	56·3	13·50	0·00	0·00	London.
West Ham - -	268,868	193	76	23	14	-	2	-	2	-	7	1	2	3	15	1	14·7	2·3	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	77	29	3	13	-	-	-	1	1	1	-	-	2	5	-	11·2	1·2	70·0	42·3	54·4	12·44	0·00	0·00	Croydon.
Brighton - -	123,668	60	30	5	13	-	-	-	-	-	-	1	1	2	9	-	12·6	0·4	71·6	41·6	56·6	13·67	0·00	0·00	Brighton.
Portsmouth -	189,907	80	59	8	18	-	8	-	1	-	-	-	4	8	4	-	16·2	2·5	72·0	46·0	56·3	13·50	0·00	0·00	Portsmouth.
Plymouth - -	107,974	50	34	6	12	-	-	-	1	1	-	-	-	1	2	-	16·4	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,825	184	86	17	26	-	-	1	3	5	-	2	4	4	14	-	13·6	1·7	71·3	39·0	54·0	12·22	0·00	0·00	Bristol.
Cardiff - -	165,200	97	50	12	11	-	-	2	1	3	1	1	4	8	11	-	15·8	2·5	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	50	39	6	13	-	-	1	-	2	1	1	-	1	9	1	21·5	2·8	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	58	41	13	8	-	1	-	-	2	4	-	3	5	9	-	22·6	3·9	70·0	37·2	51·9	11·06	0·00	0·00	Wolverhampton.
Birmingham -	523,284	329	219	54	54	-	6	1	4	5	1	2	8	12	39	5	21·8	1·9	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	65	26	7	9	-	-	-	-	-	-	1	1	2	5	-	12·1	0·5	65·0	38·4	50·5	10·28	0·00	0·00	Norwich.
Leicester - -	212,498	153	61	16	14	-	-	-	3	1	-	1	3	5	16	1	15·0	1·2	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	146	90	18	32	-	5	-	-	3	-	1	3	5	19	1	19·5	2·0	67·1	40·7	52·3	11·28	0·00	0·00	Nottingham.
Derby - - -	106,076	59	35	8	8	-	-	1	1	2	-	-	1	2	8	-	17·2	2·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	68	37	9	12	-	1	-	-	1	-	-	3	4	8	-	17·4	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	426	254	52	64	-	6	1	1	2	1	7	13	18	69	10	19·3	1·4	69·3	44·1	54·5	12·50	0·00	0·00	Liverpool.
Bolton - -	168,748	73	59	14	13	-	3	2	1	1	1	-	-	1	6	-	18·2	2·5	-	-	-	-	-	-	Bolton.
Manchester -	544,894	303	193	43	44	-	4	-	2	9	3	2	6	13	49	2	18·5	1·9	-	-	-	-	-	-	Manchester.
Salford - -	221,587	121	94	20	17	-	-	4	1	3	1	2	3	5	21	2	22·1	2·6	-	-	-	-	-	-	Salford.
Oldham - -	137,382	47	44	6	13	-	-	-	-	-	-	1	1	1	11	-	16·7	0·4	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	39	38	12	7	-	-	1	-	1	-	-	2	3	7	-	20·4	1·1	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	76	35	8	7	-	-	-	3	-	-	1	-	-	1	3	14·3	1·6	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	60	37	6	8	-	-	4	1	2	-	-	1	1	2	5	17·1	3·2	70·0	44·0	54·1	12·28	0·00	0·00	Preston.
Huddersfield -	94,998	48	25	1	8	-	-	-	-	-	-	-	1	2	3	-	13·7	-	66·2	39·0	51·0	10·56	0·14	0·36	Huddersfield.
Halifax - -	105,118	46	38	10	15	-	-	-	-	-	-	1	-	-	6	1	18·8	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	139	105	22	32	-	-	-	1	5	-	-	6	9	20	-	19·5	1·1	67·8	41·4	54·4	12·44	0·00	0·00	Bradford.
Leeds - - -	430,489	251	126	27	27	-	4	-	2	-	-	-	7	12	28	-	15·3	0·7	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	214	120	31	23	-	1	-	2	2	1	1	6	7	17	-	16·4	1·0	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	174	73	18	20	-	4	1	-	3	1	1	3	5	5	2	15·8	2·2	62·0	37·0	49·3	9·61	0·04	0·10	Hull.
Sunderland -	147,207	102	45	9	7	-	3	-	1	2	-	-	1	2	11	-	15·9	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	78	37	7	7	-	2	-	1	2	-	-	1	1	3	1	17·5	2·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	136	75	18	16	-	2	1	-	4	-	-	3	6	13	1	18·1	1·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2681	2508	2242	2414	2640	2421	2437	2569	2306	2435	2557·1	2559
Males	1388	1262	1152	1218	1337	1228	1264	1327	1185	1270	1310·1	1313
Females	1293	1246	1090	1196	1303	1193	1173	1242	1121	1165	1247·0	1246
TOTAL **Deaths**	2337	1534	1459	1440	1371	1509	1275	1385	1366	1440	1567·9	1364
Males	1166	802	758	764	709	810	662	697	736	764	816·1	715
Females	1171	732	701	676	662	699	613	688	630	676	751·8	649

*The numbers in this column are the average weekly numbers in the twenty-first week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.
TOTAL **Births**	2681	2496	2607	2424	2634	2538	2358	2835	2585	2562	2510	2602	2559
TOTAL **Deaths**	1865	1723	1571	1588	1645	1573	1633	1564	1552	1454	1386	1375	1364
Ages at Death: Under 1 year	333	359	333	299	349	325	325	300	323	306	269	281	259
1—5 years	214	225	189	203	220	223	256	184	217	178	169	185	197
5—20 ,,	94	91	96	85	85	70	91	77	85	91	77	56	80
20—40 ,,	223	201	197	202	207	195	200	209	200	180	198	192	178
40—60 ,,	392	355	314	318	313	301	307	325	284	327	293	291	271
60—80 ,,	486	398	366	393	375	380	363	377	347	299	299	298	301
80 years and upwards	123	94	76	88	96	79	91	92	96	73	81	72	78
Deaths from—													
Small-pox	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	36	33	35	42	56	38	52	37	50	39	38	33	44
Scarlet Fever	4	6	10	6	8	8	8	3	6	9	17	14	18
Diphtheria	19	25	30	14	16	21	26	11	20	20	23	14	22
Whooping-cough	57	37	43	63	55	62	74	58	48	66	45	48	58
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	9	7	8	5	8	5	4	7	10	2	7	4	5
Simple Continued Fever	-	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery	19	14	13	13	21	12	9	14	12	16	9	16	22
Cholera	-	-	1	-	-	-	-	-	-	-	-	-	-
All the above Diseases	144	122	140	144	164	146	173	130	146	152	140	129	169
Dis. of Respiratory System	501	463	394	332	363	360	345	374	286	251	237	249	191
Phthisis	169	169	168	149	165	168	139	158	153	143	161	128	139
Dis. of Circulatory System	192	161	138	187	157	133	161	137	132	136	133	123	128
Violence	64	66	63	73	64	64	89	51	79	72	65	72	65
Inquest Cases	186	159	158	196	136	157	207	137	150	149	145	148	150
Deaths in Public Institutions	589	548	489	510	523	522	530	514	534	483	512	449	483
TEMPERATURE OF THE AIR													
Mean	43°·9	42°·0	39°·0	38°·3	34°·2	44°·4	46°·2	47°·3	54°·7	49°·3	47°·1	51°·7	56°·3
Mean of Highest readings	49·1	48·0	44·6	43·1	41·1	53·2	54·1	56·7	66·2	61·0	55·3	62·9	66·8
Mean of Lowest readings	38·7	37·1	33·7	34·2	28·4	36·1	41·0	38·2	43·3	39·0	41·2	41·4	44·8
Humidity of the Air	84	85	91	78	70	80	83	67	57	72	81	73	61
Rain-fall (in inches)	0·57	0·76	0·09	0·31	0·44	0·97	0·71	0·33	0·02	0·00	1·56	0·00	0·00
Registered Sunshine (in hours)	15·7	11·4	5·4	13·2	21·2	27·4	29·0	48·6	77·2	45·6	17·3	69·7	80·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	1	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	1823	1746	1652	1598	1568	1572	1601	1526	1522	1705	1913	2052	2241
Diphtheria	1124	1118	1115	1103	1089	1073	1020	958	962	983	1038	1099	1087
Typhus	2	2	3	3	2	1	1	-	-	1	1	1	1
Enteric Fever	224	205	184	182	162	146	141	132	121	108	112	106	111

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; *A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIRST Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1891–1900*.	In the Week ended Saturday 25th May, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1567·9	1364	259	197	80	178	271	301	78
all-pox: Vaccinated† -	0·6	-	-	-	-	-	-	-	-
all-pox: Unvaccinated	0·9	-	-	-	-	-	-	-	-
all-pox: No Statement	1·0	-	-	-	-	-	-	-	-
sles - - - -	75·1	44	7	35	1	1	-	-	-
let Fever - - -	13·7	18	1	13	3	1	-	-	-
hus - - - -	0·2	-	-	-	-	-	-	-	-
pping Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	46·2	6	-	-	-	3	1	1	1
oping-cough - -	54·4	58	23	33	2	-	-	-	-
atheria - -	36·9	22	5	9	8	-	-	-	-
ble Continued and -defined Fever -	0·2	-	-	-	-	-	-	-	-
eric Fever - - -	7·9	5	-	-	2	3	-	-	-
era and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
rhœa, Dysentery -	14·7	22	14	2	-	-	-	6	-
ittent Fever - -	-	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
ders - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of vaccination - -	0·1	-	-	-	-	-	-	-	-
real Affections - -	10·2	10	7	1	-	1	1	-	-
ipelas - - -	3·3	1	-	-	-	-	-	1	-
mia and Septicæmia	2·0	-	-	-	-	-	-	-	-
rperal Fever - -	3·9	4	-	-	-	3	1	-	-
er Zymotic Diseases	1·9	-	-	-	-	-	-	-	-
ish - - - -	0·3	-	-	-			-	-	-
ms and other Parasitical Diseases -	0·3	1	-	-	-	1	-	-	-
vation, Want of breast-milk - -	1·0	2	2	-	-	-	-	-	-
holism - - -	10·5	15	-		-	6	8	1	-
umatic Fever, Rheumatism of Heart	5·8	3	-	-	2	1	-	-	-
umatism - - -	2·0	2	-	-	-	-	-	2	-
- - - - -	3·1	6	-	-	-	-	-	6	-
ets - - - -	6·2	4	-	3	1	-	-	-	-
er - - - -	73·7	102	-	-	3	6	43	46	4
s Mesenterica - -	17·3	16	9	4	3	-	-	-	-
rcular Meningitis -	27·5	28	4	18	6	-	-	-	-
isis - - - -	156·3	139	1	3	6	68	53	8	-
ula, Tuberculosis -	20·5	22	5	5	5	4	1	2	-
Constitutional eases - -	12·1	14	2	1	2	1	2	5	1
ature Birth - -	49·8	34	34	-	-	-	-	-	-
ctasis - - -	4·1	2	2	-	-	-	-	-	-
nital Malformations - - - -	7·1	7	7	-	-	-	-	-	-
age - - - -	48·6	63	-	-	-	-	-	29	34
doxy - - -	43·3	48	-	-	2	2	21	20	3
psy - - - -	7·7	10	-	-	1	2	4	3	-
ilsions - - -	33·8	26	22	4	-	-	-	-	-
Diseases of Brain Nervous System	80·6	72	6	13	1	5	17	27	3
ses of Organs of cial Sense -	3·3	3	-	-	1	1	-	1	-

CAUSES OF DEATH.	Corrected Averages for the 21st Week of the 10 years 1891–1900*.	In the Week ended Saturday, 25th May, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and
Diseases of Circulatory System - - -	133·0	128	-	-	14	20	39	49	6
Croup - - - -	2·8	1	-	1	-	-	-	-	-
Bronchitis - - -	131·6	80	15	11	-	-	9	30	15
Pneumonia - - -	126·3	90	29	20	3	10	18	17	2
Pleurisy - - - -	6·7	4	-	1	-	1	1	1	-
Other Diseases of Respiratory System -	22·0	16	4	2	1	1	2	5	1
Dentition - - - -	9·4	2	2	-	-	-	-	-	-
Quinsy, Sore Throat -	1·7	2	-	-	-	1	1	-	-
Enteritis - - -	16·2	9	5	1	-	1	1	1	-
Gastro-enteritis		3	2	-	-	-	1	-	-
Peritonitis - - -	4·8	1	-	-	1	-	-	-	-
Diseases of Liver - -	24·1	25	3	-	-	2	11	8	1
Other Diseases of Digestive System	26·7	35	13	4	1	4	3	8	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	2	-	-	-	1	-	1	-
Diseases of Urinary System - - -	43·3	45	-	1	2	7	18	13	4
Diseases of Generative System - - -	4·7	6	-	-	-	2	4	-	-
Accidents of Childbirth -	4·8	5	-	-	-	5	-	-	-
Diseases of Locomotive System - - -	5·4	4	-	-	2	1	-	1	-
Diseases of Integumentary System - -	5·2	3	2	-	-	1	-	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·2	1	-	-	-	-	1	-	-
By Vehicles or Horses -	6·7	7	-	2	-	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·7	1	-	-	-	1	-	-	-
In Building Operations -	0·6	-	-	-	-	-	-	-	-
In Conflagrations -	0·8	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·9	8	-	6	2	-	-	-	-
By Drowning - - -	7·2	4	-	-	1	3	-	-	-
By Suffocation in Bed -	11·9	10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·9	4	-	-	-	3	-	1	-
Other or not stated causes - - - -	18·4	16	3	2	1	2	4	3	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·8	5	-	2	3	-	-	-	-
Suicide - - - -	8·3	9	-	-	-	2	4	3	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	45·2	29	29	-	-	-	-	-	-

e numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement.'

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th May, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,536,034†	2559	1364	259	379	-	44	18	22	58	-	5	-	22	65	150	483	[illegible]
WEST DISTRICTS - - -	805,227	358	236	32	75	-	2	2	3	18	-	2	-	4	9	23	87	[illegible]
NORTH DISTRICTS - - -	1,055,978	581	272	60	85	-	5	6	7	8	-	1	-	5	15	37	96	[illegible]
CENTRAL DISTRICTS - - -	209,235	117	76	13	16	-	3	-	3	3	-	-	-	3	5	8	32	[illegible]
EAST DISTRICTS - - -	713,865	484	241	52	61	-	16	1	1	6	-	1	-	3	11	37	103	[illegible]
SOUTH DISTRICTS - - -	1,748,570	1019	495	102	126	-	18	6	8	23	-	1	-	7	24	44	121	[illegible]
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	44	-	16	-	-	3	-	-	-	-	-	-	1	1	44	[illegible]
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	43	24	2	10	-	-	-	-	1	-	-	-	-	1	3	2	[illegible]
St. John Paddington *H* - - G.	33,608	8	7	2	-	-	-	-	-	1	-	-	-	-	1	2	5	[illegible]
North-West Paddington† - - C.	17,181	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	[illegible]
Kensington Town† *Ww* - W. & C.	128,025	58	61	4	25	-	1	-	1	2	-	-	-	1	1	2	29	[illegible]
Brompton *HH* - - - W. & C.	48,598	7	11	-	7	-	-	-	-	-	-	-	-	-	-	-	2	[illegible]
North Hammersmith *H* } W. & G	49,335	20	6	2	-	-	-	-	-	1	-	-	-	-	-	2	-	[illegible]
South Hammersmith *wH* } W. & G	62,898	40	12	3	3	-	-	-	-	2	-	-	-	-	2	3	3	[illegible]
North-west Fulham *W* } W. & C.	45,176	38	17	7	3	-	-	-	-	3	-	-	-	1	1	2	10	[illegible]
North-east Fulham *w* } W. & C.	46,404	24	8	1	2	-	-	2	2	-	-	-	-	-	-	1	4	[illegible]
South Fulham } W. & C.	45,704	26	7	3	-	-	-	-	-	1	-	-	-	1	2	2	-	[illegible]
Chelsea North *WWHHHH* - C.	42,515	29	25	4	11	-	-	-	-	-	-	-	-	1	-	1	18	[illegible]
Chelsea South *HH* - - C.	31,340	12	8	2	-	-	1	-	-	-	-	-	-	-	-	1	2	[illegible]
May Fair and Knightsbridge† *H* } C. & G.	28,744	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	[illegible]
Belgrave *HHH* - - - C.	55,801	14	24	2	8	-	-	-	-	5	-	1	-	-	-	2	8	[illegible]
St. Margaret & St. John Westminster† *HHH* } C.	43,646	12	9	-	3	-	-	-	-	-	-	-	-	-	-	1	3	[illegible]
St. James Westminster *WH* } N. & G.	21,595	8	8	-	-	-	-	-	-	2	-	1	-	-	1	1	-	[illegible]
St. Anne Soho *HHHHH* - N.	11,492	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	[illegible]
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* } - - W.	35,394	10	15	1	5	-	-	-	-	1	-	-	-	-	-	1	7	[illegible]
Rectory Marylebone *W* G. & W.	19,869	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	[illegible]
St. Mary Marylebone *HHHH* } G. & W.	18,099	27	5	2	2	-	-	-	-	-	-	-	-	-	1	2	2	[illegible]
Christchurch Marylebone *H* - W	39,541	22	6	3	1	-	-	-	-	-	-	-	-	-	2	2	-	[illegible]
St. John Marylebone *HHH* - W	20,426	8	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	[illegible]
Hampstead *WwHHHHH* } - N. & W.	81,902	26	22	3	4	-	-	3	2	-	-	1	-	-	1	1	13	[illegible]
Regent's Park *H* - W.	50,647	21	9	1	4	-	-	-	-	-	-	-	-	-	2	3	-	[illegible]
Tottenham-court *wHHHHHH* } - N. & W.	24,814	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	[illegible]
Gray's Inn Lane *HHHH* - N.	30,886	15	13	3	-	-	-	-	1	-	-	-	-	-	2	3	8	[illegible]
Somers Town *HH* - - - N.	30,131	14	5	2	1	-	-	-	-	1	-	-	-	-	-	1	1	[illegible]
Camden Town *WH* - - - N.	40,079	24	12	3	7	-	1	-	-	-	-	-	-	-	1	3	4	[illegible]
Kentish Town *WW* - - N.	58,727	24	16	4	6	-	-	-	-	-	-	-	-	1	-	-	5	[illegible]
Upper Holloway *WWWWwHH* } - - N.	99,841	63	46	6	18	-	-	-	-	1	-	-	-	-	1	6	30	[illegible]
Lower Holloway - - - N.	41,411	22	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-	[illegible]
Barnsbury - - - - N.	54,479	32	9	3	4	-	-	-	-	1	-	-	-	-	1	2	-	[illegible]
Islington South-east *H* - N.	75,402	59	17	5	4	-	3	1	1	1	-	-	-	1	1	2	2	[illegible]
Highbury *HH* - - - N.	63,795	36	12	3	3	-	-	-	-	-	-	-	-	1	2	2	3	[illegible]
Stoke Newington *H* - - N.	51,247	19	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	[illegible]
North Hackney - E. & N.	50,570	18	12	3	3	-	1	-	-	2	-	-	-	-	-	-	-	[illegible]
Central Hackney *ww* - E. & N.	50,535	30	18	4	5	-	-	2	3	-	-	-	-	1	-	3	6	[illegible]
South-west Hackney *HHH* E. & N.	59,929	43	15	6	2	-	-	-	-	-	-	-	-	-	-	2	5	[illegible]
South-east Hackney *WwH* E. & N.	58,254	42	16	4	6	-	-	-	-	-	-	-	-	1	1	3	9	[illegible]

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th May, 1901—*continued*.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	17	3	1	1	-	-	-	-	-	-	-	-	1	1	1	2	-
St Giles North *H* - - - N.	8,959	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.	12,975	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand *WHH* - - - - N.	8,694	4	8	1	1	-	-	-	-	-	-	-	-	-	1	2	5	-
Strand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *WwHHHHH* - N.	29,579	18	13	3	4	-	-	-	1	3	-	-	-	-	-	-	5	-
St. James Clerkenwell - - N.	15,634	5	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Amwell Clerkenwell - - N.	32,691	11	8	3	1	-	1	-	-	-	-	-	-	1	1	1	-	-
Goswell-street - - - - N.	15,390	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.	25,404	37	8	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Finsbury - - - - - N.	9,972	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - N. & E.	11,036	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	7,897	2	16	1	3	-	-	-	2	-	-	-	-	1	2	2	15	-
Allhallows Barking - - N.	8,509	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *wH* - - N.	29,761	14	11	-	4	-	1	-	-	-	-	-	-	1	-	2	7	-
Hoxton Old Town - - - N.	26,499	22	8	2	4	-	1	-	-	-	-	-	-	-	-	1	-	-
Haggerston *W* - - N. & E.	46,064	30	13	2	5	-	-	-	-	1	-	-	-	-	1	1	4	-
Bethnal Green North *HH* - E.	51,513	33	9	1	-	-	-	-	-	2	-	-	-	-	-	-	4	-
Bethnal Green South - - E	33,473	39	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bethnal Green East *WWHl* - E.	44,695	26	24	2	8	-	1	1	-	-	-	-	-	-	1	2	16	-
Spitalfields - - - E. & N.	27,965	15	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.	28,711	25	38	6	4	-	-	-	-	1	-	1	-	-	4	9	35	-
Goodman's Fields - - - E.	21,847	10	3	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
St. George's, North - - - E.	40,965	34	8	5	-	-	-	-	-	1	-	-	-	-	-	2	-	-
St. John, St. George East *W* E.	7,886	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Shadwell *H* - - - E. & N.	10,586	3	9	5	-	-	1	-	-	-	-	-	-	-	-	-	7	-
Ratcliff *W* - - - - - E.	14,668	7	5	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Limehouse - - - - - E.	32,121	22	10	3	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Mile End Old Town West *H* E.	59,467	40	8	3	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Mile End Old Town East *WWw* - E.	53,348	39	16	4	9	-	-	-	-	-	-	-	-	-	-	1	10	-
Bow *l* - - - - - E.	41,987	31	11	1	4	-	3	-	-	-	-	-	-	-	-	2	-	-
Bromley *wwwH* - - - - E.	68,320	41	39	4	13	-	8	-	-	-	-	-	-	-	1	7	18	-
Poplar *WW* - - - - - - E.	57,619	46	11	5	1	-	-	-	1	1	-	-	-	-	1	3	-	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th May, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS																		
Christchurch Southwark *WHL.* & S.	11,207	6	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1
St. Saviour Southwark - - S.	12,056	8	12	1	3	-	-	-	-	-	-	-	-	-	1	2	12	-
Kent-road - - - - S. & L.	21,899	19	11	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Borough-road *WH* - S. & L.	16,882	12	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London-road *HL* - - L. & S.	22,209	11	7	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Trinity Newington *H* - S. & L.	28,485	21	5	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1
St. Peter Walworth *W* - S. & L.	61,773	43	18	3	4	-	2	-	-	2	-	-	-	-	2	2	1	-
St. Mary Newington - - L. & S.	31,592	19	5	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.	9,669	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - S.	82,363	54	18	8	4	-	-	-	-	1	-	1	-	-	4	5	1	-
Rotherhithe *Ww* - S. & K.	37,904	14	12	6	2	-	1	-	-	2	-	-	-	-	2	4	4	-
Waterloo-road *HH* - L. & S.	27,420	28	10	3	1	-	2	-	-	-	-	-	-	-	-	1	2	-
Lambeth Church 1st *HH* L. & S.	18,408	7	16	-	2	-	-	-	-	1	-	-	-	1	3	3	12	-
Lambeth Church 2nd *WW* L. & S.	39,818	32	23	5	7	-	-	-	-	1	-	-	-	-	-	2	12	-
Kennington 1st *H* - - S. & L.	53,176	37	13	4	5	-	2	-	-	2	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	42,891	21	11	1	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	84,226	46	15	3	1	-	-	2	1	1	-	-	-	-	-	-	3	-
Norwood *WH* - - - - L.	35,887	15	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	72,182	50	19	5	2	-	-	-	-	2	-	-	-	-	-	5	-	-
North-west Battersea - - S.	49,647	33	8	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-
South-west Battersea *WwH* - S.	47,045	25	14	2	3	-	-	-	-	2	-	-	-	-	1	1	11	-
Clapham *H* - - - - S.	51,353	29	17	2	8	-	-	-	-	1	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	88,129	44	21	5	6	-	-	1	1	-	-	-	-	-	-	1	4	-
Wandsworth *WHHL* - - S.	68,348	43	15	1	5	-	2	-	-	1	-	-	-	-	-	1	-	-
Putney - - - - - S.	24,135	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	10,246	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	43	41	5	16	-	-	-	-	-	-	-	-	-	2	2	25	-
Peckham *WW* - S., L., & K.	93,022	44	16	3	4	-	-	-	2	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	65,586	34	18	9	3	-	1	-	-	-	-	-	-	-	-	2	-	1
Deptford North - - - K.	37,482	23	10	-	3	-	3	-	-	1	-	-	-	-	1	1	-	-
Deptford Central *w* - - K.	45,621	47	11	3	2	-	-	1	1	-	-	-	-	-	-	1	3	-
Deptford South - - - K.	34,622	12	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,417	12	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,774	25	18	4	4	-	-	-	-	-	-	-	-	-	-	1	11	-
Eltham *wH* - - - - K.	7,218	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *H* - - - - - K.	25,489	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - - K.	58,341	39	23	2	8	-	-	2	1	-	-	-	-	1	1	-	12	-
Sydenham *H* - - - - L.	43,630	18	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	21,109	9	11	-	2	-	1	-	1	-	-	-	-	-	5	5	2	-
Woolwich *HHHH* - - K.	41,515	17	14	5	4	-	-	-	-	1	-	-	-	1	1	1	-	-
Plumstead West *H* - - K.	18,076	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	39	19	4	6	-	-	-	-	1	-	-	-	2	1	1	4	-
Banstead Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
Hanwell Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum, Hendon	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch Asylum - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	1	1	5	-
N.E. Hospital - - - - -	—	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts. The population of London given in the Table includes 3,159 persons who were enumerated on board ships and boats; these have not yet been allocated to the several sub-districts.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th May, 1901.

Registration District and Sub-district Number.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,384	2,042,750	1,170	440	113	106	-	16	2	9	23	9	6	15	30	60	4
0 : 1	Carshalton *H* - - -	12,228	32,997	12	9	3	1	-	-	-	1	-	-	-	-	1	1	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	8	6	1	1	-	-	-	1	2	-	-	1	1	2	-
7 : 1	Godstone, *part of** *W* -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Croydon *WWwHHH* -	20,851	164,519	88	39	5	17	-	-	-	2	2	2	-	-	2	6	-
2	Mitcham *w* - - -	11,697	29,906	22	7	2	2	-	-	-	-	1	-	-	-	-	-	-
9 : 1	Wimbledon *HHH* - -	3,220	41,604	19	4	2	1	-	-	-	-	1	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	42,066	20	7	2	1	-	-	-	-	-	-	-	1	1	1	-
3	Surbiton *HH* - - -		15,019	10	5	2	-	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** *H* - -		13,003	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	23,447	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
0 : 1	Richmond *WHH* - -	2,160	28,871	11	4	-	-	-	-	-	-	-	-	-	-	-	3	-
2	Mortlake *H* - - -	2,823	20,625	13	5	2	1	-	-	-	-	-	-	1	-	1	-	-
1 : 1	Bromley *HHH* - - -	9,127	29,638	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	27,658	11	2	-	-	-	-	-	-	1	-	-	-	-	-	-
3	Orpington, *part of** *W* -	6,974	8,415	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *HH* - -	7,333	16,458	4	5	-	2	-	1	-	-	-	-	-	-	-	2	1
2 : 1	Bexley *HHH* - - -	12,540	46,231	33	19	2	7	-	2	-	-	-	-	-	-	-	2	-
2	Dartford *WH, part of** -	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	2	-
3 : 1	Sunbury *w* - - -	11,054	18,682	11	2	1	1	-	-	-	-	1	-	-	-	1	3	-
2	Staines *WH* - - -	13,277	15,179	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
4 : 1	Hillingdon *WHH* - -	6,035	13,661	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	2	3	2	-	-	-	-	-	-	-	-	1	1	2	-
3	Hayes *wH* - - - -	7,952	16,358	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-
5 : 1	Isleworth *WHH* - -	6,967	30,838	11	10	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Twickenham *HH* - -	2,415	20,991	10	5	-	2	-	-	-	-	-	-	-	-	-	5	-
3	Brentford *HHHH* - -	4,318	48,290	19	12	5	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	29,809	7	3	-	2	-	-	-	-	2	-	-	1	2	-	-
5	Acton *wHH* - - -	6,132	48,913	33	8	4	2	-	-	-	-	-	-	-	-	-	-	-
6 : 1	Harrow *HHH* - - -	13,809	25,522	11	2	1	-	-	-	-	-	1	-	-	-	1	-	-
2	Edgware *HH* - - -	6,994	4,520	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	114,815	59	17	7	2	-	-	1	-	2	-	1	1	2	2	-
4	Hendon *WH* - - -	8,382	22,450	18	5	2	2	-	-	-	-	-	-	-	1	1	2	-
7 : 1	South Mimms *HH* - -	21,077	7,308	7	4	-	2	-	-	-	1	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		17,970	7	4	-	2	-	-	-	-	-	-	-	-	1	1	-
3	Finchley *HHH* - - -	4,688	33,692	16	6	-	2	-	2	-	-	-	-	-	-	1	-	-
8 : 1	Hornsey† *HH* - - -	2,874	72,056	34	9	1	5	-	-	-	-	-	-	-	1	1	-	-
2	Tottenham *HHH* - -	4,642	136,702	84	30	9	7	-	2	-	-	2	-	-	1	2	3	-
3	Edmonton *Ww* - -	7,489	61,892	38	12	4	2	-	1	-	1	-	-	-	-	-	1	1
4	Enfield *WWHH* - -	12,602	42,738	17	9	3	3	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - - -	11,017	6,547	2	3	-	1	-	-	-	-	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	12,288	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Hatfield, *part of** *W* -	3,306	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Bushey *H* - - - -	9,331	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 : 1	Stratford *H* - - -	4,706	44,825	26	8	2	3	-	-	-	-	-	-	-	-	-	1	-
2	Plaistow *HHH* - - -		90,917	65	20	10	2	-	1	-	-	-	1	-	-	1	2	-
3	Canning Town *H* - -		69,658	64	25	6	3	-	-	-	2	-	5	1	1	1	1	1
4	Forest Gate *w* - - -		60,897	38	13	3	3	-	1	-	-	-	-	-	1	1	1	-
5	East Ham *wHHH* - -	3,266	95,469	66	13	5	2	-	-	-	1	1	-	1	1	1	-	1
6	Wanstead. - - - -	4,334	9,198	3	1	-	1	-	-	-	-	1	-	-	1	1	-	-
7	South Leyton *WW* - -		50,458	37	20	5	5	-	1	-	-	1	1	1	-	-	11	-
8	North Leyton *WwH* -		48,441	24	7	2	2	-	-	-	-	1	-	-	1	1	-	-
9	Walthamstow *HHHL* -	6,501	108,931	74	27	6	3	-	2	-	-	3	-	1	1	2	-	-
1 : 1	Chigwell, *part of** *HHHH*	11,779	16,396	10	4	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	6,070	3	6	1	-	-	-	1	-	1	-	-	-	-	4	-
2	Ilford *H* - - - -	8,493	41,240	27	4	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	21,511	14	11	4	1	-	3	-	-	1	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the ter Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, cepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: xcepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses d Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included. See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 25th May, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,421	6,602,409	14·2	1·8	1804	372	485	-	60	20	31	81	11	28	80	543
INNER LONDON -	74,837	4,543,727	15·7	1·9	1364	259	379	-	44	18	22	58	5	22	65	483
OUTER RING -	368,584	2,058,682	11·1	1·6	440	113	106	-	16	2	9	23	9	6	15	60

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	317,561	May	25	157	134	22·0	-	2	1	1	13	-	[illegible]
GLASGOW - -	763,144	"	25	426	294	20·1	1	10	1	1	19	-	1
DUBLIN† - -	346,128	"	25	193	175	26·4	-	-	-	-	5	1	[illegible]
CALCUTTA - -	466,460	February	23	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	May	7	219	1321	89·1	3	1	?	?	?	645‡	7
MADRAS - -	452,518	April	19	327	385	44·2	11	9	?	?	?	104	5
PARIS - - -	2,511,629	May	18	1023	1005	20·7	15	17	-	26*	14	4	2
BRUSSELS - -	570,844	"	18	277	177	16·1	-	-	-	1*	6	3	1
AMSTERDAM -	523,822	"	11	284	147	14·6	-	3	-	-	4	-	2
ROTTERDAM -	320,991	February	23	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	"	23	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	May	11	188	140	19·3	-	8	-	2	3	-	
		"	18	193	136	18·7	-	3	-	-	4	1	
STOCKHOLM -	301,050	"	11	145	88	15·2	-	1	2	3*	1	-	
CHRISTIANIA -	226,423	"	18	118	63	14·5	-	-	-	-	-	1	
ST. PETERSBURG	1,248,643	"	11	676	553	23·1	1	17	18	21	-	14	[illegible]
MOSCOW - -	1,023,817	"	11	-	510	26·0	1	3	6	14	1	5	[illegible]
BERLIN - -	1,891,431	"	4	980	655	18·1	-	14	10	5	14	1	[illegible]
HAMBURG - -	705,738	"	18	-	222	16·4	-	1	4	1*	2	-	
DRESDEN - -	400,140	January	5	-	-	-	-	-	-	-	-	-	
BRESLAU - -	427,505	May	18	-	222	27·1	-	6	1	1	2	1	
MUNICH - -	500,000	"	18	-	222	23·1	-	4	1	1*	3	1	
VIENNA - -	1,691,996	"	18	1102	679	20·9	-	13	6	14*	2	-	
PRAGUE - -	389,741	"	11	223	195	26·0	-	5	1	1	1	1	
BUDA-PESTH -	744,719	"	11	474	272	19·0	-	7	4	1	2	-	
TRIESTE - -	176,456	"	18	112	72	21·2	-	-	-	1*	1	-	
ROME - - -	467,236	March	30	221	171	19·1	-	1	-	1	-	3	
TURIN (10 days) -	344,203	January	10	-	-	-	-	-	-	-	-	-	
VENICE - -	174,378	May	11	72	60	17·9	-	-	-	4*	1	1	
		"	18	67	58	17·3	-	-	-	1*	1	-	
CAIRO - -	570,062	March	25	489	329	30·0	1	-	-	2*	1	12	
ALEXANDRIA -	319,766	"	25	228	228	37·2	4	-	-	1*	-	2	
NEW YORK (including BROOKLYN)	3,536,517	April	27	1485	1437	21·2	8	9	44	58*	6	7	
PHILADELPHIA -	1,293,697	May	4	-	494	19·9	1	2	6	10	8	5	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including one death from cholera.
‡ Including 375 deaths from plague.

[Under the Superintendence of the Astronomer Royal.]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	19	Greatest Dec. N.	30·008	69·8	45·9	23·9	58·0	+ 4·1	46·6	11·4	21·2	3·1	66	115·6	38·7	50·32	SW., WSW. & N.	NNW., N. & E.	0·9	0·0	0·0	172	- 76	0·00	3·0
MONDAY -	20	..	30·145	65·2	43·6	21·6	54·1	- 0·1	44·8	9·3	15·8	1·3	71	133·7	32·9	50·50	E., ENE. & NE.	E., ESE. & ENE	1·3	0·0	0·1	218	- 30	0·00	0·0
TUESDAY -	21	..	30·192	64·9	43·0	21·9	54·5	- 0·1	43·9	10·6	19·8	2·2	68	131·2	34·8	50·97	NE. & ENE.	E. & ENE.	3·1	0·0	0·3	294	+ 46	0·00	0·0
WEDNESDAY	22	..	30·149	65·9	45·7	20·2	56·5	+ 1·5	40·7	15·8	23·0	3·2	56	129·5	34·0	51·25	NE., ENE. & E.	ENE. & NE.	4·7	0·0	0·8	377	+ 129	0·00	0·0
THURSDAY-	23	..	30·184	64·7	45·1	19·6	56·1	+ 0·8	37·3	18·8	25·6	3·7	49	135·8	33·0	51·51	NE. & ENE.	ENE. & NE.	5·8	0·0	0·9	434	+186	0·00	0·0
FRIDAY -	24	..	30·116	67·6	44·2	23·4	57·5	+ 1·9	39·9	17·6	25·6	2·9	52	136·0	34·4	51·95	NE., NNE & ENE.	E. & ENE.	5·3	0·0	0·7	361	+114	0·00	0·0
SATURDAY -	25	First Quarter.	29·955	69·4	46·3	23·1	57·6	+ 1·9	47·1	10·5	20·5	0·8	68	140·2	36·8	52·30	NE. & NNE.	N. & NNE.	5·2	0·0	0·7	386	+139	0·00	0·0
MEANS -	-		30·107	66·8	44·8	22·0	56·3	+ 1·4	42·9	13·4	21·6	2·5	61	131·7	34·9	51·26	NE.		..	..	..	Sum 2242	Sum +508	Sum 0·00	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	19	m. P. generally.	8·7	15·7	Cloudy till 6h. A.M.; fine, with variable amounts of cloud, till 5h. P.M.; cloudless afterwards.
MONDAY -	20	w. P. generally till 8h. P.M.; m. P. afterwards.	8·8	15·7	Very fine till 4h. A.M.; overcast till 8h. A.M.; fine and partially cloudy till evening: cloudless at night.
TUESDAY -	21	m. P. generally.	10·5	15·8	Generally overcast in morning; fine and partially cloudy in forenoon; cloudless afterwards.
WEDNESDAY	22	m. P. generally till 10h. A.M.; w. P. and w. N. till 4h. P.M.; m. P. afterwards.	14·0	15·8	Generally cloudless; a very fine day.
THURSDAY-	23	m. P. till 10h. A.M.; w. P. till 4h. P.M.; v. P. afterwards.	14·1	15·9	Cloudless throughout; a very fine day.
FRIDAY -	24	m. P. generally till noon; w. P. till 6h. P.M.; m.P.afterwards.	14·3	15·9	Generally cloudless; a very fine day.
SATURDAY-	25	m. P. throughout.	10·5	16·0	Very fine, with small amounts of cloud generally, till evening; cloudy afterwards, with a little misty rain at night.
			Sum 80·9	Sum 110·8	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·03 in. at the beginning of the week to 29·99 in. by 4h. P.M. on the 19th; increased to 30·22 in. by 9h. A.M. on the 21st; decreased to 30·12 in. by 5h. P.M. on the 22nd; increased to 30·20 in. by 11h. P.M. on the 23rd; and decreased to 29·89 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th May, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	6	3	-	1	-	-	2	1
Kensington	176,787	-	14	6	-	1	-	-	3	-
Hammersmith	112,619	-	8	7	-	2	-	-	2	-
Fulham	138,426	-	15	12	-	-	-	-	2	-
Chelsea	73,879	-	3	3	-	1	-	-	2	-
City of Westminster	182,502	-	7	5	-	1	-	-	-	-
NORTH.										
St. Marylebone	133,060	-	11	4	-	-	-	-	2	-
Hampstead	82,246	-	11	3	-	-	-	-	-	-
St. Pancras	235,297	-	28	7	-	1	-	-	7	-
Islington	335,325	-	16	26	-	2	-	-	3	2
Stoke Newington	51,328	-	-	1	-	-	-	-	-	-
Hackney	219,780	-	21	20	-	2	-	-	6	-
CENTRAL.										
Holborn	59,205	-	4	3	-	-	-	-	3	-
Finsbury	101,263	-	8	6	-	-	-	-	2	-
City of London	26,638	-	-	1	-	-	-	-	1	-
EAST.										
Shoreditch	118,554	-	26	11	-	2	1	-	4	-
Bethnal Green	129,700	-	39	12	-	3	-	-	4	-
Stepney	298,884	-	16	14	-	3	-	-	6	-
Poplar	168,837	-	8	9	-	5	-	-	4	1
SOUTH.										
Southwark	206,219	-	13	8	-	1	-	-	3	-
Bermondsey	130,348	-	14	6	-	-	-	-	1	-
Lambeth	302,460	-	17	12	-	1	-	-	2	-
Battersea	169,364	-	14	6	-	-	-	-	3	-
Wandsworth	233,943	-	17	8	-	1	-	-	4	-
Camberwell	259,897	-	18	12	-	1	1	-	7	-
Deptford	110,732	-	10	10	-	-	-	-	2	-
Greenwich	96,188	-	6	6	-	1	-	-	4	-
Lewisham	128,423	-	8	5	-	-	-	-	2	-
Woolwich	117,619	-	7	3	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,727	-	365	229	-	29	2	-	81	4
Ages 0-1		-	11	3	-	-	-	-	2	-
" 1-5		-	106	86	-	1	1	-	3	-
" 5-		-	135	81	-	3	-	-	4	-
" 10-		-	56	23	-	4	-	-	4	-
" 15-		-	36	7	-	5	1	-	1	-
" 20-		-	14	11	-	5	-	-	6	2
" 25-		-	5	12	-	5	-	-	12	2
" 35-		-	1	5	-	4	-	-	14	-
" 45-		-	1	1	-	2	-	-	22	-
" 55-		-	-	-	-	-	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	5	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 22. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JUNE 1. [Price 1½*d.*

General Register Office, Somerset House,
June 3rd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·3 per 1000 of their aggregate population, which is estimated* at 11,463,187 persons in the middle of this year. In the preceding three weeks the rates had been 16·5, 16·8, and 16·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	May 11.	May 18.	May 25.	June 1.		May 11.	May 18.	May 25.	June 1.
33 Great Towns	16·5	16·8	16·7	16·3	Leicester - -	14·2	12·8	15·0	13·0
Birkenhead -	12·7	15·5	17·4	15·9	Liverpool - -	18·5	20·0	19·3	19·5
Birmingham -	18·9	19·1	21·8	17·9	London - - -	15·9	15·8	15·6	15·4
Blackburn -	17·1	18·8	14·3	19·2	Manchester - -	20·7	20·7	18·5	19·0
Bolton - -	15·8	18·8	18·2	17·3	Newcastle-on-Tyne	17·2	15·7	18·1	19·1
Bradford -	17·3	17·3	19·5	16·8	Norwich - -	17·2	14·4	12·1	11·6
Brighton -	22·3	12·6	12·6	9·3	Nottingham - -	15·6	17·6	19·5	17·4
Bristol - -	17·4	16·9	13·6	12·6	Oldham - -	18·6	14·0	16·7	20·9
Burnley -	13·9	18·2	20·4	17·7	Plymouth - -	11·6	16·9	16·4	13·5
Cardiff - -	14·2	14·2	15·8	16·7	Portsmouth - -	17·0	15·1	16·2	12·6
Croydon -	7·7	8·9	11·2	10·8	Preston - -	14·3	22·1	17·1	22·6
Derby - -	15·2	17·2	17·2	17·2	Salford - - -	18·4	19·1	22·1	15·3
Gateshead -	13·2	15·1	17·5	19·3	Sheffield - -	16·5	15·8	16·4	18·1
Halifax -	15·9	19·8	18·8	11·9	Sunderland - -	16·6	22·0	15·9	19·8
Huddersfield-	14·3	14·3	13·7	18·7	Swansea - -	20·4	19·8	21·5	14·9
Hull - -	19·5	16·7	15·8	22·5	West Ham - -	14·9	16·7	14·7	14·4
Leeds - -	16·1	17·6	15·3	14·3	Wolverhampton -	16·0	16·6	22·6	16·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Birmingham, 1·1 in Wolverhampton and in Liverpool, 1·9 in Gateshead, and 2·2 in Bolton; from *scarlet fever*, 1·1 in Oldham, and 1·4 in Preston; from *whooping-cough*, 1·1 in Sunderland, 1·4 in Preston, and 2·2 in Swansea; and from "*fever*," 1·1 in Swansea, and 1·4 in West Ham. In none of the thirty-three towns did the death-rate from *diarrhœal diseases* reach 1·0 per 1000. The 44 deaths from *diphtheria* included 13 in London, 4 in Cardiff, 4 in Birmingham, 3 in West Ham, 3 in Leicester, 3 in Liverpool, and 3 in Blackburn. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2148 BIRTHS and 1345 DEATHS were registered. Allowing for increase of population, the births were 453, and the deaths 196 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·9, 15·8,

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9258—670—6/1901 Wt 45 D & S 3 Y

and 15·6 in the preceding three weeks, further fell last week to 15·4. During the four weeks ended on Saturday last the death-rate averaged 15·7 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1345 deaths included 48 from measles, 17 from scarlet fever, 13 from diphtheria, 33 from whooping-cough, 10 from enteric fever, 14 from diarrhœa and dysentery, 1 from infantile cholera, and not one death from small-pox, from typhus, from any ill-defined form of continued fever; thus, 136 deaths were referred to these diseases, being 61 below the corrected average weekly number.

The deaths from *measles*, which had been 38, 33, and 44 in the preceding three weeks, further rose last week to 48, but were 26 below the corrected average; 8 cases belonged to the Borough of Stepney, 6 to that of Southwark, and 5 to that of Battersea. The deaths from *scarlet fever*, which had been 17, 14, and 18 in the preceding three weeks, were 17 last week, and were 3 above the corrected average; 5 cases belonged to Bethnal Green and 3 to Bermondsey. The deaths from *diphtheria*, which had been 23, 14, and 22 in the preceding three weeks, fell again last week to 13, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 45, 48, and 58 in the preceding three weeks, fell again last week to 33, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 7, 4, and 5 in the preceding three weeks, were 10 last week, the corrected average being 8. The deaths from *diarrhœal diseases*, which had been 9, 16, and 22 in the preceding three weeks, fell again last week to 15, the corrected average being 17. The deaths referred to diseases of the *respiratory organs*, which had been 237, 249, and 191 in the preceding three weeks, rose again last week to 240, but were 38 below the corrected average. The deaths attributed directly to *influenza* numbered 10, having been 17, 16, and 6 in the preceding three weeks.

Different forms of *violence* caused 60 deaths, concerning all but 4 of which inquests were held. Of these 60 deaths, 9 were cases of suicide, while the remaining 51 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 5 to burns and scalds, 6 to drowning, 1 to the effect of an anæsthetic administered for surgical purposes, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2352 cases of scarlet fever, 1104 of diphtheria, and 95 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 318 cases, against 397, 323, and 341; of diphtheria, 137 cases, against 192, 188, and 141; and of enteric fever, 10 cases, against 19, 13, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended May 25th.

Greater London.

In Greater London 3115 births and 1778 deaths were registered, correponding to annual rates of 24·6 and 14·0 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 11 from whooping-cough, 9 from "fever," and 5 from diarrhœal diseases were registered. Six deaths from measles, 3 from diphtheria, and 8 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 60°·0; the latter being 3°·7 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 10 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 51·2 hours; the measured rainfall amounted to 0·27 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Registered during the Week ended 1st June 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,187**	**5321**	**3580**	**751**	**922**	-	**118**	**46**	**44**	**83**	**29**	**40**	**155**	**290**	**921**	**41**	**16·3**	**1·6**	**83·2**	**38·9**	**57·3**	**14·06**	**0·45**	**1·14**	33 Towns.
London - -	4,543,727	2148	1345	289	352	-	48	17	13	33	10	15	60	122	476	3	15·4	1·6	83·2	42·2	60·0	15·56	0·27	0·69	London.
West Ham - -	268,868	131	74	16	10	-	1	-	3	2	7	-	3	6	16	-	14·4	2·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	52	28	5	14	-	-	-	-	-	-	1	1	3	5	-	10·8	0·4	83·0	40·5	58·6	14·78	0·25	0·63	Croydon.
Brighton - -	123,668	49	22	3	6	-	-	-	1	1	-	-	1	1	7	-	9·3	0·8	67·4	43·6	55·2	12·89	0·26	0·66	Brighton.
Portsmouth -	189,907	78	46	8	13	-	3	-	1	-	-	-	2	3	5	-	12·6	1·1	-	-	-	-	-	-	Portsmouth.
Plymouth - -	107,974	47	28	8	8	-	1	-	-	-	-	-	1	3	1	-	13·5	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,825	127	80	10	31	-	-	-	1	1	-	3	4	6	19	1	12·6	0·8	76·6	44·0	56·2	13·44	0·45	1·14	Bristol.
Cardiff - -	165,200	66	53	13	14	-	-	-	4	2	-	-	1	3	8	-	16·7	1·9	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	54	27	3	5	-	-	-	-	4	2	1	-	1	1	1	14·9	3·9	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	49	30	10	5	-	2	-	-	1	-	-	-	1	1	1	16·6	1·7	79·5	38·9	56·4	13·56	0·30	0·76	Wolverhampton.
Birmingham -	523,284	275	180	36	42	-	10	3	4	6	-	2	7	15	40	4	17·9	2·5	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	48	25	5	10	-	-	-	-	-	-	1	-	-	2	1	11·6	0·5	76·7	45·9	59·3	15·17	0·23	0·58	Norwich.
Leicester - -	212,498	109	53	12	15	-	1	-	3	-	-	-	3	5	14	1	13·0	1·0	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	103	80	17	26	-	4	-	-	-	1	1	4	5	12	-	17·4	1·3	76·3	44·0	57·3	14·06	0·57	1·45	Nottingham.
Derby - - -	106,076	48	35	7	12	-	-	1	1	-	-	-	4	9	8	-	17·2	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	47	34	9	8	-	1	-	-	1	-	1	3	4	4	-	15·9	1·4	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	349	257	58	46	-	14	8	3	2	2	3	11	14	69	6	19·5	2·4	74·7	49·4	57·1	13·94	0·78	1·98	Liverpool.
Bolton - -	168,748	72	56	14	10	-	7	1	1	-	-	1	1	6	8	-	17·3	3·1	-	-	-	-	-	-	Bolton.
Manchester -	544,894	174	199	38	48	-	8	3	-	5	-	1	13	24	44	1	19·0	1·6	-	-	-	-	-	-	Manchester.
Salford - -	221,587	69	65	10	18	-	1	2	1	3	1	3	2	2	19	-	15·3	2·6	-	-	-	-	-	-	Salford.
Oldham - -	137,382	50	55	4	13	-	-	3	2	-	-	-	2	4	7	-	20·9	1·9	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	48	33	8	13	-	-	1	1	-	-	-	1	1	7	1	17·7	1·1	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	64	47	9	12	-	1	-	3	-	1	1	4	5	5	2	19·2	2·4	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	53	49	14	9	-	-	3	-	3	-	1	1	1	6	2	22·6	3·2	73·0	50·0	57·4	14·11	0·34	0·86	Preston.
Huddersfield -	94,998	30	34	1	18	-	-	-	-	-	-	-	-	1	9	-	18·7	-	69·6	46·0	55·6	13·11	0·54	1·37	Huddersfield.
Halifax - -	105,118	46	24	2	8	-	-	1	-	1	1	-	1	1	2	3	11·9	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	91	90	16	29	-	1	1	1	5	-	-	4	6	18	2	16·8	1·5	69·6	47·8	56·6	13·67	1·02	2·59	Bradford.
Leeds - - -	430,489	218	118	26	26	-	2	1	-	1	-	3	8	13	22	1	14·3	0·8	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	212	133	36	31	-	1	-	1	4	1	2	3	8	31	2	18·1	1·2	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	130	104	17	34	-	4	-	-	2	1	-	2	4	15	4	22·5	1·5	72·0	44·0	57·6	14·22	0·40	1·02	Hull.
Sunderland -	147,207	90	56	20	12	-	2	1	-	3	1	-	3	3	11	1	19·8	2·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	60	41	7	7	-	4	-	-	1	1	-	1	1	8	4	19·3	2·8	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	134	79	20	17	-	2	-	-	2	-	-	4	9	21	-	19·1	1·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2553	2563	2643	2374	2569	2326	2596	2199	2678	2579	2601·4	2148
Males	1325	1291	1346	1245	1336	1207	1341	1140	1346	1298	1335·5	1082
Females	1228	1272	1297	1129	1233	1119	1255	1059	1332	1281	1265·9	1066
TOTAL **Deaths**	2189	1419	1455	1366	1308	1430	1320	1392	1483	1497	1541·2	1345
Males	1097	735	785	706	669	671	722	756	781	793	800·2	720
Females	1092	684	670	660	639	759	598	636	702	704	741·0	625

*The numbers in this column are the average weekly numbers in the twenty-second week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.
TOTAL **Births**	2496	2607	2424	2634	2538	2358	2835	2585	2562	2510	2602	2559	2148
TOTAL **Deaths**	1723	1571	1588	1645	1573	1633	1564	1552	1454	1386	1375	1363	1345
Ages at Death: Under 1 year	359	333	299	349	325	325	300	323	306	269	281	259	289
1—5 years	225	189	203	220	223	256	184	217	178	169	185	197	183
5—20 ,,	91	96	85	85	70	91	77	85	91	77	56	80	66
20—40 ,,	201	197	202	207	195	200	209	200	180	198	192	178	180
40—60 ,,	355	314	318	313	301	307	325	284	327	293	291	270	275
60—80 ,,	398	366	393	375	380	363	377	347	299	299	298	301	277
80 years and upwards	94	76	88	96	79	91	92	96	73	81	72	78	75
Deaths from—													
Small pox	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	33	35	42	56	38	52	37	50	39	38	33	44	48
Scarlet Fever	6	10	6	8	8	8	3	6	9	17	14	18	17
Diphtheria	25	30	14	16	21	26	11	20	20	23	14	22	13
Whooping-cough	37	43	63	55	62	74	58	48	66	45	48	58	33
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	7	8	5	8	5	4	7	10	2	7	4	5	10
Simple Continued Fever	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	14	13	13	21	12	9	14	12	16	9	16	22	14
Cholera	–	1	–	–	–	–	–	–	–	–	–	–	1
All the above Diseases	122	140	144	164	146	173	130	146	152	140	129	169	136
Dis. of Respiratory System	463	394	332	363	360	345	374	286	251	237	249	191	240
Phthisis	169	168	149	165	168	139	158	153	143	161	128	139	131
Dis. of Circulatory System	161	138	187	157	133	161	137	132	136	133	123	128	116
Violence	66	63	73	64	64	89	51	79	72	65	72	65	60
Inquest Cases	159	158	196	136	157	207	137	150	149	145	148	150	122
Deaths in Public Institutions	548	489	510	523	522	530	514	534	483	512	449	482	476
TEMPERATURE OF THE AIR													
Mean	42·0°	39·0°	38·3°	34·2°	44·4°	46·2°	47·3°	54·7°	49·3°	47·1°	51·7°	56·3°	60·0°
Mean of Highest readings	48·0	44·6	43·1	41·1	53·2	54·1	56·7	66·2	61·0	55·3	62·9	66·8	71·6
Mean of Lowest readings	37·1	33·7	34·2	28·4	36·1	41·0	38·2	43·3	39·0	41·2	41·4	44·8	49·0
Humidity of the Air	85	91	78	70	80	83	67	57	72	81	73	61	69
Rain-fall (in inches)	0·76	0·09	0·31	0·44	0·97	0·71	0·33	0·02	0·00	1·56	0·00	0·00	0·27
Registered Sunshine (in hours)	11·4	5·4	13·2	21·2	27·4	29·0	48·6	77·2	45·6	17·3	69·7	80·9	51·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	1	1	–	–	–	–	–	–	–	–	–	–	1
Scarlet Fever	1746	1652	1598	1568	1572	1601	1526	1522	1705	1913	2052	2241	2352
Diphtheria	1118	1115	1103	1089	1073	1020	958	962	983	1038	1099	1087	1104
Typhus	2	3	3	2	1	1	–	–	1	1	1	1	–
Enteric Fever	205	184	182	162	146	141	132	121	108	112	106	111	95

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield: A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SECOND Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 22nd Week of the 10 years 1891-1900*.	In the Week ended Saturday 1st June, 1901 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
LL CAUSES	1541·2	1345	289	183	66	180	275	277	75
mall-pox — Vaccinated†	0·2	-	-	-	-	-	-	-	-
mall-pox — Unvaccinated	1·2	-	-	-	-	-	-	-	-
mall-pox — No Statement	0·3	-	-	-	-	-	-	-	-
easles	73·7	48	12	31	4	1	-	-	-
carlet Fever	14·4	17	1	13	2	1	-	-	-
yphus	0·2	-	-	-	-	-	-	-	-
elapsing Fever	-	-	-	-	-	-	-	-	-
nfluenza	43·8	10	-	-	-	1	4	4	1
hooping-cough	46·1	33	17	15	1	-	-	-	-
iphtheria	36·1	13	1	7	5	-	-	-	-
mple Continued and Ill-defined Fever	0·3	-	-	-	-	-	-	-	-
nteric Fever	7·7	10	-	1	2	5	2	-	-
holera and Chol. Diarr.	0·6	1	1	-	-	-	-	-	-
iarrhœa, Dysentery	16·3	14	12	-	-	-	1	-	1
emittent Fever	-	-	-	-	-	-	-	-	-
ydrophobia	-	-	-	-	-	-	-	-	-
anders	-	-	-	-	-	-	-	-	-
wpox and Effects of Vaccination	0·1	-	-	-	-	-	-	-	-
nereal Affections	10·2	3	3	-	-	-	-	-	-
ysipelas	3·1	4	2	-	-	1	-	-	1
æmia and Septicæmia	1·8	1	1	-	-	-	-	-	-
erperal Fever	3·2	6	-	-	1	5	-	-	-
her Zymotic Diseases	1·3	2	1	-	1	-	-	-	-
rush	0·3	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases	0·3	-	-	-	-	-	-	-	-
arvation, Want of Breast-milk	1·3	3	3	-	-	-	-	-	-
coholism	12·2	16	-	-	-	6	7	3	-
eumatic Fever, Rheumatism of Heart	6·7	3	-	-	1	2	-	-	-
eumatism	2·1	3	-	-	1	-	-	1	1
out	2·8	7	-	-	-	-	3	3	1
ickets	4·7	2	-	2	-	-	-	-	-
ancer	73·4	73	-	-	2	5	30	32	4
ones Mesenterica	17·1	5	1	3	1	-	-	-	-
ubercular Meningitis	25·1	21	3	11	5	2	-	-	-
hthisis	156·7	131	1	4	8	56	51	11	-
crofula, Tuberculosis	19·7	20	3	6	5	4	-	2	-
ther Constitutional Diseases	12·9	13	1	1	-	1	3	7	-
emature Birth	46·7	51	51	-	-	-	-	-	-
electasis	2·5	6	6	-	-	-	-	-	-
ngenital Malformations	7·5	6	4	2	-	-	-	-	-
d Age	47·7	52	-	-	-	-	-	23	29
poplexy	36·9	31	-	-	-	-	12	18	1
pilepsy	7·5	6	-	1	-	3	1	1	-
onvulsions	30·3	35	32	3	-	-	-	-	-
ther Diseases of Brain and Nervous System	78·3	87	10	10	8	11	23	20	5
eases of Organs of Special Sense	8·3	7	1	1	2	3	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 22nd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 1st June, 1901 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	139·0	116	-	2	6	19	28	53	8
Croup	2·4	1	-	1	-	-	-	-	-
Bronchitis	128·2	96	24	13	-	2	14	34	9
Pneumonia	119·9	116	24	34	1	16	24	14	3
Pleurisy	5·9	8	-	1	1	2	3	1	-
Other Diseases of Respiratory System	21·9	19	3	1	-	3	7	4	1
Dentition	7·6	4	2	2	-	-	-	-	-
Quinsy, Sore Throat	1·1	-	-	-	-	-	-	-	-
Enteritis	16·8	7	3	-	1	1	1	1	-
Gastro-enteritis		1	1	-	-	-	-	-	-
Peritonitis	6·9	5	-	-	-	5	-	-	-
Diseases of Liver	23·6	29	6	-	-	1	12	9	1
Other Diseases of Digestive System	31·3	29	7	4	2	3	7	6	-
Diseases of Lymphatic System & of Ductless Glands	2·8	1	-	-	-	1	-	-	-
Diseases of Urinary System	46·1	56	1	2	1	4	25	19	4
Diseases of Generative System	5·7	4	-	-	-	4	-	-	-
Accidents of Childbirth	4·3	4	-	-	-	4	-	-	-
Diseases of Locomotive System	5·3	2	-	-	-	-	1	1	-
Diseases of Integumentary System	4·7	5	1	-	-	-	2	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	1·9	-	-	-	-	-	-	-	-
By Vehicles or Horses	8·7	4	-	-	1	-	2	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	-	-	-	-	1	-	-
In Building Operations	0·5	1	-	-	-	-	-	1	-
In Conflagrations	0·4	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·9	5	-	4	-	-	1	-	-
By Drowning	6·0	6	-	1	2	1	1	1	-
By Suffocation in Bed	13·8	10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	5	-	-	2	1	1	1	-
Other or not stated causes	19·2	19	4	1	-	1	5	5	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	2·5	-	-	-	-	-	-	-	-
Suicide	9·6	9	-	-	-	5	3	1	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	40·7	42	36	6	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st June, 1901.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,034†	2148	1345	289	352	-	48	17	13	33	-	10	-	1	60	122	476	3
WEST DISTRICTS - - -	805,275	313	230	37	87	-	1	1	1	6	-	2	-	3	17	25	89	-
NORTH DISTRICTS - - -	1,055,978	474	288	62	87	-	2	2	4	3	-	2	-	2	12	24	81	-
CENTRAL DISTRICTS - - -	209,443	97	74	18	14	-	2	-	1	2	-	1	-	-	3	8	38	-
EAST DISTRICTS - - -	715,772	420	242	66	38	-	16	-	-	7	-	3	-	5	15	38	99	-
SOUTH DISTRICTS - - -	1,749,566	844	472	106	115	-	27	12	7	15	-	2	-	5	13	27	130	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	11	-	-	2	-	-	-	-	-	-	-	-	39	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	32	33	4	16	-	-	-	-	-	-	-	-	-	2	3	10	-
St. John Paddington *H* - - G.	33,608	4	11	1	4	-	-	-	-	-	-	-	-	-	3	3	4	-
North-West Paddington† - - C.	17,181	8	4	2	1	-	-	-	-	1	-	-	-	-	2	2	-	-
Kensington Town† *Ww* - W. & C.	128,025	49	46	9	19	-	1	-	-	-	-	-	-	1	-	2	19	-
Brompton *HH* - - - W. & C.	48,598	11	11	1	3	-	-	-	-	-	-	-	-	-	2	2	5	-
North Hammersmith *H* W. & G	49,335	26	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G	62,910	25	18	4	6	-	-	-	-	2	-	1	-	1	2	3	5	-
North-west Fulham *W* W. & C.	45,180	27	16	3	6	-	-	-	-	1	-	-	-	1	1	2	8	-
North-east Fulham *w* W. & C.	46,404	20	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-
South Fulham W. & C.	45,705	23	10	3	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *WWHHHH* - C.	42,515	14	25	1	16	-	-	-	-	-	-	-	-	-	-	-	22	-
Chelsea South *HH* - - C.	31,341	15	9	1	2	-	-	-	-	-	-	-	-	-	1	1	1	-
May Fair and Knightsbridge† *H* C. & G.	28,744	7	4	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-
Belgrave *HHH* - - - C.	55,812	20	16	3	3	-	-	-	-	-	-	-	-	-	2	3	9	-
St. Margaret & St. John Westminster† *HHH* C.	43,665	16	11	2	1	-	-	-	-	-	-	-	-	-	-	2	4	-
St. James Westminster *WH* N. & G.	21,595	7	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	11,492	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	5	12	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Rectory Marylebone *W* G. & W.	19,869	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.	18,099	42	3	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Christchurch Marylebone *H* - W	39,541	19	8	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
St. John Marylebone *HHH* - W	20,426	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* - N. & W.	81,902	21	18	3	6	-	-	1	2	-	-	-	-	-	-	-	7	-
Regent's Park *H* - W.	50,647	24	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	11	10	-	4	-	-	-	1	-	-	-	-	-	-	2	6	-
Gray's Inn Lane *HHHH* - N.	30,886	19	9	2	1	-	-	-	-	-	-	-	-	-	1	1	3	-
Somers Town *HH* - - - N.	30,131	13	10	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Camden Town *WH* - - N.	40,079	15	16	4	4	-	1	-	-	1	-	-	-	-	-	-	3	-
Kentish Town *WW* - - N.	58,727	24	13	4	2	-	-	-	-	-	-	-	-	2	-	-	7	-
Upper Holloway *WWWWwHH* - - N.	99,841	37	52	9	15	-	-	-	-	-	-	2	-	-	2	4	32	-
Lower Holloway - - - N.	41,411	14	9	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnsbury - - - - N.	54,479	26	14	5	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Islington South-east *H* - N.	75,402	35	16	5	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Highbury *HH* - - - N.	63,795	30	18	2	13	-	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H* - - N.	51,247	25	11	2	5	-	-	-	-	-	-	-	-	-	1	1	-	-
North Hackney - E. & N.	50,570	16	10	3	3	-	1	-	-	-	-	-	-	-	2	2	-	-
Central Hackney *ww* - E. & N.	50,535	20	20	5	7	-	-	-	1	-	-	-	-	-	1	4	1	-
South-west Hackney *HHH* E. & N.	59,929	33	11	1	5	-	-	1	-	-	-	-	-	-	-	1	3	-
South-east Hackney *WwH* E. & N.	58,254	33	17	1	4	-	-	-	-	-	-	-	-	-	-	2	9	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	11	8	3	2	-	-	-	-	-	-	-	-	-	-	-	4	-
t Giles North *H* - - - N.	8,959	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
t. Martin-in-the-Fields *HH* N. & C.	12,975	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
trand *WHH* - - - - N.	8,694	3	6	1	3	-	-	-	-	-	-	1	-	-	-	-	6	-
trand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *WwHHHHHH* - N.	29,579	7	16	6	2	-	2	-	-	2	-	-	-	-	1	2	8	-
t. James Clerkenwell - - N.	15,634	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mwell - - - - - N.	32,691	20	10	3	3	-	-	-	1	-	-	-	-	-	-	1	-	-
oswell-street - - - - N.	15,390	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ity-road *HHHL* - - - N.	25,404	25	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
insbury - - - - - N.	9,972	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn Union Workhouse, Mitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
. Botolph *H* - - N. & E.	11,036	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Sepulchre *WH* - - - N.	7,897	1	16	1	1	-	-	-	-	-	-	-	-	-	1	3	15	-
lhallows Barking - - - N.	8,717	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ty of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	9	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
oxton New Town *wH* - - N	29,761	26	6	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-
oxton Old Town - - - N.	26,510	16	6	4	-	-	-	-	-	-	-	-	-	-	2	3	-	-
ggerston *W* - - N. & E.	46,064	19	16	4	4	-	-	-	-	1	-	-	-	-	1	2	3	-
thnal Green North *HH* - E.	51,513	26	10	2	3	-	3	-	-	-	-	-	-	-	-	2	2	-
thnal Green South - - E	33,473	22	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
thnal Green East *WWHl* - E.	44,695	15	15	1	6	-	1	-	-	-	-	-	-	-	1	2	10	-
italfields - - - E. & N.	27,965	17	8	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
le End New Town *WH* - E.	28,711	23	50	6	5	-	1	-	-	-	-	3	-	1	5	10	44	-
odman's Fields - - - E.	22,082	9	3	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
. George's, North - - - E.	40,965	35	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
. John *W* - - - E.	8,122	6	10	3	2	-	4	-	-	-	-	-	-	-	-	1	8	-
adwell *H* - - - E. & N.	10,760	9	4	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-
tcliff *W* - - - - E.	14,770	4	3	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-
mehouse - - - - - E.	32,358	14	9	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-
le End Old Town West *H* E.	59,467	52	16	11	-	-	1	-	-	1	-	-	-	1	-	3	2	-
le End Old Town East *WWw* - E.	53,348	32	14	2	3	-	-	-	-	-	-	-	-	-	1	1	5	-
w *l* - - - - E.	41,990	17	9	1	1	-	1	-	-	-	-	-	-	-	-	1	1	-
omley *wwwH* - - - E.	68,326	44	30	5	9	-	-	-	-	1	-	-	-	2	2	6	18	-
plar *WW* - - - - E.	58,522	31	17	6	-	-	1	-	-	2	-	-	-	-	-	2	-	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 1st June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	3	12	1	1	–	1	–	1	–	–	–	–	–	2	3	11	–
Kent-road - - - - S. & L.	21,899	10	9	2	1	–	2	–	–	2	–	–	–	1	–	–	–	–
Borough-road *WH* - S. & L.	16,882	15	4	3	–	–	1	–	–	–	–	–	–	–	1	–	1	–
London-road *HL* - - L. & S.	22,209	11	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,485	16	6	1	4	–	–	–	–	–	–	–	–	–	–	1	–	1
St. Peter Walworth *W* - S. & L.	61,773	35	15	6	–	–	2	–	1	–	–	–	–	–	–	–	–	–
St. Mary Newington- - L. & S.	31,592	18	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Olave *W* - - - - S.	9,813	6	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Bermondsey *W* - - - S.	82,405	32	20	9	3	–	–	–	–	1	–	–	–	–	–	1	–	–
Rotherhithe *Ww* - S. & K.	38,268	18	18	5	4	–	1	–	–	–	–	–	–	1	–	–	7	–
Waterloo-road *HH* - L. & S.	27,435	20	9	4	2	–	–	–	–	–	–	–	–	–	1	1	4	–
Lambeth Church 1st *HH* L. & S.	18,420	7	18	4	2	–	–	–	–	1	–	–	–	–	2	3	12	–
Lambeth Church 2nd *WW* L. & S.	39,818	26	26	4	6	–	–	–	–	–	–	–	–	–	–	2	17	–
Kennington 1st *H* - - S. & L.	53,196	26	11	1	3	–	1	–	–	1	–	–	–	–	–	1	–	–
Kennington 2nd - - S. & L.	42,891	20	8	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *w* - - - L. & S.	84,226	44	22	3	7	–	–	1	2	–	–	1	–	–	–	–	3	1
Norwood *WH* - - - - L.	35,887	15	11	2	4	–	3	–	–	–	–	–	–	–	–	–	3	–
East Battersea - - - - S.	72,201	46	12	6	2	–	–	–	–	1	–	–	–	–	–	1	–	–
North-west Battersea - - S.	49,650	21	6	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–
South-west Battersea *WwH* - S.	47,045	17	15	2	4	–	2	–	–	–	–	–	–	–	–	1	9	–
Clapham *H* - - - - S.	51,353	15	9	1	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Streatham *Wwwwl* - - L.	88,129	51	16	2	3	–	2	–	–	1	–	–	–	–	–	1	2	–
Wandsworth *WHHL* - - S.	68,409	30	18	6	5	–	1	–	–	–	–	–	–	1	1	2	–	–
Putney - - - - - S.	24,139	12	7	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich - - - L. & S.	10,246	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,404	32	36	7	13	–	–	–	–	1	–	–	–	2	1	2	18	–
Peckham *WW* - S., L., & K.	93,022	44	22	4	6	–	1	–	–	–	–	–	–	–	–	–	1	–
St. George Camberwell - L. & S.	65,586	22	16	6	1	–	–	–	–	2	–	1	–	–	–	1	–	–
Deptford North - - - K.	37,601	20	8	2	1	–	1	–	–	1	–	–	–	–	–	–	–	1
Deptford Central *w* - - K.	45,621	27	14	4	1	–	1	4	–	2	–	–	–	–	–	–	4	–
Deptford South - - - K.	34,622	13	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,456	10	10	2	3	–	1	–	–	–	–	–	–	–	–	–	3	–
Greenwich East *WH* - - K.	43,849	25	18	2	7	–	1	–	–	1	–	–	–	–	2	2	9	–
Eltham *wH* - - - - K.	7,218	3	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	11	4	–	2	–	–	–	–	–	–	–	–	–	1	1	2	–
Lewisham *WwwH* - - - K.	88,341	35	18	4	3	–	–	7	3	–	–	–	–	–	1	1	18	–
Sydenham *H* - - - - K.	43,630	23	5	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Charlton *wHH* - - - K.	21,121	6	3	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Woolwich *HHHH* - - K.	41,607	16	7	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *H* - - K.	18,076	7	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	26	10	–	3	–	–	–	–	–	–	–	–	–	1	2	4	–
Banstead Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Horton Asylum, Epsom - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Caterham Asylum - - - -	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	–
Cane Hill Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asylum, Dartford Heath - - - - -	—	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–
Hanwell Asylum - - - -	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	–
Central London Sick Asylum, Hendon	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Colney Hatch Asylum - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
N.E. Hospital - - - - -	—	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	–
Claybury Asylum - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st June, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	2,042,750	967	433	98	119	-	9	2	6	11	9	5	28	47	55	-
0 : 1	Carshalton *H* - - - -	12,228	32,997	10	7	1	2	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, *part of* WwHHH*	10,423	15,548	8	6	2	4	-	-	-	-	-	-	1	-	-	1	-
7 : 1	Godstone, *part of* W* -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Croydon *WWwHHH* -	20,851	164,519	60	31	6	16	-	-	-	-	-	-	1	1	3	6	-
2	Mitcham *w* - - -	11,697	29,906	21	6	1	4	-	-	-	-	1	-	-	-	-	-	-
9 : 1	Wimbledon *HHH* - -	3,220	41,604	20	7	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	42,066	22	12	1	6	-	-	-	-	-	-	-	-	1	3	-
3	Surbiton *HH* - - -		15,019	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of* H* - -		13,003	5	4	1	1	-	-	1	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,565	23,447	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-
0 : 1	Richmond *WHH* - -	2,160	28,871	9	8	-	4	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake *H* - - -	2,823	20,625	11	5	-	1	-	-	-	-	-	-	-	3	3	-	-
1 : 1	Bromley *HHH* - - -	9,127	29,638	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	27,658	9	3	1	-	-	-	-	-	1	-	-	-	-	1	-
3	Orpington, *part of* W* -	6,974	8,415	4	3	1	1	-	-	-	-	-	-	-	1	1	1	-
4	Chislehurst *HH* - -	7,333	16,458	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 : 1	Bexley *HHH* - - -	12,540	46,231	24	13	1	4	-	-	-	-	1	-	-	3	4	2	-
2	Dartford *WH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-
3 : 1	Sunbury *w* - - - -	11,054	18,682	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	9	5	-	2	-	-	-	-	-	-	-	-	-	-	-
5 : 1	Hillingdon *WHH* - -	6,035	13,661	7	5	2	3	-	-	-	-	1	-	-	1	2	-	-
2	Uxbridge - - - -	12,757	8,984	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	16,358	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 : 1	Isleworth *WHH* - -	6,967	30,838	13	7	4	-	-	1	-	-	-	-	-	-	-	2	-
2	Twickenham *HH* - -	2,415	20,991	15	2	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Brentford *HHHH* - -	4,318	48,290	23	10	2	5	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick - - - -	1,245	29,809	11	8	1	3	-	-	-	-	1	-	1	-	1	-	-
5	Acton *wHH* - - -	6,132	48,913	13	8	-	3	-	-	-	1	1	-	-	-	1	-	-
1 : 1	Harrow *HHH* - - -	13,809	25,522	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	114,815	60	24	7	8	-	-	-	2	2	-	-	1	2	2	-
4	Hendon *WH* - - -	8,382	22,450	8	4	-	-	-	-	-	-	-	-	-	-	-	1	-
3 : 1	South Mimms *HH* - -	21,077	7,308	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet *WHH* - - -		17,970	4	6	1	4	-	-	-	-	-	-	-	-	1	2	-
3	Finchley *HHH* - - -	4,688	33,692	11	6	2	1	-	-	-	-	-	1	-	-	-	-	-
1 : 1	Hornsey† *HH* - - -	2,874	72,056	25	13	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Tottenham *HHH* - -	4,642	136,702	70	32	9	9	-	1	-	-	1	-	-	3	3	4	-
3	Edmonton *Ww* - -	7,489	61,892	40	16	3	3	-	-	-	-	-	-	1	2	2	3	-
4	Enfield *WWHH* - -	12,602	42,738	21	14	7	4	-	-	-	-	-	-	-	1	1	-	-
5	Waltham Abbey - - -	11,017	6,547	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	12,288	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of* W* - -	3,306	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 : 1	Bushey *H* - - - -	9,331	9,173	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 : 1	Stratford *H* - - -	4,706	44,825	21	11	1	-	-	-	-	-	1	-	-	1	1	3	-
2	Plaistow *HHH* - - -		90,917	48	16	8	1	-	-	-	3	-	-	-	-	-	2	-
3	Canning Town *H* - -		69,658	34	29	5	2	-	-	-	-	1	6	-	2	5	2	-
4	Forest Gate *w* - - -		60,897	28	9	1	3	-	1	-	-	-	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	95,469	57	18	3	3	-	1	1	-	-	-	1	-	1	1	-
6	Wanstead - - - -	4,334	9,198	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		50,458	29	17	4	7	-	-	-	-	-	1	-	-	-	12	-
8	North Leyton *WwH* -		48,441	26	10	5	4	-	-	-	-	-	-	-	-	1	-	-
9	Walthamstow *HHHL* -	6,501	108,931	62	23	7	-	-	4	-	-	-	-	-	4	3	2	-
1 : 1	Chigwell, *part of** *HHHH*	11,779	16,396	1	3	1	1	-	-	-	-	-	-	-	1	2	-	-
2	Epping *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 : 1	Romford, *part of** *W* -	6,556	6,070	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	41,240	20	6	2	-	-	-	-	-	-	-	-	-	2	-	-
3	Barking Town, *H* - -	3,814	21,511	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Eastern Fever Hospital, Hackney.	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: , excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 1st June, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,421**	**6,602,409**	**14·0**	**1·4**	**1778**	**387**	**471**	**–**	**57**	**19**	**19**	**44**	**19**	**20**	**88**	**531**
INNER LONDON -	74,837	4,543,727	15·4	1·6	1345	289	352	–	48	17	13	33	10	15	60	476
OUTER RING -	368,584	2,058,682	11·0	1·1	433	98	119	–	9	2	6	11	9	5	28	55

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	317,561	June 1	172	136	22·3	–	2	–	1	17	–	4
GLASGOW - -	763,144	„ 1	539	281	19·2	1	12	1	2	22	3	16
DUBLIN† - -	346,128	„ 1	156	153	23·0	–	–	–	1	2	2	–
CALCUTTA - -	466,460	February 23	–	668	74·7	120	3	–	1	1	344‡	52§
BOMBAY - -	821,764	May 14	218	1201	81·0	–	1	?	?	?	563‡	65§
MADRAS - -	452,518	April 26	315	371	42·6	10	10	?	?	?	123	59§
PARIS - - -	2,511,629	May 25	1077	1025	21·2	15	11	4	18*	11	10	25
BRUSSELS - -	570,844	„ 25	243	168	15·3	–	–	–	–	1	1	11
AMSTERDAM -	523,822	„ 18	260	157	15·6	–	–	–	2	4	–	22
ROTTERDAM -	320,991	February 23	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	„ 23	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	May 25	223	130	17·9	–	2	1	2	5	–	5
STOCKHOLM -	301,050	„ 18	142	100	17·3	–	4	–	2*	–	–	6
CHRISTIANIA -	226,423	„ 25	170	59	13·6	–	–	–	–	1	–	4
ST. PETERSBURG	1,248,643	„ 18	678	591	24·7	1	14	10	22	3	19	47
MOSCOW - -	1,023,817	„ 18	–	548	27·9	–	5	7	14	2	1	75
BERLIN - -	1,891,431	„ 11	922	592	16·3	1	5	13	5	9	–	56
HAMBURG - -	705,738	„ 25	–	214	15·8	–	2	1	3*	2	1	3
DRESDEN - -	400,140	January 5	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	May 25	–	207	25·2	–	10	2	3	1	–	24
MUNICH - -	500,000	„ 25	–	237	24·6	–	4	–	1*	1	–	30
VIENNA - -	1,691,996	„ 25	923	635	19·5	–	20	7	2*	1	3	44
PRAGUE - -	389,741	„ 18	214	196	26·2	–	2	–	3	–	1	5
BUDA-PESTH -	744,719	„ 18	445	277	19·3	–	2	5	–	1	1	16
TRIESTE - -	176,456	„ 25	90	82	24·2	–	–	1	–	2	–	2
ROME - - -	467,236	April 6	248	209	23·3	–	–	–	–	3	3‖	14
TURIN (10 days) -	344,203	January 10	–	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	May 25	91	48	14·3	–	–	–	1*	–	1	1
CAIRO - -	570,062	April 1	440	345	31·5	2	4	–	1*	–	13	74
ALEXANDRIA -	319,766	„ 1	221	232	37·7	2	–	–	2*	–	4	68
NEW YORK (including BROOKLYN)	3,536,517	May 4	1394	1245	18·4	10	9	38	45*	6	11	46
PHILADELPHIA -	1,293,697	„ 11	–	475	19·1	–	4	6	17	3	12	3

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 12 deaths from cholera in Calcutta, 3 in Bombay, and 7 in Madras.
‡ Including 250 deaths from plague in Calcutta, and 289 in Bombay.
‖ Including one death from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	26	In Equator.	29·755	62·1	46·1	16·0	51·8	− 4·1	48·8	3·0	11·8	2·3	90	109·0	35·7	52·59	N.	SW. & WSW.	1·0	0·0	0·0	192	− 55	0·00	0·0
MONDAY -	27	..	29·749	73·0	42·2	30·8	57·9	+ 1·9	45·0	12·9	22·8	1·5	62	144·0	32·0	53·05	SW. & WSW.	SW. & SSW.	0·6	0·0	0·0	164	− 83	0·00	0·0
TUESDAY -	28	..	29·771	76·0	46·2	29·8	62·5	+ 6·5	46·1	16·4	26·3	4·6	55	133·0	36·5	53·30	SW.	SW. & SSE.	0·1	0·0	0·0	102	−144	0·00	0·0
WEDNESDAY	29	Apogee	29·626	83·2	51·3	31·9	68·7	+12·5	52·5	16·2	25·8	2·6	56	151·0	43·3	53·90	ENE. & variable.	SW. & SSW.	1·8	0·0	0·1	188	− 58	0·00	0·0
THURSDAY-	30	..	29·547	69·0	57·2	11·8	61·8	+ 5·3	54·9	6·9	11·9	2·3	78	124·0	52·0	54·50	SSW. & SSE.	SSW. & SW.	4·0	0·0	0·5	281	+ 36	0·23	0·5
FRIDAY -	31	..	29·632	68·7	51·5	17·2	58·8	+ 2·0	50·3	8·5	17·6	3·8	74	138·2	42·1	55·30	SSW. & SW.	WSW., SW. & SSW.	4·3	0·0	0·8	379	+134	0·00	1·5
JUNE. SATURDAY -	1	..	29·693	69·5	48·2	21·3	58·7	+ 1·5	49·3	9·4	19·6	1·9	71	143·0	37·9	55·75	S., SSW. & SW.	SSW. & SW.	2·3	0·0	0·1	243	− 1	0·04	1·0
MEANS -	-		29·682	71·6	49·0	22·7	60·0	+ 3·7	49·6	10·5	19·4	2·7	69	134·6	39·9	54·06	SW.		..	..	..	Sum 1549	Sum −171	Sum 0·27	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	26	m. P. till 4h. A.M.; w. P. till 11h. A.M.; m. P. generally afterwards.	0·7	16·0	Generally overcast till evening; fine and partially cloudy at night.
MONDAY -	27	m. P. till 10h. A.M.; w. P. till 7h. P.M.; m. P. afterwards.	13·1	16·0	A very fine day. The amount of cloud was usually small.
TUESDAY -	28	m. P. generally.	8·8	16·1	Fine; partially cloudy. Solar halo in forenoon. Lunar halo at night.
WEDNESDAY	29	m. P. till noon; w. P. afterwards.	13·6	16·1	Very fine generally, with small amounts of cloud. Distant lightning and thunder in evening. A shower of rain at 11h. 40m. P.M.
THURSDAY-	30	v. P. and s. N. till 3h. A.M.; w. P. generally afterwards.	1·3	16·2	Cloudy. Heavy rain with lightning and thunder between 1h. and 2h. A.M.; occasional slight showers afterwards.
FRIDAY -	31	w. P. generally till 4h. P.M.; m. P. afterwards.	5·9	16·2	Overcast, with occasional slight showers, in morning; fine, with variable amounts of cloud, till afternoon; very fine at night.
JUNE. SATURDAY-	1	w. P. till 11h. A.M.; Loss of Register till 6h. P.M.; m. P. generally afterwards.	7·8	16·2	Fine and partially cloudy till afternoon; overcast, with frequent slight rain, afterwards.
			Sum 51·2	Sum 112·8	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 in. at the beginning of the week to 29·71 in. by 6h. P.M. on May 26; increased to 29·80 in. by 10h. A.M. on May 28; decreased to 29·48 in. by 2h. A.M. on May 31; increased to 29·73 in. by 8h. A.M. on June 1; and was 29·68 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th May, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	11	2	-	-	-	-	1	1
Kensington	176,787	-	5	6	1	-	-	-	3	-
Hammersmith	112,619	-	14	6	-	-	-	-	4	-
Fulham	138,426	-	14	4	-	3	-	-	2	-
Chelsea	73,879	-	4	1	-	1	-	-	-	-
City of Westminster	182,502	-	7	4	-	3	-	-	3	-
NORTH.										
St. Marylebone	133,060	-	8	11	-	2	-	-	7	-
Hampstead	82,246	-	3	6	-	-	-	-	3	-
St. Pancras	235,297	-	32	8	-	1	-	-	4	-
Islington	335,325	-	16	21	-	2	-	-	12	1
Stoke Newington	51,328	-	2	2	-	-	-	-	-	-
Hackney	219,780	-	18	14	-	2	-	-	6	-
CENTRAL.										
Holborn	59,205	-	8	2	-	-	-	-	3	-
Finsbury	101,263	-	13	5	-	-	-	-	2	-
City of London	26,638	-	6	-	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	21	6	-	-	-	-	3	-
Bethnal Green	129,700	-	23	6	-	-	-	-	1	-
Stepney	298,884	-	20	8	-	1	-	-	5	-
Poplar	168,887	-	18	7	-	1	-	-	-	-
SOUTH.										
Southwark	206,219	-	19	7	-	-	-	-	2	-
Bermondsey	130,348	-	17	5	-	3	-	-	1	-
Lambeth	302,460	-	19	14	-	2	-	-	7	-
Battersea	169,364	-	19	5	-	2	-	-	-	1
Wandsworth	233,943	-	18	5	-	1	-	-	3	1
Camberwell	259,897	-	34	12	-	1	-	-	5	1
Deptford	110,732	-	8	9	-	1	-	-	-	-
Greenwich	96,188	-	11	1	-	2	-	-	5	-
Lewisham	128,423	-	12	4	-	1	-	-	-	1
Woolwich	117,619	-	8	5	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,543,727**	-	**408**	**186**	**1**	**29**	-	-	**84**	**6**
Ages 0-1		-	6	3	-	-	-	-	3	-
„ 1-5		-	122	60	-	1	-	-	4	-
„ 5-		-	158	62	-	3	-	-	1	-
„ 10-		-	53	23	-	3	-	-	1	-
„ 15-		-	36	14	-	4	-	-	2	-
„ 20-		-	19	13	-	4	-	-	4	1
„ 25-		-	9	9	-	5	-	-	13	3
„ 35-		-	4	2	1	6	-	-	21	2
„ 45-		-	-	-	-	1	-	-	10	-
„ 55-		-	1	-	-	2	-	-	10	-
„ 65 and upwards		-	-	-	-	-	-	-	14	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 23. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JUNE 8. [Price 1½*d*.

General Register Office, Somerset House,
June 10*th*, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·2 per 1000 of their aggregate population, which is estimated* at 11,463,187 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 16·7, and 16·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	May 18.	May 25.	June 1.	June 8.		May 18.	May 25.	June 1.	June 8.
33 Great Towns	16·8	16·7	16·3	15·2	Leicester - -	12·8	15·0	13·0	10·1
Birkenhead -	15·5	17·4	15·9	15·9	Liverpool - -	20·0	19·3	19·5	18·5
Birmingham -	19·1	21·8	17·9	17·4	London - - -	15·8	15·6	15·4	14·2
Blackburn -	18·8	14·3	19·2	12·7	Manchester - -	20·7	18·5	19·0	16·3
Bolton - -	18·8	18·2	17·3	18·5	Newcastle-on-Tyne	15·7	18·1	19·1	17·2
Bradford -	17·3	19·5	16·8	16·0	Norwich - -	14·4	12·1	11·6	19·1
Brighton -	12·6	12·6	9·3	12·2	Nottingham - -	17·6	19·5	17·4	19·7
Bristol - -	16·9	13·6	12·6	12·2	Oldham - -	14·0	16·7	20·9	19·4
Burnley -	18·2	20·4	17·7	12·9	Plymouth - -	16·9	16·4	13·5	15·5
Cardiff - -	14·2	15·8	16·7	12·6	Portsmouth - -	15·1	16·2	12·6	17·0
Croydon -	8·9	11·2	10·8	12·8	Preston - -	22·1	17·1	22·6	16·1
Derby - -	17·2	17·2	17·2	7·9	Salford - - -	19·1	22·1	15·3	16·9
Gateshead -	15·1	17·5	19·3	21·2	Sheffield - -	15·8	16·4	18·1	15·3
Halifax -	19·8	18·8	11·9	18·8	Sunderland - -	22·0	15·9	19·8	17·0
Huddersfield-	14·3	13·7	18·7	15·4	Swansea - -	19·8	21·5	14·9	18·7
Hull - -	16·7	15·8	22·5	14·5	West Ham - -	16·7	14·7	14·4	13·8
Leeds - -	17·6	15·3	14·3	13·9	Wolverhampton -	16·6	22·6	16·6	14·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·5 in Nottingham, and 3·4 in Bolton; from *whooping-cough*, 1·1 in Wolverhampton, 1·8 in Sunderland, and 2·8 in Swansea; and from *diarrhœal diseases*, 1·0 in Plymouth, and 1·1 in Burnley. In none of the thirty-three towns did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000. The 49 deaths from *diphtheria* included 15 in London, 8 in Liverpool, 5 in Sheffield, 3 in Blackburn, and 3 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2624 BIRTHS and 1236 DEATHS were registered. Allowing for increase of population, the births were 76 above, and the deaths 244 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·8, 15·6, and 15·4 in the preceding three weeks, further fell last week to 14·2.

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9286—670—6/1901 Wt 45 D & S 3 Z

During the four weeks ended on Saturday last the death-rate averaged 15·3 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1236 deaths included 35 from measles, 17 from scarlet fever, 15 from diphtheria, 32 from whooping-cough, 1 from typhus, 6 from enteric fever, 17 from diarrhœa and dysentery, and not one death from small-pox, from any ill-defined form of continued fever, or from cholera; thus, 123 deaths were referred to these diseases, being 79 below the corrected average weekly number.

The deaths from *measles*, which had been 33, 44, and 48 in the preceding three weeks, fell again last week to 35, and were 45 below the corrected average; 7 cases belonged to the Borough of Stepney, 4 to that of Southwark, and 4 to that of Lambeth. The deaths from *scarlet fever*, which had been 14, 18, and 17 in the preceding three weeks, were again 17 last week, and were 3 above the corrected average; 3 cases belonged to Stepney. The deaths from *diphtheria*, which had been 14, 22, and 13 in the preceding three weeks, were 15 last week, and were 19 below the corrected average; 3 cases belonged to Islington and 3 to Lambeth. The deaths from *whooping-cough*, which had been 48, 58, and 33 in the preceding three weeks, were 32 last week, and were 11 below the corrected average; 5 cases belonged to Greenwich. The fatal cases of *enteric fever*, which had been 4, 5, and 10 in the preceding three weeks, were 6 last week, the corrected average being 7; 2 cases belonged to Southwark. The deaths from *diarrhœal diseases*, which had been 16, 22, and 15 in the preceding three weeks, were 17 last week, and were 5 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 249, 191, and 240 in the preceding three weeks, fell again last week to 187, and were 61 below the corrected average. The deaths attributed directly to *influenza* numbered 5, having been 16, 6, and 10 in the preceding three weeks.

Different forms of *violence* caused 69 deaths, concerning all but 2 of which inquests were held. Of these 69 deaths, 15 were cases of suicide, and 1 of homicide, while the remaining 53 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 7 to drowning, 1 to sunstroke, and 9 (including 8 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there was 1 case of small-pox, 2462 cases of scarlet fever, 1092 of diphtheria, and 93 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 314 cases, against 323, 341, and 317; of diphtheria, 162 cases, against 188, 141, and 140; and of enteric fever, 16 cases, against 13, 16, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended June 1st.

Greater London.

In Greater London 3830 births and 1632 deaths were registered, correponding to annual rates of 30·2 and 12·9 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 7 from diphtheria, 12 from whooping-cough, 7 from "fever," and 6 from diarrhœal diseases were registered. Seven deaths from measles, and 3 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·96 inches, and that of the Thermometer 58°·8; the latter being 0°·6 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 2 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 52·3 hours; the measured rainfall amounted to 0·03 inch.

Metropolitan Water Supply (see pp. 301–3).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Births registered during the Week ended 8th June 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18.	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	**11,463,187**	**6965**	**3336**	**683**	**804**	-	**91**	**32**	**49**	**75**	**16**	**57**	**152**	**297**	**809**	**27**	**15·2**	**1·5**	**75·9**	**38·1**	**56·9**	**13·83**	**0·12**	**0·30**	33 Towns.
London - -	4,543,727	2624	1236	232	309	-	35	17	15	32	7	17	69	150	419	4	14·2	1·4	75·9	45·5	58·8	14·89	0·03	0·08	London.
West Ham - -	268,868	180	71	25	11	-	4	-	1	1	3	3	4	5	8	1	13·8	2·3	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	82	33	8	17	-	-	-	1	-	-	-	3	5	5	-	12·8	0·4	73·2	43·6	58·2	14·56	0·25	0·63	Croydon.
Brighton - -	123,668	50	29	1	6	-	-	-	1	-	-	-	2	2	8	-	12·2	0·4	74·6	48·8	58·1	14·50	0·00	0·00	Brighton.
Portsmouth -	189,907	120	62	15	21	-	3	-	-	1	-	-	2	3	9	-	17·0	1·1	74·0	47·0	58·2	14·56	0·00	0.00	Portsmouth.
Plymouth - -	107,974	66	32	3	11	-	-	-	-	-	-	2	1	2	11	-	15·5	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,825	185	77	14	19	-	-	-	1	4	-	1	-	5	17	-	12·2	0·9	72·0	44·0	56·6	13·67	0·20	0·51	Bristol.
Cardiff - -	165,200	102	40	5	9	-	-	-	1	-	-	1	2	3	5	-	12·6	0·6	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	72	34	10	7	-	-	-	-	5	-	-	3	5	3	1	18·7	2·8	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	66	27	10	3	-	1	-	-	2	-	-	2	4	4	-	14·9	1·7	69·8	38·1	54·3	12·39	0·11	0·28	Wolverhampton.
Birmingham -	523,284	383	175	48	28	-	8	-	2	7	1	5	8	16	34	1	17·4	2·3	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	69	41	12	8	-	-	-	1	-	-	1	-	1	2	-	19·1	0·9	75·0	43·8	57.7	14·28	0·07	0·18	Norwich.
Leicester - -	212,498	110	41	10	14	-	-	-	-	-	-	-	1	2	5	-	10·1	-	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	134	91	23	28	-	7	-	-	2	-	1	2	5	21	1	19·7	2·2	67·6	40·0	56·2	13·44	0·18	0·46	Nottingham.
Derby - - -	106,076	60	16	4	5	-	-	-	-	-	1	-	-	1	3	-	7·9	0·5	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	72	34	10	7	-	-	-	1	1	-	-	4	4	4	1	15·9	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	445	244	57	49	-	3	4	8	2	1	7	4	8	68	2	18·5	1·9	72·4	47·1	56·0	13·33	0·18	0·46	Liverpool.
Bolton - -	168,748	114	60	9	14	-	11	-	-	2	1	1	3	5	4	1	18·5	4·6	-	-	-		-	-	Bolton.
Manchester -	544,894	404	170	27	40	-	5	3	2	-	-	3	10	14	43	4	16·3	1·2	-	-	-	-	-	-	Manchester.
Salford - -	221,587	149	72	12	17	-	2	1	2	1	-	-	5	10	26	-	16·9	1·4	-	-	-	-	-	-	Salford.
Oldham - -	137,382	56	51	11	12	-	-	1	-	-	-	1	-	-	2	1	19·4	0·8	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	52	24	6	5	-	-	-	-	1	-	2	-	-	2	-	12·9	1·6	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	58	31	8	5	-	-	2	3	2	-	1	-	-	4	-	12·7	3·3	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	93	35	10	11	-	-	-	-	-	-	-	2	3	6	-	16·1	-	66·0	48·0	56·1	13·39	0·39	0·99	Preston.
Huddersfield -	94,998	53	28	3	14	-	-	-	-	-	-	-	3	5	2	-	15·4	-	73·0	41·5	56·0	13·33	0·04	0·10	Huddersfield.
Halifax - -	105,118	54	38	5	14	-	-	-	-	1	-	1	2	4	5	1	18·8	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	147	86	14	15	-	-	-	1	2	1	-	2	4	13	2	16·0	0·7	68·4	44·4	57·4	14·11	0·08	0·20	Bradford.
Leeds - - -	430,489	243	115	19	26	-	6	3	3	-	-	3	3	6	26	1	13·9	1·8	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	249	112	27	25	-	-	-	5	1	1	3	1	3	19	2	15·3	1·4	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	148	67	15	20	-	2	-	-	1	-	-	5	8	8	-	14·5	0·6	73·0	39·0	56·5	13·61	0·11	0·28	Hull.
Sunderland -	147,207	97	48	9	8	-	1	-	-	5	-	2	3	5	8	2	17·0	2·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	100	45	11	8	-	2	1	-	-	-	2	1	2	-	2	21·2	2·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	128	71	10	18	-	1	-	1	2	-	-	7	7	15	-	17·2	1·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2698	2422	2582	2300	2333	2545	2314	2646	2445	2276	2547·5	2624
Males - -	1370	1223	1324	1147	1176	1307	1208	1385	1206	1185	1299·7	1376
Females - -	1328	1199	1258	1153	1157	1238	1106	1261	1239	1091	1247·8	1248
TOTAL **Deaths** -	1886	1428	1491	1398	1247	1467	1177	1411	1365	1398	1479·9	1236
Males - -	948	772	806	760	633	723	649	732	710	769	778·1	651
Females - -	938	656	685	638	614	744	528	679	655	629	701·8	585

*The numbers in this column are the average weekly numbers in the twenty-third week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.
TOTAL **Births** - - -	2607	2424	2634	2538	2358	2835	2585	2562	2510	2602	2559	2148	2624
TOTAL **Deaths** - - -	1571	1588	1645	1573	1633	1564	1552	1454	1386	1375	1363	1345	1236
Ages at Death: Under 1 year - -	333	299	349	325	325	300	323	306	269	281	259	289	232
1—5 years - -	189	203	220	223	256	184	217	178	169	185	197	183	156
5—20 ,, - -	96	85	85	70	91	77	85	91	77	56	80	66	72
20—40 ,, - -	197	202	207	195	200	209	200	180	198	192	178	180	189
40—60 ,, - -	314	318	313	301	307	325	284	327	293	291	270	275	278
60—80 ,, - -	366	393	375	380	363	377	347	299	299	298	301	277	256
80 years and upwards	76	88	96	79	91	92	96	73	81	72	78	75	53
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles - - - - -	35	42	56	38	52	37	50	39	38	33	44	48	35
Scarlet Fever - - -	10	6	8	8	8	3	6	9	17	14	18	17	17
Diphtheria - - - -	30	14	16	21	26	11	20	20	23	14	22	13	15
Whooping-cough - - -	43	63	55	62	74	58	48	66	45	48	58	33	32
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever - - -	8	5	8	5	4	7	10	2	7	4	5	10	6
Simple Continued Fever -	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	13	13	21	12	9	14	12	16	9	16	22	14	17
Cholera - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
All the above Diseases -	140	144	164	146	173	130	146	152	140	129	169	136	123
Dis. of Respiratory System -	394	332	363	360	345	374	286	251	237	249	191	240	187
Phthisis - - - - -	168	149	165	168	139	158	153	143	161	128	139	131	140
Dis. of Circulatory System -	138	187	157	133	161	137	132	136	133	123	128	116	121
Violence - - - -	63	73	64	64	89	51	79	72	65	72	65	60	69
Inquest Cases - - - -	158	196	136	157	207	137	150	149	145	148	150	122	150
Deaths in Public Institutions -	489	510	523	522	530	514	534	483	512	449	482	476	419
TEMPERATURE OF THE AIR													
Mean - - - - -	39°·0	38°·3	34°·2	44°·4	46°·2	47°·3	54°·7	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8
Mean of Highest readings -	44·6	43·1	41·1	53·2	54·1	56·7	66·2	61·0	55·3	62·9	66·8	71·6	69·9
Mean of Lowest readings -	33·7	34·2	28·4	36·1	41·0	38·2	45·3	39·0	41·2	41·4	44·8	49·0	48·6
Humidity of the Air - -	91	78	70	80	83	67	57	72	81	73	61	69	69
Rain-fall (in inches) - -	0·09	0·31	0·44	0·97	0·71	0·33	0·02	0·00	1·56	0·00	0·00	0·27	0·03
Registered Sunshine (in hours)	5·4	13·2	21·2	27·4	29·0	48·6	77·2	45·6	17·3	69·7	80·9	51·2	52·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	1
Scarlet Fever - - - -	1652	1598	1568	1572	1601	1526	1522	1705	1913	2052	2241	2351	2462
Diphtheria - - - -	1115	1103	1089	1073	1020	958	962	983	1038	1099	1087	1107	1092
Typhus - - - - -	3	3	2	1	1	-	-	1	1	1	1	-	-
Enteric Fever - - - -	184	182	162	146	141	132	121	108	112	106	111	95	93

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-THIRD Week of the Year 1901.

USES OF DEATH.	Corrected Averages for the 23rd Week of the 10 years 1891–1900*.	In the Week ended Saturday 8th June, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1479·9	1236	232	156	72	189	278	256	53
l- Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·5	-	-	-	-	-	-	-	-
es - - - -	79·8	35	5	27	3	-	-	-	-
t Fever - - -	14·4	17	-	15	2	-	-	-	-
is - - - -	0·1	1	-	-	-	-	1	-	-
ping Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	35·9	5	-	-	-	1	1	3	-
ping-cough - -	42·8	32	8	23	1	-	-	-	-
heria - -	34·1	15	-	8	7	-	-	-	-
Continued and efined Fever -	0·2	-	-	-	-	-	-	-	-
c Fever - - -	7·1	6	-	-	1	3	1	1	-
a and Chol. Diarr.	0·6	-	-	-	-	-	-	-	-
œa, Dysentery -	21·4	17	10	2	-	-	-	1	4
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·1	-	-	-	-	-	-	-	-
al Affections - -	9·6	9	5	1	-	1	2	-	-
elas - - -	3·3	6	2	-	-	-	2	2	-
a and Septicæmia	1·8	3	-	-	-	2	1	-	-
ral Fever - -	5·0	3	-	-	1	2	-	-	-
Zymotic Diseases	1·5	6	1	3	-	1	-	1	-
n - - - - -	0·4	1	1	-	-	-	-	-	-
s and other Para- l Diseases -	0·3	1	-	-	-	-	1	-	-
tion, Want of st-milk - -	1·6	1	1	-	-	-	-	-	-
lism - - -	10·6	11	-	-	-	4	5	2	-
atic Fever, matism of Heart	5·3	8	-	-	3	1	2	2	-
atism - - -	2·4	2	-	-	-	-	1	1	-
- - - - -	2·5	5	-	-	-	1	3	1	1
s - - - -	6·3	2	1	1	-	-	-	-	-
- - - - -	75·6	88	-	-	-	9	33	46	-
Mesenterica - -	16·9	15	6	6	2	-	1	-	-
ular Meningitis -	28·4	13	1	10	1	1	-	-	-
is - - - -	153·1	140	2	1	14	68	46	9	-
a, Tuberculosis -	17·8	13	-	6	2	4	1	-	-
Constitutional ses - -	11·9	18	3	-	-	2	4	7	2
ure Birth - -	44·5	43	43	-	-	-	-	-	-
asis - - -	4·0	2	2	-	-	-	-	-	-
ital Malforma- - - -	7·9	7	6	1	-	-	-	-	-
e - - - - -	43·1	32	-	-	-	-	-	14	18
xy - - -	41·0	43	1	-	1	4	19	16	2
sy - - - -	6·0	4	-	-	1	1	2	-	-
sions - - -	33·8	33	28	5	-	-	-	-	-
Diseases of Brain Nervous System	77·0	56	4	6	4	8	16	15	3
s of Organs of al Sense -	2·5	1	1	-	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 23rd Week of the 10 years 1891–1900*.	In the Week ended Saturday, 8th June, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	120·5	121	1	2	7	23	36	48	4
Croup - - - -	1·5	-	-	-	-	-	-	-	-
Bronchitis - - -	105·4	68	15	10	-	1	8	25	9
Pneumonia - - -	115·7	98	18	16	3	17	26	15	3
Pleurisy - - - -	6·7	4	-	-	-	2	2	-	-
Other Diseases of Respiratory System -	19·1	17	3	1	-	-	5	7	1
Dentition - - - -	8·1	8	6	2	-	-	-	-	-
Quinsy, Sore Throat -	2·2	1	-	-	-	1	-	-	-
Enteritis - - -	16·8	6	1	1	1	2	1	-	-
Gastro-enteritis -		6	3	1	-	-	-	2	-
Peritonitis - - -	5·6	5	-	-	3	1	1	-	-
Diseases of Liver - -	24·4	26	3	-	-	1	15	7	-
Other Diseases of Digestive System	27·0	17	4	-	1	3	5	4	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·7	3	-	-	1	-	2	-	-
Diseases of Urinary System - - -	41·6	37	-	-	1	5	15	13	3
Diseases of Generative System - - -	5·5	6	-	-	-	1	4	1	-
Accidents of Childbirth-	5·5	8	-	-	-	6	2	-	-
Diseases of Locomotive System - - -	6·2	1	-	-	-	-	-	1	-
Diseases of Integumentary System- -	5·1	7	3	1	-	1	-	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·3	2	-	-	-	2	-	-	-
By Vehicles or Horses -	7·4	9	-	2	4	-	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·8	-	-	-	-	-	-	-	-
In Building Operations -	0·9	-	-	-	-	-	-	-	-
In Conflagrations -	0·2	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·5	1	-	1	-	-	-	-	-
By Drowning - - -	7·8	7	-	1	2	3	-	1	-
By Suffocation in Bed -	9·7	9	8	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·7	1	-	-	-	-	1	-	-
Other or not stated causes - - - -	22·4	24	5	1	5	1	6	4	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·9	1	-	-	1	-	-	-	-
Suicide - - - -	10·3	15	-	-	-	7	6	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	39·4	34	31	1	-	-	-	2	-

numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase lation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th June, 1901.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,034†	2624	1236	232	309	-	35	17	15	32	1	6	-	17	69	150	419
WEST DISTRICTS - - -	805,275	391	204	30	64	-	2	3	2	3	1	-	-	2	10	15	79
NORTH DISTRICTS - - -	1,055,978	530	267	45	74	-	3	1	6	9	-	1	-	3	19	44	82
CENTRAL DISTRICTS - - -	209,443	154	67	10	10	-	-	-	1	2	-	1	-	3	8	12	31
EAST DISTRICTS - - -	715,772	544	210	46	48	-	8	1	-	3	-	3	-	4	6	29	83
SOUTH DISTRICTS - - -	1,749,566	1005	461	101	105	-	22	10	6	15	-	1	-	5	25	49	117
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	-	8	-	-	2	-	-	-	-	-	-	1	1	27
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	57	21	6	7	-	-	-	-	-	-	-	-	-	2	3	8
St. John Paddington *H* - - G.	33,608	9	13	1	1	-	-	-	-	-	-	-	-	-	2	2	9
North-West Paddington† - - C.	17,181	13	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	50	34	3	11	-	-	-	-	-	-	-	-	1	1	2	13
Brompton *HH* - - - W. & C.	48,598	14	8	2	3	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* } W. & G.	49,335	19	8	1	2	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith *wH* } W. & G.	62,910	34	12	2	1	-	-	-	-	1	-	-	-	-	-	1	3
North-west Fulham *W* } W. & C.	45,180	42	12	2	5	-	-	-	-	-	-	-	-	-	-	-	5
North-east Fulham *w* } W. & C.	46,404	24	14	3	1	-	-	3	2	-	1	-	-	-	-	-	6
South Fulham } W. & C.	45,705	33	9	2	3	-	-	-	-	2	-	-	-	-	-	1	-
Chelsea North *WWHHHH* - C.	42,515	18	25	-	14	-	2	-	-	-	-	-	-	-	-	1	18
Chelsea South *HH* - - C.	31,341	23	8	2	3	-	-	-	-	-	-	-	-	-	1	1	1
May Fair and Knightsbridge† *H* } C. & G.	28,744	4	7	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *HHH* - - - C.	55,812	20	11	1	4	-	-	-	-	-	-	-	-	-	-	-	6
St. Margaret & St. John Westminster† *HHH* } C.	43,665	21	13	-	4	-	-	-	-	-	-	-	-	1	2	2	6
St. James Westminster *WH* } N. & G.	21,595	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	11,492	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	35,394	10	15	1	4	-	-	-	-	-	-	-	-	-	3	3	12
Rectory Marylebone *W* G. & W.	19,869	9	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* } G. & W.	18,099	34	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H* - W	39,541	23	8	3	3	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W	20,426	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* } - N. & W.	81,902	23	20	2	2	-	-	1	2	-	-	-	-	-	2	4	12
Regent's Park *H* - W.	50,647	26	13	2	6	-	-	-	-	2	-	-	-	1	1	3	-
Tottenham-court *wHHHHHH* } - N. & W.	24,814	3	9	-	2	-	-	-	-	-	-	-	-	-	-	1	5
Gray's Inn Lane *HHHH* - N.	30,886	17	9	1	1	-	-	-	-	-	-	1	-	-	4	5	5
Somers Town *HH* - - - N.	30,131	25	8	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Camden Town *WH* - - N.	40,079	14	14	1	8	-	1	-	-	1	-	-	-	-	1	2	8
Kentish Town *WW* - - N.	58,727	33	19	7	2	-	-	-	-	-	-	-	-	1	-	5	10
Upper Holloway *WWWWwHH* } - - N.	99,841	39	32	3	12	-	-	-	-	2	-	-	-	-	1	3	17
Lower Holloway - - - N.	41,411	33	10	4	3	-	1	-	-	-	-	-	-	-	-	1	-
Barnsbury - - - - N.	54,479	41	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east *H* - N.	75,402	31	14	3	3	-	1	-	-	-	-	-	-	1	1	2	-
Highbury *HH* - - - N.	63,795	20	15	1	3	-	-	-	1	-	-	-	-	-	1	1	-
Stoke Newington† *H* - - N.	51,247	25	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney - E. & N.	50,570	25	12	4	3	-	-	-	-	-	-	-	-	-	2	2	-
Central Hackney *ww* - E. & N.	50,535	29	16	2	3	-	-	-	3	1	-	-	-	-	1	2	3
South-west Hackney *HHH* E. & N.	59,929	36	14	4	2	-	-	-	-	1	-	-	-	-	1	1	2
South-east Hackney *WwH* E. & N.	58,254	32	20	2	7	-	-	-	-	1	-	-	-	-	1	5	7

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

f

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 8th June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles } - N.	22,495	17	3	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
outh *WH* - - }																		
Giles North *H* - - - N.	8,959	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Martin-in-the-Fields *HH* N. & C.	12,975	7	7	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
and *WHH* - - - - N.	8,694	5	3	1	-	-	-	-	1	-	-	-	-	-	1	1	2	-
and Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
lborn *WwHHHHH* - N.	29,579	13	15	3	-	-	-	-	-	1	-	-	-	2	2	2	6	-
James Clerkenwell - - N.	15,634	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nwell† - - - - - N.	32,691	28	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
swell-street - - - - N.	15,390	5	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
y-road *HHHL* - - - N.	25,404	38	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
nsbury - - - - - N.	9,972	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
lborn Union Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ftcham - - - - }																		
Botolph *H* - - N. & E.	11,036	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Sepulchre *WH* - - - N.	7,897	5	13	1	2	-	-	-	-	-	-	1	-	-	2	4	10	-
hallows Barking - - - N.	8,717	2	4	1	2	-	-	-	-	-	-	-	-	-	2	3	-	-
y of London Asylum, Stone - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	13	5	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-
xton New Town *wH* - - N	29,761	30	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
xton Old Town - - - N.	26,510	21	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston *W* - - N. & E.	46,064	47	20	3	5	-	-	-	-	-	-	-	-	-	-	1	6	-
thnal Green North *HH* - E.	51,513	26	10	2	2	-	-	-	-	-	-	1	-	1	-	-	2	-
thnal Green South - - E	33,473	36	12	4	-	-	-	-	-	1	-	-	-	1	-	3	-	-
thnal Green East *WWHl* - E.	44,695	41	14	2	5	-	-	-	-	-	-	-	-	-	-	2	10	-
talfields - - - E. & N.	27,965	19	5	-	1	-	1	-	-	-	-	-	-	-	-	2	-	-
le End New Town *WH* - E.	28,711	25	34	8	5	-	-	-	-	-	-	1	-	1	2	5	31	-
odman's Fields - - - E.	22,082	18	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.	40,965	26	10	5	1	-	2	-	-	-	-	-	-	-	-	-	-	-
John *W* - - - E.	8,122	2	6	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
adwell *H* - - - E. & N.	10,760	8	7	2	1	-	1	-	-	1	-	-	-	1	-	1	3	-
tcliff *W* - - - - E.	14,770	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - E.	32,358	22	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
le End Old Town West *H* E.	59,467	50	11	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-
le End Old Town East } - E.	53,348	41	18	2	5	-	3	-	-	-	-	1	-	-	-	-	9	-
WWw }																		
w *l* - - - - E.	41,990	27	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
omley *wwwH* - - - E.	68,326	41	19	3	6	-	1	1	-	1	-	-	-	-	1	5	8	-
plar *WW* - - - - E.	58,522	39	13	2	4	-	-	-	-	-	-	-	-	-	1	4	4	-

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 8th June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 1 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL* & S.	11,292	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,076	10	12	1	3	-	-	-	-	-	-	-	-	-	1	2	12
Kent-road - - - - S. & L.	21,889	16	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,882	7	7	4	-	-	1	-	-	1	-	-	-	1	-	-	4
London-road *HL* - - L. & S.	22,209	16	5	1	1	-	-	-	-	-	-	-	-	-	-	2	1
Trinity Newington *H* - S. & L.	28,485	19	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61,773	41	13	5	2	-	1	-	-	-	-	1	-	-	-	1	1
St. Mary Newington- - L. & S.	51,692	14	9	3	1	-	1	-	-	-	-	-	-	-	1	1	-
St. Olave *W* - - - - S.	9,813	9	5	1	2	-	-	-	-	-	-	-	-	-	2	3	1
Bermondsey *W* - - - S.	82,405	63	20	7	5	-	2	-	-	-	-	-	-	-	2	3	1
Rotherhithe *Ww* - S. & E.	28,268	18	18	2	8	-	-	-	-	-	-	-	-	-	-	-	9
Waterloo-road *HH* - L. & S.	27,425	23	12	4	1	-	-	-	-	-	-	-	-	-	1	2	2
Lambeth Church 1st *HH* L. & S.	18,420	7	14	4	1	-	1	-	-	-	-	-	-	-	1	1	10
Lambeth Church 2nd *WW* L. & S.	59,818	36	26	5	7	-	-	1	-	3	-	-	-	1	2	3	14
Kennington 1st *H* - - S. & L.	53,196	39	11	3	2	-	1	-	-	-	-	-	-	-	-	2	-
Kennington 2nd - - S. & L.	42,891	18	10	1	2	-	-	-	1	-	-	-	-	-	-	1	-
Brixton *w* - - - L. & S.	84,226	54	16	2	6	-	-	1	-	-	-	-	-	1	-	2	1
Norwood *WH* - - - - L.	25,887	19	8	3	2	-	1	-	-	-	-	-	-	1	-	-	1
East Battersea - - - - S.	72,201	50	10	2	1	-	2	-	-	1	-	-	-	-	1	3	-
North-west Battersea - - S.	49,650	23	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *WwH* - S.	47,045	17	7	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Clapham *H* - - - - S.	51,553	16	14	-	7	-	-	-	-	-	-	-	-	1	-	-	-
Streatham *WwwwwL* - - L.	88,129	35	25	4	6	-	4	1	1	-	-	-	-	-	1	2	3
Wandsworth *WHHL* - - S.	68,409	28	13	4	2	-	-	-	-	2	-	-	-	-	1	3	-
Putney - - - - - S.	24,189	12	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich - - - L. & S.	10,246	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	47	35	5	14	-	2	-	-	-	-	-	-	-	-	2	26
Peckham *WW* - S., L., & K.	93,022	57	14	3	3	-	-	-	-	1	-	-	-	-	2	3	-
St. George Camberwell - L. & S.	65,886	42	16	4	4	-	-	-	-	-	-	-	-	-	1	2	-
Deptford North - - - K.	37,601	33	12	2	1	-	1	-	-	1	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,621	25	19	4	2	-	1	2	1	1	-	-	-	-	4	4	3
Deptford South - - - K.	24,622	8	6	2	-	-	-	-	-	-	-	-	-	-	2	2	-
Greenwich West *H* - - K.	23,456	10	5	3	-	-	1	1	-	1	-	-	-	-	1	1	-
Greenwich East *WH* - - K.	43,849	19	19	5	4	-	1	-	-	4	-	-	-	-	-	-	10
Eltham *wH* - - - - K.	7,218	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *WwwH* - - - K.	58,341	34	19	4	1	-	1	3	1	-	-	-	-	-	-	-	10
Sydenham *H* - - - - L.	43,630	16	8	-	5	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *wHH* - - - K.	21,121	14	4	-	1	-	-	1	2	-	-	-	-	-	-	-	3
Woolwich *HHHH* - - K.	41,607	24	5	2	-	-	-	-	-	-	-	-	-	-	1	1	1
Plumstead West *H* - - K.	18,076	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	41	8	2	5	-	-	-	-	-	-	-	-	-	-	1	1
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asylum, Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1
Colney Hatch Asylum - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
N.E. Hospital - - - - -	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2
Winchmore Hill Hospital - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Leavesden Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2

NOTE.—On 1st April the area of London was changed: part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished: part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th June, 1901.

Division	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,584	2,044,546	1206	396	96	110	-	8	-	7	12	7	6	15	31	51	6
1	Carshalton *H* - - -	12,228	32,997	17	3	1	1	-	-	-	-	1	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	4	5	-	1	-	-	-	-	-	-	-	-	1	1	-
1	Godstone, *part of** *W* -	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	164,519	92	41	9	20	-	-	-	1	-	-	-	3	5	7	-
2	Mitcham *w* - - -	11,697	29,906	15	3	-	2	-	-	-	-	-	-	-	-	1	-	-
1	Wimbledon *HHH* - -	3,220	41,604	17	8	2	2	-	-	-	-	1	-	-	1	2	-	-
2	Kingston *WH* - - -	14,672	42,067	21	5	-	3	-	-	-	-	-	-	-	-	-	3	-
3	Surbiton *HH* - - -		15,019	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		13,003	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	23,447	2	2	1	-	-	-	-	-	-	-	-	-	1	-	-
1	Richmond *WHH* - -	2,160	28,871	14	3	1	4	-	-	-	-	-	-	-	1	1	4	-
2	Mortlake *H* - - -	2,823	20,628	10	5	1	1	-	-	-	-	-	1	-	-	-	1	-
1	Bromley *HHH* - - -	9,127	29,638	19	5	3	-	-	-	-	-	1	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	27,661	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** *W* -	6,974	8,415	2	4	-	-	-	-	-	-	-	-	-	-	-	2	1
4	Chislehurst *HH* - -	7,333	16,458	2	3	1	2	-	-	-	-	-	-	-	-	1	-	1
1	Bexley *HHH* - - -	12,540	46,445	29	9	3	3	-	-	-	-	1	-	1	-	-	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	18,682	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	7	4	2	-	-	-	-	-	1	-	-	-	-	-	-
1	Hillingdon *WHH* - -	6,035	13,661	9	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge - - - -	12,757	8,984	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	16,358	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	30,838	18	12	3	5	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham *HH* - -	2,415	20,991	7	2	1	-	-	-	-	-	1	-	-	-	-	1	-
3	Brentford *HHHH* - -	4,318	48,298	24	8	1	1	-	-	-	-	-	-	-	-	-	1	-
4	Chiswick - - - -	1,245	29,809	24	4	1	1	-	-	-	-	1	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	28	15	8	3	-	-	-	-	-	-	1	-	1	-	-
1	Harrow *HHH* - - -	13,809	25,522	14	4	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Edgware *HH* - - -	6,994	4,520	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	114,815	77	15	3	3	-	-	-	-	1	-	1	-	1	-	-
4	Hendon *WH* - - -	8,382	22,450	17	7	1	1	-	-	-	-	-	-	-	-	1	1	-
1	South Mimms *HH* - -	21,077	7,308	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
2	Barnet *WHH* - - -		17,970	9	4	-	1	-	-	-	-	-	-	-	-	-	2	-
3	Finchley *HHH* - - -	4,688	33,692	15	8	3	3	-	-	-	1	-	-	-	-	2	-	-
1	Hornsey† *HH* - - -	2,874	72,056	38	14	4	8	-	-	-	1	1	-	-	-	-	1	-
2	Tottenham *HHH* - -	4,642	136,702	86	18	2	6	-	-	-	-	-	-	-	3	3	-	-
3	Edmonton *Ww* - -	7,489	61,892	36	18	3	9	-	-	-	-	-	-	-	-	1	6	-
4	Enfield *WWHH* - -	12,602	42,738	33	4	1	2	-	-	-	-	-	-	-	-	-	-	1
5	Waltham Abbey - - -	11,017	6,547	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	12,288	6	3	-	3	-	-	-	-	-	-	-	-	-	-	2
1	Hatfield, *part of** *W* -	3,306	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	44,825	34	10	4	2	-	1	-	-	-	-	-	1	1	1	-
2	Plaistow *HHH* - - -		90,920	64	25	12	2	-	1	-	1	-	-	1	1	1	1	1
3	Canning Town *H* - -		70,666	55	19	6	4	-	-	-	-	-	3	2	1	1	-	-
4	Forest Gate *w* - - -		60,897	27	11	3	1	-	2	-	-	1	-	-	1	2	-	-
5	East Ham *wHHH* - -	3,266	95,970	78	16	4	1	-	-	-	-	-	-	-	1	2	-	-
6	Wanstead - - - -	4,334	9,198	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -		50,458	35	14	1	4	-	1	-	-	-	-	-	-	-	7	-
8	North Leyton *WwH* -		48,441	31	7	1	1	-	-	-	-	-	-	-	-	-	-	-
9	Walthamstow *HHHL* -	6,501	108,931	62	21	4	1	-	2	-	1	1	-	-	1	1	1	-
1	Chigwell, *part of** *HHHH*	11,779	16,396	4	4	-	2	-	-	-	-	-	1	-	1	1	-	-
2	Epping *WH*, *part of** - -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
1	Romford, *part of** *W* -	6,556	6,089	9	2	1	-	-	-	-	-	-	1	-	-	-	1	-
2	Ilford *H* - - - -	8,493	41,240	21	10	3	1	-	1	-	-	-	-	-	-	1	-	-
3	Barking Town. *H* - -	3,814	21,547	18	3	-	1	-	-	-	-	-	1	-	-	-	-	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 8th June, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16
GREATER LONDON	**443,421**	**6,604,249**	**12·9**	**1·3**	**1632**	**328**	**419**	**-**	**43**	**17**	**22**	**44**	**14**	**23**	**84**	**47**
INNER LONDON -	74,837	4,543,727	14·2	1·4	1236	232	309	-	35	17	15	32	7	17	69	41
OUTER RING -	368,584	2,060,522	10·0	1·0	396	96	110	-	8	-	7	12	7	6	15	5

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	317,561	June 8	159	121	19·9	-	3	-	1	11	-	
GLASGOW - -	763,144	" 8	539	315	21·5	1	13	1	4	25	4	1
DUBLIN† - -	373,860	" 8	256	144	20·1	-	1	1	-	5	-	
CALCUTTA - -	466,460	March 2	-	723	80·8	86	4	-	-	-	429‡	5
BOMBAY - -	821,764	May 21	193	1081	72·9	8	1	?	?	?	482‡	6
MADRAS - -	452,518	" 3	360	364	41·8	15	7	?	?	?	109	5
PARIS - - -	2,511,629	June 1	1117	1005	20·5	10	36	2	12*	11	9	3
BRUSSELS - -	570,844	" 1	286	164	14·9	-	1	-	2*	4	2	1
AMSTERDAM -	523,822	May 25	307	174	17·3	-	1	-	1	1	-	1
ROTTERDAM -	320,991	February 23	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	" 23	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	June 1	155	122	16·8	-	4	-	-	5	2	
STOCKHOLM -	301,050	May 25	148	82	14·1	-	3	2	2*	-	1	
CHRISTIANIA -	226,423	June 1	143	57	13·1	-	-	2	-	1	-	
ST. PETERSBURG	1,248,643	May 25	629	522	21·8	-	8	11	20	1	16	5
MOSCOW - -	1,023,817	" 25	-	492	25·1	1	9	8	18	2	4	6
BERLIN - -	1,891,431	" 18	937	616	17·0	1	12	7	6	14	1	6
HAMBURG - -	705,738	June 1	-	225	16·6	-	2	1	2*	2	-	1
DRESDEN - -	400,140	January 5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	427,505	June 1	-	225	27·4	-	11	1	-	-	-	2
MUNICH - -	500,000	" 1	-	233	24·2	-	2	2	2*	1	-	2
VIENNA - -	1,691,996	" 1	951	721	22·2	-	18	8	3*	1	1	7
PRAGUE - -	389,741	May 25	178	179	23·9	-	3	3	-	1	1	
BUDA-PESTH -	744,719	" 25	430	279	19·5	-	4	11	2	1	1	2
TRIESTE - -	176,456	June 1	127	89	26·2	-	-	1	3*	1	-	
ROME - - -	467,236	April 20	203	144	16·1	-	-	-	1	3	-	1
TURIN (10 days) -	344,203	January 10	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,378	June 1	74	72	21·5	-	1	-	1*	1	-	
CAIRO - -	570,062	April 8	449	304	27·7	-	-	-	2*	-	9	5
ALEXANDRIA -	319,766	" 8	265	206	33·5	2	2	-	-	-	2‡	6
NEW YORK (including BROOKLYN)	3,536,517	May 11	1409	1279	18·9	19	8	49	52*	5	10	4
PHILADELPHIA -	1,293,697	" 18	-	446	18·0	1	-	8	13	9	12	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 15 deaths from cholera in Calcutta, and 3 in Bombay.
‡ Including 337 deaths from plague in Calcutta, 224 in Bombay, and one death in Alexandria.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	2	Full	29·769	69·3	51·8	17·5	60·1	+ 2·4	49·9	10·2	18·0	1·6	69	138·0	45·2	55·88	SSW. & SW.	SW.	6·6	0·0	0·7	372	+128	0·00	3·5
MONDAY -	3	Greatest Dec. S.	29·936	67·9	49·8	18·1	58·6	+ 0·6	50·3	8·3	16·4	1·6	74	139·0	43·1	56·11	SW.	SW. & WSW.	0·1	0·0	0·0	167	− 78	0·03	1·5
TUESDAY -	4	..	29·949	70·6	48·9	21·7	57·6	− 0·6	50·3	7·3	18·9	0·6	77	137·7	41·1	56·30	SW. & WSW.	SW.	1·9	0·0	0·0	217	− 29	0·00	0·0
WEDNESDAY	5	..	29·955	75·9	48·6	27·3	61·9	+ 3·6	45·5	16·4	25·7	1·0	55	148·5	39·6	56·43	WSW.	WSW. & NNW.	0·3	0·0	0·0	180	− 67	0·00	0·0
THURSDAY-	6	..	30·071	70·9	50·2	20·7	59·7	+ 1·4	51·2	8·5	17·2	5·1	74	144·0	40·0	56·69	WSW. & NE.	NE., ESE. & E.	1·7	0·0	0·1	231	− 18	0·00	0·0
FRIDAY -	7	..	30·107	65·6	45·5	20·1	55·6	− 2·6	45·5	10·1	17·8	2·1	69	138·8	35·6	57·07	NE., NNE. & ENE.	ENE. & E.	2·0	0·0	0·2	294	+ 43	0·00	0·0
SATURDAY -	8	..	29·933	69·2	45·5	23·7	57·8	− 0·4	47·0	10·8	18·7	2·8	67	142·5	34·0	57·28	ENE., NE. & E.	E. & ESE.	2·0	0·0	0·2	234	− 18	0·00	0·0
MEANS -	-		29·960	69·9	48·6	21·3	58·8	+ 0·6	48·5	10·2	19·0	2·1	69	141·2	39·8	56·54	SW. & NE.		..	..	..	Sum 1695	Sum − 39	Sum 0·03	0·7
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	2	w. P. generally.	8·8	16·3	Cloudy in morning; fine, with large amounts of cloud generally till evening: cloudless at night.
MONDAY -	3	w. P. till 5h. P.M.; v. P. and s. N. till 8h. P.M.; s. P. afterwards.	2·6	16·3	Very fine in early morning; cloudy till evening, with rain between 5h. and 6h. P.M.; cloudless at night.
TUESDAY -	4	m. P. generally.	8·1	16·3	Fine till 3h. A.M.; overcast till 9h. A.M.; fine with variable amounts of cloud afterwards.
WEDNESDAY	5	m. P. till 5h. P.M.; s. P. afterwards.	6·9	16·4	Fine and partially cloudy.
THURSDAY-	6	m. P. generally.	4·0	16·4	Fine but generally cloudy till 7h. P.M.; cloudless afterwards.
FRIDAY -	7	m. P. till 2h. P.M.; w. P. till 9h. P.M.; m. P. afterwards.	9·7	16·4	Cloudless and very fine till 8h. A.M.; partially cloudy afterwards. Bright solar halo observed between 9h. A.M. and 2h. P.M.
SATURDAY-	8	m. P. till noon; w. P. till 9h. P.M.; m. P. afterwards.	12·2	16·4	Fine and partially cloudy till 8h. A.M.; very fine and generally cloudless afterwards.
			Sum 52·3	Sum 114·5	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·68 in. at the beginning of the week to 30·16 in. by 7h. A.M. on the 7th; and decreased to 29·86 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st June, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	6	8	-	2	-	-	4	-
Kensington	176,787	-	6	3	-	1	-	-	3	-
Hammersmith	112,619	-	6	2	-	-	-	-	2	-
Fulham	138,426	-	16	5	-	2	-	-	4	-
Chelsea	73,879	-	6	4	-	1	-	-	2	-
City of Westminster	182,502	-	13	1	-	5	-	-	-	-
NORTH.										
St. Marylebone	133,060	-	5	2	-	-	-	-	3	-
Hampstead	82,246	-	1	3	-	2	-	-	-	-
St. Pancras	235,297	-	22	10	-	1	-	-	3	1
Islington	335,325	1	17	9	-	1	-	-	5	-
Stoke Newington	51,328	-	5	3	-	1	-	-	2	-
Hackney	219,780	-	20	11	-	2	-	-	7	-
CENTRAL.										
Holborn	59,205	-	10	3	-	-	-	-	2	-
Finsbury	101,263	-	17	6	-	1	-	-	1	2
City of London	26,638	-	1	3	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	23	2	-	2	-	-	2	-
Bethnal Green	129,700	-	22	5	-	-	-	-	2	1
Stepney	298,884	-	24	24	-	1	-	-	5	2
Poplar	168,887	-	10	11	-	4	-	-	4	-
SOUTH.										
Southwark	206,219	-	19	12	-	3	-	-	3	-
Bermondsey	130,348	-	21	8	-	-	-	-	3	-
Lambeth	302,460	-	16	12	-	2	-	-	4	1
Battersea	169,364	-	16	7	-	-	-	-	-	-
Wandsworth	233,943	-	12	1	-	2	-	-	3	-
Camberwell	259,897	-	26	5	-	1	-	-	1	-
Deptford	110,732	-	6	9	-	-	-	-	1	-
Greenwich	96,188	-	12	2	-	3	-	-	1	-
Lewisham	128,423	-	7	2	-	-	-	-	-	-
Woolwich	117,619	-	2	2	-	1	-	-	2	-
Port of London	—	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,727	1	367	175	-	40	-	-	69	7
Ages 0-1		-	4	2	-	-	-	-	1	-
" 1-5		-	120	72	-	2	-	-	5	-
" 5-		-	138	54	-	2	-	-	4	-
" 10-		-	53	12	-	12	-	-	4	-
" 15-		-	27	10	-	1	-	-	2	1
" 20-		-	13	8	-	10	-	-	3	1
" 25-		1	7	12	-	8	-	-	10	4
" 35-		-	3	4	-	1	-	-	11	1
" 45-		-	2	1	-	4	-	-	14	-
" 55-		-	-	-	-	-	-	-	8	-
" 65 and upwards		-	-	-	-	-	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during May, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
June, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of May, by the eight Water Companies.

Fifteen samples of the East London Company's water, and twelve samples of each of the other Companies' supplies were examined, making a total of 99 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea - - -	May 14th. Cab Rank, Victoria Street.	12·7	27·88	·138	·016	0	·200	·216	1·7	20·0
West Middlesex -	May 14th. Cab Rank, Albert Road, near "York and Albany."	12·2	27·58	·200	·021	0	·194	·215	1·7	19·7
Southwark - -	May 14th. Cab Rank, High Street, Peckham.	13·5	28·32	·098	·017	0	·204	·221	1·6	20·9
Grand Junction -	May 14th. Cab Rank, Portman Street, Oxford Street.	13·0	28·36	·174	·015	0	·228	·243	1·6	20·3
Lambeth - - -	May 14th. Cab Rank, Westminster Bridge Road.	13·1	28·36	·125	·018	0	·240	·258	1·7	21·2
Lea.										
New River - -	May 14th. Cab Rank, City Road, by Goswell Road.	13·0	28·88	·081	·013	0	·184	·197	1·7	20·9
East London - -	May 14th. Cab Rank, High Street, Shoreditch.	12·9	32·60	·150	·020	0	·527	·547	2·0	22·7
Deep Well.										
Kent - - - -	May 14th. Cab Rank, New Cross Station, opposite Jerningham Road.	12·4	38·78	·042	·006	0	·457	·463	2·1	27·8
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected at the cab rank in Victoria Street, had a temperature of 12·7° C.; 100,000 lbs. of it contained 27·88 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·138 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained no ammonia and ·200 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·216 lb. The above weight of water also contained 1·7 lbs. of chlorine and 20·0 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on May 14th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :— Kent 0·8, New River 1·6, Southwark 1·9, Lambeth 2·4, Chelsea 2·6, East London 2·9, Grand Junction 3·2, and West Middlesex 3·7.

Of the Thames-derived waters, the supplies of the Grand Junction and Lambeth Companies, which last month were of somewhat indifferent quality, exhibited marked reductions in the quantities of organic matter they contained; the water delivered by the other Thames Companies was, also, better than that distributed in April. All the samples were clear and of good chemical quality.

The Lea supplies of the New River and East London Companies were clear and, in each case, contained less organic impurity than they did in April. The New River water was of very good quality, and that of the East London Company ranked with the best of the Thames supplies.

The Kent Company's water was of its usual great organic purity and clear.

When viewed through a stratum two feet deep, the Kent Company's water was colourless, the New River supply was nearly colourless, and the supplies of all the other Companies were very pale yellow in colour.

In addition to the above analytical examination, the 99 samples, collected during the month of May, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·111	·060	·075	·119	·066	·081	·0085	·0065	·0075
West Middlesex	·118	·072	·092	·124	·080	·099	·0085	·007	·008
Southwark	·089	·049	·063	·096	·051	·069	·007	·005	·006
Grand Junction	·114	·054	·077	·123	·058	·084	·009	·007	·0075
Lambeth	·099	·064	·077	·101	·069	·079	·007	·006	·007
New River	·047	·022	·032	·045	·024	·034	·0035	·003	·003
East London	·089	·059	·069	·093	·063	·076	·007	·006	·007
Kent	·010	·004	·006	·011	·003	·006	·002	·0015	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

With regard to the Thames waters the above table shows that, on the average, the Southwark Company delivered water containing the least organic matter. A study of the whole of the analytical figures from which the above table has been constructed shows that, generally speaking, all the river derived waters steadily improved in quality as the month progressed. In no case was an excessive amount of organic impurity discovered.

The New River and East London waters contained smaller amounts of organic matter than were observed in April, and the supply of the former Company was of very good quality throughout the month. The East London Company's supply was, on the average, of slightly better quality than the Thames derived supplies, with the exception of that of the Southwark Company, to which it was slightly inferior.

The Kent Company's supply maintained its usual uniform excellent quality throughout the month.

One sample of the New River Company's water and several samples of the supplies of the other Companies, contained minute amounts of rust stained particles, evidently obtained from the mains. A sample of the East London Company's water collected at the stand-pipe in Sydney Street, E., on May 29th, was quite turbid with suspended oxide of iron, but three extra samples taken at different places in this Company's area, on the following day, were clear.

I am, Sir,

Your obedient Servant.

T. E. Thorpe.

The Registrar-General,
Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of May, 1901. The supply was in the ratio of 239 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	May, 1900.	May, 1901.	May, 1900.	May, 1901.
Total Supply - - -	902,923	924,462	214,391,582	220,876,857
From Thames - - - - - -	430,895	439,588	112,873,033	119,889,866
From Lea and from other Sources -	472,028	484,874	101,518,549	100,686,991
Thames.				
Chelsea - - - - - - -	38,654	39,130	12,650,349	13,394,389
West Middlesex - - - - - -	85,404	86,969	21,780,006	23,307,967
Southwark and Vauxhall - -	124,050	125,296	32,333,950	32,442,538
Grand Junction - - - - - -	66,301	68,173	20,494,947	21,249,675
Lambeth - - - - - - -	116,486	120,020	25,613,781	29,495,297
Lea and other Sources.				
New River - - - - - - -	169,658	172,776	40,946,615	40,226,220
East London - - - - - -	207,717	213,728	42,689,391	41,521,000
Kent - - - - - - - -	94,653	98,370	17,882,543	18,939,771

Note.—The Return for May, 1901, as compared with that for the corresponding month of 1900, shows an increase of 21,539 services and of 6,185,275 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34–40, Bacon Street, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 24. 1901. Vol. LXII.] Week ended Saturday, June 15. [Price 1½*d.*

General Register Office, Somerset House,
June 17th, 1901.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated* at 11,463,217 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 16·3, and 15·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

Towns.	Weeks ended May 25.	June 1.	June 8.	June 15.	Towns.	Weeks ended May 25.	June 1.	June 8.	June 15.
33 Great Towns	**16·7**	**16·3**	**15·2**	**14·5**	Leicester - -	15·0	13·0	10·1	12·0
Birkenhead -	17·4	15·9	15·9	15·5	Liverpool - -	19·3	19·5	18·5	18·1
Birmingham -	21·8	17·9	17·4	15·3	London - - -	15·6	15·4	14·2	13·7
Blackburn -	14·3	19·2	12·7	13·5	Manchester - -	18·5	19·0	16·3	18·4
Bolton - -	18·2	17·3	18·5	18·5	Newcastle-on-Tyne	18·1	19·1	17·2	16·4
Bradford -	19·5	16·8	16·0	13·4	Norwich - -	12·1	11·6	19·1	12·1
Brighton -	12·6	9·3	12·2	13·1	Nottingham - -	19·5	17·4	19·7	12·1
Bristol - -	13·6	12·6	12·2	11·4	Oldham - -	16·7	20·9	19·4	17·8
Burnley -	20·4	17·7	12·9	11·8	Plymouth - -	16·4	13·5	15·5	13·0
Cardiff - -	15·8	16·7	12·6	9·5	Portsmouth - -	16·2	12·6	17·0	10·4
Croydon -	11·2	10·8	12·8	8·5	Preston - -	17·1	22·6	16·1	19·4
Derby - -	17·2	17·2	7·9	9·8	Salford - - -	22·1	15·3	16·9	17·2
Gateshead -	17·5	19·3	21·2	22·7	Sheffield - -	16·4	18·1	15·3	15·0
Halifax -	18·8	11·9	18·8	12·4	Sunderland - -	15·9	19·8	17·0	20·5
Huddersfield-	13·7	18·7	15·4	14·3	Swansea - -	21·5	14·9	18·7	22·6
Hull - -	15·8	22·5	14·5	13·6	West Ham - -	14·7	14·4	13·8	13·0
Leeds - -	15·3	14·3	13·9	14·9	Wolverhampton -	22·6	16·6	14·9	17·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Birmingham, 1·1 in Wolverhampton, 1·7 in West Ham, 1·9 in Gateshead, and 2·5 in Bolton; from *scarlet fever*, 1·4 in Preston; from *whooping-cough*, 1·1 in Wolverhampton, 1·4 in Gateshead, and 4·4 in Swansea; and from *diarrhœal diseases*, 1·6 in Blackburn, and 1·7 in Wolverhampton. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 41 deaths from *diphtheria* included 13 in London, 4 in Liverpool, 4 in Salford, 4 in Leeds, 3 in Manchester, and 3 in West Ham. No death from *small-pox* was registered in any of the thirty-three towns.

London.

In London† 2406 births and 1191 deaths were registered. Allowing for increase of population, the births were 255, and the deaths 270 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·6, 15·4,

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

and 14·2 in the preceding three weeks, further fell last week to 13·7. During the four weeks ended on Saturday last the death-rate averaged 14·7 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1191 deaths included 38 from measles, 21 from scarlet fever, 13 from diphtheria, 35 from whooping-cough, 7 from enteric fever, 26 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 140 deaths were referred to these diseases, being 66 below the corrected average weekly number.

The deaths from *measles*, which had been 44, 48, and 35 in the preceding three weeks, rose again last week to 38, but were 34 below the corrected average; 7 cases belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 18, 17, and 17 in the preceding three weeks, rose again last week to 21, and were 4 above the corrected average; 3 cases belonged to Shoreditch. The deaths from *diphtheria*, which had been 22, 13, and 15 in the preceding three weeks, were 13 last week, and were 26 below the corrected average. The deaths from *whooping-cough*, which had been 58, 33, and 32 in the preceding three weeks, rose again last week to 35, but were 6 below the corrected average; 5 cases belonged to Southwark and 4 to Poplar. The fatal cases of *enteric fever*, which had been 5, 10, and 6 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diarrhœal diseases*, which had been 22, 15, and 17 in the preceding three weeks, further rose to 26 last week, the corrected average being 27. The deaths referred to diseases of the *respiratory organs*, which had been 191, 240, and 187 in the preceding three weeks, further fell last week to 159, and were 68 below the corrected average. The deaths attributed directly to *influenza* numbered 9, having been 6, 10, and 5 in the preceding three weeks. The death of a dock labourer, aged 35 years, was certified, after inquest, as due to *anthrax*.

Different forms of *violence* caused 68 deaths, concerning all but 1 of which inquests were held. Of these 68 deaths, 20 were cases of suicide, and 2 of homicide, while the remaining 46 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 4 to burns and scalds, 4 to drowning, and 8 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2594 cases of scarlet fever, 1104 of diphtheria, and 105 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 323 cases, against 341, 317, and 314; of diphtheria, 172 cases, against 141, 140, and 162; and of enteric fever, 29 cases, against 16, 10, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended June 8th.

Greater London.

In Greater London 3500 births and 1589 deaths were registered, correponding to annual rates of 27·6 and 12·5 per 1000 of the estimated population. In the Outer Ring 17 deaths from measles, 2 from scarlet fever, 12 from diphtheria, 9 from whooping-cough, 7 from "fever," and 5 from diarrhœal diseases were registered. Thirteen deaths from measles, 5 from diphtheria, and 3 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 56°·8; the latter being 1°·8 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 27 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 63·7 hours; the measured rainfall amounted to 0·10 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Estimated Population to the middle of the Year 1901* (Provisional).	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16	17.	18.	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	**11,463,217**	**6203**	**3189**	**711**	**742**	-	**114**	**39**	**41**	**78**	**24**	**61**	**154**	**281**	**807**	**31**	**14·5**	**1·6**	**80·2**	**35·4**	**53·3**	**11·83**	**0·24**	**0·61**	**33 Towns.**
London - -	4,543,757	2406	1191	258	273	-	38	21	13	35	7	26	68	136	456	1	13·7	1·6	79·7	42·7	56·8	13·78	0·10	0·25	London.
West Ham - -	268,868	161	67	19	13	-	9	-	3	2	3	1	-	2	10	-	13·0	3·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	77	22	4	8	-	1	-	-	2	-	-	-	-	1	-	8·5	1·2	80·2	40·5	55·2	12·89	0·12	0·30	Croydon.
Brighton - -	123,668	49	31	6	13	-	-	-	1	-	-	1	1	2	6	-	13·1	0·8	70·0	43·0	55·4	13·00	0·11	0·28	Brighton.
Portsmouth -	189,907	96	38	6	9	-	1	2	-	-	1	-	-	2	6	-	10·4	1·1	70·0	42·5	55·5	13·06	0·17	0·43	Portsmouth.
Plymouth - -	107,974	52	27	3	8	-	-	-	-	-	-	-	1	4	6	-	13·0	-	-	-	-		-	-	Plymouth.
Bristol - -	329,825	171	72	13	21	-	-	-	-	2	1	1	1	10	15	-	11·4	0·6	72·7	38·0	53·4	11·89	0·40	1·02	Bristol.
Cardiff - -	165,200	100	30	5	4	-	-	-	1	-	-	-	3	4	5	-	9·5	0·3	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	59	41	11	9	-	-	-	1	8	2	-	-	-	2	1	22·6	6·1	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	49	31	13	6	-	2	-	-	2	-	3	-	2	3	-	17·1	3·9	77·2	35·4	51·2	10·67	0·41	1·04	Wolverhampton.
Birmingham -	523,284	289	154	40	38	-	10	1	-	4	-	2	6	9	27	2	15·3	1·7	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	63	26	5	11	-	-	-	-	-	-	-	-	-	4	-	12·1	-	79·0	40·2	52·8	11·56	0·16	0·41	Norwich.
Leicester - -	212,498	111	49	13	12	-	-	-	-	-	1	3	5	6	10	2	12·0	1·0	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	113	56	11	14	-	4	1	-	2	-	-	2	3	10	-	12·1	1·5	76·2	39·0	52·3	11·28	0·07	0·18	Nottingham.
Derby - - -	106,076	68	20	4	7	-	-	-	-	-	-	-	1	1	6	-	9·8	-	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	53	33	7	10	-	2	-	-	-	-	-	2	2	4	-	15·5	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	421	239	64	44	-	12	1	4	-	2	11	12	19	70	10	18·1	2·3	64·0	44·3	50·9	10·50	0·44	1·12	Liverpool.
Bolton - -	168,748	95	60	10	10	-	8	-	-	2	1	3	5	8	5	1	18·5	4·3	-	-	-	-	-	-	Bolton.
Manchester -	544,894	300	192	35	39	-	8	2	3	3	2	1	12	19	41	1	18·4	1·8	-	-	-	-	-	-	Manchester.
Salford - -	221,587	109	73	18	14	-	2	-	4	1	-	1	2	3	10	-	17·2	1·9	-	-	-	-	-	-	Salford.
Oldham - -	137,382	63	47	11	6	-	-	2	1	-	-	-	-	1	6	-	17·8	1·1	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	50	22	7	4	-	-	-	-	-	1	-	1	4	-	-	11·8	0·5	-	-	-	-	-	-	Burnley.
Blackburn -	127,714	55	33	4	10	-	-	1	-	-	2	4	1	1	3	-	13·5	2·9	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	70	42	7	14	-	-	3	-	-	-	-	3	3	5	-	19·4	1·4	71·0	45·0	54·2	12·33	0·53	1·35	Preston.
Huddersfield -	94,998	52	26	2	9	-	-	-	-	-	-	-	3	3	5	-	14·3	-	71·8	41·0	50·6	10·33	0·16	0·41	Huddersfield.
Halifax - -	105,118	47	25	2	10	-	-	-	1	1	-	-	-	-	3	2	12·4	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	111	72	17	20	-	-	-	2	3	-	-	3	3	9	1	13·4	0·9	75·0	42·0	52·8	11·56	0·17	0·43	Bradford.
Leeds - - -	430,489	260	123	25	26	-	7	3	4	1	1	2	5	8	24	1	14·9	2·2	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	203	110	32	24	-	-	-	2	2	-	2	4	9	21	3	15·0	0·8	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	138	63	14	18	-	4	-	-	3	-	-	1	4	8	-	13·6	1·5	79·0	37·0	51·8	11·00	0·30	0·76	Hull.
Sunderland -	147,207	100	58	15	18	-	1	2	1	1	-	-	4	5	8	1	20·5	1·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	85	48	14	11	-	4	-	-	3	-	-	-	-	3	3	22·7	3·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	127	68	16	9	-	1	-	-	1	-	-	8	8	15	2	16·4	0·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2485	2803	2474	2436	2678	2482	2546	2532	2571	2646	2660·8	2406
Males	1296	1475	1272	1182	1397	1290	1310	1261	1311	1302	1358·4	1223
Females	1189	1328	1202	1254	1281	1192	1236	1271	1260	1344	1302·4	1183
TOTAL **Deaths**	1865	1402	1581	1336	1213	1397	1248	1193	1316	1533	1460·8	1191
Males	945	769	829	690	637	745	637	629	707	796	765·9	643
Females	920	633	752	646	576	652	611	564	609	737	694·9	548

*The numbers in this column are the average weekly numbers in the twenty-fourth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.
TOTAL **Births**	2424	2634	2538	2358	2835	2585	2562	2510	2602	2559	2148	2624	2406
TOTAL **Deaths**	1588	1645	1573	1633	1564	1552	1454	1386	1375	1363	1345	1236	1191
Ages at Death: Under 1 year	299	349	325	325	300	323	306	269	281	259	289	232	258
1—5 years	203	220	223	256	184	217	178	169	185	197	183	156	152
5—20 ,,	85	85	70	91	77	85	91	77	56	80	66	72	78
20—40 ,,	202	207	195	200	209	200	180	198	192	178	180	189	177
40—60 ,,	318	313	301	307	325	284	327	293	291	270	275	278	253
60—80 ,,	393	375	380	363	377	347	299	299	298	301	277	256	218
80 years and upwards	88	96	79	91	92	96	73	81	72	78	75	53	55
Deaths from—													
Small pox	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	42	56	38	52	37	50	39	38	33	44	48	35	38
Scarlet Fever	6	8	8	8	3	6	9	17	14	18	17	17	21
Diphtheria	14	16	21	26	11	20	20	23	14	22	13	15	13
Whooping-cough	63	55	62	74	58	48	66	45	48	58	33	32	35
Typhus	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	5	8	5	4	7	10	2	7	4	5	10	6	7
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	13	21	12	9	14	12	16	9	16	22	14	17	26
Cholera	–	–	–	–	–	–	–	–	–	–	1	–	–
All the above Diseases	144	164	146	173	130	146	152	140	129	169	136	123	140
Dis. of Respiratory System	332	363	360	345	374	286	251	237	249	191	240	187	159
Phthisis	149	165	168	139	158	153	143	161	128	139	131	140	122
Dis. of Circulatory System	187	157	133	161	137	132	136	133	123	128	116	121	122
Violence	73	64	64	89	51	79	72	65	72	65	60	69	68
Inquest Cases	196	136	157	207	137	150	149	145	148	150	122	150	136
Deaths in Public Institutions	510	523	522	530	514	534	483	512	449	482	476	420	456
TEMPERATURE OF THE AIR													
Mean	38°·3	34°·2	44°·4	46°·2	47°·3	54°·7	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8
Mean of Highest readings	43·1	41·1	53·2	54·1	56·7	66·2	61·0	55·3	62·9	66·8	71·6	69·9	67·6
Mean of Lowest readings	34·2	28·4	36·1	41·0	38·2	43·3	39·0	41·2	41·4	44·8	49·0	48·6	47·0
Humidity of the Air	78	70	80	83	67	57	72	81	73	61	69	69	60
Rain-fall (in inches)	0·31	0·44	0·97	0·71	0·33	0·02	0·00	1·56	0·00	0·00	0·27	0·03	0·10
Registered Sunshine (in hours)	13·2	21·2	27·4	29·0	48·6	77·2	45·6	17·3	69·7	80·9	51·2	52·3	63·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	–	–	–	–	–	–	–	–	–	–	1	1	1
Scarlet Fever	1598	1568	1572	1601	1526	1522	1705	1913	2052	2241	2351	2462	2594
Diphtheria	1103	1089	1073	1020	958	962	983	1038	1099	1087	1107	1092	1104
Typhus	3	2	1	1	–	–	1	1	1	1	–	–	–
Enteric Fever	182	162	146	141	132	121	108	112	106	111	95	93	105

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in th
TWENTY-FOURTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Average for the 24th Week of the 10 years 1891-1900*.	In the Week ended Saturday 15th June, 1901 — Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
. CAUSES - - -	1460·8	1191	258	152	78	177	253	218	55
all-pox { Vaccinated† -	0·3	-	-	-	-	-	-	-	-
{ Unvaccinated	0·4	-	-	-	-	-	-	-	-
{ No Statement	0·2	-	-	-	-	-	-	-	-
asles - - - -	71·5	38	6	29	2	-	1	-	-
arlet Fever - - -	17·3	21	1	15	4	1	-	-	-
phus - - - -	0·1	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	27·3	9	-	-	-	1	5	2	1
pooping-cough - -	40·8	35	13	22	-	-	-	-	-
phtheria - -	39·3	13	1	8	4	-	-	-	-
ple Continued and -defined Fever -	0·5	-	-	-	-	-	-	-	-
eric Fever - - -	7·8	7	-	-	2	3	-	2	-
lera and Chol. Diarr.	0·9	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	26·4	26	22	1	-	-	1	1	1
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of ccination - -	0·3	-	-	-	-	-	-	-	-
ereal Affections - -	8·8	10	5	-	-	1	2	2	-
sipelas - - - -	3·5	5	2	-	-	1	1	1	-
mia and Septicæmia	1·5	4	1	1	-	1	-	1	-
rperal Fever - -	3·3	-	-	-	-	-	-	-	-
er Zymotic Diseases	2·1	2	1	-	-	1	-	-	-
ush - - - -	0·9	-	-	-	-	-	-	-	-
ms and other Parasitical Diseases -	0·4	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	0·9	-	-	-	-	-	-	-	-
holism - - -	12·8	8	-	-	-	3	4	1	-
umatic Fever, eumatism of Heart	7·9	4	-	-	2	1	-	1	-
umatism - - -	1·2	2	-	-	-	-	1	1	-
t - - - - -	4·3	1	-	-	-	-	-	-	1
ets - - - -	5·8	4	-	4	-	-	-	-	-
cer - - - -	81·4	76	-	1	-	3	40	30	2
s Mesenterica - -	18·5	18	6	6	1	3	2	-	-
rcular Meningitis -	24·9	19	8	7	4	-	-	-	-
isis - - - -	151·5	122	3	5	15	48	45	6	-
ula, Tuberculosis -	17·5	22	9	4	5	4	-	-	-
r Constitutional eases - -	12·8	11	-	-	-	4	4	1	2
nature Birth - -	45·6	43	43	-	-	-	-	-	-
ectasis - - -	5·2	5	5	-	-	-	-	-	-
enital Malformations - - -	7·2	7	7	-	-	-	-	-	-
Age - - - -	42·0	33	-	-	-	-	-	16	17
plexy - - -	38·5	39	1	-	-	3	12	19	4
epsy - - - -	7·4	5	-	-	-	3	1	1	-
rulsions - - -	30·7	24	24	-	-	-	-	-	-
r Diseases of Brain l Nervous System	78·0	60	7	6	7	9	15	11	5
ses of Organs of ecial Sense -	3·6	4	1	-	1	-	1	1	-

CAUSES OF DEATH.	Corrected Averages for the 24th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 15th June, 19 — Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.
Diseases of Circulatory System - - -	116·0	122	-	1	11	22	36	4
Croup - - - -	2·3	-	-	-	-	-	-	-
Bronchitis - - -	102·4	50	12	8	2	-	7	1
Pneumonia - - -	99·7	88	14	19	1	16	22	14
Pleurisy - - - -	5·1	9	-	2	-	3	3	1
Other Diseases of Respiratory System -	17·1	12	1	1	-	1	2	6
Dentition - - - -	6·7	1	-	1	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	1	-	-	-	-
Enteritis - - -	18·9	12	6	1	2	3	-	-
Gastro-enteritis -		7	3	1	1	1	-	1
Peritonitis - - -	6·2	4	-	-	1	2	1	-
Diseases of Liver - -	24·8	17	-	-	-	1	11	4
Other Diseases of Digestive System	26·8	32	11	1	3	3	7	6
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	1	-	-	-	1	-	-
Diseases of Urinary System - - -	41·1	45	1	1	1	9	12	20
Diseases of Generative System - - -	5·9	2	-	-	-	2	-	-
Accidents of Childbirth-	5·0	6	-	-	-	6	-	-
Diseases of Locomotive System - - -	5·4	4	1	-	1	-	-	1
Diseases of Integumentary System- -	6·7	2	-	-	-	-	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)								
By Railways - - -	2·1	3	-	-	-	1	1	1
By Vehicles or Horses -	5·5	6	-	2	2	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·6	1	-	-	-	1	-	-
In Building Operations -	1·0	3	-	-	-	2	1	-
In Conflagrations -	0·5	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·6	4	-	2	2	-	-	-
By Drowning - - -	10·2	4	-	-	1	1	1	1
By Suffocation in Bed -	8·2	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours - -	3·0	2	-	-	-	1	1	-
Other or not stated causes - - - -	21·7	15	4	1	1	2	2	4
(VIOLENCE OTHER THAN ACCIDENTAL).								
Homicide - - -	0·8	2	2	-	-	-	-	-
Suicide - - - -	11·1	20	-	-	2	8	8	2
Execution - - -	-	-	-	-	-	-	-	-
OTHER CAUSES - -	46·3	31	29	1	-	-	-	1

he numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide. All such causes are classed under "accident.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th June, 1901.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,536,063†	2406	1191	258	273	-	38	21	13	35	-	7	-	26	68	136	456	1
WEST DISTRICTS - - -	805,275	371	198	40	46	-	1	-	1	4	-	-	-	6	10	19	78	-
NORTH DISTRICTS - - -	1,056,018	504	242	36	74	-	6	4	6	2	-	3	-	3	16	29	99	-
CENTRAL DISTRICTS - - -	209,432	130	78	25	7	-	1	-	-	4	-	-	-	2	7	15	34	-
EAST DISTRICTS - - -	715,772	440	206	48	37	-	12	-	-	9	-	1	-	9	13	38	98	-
SOUTH DISTRICTS - - -	1,749,566	961	428	108	97	-	18	13	5	16	-	3	-	6	22	35	108	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	1	12	-	-	4	1	-	-	-	-	-	-	-	39	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	45	17	1	7	-	-	-	-	-	-	-	-	-	-	-	7	-
St. John Paddington *H* - - G.	33,608	2	13	2	3	-	-	-	-	-	-	-	-	-	2	3	8	-
North-West Paddington† - - C.	17,181	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	70	42	3	16	-	-	-	-	-	-	-	-	-	2	3	20	-
Brompton *HH* - - - W. & C.	48,598	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
North Hammersmith *H* } W. & G	49,335	27	12	7	1	-	-	-	-	2	-	-	-	3	-	-	-	-
South Hammersmith *wH* } W. & G	62,910	28	16	8	2	-	-	-	-	1	-	-	-	-	1	1	5	-
North-west Fulham *W* } W. & C.	45,180	46	11	2	4	-	-	-	-	-	-	-	-	-	-	1	5	-
North-east Fulham *w* } W. & C.	46,404	24	9	2	1	-	-	-	1	1	-	-	-	1	-	3	1	-
South Fulham } W. & C.	45,705	21	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WWHHHH* - C.	42,515	15	25	2	6	-	-	-	-	-	-	-	-	-	-	-	18	-
Chelsea South *HH* - - C.	31,341	13	6	1	2	-	-	-	-	-	-	-	-	1	-	2	-	-
May Fair and Knightsbridge† *H* } C. & G.	28,744	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	18	16	8	2	-	-	-	-	-	-	-	-	1	2	2	5	-
St. Margaret & St. John Westminster† *HHH* } C.	43,665	19	11	2	-	-	1	-	-	-	-	-	-	-	2	2	4	-
St. James Westminster *WH* } N. & G.	21,595	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	11,492	9	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	8	14	-	6	-	-	-	-	-	-	-	-	-	-	1	8	-
Rectory Marylebone *W* G. & W.	19,869	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	18,099	35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	39,541	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W	20,426	12	6	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *WwHHHHH* - N. & W.	81,942	32	22	1	6	-	1	3	1	-	-	-	-	1	-	-	11	-
Regent's Park *H* - W.	50,647	20	7	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	12	11	-	1	-	-	-	-	-	-	-	-	-	1	1	10	-
Gray's Inn Lane *HHHH* - N.	30,886	13	9	2	-	-	-	-	-	-	-	-	-	-	3	3	4	-
Somers Town *HH* - - - N.	30,131	18	13	3	3	-	-	-	-	-	-	1	-	-	-	1	5	-
Camden Town *WH* - - N.	40,079	18	11	2	6	-	1	-	-	-	-	-	-	-	1	2	7	-
Kentish Town *WW* - - N.	58,727	38	16	2	6	-	-	-	-	-	-	-	-	1	3	4	7	-
Upper Holloway *WWWWwHH* - - N.	99,841	41	29	3	8	-	2	-	-	1	-	-	-	-	2	4	17	-
Lower Holloway - - - N.	41,411	16	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	54,479	33	12	5	5	-	-	-	-	-	-	-	-	-	2	3	-	-
Islington South-east *H* - N.	75,402	38	14	2	4	-	-	-	1	-	-	-	-	-	-	2	1	-
Highbury *HH* - - - N.	63,795	25	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington† *H* - - N.	51,247	19	8	1	3	-	-	-	-	-	-	1	-	1	-	-	-	-
North Hackney - E. & N.	50,570	21	10	3	1	-	-	-	-	-	-	-	-	-	2	3	-	-
Central Hackney *ww* - E. & N.	50,535	24	10	1	4	-	-	1	3	-	-	1	-	-	-	-	5	-
South-west Hackney *HHH* E. & N.	59,929	22	13	2	4	-	1	-	-	-	-	-	-	-	1	1	8	-
South-east Hackney *WwH* E. & N.	58,254	39	24	4	8	-	1	-	-	-	-	-	-	-	1	4	14	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 15th June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Unscertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles South *WH* - - - N.	22,495	14	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Giles North *H* - - - N.	8,959	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Martin-in-the-Fields *HH* N. & C.	12,975	5	4	-	1	-	-	-	-	-	-	-	-	-	1	1	3	-
rand *WHH* - - - - N.	8,694	6	6	-	1	-	-	-	-	-	-	-	-	-	1	1	6	-
rand Union Workhouse, Edmonton	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
olborn *WwHHHHH* - N.	29,579	10	18	5	1	-	1	-	-	2	-	-	-	-	-	1	10	-
James Clerkenwell - - N.	15,634	9	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
nwell* - - - - - N.	32,691	28	12	8	-	-	-	-	-	-	-	-	-	1	1	2	-	-
swell-street - - - - N.	15,390	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ty-road *HHHL* - - - N.	25,404	37	7	3	-	-	-	-	-	1	-	-	-	-	1	4	1	-
nsbury - - - - - - N.	9,972	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
olborn Union Workhouse, Mitcham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph *H* - - N. & E.	11,036	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	7,886	3	11	2	1	-	-	-	-	-	-	-	-	1	2	3	10	-
lhallows Barking - - - N.	8,717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ty of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
xton New Town *wH* - - N	29,761	23	12	4	4	-	2	-	-	-	-	-	-	2	-	2	6	-
xton Old Town - - - N.	26,510	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston *W* - - N & E.	46,064	28	15	3	4	-	-	-	-	-	-	1	-	-	1	3	7	-
thnal Green North *HH* - E.	51,513	37	7	4	-	-	2	-	-	1	-	-	-	-	-	-	2	-
thnal Green South - - E	33,473	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *WWHl* - E.	44,695	24	18	1	5	-	-	-	-	1	-	-	-	-	1	4	9	-
italfields - - - E. & N.	27,965	28	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-
le End New Town *WH* - E.	28,711	33	39	6	4	-	1	-	-	-	-	-	-	1	2	6	38	-
odman's Fields - - - E.	22,082	19	3	1	1	-	-	-	-	-	-	-	-	1	-	2	-	-
George's, North - - - E.	40,965	27	8	3	1	-	2	-	-	2	-	-	-	1	-	1	-	-
John *W* - - - E.	8,122	2	6	-	1	-	-	-	-	-	-	-	-	-	-	1	6	-
adwell *H* - - - E. & N.	10,760	2	10	3	-	-	3	-	-	-	-	-	-	2	-	-	6	-
tcliff *W* - - - - E.	14,770	11	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
nehouse - - - - - E.	32,358	15	7	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
le End Old Town West *H* E.	59,467	38	6	4	-	-	1	-	-	-	-	-	-	-	1	2	-	-
le End Old Town East *WWw* - E.	53,348	23	13	6	4	-	-	-	-	-	-	-	-	-	1	2	3	-
w *l* - - - - E.	41,990	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
omley *wwwH* - - - E.	68,326	41	34	5	6	-	1	-	-	4	-	-	-	1	4	10	21	-
plar *WW* - - - - E.	58,522	23	11	4	1	-	-	-	-	-	-	-	-	1	2	2	-	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	3	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	10	7	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Kent-road - - - S. & L.	21,899	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,882	6	8	4	-	-	-	-	-	-	-	-	-	-	-	4	4	-
London-road *HL* - L. & S.	22,209	11	7	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,485	8	4	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	34	13	2	3	-	1	-	-	1	-	-	-	-	-	-	1	-
St. Mary Newington - L. & S.	31,592	21	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.	9,813	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - S.	82,405	45	14	3	4	-	2	-	-	-	-	-	-	1	2	2	1	-
Rotherhithe *Ww* - - S. & K.	38,268	27	16	2	4	-	1	-	-	1	-	-	-	-	-	1	4	-
Waterloo-road *HH* - L. & S.	27,435	33	9	3	1	-	1	-	-	-	-	-	-	-	3	2	3	-
Lambeth Church 1st *HH* L. & S.	18,420	13	12	3	-	-	-	-	1	-	-	-	-	-	1	1	8	-
Lambeth Church 2nd *WW* L. & S.	39,818	30	18	3	2	-	1	-	-	2	-	-	-	1	-	1	10	-
Kennington 1st *H* - S. & L.	53,196	32	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	42,891	17	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Brixton *w* - - - L. & S.	84,226	42	25	5	9	-	-	2	-	-	-	-	-	-	2	2	2	-
Norwood *WH* - - - L.	35,887	13	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea - - - S.	72,201	42	10	4	2	-	1	-	-	-	-	-	-	1	3	4	-	-
North-west Battersea - - S.	49,650	38	11	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-
South-west Battersea *WwH* - S.	47,045	20	19	6	6	-	-	-	-	-	-	1	-	-	-	-	9	-
Clapham *H* - - - - S.	51,353	25	13	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	88,129	45	26	10	4	-	-	3	2	1	-	-	-	1	1	2	7	-
Wandsworth *WHHL* - - S.	68,409	28	10	3	1	-	2	-	-	1	-	-	-	-	-	2	-	-
Putney - - - - - S.	24,139	5	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Dulwich - - - - L. & S.	10,246	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	45	44	5	15	-	1	-	-	2	-	-	-	-	-	1	2	28	1
Peckham *WW* - S., L., & K.	93,022	48	19	4	5	-	-	-	-	1	-	1	-	-	1	2	1	-
St. George Camberwell - L. & S.	65,586	45	12	6	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Deptford North - - - K.	37,601	26	6	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *w* - - K.	45,621	35	11	1	3	-	-	2	-	-	-	-	-	-	1	1	2	-
Deptford South - - - K.	34,622	21	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H* - - K.	23,456	7	5	-	1	-	1	-	-	-	-	-	-	-	1	1	2	-
Greenwich East *WH* - - K.	43,849	25	12	3	2	-	1	-	-	-	-	1	-	-	-	-	5	-
Eltham *wH* - - - - K.	7,218	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	5	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Lewisham *WwwH* - - K.	58,341	37	16	6	1	-	-	3	2	1	-	-	-	-	1	1	9	-
Sydenham *H* - - - L.	43,630	21	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	21,121	14	5	2	1	-	-	2	-	-	-	-	-	-	-	-	2	-
Woolwich *HHHH* - - K.	41,607	24	9	5	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Plumstead West *H* - - K.	18,076	6	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *WH* - - K.	50,264	33	11	5	3	-	-	-	-	-	-	-	-	-	1	3	4	-
London County Asy., Banstead -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asy., Cane Hill -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
M.A.B. Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Hanwell	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Central London Sick Asy., Hendon	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asy., Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
M.A.B. North-Eastern Hospital -	—	-	4	1	-	-	-	3	1	-	-	-	-	-	-	-	4	-
M.A.B. Northern Hospital -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Met. Asy. for Imbeciles, Leavesden	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Asylum, Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th June, 1901.

Sub-Division of District.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1094	398	87	117	–	17	2	12	9	7	5	13	22	52	1
1	Carshalton *H*	12,228	32,997	13	5	1	1	–	–	–	–	–	–	–	–	–	1	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	7	7	–	3	–	–	–	–	–	1	–	1	1	2	–
1	Godstone, *part of** *W*	2,754	2,692	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Croydon *WWwHHH*	20,851	164,519	91	26	5	9	–	1	–	–	2	1	–	–	–	2	–
2	Mitcham *w*	11,689	29,906	10	5	3	1	–	–	–	–	–	–	1	–	–	–	–
1	Wimbledon *HHH*	3,221	41,604	23	2	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	6,224	42,067	22	6	–	5	–	–	–	–	–	–	–	–	–	2	–
3	Surbiton *HH*	3,046	15,019	10	2	–	–	–	–	–	2	–	–	–	–	–	2	–
4	Esher, *part of** *H*	5,402	13,003	5	2	1	–	–	–	–	–	–	–	–	1	1	1	–
5	Hampton *HL*	4,664	23,447	13	4	2	1	–	–	–	–	–	–	–	1	1	–	–
1	Richmond *WHH*	2,162	28,871	9	5	1	1	–	–	–	–	–	–	–	–	–	1	–
2	Mortlake *H*	2,847	20,628	11	6	–	2	–	–	–	–	–	–	–	1	2	–	–
1	Bromley *HHH*	9,124	29,638	10	7	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	6,743	27,661	11	7	2	3	–	–	–	–	–	1	–	–	–	1	–
3	Orpington, *part of** *W*	6,974	8,415	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Chislehurst *HH*	7,333	16,458	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
1	Bexley *HHH*	12,532	46,445	24	6	–	3	–	–	–	–	–	–	–	1	1	1	–
2	Dartford *WH*, *part of**	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
1	Sunbury *w*	11,054	18,682	7	2	–	1	–	–	–	–	–	–	–	–	–	–	1
2	Staines *WH*	13,277	15,179	8	3	–	3	–	–	–	–	–	–	–	–	–	1	–
1	Hillingdon *WHH*	6,035	13,661	8	6	1	2	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge	12,757	8,984	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	8,066	16,358	8	1	–	1	–	–	–	–	–	–	1	–	–	–	–
1	Isleworth *WHH*	6,859	30,838	22	13	2	5	–	–	–	1	1	–	–	–	–	5	–
2	Twickenham *HH*	2,421	20,991	10	4	–	2	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4,319	48,298	15	12	3	4	–	–	–	–	1	–	1	1	–	1	–
4	Chiswick	1,249	29,809	15	5	1	–	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wHH*	6,132	48,913	36	5	1	1	–	–	–	1	1	–	–	–	–	2	–
1	Harrow *HHH*	13,809	25,522	6	3	–	1	–	–	–	–	–	–	–	1	1	–	–
2	Edgware *HH*	6,994	4,520	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,384	114,815	57	19	3	7	–	–	–	–	2	–	–	–	–	1	–
4	Hendon *WH*	8,382	22,450	12	9	2	3	–	–	–	–	–	–	–	2	2	3	–
1	South Mimms *HH*	17,755	7,308	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	3,324	17,970	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4,688	33,692	19	3	–	1	–	–	–	–	–	–	–	–	–	–	–
1	Hornsey† *HH*	2,875	72,056	34	10	1	5	–	–	–	–	–	–	–	–	–	–	–
2	Tottenham *HHH*	4,638	136,702	77	26	6	6	–	1	–	2	–	1	1	1	2	3	–
3	Edmonton *Ww*	7,491	61,892	42	10	3	5	–	1	–	–	–	–	–	–	–	1	–
4	Enfield *WWHH*	12,601	42,738	28	10	1	2	–	–	1	–	–	–	–	1	1	3	–
5	Waltham Abbey	11,017	6,547	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12,288	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Hatfield, *part of** *W*	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Bushey *H*	9,333	9,173	3	2	–	1	–	–	–	–	–	–	–	1	1	–	–
2	Watford *WHH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Stratford *H*	1,072	44,825	25	16	4	4	–	5	–	–	–	–	–	–	–	1	–
2	Plaistow *HHH*	1,249	90,920	60	20	4	3	–	3	–	3	1	–	–	–	2	3	–
3	Canning Town *H*	1,556	70,666	49	19	7	3	–	1	–	–	1	1	1	–	2	2	–
4	Forest Gate *w*	806	60,897	27	8	4	2	–	–	–	–	–	–	–	–	–	–	–
5	East Ham *wHHH*	3,268	95,970	55	16	6	4	–	–	–	1	–	–	–	–	1	1	–
6	Wanstead	1,737	9,198	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*	631	50,458	31	19	4	5	–	1	–	–	–	1	–	–	2	6	–
8	North Leyton *WwH*	1,963	48,441	22	15	3	2	–	1	1	1	–	–	–	–	1	1	–
9	Walthamstow *HHHL*	6,504	108,931	68	21	8	6	–	2	–	–	–	–	–	1	2	2	–
1	Chigwell, *part of** *HHHH*	11,778	16,403	11	4	–	3	–	–	–	–	–	–	–	–	1	–	–
2	Epping *WH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Romford, *part of** *W*	6,556	6,089	6	3	1	–	–	–	–	–	–	–	–	–	–	2	–
2	Ilford *H*	8,496	41,240	20	7	3	1	–	1	–	1	–	–	–	–	–	–	–
3	Barking Town, *H*	3,603	21,547	15	4	2	1	–	–	–	–	–	–	–	–	–	–	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 15th June, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,417**	**6,604,287**	**12·5**	**1·5**	**1589**	**345**	**390**	-	**55**	**23**	**25**	**44**	**14**	**31**	**81**	**508**
INNER LONDON -	74,837	4,543,757	13·7	1·6	1191	258	273	-	38	21	13	35	7	26	68	456
OUTER RING -	368,580	2,060,530	10·1	1·3	398	87	117	-	17	2	12	9	7	5	13	52

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	317,561	June 15	157	105	17·2	-	2	1	1	9	-	5
GLASGOW - -	763,144	„ 15	482	262	17·9	-	9	1	-	16	3	9
DUBLIN† - -	375,076	„ 15	198	141	19·6	-	-	-	-	3	1	4
CALCUTTA - -	466,460	March 9	-	890	99·5	69	2	-	-	1	584‡	67§
BOMBAY - -	821,764	May 28	180	970	65·4	8	-	?	?	?	406‡	62§
MADRAS - -	452,518	„ 10	338	386	44·3	9	8	?	?	?	116	55§
		„ 17	310	404	46·4	13	6	?	?	?	138	68§
PARIS - - -	2,511,629	June 8	942	882	18·2	24	29	1	17*	8	4	27
BRUSSELS - -	570,844	„ 8	251	152	13·8	-	-	-	2*	1	3	13
AMSTERDAM -	523,822	„ 1	310	153	15·2	-	2	-	-	2	2	14
ROTTERDAM -	320,991	February 23	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	„ 23	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	June 8	271	133	18·3	-	5	-	-	5	2	5
STOCKHOLM -	301,050	„ 1	157	93	16·1	-	2	-	3*	-	-	3
CHRISTIANIA -	226,423	„ 8	122	53	12·2	-	-	-	-	-	-	-
ST. PETERSBURG	1,248.643	„ 1	503	553	23·1	5	12	11	17	3	10	60
MOSCOW - -	1,023,817	„ 1	-	531	27·0	5	8	5	8	3	-	83
BERLIN - -	1 891.431	May 25	877	546	15·1	-	9	7	7	11	-	53
HAMBURG - -	705,738	June 8	-	208	15·3	-	2	2	1*	1	-	16
DRESDEN - -	400,140	January 5	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	427,505	June 8	-	330	40·2	-	14	-	1	2	1	45
MUNICH - -	500,000	„ 8	-	216	22·5	-	5	-	-	3	1	33
VIENNA - -	1,691,996	„ 8	919	717	22·0	-	15	4	5*	-	-	98
PRAGUE - -	389,741	„ 1	211	174	23·2	-	2	3	2	-	1	1
BUDA-PESTH -	744,719	„ 1	420	273	19·1	-	14	8	1	1	-	11
TRIESTE - -	176,456	„ 8	-	-	-	-	-	-	-	-	-	-
ROME - - -	467,236	April 27	234	192	21·4	-	-	-	3	4	-	9
TURIN (10 days)-	344,203	January 10	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,378	June 8	-	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	April 15	395	365	33·3	1	-	-	6*	2	16	77
		„ 22	450	326	29·7	2	-	-	1*	1	16	54
ALEXANDRIA -	319,766	„ 15	222	213	34·6	4	-	-	-	-	3	58
		„ 22	245	189	30·7	5	2	-	2*	-	1	50
NEW YORK (including BROOKLYN)	3,536,517	May 18	1361	1261	18·6	13	7	59	39*	2	4	43
PHILADELPHIA -	1,293,697	„ 25	-	421	17·0	-	1	6	8	9	9	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 11 deaths from cholera in Calcutta, 3 in Bombay, and 2 and 4 respectively, in Madras.
‡ Including 503 deaths from plague in Calcutta, and 192 in Bombay

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	9	Last Qr. In Eqr.	29·711	79·7	44·3	35·4	64·3	+ 6·1	45·5	18·8	31·1	1·1	51	144·0	31·6	57·54	ESE., calm & SSW.	SSW. & SW.	1·2	0·0	0·1	153	−100	0·00	0·0
MONDAY -	10	..	29·803	70·9	51·7	19·2	60·1	+ 1·9	43·9	16·2	23·0	5·8	55	137·8	44·7	57·66	N. & NNW.	W. & WNW.	2·9	0·0	0·3	288	+ 34	0·00	0·0
TUESDAY -	11	..	29·829	69·1	47·5	21·6	58·0	− 0·4	41·1	16·9	24·7	5·2	54	135·0	40·5	58·00	WSW. & W.	WNW., NW. & W.	5·6	0·0	0·8	412	+158	0·00	0·0
WEDNESDAY	12	..	29·599	65·7	47·9	17·8	54·7	− 3·9	45·0	9·7	21·1	4·0	70	128·0	42·9	58·10	WSW. & W.	W., WSW. & NW.	4·8	0·0	0·4	332	+ 79	0·07	0·0
THURSDAY-	13	..	29·437	58·3	42·7	15·6	51·0	− 7·8	40·4	10·6	17·7	3·0	67	122·3	37·1	58·01	WNW. & W.	W. & WSW.	11·5	0·0	1·2	516	+264	0·01	0·0
FRIDAY -	14	Perigee.	29·579	65·9	48·5	17·4	55·8	− 3·1	42·6	13·2	23·9	1·7	61	137·3	41·5	57·70	WSW. & N.	N., NNE. & NE.	5·1	0·0	0·4	324	+ 74	0·02	0·0
SATURDAY-	15	..	29·849	63·9	46·1	17·8	53·9	− 5·1	41·6	12·3	21·4	4·4	63	128·4	35·9	57·49	N.	N., NNE. & SSW.	2·3	0·0	0·1	210	− 38	0·00	0·0
MEANS -	-		29·687	67·6	47·0	20·7	56·8	− 1·8	42·9	14·0	23·3	3·6	60	133·3	39·2	57·79	Variable		..	..	..	Sum 2235	Sum +471	Sum 0·10	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	9	m. P. till noon; w. P. till 7h. P.M.; v. P. and v. N. afterwards.	11·7	16·4
MONDAY -	10	v. P. generally.	12·6	16·5
TUESDAY -	11	m. P. till 9h. A.M.; v. P. afterwards.	13·0	16·5
WEDNESDAY	12	m. P. till 9h. A.M.; v. P. and v. N. afterwards.	1·7	16·5
THURSDAY-	13	s. P. till 9h. A.M.; v. P. generally afterwards.	6·0	16·5
FRIDAY -	14	s. N. till 1h. A.M.; w. P. generally till 6h. A.M.; s. P. afterwards.	9·1	16·5
SATURDAY-	15	s. P. till 8h. P.M.; m. P. generally afterwards.	9·6	16·5
			Sum 63·7	Sum 115·4
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Very fine and generally cloudless till afternoon. Cloudy afterwards, with a few drops of rain at times after 7h. P.M. Partial solar halo observed at 6h. P.M.

Cloudy till 4h. A.M.; very fine, with small amounts of cloud generally afterwards.

Fine and partially cloudy in morning; very fine, with small amounts of cloud, afterwards.

Very fine in early morning; generally overcast afterwards. Frequent slight rain after 2h. P.M.

Cloudy, with slight showers, till 2h. A.M.; very fine till 9h. A.M.; cloudy, with gusty wind and occasional slight showers, afterwards.

Cloudy, with light showers, in morning; fine, with variable amounts of cloud, afterwards.

Fine; partially cloudy.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·86 in. at the beginning of the week to 29·66 in. by 5h. P.M. on the 9th; increased to 29·85 in. by 9h. P.M. on the 11th; decreased to 29·39 in. by 3h. A.M. on the 14th; increased to 29·86 in. by 9h. P.M. on the 15th; and was 29·84 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th June, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	7	7	-	2	-	-	4	-
Kensington	176,787	-	12	5	-	1	-	-	2	-
Hammersmith	112,619	-	5	5	-	1	-	-	2	-
Fulham	138,426	-	15	9	-	1	-	-	3	-
Chelsea	73,879	-	-	-	-	2	-	-	3	-
City of Westminster	182,502	-	13	8	-	2	-	-	-	-
NORTH.										
St. Marylebone	133,060	-	8	5	-	-	-	-	7	-
Hampstead	82,287	-	8	2	-	-	-	-	-	-
St. Pancras	235,297	-	18	12	-	1	-	-	2	-
Islington	335,325	-	20	9	-	2	-	-	9	-
Stoke Newington	51,328	-	4	-	-	-	-	-	-	-
Hackney	219,780	-	26	27	-	2	-	-	3	-
CENTRAL.										
Holborn	59,205	-	4	5	-	-	-	-	-	-
Finsbury	101,263	-	11	6	-	1	-	-	5	-
City of London	26,627	-	4	3	-	2	-	-	1	-
EAST.										
Shoreditch	118,554	-	23	5	-	1	-	-	2	-
Bethnal Green	129,700	-	19	16	-	3	-	-	5	-
Stepney	298,884	-	30	12	-	1	-	-	3	-
Poplar	168,887	-	11	8	-	3	-	-	1	1
SOUTH.										
Southwark	206,219	-	27	6	-	1	-	-	3	-
Bermondsey	130,348	-	14	6	-	1	-	-	4	-
Lambeth	302,460	-	20	6	-	2	-	-	5	-
Battersea	169,364	-	7	6	-	3	-	-	4	-
Wandsworth	233,943	-	9	1	-	3	-	-	2	-
Camberwell	259,897	-	21	7	-	3	-	-	5	-
Deptford	110,732	-	5	9	-	-	-	-	2	-
Greenwich	96,188	-	6	3	-	1	-	-	1	-
Lewisham	128,423	-	13	4	-	1	-	-	-	-
Woolwich	117,619	-	8	3	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	-	368	195	-	40	-	-	78	1
Ages 0-1		-	8	5	-	-	-	-	4	-
" 1-5		-	115	73	-	1	-	-	2	-
" 5-		-	124	53	-	2	-	-	4	-
" 10-		-	47	31	-	4	-	-	2	-
" 15-		-	32	13	-	7	-	-	1	-
" 20-		-	21	6	-	6	-	-	4	-
" 25-		-	15	6	-	10	-	-	12	-
" 35-		-	6	6	-	4	-	-	10	1
" 45-		-	-	2	-	3	-	-	16	-
" 55-		-	-	-	-	3	-	-	14	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 25. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JUNE 22. [Price 1½*d*.

General Register Office, Somerset House,
June 24th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·0 per 1000 of their aggregate population, which is estimated* at 11,463,217 persons in the middle of this year. In the preceding three weeks the rates had been 16·3, 15·2, and 14·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended June 1.	June 8.	June 15.	June 22.	TOWNS.	Weeks ended June 1.	June 8.	June 15.	June 22.
33 Great Towns	16·3	15·2	14·5	15·0	Leicester - -	13·0	10·1	12·0	15·2
Birkenhead -	15·9	15·9	15·5	13·1	Liverpool - -	19·5	18·5	18·1	22·1
Birmingham -	17·9	17·4	15·3	16·8	London - - -	15·4	14·2	13·7	13·8
Blackburn -	19·2	12·7	13·5	18·0	Manchester - -	19·0	16·3	18·4	18·3
Bolton - -	17·3	18·5	18·5	13·3	Newcastle-on-Tyne	19·1	17·2	16·4	16·9
Bradford -	16·8	16·0	13·4	13·0	Norwich - -	11·6	19·1	12·1	10·7
Brighton -	9·3	12·2	13·1	8·0	Nottingham - -	17·4	19·7	12·1	14·5
Bristol - -	12·6	12·2	11·4	12·3	Oldham - -	20·9	19·4	17·8	15·2
Burnley -	17·7	12·9	11·8	13·4	Plymouth - -	13·5	15·5	13·0	16·9
Cardiff - -	16·7	12·6	9·5	14·5	Portsmouth - -	12·6	17·0	10·4	10·7
Croydon -	10·8	12·8	8·5	10·8	Preston - -	22·6	16·1	19·4	17·1
Derby - -	17·2	7·9	9·8	13·8	Salford - - -	15·3	16·9	17·2	16·0
Gateshead -	19·3	21·2	22·7	17·5	Sheffield - -	18·1	15·3	15·0	16·5
Halifax -	11·9	18·8	12·4	18·8	Sunderland - -	19·8	17·0	20·5	18·4
Huddersfield-	18·7	15·4	14·3	11·5	Swansea - -	14·9	18·7	22·6	12·1
Hull - -	22·5	14·5	13·6	16·9	West Ham - -	14·4	13·8	13·0	12·2
Leeds - -	14·3	13·9	14·9	16·2	Wolverhampton -	16·6	14·9	17·1	16·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in Hull, 1·6 in West Ham, and 2·5 in Bolton; from *whooping-cough*, 1·0 in Newcastle on Tyne, 1·1 in Sunderland, and 1·4 in Plymouth; and from *diarrhœal diseases*, 1·1 in Wolverhampton, 1·2 in Bolton, and 1·3 in Liverpool. In none of the thirty-three towns did the death-rate from *scarlet fever*, or from "*fever*" reach 1·0 per 1000. The 59 deaths from *diphtheria* included 18 in London, 5 in Sheffield, 4 in Salford, 4 in Halifax, 3 in West Ham, 3 in Leicester, 3 in Liverpool, 3 in Manchester, and 3 in Hull. One death from *small-pox* was registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2451 BIRTHS and 1204 DEATHS were registered. Allowing for increase of population, the births were 83, and the deaths 230, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·4, 14·2,

* The population estimates given in this Return are based on the provisional results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

and 13·7 in the preceding three weeks, rose again last week to 13·8. During the four weeks ended on Saturday last the death-rate averaged 14·3 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1204 deaths included 42 from measles, 13 from scarlet fever, 18 from diphtheria, 25 from whooping-cough, 2 from enteric fever, 25 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 125 deaths were referred to these diseases, being 86 below the corrected average weekly number.

The deaths from *measles*, which had been 48, 35, and 38 in the preceding three weeks, further rose last week to 42, but were 24 below the corrected average; 5 cases belonged to the Borough of Stepney, 5 to that of Poplar, 5 to that of Bermondsey, and 4 to that of Southwark. The deaths from *scarlet fever*, which had been 17, 17, and 21 in the preceding three weeks, fell again last week to 13, and were 2 below the corrected average; 3 cases belonged to Stepney and 2 to Southwark. The deaths from *diphtheria*, which had been 13, 15, and 13 in the preceding three weeks, rose again last week to 18, but were 19 below the corrected average. The deaths from *whooping-cough*, which had been 33, 32, and 35 in the preceding three weeks, fell again last week to 25, and were 12 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 6, and 7 in the preceding three weeks, fell last week to 2, the corrected average being 8. The deaths from *diarrhœal diseases*, which had been 15, 17, and 26 in the preceding three weeks, were 25 last week, the corrected average being 46. The deaths referred to diseases of the *respiratory organs*, which had been 240, 187, and 159 in the preceding three weeks, further fell last week to 150, and were 53 below the corrected average. The deaths attributed directly to *influenza* numbered 8, having been 10, 5, and 9 in the preceding three weeks.

Different forms of *violence* caused 55 deaths, concerning all but 2 of which inquests were held. Of these 55 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 40 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 5 to burns and scalds, and 7 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2,707 cases of scarlet fever, 1,138 of diphtheria, and 117 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 368 cases, against 317, 314, and 323; of diphtheria, 182 cases, against 140, 162, and 172; and of enteric fever, 30 cases, against 10, 16, and 29. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended June 15th.

Greater London.

In Greater London 3603 births and 1598 deaths were registered, correponding to annual rates of 28·4 and 12·6 per 1000 of the estimated population. In the Outer Ring 16 deaths from measles, 3 from scarlet fever, 10 from diphtheria, 6 from whooping-cough, 6 from "fever," and 7 from diarrhœal diseases were registered. Eleven deaths from measles, 4 from diphtheria, and 5 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 58°·0; the latter being 1°·7 below the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 16 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 36·4 hours; the measured rainfall amounted to 0·43 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature. Highest. (Fahrenheit.)	Temperature. Lowest. (Fahrenheit.)	Temperature. Mean. Fahrenheit.	Temperature. Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,217**	**6333**	**3301**	**763**	**818**	**1**	**101**	**37**	**59**	**68**	**13**	**77**	**138**	**280**	**799**	**33**	**15·0**	**1·6**	**79·0**	**36·2**	**54·9**	**12·72**	**0·66**	**1·68**	33 Towns.
London - -	4,543,757	2451	1204	283	304	-	42	13	18	25	2	25	55	126	419	5	13·8	1·4	79·0	42·8	58·0	14·44	0·43	1·09	London.
West Ham - -	268,868	165	63	12	11	-	8	-	3	2	3	1	1	5	10	-	12·2	3·3	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	79	28	4	15	-	-	-	1	-	-	-	-	3	7	-	10·8	0·4	77·8	38·5	56·2	13·44	0·44	1·12	Croydon.
Brighton - -	123,668	71	19	1	8	-	-	-	1	-	1	-	-	-	6	-	8·0	0·8	74·2	45·6	56·4	13·56	0·31	0·79	Brighton.
Portsmouth -	189,907	118	39	8	8	-	-	1	2	-	-	1	1	2	8	2	10·7	1·1	70·0	46·0	55·3	12·94	0·42	1·07	Portsmouth.
Plymouth - -	107,974	57	35	5	6	-	-	-	-	3	1	1	1	4	4	-	16·9	2·4	-	-	-	-	-	-	Plymouth.
Bristol - -	329,825	182	78	11	21	-	-	-	1	-	1	3	7	12	16	1	12·3	0·8	70·0	45·0	54·7	12·61	0·95	2·41	Bristol.
Cardiff - -	165,200	101	46	8	17	-	-	1	2	1	-	-	2	3	1	-	14·5	1·3	-	-	-	-	-	-	Cardiff.
Swansea - -	94,609	46	22	11	5	-	-	1	-	1	-	-	1	1	3	1	12·1	1·1	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	54	30	9	7	-	1	-	-	1	-	2	-	-	4	-	16·6	2·2	72·1	40·4	52·2	11·22	1·07	2·72	Wolverhampton.
Birmingham -	523,284	294	169	42	37	-	6	3	-	2	3	5	6	7	31	2	16·8	1·9	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	70	23	6	12	-	-	-	-	-	-	1	1	1	4	2	10·7	0·5	76·6	42·2	56·0	13·33	0·93	2·36	Norwich.
Leicester - -	212,498	122	62	15	17	-	-	-	3	1	-	1	4	4	14	-	15·2	1·2	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	110	67	23	22	-	4	1	-	2	-	1	1	2	10	1	14·5	1·7	71·0	36·2	53·9	12·17	0·61	1·55	Nottingham.
Derby - - -	106,076	54	28	9	5	-	-	-	-	-	-	-	2	2	3	-	13·8	-	-	-	-	-	-	-	Derby.
Birkenhead -	111,182	58	28	10	5	-	2	-	-	-	-	2	1	2	7	-	13·1	1·9	-	-	-	-	-	-	Birkenhead.
Liverpool	686,669	423	291	72	59	1	4	3	3	2	1	17	15	20	71	7	22·1	2·4	70·8	46·0	54·7	12·61	0·76	1·93	Liverpool.
Bolton - -	168,748	94	43	13	7	-	8	-	-	-	-	4	1	7	6	-	13·3	3·7	-	-	-	-	-	-	Bolton.
Manchester -	544,894	285	191	28	51	-	7	1	3	3	-	3	5	13	49	-	18·3	1·6	-	-	-	-	-	-	Manchester.
Salford - -	221,587	124	68	13	16	-	3	3	4	4	-	-	4	5	13	1	16·0	3·3	-	-	-	-	-	-	Salford.
Oldham - -	137,382	58	40	12	8	-	-	1	-	1	-	-	-	1	8	-	15·2	0·8	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	50	25	8	7	-	-	-	-	-	-	-	-	3	4	-	13·4	-	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	61	44	6	10	-	-	1	-	-	-	-	1	1	5	-	18·0	0·4	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	60	37	11	11	-	-	1	1	-	-	1	2	3	3	1	17·1	1·4	66·0	45·0	53·4	11·89	0·82	2·08	Preston.
Huddersfield -	94,998	40	21	5	7	-	-	-	-	-	-	1	2	2	2	-	11·5	0·5	70·2	39·5	54·0	12·22	0·64	1·63	Huddersfield.
Halifax - -	105,118	51	38	7	10	-	-	-	4	-	-	1	-	1	5	1	18·8	2·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	136	70	16	22	-	-	-	1	3	-	1	5	9	7	-	13·0	0·9	72·0	43·0	54·5	12·50	0·52	1·32	Bradford.
Leeds - - -	430,489	238	134	27	29	-	3	-	2	5	-	3	3	11	21	2	16·2	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	225	121	30	26	-	3	2	5	-	1	-	4	9	24	1	16·5	1·5	-	-	-	-	-	-	Sheffield.
Hull - - -	241,125	135	78	16	28	-	6	-	3	4	-	3	2	6	12	2	16·9	3·5	-	-	-	-	-	-	Hull.
Sunderland -	147,207	110	52	18	9	-	-	2	1	3	-	-	1	4	7	-	18·4	2·1	-	-	-	-	-	-	Sunderland
Gateshead - -	110,492	70	37	9	8	-	2	-	-	1	-	-	4	4	3	4	17·5	1·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,715	141	70	15	10	-	2	3	1	4	-	-	6	7	12	-	16·9	2·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2389	2654	2520	2334	2639	2511	2110	2385	2422	2464	2533·7	2451
Males	1228	1319	1291	1167	1369	1281	1083	1247	1223	1221	1289·1	1254
Females	1161	1335	1229	1167	1270	1230	1027	1138	1199	1243	1244·6	1197
TOTAL **Deaths**	1538	1415	1866	1330	1276	1371	1246	1257	1355	1171	1434·0	1204
Males	827	733	1015	684	638	694	624	654	739	644	752·2	649
Females	711	682	851	646	638	677	622	603	616	527	681·8	555

*The numbers in this column are the average weekly numbers in the twenty-fifth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.
TOTAL **Births**	2634	2538	2358	2835	2585	2562	2510	2602	2559	2148	2624	2406	2451
TOTAL **Deaths**	1645	1573	1633	1564	1552	1454	1386	1375	1363	1345	1236	1191	1204
Ages at Death: Under 1 year	349	325	325	300	323	306	269	281	259	289	232	258	283
1—5 years	220	223	256	184	217	178	169	185	197	183	156	152	144
5—20 ,,	85	70	91	77	85	91	77	56	80	66	72	78	72
20—40 ,,	207	195	200	209	200	180	198	192	178	180	189	177	154
40—60 ,,	313	301	307	325	284	327	293	291	270	275	278	253	247
60—80 ,,	375	380	363	377	347	299	299	298	301	277	256	218	250
80 years and upwards	96	79	91	92	96	73	81	72	78	75	53	55	54
Deaths from—													
Small pox	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	56	38	52	37	50	39	38	33	44	48	35	38	42
Scarlet Fever	8	8	8	3	6	9	17	14	18	17	17	21	13
Diphtheria	16	21	26	11	20	20	23	14	22	13	15	13	18
Whooping-cough	55	62	74	58	48	66	45	48	58	33	32	35	25
Typhus	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever	8	5	4	7	10	2	7	4	5	10	6	7	2
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	21	12	9	14	12	16	9	16	22	14	17	26	25
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–
All the above Diseases	164	146	173	130	146	152	140	129	169	136	123	140	125
Dis. of Respiratory System	363	360	345	374	286	251	237	249	191	240	187	159	150
Phthisis	165	168	139	158	153	143	161	128	139	131	140	122	113
Dis. of Circulatory System	157	133	161	137	132	136	133	123	128	116	121	122	103
Violence	64	64	89	51	79	72	65	72	65	60	69	68	55
Inquest Cases	136	157	207	137	150	149	145	148	150	122	150	136	126
Deaths in Public Institutions	523	522	530	514	534	483	512	449	482	476	420	456	419
TEMPERATURE OF THE AIR													
Mean	34°·2	44°·4	46°·2	47°·3	54°·7	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0
Mean of Highest readings	41·1	53·2	54·1	56·7	66·2	61·0	55·3	62·9	66·8	71·6	69·9	67·6	67·8
Mean of Lowest readings	28·4	36·1	41·0	38·2	43·3	39·0	41·2	41·4	44·8	49·0	48·6	47·0	50·1
Humidity of the Air	70	80	83	67	57	72	81	73	61	69	69	60	71
Rain-fall (in inches)	0·44	0·97	0·71	0·33	0·02	0·00	1·56	0·00	0·00	0·27	0·03	0·10	0·43
Registered Sunshine (in hours)	21·2	27·4	29·0	48·6	77·2	45·6	17·3	69·7	80·9	51·2	52·3	63·7	36·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	–	–	–	–	–	–	–	–	–	1	1	1	1
Scarlet Fever	1568	1572	1601	1526	1522	1705	1913	2052	2241	2351	2462	2594	2707
Diphtheria	1089	1073	1020	958	962	983	1038	1099	1087	1107	1092	1104	1138
Typhus	2	1	1	–	–	1	1	1	1	–	–	–	–
Enteric Fever	162	146	141	132	121	108	112	106	111	95	93	105	117

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIFTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Average for the 25th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 22nd June, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
. CAUSES - - -	1434·0	1204	283	144	72	154	247	250	54
all-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·8	-	-	-	-	-	-	-	-
No Statement	0·8	-	-	-	-	-	-	-	-
asles - - - -	65·6	42	8	33	1	-	-	-	-
rlet Fever - - -	15·2	13	-	7	5	1	-	-	-
phus - - - -	-	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	19·2	3	-	-	-	1	3	1	3
ooping-cough - -	37·2	25	15	9	1	-	-	-	-
htheria - -	36·6	18	3	8	7	-	-	-	-
ple Continued and -defined Fever -	0·6	-	-	-	-	-	-	-	-
eric Fever - - -	7·5	2	-	-	-	1	1	-	-
lera and Chol. Diarr.	1·2	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	45·6	25	24	1	-	-	-	-	-
nittent Fever - -	0·1	-	-	-	-	-	-	-	-
trophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	0·2	-	-	-	-	-	-	-	-
rpox and Effects of cination - -	0·2	-	-	-	-	-	-	-	-
ereal Affections - -	9·3	9	3	1	-	3	1	1	-
sipelas - - -	4·5	7	4	-	-	1	1	1	-
mia and Septicæmia	0·9	-	-	-	-	-	-	-	-
rperal Fever - -	3·7	1	-	-	-	1	-	-	-
er Zymotic Diseases	1·3	1	-	1	-	-	-	-	-
ash - - - -	0·7	-	-	-	-	-	-	-	-
ms and other Parasitical Diseases -	0·2	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	1·2	-	-	-	-	-	-	-	-
holism - - -	12·7	10	-	-	-	3	6	1	-
umatic Fever, eumatism of Heart	7·1	8	-	1	5	-	2	-	-
umatism - - -	1·2	-	-	-	-	-	-	-	-
t - - - - -	2·4	4	-	-	-	-	1	3	-
ets - - - -	5·8	4	3	1	-	-	-	-	-
cer - - - -	75·9	87	-	-	-	8	45	31	3
s Mesenterica - -	19·1	13	7	3	1	2	-	-	-
rcular Meningitis -	24·4	27	8	12	6	1	-	-	-
isis - - - -	146·2	113	2	2	10	47	41	10	1
ula. Tuberculosis -	20·3	21	1	7	4	4	4	1	-
r Constitutional seases - -	14·6	17	-	2	1	1	8	5	-
nature Birth - -	47·3	61	61	-	-	-	-	-	-
ectasis - - -	3·2	4	4	-	-	-	-	-	-
enital Malformations - - - -	7·3	7	7	-	-	-	-	-	-
Age - - - -	44·9	32	-	-	-	-	-	10	22
plexy - - -	39·5	50	-	-	-	2	13	29	6
epsy - - - -	7·5	11	-	-	1	5	2	3	-
ulsions - - -	39·7	36	32	3	-	-	1	-	-
r Diseases of Brain Nervous System	74·1	55	8	10	4	5	12	15	1
ses of Organs of ecial Sense -	2·4	4	-	1	2	-	-	1	-

CAUSES OF DEATH.	Corrected Averages for the 25th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 22nd June, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	119·0	103	-	1	7	17	28	44	6
Croup - - - -	2·3	-	-	-	-	-	-	-	-
Bronchitis - - -	82·5	58	11	6	-	1	9	26	5
Pneumonia - - -	94·7	72	18	24	-	6	14	10	-
Pleurisy - - - -	5·9	4	-	-	-	2	1	1	-
Other Diseases of Respiratory System -	17·6	16	4	2	-	-	2	7	1
Dentition - - - -	7·5	6	5	1	-	-	-	-	-
Quinsy, Sore Throat -	1·0	3	1	-	1	-	1	-	-
Enteritis - - -	18·7	12	3	-	3	1	2	3	-
Gastro-enteritis -		7	4	1	1	-	-	1	-
Peritonitis - - -	6·6	5	-	-	1	-	4	-	-
Diseases of Liver - -	22·2	16	2	-	-	1	8	5	-
Other Diseases of Digestive System	27·4	31	6	2	3	7	6	7	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	4	-	-	2	2	-	-	-
Diseases of Urinary System - - -	42·7	51	-	-	2	9	16	20	4
Diseases of Generative System - - -	5·7	5	-	-	-	1	2	1	1
Accidents of Childbirth -	5·2	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	5·5	4	-	-	1	2	1	-	-
Diseases of Integumentary System - -	6·6	7	1	-	-	2	1	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·1	1	-	-	-	-	1	-	-
By Vehicles or Horses -	7·1	9	-	2	1	-	3	3	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	-	-	-	-	-	-	-	-	-
In Building Operations -	0·8	2	-	-	-	1	1	-	-
In Conflagrations -	0·2	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·2	5	1	3	-	-	-	1	-
By Drowning - - -	8·5	3	-	-	-	2	1	-	-
By Suffocation in Bed -	8·8	7	7	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·6	2	-	-	-	2	-	-	-
Other or not stated causes - - -	20·7	11	4	-	1	3	-	3	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·5	2	-	-	-	2	-	-	-
Suicide - - - -	9·9	13	-	-	-	4	5	4	-
Execution - - -	0·5	-	-	-	-	-	-	-	-
OTHER CAUSES - -	47·9	27	26	-	1	-	-	-	-

he numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd June, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,536,063†	2451	1204	283	304	-	42	13	18	25	-	2	-	25	55	126	419	
WEST DISTRICTS - - -	805,275	349	181	35	52	-	1	1	2	6	-	1	-	2	9	19	75	
NORTH DISTRICTS - - -	1,056,018	554	259	61	69	-	5	3	8	7	-	1	-	6	7	25	76	
CENTRAL DISTRICTS - - -	209,432	99	79	20	14	-	4	-	1	2	-	-	-	2	10	13	35	
EAST DISTRICTS - - -	715,772	509	222	54	52	-	15	-	-	4	-	-	-	8	13	36	89	
SOUTH DISTRICTS - - -	1,749,566	940	441	113	113	-	17	8	6	6	-	-	-	7	16	33	122	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	22	-	4	-	-	1	1	-	-	-	-	-	-	-	22	
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	55	14	5	2	-	-	-	-	-	-	-	-	1	-	1	4	
St. John Paddington *H* - - G.	33,608	15	10	1	2	-	-	-	-	-	-	-	-	-	2	2	8	
North-West Paddington† - - C.	17,181	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town† *Ww* - W. & C.	128,025	62	45	7	20	-	-	-	-	2	-	1	-	-	1	4	22	
Brompton *HH* - - - W. & C.	48,598	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	1	
North Hammersmith *H* W. & G.	49,335	17	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
South Hammersmith *wH* W. & G.	62,910	31	12	3	2	-	-	-	-	1	-	-	-	-	-	2	4	
North-west Fulham *W* W. & C.	45,180	31	10	4	2	-	-	-	-	-	-	-	-	-	-	-	9	
North-east Fulham *w* W. & C.	46,404	19	12	8	-	-	-	1	1	2	-	-	-	-	-	1	2	
South Fulham W. & C.	45,705	18	6	1	1	-	-	-	-	-	-	-	-	1	-	-	-	
Chelsea North *WWHHHH* - C.	42,515	16	15	-	5	-	-	-	-	-	-	-	-	-	1	1	9	
Chelsea South *HH* - - C.	31,341	18	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	
May Fair and Knightsbridge† *H* C. & G.	28,744	4	6	-	2	-	-	-	-	-	-	-	-	-	-	2	-	
Belgrave *HHH* - - - C.	55,812	18	12	1	2	-	-	-	1	-	-	-	-	-	4	4	9	
St. Margaret & St. John Westminster† *HHH* C.	43,665	14	14	-	6	-	-	-	-	-	-	-	-	-	1	2	4	
St. James Westminster *WH* N. & G.	21,595	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho *HHHHH* - N.	11,492	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	12	14	1	4	-	-	-	1	-	-	-	-	-	1	1	6	
Rectory Marylebone *W* G. & W.	19,869	14	4	1	2	-	-	-	-	-	-	-	-	-	-	1	2	
St. Mary Marylebone *HHHH* G. & W.	18,099	24	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
Christchurch Marylebone *H* - W	39,541	26	8	3	1	-	-	-	-	-	-	-	-	1	-	-	-	
St. John Marylebone *HHH* - W	20,426	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Hampstead *WwHHHHH* - N. & W.	81,942	31	24	1	7	-	-	3	1	-	-	1	-	-	2	2	11	
Regent's Park *H* - W.	50,647	22	7	4	2	-	1	-	-	-	-	-	-	1	-	-	-	
Tottenham-court *wHHHHHH* - N. & W.	24,814	5	12	1	3	-	-	-	-	-	-	-	-	-	-	1	10	
Gray's Inn Lane *HHHH* - N.	30,886	14	9	4	1	-	-	-	-	-	-	-	-	1	-	2	5	
Somers Town *HH* - - - N.	30,131	22	12	3	-	-	2	-	-	2	-	-	-	-	-	-	3	
Camden Town *WH* - - N.	40,079	23	19	4	8	-	-	-	-	-	-	-	-	-	1	5	9	
Kentish Town *WW* - - N.	58,727	42	13	8	2	-	-	-	-	1	-	-	-	1	1	1	3	
Upper Holloway *WWWWwHH* - - N.	99,841	49	31	5	10	-	-	-	-	2	-	-	-	1	1	1	13	
Lower Holloway - - - N.	41,411	23	7	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Barnsbury - - - - N.	54,479	36	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Islington South-east *H* - N.	75,402	33	19	6	3	-	1	-	1	-	-	-	-	-	-	3	-	
Highbury *HH* - - - N.	63,795	22	12	3	6	-	-	-	-	-	-	-	-	-	-	1	-	
Stoke Newington† *H* - - N.	51,247	24	8	1	6	-	-	-	1	-	-	-	-	-	-	-	-	
North Hackney - E. & N.	50,570	25	6	1	1	-	-	-	-	-	-	-	-	1	-	1	-	
Central Hackney *ww* - E. & N.	50,535	27	13	4	-	-	-	-	4	-	-	-	-	-	-	-	4	
South-west Hackney *HHH* E. & N.	59,929	35	9	4	-	-	1	-	-	-	-	-	-	-	1	1	2	
South-east Hackney *WwH* E. & N.	58,254	36	18	3	9	-	-	-	-	1	-	-	-	-	-	2	7	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 22nd June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	22,495	13	7	3	-	-	1	-	-	-	-	-	-	-	-	-	2	-
St Giles North *H* - - - N.	8,959	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.	12,975	2	4	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-
Strand *WHH* - - - - N.	8,694	-	4	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WwHHHHH* - N.	29,579	15	11	4	-	-	2	-	-	-	-	-	-	1	-	-	8	-
St. James Clerkenwell - - N.	15,634	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell* - - - - - N.	32,691	18	4	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Roswell-street - - - - N.	15,390	8	5	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
City-road *HHHL* - - - N.	25,404	22	9	3	-	-	-	-	-	1	-	-	-	-	1	1	1	-
Finsbury - - - - - N.	9,972	4	4	1	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Holborn Union Workhouse, Mitcham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - N. & E.	11,036	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	7,886	2	22	2	4	-	-	-	1	-	-	-	-	-	5	6	18	-
All Hallows Barking - - - N.	8,717	-	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
City of London Asylum, Stone - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	5	8	4	1	-	1	-	-	-	-	-	-	-	1	3	1	-
Hoxton New Town *wH* - - N	29,761	23	11	4	1	-	2	-	-	-	-	-	-	1	3	3	4	-
Hoxton Old Town - - - N.	26,510	20	4	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Haggerston *W* - - N & E.	46,064	26	15	3	6	-	-	-	-	-	-	-	-	-	1	1	6	-
Bethnal Green North *HH* - E.	51,513	30	8	-	1	-	1	-	-	1	-	-	-	-	-	-	2	-
Bethnal Green South - - E	33,473	29	5	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Bethnal Green East *WWHl* - E.	44,695	25	9	3	1	-	-	-	-	-	-	-	-	-	-	1	5	-
Spitalfields - - - E. & N.	27,965	27	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.	28,711	28	38	6	5	-	-	-	-	-	-	-	-	2	3	6	35	-
Goodman's Fields - - - E.	22,082	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.	40,965	35	11	3	1	-	2	-	-	-	-	-	-	-	1	2	-	-
St. John *W* - - - E.	8,122	2	4	1	1	-	-	-	-	-	-	-	-	1	-	1	2	-
Shadwell *H* - - - E. & N.	10,760	5	8	1	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Ratcliff *W* - - - - E.	14,770	10	7	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Limehouse - - - - - E.	32,358	22	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* E.	59,467	53	7	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town East *WWw* - E.	53,348	37	11	-	6	-	-	-	-	-	-	-	-	-	-	1	6	-
Bow *l* - - - - - E.	41,990	37	8	2	3	-	1	-	-	-	-	-	-	-	-	1	1	-
Bromley *wwwH* - - - E.	68,326	46	44	9	13	-	5	-	-	3	-	-	-	1	1	7	23	-
Poplar *WW* - - - - E.	58,522	41	16	6	5	-	-	-	-	-	-	-	-	1	-	3	1	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Provisional).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	11	11	4	1	-	-	-	-	-	-	-	-	-	1	1	10	-
Kent-road - - - S. & L.	21,899	11	6	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Borough-road *WH* - S. & L.	16,882	5	6	2	-	-	-	-	-	-	-	-	-	-	-	1	5	-
London-road *HL* - L. & S.	22,209	11	9	3	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Trinity Newington *H* - S. & L.	28,485	23	9	4	1	-	2	-	-	-	-	-	-	-	-	1	-	-
St. Peter Walworth *W*- S. & L.	61,773	37	19	10	2	-	1	-	-	-	-	-	-	1	1	3	1	-
St. Mary Newington - L. & S.	31,592	23	7	4	2	-	-	-	-	-	-	-	-	-	-	1	-	1
St. Olave *W* - - - - S.	9,813	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W* - - - S.	82,405	50	24	5	5	-	5	-	-	-	-	-	-	-	-	-	1	-
Rotherhithe *Ww* - - S. & K.	38,268	16	16	2	6	-	-	-	-	-	-	-	-	-	-	-	8	1
Waterloo-road *HH* - L. & S.	27,435	14	7	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Lambeth Church 1st *HH* L. & S.	18,420	12	11	-	1	-	-	-	-	1	-	-	-	-	-	1	7	-
Lambeth Church 2nd *WW* L. & S.	39,818	29	14	4	5	-	-	-	-	1	-	-	-	1	2	3	10	-
Kennington 1st *H* - S. & L.	53,196	36	11	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	42,891	28	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	84,226	38	19	6	5	-	-	2	-	-	-	-	-	-	-	-	1	1
Norwood *WH* - - - L.	35,887	12	6	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
East Battersea - - - S.	72,201	45	10	5	1	-	1	-	-	-	-	-	-	1	-	-	-	-
North-west Battersea - - S.	49,650	29	11	7	1	-	2	-	-	-	-	-	-	1	-	-	-	-
South-west Battersea *WwH* - S.	47,045	18	16	2	6	-	-	-	-	-	-	-	-	-	-	1	10	-
Clapham *H* - - - - S.	51,353	20	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Streatham *WwwwwL* - - L.	88,129	38	12	3	3	-	-	-	2	1	-	-	-	-	-	-	3	-
Wandsworth *WHHL* - - S.	68,409	36	9	4	1	-	-	-	-	-	-	-	-	-	1	2	1	-
Putney - - - - - S.	24,139	9	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich - - - - L. & S.	10,246	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	58	35	2	14	-	-	-	-	-	-	-	-	-	-	4	23	-
Peckham *WW* - S., L., & K.	93,022	43	26	9	5	-	-	-	-	1	-	-	-	-	-	-	1	-
St. George Camberwell - L. & S.	65,586	45	17	5	5	-	-	-	-	-	-	-	-	2	-	2	-	-
Deptford North - - - K.	37,601	23	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,621	19	8	3	2	-	-	-	1	-	-	-	-	-	-	-	1	1
Deptford South - - - K.	34,622	19	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,456	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,849	29	21	2	5	-	1	-	-	-	-	-	-	-	2	2	12	-
Eltham *wH* - - - - K.	7,218	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	9	8	1	3	-	1	-	-	-	-	-	-	-	1	1	1	-
Lewisham *WwwH* - - K.	58,341	32	24	3	6	-	1	5	2	-	-	-	-	-	1	3	17	-
Sydenham *H* - - - L.	43,630	26	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	21,121	10	5	1	1	-	-	1	1	1	-	-	-	-	-	-	3	-
Woolwich *HHHH* - - K.	41,607	20	8	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead West *H* - - K.	18,076	9	4	1	1	-	-	-	-	-	-	-	-	-	2	1	-	-
Plumstead East *WH* - - K.	50,264	26	11	1	5	-	-	-	-	-	-	-	-	-	1	1	3	-
London County Asy., Banstead -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Met. Asy. for Imbeciles, Caterham	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asy., Cane Hill -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M.A.B. Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Hanwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
M.A.B. North-Eastern Hospital -	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asylum, Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 22nd June, 1901.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Provisional).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	ONDON—OUTER RING -	368,580	2,044,553	1152	394	85	110	-	16	3	10	6	6	7	11	33	68	1
1	Carshalton *H* - - -	12,228	32,997	18	4	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	5	10	-	4	-	1	-	-	-	-	-	-	-	8	-
1	Godstone, *part of** *W* -	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	164,519	87	35	4	17	-	-	-	1	-	-	-	-	4	9	-
2	Mitcham *w* - - -	11,689	29,906	19	3	2	-	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,221	41,604	26	7	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - - -	6,224	42,067	29	12	4	4	-	-	-	-	-	-	1	1	2	7	-
3	Surbiton *HH* - - -	3,046	15,019	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -	5,402	13,003	10	2	-	1	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,164	23,447	13	3	-	3	-	-	-	-	-	-	-	-	-	-	-
1	Richmond *WHH* - -	2,162	28,871	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *H* - - -	2,847	20,628	18	4	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,124	29,638	7	7	-	1	-	-	-	-	-	1	-	-	-	1	-
2	Beckenham *H* - - -	6,543	27,661	14	2	-	1	-	-	-	1	-	-	-	-	-	-	-
3	Orpington, *part of** *W* -	6,974	8,415	5	5	1	2	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst *HH* - -	7,333	16,458	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bexley *HHH* - - -	12,532	46,445	35	12	5	2	-	-	-	-	-	-	-	-	1	-	-
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	18,682	9	3	1	1	-	-	-	-	-	-	-	-	-	-	1
2	Staines *WH* - - -	13,277	15,179	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Hillingdon *WHH* - -	6,035	13,661	3	10	-	7	-	-	-	-	-	-	-	-	-	6	-
2	Uxbridge - - - -	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
3	Hayes *wH* - - - -	8,066	16,358	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,859	30,838	18	6	-	1	-	-	1	-	-	-	-	-	1	1	-
2	Twickenham *HH* - -	2,421	20,991	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	25	17	3	9	-	1	-	-	1	-	-	2	2	-	-
4	Chiswick - - - -	1,249	29,809	14	6	-	1	-	-	-	1	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	25	6	2	-	-	-	-	-	-	-	-	1	1	-	-
1	Harrow *HHH* - - -	13,809	25,522	12	3	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Edgware *HH* - - -	6,994	4,520	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	72	15	5	1	-	-	-	1	1	-	1	1	1	2	-
4	Hendon *WH* - - -	8,382	22,450	17	5	1	2	-	-	-	-	-	-	-	-	1	5	-
1	South Mimms *HH* - -	17,755	7,308	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet *WHH* - - -	3,324	17,970	4	5	-	4	-	-	-	-	-	-	-	-	-	3	-
3	Finchley *HHH* - - -	4,688	33,692	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey† *HH* - - -	2,875	72,056	40	6	2	2	-	-	-	-	-	-	-	1	2	-	-
2	Tottenham *HHH* - -	4,638	136,702	84	26	7	6	-	-	-	1	-	-	1	2	4	2	-
3	Edmonton *Ww* - -	7,291	61,892	40	14	6	3	-	1	-	-	-	-	2	-	2	1	-
4	Enfield *WWHH* - -	12,601	42,738	19	11	3	6	-	-	-	-	-	-	-	-	1	-	-
5	Waltham Abbey - - -	11,017	6,547	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* - -	3,205	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,333	9,173	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,825	24	13	3	2	-	4	-	1	-	-	-	-	2	1	-
2	Plaistow *HHH* - - -	1,249	90,920	65	20	6	2	-	2	-	1	1	-	1	1	3	3	-
3	Canning Town *H* - -	1,556	70,666	38	15	1	2	-	1	-	1	1	2	-	-	-	-	-
4	Forest Gate *w* - - -	806	60,897	38	9	2	3	-	1	-	-	-	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,268	95,970	74	18	6	3	-	-	-	-	-	1	1	-	1	2	-
6	Wanstead - - - -	1,737	9,198	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	50,458	33	15	1	4	-	-	-	-	-	1	-	-	-	9	-
8	North Leyton *WwH* -	1,963	48,441	22	7	2	1	-	1	-	-	-	-	-	1	1	-	-
9	Walthamstow *HHHL* -	6,504	108,931	53	20	7	2	-	2	-	1	-	1	-	-	-	-	-
1	Chigwell, *part of** *HHHH*	11,778	16,403	7	2	-	-	-	-	1	-	-	-	-	-	-	1	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	6,089	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,466	41,240	17	6	2	-	-	-	-	-	2	-	-	-	1	-	-
3	Barking Town, *H* - -	3,803	21,547	21	7	3	-	-	2	-	-	-	-	-	-	-	-	-
	North-Western Fever Hosp., Hampstead.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Eastern Fever Hospital, Hackney.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the er Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, cepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: cepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.
See note on previous page.

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 22nd June, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901 (Provisional)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
Greater London	**443,417**	**6,604,287**	**12·6**	**1·4**	**1598**	**368**	**414**	**-**	**58**	**16**	**28**	**31**	**8**	**32**	**66**	**487**
Inner London -	74,837	4,543,757	13·8	1·4	1204	283	304	-	42	13	18	25	2	25	55	419
Outer Ring -	368,580	2,060,530	10·0	1·2	394	85	110	-	16	3	10	6	6	7	11	68

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
Edinburgh -	317,561	June 22	171	113	18·6	-	3	1	2	12	-	-
Glasgow - -	763,144	" 22	538	292	20·0	1	15	5	1	24	2	8
Dublin† - -	375,076	" 22	183	145	20·2	-	-	1	1	3	2	3
Calcutta - -	466,460	March 16	-	1189	132·9	114	2	-	-	1	864‡	74§
Bombay - -	821,764	June 4	219	894	60·3	3	2	?	?	?	348‡	48§
Madras - -	452,518	May 24	-	-	-	-	-	-	-	-	-	-
Paris - - -	2,511,629	June 15	1019	888	18·3	20	20	4	18*	4	3	38
Brussels - -	570,844	" 15	228	162	14·8	-	1	1	-	3	-	17
Amsterdam -	523,822	" 8	308	118	11·7	-	-	-	-	2	-	18
Rotterdam -	320,991	—	-	-	-	-	-	-	-	-	-	-
The Hague -	205,328	—	-	-	-	-	-	-	-	-	-	-
Copenhagen -	378,200	June 15	225	115	15·9	-	1	-	3	7	3	6
Stockholm -	301,050	" 8	156	102	17·6	-	1	4	7*	2	1	7
Christiania -	226,423	" 15	167	50	11·0	-	-	-	-	-	-	3
St. Petersburg	1,248,643	" 8	682	548	22·9	2	12	16	10	-	13	56
Moscow - -	1,023,817	" 8	-	612	31·2	4	9	10	12	-	1	115
Berlin - -	1,891,431	" 1	915	715	19·7	-	11	11	10	14	4	88
Hamburg - -	705,738	" 15	-	185	13·6	-	-	-	1*	1	1	7
Dresden - -	400,140	—	-	-	-	-	-	-	-	-	-	-
Breslau - -	427,505	June 15	-	217	26·5	-	9	-	-	3	-	34
Munich - -	500,000	" 15	-	213	22·2	-	2	-	-	-	-	42
Vienna - -	1,691,996	" 15	925	608	18·7	-	15	10	10*	-	1	65
Prague - -	389,741	" 8	229	193	25·8	-	5	1	2	4	-	6
Buda-Pesth -	744,719	" 8	443	284	19·8	-	6	6	1	3	-	22
Trieste - -	176,456	" 15	119	66	19·4	-	-	-	1*	1	-	9
Rome - - -	467,236	May 4	219	178	19·9	-	-	-	1	-	1	7
Turin (10 days) -	344,203	—	-	-	-	-	-	-	-	-	-	-
Venice - -	174,378	June 8	97	75	22·4	-	-	-	1*	-	-	8
Cairo - -	570,062	April 29	387	379	34·6	-	1	-	2*	-	20	99
Alexandria -	319,766	" 29	164	205	33·3	5	1	-	2*	-	7	49
New York (including Brooklyn)	3,536,517	May 25	1347	1208	17·8	13	10	32	40*	7	5	38
Philadelphia -	1,293,697	June 1	-	372	15·0	-	2	4	5	4	14	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 30 deaths from cholera in Calcutta, and 2 in Bombay,
‡ Including 733 deaths from plague in Calcutta, and 141 in Bombay.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	16	Gr. Dec. N. New.	29·842	61·5	48·8	12·7	56·1	− 2·9	42·3	13·8	16·9	6·3	60	131·8	35·9	57·32	N., NNW. & NW.	NNW., NW. & W.	2·5	0·0	0·2	238	− 7	0·01	0·0
MONDAY -	17	..	29·839	62·7	48·2	14·5	53·9	− 5·2	41·8	12·1	18·1	6·5	64	129·4	40·0	57·30	NW. & W.	WNW. & NW.	5·3	0·0	0·9	441	+199	0·00	3·0
TUESDAY -	18	..	29·891	63·4	45·4	18·0	52·8	− 6·4	39·8	13·0	22·4	4·8	61	137·0	34·3	57·26	WNW., NNW. & N.	N.	5·0	0·0	1·0	423	+183	0·00	0·0
WEDNESDAY	19	..	30·034	69·0	42·8	26·2	55·2	− 4·3	44·8	10·4	23·4	1·8	68	132·8	27·8	57·16	NNW., WSW. & S.	SSW. & SW.	2·3	0·0	0·1	196	− 42	0·07	1·0
THURSDAY -	20	..	29·953	64·0	50·2	13·8	56·8	− 3·1	55·5	1·3	6·8	0·0	95	110·2	49·0	57·06	S. & SSW.	SSW. & SW.	1·8	0·0	0·2	286	+ 49	0·00	3·0
FRIDAY -	21	..	29·886	79·0	58·7	20·3	66·4	+ 6·1	55·2	11·2	21·6	2·7	67	148·1	51·0	57·32	SW.	SW. & SSW.	1·0	0·0	0·1	205	− 32	0·00	0·0
SATURDAY -	22	In Equator	29·688	74·9	56·3	18·6	64·9	+ 4·2	58·7	6·2	14·5	1·3	80	141·0	53·5	57·70	SW. & ESE.	ESE., S. & SSW.	1·3	0·0	0·0	156	− 82	0·35	0·0
MEANS -	-		29·876	67·8	50·1	17·7	58·0	− 1·7	48·3	9·7	17·7	3·3	71	132·9	41·6	57·30	NW. & SW.		..	..	..	Sum 1945	Sum +268	Sum 0·43	1·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
JUNE.					
SUNDAY -	16	m. P. till 2h. P.M.; v. P. and v. N. till 5h. P.M.; v. P. afterwards.	3·5	16·5	Fine, with large amounts of cloud prevalent generally. Occasional showers till afternoon.
MONDAY -	17	s. P. generally.	6·0	16·5	Very fine in early morning; fine and partially cloudy till 8h. P.M.; cloudless afterwards.
TUESDAY -	18	s. P. generally.	8·1	16·6	Overcast in morning; fine, with variable amounts of cloud, till evening; cloudless at night.
WEDNESDAY	19	s. P. till 10h. A.M.; w. P. generally afterwards.	5·9	16·6	Cloudless in morning; fine, with increasing amounts of cloud, till afternoon; overcast afterwards, with continuous rain between 6h. 30m. and 11h. P.M. Bright solar halo in afternoon.
THURSDAY -	20	w. P. generally till 10h. A.M.; m. P. afterwards.	0·0	16·6	Overcast. A few drops of rain at times.
FRIDAY -	21	w. P. generally till 5h. P.M.; m. P. afterwards.	6·4	16·6	Fine and partially cloudy. Solar halo observed at noon.
SATURDAY -	22	v. P. and v. N. till 9h. A.M.; m. P. generally afterwards.	6·5	16·6	Overcast in morning, with thunder shortly after midnight and continuous rain till 8h. A.M.; fine, with large amounts of cloud generally, afterwards.
			Sum 36·4	Sum 116·0	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·84 in. at the beginning of the week to 29·90 in. by 11h. P.M. on the 16th; decreased to 29·78 in. by 2h. A.M. on the 18th; increased to 30·06 in. by 8h. A.M. on the 19th; and decreased to 29·59 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th June, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Provisional).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	5	9	-	4	-	-	-	-
Kensington	176,787	-	9	2	-	-	1	-	2	-
Hammersmith	112,619	-	9	4	-	1	-	-	2	-
Fulham	138,426	-	12	7	-	1	-	-	1	-
Chelsea	73,879	-	8	2	-	-	-	-	1	-
City of Westminster	182,502	-	5	4	-	1	-	-	2	-
NORTH.										
St. Marylebone	133,060	-	8	9	-	3	-	-	3	-
Hampstead	82,287	-	1	3	-	2	-	-	1	-
St. Pancras	235,297	-	26	14	-	4	-	-	6	-
Islington	335,325	-	23	11	-	3	1	-	4	-
Stoke Newington	51,328	-	-	-	-	1	-	-	1	-
Hackney	219,780	-	20	15	-	2	-	-	3	-
CENTRAL.										
Holborn	59,205	-	8	2	-	-	-	-	-	-
Finsbury	101,263	-	10	4	-	-	-	-	1	-
City of London	26,627	-	5	2	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	25	10	-	4	-	-	1	-
Bethnal Green	129,700	-	16	14	-	1	-	-	3	-
Stepney	298,884	1	18	21	-	4	-	-	7	-
Poplar	168,837	-	11	13	-	4	-	-	3	-
SOUTH.										
Southwark	206,219	-	29	12	-	2	-	-	3	-
Bermondsey	130,348	-	17	5	-	-	-	-	1	-
Lambeth	302,460	-	17	8	-	5	-	-	4	-
Battersea	169,364	-	9	4	-	2	-	-	3	-
Wandsworth	233,943	-	11	12	-	1	-	-	5	-
Camberwell	259,897	-	29	17	-	1	-	-	8	-
Deptford	110,732	-	8	2	-	-	-	-	4	-
Greenwich	96,188	-	3	3	-	-	-	-	4	-
Lewisham	128,423	-	7	6	-	-	-	-	1	-
Woolwich	117,619	-	5	4	-	-	-	-	2	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,543,757**	**1**	**354**	**219**	**-**	**46**	**2**	**-**	**76**	**1**
Ages 0-1		-	4	2	-	-	-	-	3	-
" 1-5		1	117	76	-	2	-	-	3	-
" 5-		-	125	69	-	7	-	-	3	-
" 10-		-	56	29	-	6	1	-	5	-
" 15-		-	23	10	-	7	1	-	6	1
" 20-		-	14	13	-	5	-	-	3	-
" 25-		-	13	13	-	5	-	-	10	-
" 35-		-	2	7	-	5	-	-	9	-
" 45-		-	-	-	-	5	-	-	12	-
" 55-		-	-	-	-	3	-	-	12	-
" 65 and upwards		-	-	-	-	1	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 26. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JUNE 29. [Price 1½*d.*

General Register Office, Somerset House,
July 1*st*, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 15·2, 14·5, and 15·0. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	June 8.	June 15.	June 22.	June 29.		June 8.	June 15.	June 22.	June 29.
33 Great Towns	15·2	14·5	15·0	14·8	Leicester - -	10·1	12·0	15·2	9·8
Birkenhead -	15·9	15·5	13·1	15·5	Liverpool - -	18·5	18·1	22·1	20·2
Birmingham -	17·4	15·3	16·8	16·3	London - - -	14·2	13·7	13·8	13·9
Blackburn -	12·7	13·5	18·0	15·5	Manchester - -	16·3	18·4	18·3	17·5
Bolton - -	18·5	18·5	13·3	17·3	Newcastle-on-Tyne	17·2	16·4	16·9	19·1
Bradford -	16·0	13·4	13·0	15·1	Norwich - -	19·1	12·1	10·7	11·6
Brighton -	12·2	13·1	8·0	16·4	Nottingham - -	19·7	12·1	14·5	14·3
Bristol - -	12·2	11·4	12·3	10·1	Oldham - -	19·4	17·8	15·2	17·8
Burnley -	12·9	11·8	13·4	13·4	Plymouth - -	15·5	13·0	16·9	13·0
Cardiff - -	12·6	9·5	14·5	8·5	Portsmouth - -	17·0	10·4	10·7	14·3
Croydon -	12·8	8·5	10·8	9·3	Preston - -	16·1	19·4	17·1	21·7
Derby - -	7·9	9·8	13·8	12·8	Salford - - -	16·9	17·2	16·0	13·6
Gateshead -	21·2	22·7	17·5	14·2	Sheffield - -	15·3	15·0	16·5	17·5
Halifax -	18·8	12·4	18·8	11·9	Sunderland - -	17·0	20·5	18·4	15·9
Huddersfield-	15·4	14·3	11·5	13·7	Swansea - -	18·7	22·6	12·1	16·0
Hull - -	14·5	13·6	16·9	11·5	West Ham - -	13·8	13·0	12·2	15·1
Leeds - -	13·9	14·9	16·2	16·7	Wolverhampton -	14·9	17·1	16·6	11·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Birmingham, 1·1 in Wolverhampton, 1·4 in West Ham and in Gateshead, 1·7 in Hull, and 1·9 in Birkenhead ; from *scarlet fever*, 1·4 in Preston ; from *whooping-cough*, 1·1 in Wolverhampton, 2·2 in Swansea, and 2·8 in Bradford ; and from *diarrhœal diseases*, 1·0 in Liverpool and in Sheffield, 1·2 in Bolton, and 2·0 in Blackburn. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 53 deaths from *diphtheria* included 18 in London, 8 in Sheffield, 5 in Bristol, and 3 in Manchester. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2478 BIRTHS and 1210 DEATHS were registered. Allowing for increase of population, the births were 124, and the deaths 204, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·2, 13·7,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9462—670—7/1901 Wt 45 D & S 3 2 C

and 13·8 in the preceding three weeks, further rose last week to 13·9. During the four weeks ended on Saturday last the death-rate averaged 13·9 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1210 deaths included 1 from small-pox, 51 from measles, 12 from scarlet fever, 18 from diphtheria, 25 from whooping-cough, 4 from enteric fever, 23 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 134 deaths were referred to these diseases, being 98 below the corrected average weekly number.

The death from *small-pox* was that of a female aged 30 years, and occurred in the Borough of St. Marylebone. The deaths from *measles*, which had been 35, 38, and 42 in the preceding three weeks, further rose last week to 51, but were 10 below the corrected average; 13 cases belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 17, 21, and 13 in the preceding three weeks, were 12 last week, the corrected average being 18; 2 cases belonged to Finsbury, 2 to Shoreditch, and 2 to Southwark. The deaths from *diphtheria*, which had been 15, 13, and 18 in the preceding three weeks, were again 18 last week, the corrected average being 38; 3 cases belonged to St. Pancras. The deaths from *whooping-cough*, which had been 32, 35, and 25 in the preceding three weeks, were again 25 last week, the corrected average being 40. The fatal cases of *enteric fever*, which had been 6, 7, and 2 in the preceding three weeks, rose again last week to 4, but were 5 below the corrected average. The deaths from *diarrhœal diseases*, which had been 17, 26, and 25 in the preceding three weeks, further fell last week to 23, and were 40 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 187, 159, and 150 in the preceding three weeks, further fell last week to 141, and were 42 below the corrected average. The deaths attributed directly to *influenza* numbered 6, having been 5, 9, and 8 in the preceding three weeks.

Different forms of *violence* caused 42 deaths, concerning all but 2 of which inquests were held. Of these 42 deaths, 6 were cases of suicide, 2 of homicide, and 1 of wounds received in battle, while the remaining 33 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 2 to conflagrations, 5 others to burns and scalds, 4 to drowning, 2 to the effects of chloroform administered for surgical purposes, and 2 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 2821 of scarlet fever, 1176 of diphtheria, and 125 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 0, 1, and 0; of scarlet fever, 408 cases, against 314, 323, and 369; of diphtheria, 188 cases, against 162, 172, and 182; and of enteric fever, 24 cases, against 16, 29, and 30. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended June 22nd.

Greater London.

In Greater London 3557 births and 1619 deaths were registered, corresponding to annual rates of 28·1 and 12·8 per 1000 of the estimated population. In the Outer Ring 1 death from small-pox, 11 from measles, 2 from scarlet fever, 4 from diphtheria, 11 from whooping-cough, and 10 from diarrhœal diseases were registered. Nine deaths from measles occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·04 inches, and that of the Thermometer 61°·0; the latter being 0°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 69·5 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Estimated to the middle of the Year 1901* (Unrevised).	Births, 28th June 1901.	Deaths, 28th June 1901.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6377**	**3247**	**762**	**719**	**1**	**114**	**46**	**53**	**81**	**21**	**83**	**117**	**228**	**810**	**45**	**14·8**	**1·8**	**80·7**	**40·9**	**58·0**	**14·44**	**0·14**	**0·36**	**33 Towns.**
London - -	4,543,757	2478	1210	267	291	1	51	12	18	25	4	23	42	101	454	3	13·9	1·5	74·6	48·0	61·0	16·11	0·00	0·00	London.
West Ham - -	268,868	162	78	18	18	-	7	-	2	1	-	2	3	4	17	1	15·1	2·3	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	62	24	8	7	-	-	-	-	2	-	-	-	2	-	-	9·3	0·8	75·5	49·0	60·6	15·89	0·00	0·00	Croydon.
Brighton - -	123,668	70	39	5	12	-	-	-	-	2	-	-	1	1	2	1	16·4	0·8	80·2	49·4	60·9	16·06	0·44	1·12	Brighton.
Portsmouth -	189,907	77	52	10	7	-	3	-	-	-	2	3	2	4	10	-	14·3	2·2	80·0	49·0	60·2	15·67	0·70	1·78	Portsmouth.
Plymouth - -	107,974	70	27	3	9	-	-	-	-	-	-	1	3	3	2	-	13·0	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	185	64	10	20	-	1	1	5	3	1	-	2	6	20	-	10·1	1·7	80·7	44·0	57·9	14·39	0·16	0·41	Bristol.
Cardiff - -	165,308	107	27	6	4	-	-	-	-	-	-	1	2	3	1	-	8·5	0·3	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	58	29	14	3	-	-	-	-	4	-	-	1	1	3	-	16·0	2·2	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	45	20	7	4	-	2	1	-	2	1	-	-	1	4	-	11·0	3·3	77·9	40·9	55·2	12·89	0·04	0·10	Wolverhampton.
Birmingham -	523,284	317	164	38	33	-	10	2	1	2	2	5	5	7	37	3	16·3	2·2	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	47	25	5	5	-	-	-	2	-	-	-	3	5	3	-	11·6	0·9	71·0	43·6	56·5	13·61	0·05	0·13	Norwich.
Leicester - -	212,498	110	40	12	7	-	-	-	1	1	-	2	3	4	3	2	9·8	1·0	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	145	66	16	16	-	1	-	1	-	-	3	1	6	10	1	14·3	1·1	74·0	42·2	57·2	14·00	0·11	0·28	Nottingham.
Derby - - -	106,076	52	26	6	12	-	-	-	1	-	-	1	2	2	8	-	12·8	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	56	33	10	2	-	4	1	1	-	1	-	-	1	5	-	15·5	3·3	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	460	266	70	51	-	8	5	2	1	1	13	18	21	71	16	20·2	2·3	75·9	49·8	57·6	14·22	0·02	0·05	Liverpool.
Bolton - -	168,748	95	56	13	14	-	-	2	-	2	-	4	1	1	8	-	17·3	2·5	-	-	-	-	-	-	Bolton.
Manchester -	544,934	275	183	36	27	-	3	8	3	4	-	-	5	12	44	4	17·5	1·7	-	-	-	-	-	-	Manchester.
Salford - -	221,526	108	58	16	10	-	4	2	2	3	-	-	3	5	12	-	13·6	2·6	-	-	-	-	-	-	Salford.
Oldham - -	137,382	68	47	7	8	-	-	-	-	1	1	-	1	1	5	-	17·8	0·8	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	49	25	9	5	-	1	-	-	-	-	1	3	3	5	-	13·4	1·1	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	84	38	11	5	-	-	-	2	-	-	5	-	1	2	1	15·5	2·9	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	77	47	11	13	-	-	3	-	1	-	-	-	1	2	3	21·7	1·8	71·0	48·0	57·5	14·17	0·11	0·28	Preston.
Huddersfield -	94,998	44	25	6	10	-	-	-	-	-	-	-	1	1	-	-	13·7	-	75·0	46·8	56·8	13·78	0·02	0·05	Huddersfield.
Halifax - -	105,113	36	24	2	9	-	-	1	-	1	1	-	-	1	3	1	11·9	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	135	81	21	18	-	-	-	2	15	2	1	-	2	7	2	15·1	3·7	75·2	43·0	56·8	13·78	0·15	0·38	Bradford.
Leeds - - -	430,489	232	138	36	33	-	7	-	-	4	3	6	5	13	14	2	16·7	2·4	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	223	128	36	22	-	-	3	8	4	-	7	4	5	20	1	17·5	3·0	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	144	53	8	15	-	8	1	-	1	-	1	2	4	9	1	11·5	2·4	71·0	41·0	56·2	13·50	0·00	0·00	Hull.
Sunderland -	146,937	114	45	15	9	-	-	1	2	1	2	1	-	2	10	2	15·9	2·5	-	-	-	-	-	-	Sunderland
Gateshead - -	110,492	77	30	9	5	-	3	1	-	-	-	1	1	1	4	1	14·2	2·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	115	79	21	15	-	1	2	-	1	-	2	3	3	15	-	19·1	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2458	2489	2469	2458	2488	2501	2821	2475	2441	2483	2601·7	2478
Males - -	1240	1272	1260	1226	1291	1283	1442	1200	1260	1257	1320·5	1283
Females - -	1218	1217	1209	1232	1197	1218	1379	1275	1181	1226	1281·2	1195
TOTAL **Deaths** -	1363	1377	1831	1282	1429	1370	1156	1256	1297	1273	1414·2	1210
Males - -	749	708	978	609	732	698	624	661	692	699	741·7	643
Females - -	614	669	853	673	697	672	532	595	605	574	672·5	567

*The numbers in this column are the average weekly numbers in the twenty-sixth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.
TOTAL **Births** - - -	2538	2358	2835	2585	2562	2510	2602	2559	2148	2624	2406	2451	2478
TOTAL **Deaths** - - -	1573	1633	1564	1552	1454	1386	1375	1363	1345	1236	1191	1204	1210
Ages at Death: Under 1 year - -	325	325	300	323	306	269	281	259	289	232	258	283	267
1—5 years - -	223	256	184	217	178	169	185	197	183	156	152	144	154
5—20 ,, - -	70	91	77	85	91	77	56	80	66	72	78	72	58
20—40 ,, - -	195	200	209	200	180	198	192	178	180	189	177	154	176
40—60 ,, - -	301	307	325	284	327	293	291	270	275	278	253	247	264
60—80 ,, - -	380	363	377	347	299	299	298	301	277	256	218	250	235
80 years and upwards	79	91	92	96	73	81	72	78	75	53	55	54	56
Deaths from—													
Small pox - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	1
Measles - - - - -	38	52	37	50	39	38	33	44	48	35	38	42	51
Scarlet Fever - - -	8	8	3	6	9	17	14	18	17	17	21	13	12
Diphtheria - - - -	21	26	11	20	20	23	14	22	13	15	13	18	18
Whooping-cough - - -	62	74	58	48	66	45	48	58	33	32	35	25	25
Typhus - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever - - -	5	4	7	10	2	7	4	5	10	6	7	2	4
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	12	9	14	12	16	9	16	22	14	17	26	25	23
Cholera - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
All the above Diseases -	146	173	130	146	152	140	129	169	136	123	140	125	134
Dis. of Respiratory System -	360	345	374	286	251	237	249	191	240	187	159	150	141
Phthisis - - - - -	168	139	158	153	143	161	128	139	131	140	122	113	138
Dis. of Circulatory System -	133	161	137	132	136	133	123	128	116	121	122	103	109
Violence - - - -	64	89	51	79	72	65	72	65	60	69	68	55	42
Inquest Cases - - - -	157	207	137	150	149	145	148	150	122	150	136	126	101
Deaths in Public Institutions -	522	530	514	534	483	512	449	482	476	420	456	419	454
TEMPERATURE OF THE AIR													
Mean - - - - - -	44·4°	46·2°	47·3°	54·7°	49·3°	47·1°	51·7°	56·3°	60·0°	58·8°	56·8°	58·0°	61·0°
Mean of Highest readings -	53·2	54·1	56·7	66·2	61·0	55·3	62·9	66·8	71·6	69·9	67·6	67·8	71·8
Mean of Lowest readings -	36·1	41·0	38·2	43·3	39·0	41·2	41·4	44·8	49·0	48·6	47·0	50·1	50·9
Humidity of the Air - -	80	83	67	57	72	81	73	61	69	69	60	71	63
Rain-fall (in inches) - -	0·97	0·71	0·33	0·02	0·00	1·56	0·00	0·00	0·27	0·03	0·10	0·43	0·00
Registered Sunshine (in hours)	27·4	29·0	48·6	77·2	45·6	17·3	69·7	80·9	51·2	52·3	63·7	36·4	69·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	-	-	-	-	-	-	-	1	1	1	1	5
Scarlet Fever - - - -	1572	1601	1526	1522	1705	1913	2052	2241	2351	2462	2594	2708	2821
Diphtheria - - - -	1073	1020	958	962	983	1038	1099	1087	1107	1092	1104	1138	1176
Typhus - - - - -	1	1	-	-	1	1	1	1	-	-	-	-	—
Enteric Fever - - - -	146	141	132	121	108	112	106	111	95	93	105	117	125

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley. Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SIXTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 26th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 29th June, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1414·2	1210	267	154	58	176	264	235	56
ll- Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·6	-	-	-	-	-	-	-	-
No Statement	0·2	1	-	-	-	1	-	-	-
es - - - - -	61·4	51	14	36	1	-	-	-	-
t Fever - - -	17·5	12	-	8	4	-	-	-	-
us - - - - -	-	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	11·4	6	-	1	-	1	1	3	-
ping-cough - -	39·7	25	13	12	-	-	-	-	-
neria - -	38·0	18	-	12	6	-	-	-	-
e Continued and efined Fever -	0·9	-	-	-	-	-	-	-	-
ic Fever - - -	9·1	4	-	-	-	3	1	-	-
ea and Chol. Diarr.	1·9	-	-	-	-	-	-	-	-
hœa, Dysentery -	62·8	23	17	5	-	-	-	-	1
tent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
ers - - - - -	-	-	-	-	-	-	-	-	-
ox and Effects ofination - -	0·2	-	-	-	-	-	-	-	-
eal Affections - -	8·1	2	1	-	-	-	1	-	-
pelas - - -	2·8	-	-	-	-	-	-	-	-
ia and Septicæmia	1·8	2	-	-	-	-	1	1	-
eral Fever - -	3·2	6	-	-	-	6	-	-	-
Zymotic Diseases	1·2	2	1	-	-	-	1	-	-
n - - - - -	1·2	-	-	-	-	-	-	-	-
s and other Para- al Diseases -	0·3	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	1·7	-	-	-	-	-	-	-	-
lism - - -	11·7	5	-	-	-	-	4	1	-
atic Fever, matism of Heart	5·4	2	-	-	-	1	1	-	-
atism - - -	1·2	2	-	-	-	-	-	2	-
- - - - -	2·6	2	-	-	-	-	1	1	-
s - - - - -	5·2	2	2	-	-	-	-	-	-
- - - - -	70·9	96	-	-	-	12	45	35	4
Mesenterica - -	20·3	15	8	6	-	1	-	-	-
ular Meningitis -	21·9	24	8	12	1	2	1	-	-
is - - - - -	144·9	138	4	5	8	58	47	16	-
a, Tuberculosis -	19·8	12	4	2	1	5	-	-	-
Constitutional ses - -	13·3	16	-	-	1	6	5	4	-
ure Birth - -	47·1	44	44	-	-	-	-	-	-
asis - - -	4·5	9	9	-	-	-	-	-	-
ital Malforma- - - -	6·8	7	7	-	-	-	-	-	-
e - - - - -	39·5	46	-	-	-	-	-	20	26
xy - - - -	36·0	49	1	-	1	3	21	19	4
sy - - - -	7·2	8	-	-	2	1	5	-	-
sions - - -	34·6	22	22	-	-	-	-	-	-
Diseases of Brain ervous System	79·3	66	7	11	3	14	12	15	4
s of Organs of al Sense -	5·1	4	2	1	-	1	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 26th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 29th June, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	113·4	109	1	-	10	16	33	42	7
Croup - - - -	1·1	-	-	-	-	-	-	-	-
Bronchitis - - -	74·8	50	11	4	1	1	8	23	2
Pneumonia - - -	85·6	73	15	17	4	7	18	12	-
Pleurisy - - - -	5·9	2	-	-	-	-	1	1	-
Other Diseases of Respiratory System -	15·7	16	4	4	1	1	4	1	1
Dentition - - - -	9·3	6	1	5	-	-	-	-	-
Quinsy, Sore Throat -	1·3	3	-	2	-	1	-	-	-
Enteritis - - -	27·0	18	4	2	2	2	6	2	-
Gastro-enteritis -		4	3	-	-	-	-	1	-
Peritonitis - - -	5·8	5	-	-	2	1	2	-	-
Diseases of Liver - -	21·4	17	1	-	-	2	9	5	-
Other Diseases of Digestive System	28·7	34	9	-	1	7	5	10	2
Diseases of Lymphatic System & of Ductless Glands - -	2·4	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	41·9	44	-	-	2	6	20	12	4
Diseases of Generative System - - -	5·0	2	-	-	-	-	1	1	-
Accidents of Childbirth-	4·8	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	5·3	4	-	1	2	-	-	1	-
Diseases of Integumentary System- -	4·9	3	1	-	-	1	-	1	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	2·9	-	-	-	-	-	-	-	-
By Vehicles or Horses -	9·9	4	-	-	1	2	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·3	-	-	-	-	-	-	-	-
In Building Operations -	0·7	-	-	-	-	-	-	-	-
In Conflagrations -	0·4	2	-	-	-	-	1	1	-
By Burns, Scalds, Explosions - -	4·8	5	1	3	1	-	-	-	-
By Drowning - - -	8·6	4	-	-	-	1	3	-	-
By Suffocation in Bed -	9·0	2	2	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·8	3	-	1	2	-	-	-	-
Other or not stated causes - - - -	19·8	13	1	2	1	3	4	1	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Battle - - - -	-	1	-	-	-	1	-	-	-
Homicide - - -	1·2	2	1	-	-	1	-	-	-
Suicide - - - -	9·5	6	-	-	-	3	1	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	48·6	52	48	2	-	-	-	2	-

numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase lation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th June, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes.
LONDON - - -	4,536,063†	2478	1210	267	291	1	51	12	18	25	-	4	-	23	42	101	454	[illegible]
WEST DISTRICTS - - -	805,275	379	203	47	49	-	3	-	3	9	-	-	-	3	6	12	77	-
NORTH DISTRICTS - - -	1,056,018	517	258	49	81	1	6	4	4	4	-	-	-	5	7	15	82	-
CENTRAL DISTRICTS - - -	209,432	118	81	14	14	-	4	-	-	2	-	1	-	2	3	8	40	-
EAST DISTRICTS - - -	715,772	522	246	70	51	-	15	1	-	2	-	2	-	6	13	41	103	-
SOUTH DISTRICTS - - -	1,749,566	942	384	87	85	-	23	5	9	8	-	1	-	7	13	25	114	[illegible]
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	-	11	-	-	2	2	-	-	-	-	-	-	-	38	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	44	21	4	7	-	-	-	-	2	-	-	-	1	2	3	3	-
St. John Paddington *H* - - G.	33,608	7	8	1	2	-	-	-	-	-	-	-	-	-	-	-	5	-
North-West Paddington† - - C.	17,181	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	52	34	2	11	-	1	-	-	-	-	-	-	-	1	2	13	-
Brompton *HH* - - W. & C.	48,598	11	11	-	4	-	1	-	-	-	-	-	-	-	-	-	3	-
North Hammersmith *H* } W. & G	49,335	28	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *wH* } W. & G	62,910	33	11	4	4	-	-	-	-	2	-	-	-	-	1	3	-	-
North-west Fulham *W* } W. & C.	45,180	31	13	3	3	-	-	-	-	-	-	-	-	-	-	-	9	-
North-east Fulham *w* } W. & C.	46,404	22	11	3	3	-	-	-	3	-	-	-	-	-	-	-	3	-
South Fulham } W. & C.	45,705	29	9	7	-	-	-	-	-	1	-	-	-	2	-	1	-	-
Chelsea North *WWHHHH* - C.	42,515	16	35	5	8	-	-	-	-	1	-	-	-	-	1	1	28	-
Chelsea South *HH* - - C.	31,341	20	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
May Fair and Knightsbridge† *H* } C. & G.	28,744	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	23	12	3	2	-	-	-	-	-	-	-	-	-	1	2	4	-
St. Margaret & St. John Westminster† *HHH* } C.	43,665	21	16	4	2	-	-	-	-	2	-	-	-	-	-	-	8	-
St. James Westminster *WH* } N. & G.	21,595	13	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	11,492	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* - - W.	35,394	7	13	3	3	-	-	-	-	-	-	-	-	-	1	-	7	-
Rectory Marylebone *W* G. & W.	19,869	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	36	5	3	1	1	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone *H* - W	39,541	18	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W	20,426	8	9	2	2	-	-	-	-	1	-	-	-	-	-	-	2	-
Hampstead *WwHHHHH* - N. & W.	81,942	33	24	2	5	-	1	4	3	-	-	-	-	-	-	-	14	-
Regent's Park *H* - W.	50,647	26	8	2	3	-	-	-	-	1	-	-	-	-	-	2	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	11	18	3	2	-	1	-	-	-	-	-	-	2	-	-	13	-
Gray's Inn Lane *HHHH* - N.	30,886	20	9	4	3	-	-	-	-	-	-	-	-	1	-	1	4	-
Somers Town *HH* - - - N.	30,131	15	10	2	1	-	-	-	-	1	-	-	-	-	1	2	2	-
Camden Town *WH* - - N.	40,079	18	12	1	8	-	-	-	-	-	-	-	-	-	1	1	5	-
Kentish Town *WW* - - N.	58,727	25	12	4	3	-	1	-	-	-	-	-	-	-	-	1	5	-
Upper Holloway *WWWWwHH* - - N.	99,841	49	32	3	15	-	-	-	-	-	-	-	-	-	1	2	20	-
Lower Holloway - - - N.	41,411	20	9	3	2	-	1	-	-	1	-	-	-	-	1	1	-	-
Barnsbury - - - - N.	54,479	31	11	-	7	-	-	-	-	-	-	-	-	-	1	2	-	-
Islington South-east *H* - N.	75,402	43	15	4	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Highbury *HH* - - - N.	63,795	26	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington† *H* - - N.	51,247	23	8	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
North Hackney - E. & N.	50,570	19	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.	50,535	25	14	2	2	-	-	-	1	-	-	-	-	-	-	-	2	-
South-west Hackney *HHH* E. & N.	59,929	32	14	3	2	-	1	-	-	-	-	-	-	-	-	1	2	-
South-east Hackney *WwH* E. & N.	58,254	28	13	3	7	-	1	-	-	-	-	-	-	-	-	1	4	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 29th June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles outh *WH* - - - N.	22,495	11	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Giles North *H* - - - N.	8,959	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin-in-the-Fields *HH* N. & C.	12,975	5	5	1	-	-	-	-	-	-	-	-	-	-	1	1	4	-
and *WHH* - - - N.	8,694	6	9	1	1	-	1	-	-	1	-	-	-	1	-	-	7	-
and Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
born *WHHHHH* - - N.	29,579	13	14	4	1	-	-	-	-	-	-	-	-	-	-	1	9	-
James Clerkenwell - - N.	15,634	10	7	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-
well* - - - - - N.	32,691	19	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
well-street - - - - N.	15,390	4	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
r-road *HHHL* - - - N.	25,404	33	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
sbury - - - - - N.	9,972	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
porn Union Workhouse, Hitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - N. & E.	11,036	5	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
epulchre *WH* - - - N.	7,886	2	20	1	1	-	-	-	-	-	-	1	-	-	1	3	18	-
allows Barking - - - N.	8,717	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	16,370	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
on New Town *wH* - - N	29,761	13	13	3	3	-	-	-	-	-	-	-	-	-	-	-	8	-
on Old Town - - - N.	26,510	15	9	3	2	-	-	-	-	-	-	-	-	-	1	2	-	-
erston *W* - - N & E.	46,064	36	14	5	3	-	-	-	-	-	-	-	-	-	-	2	7	-
nalGreen North *HH* - E.	51,513	38	16	7	1	-	-	-	-	-	-	-	-	-	1	1	4	-
nalGreen South - - E	33,473	15	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nalGreen East *WWHl* - E.	44,695	35	16	3	6	-	-	-	-	-	-	-	1	-	-	-	11	-
dfields - - - E. & N.	27,965	14	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town *WH* - E.	28,711	31	49	8	7	-	2	-	-	-	-	2	-	1	7	12	42	-
man's Fields - - - E.	22,082	20	5	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	40,965	48	10	4	1	-	2	-	-	-	-	-	-	-	-	3	-	-
hn *W* - - - E.	8,122	10	4	-	1	-	1	-	-	-	-	-	-	-	-	1	2	-
well *H* - - - E. & N.	10,760	4	11	4	-	-	2	-	-	-	-	-	-	2	-	-	9	-
iff *W* - - - - E.	14,770	7	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
house - - - - E.	32,358	17	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town West *H* E.	59,467	51	6	3	1	-	-	-	-	-	-	-	-	-	-	3	-	-
End Old Town East *Tw* - E.	53,348	30	27	6	14	-	3	1	-	-	-	-	-	1	1	1	6	-
l - - - - E.	41,990	36	11	5	1	-	1	-	-	-	-	-	-	1	-	2	-	-
ey *wwwH* - - - E.	68,326	46	26	7	4	-	2	-	-	2	-	-	-	-	3	8	12	-
r *WW* - - - - E.	58,522	45	11	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 29th June, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Saviour Southwark - - S.	12,056	7	10	1	1	-	-	-	-	-	-	-	-	-	-	1	8	-
Kent-road - - - S. & L.	21,899	15	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L	16,882	11	9	4	1	-	-	-	-	2	-	-	-	1	-	1	3	-
London-road *HL* - L. & S.	22,209	10	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Trinity Newington *H* - S. & L.	28,485	16	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	44	9	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-
St. Mary Newington - L. & S.	31,592	16	4	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1
St. Olave *W* - - - - S.	9,813	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W* - - - S.	82,405	35	15	2	3	-	3	-	-	-	-	-	-	-	-	1	-	-
Rotherhithe *Ww* - - S. & K.	38,268	14	10	2	-	-	-	-	1	-	-	-	-	-	-	1	4	-
Waterloo-road *HH* - L. & S.	27,435	37	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *HH* L. & S.	18,420	13	16	4	5	-	-	-	-	-	-	-	-	1	-	-	11	-
Lambeth Church 2nd *WW* L. & S.	39,818	30	19	1	9	-	-	-	-	-	-	-	-	-	-	-	12	-
Kennington 1st *H* - S. & L.	53,196	39	11	2	4	-	1	-	-	1	-	-	-	-	-	1	-	-
Kennington 2nd - - S. & L.	42,891	15	15	5	4	-	1	-	-	-	-	-	-	-	1	1	-	-
Brixton *w* - - - L. & S.	84,226	38	14	3	3	-	-	-	-	-	-	-	-	1	1	2	-	-
Norwood *WH* - - - L.	35,887	12	6	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-
East Battersea - - - S.	72,201	37	11	2	1	-	1	-	-	-	-	-	-	1	3	3	-	-
North-west Battersea - - S.	49,650	32	7	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-
South-west Battersea *WwH* - S.	47,045	19	7	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Clapham *H* - - - S.	51,353	21	10	3	4	-	-	-	-	-	-	-	-	1	2	2	-	-
Streatham *WwwwwL* - - L.	88,129	44	19	2	5	-	-	2	2	-	-	-	-	-	-	1	8	1
Wandsworth *WHHL* - - S.	68,409	48	11	3	2	-	2	-	-	-	-	-	-	-	-	3	-	-
Putney - - - - - S.	24,139	14	6	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich - - - - L. & S.	10,246	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	42	42	1	12	-	1	-	-	-	-	-	-	-	-	-	34	-
Peckham *WW* - S., L., & K.	93,022	58	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1
St. George Camberwell - L. & S.	65,586	19	10	3	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	27,601	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,621	27	12	5	-	-	1	1	1	1	-	-	-	1	-	-	2	-
Deptford South - - - K.	34,622	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H* - - K.	23,456	7	4	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-
Greenwich East *WH* - - K.	43,849	25	12	3	1	-	4	-	-	-	-	-	-	1	-	-	4	-
Eltham *wH* - - - - K.	7,218	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Lee *H* - - - - - K.	25,489	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - K.	58,341	34	22	7	5	-	-	2	2	-	-	-	-	-	2	1	12	-
Sydenham *H* - - - L.	43,630	33	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	21,121	8	7	1	2	-	-	-	2	-	-	-	-	-	-	-	2	-
Woolwich *HHHH* - - K.	41,607	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	18,076	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	36	10	3	3	-	-	-	1	1	-	-	-	-	1	1	4	-
London County Asy., Banstead -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M.A.B. Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Dartford Heath - - - - -	—	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8	-
London County Asylum, Hanwell	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Central London Sick Asy., Hendon	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asy., Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M.A.B. North-Eastern Hospital -	—	-	4	-	-	-	-	2	2	-	-	-	-	-	-	-	4	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Asylum, Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

NOTE.—On 1st April the area of London was changed: part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 29th June, 1901.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON—OUTER RING -	368,580	2,044,553	1079	409	98	114	1	11	2	4	11	-	10	28	40	64	2
Carshalton *H* - - -	12,228	32,997	12	7	1	2	-	-	-	-	-	-	1	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	15,548	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** *W* -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	164,519	72	29	8	7	-	-	-	-	2	-	-	1	3	1	-
Mitcham *w* - - -	11,689	29,906	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,221	41,604	25	6	3	1	-	-	-	-	-	-	-	1	1	-	-
Kingston *WH* - - -	6,224	42,067	22	5	-	1	-	-	-	-	-	-	-	1	1	-	-
Surbiton *HH* - - -	3,046	15,019	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -	5,402	13,003	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,564	23,447	16	8	2	3	-	-	-	-	-	-	-	1	1	-	-
Richmond *WHH* - -	2,162	28,871	11	5	-	4	-	-	-	-	-	-	-	-	-	-	-
Mortlake *H* - - -	2,847	20,628	10	8	1	4	-	-	-	-	-	-	1	2	3	-	-
Bromley *HHH* - - -	9,124	29,638	13	4	1	2	-	-	-	-	-	-	-	1	1	1	-
Beckenham *H* - - -	6,543	27,661	9	6	3	2	-	-	-	-	-	-	-	-	-	-	1
Orpington, *part of** *W* -	6,974	8,415	4	4	-	2	-	-	-	-	-	-	-	1	1	3	-
Chislehurst *HH* - -	7,333	16,458	7	4	2	-	-	-	-	-	-	-	-	1	2	1	-
Bexley *HHH* - - -	12,532	46,445	24	10	2	4	-	1	-	-	1	-	-	2	4	1	-
Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	18,682	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	15,179	13	5	1	2	-	-	-	-	-	-	-	-	-	1	-
Hillingdon *WHH* - -	6,035	13,661	4	3	-	1	-	-	-	-	-	-	-	1	2	1	-
Uxbridge - - - -	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	8,066	16,358	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,859	30,838	25	18	3	7	-	-	-	-	1	-	1	-	-	11	-
Twickenham *HH* - -	2,421	20,991	8	5	-	2	-	-	-	-	-	-	-	-	-	2	-
Brentford *HHHH* - -	4,319	48,298	26	7	-	3	-	-	-	-	1	-	-	1	1	1	-
Chiswick - - - -	1,249	29,809	17	5	1	2	1	-	-	-	1	-	1	-	-	-	-
Acton *wHH* - - -	6,132	48,913	23	10	3	2	-	-	-	-	1	-	1	-	-	2	-
Harrow *HHH* - - -	13,809	25,522	9	5	2	-	-	-	-	-	-	-	-	1	1	-	-
Edgware *HH* - - -	6,994	4,520	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,384	114,815	72	21	7	3	-	-	-	-	-	-	-	4	4	2	-
Hendon *WH* - - -	8,382	22,450	18	9	1	5	-	-	-	-	-	-	-	1	2	5	-
South Mimms *HH* - -	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -	3,324	17,970	9	3	-	3	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH* - - -	4,688	33,692	14	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Hornsey† *HH* - - -	2,875	72,056	22	9	4	3	-	-	-	-	-	-	1	-	-	-	-
Tottenham *HHH* - -	4,638	136,702	73	26	7	8	-	-	-	-	-	-	-	1	4	3	-
Edmonton *Ww* - -	7,491	61,892	40	6	1	3	-	-	-	-	-	-	-	1	1	3	-
Enfield *WWHH* - -	12,601	42,738	22	4	-	2	-	-	-	-	-	-	-	1	1	-	-
Waltham Abbey - - -	11,017	6,547	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,479	12,288	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,333	9,173	4	4	-	1	-	-	-	-	-	-	-	1	1	-	-
Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	1,072	44,825	32	19	4	4	-	3	-	1	1	-	1	1	1	2	-
Plaistow *HHH* - - -	1,249	90,920	63	17	7	2	-	2	-	1	-	-	-	-	1	4	1
Canning Town *H* - -	1,556	70,666	48	18	5	4	-	2	-	-	-	-	-	2	2	-	-
Forest Gate *w* - - -	806	60,897	19	13	2	4	-	-	-	-	-	-	1	-	-	-	-
East Ham *wHHH* - -	3,268	95,970	64	16	6	4	-	-	-	1	-	-	1	-	-	-	-
Wanstead - - - -	1,737	9,198	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton *WW* - -	631	50,458	26	25	3	6	-	1	-	-	2	-	-	1	1	13	-
North Leyton *WwH* -	1,963	48,441	23	6	1	4	-	-	-	-	-	-	-	-	-	-	-
Walthamstow *HHHL* -	6,504	108,931	61	16	5	1	-	1	1	-	-	-	-	-	-	-	-
Chigwell, *part of** *HHHH*	11,778	16,403	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Epping *WH, part of** - -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Romford, *part of** *W* -	6,556	6,089	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Ilford *H* - - - -	8,496	41,240	27	7	3	1	-	-	-	-	1	-	-	-	-	-	-
Barking Town, *H* - -	3,803	21,547	16	6	4	-	-	1	-	-	-	-	-	1	1	-	-
Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the uter Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, cepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: xcepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses d Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

† See note on previous page.

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 29th June, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
Greater London	**443,417**	**6,604,287**	**12·8**	**1·4**	**1619**	**365**	**405**	**2**	**62**	**14**	**22**	**36**	**4**	**33**	**70**	**518**
Inner London -	74,837	4,543,757	13·9	1·5	1210	267	291	1	51	12	18	25	4	23	42	454
Outer Ring -	368,580	2,060,530	10·4	1·0	409	98	114	1	11	2	4	11	-	10	28	64

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
Edinburgh -	317,561	June 29	152	100	16·4	-	1	-	-	7	-	4
Glasgow - -	763,144	" 29	498	273	18·7	1	15	2	4	14	-	11
Dublin† - -	375,076	" 29	239	131	18·2	-	-	1	1	2	1	-
Calcutta - -	466,460	March 23	-	1284	143·6	93	6	-	-	1	1020‡	78§
Bombay - -	821,764	June 11	206	797	53·8	5	1	?	?	?	259‡	58§
Madras - -	452,518	May 24	312	429	49·3	9	5	?	?	?	161	75§
Paris - - -	2,511,629	June 22	1063	885	18·3	11	17	-	25*	9	3	40
Brussels - -	582,665	" 22	262	177	15·8	-	-	-	2*	2	2	20
Amsterdam -	523,822	" 15	278	139	13·8	-	-	-	1	1	1	14
Rotterdam -	320,991	—	-	-	-	-	-	-	-	-	-	-
The Hague -	205,328	—	-	-	-	-	-	-	-	-	-	-
Copenhagen -	378,200	June 22	208	123	17·0	-	1	1	-	8	1	9
Stockholm -	301,050	" 15	166	111	19·1	-	2	1	4*	2	-	18
Christiania -	226,423	" 22	121	58	13·3	-	-	-	-	-	-	3
St. Petersburg	1,248,643	" 15	564	545	22·8	1	6	13	15	-	19	92
Moscow - -	1,023,817	" 15	-	624	31·8	2	10	6	6	1	2	221
Berlin - -	1,891,431	" 8	942	692	19·1	-	15	8	13	16	1	96
Hamburg - -	705,738	" 22	-	183	13·5	1	-	1	2*	2	-	23
Dresden - -	400,140	—	-	-	-	-	-	-	-	-	-	-
Breslau - -	427,505	June 22	-	225	27·4	-	12	1	2	1	-	38
Munich - -	500,000	" 22	-	-	-	-	-	-	-	-	-	-
Vienna - -	1,691,996	" 22	1003	548	16·8	-	9	9	8*	1	-	46
Prague - -	389,741	" 15	219	169	22·5	-	-	-	-	2	5	3
Buda-Pesth -	744,719	" 15	469	257	17·8	1	7	7	5	3	-	23
Trieste - -	177,428	" 22	113	75	21·9	-	-	-	-	1	1	6
Rome - - -	467,236	May 11	196	155	17·3	-	-	-	1	1	2‖	9
Turin (10 days)-	344,203	—	-	-	-	-	-	-	-	-	-	-
Venice - -	174,378	June 15	78	47	14·1	-	-	-	-	-	2	4
Cairo - -	570,062	May 6	425	363	33·1	2	6	-	3*	1	23	92
		" 13	409	381	34·8	-	2	-	4*	2	12	93
Alexandria -	319,766	" 6	227	182	29·6	3	3	-	1*	-	5‡	46
		" 13	189	204	33·2	9	-	-	-	-	3	56
New York (including Brooklyn)	3,536,517	June 1	1422	1167	17·2	17	11	38	50*	4	2	42
Philadelphia -	1,293,697	" 8	-	410	16·5	1	2	5	11	7	12	-

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 29 deaths from cholera in Calcutta, 2 in Bombay, and 3 in Madras.
‡ Including 917 deaths from plague in Calcutta, 86 deaths in Bombay, and one death in Alexandria.
‖ Including one death from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	23	First Quarter.	29·711	69·9	53·1	16·8	60·2	− 0·8	49·1	11·1	18·9	6·4	67	128·8	48·0	58·20	SW.	WSW. & W	12·5	0·0	1·7	519	+280	0·00	0·3
MONDAY -	24	..	30·033	68·4	48·6	19·8	58·1	− 3·1	45·2	12·9	22·3	3·4	63	125·1	43·3	58·62	WSW., W. & NW.	NW., NNW. & N.	2·2	0·0	0·1	238	− 3	0·00	0·7
TUESDAY -	25	..	30·238	71·3	50·2	21·1	60·0	− 1·3	49·1	10·9	21·1	1·4	67	127·9	39·8	58·79	N. & NNW.	N., NE. & ESE.	1·1	0·0	0·0	168	− 75	0·00	0·0
WEDNESDAY	26	Apogee	30·199	73·6	48·0	25·6	61·4	0·0	48·3	13·1	23·0	2·5	62	125·5	36·8	58·83	ESE., calm & N.	N., NE. & E.	1·0	0·0	0·0	140	−106	0·00	0·0
THURSDAY-	27	..	30·113	71·9	51·3	20·6	61·3	− 0·1	48·2	13·1	24·0	2·2	62	143·2	38·0	58·90	E.	E. & ESE.	2·0	0·0	0·2	210	− 38	0·00	0·0
FRIDAY -	28	..	29·979	72·6	48·5	24·1	61·4	+ 0·1	50·9	10·5	21·4	1·0	68	145·8	38·0	59·10	E. & ENE.	E. & ENE.	3·0	0·0	0·4	275	+ 25	0·00	0·0
SATURDAY -	29	..	29·970	74·6	56·8	17·8	64·7	+ 3·5	48·1	16·6	26·5	3·2	55	142·0	49·4	59·41	ENE. & E.	E. & ENE.	5·2	0·0	1·0	409	+158	0·00	0·5
MEANS - -			30·035	71·8	50·9	20·8	61·0	− 0·2	48·4	12·6	22·5	2·9	63	134·0	41·9	58·84	Variable		..	..	..	Sum 1959	Sum +241	Sum 0·00	0·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. June.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	23	w. P. and v. N. till 2h. P.M.; w. P. generally afterwards.	8·3	16·6	Cloudy in morning; fine, with variable amounts of cloud, till evening; cloudless at night. Strong gusty wind prevalent between 4h. A.M. and 5h. P.M.
MONDAY -	24	w. P. till 3h. A.M.; m. P. till 10h. A.M.; s. P. generally afterwards.	4·3	16·6	Cloudless till 5h. A.M.; fine but cloudy afterwards. Distant thunder in forenoon.
TUESDAY -	25	s. P. generally till 6h. P.M.; w. P. afterwards.	8·4	16·6	Fine and partially cloudy till evening; cloudless but hazy at night.
WEDNESDAY	26	w. P. till 5h. A.M.; m. P. generally afterwards.	10·8	16·6	Fine, with dense haze and mist, in morning; very fine, with small amounts of cloud, till evening; cloudless at night.
THURSDAY-	27	w. P. till 6h. A.M.; m. P. generally afterwards.	14·3	16·5	Generally cloudless; a very fine day.
FRIDAY -	28	m. P. generally till 3h. P.M.; Loss of Register afterwards.	9·5	16·5	Very fine in morning; fine, with increasing amounts of cloud, till afternoon; cloudy afterwards. Solar halo observed in afternoon.
SATURDAY-	29	Loss of Register till 9h. A.M.; w. P. and w. N. till 1h. P.M.; w. P. afterwards.	13·9	16·5	Cloudy in early morning; very fine generally afterwards. Solar halo in afternoon. Lightning, with distant thunder, at night.
			Sum 69·5	Sum 115·9	
No. of Col. - -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·59 in. at the beginning of the week to 29·58 in. by 4h. A.M. on the 23rd; increased to 30·25 in. by 10h. P.M. on the 25th; and decreased to 29·96 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd June, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	13	4	-	3	-	-	2	-
Kensington	176,787	-	12	3	-	-	-	-	5	1
Hammersmith	112,619	-	5	4	-	2	-	-	2	-
Fulham	138,426	-	17	4	-	-	-	-	1	-
Chelsea	73,879	-	5	5	-	-	-	-	-	-
City of Westminster	182,502	-	5	4	-	3	-	-	3	-
NORTH.										
St. Marylebone	133,060	1	7	8	-	1	-	-	3	-
Hampstead	82,287	-	1	2	-	-	-	-	-	-
St. Pancras	235,297	-	23	16	-	3	-	-	10	-
Islington	335,325	-	23	13	1	5	-	-	4	2
Stoke Newington	51,328	-	2	3	-	-	-	-	1	-
Hackney	219,780	-	17	20	-	3	-	-	4	-
CENTRAL.										
Holborn	59,205	-	4	4	-	-	-	-	1	-
Finsbury	101,263	-	14	4	-	2	-	-	1	-
City of London	26,627	-	-	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	23	4	-	1	-	-	2	-
Bethnal Green	129,700	-	26	8	-	5	1	-	5	1
Stepney	298,884	-	26	13	-	2	-	-	2	-
Poplar	168,887	-	10	7	-	4	-	-	4	-
SOUTH.										
Southwark	206,219	-	40	10	-	2	-	-	3	-
Bermondsey	130,348	-	33	11	-	-	-	-	4	-
Lambeth	302,460	-	32	6	-	2	-	-	4	-
Battersea	169,364	-	15	6	-	2	-	-	2	-
Wandsworth	233,943	-	16	6	-	-	-	-	2	-
Camberwell	259,897	-	28	22	-	2	-	-	4	-
Deptford	110,732	-	11	13	-	-	-	-	2	-
Greenwich	96,188	-	4	4	-	-	-	-	2	-
Lewisham	128,423	-	3	5	-	1	-	-	1	-
Woolwich	117,619	-	3	7	-	1	1	-	1	1
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	1	418	217	1	44	2	-	76	5
Ages 0-1		-	3	3	-	-	-	-	2	-
" 1-5		-	117	87	-	1	-	-	3	-
" 5-		-	144	66	-	3	1	-	4	-
" 10-		-	84	25	-	6	1	-	4	-
" 15-		-	36	13	-	6	-	-	3	-
" 20-		-	17	11	-	12	-	-	6	-
" 25-		1	16	7	-	9	-	-	14	1
" 35-		-	1	4	1	2	-	-	13	4
" 45-		-	-	1	-	4	-	-	5	-
" 55-		-	-	-	-	1	-	-	9	-
" 65 and upwards		-	-	-	-	-	-	-	13	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 27. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JULY 6. [Price 1½*d.*

General Register Office, Somerset House,
July 8th, 1901.

CENSUS REPORT.

A Memorandum relating to the PRELIMINARY CENSUS REPORT will be found on page 356.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·1 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 15·0, and 14·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended June 15.	June 22.	June 29.	July 6.	TOWNS.	Weeks ended June 15.	June 22.	June 29.	July 6.
33 Great Towns	14·5	15·0	14·8	15·1	Leicester - -	12·0	15·2	9·8	9·3
Birkenhead -	15·5	13·1	15·5	20·2	Liverpool - -	18·1	22·1	20·2	21·9
Birmingham -	15·3	16·8	16·3	13·4	London - - -	13·7	13·8	13·9	14·4
Blackburn -	13·5	18·0	15·5	19·6	Manchester - -	18·4	18·3	17·5	15·1
Bolton - -	18·5	13·3	17·3	15·1	Newcastle-on-Tyne	16·4	16·9	19·1	18·9
Bradford -	13·4	13·0	15·1	14·9	Norwich - -	12·1	10·7	11·6	11·6
Brighton -	13·1	8·0	16·4	16·4	Nottingham - -	12·1	14·5	14·3	13·4
Bristol - -	11·4	12·3	10·1	12·6	Oldham - -	17·8	15·2	17·8	17·8
Burnley -	11·8	13·4	13·4	10·7	Plymouth - -	13·0	16·9	13·0	13·0
Cardiff - -	9·5	14·5	8·5	12·3	Portsmouth - -	10·4	10·7	14·3	15·4
Croydon -	8·5	10·8	9·3	12·8	Preston - -	19·4	17·1	21·7	14·3
Derby - -	9·8	13·8	12·8	11·3	Salford - - -	16·9	16·0	13·6	16·9
Gateshead -	22·7	17·5	14·2	19·3	Sheffield - -	15·0	16·5	17·5	14·3
Halifax -	12·4	18·8	11·9	12·9	Sunderland - -	20·5	18·4	15·9	19·1
Huddersfield-	14·3	11·5	13·7	12·6	Swansea - -	22·6	12·1	16·0	11·0
Hull - -	13·6	16·9	11·5	16·7	West Ham - -	13·0	12·2	15·1	13·6
Leeds - -	14·9	16·2	16·7	18·4	Wolverhampton -	17·1	16·6	11·0	17·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Wolverhampton, 1·4 in West Ham, and 2·8 in Birkenhead; from *scarlet fever*, 1·0 in Derby and 1·2 in Blackburn; from *whooping-cough*, 1·3 in Bradford; and from *diarrhœal diseases*, 1·0 in West Ham and in Sheffield, 1·1 in Nottingham and in Burnley, 1·2 in Bolton, 1·5 in Leeds, 2·2 in Portsmouth and in Liverpool, and 2·3 in Birkenhead. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 63 deaths from *diphtheria* included 27 in London, 7 in Leeds, 4 in Liverpool, 4 in Manchester, 3 in Salford, 3 in Leicester, and 3 in Bristol. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2413 BIRTHS and 1256 DEATHS were registered. Allowing for increase of population, the births were 152, and the deaths 198, below

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9515—670—7/1901 Wt 45 D & S 3 2 D

the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 13·7, 13·8, and 13·9 in the preceding three weeks, further rose last week to 14·4. During the four weeks ended on Saturday last the death-rate averaged 14·0 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1256 deaths included 49 from measles, 8 from scarlet fever, 27 from diphtheria, 22 from whooping-cough, 6 from enteric fever, 45 from diarrhœa and dysentery, 1 from infantile cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 158 deaths were referred to these diseases, being 93 below the corrected average weekly number.

The deaths from *measles*, which had been 38, 42, and 51 in the preceding three weeks, fell again last week to 49, and were 8 below the corrected average; 12 cases belonged to the Borough of Stepney, 6 to that of Battersea, and 5 to that of Wandsworth. The deaths from *scarlet fever*, which had been 21, 13, and 12 in the preceding three weeks, further fell last week to 8, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 13, 18, and 18 in the preceding three weeks, rose last week to 27, but were 11 below the corrected average; 5 cases belonged to Poplar, 3 to Islington, and 3 to Hackney. The deaths from *whooping-cough*, which had been 35, 25, and 25 in the preceding three weeks, fell last week to 22, and were 17 below the corrected average. The fatal cases of *enteric fever*, which had been 7, 2, and 4 in the preceding three weeks, further rose last week to 6, but were 2 below the corrected average. The deaths from *diarrhœal diseases*, which had been 26, 25, and 23 in the preceding three weeks, rose again last week to 46, but were 46 below the corrected average. Of the 46 deaths from diarrhœal diseases, 43 were of children under 5 years of age; 5 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 159, 150, and 141 in the preceding three weeks, rose again last week to 165, but were 10 below the corrected average. The deaths attributed directly to *influenza* numbered 4, having been 9, 8, and 6 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all but 2 of which inquests were held. Of these 59 deaths, 7 were cases of suicide, 2 of homicide, and 1 of wounds received in battle, while the remaining 49 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 3 to conflagrations, 5 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2895 of scarlet fever, 1195 of diphtheria, and 128 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 1, 0, and 4; of scarlet fever, 363 cases, against 323, 369, and 408; of diphtheria, 195 cases, against 172, 182, and 188; and of enteric fever, 18 cases, against 29, 30, and 24. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended June 29th.

Greater London.

In Greater London 3533 births and 1654 deaths were registered, corresponding to annual rates of 27·9 and 13·1 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 5 from scarlet fever, 6 from diphtheria, 14 from whooping-cough, 5 from "fever," and 10 from diarrhœal diseases were registered. Ten deaths from measles and 4 from "fever" occurred in West Ham district; 6 deaths from whooping-cough occurred in Brentford district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 64°·1; the latter being 2°·4 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 9 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 46·1 hours; the measured rainfall amounted to 1·05 inch.

Metropolitan Water Supply (see pp. 354–6).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Births, the Week ended 6th July 1901.	Deaths, the Week ended 6th July 1901.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Diphtheria.	Deaths from Whooping-cough.	Deaths from Fever.	Deaths from Diarrhœal Diseases.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	Per 1000, corresponding to the Week's Deaths. From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,463,026	6250	3325	839	750	-	95	37	63	62	17	157	130	268	823	28	15·1	2·0	84·0	48·0	61·1	16·17	0·77	1·96	33 Towns.
London - -	4,543,757	2413	1256	285	318	-	49	8	27	22	6	46	59	117	435	4	14·4	1·8	83·9	54·0	64·1	17·83	1·05	2·67	London.
West Ham - -	268,868	170	70	25	11	-	7	-	1	3	1	5	3	6	14	-	13·6	3·3	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	65	33	10	12	-	-	-	-	-	-	-	1	2	10	-	12·8	-	80·0	55·0	63·0	17·22	0·81	2·06	Croydon.
Brighton - -	123,668	50	39	10	12	-	-	-	-	1	-	1	1	2	7	1	16·4	0·8	76·4	54·6	63·1	17·28	1·17	2·97	Brighton.
Portsmouth -	189,907	116	56	16	10	-	1	-	2	-	1	8	6	8	9	-	15·4	3·3	76·5	55·5	62·8	17·11	1·75	4·44	Portsmouth.
Plymouth - -	107,974	60	27	2	9	-	-	-	-	1	-	-	1	2	3	-	13·0	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	181	80	18	23	-	-	-	3	1	1	1	6	13	19	-	12·6	0·9	79·0	53·0	61·8	16·56	0·74	1·88	Bristol.
Cardiff - -	165,308	101	39	7	6	-	-	2	1	1	-	-	2	6	5	-	12·3	1·3	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	53	20	4	4	-	-	-	-	1	-	-	2	2	2	1	11·0	0·6	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	54	31	11	8	-	2	-	-	-	-	-	1	3	6	-	17·1	1·1	-	-	-	-	-	-	Wolverhampton.
Birmingham -	523,284	312	134	24	20	-	5	3	1	1	1	6	10	11	32	1	13·4	1·7	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	84	25	6	10	-	-	-	-	-	-	-	-	1	5	-	11·6	-	81·0	48·0	60·0	15·56	0·97	2·46	Norwich.
Leicester - -	212,498	105	38	8	7	-	-	-	3	1	-	1	1	5	8	-	9·3	1·2	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	109	62	12	19	-	3	-	-	1	1	5	1	3	12	-	13·4	2·2	78·4	51·8	60·2	15·67	1·04	2·64	Nottingham.
Derby - - -	106,076	41	23	6	7	-	-	2	1	-	-	1	1	2	9	-	11·3	2·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	59	43	14	8	-	6	-	-	-	1	5	-	-	6	-	20·2	5·6	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	368	288	101	42	-	6	2	4	5	3	30	6	8	71	8	21·9	3·8	73·7	52·8	60·0	15·56	0·20	0·51	Liverpool.
Bolton - -	168,748	96	49	20	6	-	2	1	1	2	-	5	1	4	3	1	15·1	3·4	-	-	-	-	-	-	Bolton.
Manchester -	544,934	300	158	38	30	-	4	5	4	2	-	3	5	14	36	-	15·1	1·7	-	-	-	-	-	-	Manchester.
Salford - -	221,526	113	72	16	15	-	1	4	3	1	-	4	3	7	17	-	16·9	3·1	-	-	-	-	-	-	Salford.
Oldham - -	137,382	62	47	10	14	-	-	1	-	2	-	1	-	2	9	-	17·8	1·5	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	55	20	4	1	-	-	1	-	-	1	2	1	2	3	-	10·7	2·1	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	68	48	6	10	-	-	3	2	-	-	-	1	1	11	-	19·6	2·0	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	55	31	7	10	-	-	1	-	-	-	-	1	1	2	1	14·3	0·5	77·0	54·0	60·7	15·94	0·12	0·30	Preston.
Huddersfield -	94,998	43	23	4	8	-	-	1	-	-	-	1	2	2	2	1	12·6	1·1	79·8	48·0	59·0	15·00	0·44	1·12	Huddersfield.
Halifax - -	105,113	51	26	3	9	-	-	-	-	-	-	-	4	4	4	1	12·9	-	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	126	80	20	17	-	-	-	1	7	-	4	1	2	18	-	14·9	2·2	81·2	49·4	59·8	15·44	0·54	1·37	Bradford.
Leeds - - -	430,489	242	152	47	29	-	2	-	7	3	-	12	3	14	21	-	18·4	2·9	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	220	105	32	28	-	1	2	2	-	-	7	3	5	12	6	14·3	1·6	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	139	77	27	12	-	4	-	-	2	-	4	1	8	3	1	16·7	2·2	84·0	48·0	58·8	14·89	0·42	1·07	Hull.
Sunderland -	146,937	105	54	16	15	-	-	-	-	2	1	1	1	3	14	-	19·1	1·4	-	-	-	-	-	-	Sunderland
Gateshead - -	110,492	91	41	10	4	-	-	-	-	-	-	2	-	-	1	2	19·3	0·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	143	78	20	16	-	2	1	-	3	-	2	2	8	14	-	18·9	1·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	19
TOTAL **Births**	2453	2564	2220	2254	2651	2446	2689	2502	2484	2466	2565·0	24
Males - -	1209	1315	1096	1158	1342	1279	1401	1235	1247	1263	1301·2	12
Females - -	1244	1249	1124	1096	1309	1167	1288	1267	1237	1203	1263·8	11
TOTAL **Deaths** -	1352	1405	1847	1314	1519	1552	1293	1232	1310	1191	1453·7	12
Males - -	743	726	969	696	802	783	712	622	705	665	770·0	6
Females - -	609	679	878	618	717	769	581	610	605	526	683·7	6

* The numbers in this column are the average weekly numbers in the twenty-seventh week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	Ju
TOTAL **Births** - - -	2358	2835	2585	2562	2510	2602	2559	2148	2624	2406	2451	2478	24
TOTAL **Deaths** - - -	1633	1564	1552	1454	1386	1375	1363	1345	1236	1191	1204	1210	12
Ages at Death: Under 1 year - -	325	300	323	306	269	281	259	289	232	258	283	267	2
1—5 years - -	256	184	217	178	169	185	197	183	156	152	144	154	1
5—20 ,, - -	91	77	85	91	77	56	80	66	72	78	72	58	
20—40 ,, - -	200	209	200	180	198	192	178	180	189	177	154	176	1
40—60 ,, - -	307	325	284	327	293	291	270	275	278	253	247	264	2
60—80 ,, - -	363	377	347	299	299	298	301	277	256	218	250	235	2
80 years and upwards	91	92	96	73	81	72	78	75	53	55	54	56	
Deaths from—													
Small pox - - - -	-	-	-	-	1	-	-	-	-	-	-	1	
Measles - - - -	52	37	50	39	38	33	44	48	35	38	42	51	
Scarlet Fever - - -	8	3	6	9	17	14	18	17	17	21	13	12	
Diphtheria - - - -	26	11	20	20	23	14	22	13	15	13	18	18	
Whooping-cough - - -	74	58	48	66	45	48	58	33	32	35	25	25	
Typhus - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	
Enteric Fever - - -	4	7	10	2	7	4	5	10	6	7	2	4	
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa and Dysentery -	9	14	12	16	9	16	22	14	17	26	25	23	
Cholera - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	
All the above Diseases -	173	130	146	152	140	129	169	136	123	140	125	134	1
Dis. of Respiratory System -	345	374	286	251	237	249	191	240	187	159	150	141	1
Phthisis - - - - -	139	158	153	143	161	128	139	131	140	122	113	138	1
Dis. of Circulatory System -	161	137	132	136	133	123	128	116	121	122	103	109	1
Violence - - - -	89	51	79	72	65	72	65	60	69	68	55	42	
Inquest Cases - - - -	207	137	150	149	145	148	150	122	150	136	126	101	1
Deaths in Public Institutions -	530	514	534	483	512	449	482	476	420	456	419	454	4
TEMPERATURE OF THE AIR													
Mean - - - - -	46°·2	47°·3	54°·7	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0	61°·0	6
Mean of Highest readings -	54·1	56·7	66·2	61·0	55·3	62·9	66·8	71·6	69·9	67·6	67·8	71·8	7
Mean of Lowest readings -	41·0	38·2	43·3	39·0	41·2	41·4	44·8	49·0	48·6	47·0	50·1	50·9	5
Humidity of the Air - -	83	67	57	72	81	73	61	69	69	60	71	63	
Rain-fall (in inches) - -	0·71	0·33	0·02	0·00	1·56	0·00	0·00	0·27	0·03	0·10	0·43	0·00	1
Registered Sunshine (in hours)	29·0	48·6	77·2	45·6	17·3	69·7	80·9	51·2	52·3	63·7	36·4	69·5	4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	-	-	-	-	-	-	1	1	1	1	5	
Scarlet Fever - - - -	1601	1526	1522	1705	1913	2052	2241	2351	2462	2594	2708	2821	2
Diphtheria - - - -	1020	958	962	983	1038	1099	1087	1107	1092	1104	1138	1176	11
Typhus - - - - -	1	-	-	1	1	1	1	-	-	-	-	—	
Enteric Fever - - - -	141	132	121	108	112	106	111	95	93	105	117	125	1

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed the meteorological observations at the disposal of the Registrar-General, and the results have been compiled: J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley; Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.M.S. Soc., Hull.

E 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SEVENTH Week of the Year 1901.

OF DEATH.	Corrected Averages for the 27th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 6th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
S - - -	1453·7	1256	285	146	68	173	266	244	74
Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·5	-	-	-	-	-	-	-	-
No Statement	0·6	-	-	-	-	-	-	-	-
- - - -	56·8	49	14	35	-	-	-	-	-
ver - - -	16·4	8	-	3	4	1	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
Fever - -	-	-	-	-	-	-	-	-	-
- - - -	9·6	4	-	-	-	2	1	-	1
cough - -	38·6	22	9	13	-	-	-	-	-
- -	37·9	27	4	17	6	-	-	-	-
ntinued and d Fever -	0·1	-	-	-	-	-	-	-	-
ver - - -	7·7	6	-	-	1	4	-	1	-
d Chol. Diarr.	2·9	1	1	-	-	-	-	-	-
Dysentery -	89·2	45	40	2	-	-	-	1	2
Fever - -	-	-	-	-	-	-	-	-	-
oia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
nd Effects of on - -	0·3	-	-	-	-	-	-	-	-
ffections - -	7·4	4	1	-	-	-	2	1	-
- - -	2·6	2	-	-	-	1	1	-	-
d Septicæmia	1·6	2	1	-	-	-	-	1	-
Fever - -	3·9	2	-	-	-	2	-	-	-
otic Diseases	2·0	3	-	-	1	2	-	-	-
- - - -	1·0	-	-	-	-	-	-	-	-
other Parasseases -	0·2	-	-	-	-	-	-	-	-
Want of ilk - -	1·9	-	-	-	-	-	-	-	-
- - -	10·5	9	-	-	-	-	9	-	-
Fever, ism of Heart	5·7	7	1	-	2	4	-	-	-
m - - -	1·9	-	-	-	-	-	-	-	-
- - - -	1·8	3	-	-	-	-	-	3	-
- - - -	5·3	6	3	3	-	-	-	-	-
- - - -	78·1	83	-	-	-	7	32	37	7
nterica - -	21·2	13	3	5	2	1	2	-	-
Meningitis -	26·8	16	6	9	1	-	-	-	-
- - - -	139·6	133	2	3	5	59	59	5	-
uberculosis -	21·0	18	4	6	3	2	1	2	-
onstitutional - -	11·8	9	-	-	-	2	2	5	-
Birth - -	46·8	39	39	-	-	-	-	-	-
- - -	3·8	5	5	-	-	-	-	-	-
Malforma- - -	7·6	2	2	-	-	-	-	-	-
- - -	41·0	47	-	-	-	-	-	26	21
- - -	38·3	36	-	-	-	1	13	20	2
- - -	6·7	10	-	-	3	3	1	3	-
- - -	40·7	30	27	3	-	-	-	-	-
ses of Brain ous System	71·9	65	9	8	3	10	15	15	5
Organs of nse -	2·6	1	1	-	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 27th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 6th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	116·4	139	-	-	18	14	41	53	13
Croup - - - -	2·6	-	-	-	-	-	-	-	-
Bronchitis - - -	73·1	55	18	6	-	4	7	14	6
Pneumonia - - -	79·8	98	26	18	2	15	14	22	1
Pleurisy - - - -	4·6	4	-	-	-	4	-	-	-
Other Diseases of Respiratory System -	14·7	8	-	1	-	1	2	2	2
Dentition - - - -	8·8	7	3	4	-	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	-	-	-	1	-	-
Enteritis - - -	38·6	21	9	1	2	5	3	-	1
Gastro-enteritis -		5	4	1	-	-	-	-	-
Peritonitis - - -	5·9	3	-	-	-	2	-	-	1
Diseases of Liver - -	25·0	21	2	-	-	2	12	3	2
Other Diseases of Digestive System	35·7	43	13	4	7	1	7	10	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	40·5	36	-	-	1	5	13	12	5
Diseases of Generative System - - -	5·7	6	-	-	-	3	3	-	-
Accidents of Childbirth-	4·7	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	5·6	6	-	1	3	1	-	1	-
Diseases of Integumentary System- -	5·6	4	-	-	-	-	2	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·9	3	-	-	-	1	2	-	-
By Vehicles or Horses -	5·6	6	-	-	-	2	2	1	1
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·3	-	-	-	-	-	-	-	-
In Building Operations -	0·7	4	-	-	-	1	2	1	-
In Conflagrations -	0·3	3	-	-	-	1	2	-	-
By Burns, Scalds, Explosions - -	4·0	3	-	1	1	1	-	-	-
By Drowning - - -	8·8	5	-	1	2	-	2	-	-
By Suffocation in Bed -	7·5	7	7	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	3	-	-	-	1	1	1	-
Other or not stated causes - - - -	19·0	15	2	1	1	2	5	3	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Battle - - - -	0·1	1	-	-	-	1	-	-	-
Homicide - - -	1·3	2	-	-	-	1	1	-	-
Suicide - - - -	10·8	7	-	-	-	1	6	-	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	54·8	30	29	-	-	-	-	-	1

bers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase n.

se cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered . When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the th is not certified by a registered practitioner, the case is returned under the heading "no statement."

nce at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of rder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 6th July, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,536,063†	2413	1256	285	318	-	49	8	27	22	-	6	-	46	59	117	435
WEST DISTRICTS - - -	805,275	369	197	38	54	-	-	-	3	2	-	-	-	5	10	20	65
NORTH DISTRICTS - - -	1,056,018	514	277	63	68	-	5	-	7	6	-	2	-	13	12	24	97
CENTRAL DISTRICTS - - -	209,432	103	52	7	6	-	2	-	2	-	-	1	-	1	4	6	30
EAST DISTRICTS - - -	715,772	479	254	74	55	-	19	-	4	6	-	1	-	12	8	27	98
SOUTH DISTRICTS - - -	1,749,566	948	439	102	123	-	23	5	7	8	-	1	-	15	25	40	108
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	37	1	12	-	-	3	4	-	-	1	-	-	-	-	37
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	50	28	5	10	-	-	-	-	1	-	-	-	-	-	-	7
St. John Paddington *H* - - G.	33,608	10	16	1	3	-	-	-	-	-	-	-	-	-	2	2	13
North-West Paddington† - - C.	17,181	11	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	48	39	5	16	-	-	-	-	-	-	-	-	-	-	1	19
Brompton *HH* - - W. & C.	48,598	8	6	1	-	-	-	-	-	1	-	-	-	-	-	1	2
North Hammersmith *H* } W. & G	49,335	27	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *wH* } W. & G	62,910	31	18	2	5	-	-	-	-	-	-	-	-	-	5	6	5
North-west Fulham *W* } W. & C.	45,180	38	13	7	1	-	-	-	-	-	-	-	-	1	-	2	2
North-east Fulham *w* } W. & C.	46,404	26	7	1	-	-	-	-	1	-	-	-	-	-	1	2	1
South Fulham } W. & C.	45,705	27	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WWHHHH* - C.	42,515	18	5	2	-	-	-	-	-	-	-	-	-	1	-	1	2
Chelsea South *HH* - - C.	31,341	12	7	1	2	-	-	-	-	-	-	-	-	1	-	-	-
May Fair and Knightsbridge† *H* } C. & G.	28,744	6	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *HHH* - - - C.	55,812	24	12	-	4	-	-	-	1	-	-	-	-	-	1	2	4
St. Margaret & St. John Westminster† *HHH* } C.	43,665	20	13	-	4	-	-	-	-	-	-	-	-	-	1	-	9
St. James Westminster *WH* } N. & G.	21,595	10	8	5	2	-	-	-	-	-	-	-	-	2	-	1	1
St. Anne Soho *HHHHH* - N.	11,492	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	13	21	2	6	-	1	-	-	-	-	-	-	-	1	1	12
Rectory Marylebone *W* G. & W.	19,869	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* } G. & W.	18,099	29	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	39,541	16	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W	20,426	9	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Hampstead *WwHHHHH* } - N. & W.	81,942	27	16	1	5	-	-	-	1	1	-	1	-	-	-	-	5
Regent's Park *H* - W.	50,647	25	11	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Cottenham-court *wHHHHHH* } - N. & W.	24,814	14	18	5	2	-	1	-	1	-	-	-	-	-	-	-	15
Gray's Inn Lane *HHHH* - N.	30,886	8	8	2	1	-	-	-	-	-	-	-	-	1	-	-	3
Somers Town *HH* - - - N.	30,131	11	14	4	4	-	-	-	-	1	-	-	-	2	-	1	5
Camden Town *WH* - - N.	40,079	20	13	-	7	-	-	-	-	-	-	-	-	-	3	3	10
Kentish Town *WW* - - N.	58,727	38	16	3	5	-	-	-	-	-	-	-	-	2	1	1	3
Upper Holloway *WWWWwHH* } - - N.	99,841	47	41	6	10	-	1	-	1	-	-	1	-	1	2	3	24
Lower Holloway - - - N.	41,411	19	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury - - - - N	54,479	41	13	5	-	-	1	-	-	-	-	-	-	-	2	3	-
Islington South-east *H* - N.	75,402	42	14	5	5	-	-	-	-	-	-	-	-	-	1	1	-
Tighbury *HH* - - - N.	63,795	19	6	3	2	-	-	-	-	1	-	-	-	-	-	1	-
Stoke Newington† *H* - - N.	51,247	18	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - E. & N.	50,570	21	13	4	2	-	-	-	-	1	-	-	-	2	1	1	-
Central Hackney *ww* - E. & N.	50,535	30	12	3	1	-	-	-	4	-	-	-	-	-	-	1	4
South-west Hackney *HHH* E. & N.	59,929	31	14	5	2	-	-	-	-	1	-	-	-	1	-	-	5
South-east Hackney *WwH* E. & N.	58,254	30	21	10	5	-	1	-	-	-	-	-	-	3	1	6	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. l River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

LE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th July, 1901—*continued.*

EGISTRATION SUB-DISTRICTS,	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
msbury and St. Giles uth *WH* - - - N.	22,495	16	7	-	1	-	-	-	-	-	-	-	-	-	1	2	4	-
iles North *H* - - - N.	8,959	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin-in-the-Fields *HH* N. & C.	12,975	3	5	1	-	-	2	-	-	-	-	-	-	-	1	1	2	-
nd *WHH* - - - N.	8,694	4	6	-	-	-	-	-	1	-	-	1	-	-	-	1	5	-
nd Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born *WHHHHH* - - N.	29,579	9	8	5	-	-	-	-	-	-	-	-	-	1	-	-	5	-
ames Clerkenwell - - N.	15,634	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well* - - - - - N.	32,691	9	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
well-street - - - - N.	15,390	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *HHHL* - - - N.	25,404	27	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
bury - - - - - N.	9,972	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, tcham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *H* - - N. & E.	11,036	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre *WH* - - - N.	7,886	-	13	-	2	-	-	-	-	-	-	-	-	-	2	2	12	-
allows Barking - - - N.	8,717	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	16,370	7	5	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-
on New Town *wH* - - N	29,761	22	24	6	6	-	1	-	-	1	-	-	-	5	-	2	5	-
on Old Town - - - N.	26,510	12	8	4	1	-	1	-	-	-	-	-	-	-	1	1	-	-
erston *W* - - N & E.	46,064	26	17	5	3	-	-	-	-	-	-	-	-	1	-	2	8	-
nalGreen North *HH* - E.	51,513	28	11	3	2	-	-	-	-	-	-	-	-	-	-	3	4	-
nalGreen South - - E	33,473	24	7	4	1	-	1	-	1	-	-	-	-	-	-	1	-	-
nalGreen East *WWHl* - E.	44,695	24	23	5	11	-	-	-	-	-	-	1	-	1	1	2	14	-
lfields - - - E. & N.	27,965	12	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
End New Town *WH* - E.	28,711	34	32	8	4	-	-	-	1	-	-	-	-	-	4	5	29	-
man's Fields - - - E.	22,082	13	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
eorge's, North - - - E.	40,965	35	10	3	-	-	6	-	-	-	-	-	-	-	-	1	-	-
hn *W* - - - E.	8,122	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
well *H* - - - E. & N.	10,760	9	11	7	-	-	1	-	-	-	-	-	-	1	-	1	7	-
liff *W* - - - - E.	14,770	8	6	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
house - - - - E.	32,358	23	6	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
End Old Town West *H* E.	59,467	56	9	4	2	-	1	-	-	-	-	-	-	-	-	2	-	-
End Old Town East *Vw* - E.	53,348	35	25	3	7	-	1	-	-	-	-	-	-	1	-	3	11	-
l - - - - E.	41,990	29	10	5	2	-	-	-	-	-	-	-	-	2	-	1	-	-
ley *wwwH* - - - E.	68,326	35	26	6	10	-	3	-	2	1	-	-	-	-	1	1	16	-
r *WW* - - - - E.	58,522	43	14	4	3	-	2	-	-	1	-	-	-	-	-	-	-	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised)	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Fever.	Simple Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	3	13	4	1	–	–	–	–	–	–	–	–	–	–	2	2	11
Kent-road - - - S. & L.	21,899	14	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L	16,882	12	5	1	2	–	1	–	–	–	–	–	–	–	1	–	–	1
London-road *HL* - L. & S.	22,209	5	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,485	19	8	3	2	–	–	–	–	1	–	–	–	–	1	1	2	–
St. Peter Walworth *W*- S. & L.	61,773	34	16	4	2	–	2	–	–	–	–	–	–	–	1	1	3	–
St. Mary Newington - L. & S.	31,592	21	8	2	–	–	–	–	–	–	–	–	–	–	–	2	3	–
St. Olave *W* - - - - S.	9,813	5	4	2	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Bermondsey *W* - - - S.	82,405	46	16	6	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Rotherhithe *Ww* - - S. & K.	38,268	27	13	4	4	–	1	–	–	–	–	–	–	–	–	1	2	3
Waterloo-road *HH* - L. & S.	27,435	20	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	2
Lambeth Church 1st *HH* L. & S.	18,420	15	23	6	1	–	1	–	–	–	–	–	–	3	1	1	17	
Lambeth Church 2nd *WW* L. & S.	39,818	28	18	2	7	–	1	–	–	–	–	–	–	–	2	2	13	
Kennington 1st *H* - S. & L.	53,196	33	10	4	2	–	–	–	–	1	–	–	–	1	–	–	–	
Kennington 2nd - - S. & L.	42,891	21	11	2	6	–	–	–	–	–	–	–	–	–	1	1	–	
Brixton *w* - - - L. & S.	84,226	34	15	3	6	–	1	–	–	–	–	–	–	–	–	–	–	–
Norwood *WH* - - - L.	35,887	20	6	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
East Battersea - - - S.	72,201	42	14	4	5	–	2	–	–	–	–	–	–	–	1	1	–	
North-west Battersea - - S.	49,650	29	11	2	1	–	2	–	–	1	–	–	–	–	–	–	–	
South-west Battersea *WwH* - S.	47,045	16	18	2	8	–	1	–	–	–	–	–	–	1	1	1	6	
Clapham *H* - - - - S.	51,353	28	11	3	6	–	–	–	–	–	–	–	–	–	–	–	1	
Streatham *WwwwwL* - - L.	88,129	41	26	6	10	–	1	2	1	1	–	–	–	–	1	1	5	
Wandsworth *WHHL* - - S.	68,409	28	14	6	3	–	4	–	1	–	–	–	–	–	–	1	–	
Putney - - - - - - S.	24,139	7	5	1	2	–	–	–	–	–	–	–	–	–	1	1	–	
Dulwich - - - - L. & S.	10,246	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Camberwell *WWwll* - S. & L.	90,404	40	26	3	12	–	1	–	–	–	–	1	–	1	–	–	18	
Peckham *WW* - S., L., & K.	93,022	49	19	5	5	–	1	–	–	–	–	–	–	1	2	2	1	
St. George Camberwell - L. & S.	65,586	45	21	6	1	–	–	1	–	–	–	–	–	1	–	1	–	
Deptford North - - - K.	37,601	17	5	1	2	–	–	–	–	–	–	–	–	–	–	1	–	
Deptford Central *w* - - K.	45,621	31	10	2	–	–	–	1	1	1	–	–	–	1	–	–	2	
Deptford South - - - K.	34,622	16	4	1	3	–	–	–	–	–	–	–	–	–	–	1	–	
Greenwich West *H* - - K.	23,456	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Greenwich East *WH* - - K.	43,849	35	10	–	6	–	1	–	–	–	–	–	–	–	2	2	8	
Eltham *wH* - - - - K.	7,218	3	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
Lee *H* - - - - - K.	25,489	11	5	3	2	–	–	–	1	–	–	–	–	–	1	2	–	
Lewisham *WwwH* - - K.	58,341	33	17	1	6	–	–	1	2	–	–	–	–	–	2	3	11	
Sydenham *H* - - - L.	43,630	19	6	–	3	–	–	–	–	–	–	–	–	1	1	1	–	
Charlton *wHH* - - - K.	21,121	7	5	–	–	–	1	–	1	–	–	–	–	–	–	–	3	
Woolwich *HHHH* - - K.	41,607	27	8	1	2	–	1	–	–	–	–	–	–	–	–	2	–	
Plumstead West *H* - - K.	18,076	10	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
Plumstead East *WH* - - K.	50,264	39	14	5	3	–	–	–	–	2	–	–	–	2	–	1	6	
London County Asy., Banstead -	—	-	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
London County Asy., Epsom -	—	-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Met. Asy. for Imbeciles, Caterham	—	-	4	–	3	–	–	–	–	–	–	–	–	–	–	–	4	
London County Asy., Cane Hill -	—	-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
M.A.B. Ships and Camp, Dartford	—	-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Met. Asy. for Imbeciles, Darenth -	—	-	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
London County Asylum, Dartford Heath - - - - -	—	-	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	
London County Asylum, Hanwell	—	-	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	
Central London Sick Asy., Hendon	—	-	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	
London County Asy., Colney Hatch	—	-	7	–	3	–	–	–	–	–	–	–	–	–	–	–	7	
M.A.B. North-Eastern Hospital -	—	-	8	1	–	–	–	3	4	–	–	1	–	–	–	–	8	
M.A.B. Northern Hospital - -	—	-	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Met. Asy. for Imbeciles, Leavesden	—	-	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	
London County Asylum, Claybury	—	-	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newing sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being m a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of sub-districts.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th July, 1901.

Sub-district No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1120	398	103	103	–	13	5	6	14	5	10	15	33	63	2
1	Carshalton *H* - - -	12,228	32,997	11	4	2	–	–	–	–	–	–	–	–	1	1	–	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–
1	Godstone, *part of** *W* -	2,754	2,692	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
1	Croydon *WWwHHH* -	20,851	164,519	83	37	11	14	–	–	–	–	–	–	–	1	2	10	–
2	Mitcham *w* - - -	11,689	29,906	19	4	1	1	–	–	–	–	–	–	–	–	–	–	–
1	Wimbledon *HHH* - -	3,221	41,604	21	7	2	–	–	–	–	1	–	–	–	–	1	2	–
2	Kingston *WH* - - -	6,224	42,067	15	2	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Surbiton *HH* - - -	3,046	15,019	8	3	–	1	–	–	–	1	–	–	–	–	–	1	–
4	Esher, *part of** *H* - -	5,402	13,003	10	3	–	2	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL* - - -	4,664	23,447	9	4	1	–	–	–	–	–	–	–	–	–	1	1	–
1	Richmond *WHH* - -	2,162	28,871	18	4	–	2	–	–	–	–	1	–	–	–	–	–	–
2	Mortlake *H* - - -	2,847	20,628	14	7	1	3	–	–	–	–	–	–	–	–	1	–	–
1	Bromley‡ *HHH*- - -	4,703	27,358	9	4	3	–	–	–	1	–	1	–	–	–	–	2	–
2	Beckenham‡ *H*- - -	7,825	28,499	19	9	2	2	–	–	–	–	–	–	–	–	–	1	1
3	Orpington, *part of*‡ *W* -	10,113	9,857	11	7	–	4	–	–	–	–	–	–	–	–	–	4	–
4	Chislehurst *HH* - -	7,333	16,458	5	4	–	2	–	–	–	–	–	–	–	–	–	1	–
1	Bexley *HHH* - - -	12,532	46,445	32	7	2	4	–	–	–	–	–	–	–	–	–	–	1
2	Dartford *WH, part of** -	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–
1	Sunbury *w* - - -	11,054	18,682	8	2	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH* - - -	13,277	15,179	9	2	2	–	–	–	–	–	–	–	–	–	–	–	–
1	Hillingdon *WHH* - -	6,035	13,661	10	2	–	–	–	–	–	–	–	–	–	–	1	–	–
2	Uxbridge - - - -	12,757	8,984	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - - -	8,066	16,358	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
1	Isleworth *WHH* - -	6,859	30,838	6	12	1	5	–	–	–	–	1	–	–	–	–	7	–
2	Twickenham *HH* - -	2,421	20,991	13	2	1	–	–	1	–	–	–	–	–	–	1	–	–
3	Brentford *HHHH* - -	4,319	48,298	28	13	4	2	–	–	–	–	4	–	–	1	1	1	–
4	Chiswick - - - -	1,249	29,809	19	8	1	3	–	–	–	–	–	–	–	–	2	–	–
5	Acton *wHH* - - -	6,132	48,913	24	8	2	4	–	–	1	–	1	–	–	–	–	–	–
1	Harrow *HHH* - - -	13,809	25,522	7	4	1	–	–	–	–	–	–	–	–	1	1	–	–
2	Edgware *HH* - - -	6,994	4,520	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* - -	4,384	114,815	67	20	4	6	–	–	–	1	–	1	5	–	1	1	–
4	Hendon *WH* - - -	8,382	22,450	16	3	1	1	–	–	–	–	–	–	–	–	–	2	–
1	South Mimms *HH* - -	17,755	7,308	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - - -	3,324	17,970	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*- - -	4,688	33,692	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Hornsey† *HH* - - -	2,875	72,056	37	8	5	1	–	–	–	–	–	–	–	2	–	–	–
2	Tottenham *HHH* - -	4,638	136,702	60	18	6	2	–	–	–	1	1	–	–	–	2	1	–
3	Edmonton *Ww* - -	7,491	61,892	32	20	2	6	–	–	–	1	–	–	–	1	2	6	–
4	Enfield *WWHH* - -	12,601	42,738	29	9	2	2	–	–	1	–	–	–	–	–	–	1	–
5	Waltham Abbey - - -	11,017	6,547	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - - -	8,479	12,288	6	5	–	2	–	–	–	–	1	–	–	–	–	–	–
1	Hatfield, *part of** *W* - -	3,305	664	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Bushey *H* - - - -	9,333	9,173	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH, part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Stratford *H* - - -	1,072	44,825	23	11	5	1	–	4	–	–	–	–	2	–	–	1	–
2	Plaistow *HHH* - - -	1,249	90,920	57	26	9	5	–	2	–	1	2	1	–	–	2	3	–
3	Canning Town *H* - -	1,556	70,666	58	21	9	–	–	1	–	–	1	–	3	3	4	3	–
4	Forest Gate *w* - - -	806	60,897	32	5	1	1	–	–	–	–	–	–	–	–	–	–	–
5	East Ham *wHHH* - -	3,268	95,970	65	20	4	3	–	–	–	–	–	2	–	1	3	–	–
6	Wanstead - - - -	1,737	9,198	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW* - -	631	50,458	28	13	2	5	–	–	–	–	–	1	–	–	–	9	–
8	North Leyton *WwH* -	1,963	48,441	21	11	3	4	–	1	1	–	–	–	–	–	–	1	–
9	Walthamstow *HHHL* -	6,504	108,931	73	23	6	6	–	2	–	–	1	–	–	3	5	2	–
1	Chigwell, *part of** *HHHH*	11,778	16,403	9	4	–	1	–	–	–	–	–	–	–	1	1	1	–
2	Epping *WH, part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Romford, *part of** *W* -	6,556	6,089	7	2	–	1	–	–	–	–	–	–	–	–	–	1	–
2	Ilford *H* - - - -	8,496	41,240	22	5	1	1	–	–	–	–	–	–	–	–	1	–	–
3	Barking Town, *H* - -	3,803	21,547	21	5	2	1	–	2	–	–	–	–	–	–	–	–	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes: 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

‡ On 1st July changes were made in the boundaries of these sub-districts.

Table 7.—GREATER LONDON (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 6th July, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,417**	**6,604,287**	**13·1**	**1·7**	**1654**	**388**	**421**	**-**	**62**	**13**	**33**	**36**	**11**	**56**	**74**
Inner London -	74,837	4,543,757	14·4	1·8	1256	285	318	-	49	8	27	22	6	46	59
Outer Ring -	368,580	2,060,530	10·1	1·3	398	103	103	-	13	5	6	14	5	10	15

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
Edinburgh -	317,561	July	6	156	108	17·7	-	2	1	-	4	1	
Glasgow - -	763,144	"	6	506	303	20·7	1	16	4	3	12	-	
Dublin† - -	375,076	"	6	142	149	20·7	-	-	-	3	2	1	
Calcutta - -	466,460	March	30	-	1294	144·7	77	2	-	1	2	1015‡	
Bombay - -	821,764	June	18	211	611	41·2	6	-	?	?	?	149‡	
Madras - -	452,518	May	31	324	381	43·7	13	6	?	?	?	119	
Paris - - -	2,511,629	June	29	1126	848	17·5	10	14	1	6*	7	4	
Brussels - -	582,665	"	29	250	153	13·6	-	1	2	2*	1	-	
Amsterdam -	523,822	"	22	274	148	14·7	-	-	-	-	5	-	
Rotterdam -	320,991	—		-	-	-	-	-	-	-	-	-	
The Hague -	205,328	—		-	-	-	-	-	-	-	-	-	
Copenhagen -	378,200	June	29	235	108	14·9	-	1	-	-	4	-	
Stockholm -	301,050	"	22	-	-	-	-	-	-	-	-	-	
Christiania -	226,423	"	29	142	49	10·8	-	-	1	-	-	2	
St. Petersburg	1,248,643	"	22	546	585	24·4	-	16	15	16	-	17	1
Moscow - -	1,023,817	"	22	-	907	46·2	7	3	3	9	1	3	4
Berlin - -	1,891,431	"	15	845	619	17·1	1	10	4	6	14	5	
Hamburg - -	705,738	"	29	-	194	14·3	-	3	1	-	3	-	
Dresden - -	400,140	—		-	-	-	-	-	-	-	-	-	
Breslau - -	427,505	June	29	-	194	23·7	-	6	3	-	-	-	
Munich - -	500,000	"	29	-	208	21·6	-	4	1	-	2	1	
Vienna - -	1,691,996	"	29	1149	568	17·4	-	11	14	5*	1	-	
Prague - -	389,741	"	22	186	179	23·9	-	4	-	-	-	1	
Buda-Pesth -	744,719	"	22	428	230	16·1	-	3	2	-	-	-	
Trieste - -	177,428	"	29	104	80	23·4	-	-	-	-	-	1	
Rome - - -	467,236	May	18	197	144	16·1	-	-	-	-	-	-	
Turin (10 days)-	344,203	—		-	-	-	-	-	-	-	-	-	
Venice - -	174,378	June	22	90	59	17·6	-	-	-	-	-	-	
Cairo - -	570,062	May	20	401	383	34·9	-	1	-	3*	6	17	
Alexandria -	319,766	"	20	174	198	32·2	8	-	-	5*	-	6‡	
New York (including Brooklyn)	3,536,517	June	8	1355	1209	17·8	16	13	30	48*	5	5	
Philadelphia -	1,293,697	"	15	-	380	15·3	1	1	5	10	10	7	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 35 deaths from cholera in Calcutta, 3 in Bombay, and 1 in Madras.
‡ Including 945 deaths from plague in Calcutta, 54 in Bombay, and 2 in Alexandria.

TABLE 2.—METEOROLOGICAL OBSERVATIONS [Under the Superintendence of the Astronomer Royal.]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	30	Greatest Dec. S.	29·780	69·9	54·0	15·9	62·0	+ 0·8	56·6	5·4	13·1	0·2	83	129·2	52·0	59·70	NNE., E. & ENE.	E. & ENE.	7·4	0·0	0·7	331	+ 79	0·90	1·5
JULY. MONDAY -	1	Full	29·553	70·3	54·4	15·9	60·6	− 0·7	56·9	3·7	11·7	0·2	88	111·3	48·2	60·00	E., SW. & SSW.	SW., SSW. & S.	0·6	0·0	0·0	172	− 80	0·04	4·0
TUESDAY -	2	..	29·472	71·3	54·5	16·8	61·8	+ 0·4	56·0	5·8	13·2	0·6	81	132·0	48·3	60·14	SSE., ENE. & E.	E., SSE. & SE.	4·8	0·0	0·2	197	− 54	0·11	0·2
WEDNESDAY	3	..	29·635	71·9	55·0	16·9	63·2	+ 1·5	52·5	10·7	18·7	1·1	68	137·8	50·2	60·20	E. & ENE.	ENE., E. & ESE.	3·0	0·0	0·3	242	− 8	0·00	2·8
THURSDAY-	4	..	29·901	78·9	56·2	22·7	65·6	+ 3·7	55·1	10·5	23·1	2·3	69	132·6	48·5	60·33	NNE. & N.	N., NNW. & SW.	0·7	0·0	0·0	183	− 65	0·00	2·0
FRIDAY -	5	..	29·939	83·9	59·9	24·0	71·5	+ 9·4	53·9	17·6	28·9	4·2	54	137·9	50·6	60·72	SW., WSW. & W.	W. & WSW.	1·3	0·0	0·1	215	− 30	0·00	0·0
SATURDAY-	6	..	29·971	71·0	59·0	12·0	64·1	+ 1·9	58·2	5·9	11·0	2·5	81	117·2	52·5	61·02	SW., NNW. & N.	N., NNE. & NE.	1·6	0·0	0·1	245	+ 3	0·00	0·0
MEANS -	-		29·750	73·9	56·1	17·7	64·1	+ 2·4	55·6	8·5	17·1	1·6	75	128·3	50·0	60·30	NE. & SW.		..	..	..	Sum 1585	Sum −152	Sum 1·05	1·5
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	30	s. P. and s. N. till 5h. A.M.; w. P. generally till 8h. P.M.; v. P. and v. N. afterwards.	2·2	16·5	Generally overcast; frequent rain. Thunderstorm, with heavy rain, in early morning.
JULY. MONDAY -	1	w. P. and w. N. till 3h. A.M.; w. P. generally with occasional m. P. afterwards.	3·3	16·5	Generally overcast till afternoon; fine and partially cloudy afterwards. Occasional gentle rain in early morning.
TUESDAY -	2	w. P. till noon; v. P. and v. N. afterwards.	2·5	16·5	Fine and partially cloudy till 10h. A.M.; overcast, with frequent rain, afterwards.
WEDNESDAY	3	m. P. generally.	12·2	16·5	Cloudy in morning; very fine generally, with variable amounts of cloud afterwards. Bright solar halo observed in afternoon.
THURSDAY-	4	m. P. generally till 9h. A.M.; s. P. generally afterwards.	11·3	16·4	Overcast in morning; very fine, with small amounts of cloud afterwards. Hazy.
FRIDAY -	5	w. P. generally; occasional m. P.	12·2	16·4	A very fine and warm day. The amount of cloud was usually small.
SATURDAY-	6	w. P. generally; occasional m. P.	2·4	16·4	Fine and partially cloudy till afternoon; overcast afterwards.
			Sum 46·1	Sum 115·2	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·96 in. at the beginning of the week to 29·45 in. by 10h. A.M. on the 2nd; and increased to 30·04 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th June, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	9	7	-	2	-	-	3	1
Kensington	176,787	-	9	2	-	1	-	-	4	-
Hammersmith	112,619	-	11	4	-	2	-	-	-	-
Fulham	138,426	-	17	7	-	-	-	-	-	1
Chelsea	73,879	-	-	2	-	-	-	-	-	-
City of Westminster	182,502	-	19	3	-	3	-	-	1	-
NORTH.										
St. Marylebone	133,060	-	5	6	-	2	-	-	3	-
Hampstead	82,287	-	8	1	-	1	-	-	3	-
St. Pancras	235,297	1	15	19	-	4	-	-	5	-
Islington	335,325	-	24	22	-	6	-	-	2	-
Stoke Newington	51,328	-	3	1	-	-	-	-	1	-
Hackney	219,780	1	42	17	-	4	-	-	8	1
CENTRAL.										
Holborn	59,205	-	12	-	-	-	-	-	1	-
Finsbury	101,263	-	19	10	-	-	-	-	3	-
City of London	26,627	-	5	-	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	13	3	-	2	-	-	3	-
Bethnal Green	129,700	-	24	8	-	2	-	-	5	-
Stepney	298,884	-	40	24	1	2	-	-	3	-
Poplar	168,887	-	16	15	-	4	-	-	1	-
SOUTH.										
Southwark	206,219	-	44	13	-	3	-	-	5	-
Bermondsey	130,348	-	33	6	-	-	-	-	2	-
Lambeth	302,460	-	17	7	-	2	1	1	2	-
Battersea	169,364	-	5	5	-	1	-	-	2	1
Wandsworth	233,943	-	16	6	-	1	-	-	4	-
Camberwell	259,897	-	25	17	-	4	-	-	5	-
Deptford	110,732	-	13	5	-	-	-	-	1	-
Greenwich	96,188	-	11	2	-	-	-	-	2	-
Lewisham	128,423	-	14	4	-	-	-	-	-	-
Woolwich	117,619	-	9	10	-	2	-	-	4	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	2	478	226	1	48	1	1	73	5
Ages 0-1		-	4	3	-	-	-	-	1	-
" 1-5		-	138	83	-	2	-	1	4	-
" 5-		-	171	73	-	5	-	-	3	-
" 10-		-	69	24	-	5	1	-	1	-
" 15-		1	36	13	-	12	-	-	6	-
" 20-		-	32	12	1	10	-	-	2	1
" 25-		-	28	16	-	6	-	-	8	2
" 35-		1	-	2	-	4	-	-	11	2
" 45-		-	-	-	-	4	-	-	15	-
" 55-		-	-	-	-	-	-	-	13	-
" 65 and upwards		-	-	-	-	-	-	-	9	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 29th JUNE, 1901.

BOROUGHS.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple continued Fever.	Diarrhœal Diseases.			
COUNTY OF LONDON -	17,509	2	543	163	229	606	1	66	-	213	1,784	3,668	112
West.													
PADDINGTON - - -	442	-	-	2	7	24	-	3	-	3	40	83	100
KENSINGTON - - -	578	-	5	1	10	20	1	1	-	5	60	106	117
HAMMERSMITH - -	397	-	2	3	6	36	-	2	-	5	40	99	128
FULHAM - - -	466	-	5	7	7	37	-	1	-	10	46	124	109
CHELSEA - - -	305	-	8	1	1	5	-	1	-	3	32	52	130
CITY OF WESTMINSTER -	690	-	7	4	4	28	-	6	-	6	94	90	110
North.													
ST. MARYLEBONE - -	524	1	2	4	8	17	-	1	-	6	52	85	83
HAMPSTEAD - - -	203	-	-	-	4	9	-	-	-	3	14	29	85
ST. PANCRAS - - -	933	-	15	11	14	36	-	4	-	14	101	184	119
ISLINGTON - - -	1,251	-	17	6	22	28	-	6	-	8	114	257	114
STOKE NEWINGTON - -	157	-	3	1	2	3	-	1	-	2	19	23	85
HACKNEY - - -	796	-	27	9	25	17	-	2	-	4	76	159	102
Central.													
HOLBORN - - -	259	-	9	1	3	3	-	-	-	3	35	41	102
FINSBURY - - -	507	-	8	6	7	8	-	-	-	14	59	113	127
CITY OF LONDON - -	139	-	-	1	2	-	-	-	-	1	15	11	110
East.													
SHOREDITCH - - -	572	-	12	13	3	22	-	3	-	10	55	150	140
BETHNAL GREEN - -	541	1	21	20	10	12	-	1	-	5	68	98	89
STEPNEY - - -	1,376	-	74	10	13	22	-	7	-	22	141	335	113
POPLAR - - -	737	-	40	8	9	33	-	4	-	14	64	171	117
South.													
SOUTHWARK - - -	1,028	-	53	10	9	38	-	5	-	11	138	231	133
BERMONDSEY - - -	635	-	37	8	8	26	-	3	-	6	57	162	154
LAMBETH - - -	1,184	-	31	7	7	47	-	2	-	12	121	240	106
BATTERSEA - - -	581	-	30	2	6	34	-	1	-	13	62	145	114
WANDSWORTH - -	704	-	22	2	4	20	-	3	-	10	57	160	111
CAMBERWELL - -	989	-	61	12	18	26	-	4	-	7	90	215	118
DEPTFORD - - -	427	-	23	8	3	17	-	2	-	3	31	89	111
GREENWICH - - -	334	-	25	2	4	23	-	2	-	2	28	66	98
LEWISHAM - - -	360	-	4	2	7	8	-	1	-	4	30	70	82
WOOLWICH - - -	394	-	2	2	6	7	-	-	-	7	45	80	90

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 491 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 577 cases the previous residence was outside London, and these have been excluded from the Table.

Analysis of Metropolitan Water Supply during June, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th July, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of June, by the eight Water Companies.

Twelve samples of each Company's supply were examined, making a total of 96 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea - - -	June 6th. Cab Rank, Horse Guards, Whitehall.	18·2	26·40	·103	·015	0	·194	·209	1·7	20·0
West Middlesex -	June 6th. Cab Rank, Uxbridge Road, by Holland Park.	17·4	25·64	·144	·017	0	·169	·186	1·7	19·2
Southwark - -	June 6th. Cab Rank, Bond Street, Vauxhall.	20·8	24·96	·138	·021	0	·158	·179	1·7	18·9
Grand Junction -	June 6th. Cab Rank, Kensington Park Road.	18·3	26·44	·124	·018	0	·204	·222	1·7	19·1
Lambeth - - -	June 6th. Cab Rank, Station Road, Brixton.	17·0	27·22	·134	·018	0	·194	·212	1·7	20·0
Lea and Wells.										
New River - -	June 6th. Cab Rank, Tottenham Court Road.	18·0	29·04	·068	·009	0	·174	·183	1·7	20·9
Lea, Thames, and Wells.										
East London - -	June 6th. Cab Rank, Cambridge Road, opposite Bethnal Green Museum.	18·2	31·70	·151	·024	0	·208	·232	2·0	21·2
Deep Well.										
Kent- - - -	June 6th. Cab Rank, Amersham Road, near New Cross Station.	12·5	40·36	·036	·007	0	·498	·505	2·2	28·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 6th June at the Horse Guards cab rank, had a temperature of 18·2° C.; 100,000 lbs. of it contained 26·40 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·103 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained no ammonia and ·194 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·209 lb. The above weight of water also contained 1·7 lbs. of chlorine and 20·0 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on June 6th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·7, New River 1·3, Chelsea 2·0, Grand Junction 2·4, Lambeth 2·6, West Middlesex and Southwark 2·7, and East London 3·0.

Of the Thames-derived waters, the supplies of the Southwark and Lambeth Companies contained slightly more organic matter than they did in the previous month, and the waters of the Chelsea, West Middlesex and Grand Junction Companies contained slightly less. All the samples were of good chemical quality and clear.

With regard to the supplies chiefly obtained from the River Lea, that of the New River Company was clear and of very good chemical quality. The supply of the East London Company was clear and of good chemical quality, although the proportion of organic matter, which it contained, was somewhat greater than was found in the Thames-derived waters.

The Kent Company's deep well water was clear and of its usual great organic purity.

When viewed through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless, and the supplies of all the remaining Companies very pale yellow in colour.

In addition to the above analytical examination, 96 samples, collected during the month of June, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·030	·053	·056	·065	·057	·062	·008	·0055	·007
West Middlesex	·074	·058	·063	·079	·064	·069	·008	·007	·007
Southwark	·068	·056	·059	·073	·060	·066	·0075	·0055	·006
Grand Junction	·069	·056	·060	·072	·060	·066	·0075	·007	·007
Lambeth	·071	·057	·065	·074	·063	·069	·008	·006	·007
New River	·028	·020	·024	·030	·022	·025	·0035	·0025	·003
East London	·075	·051	·064	·082	·062	·070	·008	·006	·007
Kent	·008	·003	·005	·007	·005	·006	·002	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

All the Thames-derived water during the past month contained, on the average, less organic matter than they did in May, and the proportions in each Company's supply varied between very narrow limits; the waters were of uniform good quality throughout the month.

The New River Company's water was of very good quality during the month, and that of the East London Company was of good quality, but the average proportion of organic matter which it contained was slightly greater than that recorded in the cases of the Thames waters.

The Kent Company's water was invariably very pure and of excellent quality.

On some occasions minute amounts of turbidity were observed in samples of the several Companies, supplies, but on examination these were found to be chiefly rust-stained particles, which subsided readily and which were evidently derived from the culverts and mains.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of June, 1901. The supply was in the ratio of 257 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	June, 1900.	June, 1901.	June, 1900.	June, 1901.
Total Supply	904,628	926,440	221,148,703	238,451,164
From Thames	431,851	440,861	117,929,528	129,049,904
From Lea and from other Sources	472,777	485,579	103,219,175	109,401,260
Thames.				
Chelsea	38,679	39,190	13,904,123	14,891,839
West Middlesex	85,653	87,172	22,449,387	25,226,008
Southwark and Vauxhall	124,188	125,449	33,050,345	34,614,835
Grand Junction	66,489	68,453	21,709,373	22,866,165
Lambeth	116,842	120,597	26,816,300	31,451,057
Lea and other Sources.				
New River	170,086	173,060	41,531,322	43,793,459
East London	207,717	213,728	43,153,760	45,133,714
Kent	94,974	93,791	18,544,093	20,474,087

Note.—The Return for June, 1901, as compared with that for the corresponding month of 1900 shows an increase of 21,812 services and of 17,302,461 gallons of water supplied daily.

MEMORANDUM RESPECTING THE PRELIMINARY CENSUS REPORT.

Notice is given that an error has been discovered in the compilation of the Table dealing with Urban Districts on page xi. of the Report mentioned above, and that the following are the corrected figures:—

Urban Districts, with Population of—	Number of Districts.	Aggregate Population.		Mean Percentage of Increase of Population, 1891-1901.
		1891.	1901.	
250,000 and upwards	9*	7,293,005	7,972,790	9·32
100,000 to 250,000	24	2,987,836	3,517,912	17·74
50,000 „ 100,000	42	2,448,704	3,015,571	23·15
20,000 „ 50,000	141	3,683,501	4,433,823	20·37
10,000 „ 20,000	219	2,538,281	3,006,280	18·44
3,000 „ 10,000	472	2,396,204	2,693,230	12·40
Under 3,000	215	396,446	414,664	4·60
Total	1,122	21,743,977	25,054,270	15·22

* Including the Administrative County of London, which is here reckoned as one district.

The argumentative deductions from this Table similarly require amendment, and paragraphs 4 and 5 on page xii. will read as follows:—

"The urban population still continues to increase more rapidly than the rural, and the rate of increase conforms to the law that the more populous the urban district, up to the limit of 100,000, the higher is the rate of growth. In the decennium ended in 1901 the rate of increase was highest among towns of from 50,000 to 100,000 inhabitants, as had been the case in 1881–91.

"Towns of more than 250,000 inhabitants in 1891 had shown in the earlier period an increase of 9·28 per cent., while in the more recent period the percentage in towns of similar size in 1901 increased to 9·32. The rate of increase in the towns of from 20,000 to 50,000 has been smaller in the recent than in the earlier decennium, while among the towns of less than 10,000 the increase has been more considerable."

The matter will be more fully dealt with in the final Census Report.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 28. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JULY 13. [Price 1½*d.*

General Register Office, Somerset House,
July 15th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 15·0, 14·8, and 15·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended June 22.	June 29.	July 6.	July 13.	TOWNS.	Weeks ended June 22.	June 29.	July 6.	July 13.
33 Great Towns	15·0	14·8	15·1	15·6	Leicester - -	15·2	9·8	9·3	10·8
Birkenhead -	13·1	15·5	20·2	26·7	Liverpool - -	22·1	20·2	21·9	25·9
Birmingham -	16·8	16·3	13·4	17·1	London - - -	13·8	13·9	14·4	14·2
Blackburn -	18·0	15·5	19·6	12·2	Manchester - -	18·3	17·5	15·1	17·8
Bolton - -	13·3	17·3	15·1	17·9	Newcastle-on-Tyne	16·9	19·1	18·9	19·3
Bradford -	13·0	15·1	14·9	15·4	Norwich - -	10·7	11·6	11·6	13·0
Brighton -	8·0	16·4	16·4	13·9	Nottingham - -	14·5	14·3	13·4	15·4
Bristol - -	12·3	10·1	12·6	10·6	Oldham - -	15·2	17·8	17·8	13·7
Burnley -	13·4	13·4	10·7	15·0	Plymouth - -	16·9	13·0	13·0	10·1
Cardiff - -	14·5	8·5	12·3	12·3	Portsmouth - -	10·7	14·3	15·4	20·0
Croydon -	10·8	9·3	12·8	10·1	Preston - -	17·1	21·7	14·3	21·2
Derby - -	13·8	12·8	11·3	10·3	Salford - - -	16·0	13·6	16·9	19·1
Gateshead -	17·5	14·2	19·3	18·4	Sheffield - -	16·5	17·5	14·3	14·5
Halifax -	18·8	11·9	12·9	9·4	Sunderland - -	18·4	15·9	19·1	18·4
Huddersfield-	11·5	13·7	12·6	15·4	Swansea - -	12·1	16·0	11·0	16·5
Hull - -	16·9	11·5	16·7	11·2	West Ham - -	12·2	15·1	13·6	14·9
Leeds - -	16·2	16·7	18·4	18·5	Wolverhampton -	16·6	11·0	17·1	13·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·4 in Gateshead and 2·3 in Birkenhead; from *whooping-cough*, 1·1 in Swansea and 1·3 in Bradford; and from *diarrhœal diseases*, 1·0 in West Ham and in Derby, 1·1 in Bristol, in Swansea, in Manchester, in Burnley, and in Hull, 1·4 in Gateshead, 1·5 in Bradford, 2·2 in Portsmouth and in Leeds, 2·3 in Preston, 2·9 in Sheffield, 6·0 in Liverpool, and 6·6 in Birkenhead. In none of the thirty-three towns did the death-rate from *scarlet fever*, or from "*fever*" reach 1·0 per 1000. The 63 deaths from *diphtheria* included 24 in London, 6 in Liverpool, 5 in Manchester, 4 in Leicester, 4 in Leeds, 3 in West Ham, 3 in Cardiff, 3 in Salford, and 3 in Sheffield. One death from *small-pox* was registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2526 BIRTHS and 1237 DEATHS were registered. Allowing for increase of population, the births were 82, and the deaths 313, below the average numbers in the corresponding weeks of the last ten years,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the rates of increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Strentham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

The annual death-rate per 1000 from all causes, which had been 13·8, 13·9, and 14·4 in the preceding three weeks, fell again last week to 14·2. During the four weeks ended on Saturday last the death-rate averaged 14·1 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1237 deaths included 37 from measles, 17 from scarlet fever, 24 from diphtheria, 15 from whooping-cough, 2 from enteric fever, 1 from an ill-defined form of continued fever, 71 from diarrhœa and dysentery, 2 from cholera and choleraic diarrhœa, and not one death from small-pox or from typhus; thus, 169 deaths were referred to these diseases, being 135 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 51, and 49 in the preceding three weeks, further fell last week to 37, and were 14 below the corrected average; 7 cases belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 13, 12, and 8 in the preceding three weeks, rose again last week to 17, and were 2 above the corrected average; 4 cases belonged to Bermondsey. The deaths from *diphtheria*, which had been 18, 18, and 27 in the preceding three weeks, fell again last week to 24, and were 18 below the corrected average; 5 cases belonged to Islington and 3 to Lambeth. The deaths from *whooping-cough*, which had been 25, 25, and 22 in the preceding three weeks, further fell last week to 15, and were 24 below the corrected average. The fatal cases of *enteric fever*, which had been 2, 4, and 6 in the preceding three weeks, fell again last week to 2, the corrected average being 9. The deaths from *diarrhœal diseases*, which had been 25, 23, and 46 in the preceding three weeks, further rose last week to 73, but were 76 below the corrected average. Of the 73 deaths from diarrhœal diseases, 67 were of children under 5 years of age; 6 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 150, 141, and 165 in the preceding three weeks, fell again last week to 133, and were 44 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 8, 6, and 4 in the preceding three weeks.

Different forms of *violence* caused 49 deaths, concerning all but 1 of which inquests were held. Of these 49 deaths, 6 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 5 to burns and scalds, 6 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 12 cases of small-pox, 2918 of scarlet fever, 1228 of diphtheria, 1 of typhus, and 145 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 6 cases, against 0, 4, and 2; of scarlet fever, 324 cases, against 369, 408, and 363; of diphtheria, 231 cases, against 182, 188, and 195; and of enteric fever, 33 cases, against 30, 24, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended July 6th.

Greater London.

In Greater London 3663 births and 1671 deaths were registered, corresponding to annual rates of 28·9 and 13·2 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 4 from scarlet fever, 8 from diphtheria, 14 from whooping-cough, 2 from "fever," and 20 from diarrhœal diseases were registered. Eight deaths from measles, 3 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, and 13 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·96 inches, and that of the Thermometer 64°·5; the latter being 2°·3 above the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 25 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 60·2 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1961* (Unrevised).	Registered during the Week ended 13th July 1961. Births.	Registered during the Week ended 13th July 1961. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6483**	**3439**	**953**	**749**	**1**	**95**	**41**	**63**	**54**	**16**	**297**	**149**	**277**	**831**	**20**	**15·6**	**2·6**	**86·1**	**45·5**	**63·2**	**17·33**	**0·04**	**0·10**	33 Towns.
London - -	4,543,757	2526	1237	282	289	–	37	17	24	15	3	73	49	123	434	2	14·2	1·9	86·1	46·2	64·5	18·06	0·00	0·00	London.
West Ham - -	268,868	209	77	23	15	–	4	–	3	4	–	5	5	6	20	–	14·9	3·1	–	–	–	–	–	–	West Ham.
Croydon - -	134,665	74	26	6	8	–	–	–	1	–	–	–	4	4	7	–	10·1	0·4	85·5	45·5	63·6	17·56	0·00	0·00	Croydon.
Brighton - -	123,668	58	33	6	13	–	–	–	–	–	–	–	–	–	5	1	13·9	–	78·6	51·4	62·5	16·94	0·00	0·00	Brighton.
Portsmouth -	189,907	108	73	23	15	–	3	–	2	2	–	8	4	7	15	2	20·0	4·1	81·0	53·0	63·3	17·39	0·00	0·00	Portsmouth.
Plymouth - -	107,974	63	21	5	5	–	–	–	–	1	1	–	–	–	3	–	10·1	1·0	–	–	–	–	–	–	Plymouth.
Bristol - -	329,831	174	67	14	17	–	1	2	–	1	1	7	6	7	15	–	10·6	1·9	81·6	52·0	64·0	17·78	0·25	0·63	Bristol.
Cardiff - -	165,308	109	39	9	8	–	–	–	3	1	1	3	3	3	5	–	12·3	2·5	–	–	–	–	–	–	Cardiff.
Swansea - -	94,618	45	30	11	5	–	–	1	–	2	–	2	–	2	1	–	16·5	2·8	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	49	25	8	5	–	–	–	1	–	–	–	2	2	1	–	13·8	0·6	79·4	48·3	60·8	16·00	0·00	0·00	Wolverhampton.
Birmingham -	523,284	336	172	38	41	–	8	2	–	4	2	9	7	10	37	2	17·1	2·5	–	–	–	–	–	–	Birmingham.
Norwich - -	111,997	64	28	5	10	–	–	–	–	–	–	1	1	2	6	1	13·0	0·5	81·8	46·8	60·1	15·61	0·00	0·00	Norwich.
Leicester - -	212,498	119	44	13	5	–	–	–	4	–	–	3	2	2	8	–	10·8	1·7	–	–	–	–	–	–	Leicester.
Nottingham -	240,400	138	71	19	16	–	4	–	–	–	2	4	7	9	10	–	15·4	2·2	82·2	51·5	63·1	17·28	0·00	0·00	Nottingham.
Derby - - -	106,076	60	21	7	6	–	–	1	–	–	–	2	1	3	6	–	10·3	1·5	–	–	–	–	–	–	Derby.
Birkenhead -	111,203	51	57	26	6	–	5	–	–	–	1	14	2	3	8	–	26·7	9·4	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	426	341	158	45	1	4	2	6	3	1	79	10	17	71	6	25·9	7·3	83·5	53·1	62·6	17·00	0·00	0·00	Liverpool.
Bolton - -	168,748	89	58	7	13	–	2	2	–	2	–	3	3	6	6	–	17·9	2·8	–	–	–	–	–	–	Bolton.
Manchester -	544,934	267	186	53	37	–	8	4	5	4	–	12	13	17	58	1	17·8	3·2	–	–	–	–	–	–	Manchester.
Salford - -	221,526	112	81	19	14	–	3	3	3	1	–	4	5	9	16	1	19·1	3·3	–	–	–	–	–	–	Salford.
Oldham - -	137,382	66	36	5	7	–	1	1	–	–	–	1	1	2	3	–	13·7	1·1	–	–	–	–	–	–	Oldham.
Burnley - -	97,295	50	28	11	5	–	–	–	1	1	–	2	1	2	5	–	15·0	2·1	–	–	–	–	–	–	Burnley.
Blackburn - -	127,714	64	30	4	5	–	–	1	1	–	–	2	2	2	1	1	12·2	1·6	–	–	–	–	–	–	Blackburn.
Preston - -	113,117	88	46	15	10	–	–	1	–	–	1	5	1	1	4	1	21·2	3·2	82·0	57·0	64·5	18·06	0·00	0·00	Preston.
Huddersfield -	94,998	39	28	3	10	–	–	–	–	–	–	1	–	–	2	–	15·4	0·5	83·6	52·2	64·8	18·22	0·00	0·00	Huddersfield.
Halifax - -	105,113	52	19	4	9	–	–	–	–	–	–	–	1	2	2	–	9·4	–	–	–	–	–	–	–	Halifax.
Bradford - -	280,161	131	83	24	26	–	–	–	1	7	1	8	2	6	14	–	15·4	3·2	81·4	54·4	65·7	18·72	0·26	0·66	Bradford.
Leeds - - -	430,489	232	153	54	32	–	6	1	4	1	1	18	3	8	18	–	18·5	3·8	–	–	–	–	–	–	Leeds.
Sheffield - -	382,129	243	106	46	19	–	1	2	3	2	1	21	4	5	19	–	14·5	4·1	–	–	–	–	–	–	Sheffield.
Hull - - -	241,622	145	52	14	12	–	3	–	1	–	–	5	1	3	1	–	11·2	1·9	82·0	50·0	62·3	16·83	0·01	0·03	Hull.
Sunderland -	146,937	101	52	14	17	–	1	–	–	1	–	2	1	3	10	1	18·4	1·4	–	–	–	–	–	–	Sunderland
Gateshead - -	110,492	68	39	13	5	–	3	1	–	–	–	3	2	2	3	–	18·4	3·3	–	–	–	–	–	–	Gateshead.
Newcastle - -	215,516	127	80	14	19	–	1	–	–	2	–	–	6	9	17	1	19·3	0·7	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2488	2545	2607	2371	2586	2634	2579	2502	2351	2479	2607·8	2526
Males - -	1263	1263	1339	1207	1345	1353	1308	1255	1202	1296	1330·9	1251
Females - -	1225	1282	1268	1164	1241	1281	1271	1247	1149	1183	1276·9	1275
TOTAL **Deaths** -	1373	1546	1837	1356	1768	1770	1391	1214	1387	1252	1550·0	1237
Males - -	748	814	1006	715	921	912	695	649	733	666	815·1	652
Females - -	625	732	881	641	847	858	696	565	654	586	734·9	585

*The numbers in this column are the average weekly numbers in the twenty-eighth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.
TOTAL **Births** - - -	2835	2585	2562	2510	2602	2559	2148	2624	2406	2451	2478	2413	2526
TOTAL **Deaths** - - -	1564	1552	1454	1386	1375	1363	1345	1236	1191	1204	1210	1236	1237
Ages at Death: Under 1 year - -	300	323	306	269	281	259	289	232	258	283	267	285	282
1–5 years - -	184	217	178	169	185	197	183	156	152	144	154	146	140
5–20 ,, - -	77	85	91	77	56	80	66	72	78	72	58	68	88
20–40 ,, - -	209	200	180	198	192	178	180	189	177	154	176	173	180
40–60 ,, - -	325	284	327	293	291	270	275	278	253	247	264	266	258
60–80 ,, - -	377	347	299	299	298	301	277	256	218	250	235	244	236
80 years and upwards	92	96	73	81	72	78	75	53	55	54	56	74	53
Deaths from—													
Small pox - - - -	-	-	-	1	-	-	-	-	-	-	1	-	-
Measles - - - - -	37	50	39	38	33	44	48	35	38	42	51	49	37
Scarlet Fever - - -	3	6	9	17	14	18	17	17	21	13	12	8	17
Diphtheria - - - -	11	20	20	23	14	22	13	15	13	18	18	27	24
Whooping-cough - - -	58	48	66	45	48	58	33	32	35	25	25	22	15
Typhus - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever - - -	7	10	2	7	4	5	10	6	7	2	4	6	2
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa and Dysentery -	14	12	16	9	16	22	14	17	26	25	23	45	71
Cholera - - - - -	-	-	-	-	-	-	1	-	-	-	-	1	2
All the above Diseases -	130	146	152	140	129	169	136	123	140	125	134	158	169
Dis. of Respiratory System -	374	286	251	237	249	191	240	187	159	150	141	165	133
Phthisis - - - - -	158	153	143	161	128	139	131	140	122	113	138	133	168
Dis. of Circulatory System -	137	132	136	133	123	128	116	121	122	103	109	139	104
Violence - - - -	51	79	72	65	72	65	60	69	68	55	42	59	49
Inquest Cases - - - -	137	150	149	145	148	150	122	150	136	126	101	117	123
Deaths in Public Institutions -	514	534	483	512	449	482	476	420	456	419	454	435	434
TEMPERATURE OF THE AIR													
Mean - - - - -	47°·3	54°·7	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0	61°·0	64°·1	64°·5
Mean of Highest readings -	56°·7	66°·2	61°·0	55°·3	62°·9	66°·8	71°·6	69°·9	67°·6	67°·8	71°·8	73°·9	77°·2
Mean of Lowest readings -	38°·2	43°·3	39°·0	41°·2	41°·4	44°·8	49°·0	48°·6	47°·0	50°·1	50°·9	56°·1	52°·2
Humidity of the Air - -	67	57	72	81	73	61	69	69	60	71	63	75	68
Rain-fall (in inches) - -	0·33	0·02	0·00	1·56	0·00	0·00	0·27	0·03	0·10	0·43	0·00	1·05	0·00
Registered Sunshine (in hours)	48·6	77·2	45·6	17·3	69·7	80·9	51·2	52·3	63·7	36·4	69·5	46·1	60·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	-	-	-	-	-	1	1	1	1	5	6	12
Scarlet Fever - - - -	1526	1522	1705	1913	2052	2241	2351	2462	2594	2708	2821	2895	2918
Diphtheria - - - -	958	962	983	1038	1099	1087	1107	1092	1104	1138	1176	1195	1228
Typhus - - - - -	-	-	1	1	1	1	-	-	-	-	—	-	1
Enteric Fever - - - -	132	121	108	112	106	111	95	93	105	117	125	128	145

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-EIGHTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 28th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 13th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1550·0	1237	282	140	88	180	258	236	53
all-pox { Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
sles - - - -	50·8	37	7	29	1	-	-	-	-
let Fever - - -	14·5	17	2	8	6	1	-	-	-
hus - - - -	0·2	-	-	-	-	-	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	9·4	3	-	-	-	-	-	3	-
oping-cough - -	38·6	15	7	8	-	-	-	-	-
theria - - -	41·5	24	1	11	12	-	-	-	-
ple Continued and defined Fever -	0·2	1	1	-	-	-	-	-	-
ric Fever - - -	8·8	2	-	-	-	2	-	-	-
era and Chol. Diarr.	5·3	2	-	1	-	-	1	-	-
rhœa, Dysentery -	143·4	71	58	8	-	1	2	1	1
ittent Fever - -	-	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
ders - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of cination - - -	0·1	-	-	-	-	-	-	-	-
real Affections - -	8·8	8	6	-	-	1	1	-	-
ipelas - - -	3·8	2	-	-	-	-	2	-	-
dia and Septicæmia	1·6	2	-	-	1	1	-	-	-
peral Fever - -	3·2	2	-	-	-	2	-	-	-
r Zymotic Diseases	1·7	2	1	-	-	1	-	-	-
sh - - - -	0·7	-	-	-	-	-	-	-	-
ns and other Parasical Diseases -	0·2	-	-	-	-	-	-	-	-
ation, Want of ast-milk - -	1·8	-	-	-	-	-	-	-	-
olism - - -	11·9	18	-	-	-	9	8	-	1
matic Fever, umatism of Heart	5·5	12	-	-	3	4	5	-	-
matism - - -	1·9	2	-	-	-	-	-	2	-
- - - - -	2·9	4	-	-	-	-	2	2	-
ts - - - -	6·1	6	1	5	-	-	-	-	-
er - - - -	74·5	70	-	2	2	4	34	24	4
Mesenterica - -	30·6	12	3	5	3	-	1	-	-
cular Meningitis -	27·6	30	11	9	8	2	-	-	-
sis - - - -	136·0	168	1	8	16	74	60	8	1
la, Tuberculosis -	23·0	14	1	1	1	7	1	3	-
Constitutional ases - -	11·8	9	-	1	-	1	3	3	1
ture Birth - -	49·8	39	39	-	-	-	-	-	-
tasis - - -	3·5	9	9	-	-	-	-	-	-
nital Malforma- s - - -	7·6	10	9	-	1	-	-	-	-
ge - - - -	41·9	38	-	-	-	-	-	16	22
exy - - -	39·8	34	1	-	-	2	14	17	-
osy - - - -	6·8	6	-	-	-	3	1	1	1
lsions - - -	39·8	18	14	4	-	-	-	-	-
Diseases of Brain Nervous System	77·8	67	10	7	3	6	13	23	5
es of Organs of ial Sense -	4·3	2	1	-	1	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 28th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 13th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	116·2	104	-	2	7	15	32	45	3
Croup - - - -	3·2	1	-	1	-	-	-	-	-
Bronchitis - - -	71·9	49	12	2	1	1	8	21	4
Pneumonia - - -	79·3	76	15	12	1	13	19	12	4
Pleurisy - - - -	5·6	3	-	1	-	2	-	-	-
Other Diseases of Respiratory System -	17·1	4	-	1	-	-	2	1	-
Dentition - - - -	9·2	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	2·1	2	-	1	-	-	-	1	-
Enteritis - - -	52·0	10	8	-	2	-	-	-	-
Gastro-enteritis -		7	5	1	1	-	-	-	-
Peritonitis - - -	5·1	9	-	-	3	2	3	-	1
Diseases of Liver - -	27·3	22	1	-	-	2	10	9	-
Other Diseases of Digestive System	33·1	46	11	2	1	4	18	10	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	41·3	46	1	-	1	8	4	28	4
Diseases of Generative System - - -	6·4	1	-	-	-	-	1	-	-
Accidents of Childbirth-	5·2	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	3·8	5	-	1	1	2	1	-	-
Diseases of Integumentary System- -	4·0	10	6	1	1	-	1	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·6	2	-	-	1	-	1	-	-
By Vehicles or Horses -	6·8	9	-	1	2	3	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·8	-	-	-	-	-	-	-	-
In Building Operations -	0·7	-	-	-	-	-	-	-	-
In Conflagrations -	0·1	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·5	5	-	3	2	-	-	-	-
By Drowning - - -	10·0	6	-	-	4	1	1	-	-
By Suffocation in Bed -	7·5	6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·1	1	-	1	-	-	-	-	-
Other or not stated causes - - - -	20·5	14	2	1	2	1	5	2	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·6	-	-	-	-	-	-	-	-
Suicide - - - -	11·8	6	-	-	-	2	3	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	59·2	31	29	1	-	1	-	-	-

e numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase ulation.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the f death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th July, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063†	2526	1237	282	289	-	37	17	24	15	-	2	1	73	49	123	434
WEST DISTRICTS - - -	805,275	376	218	52	62	-	2	-	1	2	-	-	-	14	12	18	90
NORTH DISTRICTS - - -	1,056,018	559	261	56	68	-	7	3	8	2	-	-	-	19	2	19	79
CENTRAL DISTRICTS - - -	209,432	113	67	15	9	-	5	-	-	1	-	-	-	3	5	14	25
EAST DISTRICTS - - -	715,772	451	248	75	48	-	11	2	-	2	-	-	1	23	15	36	98
SOUTH DISTRICTS - - -	1,749,566	1027	417	83	96	-	12	11	12	8	-	2	-	14	15	36	116
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	26	1	6	-	-	1	3	-	-	-	-	-	-	-	26
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	56	21	5	8	-	-	-	-	1	-	-	-	-	2	1	10
St. John Paddington *H* - - G.	33,608	4	12	1	3	-	-	-	-	-	-	-	-	-	3	3	10
North-West Paddington† - - C.	17,181	8	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Kensington Town† *Ww* - W. & C.	128,025	73	43	12	17	-	-	-	-	-	-	-	-	3	1	2	17
Brompton *HH* - - - W. & C.	48,598	11	6	2	-	-	-	-	-	-	-	-	-	-	1	1	2
North Hammersmith *H* } W. & G	49,335	25	7	1	2	-	-	-	-	-	-	-	-	1	-	-	-
South Hammersmith *wH* } W. & G	62,910	31	20	6	4	-	-	-	-	-	-	-	-	1	2	2	7
North-west Fulham *W* } W. & C.	45,180	33	26	9	4	-	-	-	-	1	-	-	-	3	-	-	18
North-east Fulham *w* } W. & C.	46,404	25	7	2	2	-	-	-	1	-	-	-	-	1	-	-	2
South Fulham } W. & C.	45,705	26	8	4	1	-	-	-	-	-	-	-	-	4	-	1	-
Chelsea North *WWHHHH* - C.	42,515	18	15	2	9	-	-	-	-	-	-	-	-	-	-	-	11
Chelsea South *HH* - - C.	31,341	21	8	2	2	-	-	-	-	-	-	-	-	-	1	2	-
May Fair and Knightsbridge† *H* } C. & G.	28,744	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	14	21	1	5	-	1	-	-	-	-	-	-	-	1	2	9
St. Margaret & St. John Westminster† *HHH* } C.	43,665	19	12	3	2	-	-	-	-	-	-	-	-	1	1	2	4
St. James Westminster *WH* } N. & G.	21,595	5	5	1	-	-	1	-	-	-	-	-	-	-	-	1	-
St. Anne Soho *HHHHH* - N.	11,492	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	35,394	14	11	2	1	-	1	-	-	-	-	-	-	1	-	-	5
Rectory Marylebone *W* G. & W.	19,869	7	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* } G. & W.	18,099	40	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	39,541	11	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone *HHH* - W	20,426	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* } - N. & W.	81,942	41	25	-	6	-	1	1	1	-	-	-	-	-	-	2	11
Regent's Park *H* - W.	50,647	33	11	7	2	-	1	-	-	-	-	-	-	3	-	1	-
Tottenham-court† *wHHHHHH* } - N. & W.	24,814	4	12	-	-	-	-	-	-	-	-	-	-	-	-	1	11
Gray's Inn Lane *HHHH* - N.	30,886	13	11	2	3	-	-	-	-	-	-	-	-	2	-	-	3
Somers Town *HH* - - - N.	30,131	33	9	5	1	-	-	-	-	-	-	-	-	1	-	-	3
Camden Town *WH* - - N.	40,079	15	15	4	5	-	1	-	-	-	-	-	-	2	-	3	8
Kentish Town *WW* - - N.	58,727	31	10	2	3	-	1	-	-	-	-	-	-	1	-	1	2
Upper Holloway *WWWWwHH* } - - N.	99,841	42	32	2	14	-	1	-	-	-	-	-	-	1	1	3	17
Lower Holloway - - - N.	41,411	19	8	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury - - - - N.	54,479	36	8	2	2	-	-	-	-	1	-	-	-	1	-	-	-
Islington South-east *H* - N.	75,402	44	18	6	5	-	1	1	-	-	-	-	-	-	-	3	-
Highbury *HH* - - - N.	63,795	26	13	4	2	-	-	-	1	1	-	-	-	-	-	-	1
Stoke Newington† *H* - - N.	51,247	28	13	2	5	-	-	-	-	-	-	-	-	1	1	2	-
North Hackney - E. & N.	50,570	21	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.	50,535	31	12	1	2	-	-	-	6	-	-	-	-	-	-	-	6
South-west Hackney *HHH* E. & N.	59,929	44	10	5	1	-	-	-	-	-	-	-	-	1	-	1	2
South-east Hackney *WwH* E. & N.	58,254	24	25	10	6	-	-	-	-	-	-	-	-	4	-	1	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	20	6	2	-	-	1	-	-	-	-	-	-	-	-	4	1	-
St Giles North *H* - - - N.	8,959	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.	12,975	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *WHH* - - - N.	8,694	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHHH* - - N.	29,579	14	14	5	-	-	1	-	-	-	-	-	-	1	-	1	5	-
St. James Clerkenwell - - N.	15,634	10	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Islington* - - - - - N.	32,691	13	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Pentonville-road - - - N.	15,390	11	7	1	1	-	2	-	-	-	-	-	-	1	-	-	-	-
Finsbury-road *HHHL* - - - N.	25,404	28	9	8	2	-	-	-	-	-	-	-	-	1	-	2	1	-
Finsbury - - - - - N.	9,972	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Botolph *H* - - N. & E.	11,036	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	7,886	-	15	1	1	-	-	-	-	-	-	-	-	-	4	4	13	-
All Hallows Barking - - - N.	8,717	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
City of London Asylum, Stone - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	12	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hoxton New Town *wH* - - N	29,761	15	18	5	2	-	1	-	-	-	-	-	-	1	1	3	9	-
Hoxton Old Town - - - N.	26,510	24	8	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Haggerston *W* - - N & E.	46,064	32	16	7	4	-	-	-	-	1	-	-	-	2	-	1	5	-
Bethnal Green North *HH* - E.	51,513	27	15	4	2	-	-	1	-	-	-	-	-	1	2	2	2	-
Bethnal Green South - - E	33,473	19	8	-	6	-	-	-	-	-	-	-	-	1	-	-	-	-
Bethnal Green East *WWHl* - E.	44,695	25	25	6	4	-	1	-	-	-	-	-	1	2	1	3	15	-
Bethnal Green North - - - E. & N.	27,965	16	4	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Mile End New Town *WH* - E.	28,711	19	32	7	5	-	2	-	-	-	-	-	-	2	4	5	29	-
Bethnal Green Fields - - - E.	22,082	12	4	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
St. George's, North - - - E.	40,965	33	9	5	1	-	1	-	-	1	-	-	-	1	-	1	-	-
St. John *W* - - - E.	8,122	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Stepney *H* - - - E. & N.	10,760	3	11	5	1	-	-	-	-	-	-	-	-	1	-	-	7	-
Ratcliff *W* - - - - E.	14,770	8	5	1	1	-	-	-	-	-	-	-	-	1	-	2	-	-
Limehouse - - - - E	32,358	20	11	6	-	-	-	1	-	-	-	-	-	2	-	2	-	-
Mile End Old Town West *H* E.	59,467	37	9	4	2	-	3	-	-	-	-	-	-	1	-	2	-	-
Mile End Old Town East *WWw* - E.	53,348	41	17	1	8	-	-	-	-	-	-	-	-	-	-	1	9	-
Bow *l* - - - - E.	41,990	26	9	5	-	-	1	-	-	-	-	-	-	2	1	1	1	-
Bromley *wwwH* - - - E.	68,326	42	30	7	6	-	-	-	-	-	-	-	-	2	5	9	17	-
Poplar *WW* - - - - E.	58,522	35	10	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	13	13	1	-	-	1	-	1	-	-	-	-	1	1	2	12	-
Kent-road - - - S. & L.	21,899	7	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Borough-road *WH* - S. & L	16,882	6	5	1	-	-	-	-	-	-	-	-	-	-	-	3	1	-
London-road *HL* - L. & S.	22,209	15	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,485	18	11	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Peter Walworth *W*- S. & L.	61,773	38	12	4	1	-	1	-	-	1	-	-	-	2	-	1	1	-
St. Mary Newington - L. & S.	31,592	22	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.	9,813	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W* - - - S.	82,405	57	23	5	8	-	2	1	-	1	-	-	-	-	2	3	-	1
Rotherhithe *Ww* - - S. & K.	38,268	28	20	2	4	-	1	-	-	-	-	1	-	-	-	2	9	-
Waterloo-road *HH* - L. & S.	27,435	27	13	5	1	-	-	-	-	2	-	-	-	-	-	-	2	-
Lambeth Church 1st *HH* L. & S.	18,420	10	14	2	2	-	-	-	-	-	-	-	-	-	2	3	11	-
Lambeth Church 2nd *WW* L. & S.	39,818	31	13	1	5	-	-	-	1	-	-	-	-	1	-	-	8	-
Kennington 1st *H* - S. & L.	53,196	48	12	2	2	-	1	-	1	-	-	-	-	-	-	-	1	-
Kennington 2nd - - S. & L.	42,891	25	6	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Brixton *w* - - - L. & S.	84,226	37	21	5	4	-	1	3	1	-	-	-	-	2	1	2	4	-
Norwood *WH* - - - L.	35,887	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea - - - S.	72,201	57	13	5	2	-	1	-	-	1	-	-	-	1	-	3	-	-
North-west Battersea - - S.	49,650	31	6	3	-	-	1	-	-	-	-	-	-	3	-	1	-	-
South-west Battersea *WwH*- S.	47,045	23	11	2	2	-	-	-	-	-	-	-	-	-	1	1	9	-
Clapham *H* - - - - S.	51,353	24	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	88,129	42	19	3	4	-	1	3	3	-	-	-	-	-	-	-	8	-
Wandsworth *WHHL* - - S.	68,409	28	10	2	-	-	1	1	-	-	-	-	-	-	1	1	-	-
Putney - - - - - S.	24,139	9	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich - - - - L. & S.	10,246	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	41	37	3	17	-	-	-	-	-	-	-	-	1	1	1	20	-
Peckham *WW* - S., L., & K.	93,022	57	13	1	5	-	-	-	-	-	-	-	-	-	1	1	1	-
St. George Camberwell - L. & S.	65,586	42	8	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford North - - - K.	37,601	28	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,621	27	11	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford South - - - K.	34,622	17	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H* - - K.	23,456	8	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,849	29	10	1	7	-	-	-	-	-	-	-	-	-	-	-	3	-
Eltham *wH* - - - - K.	7,218	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	5	7	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *WwwH* - - K.	58,341	43	23	4	6	-	-	-	3	1	-	-	-	-	-	2	11	-
Sydenham *H* - - - L.	43,630	20	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *wHH* - - - K.	21,121	13	11	1	1	-	-	3	2	1	-	1	-	-	1	1	8	-
Woolwich *HHHH* - - K.	41,607	20	8	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead West *H* - - K.	18,076	12	6	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead East *WH* - - K.	50,264	37	11	1	5	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asy., Banstead -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
M.A.B. Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - -	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-
London County Asylum, Hanwell	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Central London Sick Asy., Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asy., Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M.A.B. North-Eastern Hospital -	—	-	4	1	-	-	-	1	3	-	-	-	-	-	-	-	4	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th July, 1901.

gis-tion trict nd ub-trict um-ber.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1137	434	118	95	-	13	4	8	14	2	20	21	40	72	1
0:1	Carshalton *H* - - -	12,228	32,997	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Godstone, *part of** *W* -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:1	Croydon *WWwHHH* -	20,851	164,519	85	31	7	9	-	-	-	1	-	1	-	4	5	7	-
2	Mitcham *w* - - -	11,689	29,906	9	7	-	5	-	-	-	-	1	-	-	2	2	-	-
9:1	Wimbledon *HHH* - -	3,251	41,604	16	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - - -	6,224	42,067	24	8	2	2	-	-	-	-	-	-	-	-	-	3	-
3	Surbiton *HH* - - -	3,046	15,019	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -	5,402	13,003	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,164	23,447	13	3	1	-	-	-	-	-	-	-	-	-	-	1	-
0:1	Richmond *WHH* - -	2,162	28,871	6	11	1	5	-	-	-	-	-	-	-	1	1	4	-
2	Mortlake *H* - - -	2,847	20,628	12	3	-	1	-	-	-	-	-	-	-	1	1	-	-
1:1	Bromley‡ *HHH*- - -	4,703	27,358	15	2	-	-	-	-	1	-	-	-	-	-	-	2	-
2	Beckenham‡ *H*- - -	7,825	28,499	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of**‡ *W* -	10,113	9,857	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *HH* - -	7,333	16,458	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-
2:1	Bexley *HHH* - - -	12,532	46,445	24	12	7	3	-	-	-	-	1	-	-	-	1	-	-
2	Dartford *WH*, *part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
4:1	Sunbury *w* - - -	11,054	18,682	7	6	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Staines *WH* - - -	13,277	15,179	12	5	1	1	-	-	-	-	-	-	-	1	1	3	-
5:1	Hillingdon *WHH* - -	6,035	13,661	4	3	1	-	-	-	-	-	1	-	1	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*- - - -	8,066	16,358	5	4	2	2	-	-	-	-	-	-	1	-	-	-	-
6:1	Isleworth *WHH* - -	6,859	30,838	13	10	6	1	-	-	-	-	2	-	-	-	-	4	-
2	Twickenham *HH* - -	2,421	20,991	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	20	15	4	5	-	-	-	-	-	-	1	-	-	-	-
4	Chiswick - - - -	1,249	29,809	14	4	1	1	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wHH* - - -	6,132	48,913	35	6	3	1	-	-	-	-	2	-	1	-	-	-	-
7:1	Harrow *HHH* - - -	13,809	25,522	15	7	2	2	-	-	-	-	-	-	1	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	69	23	4	3	-	-	-	1	-	-	-	-	2	-	-
4	Hendon *WH* - - -	8,382	22,450	12	9	3	3	-	1	-	-	-	-	-	-	2	4	-
8:1	South Mimms *HH* - -	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	8	6	-	1	-	-	-	-	-	-	-	1	1	4	-
3	Finchley *HHH*- - -	4,688	33,692	21	6	-	-	-	-	-	-	-	1	-	-	-	-	-
9:1	Hornsey† *HH* - - -	2,875	72,056	23	10	-	6	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham *HHH* - -	4,638	136,702	69	21	4	5	-	-	-	1	-	-	-	2	5	1	-
3	Edmonton *Ww* - -	7,491	61,892	34	23	4	5	-	1	-	-	-	-	-	2	2	4	-
4	Enfield *WWHH* - -	12,601	42,738	28	3	-	-	-	1	-	-	-	-	-	-	-	-	-
5	Waltham Abbey - - -	11,017	6,547	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	10	3	1	1	-	-	-	-	1	-	-	-	-	-	-
5:1	Hatfield, *part of** *W* -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey *H* - - - -	9,233	9,173	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1	Stratford *H* - - -	1,072	44,825	31	12	5	1	-	1	-	-	-	-	-	3	3	2	-
2	Plaistow *HHH* - - -	1,249	90,920	74	24	9	5	-	2	-	3	1	-	5	-	-	5	-
3	Canning Town *H* - -	1,556	70,666	70	14	5	-	-	1	-	-	1	-	-	1	1	-	-
4	Forest Gate *w* - - -	806	60,897	34	14	3	5	-	-	-	-	2	-	-	1	1	-	-
5	East Ham *wHHH* - -	3,268	95,970	65	17	7	1	-	-	1	-	-	-	2	-	1	1	-
6	Wanstead - - - -	1,737	9,198	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	50,458	31	25	3	7	-	-	-	-	-	-	-	-	1	17	-
8	North Leyton *WwH* -	1,963	48,441	25	18	5	3	-	4	2	-	1	-	1	-	3	3	-
9	Walthamstow *HHHL* -	6,504	108,931	66	27	13	3	-	-	-	1	1	-	5	1	3	2	-
7:1	Chigwell, *part of** *HHHH*	11,778	16,403	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, *part of** *W* -	6,556	6,089	4	5	4	1	-	-	-	-	-	-	-	-	-	-	1
2	Ilford *H* - - - -	8,496	41,240	32	7	5	-	-	1	-	-	-	-	2	-	-	-	-
3	Barking Town, *H* - -	3,803	21,547	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
	North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

‡ On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 13th July, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	1
GREATER LONDON	**443,417**	**6,604,287**	**13·2**	**1·8**	**1671**	**400**	**384**	**-**	**50**	**21**	**32**	**29**	**5**	**93**	**70**	**5**
INNER LONDON -	74,837	4,543,757	14·2	1·9	1237	282	289	-	37	17	24	15	3	73	49	4
OUTER RING -	368,580	2,060,530	11·0	1·5	434	118	95	-	13	4	8	14	2	20	21	

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	317,561	July	13	195	92	15·1	-	1	-	-	6	1	
GLASGOW - -	763,144	"	13	452	253	17·3	1	14	5	2	14	2	
DUBLIN† - -	375,076	"	13	192	151	21·0	-	-	1	1	4	-	
CALCUTTA - -	466,460	April	6	-	-	-	-	-	-	-	-	-	
BOMBAY - -	821,764	June	25	210	633	42·7	-	2	?	?	?	138‡	
MADRAS - -	452,518	"	7	350	377	43·3	7	4	?	?	?	129	
PARIS - - -	2,511,629	July	6	1028	825	17·0	10	14	3	9*	11	2	
BRUSSELS - -	582,665	"	6	235	143	12·8	-	-	2	-	2	2	
AMSTERDAM -	523,822	June	29	272	138	13·7	-	-	-	1	4	-	
ROTTERDAM -	320,991	—		-	-	-	-	-	-	-	-	-	
THE HAGUE -	205,328	—		-	-	-	-	-	-	-	-	-	
COPENHAGEN -	378,200	July	6	228	120	16·5	-	4	1	2	2	-	
STOCKHOLM -	301,050	June	22	158	83	14·3	-	1	6	1*	1	-	
CHRISTIANIA -	226,423	July	6	180	60	13·8	-	-	-	1	-	-	
ST. PETERSBURG	1,248,643	June	29	671	597	24·9	-	12	11	15	4	18	
MOSCOW - -	1,023,817	"	29	-	1003	51·1	1	3	4	8	3	-	
BERLIN - -	1,891,431	"	22	886	596	16·5	-	12	11	7	7	1	
HAMBURG - -	705,738	July	6	-	226	16·7	-	8	3	-	4	-	
DRESDEN - -	400,140	—		-	-	-	-	-	-	-	-	-	
BRESLAU - -	427,505	"	6	-	214	26·1	-	6	-	2	-	2	
MUNICH - -	500,000	"	6	-	203	21·1	-	3	-	-	1	1	
VIENNA - -	1,691,996	"	6	811	577	17·7	-	11	5	4*	1	1	
PRAGUE - -	389,741	June	29	181	183	24·4	-	3	4	2	1	2	
BUDA-PESTH -	744,719	"	29	417	264	18·4	-	5	3	-	2	2	
TRIESTE - -	177,428	July	6	116	86	25·2	-	-	-	1*	-	-	
ROME - - -	467,236	May	25	189	152	17·0	-	-	-	2	1	-	
TURIN (10 days) -	344,203	—		-	-	-	-	-	-	-	-	-	
VENICE - -	174,378	June	29	75	61	18·2	-	-	-	1*	1	-	
CAIRO - -	570,062	May	27	216	380	34·7	-	-	-	3*	5	19	
ALEXANDRIA -	319,766	"	27	185	202	32·8	5	-	-	3*	-	4	
NEW YORK (including BROOKLYN)	3,536,517	June	15	1432	1158	17·1	11	8	40	39*	3	8	
PHILADELPHIA -	1,293,697	"	22	-	410	16·5	-	1	5	12	5	8	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 3 deaths from cholera in Bombay, and 1 in Madras.
‡ Including 62 deaths from plague in Bombay.

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 7	In Equator.	30·084	67·8	51·0	16·8	59·6	− 2·5	53·0	6·6	12·2	1·7	79	118·4	41·0	61·31	NE. & ENE.	E. & ESE.	1·8	0·0	0·1	229	− 10	0·00	0·0
MONDAY - 8	..	30·013	74·0	47·6	26·4	61·3	− 0·7	51·2	10·1	19·1	1·3	69	148·0	36·9	61·54	ESE., E. & ENE.	E. & ESE.	1·7	0·0	0·1	150	− 87	0·00	0·0
TUESDAY - 9	Last Quarter.	29·896	77·5	46·2	31·3	61·8	− 0·2	51·4	10·4	23·8	0·8	69	136·0	32·8	61·56	E., ENE. & NE.	E. & ESE.	1·2	0·0	0·0	131	−103	0·00	0·0
WEDNESDAY 10	..	29·921	80·7	49·2	31·5	64·4	+ 2·3	53·4	11·0	28·4	0·0	68	146·0	48·1	61·71	ESE. & NE.	NE., ENE. & E.	1·0	0·0	0·0	139	− 93	0·00	0·0
THURSDAY- 11	Perigee	29·930	84·5	56·1	28·4	69·9	+ 7·6	55·2	14·7	28·7	0·0	60	150·0	49·5	61·95	E. & NE.	E., ESE. & SE.	0·5	0·0	0·0	126	−104	0·00	0·0
FRIDAY - 12	..	29·908	86·1	56·7	29·4	71·8	+ 9·2	57·4	14·4	25·1	1·7	61	145·5	44·9	62·40	Calm & SW.	N., NNE. & NE.	2·6	0·0	0·1	159	− 70	0·00	0·0
SATURDAY- 13	Greatest Dec. N.	29·931	69·8	58·3	11·5	63·0	+ 0·1	53·9	9·1	14·6	2·5	72	121·2	52·3	62·62	NNE., NE. & ENE.	NE.	3·3	0·0	0·3	293	+ 64	0·00	0·0
MEANS - -		29·955	77·2	52·2	25·0	64·5	+ 2·3	53·6	10·9	21·7	1·1	68	137·9	43·6	61·87	ENE.		..	..	..	Sum 1227	Sum −403	Sum 0·00	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. July.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 7	w. P. throughout.	4·6	16·4
MONDAY - 8	m. P. till 11h. A.M.; w. P. till 9h. P.M.; m. P. afterwards.	12·4	16·4
TUESDAY - 9	m. P. till 1h. P.M.; w. P. generally afterwards.	12·3	16·3
WEDNESDAY 10	m. P. generally.	11·7	16·3
THURSDAY- 11	m. P. till noon; w. P. afterwards.	10·8	16·3
FRIDAY - 12	w. P. till noon; v. P. generally till 7h. P.M.; w. P. afterwards.	7·9	16·2
SATURDAY- 13	w. P. till 8h. A.M.; v. P. and v. N. till 11h. A.M.; w. P. generally with occasional m. P. afterwards.	0·5	16·2
		Sum 60·2	Sum 114·1
No. of Col. -	27	28	29

GENERAL REMARKS.

Generally overcast till 2h. P.M; fine and partially cloudy till evening; cloudless and very fine at night.

Heavy mist prevalent in morning; fine, with small amounts of cloud generally afterwards, and cloudless at night.

Generally cloudless; very fine

Cloudy and foggy in morning; generally cloudless between 8h. A.M. and 9h. P.M.; overcast afterwards.

Cloudy in morning, with fog prevalent between 4h. and 7h. A.M.; very fine and cloudless, with slight exceptions, afterwards. A very warm day.

Generally cloudless till 11h. A.M.; fine, but generally cloudy, afterwards, with lightning at night. A very hot day.

Generally overcast; a few drops of rain at times.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·04 in. at the beginning of the week to 30·10 in. by 10h. A.M. on the 7th; decreased to 29·86 in. by 4h. P.M. on the 9th; increased to 29·95 in. by 7h. A.M. on the 11th; decreased to 29·87 in. by 4h. P.M. on the 12th; increased to 29·96 in. by 9h. A.M. on the 13th; and was 29·93 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th July, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	9	11	-	1	-	-	3	-
Kensington	176,787	-	14	10	-	-	1	-	2	-
Hammersmith	112,619	-	10	3	-	1	-	-	1	-
Fulham	138,426	-	20	14	-	1	-	-	5	-
Chelsea	73,879	-	3	-	-	1	-	-	-	-
City of Westminster	182,502	-	27	6	-	3	-	-	5	-
NORTH.										
St. Marylebone	133,066	-	12	10	-	1	-	-	4	-
Hampstead	82,287	-	1	-	-	1	-	-	-	-
St. Pancras	235,297	-	15	27	-	1	-	-	5	-
Islington	335,325	-	22	32	-	1	-	-	7	1
Stoke Newington	51,328	-	1	3	-	-	-	-	-	-
Hackney	219,780	1	19	20	-	-	-	-	6	-
CENTRAL.										
Holborn	59,205	-	10	1	-	3	-	-	1	-
Finsbury	101,263	-	13	8	-	2	-	-	5	-
City of London	26,627	-	7	2	-	-	-	-	1	-
EAST.										
Shoreditch	118,554	-	16	4	-	-	-	-	1	-
Bethnal Green	129,700	-	30	8	-	1	-	-	8	-
Stepney	298,884	-	23	13	-	2	-	-	4	1
Poplar	163,887	-	12	9	-	2	-	-	5	-
SOUTH.										
Southwark	206,219	-	32	7	-	2	-	-	2	-
Bermondsey	130,348	-	31	6	-	1	-	-	1	-
Lambeth	302,460	-	26	15	-	2	-	-	3	-
Battersea	169,364	-	8	4	-	-	-	-	-	-
Wandsworth	233,943	4	10	7	-	1	-	-	3	-
Camberwell	259,897	-	16	8	-	-	-	-	1	1
Deptford	110,732	-	12	2	-	1	-	-	3	-
Greenwich	96,188	-	5	5	-	1	-	-	1	-
Lewisham	128,423	-	12	5	-	1	-	-	2	-
Woolwich	117,619	-	6	4	-	-	-	-	-	-
Port of London	—	-	-	-	-	3	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	5	415	247	-	33	1	-	79	3
Ages 0-1		-	4	4	-	-	-	-	2	-
" 1-5		-	127	82	-	-	-	-	3	-
" 5-		-	168	88	-	5	-	-	2	-
" 10-		1	51	31	-	2	-	-	2	-
" 15-		-	27	14	-	7	-	-	6	-
" 20-		2	21	9	-	5	1	-	6	1
" 25-		1	14	13	-	9	-	-	7	1
" 35-		-	3	4	-	4	-	-	19	1
" 45-		1	-	2	-	1	-	-	13	-
" 55-		-	-	-	-	-	-	-	7	-
" 65 and upwards		-	-	-	-	-	-	-	12	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 29. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JULY 20. [Price 1½*d.*

General Register Office, Somerset House,
July 22nd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 15·1, and 15·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended June 29.	July 6.	July 13.	July 20.	TOWNS.	Weeks ended June 29.	July 6.	July 13.	July 20.
33 Great Towns	14·8	15·1	15·6	17·9	Leicester - -	9·8	9·3	10·8	12·3
Birkenhead -	15·5	20·2	26·7	29·1	Liverpool - -	20·2	21·9	25·9	30·5
Birmingham -	16·3	13·4	17·1	17·2	London - - -	13·9	14·4	14·2	16·2
Blackburn -	15·5	19·6	12·2	22·5	Manchester - -	17·5	15·1	17·8	20·9
Bolton - -	17·3	15·1	17·9	17·3	Newcastle-on-Tyne	19·1	18·9	19·3	19·3
Bradford -	15·1	14·9	15·4	14·1	Norwich - -	11·6	11·6	13·0	14·0
Brighton -	16·4	16·4	13·9	8·4	Nottingham - -	14·3	13·4	15·4	18·9
Bristol - -	10·1	12·6	10·6	13·4	Oldham - -	17·8	17·8	13·7	15·6
Burnley -	13·4	10·7	15·0	17·7	Plymouth - -	13·0	13·0	10·1	15·0
Cardiff - -	8·5	12·3	12·3	12·0	Portsmouth - -	14·3	15·4	20·0	18·1
Croydon -	9·3	12·8	10·1	7·7	Preston - -	21·7	14·3	21·2	21·2
Derby - -	12·8	11·3	10·3	15·2	Salford - - -	13·6	16·9	19·1	18·4
Gateshead -	14·2	19·3	18·4	20·8	Sheffield - -	17·5	14·3	14·5	29·1
Halifax -	11·9	12·9	9·4	12·9	Sunderland - -	15·9	19·1	18·4	15·6
Huddersfield-	13·7	12·6	15·4	14·8	Swansea - -	16·0	11·0	16·5	16·5
Hull - -	11·5	16·7	11·2	11·9	West Ham - -	15·1	13·6	14·9	17·8
Leeds - -	16·7	18·4	18·5	21·9	Wolverhampton -	11·0	17·1	13·8	14·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in West Ham and in Sheffield, 1·2 in Leeds, and 1·9 in Birkenhead; from *scarlet fever*, 1·6 in Blackburn; from *whooping-cough*, 1·2 in Newcastle on Tyne and 2·8 in Swansea; and from *diarrhœal diseases*, 3·1 in Salford, 3·4 in Manchester, 3·9 in West Ham, 4·1 in Portsmouth, 5·5 in Preston and in Leeds, 8·9 in Birkenhead, 9·8 in Sheffield, and 10·3 in Liverpool. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 62 deaths from *diphtheria* included 30 in London, 5 in Leicester, 5 in Manchester, 5 in Salford, 4 in West Ham, and 3 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2519 BIRTHS and 1411 DEATHS were registered. Allowing for increase of population, the births were 62, and the deaths 270, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 13·9, 14·4,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9596—670—7/1901 Wt 45 D & S 3

and 14·2 in the preceding three weeks, rose again last week to 16·2. During the four weeks ended on Saturday last the death-rate averaged 14·7 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1411 deaths included 45 from measles, 10 from scarlet fever, 30 from diphtheria, 17 from whooping-cough, 9 from enteric fever, 2 from an ill-defined form of continued fever, 140 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus, 253 deaths were referred to these diseases, being 129 below the corrected average weekly number.

The deaths from *measles*, which had been 51, 49, and 37 in the preceding three weeks, rose again last week to 45, but were 6 below the corrected average; 6 cases belonged to the Borough of Shoreditch and 6 to that of Stepney. The deaths from *scarlet fever*, which had been 12, 8, and 17 in the preceding three weeks, fell again last week to 10, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 18, 27, and 24 in the preceding three weeks, rose again last week to 30, but were 11 below the corrected average; 8 cases belonged to Camberwell, 4 to St. Pancras, 3 to St. Marylebone, and 3 to Bermondsey. The deaths from *whooping-cough*, which had been 25, 22, and 15 in the preceding three weeks, rose again last week to 17, but were 22 below the corrected average. The fatal cases of *enteric fever*, which had been 4, 6, and 2 in the preceding three weeks, rose again last week to 9, and were 2 above the corrected average. The deaths from *diarrhœal diseases*, which had been 23, 46, and 73 in the preceding three weeks, further rose last week to 140, but were 84 below the corrected average. Of the 140 deaths from diarrhœal diseases, 135 were of children under 5 years of age; 15 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 141, 165, and 133 in the preceding three weeks, rose again last week to 135, but were 35 below the corrected average. The deaths attributed directly to *influenza* numbered 8, having been 6, 4, and 3 in the preceding three weeks.

Different forms of *violence* caused 72 deaths, concerning all but 9 of which inquests were held. Of these 72 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 60 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 9 to drowning, 10 to sunstroke, 1 to the effects of chloroform administered for surgical purposes, and 6 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 14 cases of small-pox, 2907 of scarlet fever, 1267 of diphtheria, and 152 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 5 cases, against 4, 2, and 6; of scarlet fever, 371 cases, against 408, 363, and 324; of diphtheria, 213 cases, against 188, 195, and 231; and of enteric fever, 32 cases, against 24, 18, and 33. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended July 13th.

Greater London.

In Greater London 3707 births and 1876 deaths were registered, corresponding to annual rates of 29·3 and 14·8 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles, 4 from scarlet fever, 8 from diphtheria, 10 from whooping-cough, 3 from "fever," and 60 from diarrhœal diseases were registered. Nine deaths from measles, 5 from diphtheria, and 29 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·97 inches, and that of the Thermometer 68°·4; the latter being 5°·3 above the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 27 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 75·5 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 20th July 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	11,463,026	6377	3927	1360	738	-	103	32	62	49	35	616	165	281	840	49	17·9	4·1	88·6	41·8	65·3	18·50	0·02	0·05	33 Towns.
London - -	4,543,757	2519	1411	411	301	-	45	10	30	17	11	140	72	138	466	5	16·2	2·9	87·9	51·7	68·4	20·22	0·00	0·00	London.
West Ham - -	268,868	191	92	28	14	-	5	1	4	3	2	20	7	10	14	1	17·8	6·8	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	68	20	11	3	-	-	-	-	-	-	1	-	1	4	-	7·7	0·4	87·5	52·5	66·7	19·28	0·00	0·00	Croydon.
Brighton - -	123,668	57	20	6	7	-	-	-	-	-	-	-	-	3	4	1	8·4	-	79·6	50·2	64·3	17·94	0·00	0·00	Brighton.
Portsmouth -	189,907	95	66	27	11	-	1	-	-	-	2	15	2	3	7	1	18·1	4·9	84·0	54·5	66·0	18·89	0·00	0·00	Portsmouth.
Plymouth - -	107,974	56	31	3	15	-	1	-	1	1	-	-	-	-	4	1	15·0	1·4	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	154	85	21	31	-	-	1	1	1	-	6	2	5	19	-	13·4	1·4	88·0	51·4	66·7	19·28	0·00	0·00	Bristol.
Cardiff - -	165,308	104	38	11	10	-	1	-	-	2	-	3	1	1	3	-	12·0	1·9	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	52	30	9	9	-	-	-	-	5	-	1	1	2	7	-	16·5	3·3	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	60	27	9	4	-	1	-	-	-	-	-	1	2	5	-	14·9	0·6	88·6	41·8	62·9	17·17	0·00	0·00	Wolverhampton.
Birmingham -	523,284	301	173	59	29	-	7	3	-	2	2	22	6	8	23	6	17·2	3·6	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	90	30	11	6	-	-	-	2	-	-	3	1	1	2	-	14·0	2·3	81·8	52·0	64·3	17·94	0·00	0·00	Norwich.
Leicester - -	212,498	128	50	13	9	-	-	-	5	-	-	4	2	3	6	2	12·3	2·2	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	145	87	41	19	-	3	-	1	-	2	13	4	4	15	1	18·9	4·1	87·9	43·7	65·0	18·33	0·01	0·03	Nottingham.
Derby - - -	106,076	60	31	10	9	-	-	1	-	1	-	2	3	5	8	-	15·2	2·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	63	62	31	6	-	4	-	-	-	-	19	2	5	6	-	29·1	10·8	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	417	401	207	48	-	5	5	1	-	3	135	15	19	72	14	30·5	11·3	83·0	52·2	65·9	18·83	0·04	0·10	Liverpool.
Bolton - -	168,748	77	56	13	12	-	1	-	-	1	-	7	1	3	9	-	17·3	2·8	-	-	-	-	-	-	Bolton.
Manchester -	544,934	290	218	68	40	-	8	2	5	3	1	36	7	13	49	1	20·9	5·3	-	-	-	-	-	-	Manchester.
Salford - -	221,526	108	78	24	12	-	2	-	5	1	-	13	7	7	14	-	18·4	4·9	-	-	-	-	-	-	Salford.
Oldham - -	137,382	64	41	8	11	-	1	-	-	-	-	2	2	3	5	-	15·6	1·1	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	26	33	10	4	-	-	1	-	-	-	5	-	-	4	-	17·7	3·2	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	71	55	11	7	-	-	4	-	-	-	4	2	3	6	-	22·5	3·3	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	52	46	19	7	-	-	2	-	-	1	12	1	2	3	-	21·2	6·9	82·0	?	64·4	18·00	0·09	0·23	Preston.
Huddersfield -	94,998	40	27	7	9	-	-	-	-	-	-	5	1	2	3	1	14·8	2·7	87·5	47·8	65·5	18·61	0·02	0·05	Huddersfield.
Halifax - -	105,113	47	26	5	10	-	-	-	1	-	-	2	-	-	2	1	12·9	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	138	76	19	14	-	-	-	-	-	3	12	-	2	11	-	14·1	2·8	86·0	51·0	64·8	18·22	0·04	0·10	Bradford.
Leeds - - -	430,489	238	181	81	26	-	10	1	3	3	4	45	4	8	18	4	21·9	8·0	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	228	213	121	20	-	7	-	2	2	3	72	6	8	20	4	29·1	11·7	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	156	55	15	14	-	-	-	-	-	-	3	4	6	8	3	11·9	0·6	84·0	45·0	64·4	18·00	0·00	0·00	Hull.
Sunderland -	146,937	75	44	12	4	-	-	1	-	1	1	4	5	6	6	-	15·6	2·5	-	-	-	-	-	-	Sunderland
Gateshead - -	110,492	81	44	15	5	-	1	-	-	1	-	5	3	3	4	2	20·8	3·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	126	80	24	12	-	-	-	1	5	-	5	3	5	13	1	19·3	2·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2504	2541	2498	2423	2557	2429	2601	2505	2444	2384	2581·3	2519
Males - -	1293	1337	1280	1262	1307	1203	1366	1256	1279	1239	1330·0	1261
Females - -	1211	1204	1218	1161	1250	1226	1235	1249	1165	1145	1251·3	1258
TOTAL **Deaths** -	1462	1554	1855	1405	1996	1891	1708	1330	1589	1417	1681·0	1411
Males - -	782	788	1000	744	1037	999	921	713	855	777	893·6	709
Females - -	680	766	855	661	959	892	787	617	734	640	787·4	702

*The numbers in this column are the average weekly numbers in the twenty-ninth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.
TOTAL **Births** - - -	2585	2562	2510	2602	2559	2148	2624	2406	2451	2478	2413	2526	2519
TOTAL **Deaths** - - -	1552	1454	1386	1375	1363	1345	1236	1191	1204	1210	1256	1237	1411
Ages at Death: Under 1 year - -	323	306	269	281	259	289	232	258	283	267	285	282	411
1—5 years - -	217	178	169	185	197	183	156	152	144	154	146	140	168
5—20 ,, - -	85	91	77	56	80	66	72	78	72	58	68	88	77
20—40 ,, - -	200	180	198	192	178	180	189	177	154	176	173	180	175
40—60 ,, - -	284	327	293	291	270	275	278	253	247	264	266	258	279
60—80 ,, - -	347	299	299	298	301	277	256	218	250	235	244	236	244
80 years and upwards	96	73	81	72	78	75	53	55	54	56	74	53	57
Deaths from—													
Small pox - - - - -	-	-	1	-	-	-	-	-	-	1	-	-	-
Measles - - - - -	50	39	38	33	44	48	35	38	42	51	49	37	45
Scarlet Fever - - -	6	9	17	14	18	17	17	21	13	12	8	17	10
Diphtheria - - - -	20	20	23	14	22	13	15	13	18	18	27	24	30
Whooping-cough - - -	48	66	45	48	58	33	32	35	25	25	22	15	17
Typhus - - - - -	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever - - -	10	2	7	4	5	10	6	7	2	4	6	2	9
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	1	2
Diarrhœa and Dysentery -	12	16	9	16	22	14	17	26	25	23	45	71	140
Cholera - - - - -	-	-	-	-	-	1	-	-	-	-	1	2	-
All the above Diseases -	146	152	140	129	169	136	123	140	125	134	158	169	253
Dis. of Respiratory System -	286	251	237	249	191	240	187	159	150	141	165	133	135
Pathisis - - - - -	153	143	161	128	139	131	140	122	113	138	133	168	114
Dis. of Circulatory System -	132	136	133	123	128	116	121	122	103	109	139	104	116
Violence - - - -	79	72	65	72	65	60	69	68	55	42	59	49	72
Inquest Cases - - - -	150	149	145	148	150	122	150	136	126	101	117	123	138
Deaths in Public Institutions -	534	483	512	449	482	476	420	456	419	454	435	435	466
TEMPERATURE OF THE AIR													
Mean - - - - -	54°·7	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0	61°·0	64°·1	61°·5	68°·4
Mean of Highest readings -	66·2	61·0	55·3	62·9	66·8	71·6	69·9	67·6	67·8	71·8	73·9	77·2	81·6
Mean of Lowest readings -	43·3	39·0	41·2	41·4	44·8	49·0	48·6	47·0	50·1	50·9	56·1	52·2	54·4
Humidity of the Air - -	57	72	81	73	61	69	69	60	71	63	75	68	63
Rain-fall (in inches) - -	0·02	0·00	1·56	0·00	0·00	0·27	0·03	0·10	0·43	0·00	1·05	0·00	0·00
Registered Sunshine (in hours)	77·2	45·6	17·3	69·7	80·9	51·2	52·3	63·7	36·4	69·5	46·1	60·2	75·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK,													
Small-pox - - - - -	-	-	-	-	-	1	1	1	1	5	6	12	14
Scarlet Fever - - - -	1522	1705	1913	2052	2241	2351	2462	2594	2708	2821	2895	2918	2907
Diphtheria - - - -	962	983	1038	1099	1087	1107	1092	1104	1138	1176	1195	1228	1267
Typhus - - - - -	-	1	1	1	1	-	-	-	-	—	-	1	-
Enteric Fever - - - -	121	108	112	106	111	95	93	105	117	125	128	145	152

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merridell, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-NINTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 29th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 20th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
LL CAUSES	1681·0	1411	411	168	77	175	279	244	57
Small-pox { Vaccinated†	0·4	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	0·8	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·3	-	-	-	-	-	-	-	-
easles	50·9	45	16	29	-	-	-	-	-
carlet Fever	18·0	10	-	6	4	-	-	-	-
yphus	0·2	-	-	-	-	-	-	-	-
elapsing Fever	0·1	-	-	-	-	-	-	-	-
nfluenza	6·9	8	-	-	-	4	2	2	-
hooping-cough	39·0	17	9	5	3	-	-	-	-
iphtheria	40·8	30	-	16	13	1	-	-	-
mple Continued and Ill-defined Fever	0·4	2	-	1	1	-	-	-	-
nteric Fever	6·9	9	-	-	2	5	2	-	-
holera and Chol. Diarr.	6·3	-	-	-	-	-	-	-	-
iarrhœa, Dysentery	218·1	140	115	20	-	-	1	3	1
emittent Fever	-	-	-	-	-	-	-	-	-
ydrophobia	0·1	-	-	-	-	-	-	-	-
landers	0·2	-	-	-	-	-	-	-	-
owpox and Effects of Vaccination	0·1	-	-	-	-	-	-	-	-
enereal Affections	10·8	11	7	-	-	-	1	3	-
rysipelas	2·8	3	-	-	-	1	2	-	-
yæmia and Septicæmia	1·0	1	-	-	-	-	1	-	-
uerperal Fever	4·7	1	-	-	-	1	-	-	-
ther Zymotic Diseases	1·2	1	-	-	1	-	-	-	-
hrush	0·7	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases	0·5	1	-	-	1	-	-	-	-
arvation, Want of Breast-milk	1·8	1	1	-	-	-	-	-	-
coholism	9·6	11	-	-	-	2	8	1	-
heumatic Fever, Rheumatism of Heart	7·2	11	-	-	3	5	3	-	-
heumatism	1·6	-	-	-	-	-	-	-	-
out	2·6	2	-	-	-	-	-	2	-
ickets	7·2	6	2	4	-	-	-	-	-
ancer	76·7	90	-	-	-	8	41	40	1
bes Mesenterica	33·6	9	3	5	-	-	-	1	-
bercular Meningitis	27·5	19	5	9	4	1	-	-	-
thisis	137·2	114	-	2	7	57	40	8	-
rofula, Tuberculosis	22·5	20	6	7	2	3	1	1	-
her Constitutional Diseases	12·3	14	-	1	-	2	7	3	1
emature Birth	51·1	54	54	-	-	-	-	-	-
electasis	3·3	4	4	-	-	-	-	-	-
ngenital Malformations	9·2	12	11	1	-	-	-	-	-
d Age	37·1	57	-	-	-	-	1	25	31
oplexy	34·9	40	1	-	1	2	15	18	3
pilepsy	6·4	7	-	-	1	3	-	3	-
nvulsions	46·6	38	33	4	-	-	1	-	-
her Diseases of Brain and Nervous System	85·7	69	11	7	4	8	18	19	2
seases of Organs of Special Sense	4·1	10	1	3	1	3	1	1	-

CAUSES OF DEATH.	Corrected Averages for the 29th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 20th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	114·1	116	-	2	6	13	44	43	8
Croup	1·8	-	-	-	-	-	-	-	-
Bronchitis	67·7	41	12	3	-	-	10	12	4
Pneumonia	80·7	73	15	19	4	6	18	9	2
Pleurisy	4·3	7	1	1	1	1	3	-	-
Other Diseases of Respiratory System	15·6	14	7	-	-	3	3	1	-
Dentition	12·0	9	7	2	-	-	-	-	-
Quinsy, Sore Throat	1·1	3	-	-	1	-	1	1	-
Enteritis	68·2	23	15	3	3	2	2	-	-
Gastro-enteritis		17	13	2	1	-	-	1	-
Peritonitis	6·5	5	-	-	1	1	2	1	-
Diseases of Liver	26·8	25	2	-	-	1	14	7	1
Other Diseases of Digestive System	42·2	34	11	4	-	8	3	8	-
Diseases of Lymphatic System & of Ductless Glands	2·6	2	1	-	-	-	-	1	-
Diseases of Urinary System	43·5	47	-	1	1	11	17	15	2
Diseases of Generative System	4·9	8	1	-	-	5	2	-	-
Accidents of Childbirth	4·4	-	-	-	-	-	-	-	-
Diseases of Locomotive System	5·1	4	1	1	2	-	-	-	-
Diseases of Integumentary System	5·2	9	4	-	-	-	1	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	2·2	1	-	-	-	-	1	-	-
By Vehicles or Horses	7·3	9	-	4	2	2	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·9	2	-	-	-	-	-	2	-
In Building Operations	1·6	1	-	-	-	1	-	-	-
In Conflagrations	0·5	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·7	3	-	1	2	-	-	-	-
By Drowning	9·3	9	-	-	4	2	3	-	-
By Suffocation in Bed	9·4	6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours	2·8	1	-	-	-	1	-	-	-
Other or not stated causes	20·7	28	7	3	1	5	5	7	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·2	2	-	-	-	2	-	-	-
Suicide	10·2	10	-	-	-	5	4	1	-
Execution	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES	75·0	35	31	2	-	-	-	1	1

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered edical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the ause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ccident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th July, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Unspecified Causes of
LONDON - - -	4,536,063†	2519	1411	411	301	-	45	10	30	17	-	9	2	140	72	138	466	5
WEST DISTRICTS - - -	805,275	379	219	60	57	-	5	2	3	-	-	-	-	24	7	13	75	-
NORTH DISTRICTS - - -	1,056,018	576	306	93	62	-	8	1	9	6	-	4	-	31	14	26	92	-
CENTRAL DISTRICTS - - -	209,432	98	74	21	15	-	3	-	-	-	-	-	-	7	3	4	34	1
EAST DISTRICTS - - -	715,772	461	279	99	46	-	14	-	1	4	-	2	-	37	14	43	99	-
SOUTH DISTRICTS - - -	1,749,566	1005	497	138	111	-	14	7	15	7	-	3	2	41	34	52	130	4
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	10	-	1	-	2	-	-	-	-	-	-	-	36	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	46	26	5	7	-	-	-	1	-	-	-	-	6	2	2	4	-
St. John Paddington *H* - - G.	33,608	11	4	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
North-West Paddington† - - C.	17,181	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	60	44	17	13	-	1	-	-	-	-	-	-	5	-	1	16	-
Brompton *HH* - - - W. & C.	48,598	12	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* } W. & G.	49,335	28	13	7	2	-	-	-	-	-	-	-	-	4	-	-	-	-
South Hammersmith *wH* } W. & G.	62,910	33	14	3	5	-	-	-	-	-	-	-	-	-	-	-	4	-
North-west Fulham *W* } W. & C.	45,180	36	20	7	6	-	-	-	-	-	-	-	-	4	-	2	14	-
North-east Fulham *w* } W. & C.	46,404	29	9	2	-	-	-	2	2	-	-	-	-	-	-	1	4	-
South Fulham } W. & C.	45,705	35	14	4	1	-	3	-	-	-	-	-	-	2	-	-	-	-
Chelsea North *WWHHHH* - C.	42,515	18	14	-	6	-	-	-	-	-	-	-	-	-	1	1	10	-
Chelsea South *HH* - - C.	31,341	13	7	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
May Fair and Knightsbridge† *H* C. & G.	28,744	2	6	1	2	-	1	-	-	-	-	-	-	-	2	1	-	-
Belgrave *HHH* - - - C.	55,812	18	15	5	-	-	-	-	-	-	-	-	-	2	2	3	11	-
St. Margaret & St. John Westminster† *HHH* C.	43,665	18	15	5	5	-	-	-	-	-	-	-	-	1	-	-	6	-
St. James Westminster *WH* N. & G.	21,595	4	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Anne Soho *HHHHH* - N.	11,492	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* - - W.	35,394	8	18	2	5	-	1	-	-	-	-	-	-	-	1	3	8	-
Rectory Marylebone *W* G. & W.	19,869	5	3	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-
St. Mary Marylebone *HHHH* G. & W.	18,099	32	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone *H* - W	39,541	15	11	7	-	-	-	-	-	1	-	-	-	3	-	1	-	-
St. John Marylebone *HHH* - W	20,426	9	9	2	3	-	-	-	-	-	-	-	-	2	-	-	-	-
Hampstead *WwHHHHH* - N. & W.	81,942	29	15	1	5	-	-	-	4	-	-	1	-	-	1	-	8	-
Regent's Park *H* - W.	50,647	27	14	5	4	-	-	-	-	-	-	-	-	2	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	12	20	1	4	-	1	-	-	-	-	2	-	-	2	2	16	-
Gray's Inn Lane *HHHH* - N.	30,886	21	15	7	2	-	-	-	-	1	-	-	-	1	2	3	6	-
Somers Town *HH* - - - N.	30,131	15	8	5	2	-	-	-	-	-	-	-	-	3	-	-	2	-
Camden Town *WH* - - N.	40,079	32	13	3	4	-	-	-	-	1	-	-	-	1	1	2	4	-
Kentish Town *WW* - - N.	58,727	34	15	5	3	-	-	-	-	-	-	-	-	3	-	-	4	-
Upper Holloway *WWWWwHH* - - N.	99,841	48	38	8	12	-	-	-	-	1	-	1	-	2	1	1	17	-
Lower Holloway - - - N.	41,411	25	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	54,479	39	23	9	1	-	2	-	-	1	-	-	-	1	1	1	-	-
Islington South-east *H* - N.	75,402	47	18	7	-	-	-	-	-	-	-	-	-	2	1	3	-	-
Highbury *HH* - - - N.	63,795	19	7	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Stoke Newington† *H* - - N.	51,247	28	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	50,570	24	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *ww* - E. & N.	50,525	42	13	7	-	-	-	1	3	-	-	-	-	1	1	1	5	-
South-west Hackney *HHH* E. & N.	59,929	42	17	5	3	-	-	-	-	-	-	-	-	5	1	2	7	-
South-east Hackney *WwH* E. & N.	58,254	23	34	13	8	-	4	-	2	1	-	-	-	2	2	4	14	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† See note at foot of last page of this Table.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles } - N.	22,495	11	6	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-
outh *WH* - - - N.																		
Giles North *H* - - - N.	8,959	4	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Martin-in-the-Fields *HH* N. & C.	12,975	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
and *WHH* - - - - N.	8,694	4	13	2	3	-	-	-	-	-	-	-	-	-	1	-	13	-
and Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn *WHHHHH* - - N.	29,579	11	12	7	2	-	-	-	-	-	-	-	-	4	-	-	8	1
James Clerkenwell - - N.	15,634	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nwell* - - - - - N.	32,691	22	5	1	-	-	1	-	-	-	-	-	-	2	-	1	-	-
swell-street - - - - N.	15,390	7	5	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHL* - - - N.	25,404	14	6	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-
sbury - - - - - N.	9,972	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn Union Workhouse, }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hitcham - - - -																		
Botolph *H* - - N. & E.	11,036	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	7,886	2	10	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-
hallows Barking - - - N.	8,717	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
y of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	12	9	1	1	-	1	-	-	-	-	-	-	-	-	1	5	-
xton New Town *vH* - - N	29,761	16	14	7	3	-	1	-	-	-	-	-	-	6	-	2	1	-
xton Old Town - - - N.	26,510	10	10	4	-	-	-	-	-	-	-	1	-	3	-	2	-	-
ggerston *W* - - N & E.	46,064	23	25	6	1	-	4	-	-	-	-	-	-	6	1	3	6	-
thnal Green North *HH* - E.	51,513	28	16	8	1	-	1	-	-	1	-	-	-	3	1	1	3	-
thnal Green South - - E	33,473	24	9	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
thnal Green East *WWHl* - E.	44,695	26	24	3	9	-	-	-	-	-	-	-	-	3	-	1	17	-
talfields - - - E. & N.	27,965	10	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
e End New Town *WH* - E.	28,711	31	26	6	1	-	-	-	-	-	-	-	-	3	2	4	22	-
odman's Fields - - - E.	22,082	13	3	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-
George's, North - - - E.	40,965	29	9	6	-	-	2	-	-	-	-	-	-	1	-	-	-	-
John *W* - - - - E.	8,122	14	8	1	3	-	-	-	-	-	-	-	-	-	-	2	5	-
dwell *H* - - - E. & N.	10,760	4	15	11	-	-	-	-	-	1	-	-	-	-	-	-	11	-
cliff *W* - - - - - E.	14,770	11	7	4	-	-	2	-	-	-	-	-	-	-	2	2	-	-
nehouse - - - - - E	32,358	15	10	5	3	-	-	-	-	-	-	-	-	2	-	-	-	-
e End Old Town West *H* E.	59,467	40	9	3	3	-	1	-	-	1	-	-	-	-	1	2	-	-
e End Old Town East } - E.	53,348	41	13	3	4	-	-	-	-	-	-	-	-	2	1	4	5	-
Ww																		
w l - - - - - E.	41,990	25	10	5	-	-	-	-	-	-	-	-	-	2	2	3	-	-
mley *wwwH* - - - E.	68,326	47	39	12	10	-	1	-	-	1	-	1	-	2	2	9	23	-
olar *WW* - - - - E.	58,522	42	19	9	5	-	-	-	-	-	-	-	-	3	1	5	1	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark – – S.	12,056	5	21	5	1	–	–	–	–	–	–	1	–	1	6	6	18	–
Kent-road – – – S. & L.	21,899	21	6	2	–	–	1	–	–	–	–	–	–	3	–	–	–	–
Borough-road *WH* – S. & L	16,882	12	7	2	1	–	–	–	–	–	–	–	–	–	–	–	3	–
London-road *HL* – L. & S.	22,209	10	6	3	1	–	–	–	–	–	–	–	–	1	–	2	–	–
Trinity Newington *H* – S. & L.	28,485	13	7	4	–	–	1	–	–	–	–	–	–	1	–	1	1	–
St. Peter Walworth *W*- S. & L.	61,773	37	19	9	2	–	2	–	–	1	–	–	–	2	2	1	1	–
St. Mary Newington – L. & S.	31,592	14	10	7	1	–	–	–	–	–	–	–	–	3	–	–	–	–
St. Olave *W* – – – – S.	9,813	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *W* – – – S.	82,405	45	16	6	4	–	1	–	–	–	–	–	–	2	–	2	–	–
Rotherhithe *Ww* – – S. & K.	38,268	24	9	1	2	–	1	–	–	–	–	–	–	–	2	2	–	–
Waterloo-road *HH* – L. & S.	27,435	34	11	3	1	–	–	–	–	–	–	–	–	2	2	2	–	–
Lambeth Church 1st *HH* L. & S.	18,420	12	23	3	1	–	–	–	–	–	–	–	–	1	4	4	17	–
Lambeth Church 2nd *WW* L. & S.	39,818	36	25	12	5	–	–	–	–	–	–	–	1	8	–	–	8	–
Kennington 1st *H* – S. & L.	53,196	31	15	4	3	–	1	–	1	1	–	–	1	2	–	–	–	–
Kennington 2nd – – S. & L.	42,891	21	7	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Brixton *w* – – – L. & S.	84,226	34	16	3	5	–	–	–	–	–	–	–	–	1	1	–	–	–
Norwood *WH* – – – L.	35,887	17	7	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–
East Battersea – – – S.	72,201	45	17	10	2	–	3	–	–	1	–	–	–	1	–	3	–	–
North-west Battersea – – S.	49,650	46	17	8	2	–	1	–	–	1	–	–	–	5	3	3	–	–
South-west Battersea *WwH*– S.	47,045	29	22	3	8	–	–	–	–	–	–	–	–	1	1	3	12	–
Clapham *H* – – – – S.	51,353	22	12	3	5	–	–	1	–	–	–	–	–	1	3	3	–	–
Streatham *WwwwwL*– – L.	88,129	44	24	1	8	–	–	4	2	–	–	–	–	–	–	–	7	–
Wandsworth *WHHL* – – S.	68,409	48	11	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Putney – – – – – S.	24,139	13	7	3	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Dulwich – – – – L. & S.	10,246	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* – S. & L.	90,404	52	31	6	12	–	–	–	–	–	–	–	–	2	2	2	18	–
Peckham *WW* – S., L., & K.	93,022	46	20	3	8	–	–	–	–	–	–	–	–	–	1	1	2	–
St. George Camberwell – L. & S.	65,586	44	19	9	2	–	–	–	1	1	–	–	–	4	1	3	–	–
Deptford North – – – K.	37,601	24	8	1	3	–	–	–	–	–	–	–	–	–	1	1	–	–
Deptford Central *w* – – K.	45,621	20	14	4	–	–	–	1	4	2	–	1	–	–	1	2	6	–
Deptford South – – – K.	34,622	17	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* – – K.	23,456	13	4	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Greenwich East *WH* – – K.	43,849	24	25	5	9	–	2	–	–	–	–	–	–	–	1	2	17	–
Eltham *wH* – – – – K.	7,218	1	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* – – – – – K.	25,489	12	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwwH* – – K.	58,341	36	24	4	4	–	–	–	7	–	–	–	–	–	1	3	12	–
Sydenham *H* – – – L.	43,630	27	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *wHH* – – – K.	21,121	6	3	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Woolwich *HHHH* – – K.	41,607	25	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *H* – – K.	18,076	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* – – K.	50,264	27	11	2	5	–	1	–	–	–	–	–	–	–	1	3	5	–
London County Asy., Banstead –	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asy., Epsom –	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–
Met. Asy. for Imbeciles, Caterham	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Cane Hill –	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
M.A.B. Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Darenth –	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asylum, Dartford Heath – – – – –	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asylum, Hanwell	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5	–
Central London Sick Asy., Hendon	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asy., Colney Hatch	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–
M.A.B. North-Eastern Hospital –	—	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–
M.A.B. Northern Hospital – –	—	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Met. Asy. for Imbeciles, Leavesden	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asylum, Claybury	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5	–

NOTE.—On 1st April the area of London was changed: part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th July, 1901.

Distrion District d Sub-District m-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1,188	465	162	102	-	18	4	8	10	3	60	22	42	50	5
:1	Carshalton *H* - - -	12,228	32,997	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	8	1	1	-	-	-	-	-	-	-	1	-	-	-	-
:1	Godstone, *part of** *W* -	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	164,519	75	30	12	8	-	-	-	-	-	-	1	-	1	4	-
2	Mitcham *w* - - -	11,689	29,906	8	8	-	4	-	1	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH* - -	3,221	41,604	25	7	3	1	-	-	-	-	1	-	-	-	-	1	-
2	Kingston *WH* - - -	6,224	42,067	18	12	4	2	-	-	-	-	-	-	-	3	5	2	-
3	Surbiton *HH* - - -	3,046	15,019	5	2	-	1	-	1	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -	5,402	13,003	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,564	23,447	17	4	-	2	-	-	-	-	-	-	-	1	1	-	-
:1	Richmond *WHH* - -	2,162	28,871	17	8	1	2	-	-	-	-	-	-	-	2	2	3	-
2	Mortlake *H* - - -	2,847	20,628	13	5	2	1	-	-	-	-	-	-	1	1	1	-	-
:1	Bromley‡ *HHH*- - -	4,703	27,358	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham‡ *H*- - -	7,825	28,499	11	7	1	1	-	-	-	-	-	-	-	-	-	-	1
3	Orpington, *part of**‡ *W* -	10,113	9,857	5	4	-	1	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst *HH* - -	7,333	16,458	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH* - - -	12,532	46,445	38	13	7	4	-	2	-	-	1	-	-	-	1	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury *w* - - -	11,054	18,682	13	6	4	-	-	-	-	-	1	-	1	-	-	-	1
2	Staines *WH* - - -	13,277	15,179	7	4	3	-	-	-	-	-	1	-	-	-	-	-	-
:1	Hillingdon *WHH* - -	6,035	13,661	6	7	-	5	-	-	-	-	-	-	-	1	1	3	-
2	Uxbridge - - - -	12,757	8,984	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	11	5	3	1	-	-	-	-	-	-	2	-	-	-	-
:1	Isleworth *WHH* - -	6,859	30,838	12	11	4	1	-	-	-	-	-	-	2	-	1	1	-
2	Twickenham *HH* - -	2,421	20,991	12	6	1	1	-	-	-	-	-	-	-	1	2	1	-
3	Brentford *HHHH* - -	4,319	48,298	24	8	5	2	-	-	-	-	-	-	1	-	-	-	-
4	Chiswick - - - -	1,249	29,809	17	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	30	11	5	3	-	-	-	-	-	-	5	1	1	1	-
:1	Harrow *HHH* - - -	13,809	25,522	17	4	3	1	-	-	-	-	-	-	3	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	86	27	11	6	-	-	-	1	3	-	3	1	2	1	-
4	Hendon *WH* - - -	8,382	22,450	9	4	-	2	-	-	-	-	-	-	-	-	-	1	-
:1	South Mimms *HH* - -	17,755	7,308	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH*- - -	4,688	33,692	22	2	-	1	-	-	-	-	-	-	-	-	1	-	-
:1	Hornsey† *HH* - - -	2,875	72,056	30	12	2	4	-	1	-	1	-	-	-	-	-	1	-
2	Tottenham *HHH* - -	4,638	136,702	77	21	5	6	-	-	-	-	-	1	1	1	3	1	-
3	Edmonton *Ww* - -	7,491	61,892	38	12	9	2	-	-	-	-	-	-	5	1	2	-	1
4	Enfield *WWHH* - -	12,601	42,738	15	7	1	1	-	2	-	1	-	-	-	-	-	1	-
5	Waltham Abbey - - -	11,017	6,547	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	9	5	2	1	-	-	-	-	-	-	-	-	1	-	1
:1	Hatfield, *part of** *W* -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,333	9,173	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	1,072	44,825	14	17	4	2	-	-	-	-	-	-	5	5	6	2	-
2	Plaistow *HHH* - - -	1,249	90,920	95	39	14	8	-	2	1	3	1	-	8	-	-	5	1
3	Canning Town *H* - -	1,556	70,666	55	20	8	2	-	2	-	1	2	-	5	2	4	1	-
4	Forest Gate *w* - - -	806	60,897	27	10	2	2	-	1	-	-	-	-	2	-	-	-	-
5	East Ham *wHHH* - -	3,268	95,970	80	22	11	1	-	-	1	-	-	-	5	-	1	1	-
6	Wanstead - - - -	1,737	9,198	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	50,458	27	21	6	4	-	1	-	-	-	2	1	1	1	12	-
8	North Leyton *WwH* -	1,963	48,441	22	10	2	2	-	2	1	1	-	-	-	-	2	1	-
9	Walthamstow *HHHL* -	6,504	108,931	73	19	10	5	-	1	-	-	-	-	3	1	3	-	-
:1	Chigwell, *part of** *HHHH*	11,778	16,403	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W* -	6,556	6,089	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,496	41,240	20	9	5	-	-	1	-	-	-	-	2	-	-	-	-
3	Barking Town, *H* - -	3,803	21,547	17	8	5	-	-	1	-	-	-	-	3	-	-	-	-
	Middlesex County Lunatic Asylum Annexe, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

‡ On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 20th July, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	443,417	6,604,287	14·8	2·8	1876	573	403	-	63	14	38	27	14	200	94	516
INNER LONDON -	74,837	4,543,757	16·2	2·9	1411	411	301	-	45	10	30	17	11	140	72	466
OUTER RING -	368,580	2,060,530	11·8	2·6	465	162	102	-	18	4	8	10	3	60	22	50

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	317,561	July 20	127	117	19·2	-	1	-	-	10	-	6
GLASGOW - -	763,144	" 20	504	274	18·7	-	17	4	-	11	3	26
DUBLIN† - -	375,076	" 20	194	132	18·4	-	-	1	1	-	2	14
CALCUTTA - -	466,460	April 13	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	July 2	263	629	42·4	4	-	?	?	?	152‡	578
MADRAS - -	452,518	June 14	333	354	40·6	2	5	?	?	?	105	60
PARIS - - -	2,511,629	July 13	1178	891	18·4	5	17	1	17*	6	6	55
BRUSSELS - -	582,665	" 13	272	167	14·9	-	1	-	-	4	2	16
AMSTERDAM -	523,822	" 6	302	120	11·9	-	2	-	-	2	-	9
ROTTERDAM -	320,991	—	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	—	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	July 13	196	119	16·4	-	1	-	2	5	2	6
STOCKHOLM -	301,050	June 29	119	101	17·4	-	2	-	4*	-	-	9
CHRISTIANIA -	226,423	July 13	148	67	15·4	-	-	-	-	1	1	23
ST. PETERSBURG	1,248,643	" 6	554	581	24·3	-	19	8	14	4	19	184
MOSCOW - -	1,023,817	" 6	-	874	44·5	3	7	8	6	3	3	468
BERLIN - -	1,891,431	June 29	920	580	16·0	1	6	7	10	13	1	93
HAMBURG - -	705,738	July 13	-	215	15·8	-	6	3	1*	5	-	19
DRESDEN - -	400,140	—	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	427,505	July 13	-	243	29·6	-	5	-	1	3	1	51
MUNICH - -	500,000	" 13	-	195	20·3	-	2	-	2*	1	1	31
VIENNA - -	1,691,996	" 13	951	625	19·2	-	12	10	2*	2	1	82
PRAGUE - -	389,741	" 6	201	181	24·2	-	1	4	2	-	2	9
BUDA-PESTH -	744,719	" 6	412	226	15·8	-	1	9	-	-	-	38
TRIESTE - -	177,428	" 13	114	99	29·0	-	-	1	-	-	-	20
ROME - - -	467,236	June 1	257	130	14·5	-	-	-	1	1	2	13
TURIN (10 days) -	344,203	—	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,378	July 6	81	66	19·7	-	-	-	-	-	-	7
CAIRO - -	570,062	June 3	389	403	36·8	1	1	-	3*	5	15	111
ALEXANDRIA -	319,766	" 3	170	184	29·9	7	1	-	2*	-	4	59
NEW YORK (including BROOKLYN)	3,536,517	" 22	1400	1103	16·3	20	9	34	42*	6	4	47
PHILADELPHIA -	1,293,697	" 29	-	428	17·3	-	2	3	10	8	8	21

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 3 deaths from cholera.
‡ Including 65 deaths from plague.

OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th July, 1901.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	14	..	29·860	69·6	52·7	16·9	60·0	− 3·1	54·0	6·0	15·5	1·3	81	131·1	45·7	62·89	N., NNE. & NE.	NNE., calm & SE.	1·0	0·0	0·0	167	− 62	0·00	0·0
MONDAY -	15	New	29·898	78·4	52·9	25·5	65·8	+ 2·6	55·8	10·0	25·2	0·8	70	138·5	42·3	63·05	SE. & SW.	WSW., W. & WNW.	1·5	0·0	0·1	192	− 38	0·00	0·0
TUESDAY -	16	..	30·024	83·9	51·7	32·2	68·5	+ 5·3	51·3	17·2	27·5	1·8	54	147·0	44·9	63·11	WSW. & variable.	SSW. & SW.	1·2	0·0	0·1	164	− 66	0·00	0·0
WEDNESDAY	17	..	30·101	82·9	52·3	30·6	69·1	+ 6·0	55·7	13·4	22·4	2·6	62	139·5	41·7	63·28	SW. & WSW.	Variable	1·3	0·0	0·0	141	− 87	0·00	0·0
THURSDAY -	18	..	30·044	84·2	58·7	25·5	72·1	+ 9·1	54·9	17·2	27·4	0·4	55	148·9	50·1	63·55	Calm, SSE. & ESE.	E. & ESE.	1·2	0·0	0·1	164	− 67	0·00	0·0
FRIDAY -	19	..	29·941	87·9	54·0	33·9	71·4	+ 8·4	59·3	12·1	25·6	1·6	66	154·2	42·8	63·95	ESE. & ENE.	E. & ESE.	2·9	0·0	0·1	159	− 73	0·00	0·0
SATURDAY -	20	In Equator	29·919	84·0	58·3	25·7	71·7	+ 8·7	55·4	16·3	29·4	0·8	56	150·1	48·3	64·29	E. & ESE.	ESE.	2·0	0·0	0·1	190	− 42	0·00	0·0
MEANS -	-		29·970	81·6	54·4	27·2	68·4	+ 5·3	55·2	13·2	24·7	1·3	63	144·2	45·1	63·45	SW. & ESE.		..	..	..	Sum 1180	Sum − 435	Sum 0·00	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. July.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	14	w. P. generally.	2·8	16·2	Generally overcast till afternoon; fine and partially cloudy afterwards.
MONDAY -	15	w. P. till 3h. P.M.; v. P. till 8h. P.M.; s. P. afterwards.	10·5	16·1	Cloudy and misty in early morning; very fine, with small amounts of cloud, till evening; cloudless at night.
TUESDAY -	16	m. P. till 9h. A.M.; w. P. till 6h. P.M.; m. P. afterwards.	14·2	16·1	A very fine and hot day, and cloudless, with slight exceptions.
WEDNESDAY	17	m. P. generally.	9·1	16·1	Cloudless in morning; fine and partially cloudy afterwards. A hot day.
THURSDAY -	18	w. P. till 8h. P.M.; s. P. afterwards.	13·9	16·0	Generally cloudless; a very fine and hot day.
FRIDAY -	19	m. P. till noon; w. P. afterwards.	11·0	16·0	Very fine, with small amounts of cloud. Very hot.
SATURDAY -	20	w. P. generally; occasional m. P.	14·0	16·0	Generally cloudless: a very fine and hot day. Heavy mist in early morning.
			Sum 75·5	Sum 112·5	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·82 in. by 8h. P.M. on the 14th; increased to 30·11 in. by 9h. A.M. on the 17th; and decreased to 29·85 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th July, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	6	4	-	2	-	-	2	-
Kensington	176,787	-	12	6	-	1	-	-	2	1
Hammersmith	112,619	-	5	4	-	1	-	-	1	-
Fulham	138,426	-	14	12	-	2	-	-	3	-
Chelsea	73,879	-	8	6	-	1	-	-	-	-
City of Westminster	182,502	-	22	9	-	3	-	-	1	-
NORTH.										
St. Marylebone	133,060	1	9	3	-	1	-	-	5	-
Hampstead	82,287	-	5	4	-	-	-	-	1	-
St. Pancras	235,297	-	20	21	-	1	-	-	2	-
Islington	335,325	-	21	16	-	9	-	-	9	-
Stoke Newington	51,328	-	7	4	-	1	-	-	1	-
Hackney	219,780	2	11	23	-	2	-	-	7	-
CENTRAL.										
Holborn	59,205	-	9	3	-	1	-	-	4	-
Finsbury	101,263	-	16	10	-	-	-	-	1	-
City of London	26,627	-	5	1	-	1	-	-	2	-
EAST.										
Shoreditch	118,554	-	5	6	-	4	-	-	4	-
Bethnal Green	129,700	-	16	12	1	4	-	-	9	1
Stepney	298,884	-	37	18	-	5	-	-	3	-
Poplar	168,887	-	14	13	-	1	-	-	5	-
SOUTH.										
Southwark	206,219	1	30	12	-	3	-	-	4	-
Bermondsey	130,348	-	19	11	-	2	-	-	5	-
Lambeth	302,460	-	27	16	-	3	1	-	4	-
Battersea	169,364	-	16	2	-	1	-	-	7	-
Wandsworth	233,943	1	10	6	-	1	-	-	8	1
Camberwell	259,897	-	38	18	-	2	-	-	7	-
Deptford	110,732	-	8	9	-	-	-	-	2	-
Greenwich	96,188	-	4	-	-	4	-	-	1	-
Lewisham	128,423	-	8	7	-	-	-	-	4	-
Woolwich	117,619	-	6	5	-	2	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	5	408	261	1	58	1	-	105	3
Ages 0-1		-	4	4	-	-	-	-	3	-
" 1-5		1	111	79	-	1	1	-	3	-
" 5-		1	170	84	-	9	-	-	4	-
" 10-		-	59	36	-	9	-	-	5	-
" 15-		-	23	21	-	9	-	-	9	1
" 20-		2	24	11	-	9	-	-	5	-
" 25-		1	12	17	1	15	-	-	14	1
" 35-		-	3	4	-	5	-	-	16	1
" 45-		-	1	4	-	1	-	-	16	-
" 55-		-	1	-	-	-	-	-	14	-
" 65 and upwards		-	-	1	-	-	-	-	16	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1901. VOL. LXII.] WEEK ENDED SATURDAY, JULY 27. [Price 1½*d.*

General Register Office, Somerset House,
July 29th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·2 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 15·1, 15·6, and 17·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	July 6.	July 13.	July 20.	July 27.		July 6.	July 13.	July 20.	July 27.
33 Great Towns	15·1	15·6	17·9	21·2	Leicester - -	9·3	10·8	12·3	18·6
Birkenhead -	20·2	26·7	29·1	30·0	Liverpool - -	21·9	25·9	30·5	34·3
Birmingham -	13·4	17·1	17·2	23·0	London - - -	14·4	14·2	16·2	18·2
Blackburn -	19·6	12·2	22·5	20·8	Manchester - -	15·1	17·8	20·9	24·1
Bolton - -	15·1	17·9	17·3	21·0	Newcastle-on-Tyne	18·9	19·3	19·3	26·6
Bradford -	14·9	15·4	14·1	14·7	Norwich - -	11·6	13·0	14·0	17·7
Brighton -	16·4	13·9	8·4	19·8	Nottingham - -	13·4	15·4	18·9	20·6
Bristol - -	12·6	10·6	13·4	13·1	Oldham - -	17·8	13·7	15·6	18·6
Burnley -	10·7	15·0	17·7	25·7	Plymouth - -	13·0	10·1	15·0	16·4
Cardiff - -	12·3	12·3	12·0	12·3	Portsmouth - -	15·4	20·0	18·1	30·2
Croydon -	12·8	10·1	7·7	9·7	Preston - -	14·3	21·2	21·2	28·1
Derby - -	11·3	10·3	15·2	10·8	Salford - - -	16·9	19·1	18·4	24·2
Gateshead -	19·3	18·4	20·8	25·0	Sheffield - -	14·3	14·5	29·1	31·7
Halifax -	12·9	9·4	12·9	12·4	Sunderland - -	19·1	18·4	15·6	29·8
Huddersfield-	12·6	15·4	14·8	23·1	Swansea - -	11·0	16·5	16·5	16·5
Hull - -	16·7	11·2	11·9	19·2	West Ham - -	13·6	14·9	17·8	23·3
Leeds - -	18·4	18·5	21·9	28·9	Wolverhampton -	17·1	13·8	14·9	13·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Birmingham, 1·4 in Gateshead, 1·6 in West Ham, and 2·3 in Birkenhead; from *whooping-cough*, 1·1 in Sunderland, 1·3 in Brighton, and 1·7 in Swansea; and from *diarrhœal diseases*, 6·0 in Huddersfield and in Newcastle on Tyne, 7·6 in Nottingham and in Gateshead, 7·7 in Manchester, 7·8 in Preston, 8·5 in West Ham, 9·4 in Birkenhead, 9·6 in Burnley, 10·8 in Leeds, 12·4 in Sheffield, 13·2 in Portsmouth, and 16·1 in Liverpool. In none of the thirty-three towns did the death-rate from *scarlet fever*, or from "*fever*" reach 1·0 per 1000. The 68 deaths from *diphtheria* included 28 in London, 5 in Sheffield, 4 in Salford, 3 in Manchester, 3 in Bristol, 3 in Cardiff, and 3 in Leicester. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2384 BIRTHS and 1582 DEATHS were registered. Allowing for increase of population, the births were 248, and the deaths 238, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·4, 14·2,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9628—670—7/1901 Wt 45 D & S 3 2 G

and 16·2 in the preceding three weeks, further rose last week to 18·2. During the four weeks ended on Saturday last the death-rate averaged 15·8 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1582 deaths included 60 from measles, 20 from scarlet fever, 28 from diphtheria, 24 from whooping-cough, 10 from enteric fever, 289 from diarrhœa and dysentery, 5 from cholera and choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 436 deaths were referred to these diseases, being 27 below the corrected average weekly number.

The deaths from *measles*, which had been 49, 37, and 45 in the preceding three weeks, further rose last week to 60, and were 12 above the corrected average; 9 cases belonged to the Borough of Stepney, 7 to that of Battersea, and 6 to that of St. Pancras. The deaths from *scarlet fever*, which had been 8, 17, and 10 in the preceding three weeks, rose again last week to 20, and were 3 above the corrected average; 5 cases belonged to Southwark. The deaths from *diphtheria*, which had been 27, 24, and 30 in the preceding three weeks, fell again last week to 28, and were 14 below the corrected average; 3 cases belonged to Kensington, 3 to Islington, and 3 to Poplar. The deaths from *whooping-cough*, which had been 22, 15, and 17 in the preceding three weeks, further rose last week to 24, but were 14 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 2, and 9 in the preceding three weeks, were 10 last week, and were equal to the corrected average; 3 cases belonged to Stepney. The deaths from *diarrhœal diseases*, which had been 46, 73, and 140 in the preceding three weeks, further rose last week to 294, but were 13 below the corrected average. Of the 294 deaths from diarrhœal diseases, 287 were of children under 5 years of age; 28 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 165, 133, and 135 in the preceding three weeks, were 134 last week, being 42 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 4, 3, and 8 in the preceding three weeks.

Different forms of *violence* caused 74 deaths, concerning all but 9 of which inquests were held. Of these 74 deaths, 15 were cases of suicide, and 4 of homicide, while the remaining 55 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 10 to drowning, 13 to sunstroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 5 (including 4 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 11 cases of small-pox, 2974 of scarlet fever, 1303 of diphtheria, and 165 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 2, 6, and 5; of scarlet fever, 374 cases, against 363, 324, and 371; of diphtheria, 214 cases, against 195, 231, and 213; and of enteric fever, 29 cases, against 18, 33, and 32. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended July 20th.

Greater London.

In Greater London 3466 births and 2173 deaths were registered, corresponding to annual rates of 27·4 and 17·2 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles, 4 from scarlet fever, 7 from diphtheria, 13 from whooping-cough, 7 from "fever," and 161 from diarrhœal diseases were registered. Thirteen deaths from measles and 68 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·56 inches, and that of the Thermometer 61°·6; the latter being 1°·0 below the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 23 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 18·4 hours; the measured rainfall amounted to 1·30 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 27th July 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**6096**	**4658**	**1988**	**730**	**–**	**114**	**45**	**68**	**64**	**26**	**1191**	**156**	**314**	**863**	**51**	**21·2**	**6·9**	**87·8**	**50·6**	**61·3**	**16·28**	**1·64**	**4·17**	**33 Towns.**
London	4,543,757	2384	1582	583	290	–	60	20	28	24	10	294	74	141	459	6	18·2	5·0	87·0	51·8	61·6	16·44	1·30	3·30	London.
West Ham	268,868	171	120	61	13	–	8	1	1	–	1	44	2	11	19	–	23·3	10·7	–	–	–	–	–	–	West Ham.
Croydon	134,665	43	25	7	5	–	–	–	2	–	2	2	3	6	6	–	9·7	2·3	87·8	52·5	60·7	15·94	0·79	2·01	Croydon.
Brighton	123,668	60	47	11	16	–	1	–	1	3	–	2	4	5	11	–	19·8	3·0	75·0	56·0	62·0	16·67	2·83	7·19	Brighton.
Portsmouth	189,907	102	110	60	17	–	–	–	2	–	–	48	3	6	10	2	30·2	13·7	78·0	55·5	61·5	16·39	2·44	6·20	Portsmouth.
Plymouth	107,974	44	34	6	9	–	–	–	–	–	1	1	3	5	6	–	16·4	1·0	–	–	–	–	–	–	Plymouth.
Bristol	329,831	172	83	23	18	–	1	–	3	2	1	6	5	9	15	–	13·1	2·1	79·4	54·0	60·2	15·67	1·97	5·00	Bristol.
Cardiff	165,308	105	39	10	5	–	–	–	3	2	–	2	3	5	4	–	12·3	2·2	–	–	–	–	–	–	Cardiff.
Swansea	94,618	48	30	12	4	–	–	–	–	3	–	–	–	1	–	2	16·5	1·7	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	46	25	9	4	–	–	–	–	–	–	3	2	3	7	–	13·8	1·7	87·8	50·8	60·6	15·89	1·64	4·17	Wolverhampton.
Birmingham	523,284	281	231	88	37	–	11	8	–	2	2	47	3	9	48	5	23·0	7·0	–	–	–	–	–	–	Birmingham.
Norwich	111,997	70	38	18	9	–	–	–	1	–	1	5	–	2	2	–	17·7	3·3	83·3	50·6	61·9	16·61	0·49	1·24	Norwich.
Leicester	212,498	107	76	36	11	–	1	1	3	1	–	21	3	4	7	1	18·6	6·6	–	–	–	–	–	–	Leicester.
Nottingham	240,400	123	95	48	18	–	3	–	–	1	–	35	5	5	11	–	20·6	8·5	84·3	55·1	62·1	16·72	2·01	5·11	Nottingham.
Derby	106,076	52	22	7	5	–	–	–	1	–	–	2	–	3	2	–	10·8	1·5	–	–	–	–	–	–	Derby.
Birkenhead	111,203	48	64	37	10	–	5	–	–	1	–	20	2	4	3	–	30·0	12·2	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	391	452	263	38	–	3	4	2	3	1	212	3	9	56	16	34·3	17·1	74·7	54·0	59·6	15·33	2·00	5·08	Liverpool.
Bolton	168,748	85	68	28	11	–	1	–	–	1	–	13	2	4	5	1	21·0	4·6	–	–	–	–	–	–	Bolton.
Manchester	544,934	241	252	108	38	–	5	1	3	5	–	80	5	9	65	1	24·1	9·0	–	–	–	–	–	–	Manchester.
Salford	221,526	116	103	36	12	–	4	2	4	2	–	23	4	8	19	–	24·2	8·2	–	–	–	–	–	–	Salford.
Oldham	137,382	42	49	16	9	–	–	–	–	–	–	3	1	3	2	–	18·6	1·1	–	–	–	–	–	–	Oldham.
Burnley	97,295	69	48	23	6	–	–	–	1	1	–	18	1	1	2	1	25·7	10·7	–	–	–	–	–	–	Burnley.
Blackburn	127,714	67	51	15	8	–	–	1	2	1	–	14	–	–	4	–	20·8	7·3	–	–	–	–	–	–	Blackburn.
Preston	113,117	62	61	27	10	–	–	2	1	–	–	17	3	5	10	–	28·1	9·2	85·0	56·0	63·3	17·39	0·36	0·91	Preston.
Huddersfield	94,998	41	42	17	12	–	–	1	–	–	–	11	–	–	5	–	23·1	6·6	83·5	54·0	60·4	15·78	2·61	6·63	Huddersfield.
Halifax	105,113	51	25	4	6	–	–	–	–	–	–	–	–	1	5	2	12·4	–	–	–	–	–	–	–	Halifax.
Bradford	280,161	131	79	37	17	–	–	–	–	4	2	16	–	1	7	1	14·7	4·1	84·4	54·6	62·2	16·78	1·18	3·00	Bradford.
Leeds	430,489	265	239	139	20	–	4	–	2	1	1	89	5	14	21	2	28·9	11·7	–	–	–	–	–	–	Leeds.
Sheffield	382,129	218	232	121	20	–	2	2	5	1	2	91	3	5	12	3	31·7	14·1	–	–	–	–	–	–	Sheffield.
Hull	241,622	147	89	34	10	–	1	–	–	2	1	20	7	14	10	1	19·2	5·2	76·0	52·0	60·5	15·83	1·69	4·29	Hull.
Sunderland	146,937	103	84	30	18	–	–	–	2	3	1	11	1	4	12	2	29·8	6·0	–	–	–	–	–	–	Sunderland
Gateshead	110,492	76	53	32	8	–	3	–	–	–	–	16	–	1	–	–	25·0	9·0	–	–	–	–	–	–	Gateshead.
Newcastle	215,516	135	110	42	16	–	1	2	1	1	–	25	9	16	18	5	26·6	7·3	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTIETH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2424	2720	2497	2419	2575	2448	2599	2696	2494	2507	2632·4	2384
Males - -	1211	1389	1275	1249	1316	1236	1320	1381	1240	1267	1336·4	1234
Females - -	1213	1331	1222	1170	1259	1212	1279	1315	1254	1240	1296·0	1150
TOTAL **Deaths** -	1662	1431	1729	1437	1939	2146	2023	1452	1884	1846	1820·2	1582
Ma es - -	898	751	894	726	1003	1136	1101	777	1039	968	963·9	817
Females - -	764	680	835	711	936	1010	922	675	845	878	856·3	765

*The numbers in this column are the average weekly numbers in the thirtieth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.
TOTAL **Births** - - -	2562	2510	2602	2559	2148	2624	2406	2451	2478	2413	2526	2519	2384
TOTAL **Deaths** - - -	1454	1386	1375	1363	1345	1236	1191	1204	1210	1256	1237	1411	1582
Ages at Death: Under 1 year - -	306	269	281	259	289	232	258	283	267	285	282	411	583
1—5 years - -	178	169	185	197	183	156	152	144	154	146	140	168	215
5—20 ,, - -	91	77	56	80	66	72	78	72	58	68	88	77	73
20—40 ,, - -	180	198	192	178	180	189	177	154	176	173	180	175	169
40—60 ,, - -	327	293	291	270	275	278	253	247	264	266	258	279	252
60—80 ,, - -	299	299	298	301	277	256	218	250	235	244	236	244	241
80 years and upwards	73	81	72	78	75	53	55	54	56	74	53	57	49
Deaths from—													
Small pox - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles - - - - -	39	38	33	44	48	35	38	42	51	49	37	45	60
Scarlet Fever - - -	9	17	14	18	17	17	21	13	12	8	17	10	20
Diphtheria - - - -	20	23	14	22	13	15	13	18	18	27	24	30	28
Whooping-cough - - -	66	45	48	58	33	32	35	25	25	22	15	17	24
Typhus - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever - - -	2	7	4	5	10	6	7	2	4	6	2	9	10
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	1	2	-
Diarrhœa and Dysentery -	16	9	16	22	14	17	26	25	23	45	71	140	289
Cholera - - - - - -	-	-	-	-	1	-	-	-	-	1	2	-	5
All the above Diseases -	152	140	129	169	136	123	140	125	134	158	169	253	436
Dis. of Respiratory System -	251	237	249	191	240	187	159	150	141	165	133	135	134
Phthisis - - - - -	143	161	128	139	131	140	122	113	138	133	168	114	111
Dis. of Circulatory System -	136	133	123	128	116	121	122	103	109	139	104	116	111
Violence - - - -	72	65	72	65	60	69	68	55	42	59	49	72	74
Inquest Cases - - - -	149	145	148	150	122	150	136	126	101	117	123	138	141
Deaths in Public Institutions -	483	512	449	482	476	420	456	419	454	435	435	466	459
TEMPERATURE OF THE AIR													
Mean - - - - - -	49°·3	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0	61°·0	64°·1	64°·5	68°·4	61°·6
Mean of Highest readings -	61·0	55·3	62·9	66·8	71·6	69·9	67·6	67·8	71·8	73·9	77·2	81·6	71·7
Mean of Lowest readings -	39·0	41·2	41·4	44·8	49·0	48·6	47·0	50·1	50·9	56·1	52·2	54·4	51·5
Humidity of the Air - -	72	81	73	61	69	69	60	71	63	75	68	63	83
Rain-fall (in inches) - -	0·00	1·56	0·00	0·00	0·27	0·03	0·10	0·43	0·00	1·05	0·00	0·00	1·30
Registered Sunshine (in hours)	45·6	17·3	69·7	80·9	51·2	52·3	63·7	36·4	69·5	46·1	60·2	75·5	18·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	-	-	-	1	1	1	1	5	6	12	14	11
Scarlet Fever - - - -	1705	1913	2052	2241	2351	2462	2594	2708	2821	2895	2918	2907	2974
Diphtheria - - - -	983	1038	1099	1087	1107	1092	1104	1138	1176	1195	1228	1267	1303
Typhus - - - - -	1	1	1	1	-	+	-	-	—	-	1	-	-
Enteric Fever - - - -	108	112	106	111	95	93	105	117	125	128	145	152	165

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTIETH Week of the Year 1901

CAUSES OF DEATH.	Corrected Averages for the 30th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 27th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1820·2	1582	583	215	73	169	252	241	49
Small-pox: Vaccinated†	0·7	-	-	-	-	-	-	-	-
Small-pox: Unvaccinated	0·3	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·2	-	-	-	-	-	-	-	-
Measles	48·4	60	14	44	2	-	-	-	-
Scarlet Fever	17·2	20	-	13	7	-	-	-	-
Typhus	0·1	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	5·6	3	-	-	-	-	1	2	-
Whooping-cough	37·5	24	11	10	3	-	-	-	-
Diphtheria	41·6	28	1	20	7	-	-	-	-
Simple Continued and Ill-defined Fever	0·2	-	-	-	-	-	-	-	-
Enteric Fever	9·5	10	-	-	-	10	-	-	-
Cholera and Chol. Diarr.	10·1	5	3	2	-	-	-	-	-
Diarrhœa, Dysentery	296·9	289	256	26	-	2	2	2	1
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·3	-	-	-	-	-	-	-	-
Venereal Affections	12·6	9	7	-	-	-	2	-	-
Erysipelas	3·5	-	-	-	-	-	-	-	-
Pyæmia and Septicæmia	2·3	4	2	-	-	-	1	1	-
Puerperal Fever	3·4	4	-	-	-	3	1	-	-
Other Zymotic Diseases	3·0	1	-	1	-	-	-	-	-
Thrush	1·6	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·5	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	2·3	-	-	-	-	-	-	-	-
Alcoholism	10·3	11	-	-	-	5	6	-	-
Rheumatic Fever. Rheumatism of Heart	6·9	5	-	-	-	3	2	-	-
Rheumatism	1·1	4	-	-	-	1	2	1	-
Gout	3·3	2	-	-	-	-	-	2	-
Rickets	5·9	3	3	-	-	-	-	-	-
Cancer	76·2	63	-	-	-	5	27	28	3
Tabes Mesenterica	40·2	22	15	7	-	-	-	-	-
Tubercular Meningitis	29·8	22	6	14	2	-	-	-	-
Phthisis	140·3	111	-	-	5	60	40	6	-
Scrofula, Tuberculosis	22·6	21	3	8	3	5	1	1	-
Other Constitutional Diseases	13·8	20	1	-	3	-	9	7	-
Premature Birth	54·7	44	44	-	-	-	-	-	-
Atelectasis	2·9	1	1	-	-	-	-	-	-
Congenital Malformations	7·3	5	4	1	-	-	-	-	-
Old Age	38·3	47	-	-	-	-	-	27	20
Apoplexy	38·2	39	1	-	-	2	13	20	3
Epilepsy	7·8	6	-	-	1	1	2	2	-
Convulsions	47·3	33	28	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	86·7	80	19	11	2	3	18	23	4
Diseases of Organs of Special Sense	4·0	4	2	-	2	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 30th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 27th July, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	116·1	111	-	-	14	19	30	43	5
Croup	2·0	1	-	1	-	-	-	-	-
Bronchitis	76·8	39	12	4	1	-	6	14	2
Pneumonia	77·2	80	16	24	2	9	16	10	3
Pleurisy	5·4	7	-	1	-	-	2	4	-
Other Diseases of Respiratory System	14·2	7	1	2	1	1	1	-	1
Dentition	11·7	6	5	1	-	-	-	-	-
Quinsy, Sore Throat	2·4	1	-	-	-	-	1	-	-
Enteritis	102·5	42	25	5	4	4	3	1	-
Gastro-enteritis		31	26	2	-	-	2	1	-
Peritonitis	6·5	3	-	-	-	1	2	-	-
Diseases of Liver	26·7	20	1	-	-	4	11	4	-
Other Diseases of Digestive System	35·1	44	13	3	-	6	8	12	2
Diseases of Lymphatic System & of Ductless Glands	2·4	5	1	1	2	-	1	-	-
Diseases of Urinary System	39·9	41	1	1	1	6	12	20	-
Diseases of Generative System	6·3	6	-	-	-	2	4	-	-
Accidents of Childbirth	4·4	4	-	-	-	2	2	-	-
Diseases of Locomotive System	5·6	2	1	-	-	-	1	-	-
Diseases of Integumentary System	4·6	7	2	-	-	-	4	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	2·0	4	-	-	1	1	2	-	-
By Vehicles or Horses	8·3	3	-	1	-	1	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·7	1	-	-	-	-	1	-	-
In Building Operations	0·9	-	-	-	-	-	-	-	-
In Conflagrations	-	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·4	3	-	3	-	-	-	-	-
By Drowning	9·3	10	-	-	5	4	1	-	-
By Suffocation in Bed	8·9	5	4	1	-	-	-	-	-
By Poisons or Poisonous Vapours	2·7	2	-	-	-	-	-	2	-
Other or not stated causes	23·3	27	4	3	1	3	5	6	5
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·7	4	-	-	2	2	-	-	-
Suicide	10·2	15	-	-	2	4	8	1	-
Execution	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES	73·4	49	48	-	-	-	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 27th July, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,063†	2384	1582	583	290	-	60	20	28	24	-	10	-	294	74	141	459	6
WEST DISTRICTS - - -	805,275	355	230	74	45	-	5	2	6	2	-	-	-	36	18	21	75	-
NORTH DISTRICTS - - -	1,056,018	493	343	121	69	-	12	5	9	2	-	2	-	77	9	20	88	-
CENTRAL DISTRICTS - - -	209,432	120	87	31	14	-	3	-	-	3	-	1	-	18	5	11	36	2
EAST DISTRICTS - - -	715,772	453	342	152	54	-	15	1	1	4	-	1	-	66	15	43	105	-
SOUTH DISTRICTS - - -	1,749,566	963	554	205	97	-	25	10	8	13	-	6	-	97	27	46	129	4
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	26	-	11	-	-	2	4	-	-	-	-	-	-	-	26	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	45	27	16	2	-	-	-	-	-	-	-	-	7	1	2	8	-
St. John Paddington *H* - - G.	33,608	8	3	-	1	-	-	-	-	-	-	-	-	-	1	2	3	-
North-West Paddington† - - C.	17,181	14	4	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Kensington Town† *Ww* - W. & C.	128,025	66	48	10	19	-	-	-	1	-	-	-	-	8	1	3	20	-
Brompton *HH* - - - W. & C.	48,598	12	9	2	-	-	-	-	1	-	-	-	-	-	-	-	5	-
North Hammersmith *H* } W. & G	49,335	23	17	5	1	-	1	-	-	1	-	-	-	3	5	5	-	-
South Hammersmith *wH* } W. & G	62,910	37	16	7	4	-	-	1	-	1	-	-	-	1	2	1	5	-
North-west Fulham *W* } W. & C.	45,180	29	21	9	1	-	1	-	-	-	-	-	-	3	3	3	9	-
North-east Fulham *w* } W. & C.	46,404	26	17	6	2	-	1	1	3	-	-	-	-	2	-	1	5	-
South Fulham } W. & C.	45,705	29	11	4	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *WWHHHH* - C.	42,515	11	11	2	4	-	-	-	-	-	-	-	-	2	1	1	6	-
Chelsea South *HH* - - C.	31,341	12	6	3	2	-	-	-	-	-	-	-	-	2	-	-	-	-
May Fair and Knightsbridge† *H* } C. & G.	28,744	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	10	15	4	3	-	-	-	1	-	-	-	-	2	2	2	8	-
St. Margaret & St. John Westminster† *HHH* } C.	43,665	16	16	5	4	-	-	-	-	-	-	-	-	4	-	-	5	-
St. James Westminster *WH* } N. & G.	21,595	11	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Anne Soho *HHHHH* - N.	11,492	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* } - - W.	35,394	4	7	1	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Rectory Marylebone *W* G. & W.	19,869	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* } G. & W.	18,099	27	6	3	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Christchurch Marylebone *H* - W	39,541	11	12	8	1	-	-	-	-	-	-	-	-	9	-	1	-	-
St. John Marylebone *HHH* - W	20,426	9	7	2	3	-	-	-	-	-	-	-	-	2	-	-	1	-
Hampstead *WwHHHHH* } - N. & W.	81,942	18	25	4	3	-	1	5	4	1	-	1	-	1	-	1	13	-
Regent's Park *H* - W.	50,647	17	15	7	2	-	1	-	-	-	-	-	-	4	1	2	-	-
Tottenham-court *wHHHHHH* } - N. & W.	24,814	8	7	2	2	-	-	-	-	-	-	-	-	4	-	-	4	-
Gray's Inn Lane *HHHH* - N.	30,886	19	12	5	2	-	-	-	-	-	-	-	-	5	1	3	4	-
Somers Town *HH* - - - N.	30,131	19	14	8	-	-	2	-	-	-	-	-	-	7	-	-	2	-
Camden Town *WH* - - N.	40,079	18	18	4	3	-	2	-	-	-	-	-	-	3	1	1	7	-
Kentish Town *WW* - - N.	58,727	25	19	7	4	-	1	-	-	-	-	-	-	7	1	2	3	-
Upper Holloway *WWWWwHH* } - - N.	99,841	40	47	12	9	-	-	-	-	-	-	-	-	1	1	1	25	-
Lower Holloway - - - N.	41,411	19	7	3	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Barnsbury - - - - N.	54,479	39	13	4	2	-	1	-	-	-	-	1	-	2	-	-	-	-
Islington South-east *H* - N.	75,402	41	26	11	4	-	-	-	1	1	-	-	-	5	2	4	-	-
Highbury *HH* - - - N.	63,795	26	12	5	4	-	2	-	-	-	-	-	-	3	-	-	-	-
Stoke Newington† *H* - - N.	51,247	25	6	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-
North Hackney - E. & N.	50,570	21	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.	50,535	29	19	11	3	-	-	-	3	-	-	-	-	5	1	1	3	-
South-west Hackney *HHH* E. & N.	59,929	41	30	8	5	-	-	-	1	-	-	-	-	5	1	3	10	-
South-east Hackney *WwH* E. & N.	58,254	22	29	14	10	-	2	-	-	-	-	-	-	9	-	-	12	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

†See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - N.	22,495	22	3	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
St Giles North *H* - - - N.	8,959	4	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Martin-in-the-Fields *HH* N. & C.	12,975	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *WHH* - - - N.	8,694	1	7	-	2	-	-	-	-	-	-	1	-	-	1	1	6	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Holborn *WHHHHHH* - - N.	29,579	13	17	6	1	-	-	-	-	1	-	-	-	4	-	1	12	-
St. James Clerkenwell - - N.	15,634	12	6	5	-	-	-	-	-	-	-	-	-	3	-	-	-	2
Amwell* - - - - - N.	32,691	20	13	5	3	-	1	-	-	1	-	-	-	2	-	1	-	-
Goswell-street - - - - N.	15,390	8	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.	25,404	20	9	6	-	-	1	-	-	-	-	-	-	6	-	2	-	-
Finsbury - - - - - N.	9,972	6	4	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Holborn Union Workhouse, Mitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Botolph *H* - - N. & E.	11,036	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	7,886	1	15	2	2	-	-	-	-	-	-	-	-	1	2	1	14	-
Allhallows Barking - - - N.	8,717	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hoxton New Town *wH* - - N	29,761	12	19	4	8	-	2	-	-	-	-	-	-	2	-	2	9	-
Hoxton Old Town - - - N.	26,510	6	14	10	-	-	-	-	-	-	-	-	-	8	-	1	-	-
Haggerston *W* - - N & E.	46,064	33	25	12	2	-	1	-	-	-	-	-	-	8	1	1	7	-
Bethnal Green North *HH* - E.	51,513	43	15	7	2	-	1	-	-	-	-	-	-	1	1	3	2	-
Bethnal Green South - - E	33,473	23	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bethnal Green East *WWHl* - E.	44,695	22	18	7	4	-	-	-	-	2	-	-	-	2	-	-	7	-
Spitalfields - - - E. & N.	27,965	21	3	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Mile End New Town *WH* - E.	28,711	21	57	15	9	-	1	-	-	-	-	-	-	7	5	9	45	-
Goodman's Fields - - - E.	22,082	11	4	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.	40,965	28	12	7	1	-	3	-	-	-	-	-	-	1	-	-	-	-
St. John *W* - - - E.	8,122	3	5	1	2	-	-	-	-	-	-	-	-	2	-	1	3	-
Shadwell *H* - - - E. & N.	10,760	1	17	7	-	-	1	-	-	-	-	-	-	8	-	1	14	-
Ratcliff *W* - - - - E.	14,770	5	7	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Limehouse - - - - E	32,358	13	15	8	2	-	-	-	-	-	-	-	-	1	3	2	-	-
Mile End Old Town West *H* E.	59,467	51	22	14	3	-	-	-	-	1	-	1	-	4	1	3	-	-
Mile End Old Town East *WWw* - E.	53,348	39	26	13	4	-	3	1	-	-	-	-	-	4	-	1	6	-
Bow *l* - - - - E.	41,990	20	19	11	3	-	1	-	-	-	-	-	-	3	-	3	1	-
Bromley *wwwH* - - - E.	68,326	41	36	18	7	-	-	-	1	-	-	-	-	7	3	9	10	-
Poplar *WW* - - - - E.	58,522	54	21	9	5	-	-	-	-	-	-	-	-	7	1	3	1	-

* See note at foot of last page of this Table.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th July, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	3	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
St. Saviour Southwark - - S.	12,056	11	16	6	-	-	-	-	1	1	-	-	-	2	2	2	11	-
Kent-road - - - S. & L.	21,899	11	6	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Borough-road *WH* - S. & L	16,882	12	9	3	-	-	-	-	-	-	-	-	-	3	-	1	4	-
London-road *H* - L. & S.	22,209	16	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Trinity Newington *H* - S. & L.	28,485	17	12	5	3	-	2	-	-	-	-	-	-	4	-	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	48	15	7	1	-	-	-	-	1	-	-	-	4	-	1	-	1
St. Mary Newington - L. & S.	31,592	17	12	6	3	-	1	-	-	-	-	-	-	2	-	-	-	1
St. Olave *W* - - - - S.	9,813	6	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bermondsey *W* - - - S.	82,405	44	25	5	6	-	2	-	-	-	-	-	-	2	1	3	-	2
Rotherhithe *Wu* - - S. & K.	38,268	15	10	3	2	-	1	-	-	1	-	-	-	-	-	-	2	-
Waterloo-road *HH* - L. & S.	27,435	29	12	5	3	-	-	-	-	1	-	-	-	2	-	2	2	-
Lambeth Church 1st *HH* L. & S.	18,420	11	25	5	1	-	-	-	-	1	-	1	-	4	5	5	17	-
Lambeth Church 2nd *WW* L. & S.	39,818	29	25	12	4	-	-	-	-	-	-	-	-	9	1	2	10	-
Kennington 1st *H* - S. & L.	53,196	33	20	13	2	-	2	-	-	-	-	-	-	9	-	2	-	-
Kennington 2nd - - S. & L.	42,891	18	6	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Brixton *w* - - - L. & S.	84,226	49	18	6	1	-	1	3	1	-	-	-	-	2	-	-	6	-
Norwood *WH* - - - L.	35,887	17	7	2	3	-	-	-	-	-	-	-	-	2	-	-	1	-
East Battersea - - - S.	72,201	43	24	12	2	-	2	-	-	1	-	-	-	4	1	2	-	-
North-west Battersea - - S.	49,650	39	34	15	2	-	5	-	-	2	-	-	-	10	-	1	-	-
South-west Battersea *WwH*- S.	47,045	12	15	2	5	-	-	-	-	-	-	-	-	-	1	1	13	-
Clapham *H* - - - - S.	51,353	17	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwL*- - L.	88,129	40	20	8	4	-	1	2	1	-	-	-	-	1	2	2	5	-
Wandsworth *WHHL*- - S.	68,409	27	19	7	3	-	2	-	-	-	-	-	-	2	1	1	-	-
Putney - - - - - S.	24,139	5	7	2	-	-	-	-	-	-	-	-	-	2	3	3	-	-
Dulwich - - - - L. & S.	10,246	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	36	41	9	16	-	-	-	-	-	-	-	-	4	2	4	25	-
Peckham *WW* - S., L., & K.	93,022	45	13	7	3	-	-	-	-	-	-	-	-	2	-	-	-	-
St. George Camberwell - L. & S.	65,586	50	18	10	1	-	-	-	-	-	-	-	-	7	1	1	-	-
Deptford North - - - K.	37,601	25	17	8	3	-	-	-	-	1	-	-	-	5	2	3	-	-
Deptford Central *w* - - K.	45,621	32	9	1	1	-	-	2	2	1	-	-	-	1	-	-	4	-
Deptford South - - - K.	34,622	12	9	4	3	-	-	-	-	-	-	-	-	3	-	-	-	-
Greenwich West *H* - - K.	23,456	9	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,849	29	18	7	5	-	1	-	-	-	-	1	-	-	2	2	7	-
Eltham *wH* - - - - K.	7,218	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Lee *H* - - - - - K.	25,489	10	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Lewisham *WwwH* - - K.	58,341	46	18	6	1	-	-	3	2	-	-	2	-	-	-	1	11	-
Sydenham *H* - - - L.	43,630	20	10	2	6	-	-	-	-	1	-	-	-	1	-	-	-	-
Charlton *wHH* - - - K.	21,121	12	8	2	-	-	-	-	1	-	-	2	-	1	1	1	5	-
Woolwich *HHHH* - - K.	41,607	22	11	6	2	-	1	-	-	-	-	-	-	2	1	2	1	-
Plumstead West *H* - - K.	18,076	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	30	15	2	3	-	3	-	-	1	-	-	-	1	-	2	3	-
London County Asy., Banstead -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asy., Cane Hill -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M.A.B. Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asy., Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
M.A.B. North-Eastern Hospital -	—	-	6	-	-	-	-	2	4	-	-	-	-	-	-	-	6	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Asylum, Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-

NOTE.—On 1st April the area of London was changed; part of the parish of Hornsey being added to Stoke Newington sub-district, and a detached part of Amwell sub-district being transferred to Hornsey, in which it is locally situated. On the same date Chelsea Kensal Town sub-district was abolished; part being added to Kensington Town, and part being made a new sub-district—North-west Paddington. St. Margaret Westminster sub-district was abolished; part being added to Mayfair, and part to St. John Westminster. Numerous other changes were also made, affecting the majority of the sub-districts.

TABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th July, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1,082	591	274	101	–	18	4	7	13	7	161	25	59	78	2
30 : 1	Carshalton *H* - - -	12,228	32,997	16	7	3	1	–	–	–	–	–	–	2	–	1	1	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	12	8	3	1	–	–	–	–	–	1	1	–	–	4	–
37 : 1	Godstone, *part of** *W* -	2,754	2,692	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH* -	20,851	164,519	50	28	7	8	–	–	–	2	–	2	2	3	6	7	–
2	Mitcham *w* - - -	11,689	29,906	19	4	2	–	–	–	–	–	–	–	2	–	1	–	–
39 : 1	Wimbledon *HHH* - -	3,221	41,604	22	6	1	3	–	–	–	–	–	–	–	–	1	–	–
2	Kingston *WH* - - -	6,224	42,067	17	10	1	8	–	–	–	–	–	–	1	1	1	3	–
3	Surbiton *HH* - - -	3,046	15,019	7	2	–	–	–	1	–	1	–	–	–	–	–	1	–
4	Esher, *part of** *H* - -	5,402	13,003	5	2	–	–	–	–	–	–	–	–	–	–	1	–	–
5	Hampton *HL* - - -	4,664	23,447	7	6	1	1	–	–	–	–	–	–	1	1	1	–	–
40 : 1	Richmond *WHH* - -	2,162	28,871	10	8	–	2	–	–	–	–	–	–	–	3	3	2	–
2	Mortlake *H* - - -	2,847	20,628	6	4	2	–	–	–	–	–	1	–	1	1	2	–	–
41 : 1	Bromley‡ *HHH*- - -	4,703	27,358	14	8	2	2	–	–	–	–	1	–	–	–	1	1	–
2	Beckenham‡ *H*- - -	7,825	28,499	9	4	1	2	–	–	–	–	–	–	1	1	2	1	–
3	Orpington, *part of**‡ *W* -	10,113	9,857	5	2	–	2	–	–	–	–	–	–	–	–	–	2	–
4	Chislehurst *HH* - -	7,333	16,458	7	3	1	1	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HHH* - - -	12,532	46,445	20	15	8	1	–	–	–	–	1	–	8	1	1	–	1
2	Dartford *WH, part of** -	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
124 : 1	Sunbury *w* - - -	11,054	18,682	9	7	4	–	–	–	–	–	–	–	2	–	–	–	–
2	Staines *WH* - - -	13,277	15,179	10	5	2	–	–	–	–	–	1	–	–	1	1	–	–
125 : 1	Hillingdon *WHH* - -	6,035	13,661	6	6	6	–	–	–	–	–	–	–	5	–	–	–	–
2	Uxbridge - - - -	12,757	8,984	7	2	1	–	–	–	–	–	1	–	–	–	–	–	–
3	Hayes *wH* - - - -	8,066	16,358	8	5	2	2	–	–	–	–	–	–	2	1	1	–	–
126 : 1	Isleworth *WHH* - -	6,859	30,838	20	25	11	6	–	–	–	–	–	–	4	1	1	11	–
2	Twickenham *HH* - -	2,421	20,991	20	5	3	–	–	–	–	–	1	–	2	–	1	–	–
3	Brentford *HHHH* - -	4,319	48,298	17	15	6	3	–	–	–	–	1	–	5	–	2	–	–
4	Chiswick - - - -	1,249	29,809	15	9	3	2	–	–	–	–	1	–	–	2	2	–	–
5	Acton *wHH* - - -	6,132	48,913	37	26	18	3	–	–	–	–	1	–	11	–	1	–	–
127 : 1	Harrow *HHH* - - -	13,809	25,522	17	6	2	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - - -	6,994	4,520	2	2	–	1	–	–	–	–	–	–	–	–	–	–	1
3	Willesden *HHH* - -	4,384	114,815	65	17	8	1	–	–	–	2	1	–	6	1	1	1	–
4	Hendon *WH* - - -	8,382	22,450	15	1	–	1	–	–	–	–	–	–	–	–	–	–	–
128 : 1	South Mimms *HH* - -	17,755	7,308	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - - -	3,324	17,970	9	6	–	4	–	–	–	–	–	–	–	1	2	2	–
3	Finchley *HHH*- - -	4,688	33,692	22	6	2	2	–	–	–	–	–	–	2	–	–	–	–
129 : 1	Hornsey† *HH* - - -	2,875	72,056	30	9	3	3	–	–	–	–	–	–	2	–	–	–	–
2	Tottenham *HHH* - -	4,638	136,702	83	32	9	4	–	1	–	–	–	1	4	3	6	7	–
3	Edmonton *Ww* - -	7,491	61,892	39	22	16	3	–	–	1	–	–	–	7	–	1	3	–
4	Enfield *WWHH* - -	12,601	42,738	19	9	6	–	–	1	–	–	–	–	4	–	–	1	–
5	Waltham Abbey - - -	11,017	6,547	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - - -	8,479	12,288	11	5	2	1	–	–	–	–	–	–	1	1	1	–	–
135 : 1	Hatfield, *part of** *W* - -	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H* - - - -	9,333	9,173	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH, part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H* - - -	1,072	44,825	25	16	9	1	–	1	–	–	–	–	7	1	2	2	–
2	Plaistow *HHH* - - -	1,249	90,920	64	41	24	5	–	5	–	1	–	–	15	1	3	4	–
3	Canning Town *H* - -	1,556	70,666	56	42	23	2	–	2	1	–	–	–	18	–	5	1	–
4	Forest Gate *w* - - -	806	60,897	26	9	5	1	–	–	–	–	–	–	4	–	1	–	–
5	East Ham *wHHH* - -	3,268	95,970	51	34	23	4	–	–	–	1	1	–	10	1	2	–	–
6	Wanstead - - - -	1,737	9,198	4	2	1	–	–	–	–	–	–	–	1	–	–	–	–
7	South Leyton *WW* - -	631	50,458	26	33	13	7	–	–	1	–	1	2	5	–	–	15	–
8	North Leyton *WwH* -	1,963	48,441	17	7	4	–	–	3	1	–	–	–	2	–	1	1	–
9	Walthamstow *HHHL* -	6,504	108,931	69	27	11	5	–	2	–	–	1	–	6	–	1	–	–
187 : 1	Chigwell, *part of** *HHHH*	11,778	16,403	6	7	2	2	–	1	–	–	–	–	1	–	2	1	–
2	Epping *WH, part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** *W* -	6,556	6,089	4	3	1	–	–	–	–	–	–	–	–	–	–	2	–
2	Ilford *H* - - - -	8,496	41,240	17	10	6	1	–	–	–	–	–	1	4	–	–	1	–
3	Barking Town, *H* - -	3,803	21,547	19	15	14	–	–	1	–	–	–	–	12	–	1	–	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† See note on previous page.

‡ On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 27th July, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,417**	**6,604,287**	**17·2**	**5·1**	**2173**	**857**	**391**	**-**	**78**	**24**	**35**	**37**	**17**	**455**	**99**	**537**
INNER LONDON -	74,837	4,543,757	18·2	5·0	1582	583	290	-	60	20	28	24	10	294	74	459
OUTER RING -	368,580	2,060,530	15·0	5·3	591	274	101	-	18	4	7	13	7	161	25	78

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	317,561	July 27	169	104	17·1	-	-	1	1	3	-	11
GLASGOW - -	763,144	" 27	520	271	18·5	-	11	4	1	5	-	56
DUBLIN† - -	375,076	" 27	214	148	20·6	-	-	-	1	4	-	21
CALCUTTA - -	466,460	April 6	-	-	-	-	-	-	-	-	-	†
BOMBAY - -	821,764	July 9	239	621	41·9	5	1	?	?	?	192‡	43§
MADRAS - -	452,518	June 21	342	366	42·0	-	3	?	?	?	138	52
PARIS - - -	2,511,629	July 20	1201	850	17·5	9	12	3	16*	6	8	83
BRUSSELS - -	582,665	" 20	267	155	13·8	-	4	-	-	1	-	23
AMSTERDAM -	523,822	" 13	300	148	14·7	-	1	-	2	3	1	25
ROTTERDAM - -	320,991	—	-	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	—	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	July 20	216	132	18·2	-	2	1	-	-	-	16
STOCKHOLM -	301,050	" 6	160	87	15·0	-	4	-	1*	2	-	8
CHRISTIANIA -	226,423	" 20	125	68	15·6	-	-	-	-	-	-	28
ST. PETERSBURG	1,248,643	" 13	670	571	23·8	1	16	14	18	3	10	143
MOSCOW - -	1,023,817	" 13	-	818	41·7	3	2	4	6	5	1	410
BERLIN - -	1,891,431	" 6	754	576	15·9	-	7	7	5	12	1	77
HAMBURG - -	705,738	" 20	-	224	16·5	-	8	3	2*	1	1	30
DRESDEN - -	400,140	—	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	427,505	July 20	-	251	30·6	-	5	-	3	1	1	65
MUNICH - -	500,000	" 20	-	200	20·8	-	1	-	3*	-	2	40
VIENNA - -	1,691,996	" 20	920	631	19·4	-	8	6	6*	2	1	102
PRAGUE - -	389,741	" 13	153	157	20·9	-	2	3	2	-	2	3
BUDA-PESTH -	744,719	" 13	457	284	19·8	-	4	7	-	3	1	48
TRIESTE - -	177,428	" 20	105	84	24·6	-	-	-	-	-	-	19
ROME - - -	467,236	June 8	182	166	18·5	-	-	-	-	-	4	12
TURIN (10 days) -	344,203	—	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,378	July 13	69	56	16·7	-	-	-	-	1	3	11
CAIRO - -	570,062	June 10	413	429	39·1	-	1	-	3*	4	16	118
ALEXANDRIA -	319,766	" 10	173	227	36·9	7	-	-	2*	-	7	73
NEW YORK (including BROOKLYN)	3,536,517	" 29	1303	1265	18·7	15	10	30	54*	4	10	91
PHILADELPHIA -	1,293,697	July 6	-	857	34·5	-	1	10	7	5	17	81

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 2 deaths from cholera.
‡ Including 68 deaths from plague.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th July, 1901.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	..	29·677	87·0	57·6	29·4	71·5	+ 8·5	61·1	10·4	25·1	0·6	70	156·0	45·3	64·64	ESE. & E.	SSE., SSW. & WSW.	2·9	0·0	0·2	214	− 18	0·00	0·0
MONDAY - 22	..	29·688	76·4	58·8	17·6	65·3	+ 2·4	52·9	12·4	24·7	4·0	64	106·9	55·0	64·79	WSW. & NW.	W., WNW. & WSW.	2·0	0·0	0·2	292	+ 59	0·00	0·0
TUESDAY - 23	First Quarter.	29·662	67·1	54·7	12·4	59·4	− 3·4	54·7	4·7	11·7	1·9	84	90·0	49·0	64·86	W. & WSW.	WSW., SW. & SSW.	0·7	0·0	0·0	204	− 29	0·01	0·0
WEDNESDAY 24	Apogee	29·379	68·1	53·5	14·6	59·4	− 3·2	56·9	2·5	9·7	1·0	92	144·3	46·5	64·62	S., SSE. & SE.	SE., S. & SSW.	1·8	0·0	0·1	187	− 47	0·13	0·5
THURSDAY - 25	..	29·423	70·9	52·2	18·7	59·1	− 3·3	54·8	4·3	15·7	0·6	86	143·0	44·3	64·40	SSW. & SW.	WSW., WNW. & calm.	0·5	0·0	0·0	113	− 121	0·05	1·5
FRIDAY - 26	..	29·501	64·0	51·8	12·2	58·0	− 4·3	55·9	2·1	6·5	0·6	93	87·7	44·0	63·90	Calm, SW. & WSW.	WSW., SW. & SSW.	0·1	0·0	0·0	119	− 116	0·03	0·0
SATURDAY - 27	Greatest Dec. S.	29·592	68·1	53·1	15·0	58·7	− 3·6	55·9	2·8	10·6	0·4	90	122·8	46·0	63·56	SSW. & SSE.	S. & SSE.	0·5	0·0	0·0	129	− 106	1·08	4·0
MEANS - -		29·560	71·7	54·5	17·1	61·6	− 1·0	56·0	5·6	14·9	1·3	83	121·5	47·2	64·40	SE. & SW.		..	..	..	Sum 1258	Sum − 378	Sum 1·30	0·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	m. P. generally till 10h. A.M.; w. P. afterwards.	9·2	15·9	Very fine; the amount of cloud was usually small. Foggy in morning. Lightning at night.
MONDAY - 22	w. P. till 5h. A.M.; m. P. till 3h. P.M.; w. P. afterwards.	1·8	15·9	Generally overcast till afternoon; fine and partially cloudy afterwards.
TUESDAY - 23	w. P. throughout.	0·0	15·8	Very fine till 2h. A.M.; overcast till 7h. P.M., with rain between 8h. and 10h. A.M.: very fine, with variable clouds, at night.
WEDNESDAY 24	w. P. till 11h. A.M.; v. P. and s. N. till 1h. P.M.; w. P. afterwards.	2·8	15·8	Overcast, with frequent rain, till afternoon; fine and partially cloudy afterwards.
THURSDAY - 25	w. P. till 11h. A.M.; s. P. and s. N. till 6h. P.M.; m. P. generally afterwards.	2·8	15·7	Fine and partially cloudy till noon; thunderstorm in afternoon, with slight rain; fine and partially cloudy after 5h. P.M.; fog at night.
FRIDAY - 26	m. P. till 9h. A.M.; w. P. with occasional w. N. afterwards.	0·0	15·7	Generally overcast; frequent rain after 11h. A.M. Distant thunder heard occasionally.
SATURDAY - 27	v. P. and v. N. till 8h. P.M.; w. P. afterwards.	1·8	15·6	Overcast, with heavy rain, in morning; generally cloudy, with frequent slight rain, afterwards. Distant thunder heard in forenoon.
		Sum 18·4	Sum 110·4	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·85 in. at the beginning of the week to 29·61 in. by 7h. P.M. on the 21st; increased to 29·70 in. by 1h. P.M. on the 22nd; decreased to 29·33 in. by 4h. P.M. on the 24th; and increased to 29·67 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th July, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	2	13	2	-	2	-	-	6	-
Kensington	176,787	-	12	9	-	4	-	-	7	1
Hammersmith	112,619	1	10	5	-	1	-	-	-	-
Fulham	138,426	-	10	12	-	-	-	-	1	-
Chelsea	73,879	-	6	-	-	3	1	-	-	-
City of Westminster	182,502	-	12	4	-	3	-	-	2	-
NORTH.										
St. Marylebone	133,060	1	5	7	-	4	-	-	4	-
Hampstead	82,287	-	5	2	-	2	-	-	1	-
St. Pancras	235,297	-	30	30	-	2	-	-	6	-
Islington	335,325	-	23	28	-	6	-	-	6	1
Stoke Newington	51,328	-	1	1	-	-	-	-	3	-
Hackney	219,780	3	15	30	-	4	-	-	6	-
CENTRAL.										
Holborn	59,205	-	15	4	-	-	-	-	1	-
Finsbury	101,263	-	13	5	-	1	-	-	4	-
City of London	26,627	-	3	1	-	1	-	-	-	-
EAST.										
Shoreditch	118,554	-	16	7	-	3	-	-	6	-
Bethnal Green	129,700	-	14	6	-	5	-	-	7	-
Stepney	298,884	-	33	10	-	4	-	-	4	-
Poplar	168,887	-	16	15	-	1	-	-	3	-
SOUTH.										
Southwark	206,219	-	31	9	-	1	-	-	5	-
Bermondsey	130,348	-	18	8	-	1	-	-	5	-
Lambeth	302,460	-	28	6	-	4	1	-	6	-
Battersea	169,364	-	7	3	-	5	-	-	4	-
Wandsworth	233,943	-	11	9	-	-	-	-	3	1
Camberwell	259,897	-	34	25	-	3	-	-	6	-
Deptford	110,732	-	2	7	-	-	-	-	2	-
Greenwich	96,188	-	2	1	-	1	-	-	-	-
Lewisham	128,423	1	10	7	-	2	-	-	2	-
Woolwich	117,619	-	4	5	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	8	399	258	-	64	1	-	100	3
Ages 0-1		-	5	4	-	-	-	-	1	-
„ 1-5		-	110	86	-	-	-	-	5	-
„ 5-		-	150	99	-	9	1	-	2	-
„ 10-		1	66	36	-	8	-	-	4	-
„ 15-		1	28	14	-	9	-	-	5	-
„ 20-		2	31	6	-	11	-	-	1	2
„ 25-		1	6	8	-	9	-	-	12	1
„ 35-		3	1	5	-	11	-	-	17	-
„ 45-		-	2	-	-	6	-	-	22	-
„ 55-		-	-	-	-	1	-	-	14	-
„ 65 and upwards		-	-	-	-	-	-	-	17	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 31. 1901. VOL. LXII.] WEEK ENDED SATURDAY, AUG. 3. [Price 1½*d.*

General Register Office, Somerset House,
August 6th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·4 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 17·9, and 21·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	July 13.	July 20.	July 27.	Aug. 3.		July 13.	July 20.	July 27.	Aug. 3.
33 Great Towns	15·6	17·9	21·2	22·4	Leicester - -	10·8	12·3	18·6	21·8
Birkenhead -	26·7	29·1	30·0	24·9	Liverpool - -	25·9	30·5	34·3	30·2
Birmingham -	17·1	17·2	23·0	25·0	London - - -	14·2	16·2	18·2	20·0
Blackburn -	12·2	22·5	20·8	22·0	Manchester - -	17·8	20·9	24·1	29·2
Bolton - -	17·9	17·3	21·0	24·7	Newcastle-on-Tyne	19·3	19·3	27·1	31·7
Bradford -	15·4	14·1	14·7	18·1	Norwich - -	13·0	14·0	17·7	15·4
Brighton -	13·9	8·4	19·8	17·3	Nottingham - -	15·4	18·9	20·6	23·0
Bristol - -	10·6	13·4	13·1	13·1	Oldham - -	13·7	15·6	18·6	18·6
Burnley -	15·0	17·7	25·7	25·7	Plymouth - -	10·1	15·0	16·4	14·0
Cardiff - -	12·3	12·0	12·3	11·7	Portsmouth - -	20·0	18·1	30·2	29·4
Croydon -	10·1	7·7	9·7	9·7	Preston - -	21·2	21·2	28·1	27·7
Derby - -	10·3	15·2	10·8	21·6	Salford - - -	19·1	18·4	24·2	25·9
Gateshead -	18·4	20·8	25·0	33·0	Sheffield - -	14·5	29·1	31·7	28·1
Halifax -	9·4	12·9	12·4	11·4	Sunderland - -	18·4	15·6	29·8	27·3
Huddersfield-	15·4	14·8	23·1	18·1	Swansea - -	16·5	16·5	16·5	14·9
Hull - -	11·2	11·9	19·2	19·0	West Ham - -	14·9	17·8	23·3	31·0
Leeds - -	18·5	21·9	28·9	29·6	Wolverhampton -	13·8	14·9	13·8	11·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·4 in Birmingham and in Sheffield, and 2·1 in West Ham and in Salford; from *scarlet fever*, 1·2 in Blackburn and 1·8 in Preston; and from *diarrhœal diseases*, 5·1 in Newcastle on Tyne, 5·3 in Sunderland, 5·4 in Hull, 5·5 in Huddersfield, 5·9 in Leicester, 7·6 in Birmingham, 8·0 in Birkenhead, 8·6 in Burnley, 9·4 in Gateshead, 9·5 in Nottingham, 9·9 in Bolton, 10·1 in Leeds, 10·6 in Salford, 11·6 in Manchester, 11·8 in Portsmouth, 12·4 in Sheffield, 12·8 in Liverpool, 13·8 in Preston, and 14·0 in West Ham. In none of the thirty-three towns did the death-rate from *whooping-cough*, or from "*fever*" reach 1·0 per 1000. The 69 deaths from *diphtheria* included 28 in London, 6 in Leeds, 5 in Sheffield, 5 in Leicester, 3 in Brighton, 3 in Cardiff, 3 in Manchester, and 3 in Salford. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2844 BIRTHS and 1747 DEATHS were registered. Allowing for increase of population, the births were 229 above, and the deaths 105 below, the average numbers in the corresponding weeks of the last ten years.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9688—670—8/1901 Wt 45 D & S 3

The annual death-rate per 1000 from all causes, which had been 14·2, 16·2, and 18·2 in the preceding three weeks, further rose last week to 20·0. During the four weeks ended on Saturday last the death-rate averaged 17·2 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1747 deaths included 1 from small-pox, 45 from measles, 15 from scarlet fever, 28 from diphtheria, 20 from whooping-cough, 11 from enteric fever, 399 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from typhus or from any ill-defined form of continued fever; thus, 523 deaths were referred to these diseases, being 29 above the corrected average weekly number.

The death from *small-pox* was that of a female aged 41 years, who had been removed from the Borough of Hammersmith to the Hospital Ship "Atlas." The deaths from *measles*, which had been 37, 45, and 60 in the preceding three weeks, fell again last week to 45, the corrected average being 46; 9 cases belonged to Poplar, 7 to Stepney, 6 to Islington, and 4 to Hackney. The deaths from *scarlet fever*, which had been 17, 10, and 20 in the preceding three weeks, fell again last week to 15, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 24, 30, and 28 in the preceding three weeks, were 28 last week, the corrected average being 44; 5 cases belonged to Islington, 5 to Hackney, 4 to Camberwell, 3 to St. Pancras, 3 to Stepney, and 3 to Poplar. The deaths from *whooping-cough*, which had been 15, 17, and 24 in the preceding three weeks, fell again last week to 20, and were 14 below the corrected average. The fatal cases of *enteric fever*, which had been 2, 9, and 10 in the preceding three weeks, were 11 last week, being equal to the corrected average; 2 cases belonged to Fulham and 2 to Islington. The deaths from *diarrhœal diseases*, which had been 73, 140, and 294 in the preceding three weeks, further rose last week to 403, and were 65 above the corrected average. Of the 403 deaths from diarrhœal diseases, 387 were of children under 5 years of age; 43 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 133, 135, and 134 in the preceding three weeks, fell last week to 126, and were 42 below the corrected average. The deaths attributed directly to *influenza* numbered 5, having been 3, 8, and 3 in the preceding three weeks.

Different forms of *violence* caused 81 deaths, concerning all but 6 of which inquests were held. Of these 81 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 70 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 2 to conflagrations, 6 others to burns and scalds, 8 to drowning, 5 to sunstroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 13 cases of small-pox, 3091 of scarlet fever, 1336 of diphtheria, and 166 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 6, 5, and 2; of scarlet fever, 391 cases, against 324, 371, and 374; of diphtheria, 195 cases, against 231, 213, and 214; and of enteric fever, 34 cases, against 33, 32, and 29. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended July 27th.

Greater London.

In Greater London 4199 births and 2434 deaths were registered, corresponding to annual rates of 33·2 and 19·2 per 1000 of the estimated population. In the Outer Ring 22 deaths from measles, 4 from scarlet fever, 5 from diphtheria, 7 from whooping-cough, 5 from "fever," and 242 from diarrhœal diseases were registered. Thirteen deaths from measles and 130 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·97 inches, and that of the Thermometer 65°·1; the latter being 2°·9 above the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 37 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 49·2 hours; the measured rainfall amounted to 0·38 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 3rd Aug. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**7180**	**4926**	**2270**	**728**	**1**	**120**	**43**	**69**	**56**	**30**	**1436**	**153**	**296**	**889**	**43**	**22·4**	**8·0**	**81·8**	**45·0**	**62·4**	**16·89**	**0·23**	**0·58**	**33 Towns.**
London - -	4,543,757	2844	1747	716	289	1	45	15	28	20	11	403	81	162	507	8	20·0	6·0	80·0	49·2	65·1	18·39	0·38	0·97	London.
West Ham - -	268,868	216	160	102	6	-	11	-	1	1	2	72	1	3	17	1	31·0	16·9	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	79	25	6	6	-	-	-	-	1	1	2	2	4	7	-	9·7	1·5	79·0	49·0	62·8	17·11	0·46	1·17	Croydon.
Brighton - -	123,668	55	41	10	13	-	-	-	3	1	-	6	-	4	11	-	17·3	4·2	81·8	54·4	64·4	18·00	0·00	0·00	Brighton.
Portsmouth -	189,907	105	107	62	12	-	-	-	2	-	1	43	1	3	13	2	29·4	12·6	-	-	-	-	-	-	Portsmouth.
Plymouth - -	107,974	55	29	10	11	-	1	-	-	-	-	3	1	2	5	-	14·0	1·9	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	187	83	24	22	-	-	1	1	2	-	6	2	7	11	-	13·1	1·6	78·2	49·2	62·2	16·78	0·23	0·58	Bristol.
Cardiff - -	165,308	113	37	13	8	-	1	1	3	2	-	2	-	-	7	1	11·7	2·8	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	48	27	7	10	-	-	-	-	1	1	1	-	2	1	-	14·9	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	66	21	6	4	-	1	-	-	-	-	1	2	3	2	-	11·6	1·1	75·5	45·0	60·2	15·67	0·00	0·00	Wolverhampton.
Birmingham -	523,284	385	251	131	21	-	14	2	1	4	2	76	4	6	30	3	25·0	9·9	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	66	33	15	9	-	-	-	-	-	1	7	-	-	1	1	15·4	3·7	-	-	-	-	-	-	Norwich.
Leicester - -	212,498	133	89	37	22	-	-	-	5	1	-	24	4	4	15	2	21·8	7·4	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	176	106	63	16	-	3	1	1	-	-	44	1	2	8	-	23·0	10·6	75·9	46·1	61·8	16·56	0·19	0·48	Nottingham.
Derby - - -	106,076	74	44	19	8	-	-	-	2	-	1	8	1	3	6	-	21·6	5·4	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	58	53	27	5	-	3	-	-	-	-	17	1	2	4	-	24·9	9·4	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	418	398	200	51	-	2	5	2	1	4	169	12	16	62	11	30·2	13·9	-	-	-	-	-	-	Liverpool.
Bolton - -	168,748	99	80	39	18	-	2	1	-	-	-	32	1	3	10	1	24·7	10·8	-	-	-	-	-	-	Bolton.
Manchester -	544,934	302	305	170	26	-	4	3	3	5	-	121	8	16	44	1	29·2	13·0	-	-	-	-	-	-	Manchester.
Salford - -	221,526	109	110	54	6	-	9	1	3	-	-	45	2	3	12	2	25·9	13·7	-	-	-	-	-	-	Salford.
Oldham - -	137,382	62	49	13	8	-	3	-	-	-	-	11	2	3	-	-	18·6	5·3	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	51	48	29	6	-	-	-	1	2	-	16	2	2	3	-	25·7	10·2	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	67	54	17	6	-	-	3	1	1	-	9	2	3	4	-	22·0	5·7	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	72	60	38	6	-	-	4	-	1	-	30	1	1	2	3	27·7	16·1	72·0	55·0	61·8	16·56	0·51	1·30	Preston.
Huddersfield -	94,998	45	33	15	9	-	-	-	-	-	-	10	-	1	1	-	18·1	5·5	73·8	50·0	61·0	16·11	0·04	0·10	Huddersfield.
Halifax - -	105,113	47	23	4	9	-	-	-	-	-	-	1	-	-	2	-	11·4	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	146	97	33	23	-	-	-	-	3	1	22	3	7	15	-	18·1	4·8	77·0	51·8	62·2	16·78	0·25	0·63	Bradford.
Leeds - - -	430,489	279	244	128	30	-	7	-	6	4	2	83	7	14	27	-	29·6	12·4	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	286	206	113	15	-	10	1	5	1	-	91	3	6	19	1	28·1	14·7	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	194	88	36	18	-	2	-	1	1	2	25	2	3	10	1	19·0	6·7	-	-	-	-	-	-	Hull.
Sunderland -	146,937	102	77	36	12	-	-	3	-	1	-	15	1	3	11	3	27·3	6·7	-	-	-	-	-	-	Sunderland
Gateshead - -	110,492	91	70	41	7	-	-	-	-	-	-	20	1	1	-	2	33·0	9·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	150	131	56	16	-	2	2	-	3	1	21	5	7	22	-	31·7	7·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2317	2376	2570	2695	2624	2623	2395	2335	2577	2701	2615·2	2844
Males - -	1199	1258	1359	1379	1376	1343	1227	1171	1338	1387	1352·3	1414
Females - -	1118	1118	1211	1316	1248	1280	1168	1164	1239	1314	1262·9	1430
TOTAL **Deaths** -	1646	1409	1715	1464	1806	2058	2202	1586	2200	1768	1851·9	1747
Males - -	883	734	913	775	915	1103	1176	852	1120	921	974·2	959
Females - -	763	675	802	689	891	955	1026	734	1080	847	877·7	788

*The numbers in this column are the average weekly numbers in the thirty-first week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.
TOTAL **Births** - - -	2510	2602	2559	2148	2624	2406	2451	2478	2413	2526	2519	2384	2844
TOTAL **Deaths** - - -	1386	1375	1363	1345	1236	1191	1204	1210	1256	1237	1411	1582	1747
Ages at Death: Under 1 year - -	269	281	259	289	232	258	283	267	285	282	411	583	716
1—5 years - -	169	185	197	183	156	152	144	154	146	140	168	215	196
5—20 ,, - -	77	56	80	66	72	78	72	58	68	88	77	73	87
20—40 ,, - -	198	192	178	180	189	177	154	176	173	180	175	169	191
40—60 ,, - -	293	291	270	275	278	253	247	264	266	258	279	252	268
60—80 ,, - -	299	298	301	277	256	218	250	235	244	236	244	241	243
80 years and upwards	81	72	78	75	53	55	54	56	74	53	57	49	46
Deaths from—													
Small pox - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	1
Measles - - - - -	38	33	44	48	35	38	42	51	49	37	45	60	45
Scarlet Fever - - -	17	14	18	17	17	21	13	12	8	17	10	20	15
Diphtheria - - - -	23	14	22	13	15	13	18	18	27	24	30	28	28
Whooping-cough - - -	45	48	58	33	32	35	25	25	22	15	17	24	20
Typhus - - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	4	5	10	6	7	2	4	6	2	9	10	11
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	1	2	-	-
Diarrhœa and Dysentery -	9	16	22	14	17	26	25	23	45	71	140	289	399
Cholera - - - - -	-	-	-	1	-	-	-	-	1	2	-	5	4
All the above Diseases -	140	129	169	136	123	140	125	134	158	169	253	436	523
Dis. of Respiratory System -	237	249	191	240	187	159	150	141	165	133	135	134	126
Phthisis - - - - -	161	128	139	131	140	122	113	138	133	168	114	111	153
Dis. of Circulatory System -	133	123	128	116	121	122	103	109	139	104	116	111	113
Violence - - - -	65	72	65	60	69	68	55	42	59	49	72	74	81
Inquest Cases - - - -	145	148	150	122	150	136	126	101	117	123	138	141	162
Deaths in Public Institutions -	512	449	482	476	420	456	419	454	435	435	467	459	507
TEMPERATURE OF THE AIR													
Mean - - - - - -	47°·1	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0	61°·0	64°·1	64°·5	68°·4	61°·6	65°·1
Mean of Highest readings -	55·3	62·9	66·8	71·6	69·9	67·6	67·8	71·8	73·9	77·2	81·6	71·7	75·8
Mean of Lowest readings -	41·2	41·4	44·8	49·0	48·6	47·0	50·1	50·9	56·1	52·2	54·4	54·5	54·9
Humidity of the Air - -	81	73	61	69	69	60	71	63	75	68	63	83	72
Rain-fall (in inches) - -	1·56	0·00	0·00	0·27	0·03	0·10	0·43	0·00	1·05	0·00	0·00	1·30	0·38
Registered Sunshine (in hours)	17·3	69·7	80·9	51·2	52·3	63·7	36·4	69·5	46·1	60·2	75·5	18·4	49·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	–	–	–	1	1	1	1	5	6	12	14	11	13
Scarlet Fever - - - -	1913	2052	2241	2351	2462	2594	2708	2821	2895	2918	2907	2974	3091
Diphtheria - - - -	1038	1099	1087	1107	1092	1104	1138	1176	1195	1228	1267	1303	1336
Typhus - - - - -	1	1	1	–	–	–	–	—	–	1	–	–	–
Enteric Fever - - - -	112	106	111	95	93	105	117	125	128	145	152	165	166

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIRST Week of the Year 1901

CAUSES OF DEATH.	Corrected Averages for the 31st Week of the 10 years 1891-1900*.	In the Week ended Saturday, 3rd August, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1851·9	1747	716	196	87	191	268	243	46
Small-pox: Vaccinated†	0·2	1	-	-	-	-	1	-	-
Small-pox: Unvaccinated	0·3	-	-	-	-	-	-	-	-
Small-pox: No Statement	0·5	-	-	-	-	-	-	-	-
Measles	46·2	45	9	36	-	-	-	-	-
Scarlet Fever	18·6	15	-	9	5	-	1	-	-
Typhus	0·2	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	4·5	5	1	-	-	1	1	2	-
Whooping-cough	34·3	20	14	6	-	-	-	-	-
Diphtheria	44·3	28	1	17	10	-	-	-	-
Simple Continued and Ill-defined Fever	0·5	-	-	-	-	-	-	-	-
Enteric Fever	10·6	11	-	-	7	3	1	-	-
Cholera and Chol. Diarr.	12·1	4	4	-	-	-	-	-	-
Diarrhœa, Dysentery	325·7	399	343	40	1	2	4	7	2
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	0·1	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·2	-	-	-	-	-	-	-	-
Venereal Affections	10·5	11	7	-	-	-	3	1	-
Erysipelas	5·2	3	-	-	-	1	1	1	-
Pyæmia and Septicæmia	1·2	1	-	-	-	-	-	1	-
Puerperal Fever	3·0	4	-	-	-	4	-	-	-
Other Zymotic Diseases	2·0	3	-	-	-	-	2	1	-
Thrush	0·9	2	2	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·4	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	3·0	2	2	-	-	-	-	-	-
Alcoholism	10·6	16	-	-	-	8	8	-	-
Rheumatic Fever, Rheumatism of Heart	5·6	5	-	-	3	1	-	1	-
Rheumatism	1·5	2	-	-	-	-	1	1	-
Gout	1·7	1	-	-	-	-	1	-	-
Rickets	7·4	5	2	3	-	-	-	-	-
Cancer	76·4	87	-	-	-	9	36	41	1
Tabes Mesenterica	38·7	32	20	8	4	-	-	-	-
Tubercular Meningitis	28·3	23	10	4	6	2	-	1	-
Phthisis	140·8	153	3	4	13	64	46	22	1
Scrofula, Tuberculosis	24·7	10	5	2	2	1	-	-	-
Other Constitutional Diseases	10·5	11	-	1	2	1	5	2	-
Premature Birth	58·3	45	45	-	-	-	-	-	-
Atelectasis	3·9	3	3	-	-	-	-	-	-
Congenital Malformations	8·0	8	8	-	-	-	-	-	-
Old Age	36·6	42	-	-	-	-	-	23	19
Apoplexy	38·5	30	-	1	1	1	7	17	3
Epilepsy	8·0	6	-	-	1	1	2	1	1
Convulsions	44·5	30	25	5	-	-	-	-	-
Other Diseases of Brain and Nervous System	79·5	61	8	10	5	12	10	14	2
Diseases of Organs of Special Sense	4·0	6	3	2	1	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 31st Week of the 10 years 1891-1900*.	In the Week ended Saturday, 3rd August, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	109·8	113	2	-	6	17	38	42	8
Croup	1·7	-	-	-	-	-	-	-	-
Bronchitis	73·0	41	13	3	-	2	6	16	1
Pneumonia	73·3	67	15	14	1	8	20	7	2
Pleurisy	5·2	3	-	1	1	-	-	1	-
Other Diseases of Respiratory System	15·0	15	3	3	2	2	1	4	-
Dentition	10·6	7	4	3	-	-	-	-	-
Quinsy, Sore Throat	1·5	2	1	-	-	1	-	-	-
Enteritis	119·1	45	30	3	4	3	4	1	-
Gastro-enteritis		45	37	6	1	-	-	1	-
Peritonitis	6·5	3	-	-	-	2	1	-	-
Diseases of Liver	26·4	31	2	-	1	7	16	4	1
Other Diseases of Digestive System	37·5	49	20	5	-	11	9	2	2
Diseases of Lymphatic System & of Ductless Glands	2·8	3	-	2	-	-	1	-	-
Diseases of Urinary System	40·2	50	1	-	2	7	19	21	-
Diseases of Generative System	6·6	5	-	-	-	1	4	-	-
Accidents of Childbirth	5·1	4	-	-	-	3	1	-	-
Diseases of Locomotive System	5·7	2	1	-	-	1	-	-	-
Diseases of Integumentary System	7·3	5	1	-	-	-	2	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	2·4	1	-	-	-	1	-	-	-
By Vehicles or Horses	8·6	11	-	4	2	2	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·7	-	-	-	-	-	-	-	-
In Building Operations	0·7	-	-	-	-	-	-	-	-
In Conflagrations	0·7	2	1	1	-	-	-	-	-
By Burns, Scalds, Explosions	3·8	6	1	1	1	3	-	-	-
By Drowning	10·7	8	1	-	2	2	2	1	-
By Suffocation in Bed	9·2	12	12	-	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	3	-	-	1	-	2	-	-
Other or not stated causes	23·5	27	11	2	2	2	6	2	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·0	1	-	-	-	1	-	-	-
Suicide	9·9	10	-	-	-	3	5	2	-
Execution	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES	78·1	46	45	-	-	1	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd August, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,063	2844	1747	716	289	1	45	15	28	20	-	11	-	403	81	162	507	8
WEST DISTRICTS - - -	805,275	452	296	111	56	-	3	2	-	3	-	1	-	63	17	25	90	1
NORTH DISTRICTS - - -	1,056,018	609	401	159	67	-	13	1	11	3	-	6	-	82	14	27	111	-
CENTRAL DISTRICTS - - -	209,432	119	84	33	11	-	2	1	-	1	-	1	-	21	7	13	34	-
EAST DISTRICTS - - -	715,772	529	353	154	52	-	18	-	2	4	-	2	-	94	15	44	110	-
SOUTH DISTRICTS - - -	1,749,566	1135	570	259	88	-	9	7	10	9	-	1	-	142	28	52	119	7
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	-	15	1	-	4	5	-	-	-	-	1	-	1	43	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	59	38	20	5	-	-	-	-	-	-	-	-	12	1	2	10	-
St. John Paddington *H* - - G.	33,608	9	9	-	3	-	-	-	-	-	-	-	-	-	1	1	4	-
North-West Paddington - - C.	17,181	9	4	3	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	69	58	21	10	-	-	-	-	1	-	-	-	14	2	2	18	-
Brompton *HH* - - W. & C.	48,598	9	10	2	4	-	-	-	-	-	-	-	-	1	-	-	3	-
North Hammersmith *H* W. & G	49,335	34	17	8	1	-	-	-	-	-	-	-	-	5	1	2	-	-
South Hammersmith *wH* W. & G	62,910	29	19	7	2	-	-	-	-	-	-	-	-	4	1	2	7	-
North-west Fulham *W* W. & C.	45,180	44	19	11	5	-	-	-	-	1	-	-	-	4	-	-	5	-
North-east Fulham *w* W. & C.	46,404	28	11	3	1	-	-	2	-	-	-	-	-	3	1	2	3	-
South Fulham W. & C.	45,705	40	22	10	4	-	2	-	-	-	-	1	-	5	2	2	-	-
Chelsea North *WWHHHH* - C.	42,515	18	20	2	7	-	-	-	-	-	-	-	-	3	-	2	17	-
Chelsea South *HH* - - C.	31,341	13	12	8	1	-	-	-	-	-	-	-	-	4	2	3	4	-
May Fair and Knightsbridge *H* C. & G.	28,744	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	37	18	3	3	-	-	-	-	1	-	-	-	1	2	3	8	-
St. Margaret & St. John Westminster *HHH* C.	43,665	24	24	8	6	-	1	-	-	-	-	-	-	4	4	4	8	-
St. James Westminster *WH* N. & G.	21,595	16	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Anne Soho *HHHHH* - N.	11,492	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* - - W.	35,394	12	15	4	1	-	-	-	-	-	-	-	-	1	1	1	10	-
Rectory Marylebone *W* G. & W.	19,869	5	7	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.	18,099	24	4	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Christchurch Marylebone *H* - W	39,541	14	11	7	1	-	-	-	-	-	-	-	-	6	1	1	-	-
St. John Marylebone *HHH* - W	20,426	6	7	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Hampstead *WwHHHHH* - N. & W.	81,942	38	23	4	4	-	-	1	3	1	-	3	-	1	2	1	11	-
Regent's Park *H* - W.	50,647	28	15	6	5	-	-	-	-	-	-	-	-	2	2	3	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	8	15	3	2	-	-	-	-	-	-	1	-	-	-	-	13	-
Gray's Inn Lane *HHHH* - N.	30,886	19	19	9	2	-	-	-	-	1	-	-	-	3	2	2	9	-
Somers Town *HH* - - - N.	30,131	15	24	14	2	-	1	-	-	-	-	-	-	5	2	4	3	-
Camden Town *WH* - - N.	40,079	33	18	8	4	-	-	-	-	-	-	-	-	5	-	1	6	-
Kentish Town *WW* - - N.	58,727	35	26	12	7	-	1	-	-	-	-	-	-	8	-	-	10	-
Tufnell *W* - N.																		
Upper Holloway *WWwHH* - N.	99,841	54	42	12	10	-	-	-	-	-	-	1	-	4	2	3	21	-
Tollington *W* - N.																		
Lower Holloway - - - N.	41,411	28	15	7	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Barnsbury - - - - N.	54,479	35	18	6	1	-	5	-	-	-	-	-	-	4	-	-	-	-
Islington South-east *H* - N.	75,402	45	19	9	6	-	1	-	-	-	-	-	-	6	1	1	-	-
Highbury *HH* - - - N.	63,795	35	8	4	1	-	-	-	-	-	-	1	-	2	-	-	-	-
Stoke Newington *H* - - N.	51,247	24	16	5	5	-	-	-	-	-	-	-	-	2	1	1	-	-
North Hackney - E. & N.	50,570	23	13	5	3	-	-	-	1	-	-	-	-	3	-	1	-	-
Central Hackney *ww* - E. & N.	50,535	41	25	11	2	-	-	-	7	1	-	-	-	8	-	3	7	-
South-west Hackney *HHH* E. & N.	59,929	46	22	12	4	-	-	-	-	-	-	-	-	4	-	1	5	-
South-east Hackney *WwH* E. & N.	58,254	41	39	17	1	-	5	-	-	-	-	-	-	13	-	3	14	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	20	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St Giles North *H* - - - N.	8,959	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C	12,975	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *WHH* - - - N.	8,694	2	4	2	1	-	-	-	-	-	-	-	-	-	-	1	3	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHH* - - N.	29,579	12	21	9	3	-	-	-	-	-	-	1	-	8	1	2	14	-
St. James Clerkenwell - - N.	15,634	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington - - - - - N.	32,691	11	8	5	-	-	1	-	-	-	-	-	-	5	1	1	-	-
Hoxton-street - - - - N.	15,390	11	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Finsbury* *HHHL* - - N.	35,376	37	16	10	2	-	-	-	-	-	-	-	-	6	-	1	1	-
Holborn Union Workhouse, Mitcham - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H* - - N. & E.	11,036	3	4	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-
St. Sepulchre *WH* - - - N	7,886	3	13	2	1	-	-	-	-	1	-	-	-	2	4	4	11	-
All Hallows Barking - - - N	8,717	2	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
City of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	8	7	5	1	-	-	-	-	-	-	-	-	3	1	1	1	-
Hoxton New Town *wH* - - N	29,761	30	21	13	3	-	1	-	-	-	-	-	-	9	-	1	6	-
Hoxton Old Town - - - N.	26,510	16	8	3	2	-	1	-	-	-	-	-	-	3	-	1	-	-
Haggerston *W* - - N & E.	46,064	33	25	11	6	-	-	-	-	-	-	-	-	8	2	4	8	-
Bethnal Green North *HH* - E.	51,513	41	17	7	1	-	-	-	-	1	-	-	-	3	1	2	5	-
Bethnal Green South - - E	33,473	19	9	6	1	-	-	-	-	-	-	-	-	3	1	3	-	-
Bethnal Green East *WWHl* - E.	44,695	41	19	3	5	-	-	-	-	-	-	-	-	3	2	2	10	-
Spitalfields - - - E. & N.	27,965	25	6	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Mile End New Town *WH* - E.	28,711	19	40	10	4	-	-	-	1	-	-	1	-	5	1	1	34	-
Goodman's Fields - - - E.	22,082	15	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	40,965	29	12	6	-	-	1	-	-	1	-	-	-	3	-	1	-	-
St. John *W* - - - E.	8,122	9	10	4	3	-	-	-	-	-	-	-	-	1	-	1	5	-
Shadwell *H* - - - E. & N.	10,760	7	16	12	-	-	1	-	-	-	-	-	-	4	2	2	11	-
Ratcliff *W* - - - - E.	14,770	13	4	1	1	-	-	-	-	-	-	-	-	1	1	3	-	-
Limehouse - - - - E	32,358	19	15	6	2	-	1	-	-	1	-	-	-	2	1	4	-	-
Mile End Old Town West *H* E.	59,467	49	17	9	2	-	-	-	-	-	-	-	-	6	1	5	-	-
Mile End Old Town East *WWw* - E.	53,348	38	23	12	4	-	2	-	1	-	-	-	-	8	-	1	4	-
Bow *l* - - - - E.	41,990	35	23	10	3	-	4	-	-	1	-	-	-	6	-	3	-	-
Bromley *wwwH* - - - E.	68,326	38	54	25	9	-	5	-	-	-	-	1	-	20	1	6	24	-
Poplar *WW* - - - - E.	58,522	45	17	5	4	-	-	-	-	-	-	-	-	4	1	3	2	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	7	28	10	2	-	-	-	1	-	-	-	-	2	3	5	22	-
Kent-road - - - S. & L.	21,899	16	4	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Borough-road *WH* - S. & L	16,882	13	9	6	1	-	1	-	-	-	-	-	-	3	-	2	4	-
London-road *HL* - L. & S.	22,209	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Trinity Newington *H* - S. & L.	28,485	17	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	49	23	16	4	-	-	-	-	2	-	-	-	5	2	2	1	-
St. Mary Newington - L. & S.	31,592	26	13	8	-	-	-	-	-	-	-	-	-	4	-	2	-	-
St. Olave *W* - - - - S.	9,813	4	6	3	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Bermondsey *W* - - - S.	82,405	57	25	10	5	-	-	-	-	-	-	-	-	5	-	2	-	-
Rotherhithe *Ww* - - S. & K.	38,268	18	15	8	5	-	-	-	-	-	-	-	-	3	3	5	3	-
Waterloo-road *HH* - L. & S.	27,435	30	14	9	-	-	1	-	-	-	-	-	-	4	-	1	1	-
Lambeth Church 1st *HH* L. & S.	18,420	9	18	4	1	-	-	-	-	-	-	-	-	3	2	2	14	-
Lambeth Church 2nd *WW* L. & S.	39,818	32	28	8	9	-	-	-	-	-	-	-	-	6	2	3	10	-
Kennington 1st *H* - S. & L.	53,196	39	19	13	1	-	-	1	-	-	-	-	-	12	-	-	-	-
Kennington 2nd - - S. & L.	42,891	11	8	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Brixton *w* - - - L. & S.	84,226	37	17	4	6	-	-	-	-	-	-	-	-	1	-	1	-	-
Norwood *WH* - - - L.	35,887	23	7	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea - - - S.	72,201	47	28	22	1	-	1	-	-	-	-	-	-	12	1	4	-	-
North-west Battersea - - S.	49,650	43	17	9	2	-	1	-	-	1	-	-	-	9	1	2	-	-
South-west Battersea *WwH*- S.	47,045	28	18	3	6	-	-	-	-	-	-	-	-	1	1	2	9	-
Clapham *H* - - - - S.	51,353	32	12	3	2	-	-	-	-	-	-	-	-	3	-	-	2	-
Streatham *WwwwwL* - - L.	88,129	64	24	13	3	-	-	3	-	-	-	-	-	5	-	-	3	-
Wandsworth *WHHL* - - S.	68,409	58	18	8	2	-	2	-	-	1	-	-	-	4	1	2	1	-
Putney - - - - - S.	24,139	9	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich - - - - L. & S.	10,246	6	2	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Camberwell *WWwll* - S. & L.	90,404	54	31	8	10	-	-	-	-	-	-	-	-	2	-	-	16	-
Peckham *WW* - S., L., & K.	93,022	62	19	8	3	-	-	-	1	1	-	-	-	5	-	2	1	-
St. George Camberwell - L. & S.	65,586	49	24	14	1	-	-	-	2	-	-	-	-	11	2	2	-	-
Deptford North - - - K.	37,601	35	13	9	-	-	-	-	1	1	-	-	-	8	-	-	-	-
Deptford Central *w* - - K.	45,621	35	19	11	-	-	-	1	3	-	-	-	-	8	1	1	4	-
Deptford South - - - K.	34,622	19	6	2	2	-	-	-	-	-	-	-	-	2	-	1	-	-
Greenwich West *H* - - K.	23,456	14	8	5	1	-	1	-	-	-	-	-	-	5	-	-	-	-
Greenwich East *WH* - - K.	43,849	26	15	6	1	-	-	-	-	-	-	-	-	3	3	3	6	-
Eltham *wH* - - - - K.	7,218	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *H* - - - - - K.	25,489	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - K.	58,341	39	24	6	7	-	-	2	1	-	-	-	-	4	2	2	13	-
Sydenham *H* - - - L.	43,630	19	10	6	2	-	1	-	-	-	-	-	-	2	-	-	-	-
Charlton *wHH* - - - K.	21,121	10	6	2	-	-	-	-	1	-	-	1	-	-	1	1	3	-
Woolwich *HHHH* - - K.	41,607	30	8	2	2	-	-	-	-	-	-	-	-	3	1	2	-	-
Plumstead West *H* - - K.	18,076	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	21	10	4	2	-	-	-	-	-	-	-	-	3	-	2	2	-
London County Asy., Banstead -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asy., Epsom -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Met. Asy. for Imbeciles, Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asy., Cane Hill -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M.A.B. Ships and Camp, Dartford	—	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Met. Asy. for Imbeciles, Darenth -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	7	-	1	-	-	-	-	-	-	-	-	1	-	-	7	-
London County Asylum, Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asy., Hendon	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asy., Colney Hatch	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -	—	-	9	-	-	-	-	4	5	-	-	-	-	-	-	-	9	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Asylum, Claybury	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	1	5	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd August, 1901.

Is-on ict d-ict n-r.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1,355	687	373	82	–	22	4	5	7	5	242	17	32	53	3
:1	Carshalton *H* - - -	12,228	32,997	15	10	6	3	–	–	–	–	1	–	1	–	–	1	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	10	4	–	1	–	–	–	–	–	–	1	–	–	2	–
:1	Godstone, *part of** *W* -	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Croydon *WWwHHH* -	20,851	164,519	99	35	11	7	–	–	–	–	1	1	2	2	4	8	–
2	Mitcham *w* - - -	11,689	29,906	19	3	–	1	–	–	–	–	–	–	–	–	–	–	–
:1	Wimbledon *HHH* - -	3,221	41,604	20	7	1	3	–	1	–	–	1	–	–	–	–	–	–
2	Kingston *WH* - - -	6,224	42,067	19	10	1	5	–	–	–	–	–	–	3	1	1	2	–
3	Surbiton *HH* - - -	3,046	15,019	7	2	1	1	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H* - -	5,402	13,003	6	4	–	1	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL* - - -	4,564	23,447	12	4	2	1	–	–	–	–	–	–	–	1	1	–	–
:1	Richmond *WHH* - -	2,162	28,871	20	3	3	–	–	–	–	–	–	–	1	–	–	–	–
2	Mortlake *H* - - -	2,847	20,628	9	3	1	–	–	–	–	–	–	–	1	–	–	–	–
:1	Bromley† *HHH*- - -	4,703	27,358	11	4	1	–	–	1	–	–	–	–	1	–	–	–	–
2	Beckenham† *H*- - -	7,825	28,499	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of**† *W* -	10,113	9,857	6	1	1	–	–	–	–	–	–	–	1	–	–	–	–
4	Chislehurst *HH* - -	7,333	16,458	7	3	2	–	–	–	–	–	–	–	1	–	–	–	–
:1	Bexley *HHH* - - -	12,532	46,445	35	23	12	5	–	1	–	–	–	–	6	–	–	–	–
2	Dartford *WH*, *part of** -	—	—	–	2	–	–	–	–	–	1	–	1	–	–	–	2	–
:1	Sunbury *w* - - -	11,054	18,682	7	6	3	–	–	1	–	–	–	–	1	–	–	–	–
2	Staines *WH* - - -	13,277	15,179	11	6	2	2	–	–	1	–	–	–	1	–	–	1	–
:1	Hillingdon *WHH* - -	6,035	13,661	8	5	3	1	–	–	–	–	–	–	3	–	–	–	–
2	Uxbridge - - - -	12,757	8,984	2	3	1	–	–	–	–	–	–	–	1	1	1	–	–
3	Hayes *wH*- - - -	8,066	16,358	9	8	6	1	–	–	–	–	–	–	3	–	–	–	–
:1	Isleworth *WHH* - -	6,859	30,838	16	7	5	1	–	–	–	–	–	–	1	–	–	–	–
2	Twickenham *HH* - -	2,421	20,991	15	2	–	2	–	–	–	–	–	–	1	–	–	–	–
3	Brentford *HHHH* - -	4,319	48,298	29	19	11	2	–	2	–	–	–	–	8	1	1	–	–
4	Chiswick - - - -	1,249	29,809	21	10	3	–	–	–	–	–	–	–	2	–	–	–	–
5	Acton *wHH* - - -	6,132	48,913	30	24	15	5	–	–	–	–	–	–	11	3	4	–	1
:1	Harrow *HHH* - - -	13,809	25,522	21	8	3	3	–	–	–	–	–	–	2	–	–	–	–
2	Edgware *HH* - - -	6,994	4,520	5	1	–	1	–	–	–	–	–	–	–	–	–	–	1
3	Willesden *HHH* - -	4,384	114,815	90	25	15	–	–	1	–	1	1	–	10	–	1	1	–
4	Hendon *WH* - - -	8,382	22,450	14	10	3	2	–	–	–	–	–	–	–	–	–	2	–
:1	South Mimms *HH* - -	17,755	7,308	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - - -	3,324	17,970	8	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*- - -	4,688	33,692	20	11	–	–	–	1	–	–	–	–	2	–	–	–	–
:1	Hornsey *HH* - - -	2,875	72,056	37	9	5	1	–	–	–	–	–	–	3	–	–	–	–
2	Tottenham *HHH* - -	4,638	136,702	79	36	17	2	–	2	–	1	–	–	9	–	2	–	–
3	Edmonton *Ww* - -	7,491	61,892	61	31	19	5	–	–	–	1	–	–	17	–	1	5	–
4	Enfield *WWHH* - -	12,601	42,738	37	12	5	2	–	–	–	–	–	–	2	3	4	–	–
5	Waltham Abbey - - -	11,017	6,547	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - - -	8,479	12,288	7	5	3	2	–	–	–	–	–	–	1	–	–	–	–
:1	Hatfield, *part of** *W* - -	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Bushey *H* - - - -	9,333	9,173	8	1	–	–	–	–	–	–	–	–	–	1	1	–	–
2	Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Stratford *H* - - -	1,072	44,825	39	30	20	3	–	1	–	–	–	–	16	–	1	3	–
2	Plaistow *HHH* - - -	1,249	90,920	72	52	39	–	–	6	–	–	1	–	29	–	–	3	–
3	Canning Town *H* - -	1,556	70,666	67	46	27	–	–	3	–	1	–	–	17	1	2	2	–
4	Forest Gate *w* - - -	806	60,897	38	23	11	3	–	–	–	–	–	–	9	–	–	–	1
5	East Ham *wHHH* - -	3,268	95,970	77	44	27	–	–	1	–	–	–	–	18	–	2	–	–
6	Wanstead - - - -	1,737	9,198	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW* - -	631	56,458	29	32	16	4	–	1	–	–	–	2	12	2	2	14	–
8	North Leyton *WwH* -	1,963	48,441	39	10	6	1	–	–	–	–	–	–	3	–	1	–	–
9	Walthamstow *HHHL* -	6,504	108,931	75	48	35	6	–	1	–	–	1	–	26	1	3	1	–
:1	Chigwell, *part of** *HHHH*	11,778	16,403	16	3	3	–	–	–	–	–	–	–	1	–	–	–	–
2	Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
:1	Romford, *part of** *W* -	6,556	6,089	11	2	–	1	–	–	–	–	–	–	–	–	–	2	–
2	Ilford *H* - - - -	8,466	41,240	15	17	16	–	–	–	–	–	1	–	8	–	–	–	–
3	Barking Town, *H* - -	3,803	21,547	23	13	10	1	–	–	–	–	–	–	7	–	–	–	–
	North-Western Fever Hosp., Hampstead.	—	—	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	Park Hospital, Lewisham -	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–
	North-Eastern Fever Hosp., Tottenham.	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish; Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 3rd August, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14.	15.	16
GREATER LONDON	**443,417**	**6,604,287**	**19·2**	**6·4**	**2434**	**1089**	**371**	**1**	**67**	**19**	**33**	**27**	**16**	**645**	**98**	**56**
INNER LONDON -	74,837	4,543,757	20·0	6·0	1747	716	289	1	45	15	28	20	11	403	81	50
OUTER RING -	368,580	2,060,530	17·4	7·2	687	373	82	–	22	4	5	7	5	242	17	5

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	317,561	August 3	131	106	17·4	–	2	1	–	5	1	1
GLASGOW - -	763,144	" 3	456	314	21·4	–	7	1	–	19	–	7
DUBLIN† - -	375,076	" 3	251	148	20·6	–	–	–	–	4	1	2
CALCUTTA - -	466,460	April 6	–	1028	114·9	86	4	–	1	–	772‡	[illegible]
BOMBAY - -	821,764	July 16	244	698	47·1	6	1	?	?	?	189‡	[illegible]
MADRAS - -	452,518	June 28	307	336	38·6	4	2	?	?	?	122	[illegible]
PARIS - - -	2,511,629	July 27	1109	859	17·7	3	15	6	13*	8	9	10
BRUSSELS - -	582,665	" 27	266	162	14·5	–	1	1	2*	3	–	[illegible]
AMSTERDAM -	523,822	" 20	311	135	13·4	–	–	–	1	2	–	[illegible]
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–	[illegible]
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–	[illegible]
COPENHAGEN -	378,200	July 27	191	158	21·8	–	2	1	2	6	1	[illegible]
STOCKHOLM -	301,050	" 20	136	87	15·0	–	1	–	–	1	–	[illegible]
CHRISTIANIA -	226,423	" 27	162	98	22·5	–	–	–	–	–	–	[illegible]
ST. PETERSBURG	1,248,643	" 20	471	599	25·0	–	28	10	21	7	26	1
MOSCOW - -	1,023,817	" 20	–	715	36·4	2	3	5	4	6	3	2
BERLIN - -	1,891,431	" 13	–	–	–	–	–	–	–	–	–	
HAMBURG - -	705,738	" 27	–	277	20·4	–	7	3	–	5	–	
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–	
BRESLAU - -	427,505	July 27	–	316	38·5	–	–	2	1	3	1	
MUNICH - -	500,000	" 27	–	189	19·6	–	1	1	2*	4	–	
VIENNA - -	1,691,996	" 27	832	576	17·7	–	5	10	4*	1	1	1
PRAGUE - -	389,741	" 27	205	172	22·9	–	–	7	1	4	1	
BUDA-PESTH -	744,719	" 27	419	268	18·7	–	4	1	2	2	–	
TRIESTE - -	177,428	" 27	106	76	22·3	–	–	–	2*	–	1	
ROME - - -	467,236	June 29	233	157	17·5	–	–	–	–	–	3‖	
TURIN (10 days) -	344,203	—	–	–	–	–	–	–	–	–	–	
VENICE - -	174,378	July 20	79	79	23·6	–	–	–	1*	–	4	
CAIRO - -	570,062	June 17	423	502	45·8	2	3	–	3*	2	19	1
ALEXANDRIA -	319,766	" 17	198	231	37·6	4	4	–	7*	–	6	
NEW YORK (including BROOKLYN)	3,536,517	July 13	1613	1289	19·0	33	10	25	25*	5	9	2
PHILADELPHIA -	1,293,697	" 13	–	668	26·9	1	–	1	7	8	13	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 45 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras.
‡ Including 724 deaths from plague in Calcutta, and 101 in Bombay.
‖ Including one death from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	28	..	29·702	71·5	49·2	22·3	60·9	− 1·4	54·0	6·9	13·7	0·0	78	139·0	41·0	63·20	Variable, calm & SSE.	SE. & NNE.	1·6	0·0	0·0	99	−137	0·28	0·0
MONDAY -	29	..	29·920	76·0	51·2	24·8	64·3	+ 2·0	55·0	9·3	20·2	0·0	72	134·9	43·3	63·03	Variable, NNE. & NE.	NNE., SSE. & SW.	1·2	0·0	0·0	115	−122	0·00	0·0
TUESDAY -	30	..	30·055	77·6	54·1	23·5	67·0	+ 4·7	55·1	11·9	20·9	0·6	66	124·4	47·7	63·01	SW., WSW. & NNE.	NE., SE. & N.	0·2	0·0	0·0	109	−130	0·00	0·0
WEDNESDAY	31	Full	30·029	80·0	57·7	22·3	67·9	+ 5·6	58·9	9·0	19·2	0·9	73	133·3	49·8	63·18	N.	N. & E.	2·5	0·0	0·1	181	− 61	0·00	0·0
AUGUST. THURSDAY-	1	..	29·935	75·3	57·6	17·7	65·9	+ 3·7	58·1	7·8	15·8	0·0	76	133·6	49·3	63·30	NE. & N.	N.	2·1	0·0	0·1	194	− 50	0·00	0·0
FRIDAY -	2	..	30·046	74·5	59·3	15·2	66·0	+ 3·9	56·8	9·2	16·0	1·5	72	124·1	51·8	63·59	NNW. & N.	N., ESE. & ENE.	1·6	0·0	0·1	218	− 29	0·07	0·0
SATURDAY -	3	In Equator	30·071	75·5	55·2	20·3	63·7	+ 1·6	53·8	9·9	21·1	1·5	70	131·0	47·4	63·70	E., calm & WSW.	WSW. & SW.	1·0	0·0	0·0	148	−102	0·03	0·0
MEANS -	-		29·965	75·8	54·9	20·9	65·1	+ 2·9	56·0	9·1	18·1	0·6	72	131·5	47·2	63·29	NNE.		..	..	..	Sum 1064	Sum −631	Sum 0·38	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
JULY.					
SUNDAY -	28	w. P. till 1h. P.M.; v. P. and s. N. till 4h. P.M.; w. P. afterwards.	5·7	15·6	Generally overcast till 11h. A.M., with fog in early morning; fine and partially cloudy afterwards. Heavy rain accompanied by lightning and thunder between 1h. 15m. and 2h. 30m. P.M.
MONDAY -	29	w. P. generally till 8h. P.M.; m. P. and m. N. till 9h. P.M.; m. P. afterwards.	12·1	15·5	A very fine day; the amount of cloud was usually small. Distant thunder heard during the evening.
TUESDAY -	30	m. P. generally.	6·0	15·5	Fine and partially cloudy.
WEDNESDAY	31	w. P. till 9h. A.M.; m. P. generally afterwards.	9·4	15·4	Fine with variable amounts of cloud throughout.
AUGUST. THURSDAY-	1	w. P. till 9h. A.M.; m. P. afterwards.	4·1	15·4	Fine but generally cloudy.
FRIDAY -	2	m. P. till 8h. P.M.; w. P. afterwards.	7·2	15·3	Fine with variable amounts of cloud till 10h. P.M.; overcast afterwards with heavy shower at 11h. P.M.
SATURDAY-	3	w. P. till 4h. A.M.; m. P. till 11h. A.M.; w. P. afterwards.	4·7	15·3	Cloudy in morning with rain till 1h. A.M.; fine with large amounts of cloud generally afterwards. Solar halo in forenoon.
			Sum 49·2	Sum 108·0	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·67 in. at the beginning of the week to 30·09 in. by midnight on July 30th; decreased to 29·90 in. by 7h. P.M. on August 1st; increased to 30·14 in. by midnight on August 2nd; and decreased to 29·98 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th July, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	14	3	-	2	-	-	1	-
Kensington	176,787	-	12	12	-	1	1	-	3	-
Hammersmith	112,619	1	5	1	-	2	1	-	-	-
Fulham	138,426	-	14	18	-	5	-	-	2	-
Chelsea	73,879	-	5	3	-	1	-	-	-	-
City of Westminster	182,502	-	10	9	-	1	-	-	1	-
NORTH.										
St. Marylebone	133,060	-	8	4	-	4	-	-	6	-
Hampstead	82,287	-	6	4	-	1	-	-	4	-
St. Pancras	235,297	-	16	25	-	2	-	-	1	-
Islington	335,325	-	20	27	-	7	-	-	8	1
Stoke Newington	51,328	-	6	2	-	-	-	-	2	-
Hackney	219,780	-	20	25	-	4	-	-	5	1
CENTRAL.										
Holborn	59,205	-	8	7	-	1	-	-	4	-
Finsbury	101,263	-	12	8	-	-	-	-	3	-
City of London	26,627	-	2	-	-	-	-	-	1	-
EAST.										
Shoreditch	118,554	-	6	7	-	-	-	-	2	-
Bethnal Green	129,700	-	30	10	-	-	-	-	2	1
Stepney	298,884	-	27	27	-	3	-	-	13	-
Poplar	168,887	-	11	19	-	3	-	-	3	-
SOUTH.										
Southwark	206,219	-	49	7	-	1	-	-	2	-
Bermondsey	130,348	-	38	8	-	4	-	-	8	-
Lambeth	302,460	-	31	14	-	1	-	-	12	-
Battersea	169,364	-	6	3	-	1	-	-	5	1
Wandsworth	233,943	-	11	10	-	-	-	-	2	-
Camberwell	259,897	-	49	21	-	-	-	-	2	-
Deptford	110,732	-	11	8	-	1	-	-	1	-
Greenwich	96,188	-	3	4	-	-	-	-	2	-
Lewisham	128,423	-	5	5	-	-	-	-	3	-
Woolwich	117,619	-	6	2	-	2	-	-	1	-
Port of London	—	-	1	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	1	442	293	-	49	2	-	99	4
Ages 0-1		-	4	4	-	-	-	-	1	-
" 1-5		-	114	103	-	-	-	-	2	-
" 5-		-	184	93	-	9	-	-	5	-
" 10-		-	64	35	-	12	-	-	2	-
" 15-		1	39	20	-	4	-	-	4	1
" 20-		-	19	18	-	9	1	-	6	1
" 25-		-	17	15	-	14	1	-	12	-
" 35-		-	-	3	-	-	-	-	26	2
" 45-		-	1	1	-	1	-	-	13	-
" 55-		-	-	-	-	-	-	-	9	-
" 65 and upwards		-	-	1	-	-	-	-	19	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1901. VOL. LXII.] WEEK ENDED SATURDAY, AUG. 10. [Price 1½*d.*

General Register Office, Somerset House,
August 12th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·1 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 17·9, 21·2, and 22·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	July 20.	July 27.	Aug. 3.	Aug. 10.		July 20.	July 27.	Aug. 3.	Aug. 10.
33 Great Towns	17·9	21·2	22·4	22·1	Leicester - -	12·3	18·6	21·8	17·4
Birkenhead -	29·1	30·0	24·9	22·0	Liverpool - -	30·5	34·3	30·2	25·4
Birmingham -	17·2	23·0	25·0	23·6	London - - -	16·2	18·2	20·0	18·8
Blackburn -	22·5	20·8	22·0	25·3	Manchester - -	20·9	24·1	29·2	30·4
Bolton - -	17·3	21·0	24·7	19·5	Newcastle-on-Tyne	19·3	27·1	31·7	28·1
Bradford -	14·1	14·7	18·1	20·1	Norwich - -	14·0	17·7	15·4	18·6
Brighton -	8·4	19·8	17·3	18·6	Nottingham - -	18·9	20·6	23·0	24·9
Bristol - -	13·4	13·1	13·1	11·9	Oldham - -	15·6	18·6	18·6	23·5
Burnley -	17·7	25·7	25·7	22·0	Plymouth - -	15·0	16·4	14·0	14·5
Cardiff - -	12·0	12·3	11·7	15·5	Portsmouth - -	18·1	30·2	29·4	26·4
Croydon -	7·7	9·7	9·7	12·0	Preston - -	21·2	28·1	27·7	24·4
Derby - -	15·2	10·8	21·6	22·6	Salford - - -	18·4	24·2	25·9	34·1
Gateshead -	20·8	25·0	33·0	40·6	Sheffield - -	29·1	31·7	28·1	32·6
Halifax -	12·9	12·4	11·4	15·9	Sunderland - -	15·6	29·8	27·3	33·7
Huddersfield-	14·8	23·1	18·1	21·4	Swansea - -	16·5	16·5	14·9	15·4
Hull - -	11·9	19·2	19·0	27·2	West Ham - -	17·8	23·3	31·0	28·5
Leeds - -	21·9	28·9	29·6	27·7	Wolverhampton -	14·9	13·8	11·6	12·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Birmingham and in Sheffield, 1·1 in Leeds, 1·4 in Salford, and 2·5 in West Ham ; from *whooping-cough*, 1·2 in West Ham and 1·4 in Sunderland ; and from *diarrhœal diseases*, 8·0 in Burnley, 8·8 in Norwich and in Preston, 9·0 in Liverpool, 9·1 in Nottingham, 10·3 in Leeds, 10·6 in Hull, 10·7 in West Ham, 11·1 in Manchester, 11·8 in Portsmouth, 12·0 in Salford, 12·1 in Sheffield, 13·8 in Sunderland, and 16·0 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever*, or from "*fever*," reach 1·0 per 1000. The 71 deaths from *diphtheria* included 24 in London, 7 in West Ham, 7 in Leeds, 6 in Brighton, 4 in Leicester, 3 in Liverpool, 3 in Manchester, and 3 in Sheffield. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2322 BIRTHS and 1636 DEATHS were registered. Allowing for increase of population, the births were 241, and the deaths 168, below the average numbers in the corresponding weeks of the last ten years.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9712—670—8/1901 Wt 45 D & S 3

The annual death-rate per 1000 from all causes, which had been 16·2, 18·2, and 20·0 in the preceding three weeks, fell again last week to 18·8. During the four weeks ended on Saturday last the death-rate averaged 18·3 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1636 deaths included 1 from small-pox, 40 from measles, 10 from scarlet fever, 24 from diphtheria, 19 from whooping-cough, 17 from enteric fever, 367 from diarrhœa and dysentery, 5 from cholera and choleraic diarrhœa, and not one death from typhus or from any ill-defined form of continued fever; thus, 483 deaths were referred to these diseases, being 22 above the corrected average weekly number.

The death from *small-pox* was that of a male aged 9 years, who had been removed from the Borough of Hammersmith to the Hospital Ship "Atlas." The deaths from *measles*, which had been 45, 60, and 45 in the preceding three weeks, further fell last week to 40, the corrected average being 41; 7 cases belonged to Stepney and 6 to Battersea. The deaths from *scarlet fever*, which had been 10, 20, and 15 in the preceding three weeks, further fell last week to 10, and were 5 below the corrected average; 2 cases belonged to Islington, 2 to Bethnal Green, 2 to Bermondsey, and 2 to Camberwell. The deaths from *diphtheria*, which had been 30, 28, and 28 in the preceding three weeks, fell last week to 24, and were 18 below the corrected average; 4 cases belonged to Bethnal Green and 3 to Islington. The deaths from *whooping-cough*, which had been 17, 24, and 20 in the preceding three weeks, were 19 last week, the corrected average being 33. The fatal cases of *enteric fever*, which had been 9, 10, and 11 in the preceding three weeks, further rose last week to 17, and were 8 above the corrected average; 3 cases belonged to Fulham, 2 to Hammersmith, 2 to Westminster, 2 to Stepney, 2 to Bermondsey, and 2 to Wandsworth. The deaths from *diarrhœal diseases*, which had been 140, 294, and 403 in the preceding three weeks, fell again last week to 372, but were 53 above the corrected average. Of the 372 deaths from diarrhœal diseases, 358 were of children under 5 years of age; 31 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 135, 134, and 126 in the preceding three weeks, were 127 last week, the corrected average being 165. The deaths attributed directly to *influenza* numbered 2, having been 8, 3, and 5 in the preceding three weeks.

Different forms of *violence* caused 77 deaths, concerning all but 4 of which inquests were held. Of these 77 deaths, 12 were cases of suicide, and 5 of homicide, while the remaining 60 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 10 to burns and scalds, 16 to drowning, 1 to sunstroke, 3 to the effects of anæsthetics administered for surgical purposes, and 3 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 11 cases of small-pox, 3148 of scarlet fever, 1363 of diphtheria, and 180 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 5, 2, and 4; of scarlet fever, 306 cases, against 371, 374, and 391; of diphtheria, 171 cases, against 213, 214, and 195; and of enteric fever, 37 cases, against 32, 29, and 34. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended August 3rd.

Greater London.

In Greater London 3385 births and 2363 deaths were registered, corresponding to annual rates of 26·7 and 18·7 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles, 4 from scarlet fever, 13 from diphtheria, 12 from whooping-cough, 7 from "fever," and 247 from diarrhœal diseases were registered. Fourteen deaths from measles, 8 from diphtheria, and 109 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 64°·6; the latter being 2°·2 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 49·0 hours; the measured rainfall amounted to 0·08 inch.

Metropolitan Water Supply (see pp. 417–19).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 10th Aug. 1901. Births.	Registered during the Week ended 10th Aug. 1901. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**5893**	**4862**	**2185**	**769**	**1**	**98**	**27**	**71**	**57**	**34**	**1436**	**160**	**302**	**858**	**47**	**22·1**	**7·8**	**84·2**	**44·0**	**61·3**	**16·28**	**0·42**	**1·07**	33 Towns.
London - -	4,543,757	2322	1636	664	280	1	40	10	24	19	17	372	77	155	458	7	18·8	5·5	84·2	52·2	64·6	18·11	0·08	0·20	London.
West Ham - -	268,868	147	147	84	8	-	13	2	7	6	3	55	1	6	21	1	28·5	16·7	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	67	31	14	9	-	-	-	-	-	1	6	3	3	3	-	12·0	2·7	82·8	50·5	63·1	17·28	0·09	0·23	Croydon.
Brighton - -	123,668	46	44	15	9	-	-	-	6	-	-	5	2	5	10	-	18·6	4·6	74·8	52·4	61·5	16·39	0·14	0·36	Brighton.
Portsmouth -	189,907	124	96	53	18	-	-	-	1	-	-	43	2	3	12	-	26·4	12·1	75·0	53·5	62·3	16·83	0·24	0·61	Portsmouth.
Plymouth - -	107,974	55	30	11	6	-	-	-	-	1	-	5	1	1	1	-	14·5	2·9	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	130	75	30	15	-	-	-	1	2	1	12	5	6	12	-	11·9	2·5	80·0	50·2	61·6	16·44	0·32	0·81	Bristol.
Cardiff - -	165,308	99	49	20	6	-	-	-	1	1	-	6	1	3	3	-	15·5	2·5	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	50	28	10	5	-	-	-	-	1	-	2	1	3	3	-	15·4	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	62	22	10	1	-	-	-	-	-	-	5	3	4	2	-	12·1	2·8	76·4	48·2	59·6	15·33	0·04	0·10	Wolverhampton.
Birmingham -	523,284	289	237	116	38	-	10	1	-	5	-	75	10	14	32	4	23·6	9·1	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	54	40	21	10	-	-	-	-	-	-	19	-	1	1	-	18·6	8·8	-	-	-	-	-	-	Norwich.
Leicester - -	212,498	100	71	34	6	-	-	-	4	1	-	20	2	2	7	1	17·4	6·1	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	127	115	56	18	-	-	-	1	1	1	42	2	4	13	-	24·9	9·8	77·6	50·6	61·1	16·17	0·07	0·18	Nottingham.
Derby - - -	106,076	52	46	20	10	-	-	-	2	-	-	10	2	3	12	-	22·6	5·9	-	-	-	-	-	-	Derby.
Birkenhead -	11,203	51	47	26	9	-	-	-	-	-	-	16	1	2	7	-	22·0	7·5	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	355	334	146	60	-	2	3	3	-	4	119	2	7	60	5	25·4	10·0	73·1	48·6	59·3	15·17	0·27	0·69	Liverpool.
Bolton - -	168,748	100	63	30	14	-	1	-	-	1	1	18	2	4	6	1	19·5	6·5	-	-	-	-	-	-	Bolton.
Manchester -	544,934	230	318	150	46	-	5	3	3	2	-	116	8	19	50	2	30·4	12·3	-	-	-	-	-	-	Manchester.
Salford - -	221,526	100	145	69	19	-	6	-	2	1	1	51	-	3	25	1	34·1	14·4	-	-	-	-	-	-	Salford.
Oldham - -	137,382	65	62	22	8	-	1	1	-	-	-	14	1	2	6	-	23·5	6·1	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	57	41	23	5	-	-	1	-	-	-	15	-	-	3	-	22·0	8·6	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	84	62	24	9	-	-	-	-	-	-	19	2	4	4	2	25·3	7·8	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	67	53	25	8	-	-	1	1	-	1	19	1	1	3	1	24·4	10·1	70·0	54·0	59·7	15·39	0·33	0·84	Preston.
Huddersfield -	94,998	58	39	14	7	-	-	1	-	-	-	13	1	1	7	-	21·4	7·7	82·0	52·0	60·5	15·83	0·03	0·08	Huddersfield.
Halifax - -	105,113	40	32	6	6	-	-	-	2	-	-	3	-	-	4	-	15·9	2·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	108	108	40	20	-	-	-	-	5	2	35	3	6	10	1	20·1	7·8	73·4	55·0	61·8	16·56	0·07	0·18	Bradford.
Leeds - - -	430,489	216	220	116	23	-	9	2	7	2	-	85	4	11	21	2	27·7	12·7	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	219	239	119	35	-	7	1	3	-	1	89	7	8	22	8	32·6	13·8	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	141	126	72	15	-	1	-	1	-	-	49	5	8	7	3	27·2	11·0	80·0	44·0	60·8	16·00	3·35	8·51	Hull.
Sunderland -	146,937	107	95	44	15	-	2	-	1	4	1	39	4	5	10	-	33·7	16·7	-	-	-	-			Sunderland
Gateshead - -	110,492	82	86	45	10	-	-	1	-	2	-	34	1	1	8	6	40·6	16·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	119	116	56	21	-	1	-	1	3	-	25	6	7	15	2	28·1	7·3	-	-	-		-		Newcastle.

* See note * on first page of this return.

Table 2. LONDON.—Births and Deaths Registered in the Thirty-Second Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
Total **Births**	2721	2755	2320	2200	2340	2291	2728	2807	2214	2332	2562·8	2322
Males - -	1410	1413	1184	1078	1216	1145	1385	1391	1139	1188	1301·6	1240
Females - -	1311	1342	1136	1122	1124	1146	1343	1416	1075	1144	1261·2	1082
Total **Deaths** -	1627	1421	1617	1450	1601	1790	2246	1772	2068	1804	1804·4	1636
Males - -	849	730	822	747	870	972	1187	932	1130	1015	959·9	882
Females - -	778	691	795	703	731	818	1059	840	938	789	844·5	754

*The numbers in this column are the average weekly numbers in the thirty-second week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

Table 3. LONDON.—Births, Deaths, Meteorology, and Cases of Infectious Sickness in Hospitals, in the Last Thirteen Weeks.

	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.
Total **Births** - - -	2602	2559	2148	2624	2406	2451	2478	2413	2526	2519	2384	2844	2322
Total **Deaths** - - -	1375	1363	1345	1236	1191	1204	1210	1256	1237	1411	1582	1747	1636
Ages at Death: Under 1 year - -	281	259	289	232	258	283	267	285	282	411	583	716	664
1—5 years - -	185	197	183	156	152	144	154	146	140	168	215	196	185
5—20 ,, - -	56	80	66	72	78	72	58	68	88	77	73	87	92
20—40 ,, - -	192	178	180	189	177	154	176	173	180	175	169	191	171
40—60 ,, - -	291	270	275	278	253	247	264	266	258	279	252	268	244
60—80 ,, - -	298	301	277	256	218	250	235	244	236	244	241	243	226
80 years and upwards	72	78	75	53	55	54	56	74	53	57	49	46	54
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	1	-	-	-	-	1	1
Measles - - - - -	33	44	48	35	38	42	51	49	37	45	60	45	40
Scarlet Fever - - -	14	18	17	17	21	13	12	8	17	10	20	15	10
Diphtheria - - - -	14	22	13	15	13	18	18	27	24	30	28	28	24
Whooping-cough - - -	48	58	33	32	35	25	25	22	15	17	24	20	19
Typhus - - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	4	5	10	6	7	2	4	6	2	9	10	11	17
Simple Continued Fever -	-	-	-	-	-	-	-	-	1	2	-	-	-
Diarrhœa and Dysentery -	16	22	14	17	26	25	23	45	71	140	289	399	367
Cholera - - - - - -	-	-	1	-	-	-	-	1	2	-	5	4	5
All the above Diseases -	129	169	136	123	140	125	134	158	169	253	436	523	482
Dis. of Respiratory System -	249	191	240	187	159	150	141	165	133	135	134	126	127
Phthisis - - - - -	128	139	131	140	122	113	138	133	168	114	111	153	106
Dis. of Circulatory System -	123	128	116	121	122	103	109	139	104	116	111	113	113
Violence - - - -	72	65	60	69	68	55	42	59	49	72	74	81	77
Inquest Cases - - - -	148	150	122	150	136	126	101	117	123	138	141	162	155
Deaths in Public Institutions -	449	482	476	420	456	419	454	435	435	467	459	507	458
Temperature of the Air													
Mean - - - - - -	51°·7	56°·3	60°·0	58°·8	56°·8	58°·0	61°·0	64°·1	64°·5	68°·4	61°·6	65°·1	64°·6
Mean of Highest readings -	62·9	66·8	71·6	69·9	67·6	67·8	71·8	73·9	77·2	81·6	71·7	75·8	76·8
Mean of Lowest readings -	41·4	44·8	49·0	48·6	47·0	50·1	50·9	56·1	52·2	54·4	51·5	54·9	55·3
Humidity of the Air - -	73	61	69	69	60	71	63	75	68	63	83	72	70
Rain-fall (in inches) - -	0·00	0·00	0·27	0·03	0·10	0·43	0·00	1·05	0·00	0·00	1·30	0·38	0·03
Registered Sunshine (in hours)	69·7	80·9	51·2	52·3	63·7	36·4	69·5	46·1	60·2	75·5	18·4	49·2	49·[illegible]
Cases of Infectious Sickness in Hospitals* at the end of each Week,													
Small-pox - - - - -	-	-	1	1	1	1	5	6	12	14	11	13	1[illegible]
Scarlet Fever - - - -	2052	2241	2351	2462	2594	2708	2821	2895	2918	2907	2974	3091	314[illegible]
Diphtheria - - - -	1099	1087	1107	1092	1104	1138	1176	1195	1228	1267	1303	1336	136[illegible]
Typhus - - - - -	1	1	-	-	-	-	—	-	1	-	-	-	-
Enteric Fever - - - -	106	111	95	93	105	117	125	128	145	152	165	166	18[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

Meteorological Observations.—(*See* Table 1.) The following gentlemen have kindly placed the meteorological observations at the disposal of the Registrar-General, and the results have been compiled b J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., ar P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Me Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SECOND Week of the Year 1901

SES OF DEATH.	Corrected Averages for the 32nd Week of the 10 years 1891–1900*.	In the Week ended Saturday, 10th August, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1804·4	1636	664	185	92	171	244	226	54
- Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·7	1	-	-	1	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
s - - - -	40·8	40	12	26	2	-	-	-	-
Fever - - -	14·7	10	-	6	4	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ingFever - -	-	-	-	-	-	-	-	-	-
za - - - -	4·9	2	1	-	-	-	-	1	-
ing-cough - -	33·2	19	11	6	2	-	-	-	-
eria - -	42·2	24	1	10	12	1	-	-	-
Continued and fined Fever -	0·3	-	-	-	-	-	-	-	-
Fever - - -	8·9	17	-	-	5	8	3	1	-
and Chol. Diarr.	10·7	5	3	1	-	-	-	1	-
ea, Dysentery -	308·4	367	313	41	1	4	2	3	3
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	0·1	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·2	-	-	-	-	-	-	-	-
al Affections - -	11·0	12	10	-	-	1	1	-	-
elas - - -	4·8	-	-	-	-	-	-	-	-
a and Septicæmia	2·3	-	-	-	-	-	-	-	-
ral Fever - -	3·7	2	-	-	-	2	-	-	-
Zymotic Diseases	1·9	-	-	-	-	-	-	-	-
- - - - -	1·0	-	-	-	-	-	-	-	-
and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	2·1	2	2	-	-	-	-	-	-
lism - - -	11·2	14	-	-	-	3	8	3	-
atic Fever, matism of Heart	5·8	10	1	1	5	2	1	-	-
atism - - -	1·7	3	-	1	-	-	-	2	-
- - - - -	3·2	1	-	-	-	-	-	-	1
s - - - -	6·3	5	1	3	1	-	-	-	-
- - - - -	75·0	98	-	2	-	10	43	41	2
Mesenterica - -	35·9	26	17	5	-	3	1	-	-
ular Meningitis -	29·9	24	6	14	4	-	-	-	-
is - - - -	148·6	106	1	-	9	49	39	8	-
a, Tuberculosis -	22·2	18	2	7	2	3	2	2	-
Constitutional ases - -	12·9	10	-	-	-	2	4	3	1
ture Birth - -	54·5	45	45	-	-	-	-	-	-
tasis - - -	4·4	4	4	-	-	-	-	-	-
ital Malforma- - - -	8·7	8	7	1	-	-	-	-	-
re - - - -	39·3	43	-	-	-	-	-	21	22
xy - - -	37·1	40	-	1	-	6	8	21	4
sy - - - -	5·0	5	-	-	-	1	3	1	-
isions - - -	43·4	32	27	4	-	-	1	-	-
Diseases of Brain Nervous System	79·5	58	13	9	5	3	14	13	1
es of Organs of al Sense -	2·5	5	2	-	3	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 32nd Week of the 10 years 1891–1900*.	In the Week ended Saturday, 10th August, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	113·0	113	2	2	7	23	34	40	5
Croup - - - -	2·0	-	-	-	-	-	-	-	-
Bronchitis - - -	74·1	48	9	7	1	1	8	17	5
Pneumonia - - -	67·9	60	16	16	2	7	11	8	-
Pleurisy - - - -	4·3	2	-	1	-	1	-	-	-
Other Diseases of Respiratory System -	16·9	17	2	1	2	1	5	6	-
Dentition - - - -	8·9	1	1	-	-	-	-	-	-
Quinsy, Sore Throat -	1·7	1	1	-	-	-	-	-	-
Enteritis - - -	115·9	39	22	7	3	2	2	3	-
Gastro-enteritis -		32	30	1	-	-	1	-	-
Peritonitis - - -	5·4	5	-	-	2	3	-	-	-
Diseases of Liver - -	27·8	24	3	-	-	4	9	6	2
Other Diseases of Digestive System	35·7	38	16	4	3	4	6	2	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	3	-	-	-	1	2	-	-
Diseases of Urinary System - - -	43·8	34	1	-	1	3	12	15	2
Diseases of Generative System - - -	5·5	6	-	-	-	2	2	1	1
Accidents of Childbirth-	5·5	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	4·7	4	2	-	-	2	-	-	-
Diseases of Integumentary System- -	5·8	4	1	-	-	1	-	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·5	-	-	-	-	-	-	-	-
By Vehicles or Horses -	6·8	4	-	-	2	-	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·3	-	-	-	-	-	-	-	-
In Building Operations -	0·4	-	-	-	-	-	-	-	-
In Conflagrations -	0·3	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·6	10	2	1	2	3	1	1	-
By Drowning - - -	8·3	16	-	2	7	4	3	-	-
By Suffocation in Bed -	8·0	3	3	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	3·2	6	-	-	1	1	4	-	-
Other or not stated causes - - - -	22·0	21	6	-	1	2	8	3	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·3	5	1	2	1	1	-	-	-
Suicide - - - -	8·6	12	-	-	1	5	4	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	78·7	70	67	3	-	-	-	-	-

e numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase ulation.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the f death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 10th August, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Fever.	Continued Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2322	1636	664	280	1	40	10	24	19	-	17	-	372	77	155	458
WEST DISTRICTS - - -	805,275	344	281	103	61	-	1	-	3	3	-	5	-	79	13	26	86
NORTH DISTRICTS - - -	1,056,018	525	348	134	55	-	5	3	7	3	-	2	-	67	22	37	100
CENTRAL DISTRICTS - - -	209,432	119	73	28	10	-	5	-	1	1	-	-	-	9	3	5	26
EAST DISTRICTS - - -	715,772	406	294	133	43	-	15	1	2	4	-	2	-	70	13	43	87
SOUTH DISTRICTS - - -	1,749,566	928	611	266	100	-	14	3	8	8	-	8	-	147	26	44	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	29	-	11	1	-	3	3	-	-	-	-	-	-	-	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	52	24	10	9	-	-	-	-	-	-	-	-	10	-	1	8
St. John Paddington *H* - - G.	33,608	6	9	2	1	-	-	-	-	-	-	-	-	1	1	1	6
North-West Paddington - - C.	17,181	10	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Kensington Town *Ww* - W. & C.	128,025	68	55	17	13	-	-	-	1	1	-	-	-	18	-	4	18
Brompton *HH*- - - W. & C.	48,598	6	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *H* } W. & G	49,335	21	13	5	4	-	-	-	-	1	-	-	-	4	1	2	-
South Hammersmith *wH* } W. & G	62,910	25	29	10	8	-	1	-	1	-	-	1	-	5	3	3	4
North-west Fulham *W* } W. & C.	45,180	29	29	16	3	-	-	-	-	-	-	-	-	14	2	4	9
North-east Fulham *w* } W. & C.	46,404	29	20	11	2	-	-	-	1	-	-	4	-	6	-	1	4
South Fulham } W. & C.	45,705	25	16	10	2	-	-	-	-	-	-	-	-	6	-	-	-
Chelsea North *WWHHHH* - C.	42,515	11	25	1	6	-	-	-	-	-	-	-	-	2	-	-	16
Chelsea South *HH* - - C.	31,341	7	11	3	4	-	-	-	-	1	-	-	-	2	-	1	-
May Fair and Knightsbridge *H* } C. & G.	28,744	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *HHH* - - - C.	55,812	13	18	6	3	-	-	-	-	-	-	-	-	3	1	3	11
St. Margaret & St. John Westminster *HHH* } C.	43,665	29	20	9	2	-	-	-	-	-	-	-	-	7	5	5	7
St. James Westminster *WH* } N. & G.	21,595	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	11,492	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	35,394	4	17	4	1	-	-	-	-	-	-	1	-	4	-	-	5
Rectory Marylebone *W* G. & W.	19,869	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* } G. & W.	18,099	28	3	2	1	-	-	-	-	-	-	-	-	2	-	-	-
Christchurch Marylebone *H* - W	39,541	22	14	7	1	-	-	-	-	-	-	-	-	8	3	4	-
St. John Marylebone *HHH* - W	20,426	6	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Hampstead *WwHHHHH* } - N. & W.	81,942	29	28	4	3	-	-	2	2	-	-	-	-	1	3	3	10
Regent's Park *H* - W.	50,647	25	18	10	3	-	-	-	1	-	-	-	-	6	-	-	-
Tottenham-court *wHHHHH* } - N. & W.	24,814	11	14	4	-	-	-	-	-	-	-	-	-	1	-	-	13
Gray's Inn Lane *HHHH* - N.	30,886	19	17	6	2	-	-	-	-	-	-	-	-	4	1	1	[illegible]
Somers Town *HH* - - - N.	30,131	18	14	4	3	-	1	-	-	-	-	-	-	2	2	2	[illegible]
Camden Town *WH* - - N.	40,079	25	14	5	2	-	-	-	1	-	-	-	-	1	-	-	-
Kentish Town *WW* - - N.	58,727	30	19	9	5	-	-	-	-	-	-	-	-	3	1	1	[illegible]
Tufnell *W* }		12	9	3	2	-	-	-	-	-	-	-	-	1	-	1	[illegible]
Upper Holloway *WWwHH* } - N.	99,841	23	21	2	8	-	-	-	-	-	-	-	-	-	3	4	1[illegible]
Tollington *W* }		15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,411	22	10	5	3	-	1	-	-	-	-	-	-	1	-	2	-
Barnsbury - - - - N.	54,479	28	17	10	3	-	-	-	-	-	-	-	-	3	-	2	-
Islington South-east *H* - N.	75,402	41	22	10	2	-	-	-	-	-	-	-	-	5	2	5	-
Highbury *HH* - - - N.	63,795	23	16	7	3	-	-	1	1	1	-	-	-	4	-	1	-
Stoke Newington *H* - - N.	51,247	21	7	4	1	-	1	-	-	-	-	-	-	3	-	-	-
North Hackney - E. & N.	50,570	18	5	2	-	-	-	-	-	-	-	-	-	1	2	2	-
Central Hackney *ww* - E. & N.	50,535	28	21	9	3	-	1	-	2	-	-	-	-	4	-	1	-
South-west Hackney *HHH* E. & N.	59,929	34	17	8	2	-	-	-	-	-	-	1	-	3	1	2	-
South-east Hackney *WwH* E. & N.	58,254	34	37	16	6	-	1	-	-	2	-	-	-	9	4	5	1[illegible]

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated th namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which pauper received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. River: E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, U Holloway, and Tollington respectively.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles outh *WH* - - - N.	22,495	13	11	3	1	-	2	-	-	-	-	-	-	-	-	1	2	-
Giles North *H* - - - N.	8,959	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Martin-in-the-Fields *HH* N. & C	12,975	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
and *WHH* - - - N.	8,694	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
and Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
lborn *WHHHHH* - - N.	29,579	14	18	13	-	-	1	-	1	1	-	-	-	7	-	-	10	-
James Clerkenwell - - N.	15,634	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
well - - - - - N.	32,691	19	8	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-
well-street - - - - N.	15,390	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
sbury* *HHHL* - - N.	35,376	39	8	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
lborn Union Workhouse, Hitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - N. & E.	11,036	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N	7,886	1	10	-	-	-	-	-	-	-	-	-	-	-	1	1	8	-
hallows Barking - - - N	8,717	-	2	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
y of London Asylum, Stone - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
reditch South *H* - E. & N.	16,370	5	4	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
xton New Town *wH* - - N	29,761	18	7	2	2	-	-	-	-	-	-	-	-	1	1	1	6	-
xton Old Town - - - N.	26,510	14	10	6	1	-	1	-	-	-	-	-	-	3	-	1	-	-
ngerston *W* - - N & E.	46,064	21	17	7	2	-	1	-	-	-	-	-	-	6	1	3	6	-
hnal Green North *EH* - E.	51,513	24	16	7	2	-	3	1	-	-	-	-	-	3	1	2	1	-
hnal Green South - - E	33,473	15	5	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-
hnal Green East *WWH* - E.	44,695	17	20	8	3	-	-	-	-	-	-	-	-	5	1	2	6	-
tafields - - - E. & N.	27,965	18	14	8	-	-	1	-	-	-	-	-	-	5	-	4	-	-
e End New Town *WH* - E.	28,711	24	43	9	6	-	1	-	-	-	-	2	-	2	2	12	38	-
dman's Fields - - - E.	22,082	8	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
George's, North - - - E.	40,965	30	14	7	1	-	3	-	-	-	-	-	-	3	-	1	-	-
John *W* - - - E.	8,122	5	11	5	5	-	-	-	-	-	-	-	-	2	-	-	7	-
dwell *H* - - - E. & N.	10,760	3	8	4	-	-	1	-	-	-	-	-	-	4	1	2	4	-
cliff *W* - - - - E.	14,770	5	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
ehouse - - - - E	32,358	19	8	3	-	-	1	-	-	1	-	-	-	3	-	2	-	-
e End Old Town West *H* E.	59,467	35	11	9	2	-	-	-	-	-	-	-	-	2	-	-	-	-
e End Old Town East *WW* - E.	53,348	33	21	10	6	-	-	-	-	-	-	-	-	5	-	3	6	-
l - - - - E.	41,990	23	21	14	-	-	2	-	-	1	-	-	-	9	2	3	-	
mley *wwwH* - - - E.	68,326	45	36	16	8	-	1	-	1	2	-	-	-	6	2	3	11	
lar *WW* - - - - E.	58,522	44	20	11	1	-	-	-	1	-	-	-	-	7	1	3	1	

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	3	6	1	2	-	-	-	-	-	-	-	-	2	1	1	-
St. Saviour Southwark - - S.	12,056	6	21	3	2	-	1	-	-	-	-	-	-	3	4	5	13
Kent-road - - - S. & L.	21,899	14	12	6	1	-	-	-	-	-	-	-	-	4	-	2	-
Borough-road *WH* - S. & L	16,882	11	5	3	-	-	-	-	-	-	-	-	-	2	-	-	2
London-road *HL* - L. & S.	22,209	14	5	2	-	-	1	-	-	-	-	-	-	-	-	1	-
Trinity Newington *H* - S. & L.	28,485	12	8	4	1	-	-	-	-	-	-	-	-	3	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	44	22	13	1	-	-	-	-	-	-	-	-	6	1	1	-
St. Mary Newington - L. & S.	31,592	15	11	5	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave *W* - - - - S.	9,813	5	3	2	-	-	1	-	-	-	-	-	-	-	1	1	1
Bermondsey *W* - - - S.	82,405	33	24	16	1	-	-	-	-	-	-	-	-	7	-	3	-
Rotherhithe *Ww* - - S. & K	38,268	26	19	7	4	-	1	-	-	-	-	1	-	6	-	-	7
Waterloo-road *HH* - L. & S.	27,435	26	8	4	-	-	1	-	-	-	-	-	-	2	-	-	1
Lambeth Church 1st *HH* L. & S.	18,420	10	19	6	2	-	-	-	-	-	-	-	-	7	-	-	11
Lambeth Church 2nd *WW* L. & S.	39,818	30	20	7	8	-	-	-	-	-	-	-	-	2	-	-	15
Kennington 1st *H* - S. & L.	53,196	22	19	11	5	-	-	-	-	-	-	-	-	6	2	1	-
Kennington 2nd - - S. & L.	42,891	21	8	3	1	-	1	-	-	-	-	-	-	3	-	-	-
Brixton *w* - - - L. & S.	84,226	39	16	3	3	-	-	-	-	-	-	-	-	1	2	2	1
Norwood *WH* - - - L.	35,887	16	6	1	4	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea - - - S.	72,201	46	31	19	3	-	4	-	-	-	-	-	-	16	1	3	-
North-west Battersea - - S.	49,650	32	19	11	2	-	2	-	-	1	-	-	-	9	-	2	-
South-west Battersea *WwH* - S.	47,045	22	15	5	3	-	-	-	-	-	-	-	-	1	3	5	6
Clapham *H* - - - - S.	51,353	23	8	4	2	-	-	-	-	-	-	-	-	4	-	1	-
Streatham *WwwwwL* - - L.	88,129	43	25	10	1	-	-	-	1	1	-	4	-	6	-	-	7
Wandsworth *WHHL* - - S.	68,409	31	13	7	1	-	-	-	-	-	-	-	-	2	1	1	-
Putney - - - - - S.	24,139	7	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Dulwich - - - - L. & S.	10,246	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	46	45	12	17	-	-	-	-	1	-	-	-	3	1	1	22
Peckham *WW* - S., L., & K.	93,022	44	28	17	5	-	-	-	-	2	-	-	-	11	1	2	1
St. George Camberwell - L. & S.	65,586	25	20	11	2	-	-	-	-	-	-	-	-	4	1	2	-
Deptford North - - - K.	37,601	28	11	9	3	-	-	-	-	1	-	-	-	6	-	-	-
Deptford Central *w* - - K.	45,621	35	25	14	1	-	1	2	3	1	-	-	-	3	-	-	6
Deptford South - - - K.	34,622	14	10	1	4	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,456	13	5	1	1	-	-	-	-	1	-	-	-	-	-	-	1
Greenwich East *WH* - - K.	43,849	18	29	9	7	-	-	-	-	-	-	-	-	3	2	3	15
Eltham *wH* - - - - K.	7,218	3	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Lee *H* - - - - - K.	25,489	13	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Lewisham *WwwH* - - K.	58,341	28	27	11	7	-	-	1	2	-	-	3	-	6	-	-	12
Sydenham *H* - - - L.	43,630	18	7	4	1	-	1	-	-	-	-	-	-	1	-	-	-
Charlton *wHH* - - - K.	21,121	7	8	3	-	-	-	-	2	-	-	-	-	1	1	1	5
Woolwich *HHHH* - - K.	41,607	25	12	6	1	-	-	-	-	-	-	-	-	7	-	1	-
Plumstead West *H* - - K.	18,076	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	48	18	11	1	-	-	-	-	-	-	-	-	7	2	3	3
London County Asy., Banstead -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Asy., Cane Hill -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
M.A.B. Ships and Camp, Dartford	—	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Hanwell	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asy., Hendon	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
London County Asy., Colney Hatch	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -	—	-	6	-	-	-	-	3	3	-	-	-	-	-	-	-	6
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th August, 1901.

gis-tion rict ad sub-rict m-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1,063	727	393	101	–	18	4	13	12	7	247	21	42	66	3
0 : 1	Carshalton *H* - - -	12,228	32,997	16	7	4	2	–	–	–	–	1	–	1	–	–	–	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	6	4	1	1	–	–	–	–	–	–	–	–	–	1	–
7 : 1	Godstone, *part of** *W* -	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 : 1	Croydon *WWwHHH* -	20,851	164,519	76	37	15	9	–	–	–	–	–	1	8	3	3	3	–
2	Mitcham *w* - - -	11,689	29,906	14	10	6	–	–	–	–	–	–	–	3	–	1	–	–
9 : 1	Wimbledon *HHH* - -	3,221	41,604	12	8	3	3	–	–	–	–	1	–	1	2	2	–	–
2	Kingston *WH* - - -	6,224	42,067	16	14	4	6	–	–	–	–	–	–	1	1	1	4	–
3	Surbiton *HH* - - -	3,046	15,019	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H* - -	5,402	13,003	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–
5	Hampton *HL* - - -	4,564	23,447	14	5	1	–	–	–	–	1	–	–	1	1	1	1	–
0 : 1	Richmond *WHH* - -	2,162	28,871	15	11	6	1	–	–	–	–	–	–	4	1	1	–	–
2	Mortlake *H* - - -	2,847	20,628	10	7	3	1	–	–	–	–	–	–	1	1	1	–	–
1 : 1	Bromley† *HHH*- - -	4,703	27,358	17	9	1	3	–	–	–	1	–	2	2	–	–	3	–
2	Beckenham† *H*- - -	7,825	28,499	17	5	2	2	–	–	–	–	1	–	–	–	1	–	–
3	Orpington, *part of*†* *W* -	10,113	9,857	5	4	2	–	–	–	–	–	–	–	1	1	1	2	–
4	Chislehurst *HH* - -	7,333	16,458	10	5	2	–	–	–	–	–	–	–	–	–	–	–	–
2 : 1	Bexley *HHH* - - -	12,532	46,445	31	21	16	1	–	–	–	–	–	–	13	–	–	2	–
2	Dartford *WH, part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 : 1	Sunbury *w* - - -	11,054	18,682	18	6	2	2	–	–	–	–	–	–	1	2	2	–	–
2	Staines *WH* - - -	13,277	15,179	9	7	3	1	–	–	–	–	–	–	–	1	1	1	–
5 : 1	Hillingdon *WHH* - -	6,035	13,661	8	8	4	1	–	–	–	–	–	–	3	–	2	–	–
2	Uxbridge - - - -	12,757	8,984	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - - -	8,066	16,358	11	4	4	–	–	–	–	–	–	–	1	–	–	–	–
6 : 1	Isleworth *WHH* - -	6,859	30,838	14	14	5	5	–	–	–	–	–	–	2	1	1	5	–
2	Twickenham *HH* - -	2,421	20,991	10	7	7	–	–	–	–	–	–	–	3	–	–	–	1
3	Brentford *HHHH* - -	4,319	48,298	18	12	8	1	–	1	–	–	–	–	7	–	–	–	–
4	Chiswick - - - -	1,249	29,809	18	11	5	2	–	–	–	–	–	–	2	1	1	–	–
5	Acton *wHH* - - -	6,132	48,913	30	19	13	4	–	–	–	2	–	–	13	–	–	–	–
7 : 1	Harrow *HHH* - - -	13,809	25,522	15	4	4	–	–	–	–	–	–	–	2	–	–	–	–
2	Edgware *HH* - - -	6,994	4,520	3	1	–	1	–	–	–	–	–	–	–	–	–	–	1
3	Willesden *HHH* - -	4,384	114,815	72	29	15	4	–	–	1	–	–	–	13	–	–	1	–
4	Hendon *WH* - - -	8,382	22,450	6	4	1	–	–	–	1	–	–	–	–	–	–	2	–
8 : 1	South Mimms *HH* - -	17,755	7,308	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - - -	3,324	17,970	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*- - -	4,688	33,692	7	6	1	4	–	–	–	–	–	–	–	1	1	1	–
9 : 1	Hornsey *HH* - - -	2,875	72,056	26	11	2	6	–	–	–	–	–	–	2	–	1	–	–
2	Tottenham *HHH* - -	4,638	136,702	72	48	22	6	–	1	–	–	–	–	14	1	5	2	–
3	Edmonton *Ww* - -	7,491	61,892	30	35	19	4	–	–	–	–	1	–	19	–	3	5	–
4	Enfield *WWHH* - -	12,601	42,738	25	14	8	1	–	1	–	–	–	1	3	–	–	–	–
5	Waltham Abbey - - -	11,017	6,547	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H* - - -	8,479	12,288	3	2	1	–	–	–	–	–	–	–	1	–	–	–	–
5 : 1	Hatfield, *part of** *W* -	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7 : 1	Bushey *H* - - - -	9,333	9,173	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Watford *WHH, part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 : 1	Stratford *H* - - -	1,072	44,825	24	17	10	–	–	1	–	–	–	–	7	–	1	–	–
2	Plaistow *HHH* - - -	1,249	90,920	61	53	34	2	–	4	1	3	4	–	24	–	2	6	1
3	Canning Town *H* - -	1,556	70,666	39	44	30	1	–	5	–	2	–	–	16	1	3	1	–
4	Forest Gate *w* - - -	806	60,897	23	19	8	2	–	1	1	1	1	–	6	–	–	–	–
5	East Ham *wHHH* - -	3,268	95,970	60	42	30	4	–	1	–	–	–	–	16	–	–	–	–
6	Wanstead - - - -	1,737	9,198	1	3	1	1	–	–	–	–	–	–	1	1	1	–	–
7	South Leyton *WW* - -	631	56,458	36	33	10	5	–	2	–	1	2	3	9	–	–	23	–
8	North Leyton *WwH* -	1,963	48,441	29	14	9	2	–	–	–	1	–	–	9	–	1	1	–
9	Walthamstow *HHHL* -	6,504	108,931	59	59	39	7	–	–	–	–	1	–	21	2	3	–	–
7 : 1	Chigwell, *part of** *HHHH*	11,778	16,403	5	2	1	–	–	–	–	–	–	–	2	–	–	–	–
2	Epping *WH, part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 : 1	Romford, *part of** *W* -	6,556	6,089	6	4	4	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford *H* - - - -	8,496	41,240	23	18	12	3	–	–	–	1	–	–	7	–	1	–	–
3	Barking Town, *H* - -	3,803	21,547	12	16	9	2	–	–	–	–	–	–	7	–	–	–	–
	Willesden Workhouse, Hackney.	—	—	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 10th August, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	1
GREATER LONDON	**443,417**	**6,604,287**	**18·7**	**6·2**	**2363**	**1057**	**381**	**1**	**58**	**14**	**37**	**31**	**24**	**619**	**98**	**5**
INNER LONDON -	74,837	4,543,757	18·8	5·5	1636	664	280	1	40	10	24	19	17	372	77	4
OUTER RING -	368,580	2,060,530	18·4	7·6	727	393	101	–	18	4	13	12	7	247	21	

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	317,561	August	10	154	108	17·7	–	2	1	3	2	–	
GLASGOW - -	763,144	„	10	444	306	20·9	–	9	2	1	9	2	
DUBLIN† - -	375,076	„	10	153	161	22·4	–	–	–	–	–	1	
CALCUTTA - -	466,460	April	13	–	–	–	–	–	–	–	–	–	
BOMBAY - -	821,764	July	23	274	725	48·9	2	3	?	?	?	222‡	
MADRAS - -	452,518	„	5	400	400	45·9	9	2	?	?	?	128	
PARIS - - -	2,511,629	August	3	1046	890	18·4	8	10	–	12*	4	5	1
BRUSSELS - -	582,665	„	3	229	196	17·5	–	4	–	3*	2	1	
AMSTERDAM -	523,822	July	27	275	144	14·3	–	3	–	–	1	1	
ROTTERDAM -	320,991	—		–	–	–	–	–	–	–	–	–	
THE HAGUE -	205,328	—		–	–	–	–	–	–	–	–	–	
COPENHAGEN -	378,200	August	3	202	112	15·4	–	–	–	–	6	2	
STOCKHOLM -	301,050	July	27	138	111	19·2	–	1	2	–	2	–	
CHRISTIANIA -	226,423	August	3	142	100	23·0	–	–	1	–	1	–	
ST. PETERSBURG	1,248,643	July	27	564	607	25·3	–	21	9	23	2	25	1
MOSCOW - -	1,023,817	„	27	–	634	32·3	1	3	3	4	1	9	2
BERLIN - -	1,891,431	„	20	953	709	19·6	–	7	11	6	12	2	1
HAMBURG - -	705,738	August	3	–	328	24·2	–	6	2	–	6	1	1
DRESDEN - -	400,140	—		–	–	–	–	–	–	–	–	–	
BRESLAU - -	427,505	August	3	–	273	33·3	–	3	2	–	–	1	1
MUNICH - -	500,000	„	3	–	181	18·8	–	2	–	1*	2	–	
VIENNA - -	1,691,996	„	3	841	710	21·8	–	10	3	5*	–	3	1
PRAGUE - -	389,741	„	3	167	182	24·3	–	–	9	3	2	3	
BUDA-PESTH -	744,719	„	3	401	299	20·9	–	2	2	–	–	–	
TRIESTE - -	177,428	„	3	100	80	23·4	–	–	1	1*	3	2	
ROME - - -	467,236	July	5	–	–	–	–	–	–	–	–	–	
TURIN (10 days) -	344,203	—		–	–	–	–	–	–	–	–	–	
VENICE - -	174,378	July	27	78	65	19·4	–	–	–	–	–	–	
CAIRO - -	570,062	June	24	456	406	37·0	1	4	–	4*	2	19	1
ALEXANDRIA -	319,766	„	24	172	200	32·5	2	–	–	4*	–	4	
NEW YORK (including BROOKLYN)	3,536,517	July	20	1425	1324	19·5	12	8	21	18*	3	10	3
PHILADELPHIA -	1,293,697	„	20	–	443	17·9	1	–	3	5	6	10	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 10 deaths from cholera in Bombay, and 2 in Madras.
‡ Including 107 deaths from plague.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at [illegible]

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 4	..	29·826	72·4	56·1	16·3	63·3	+ 1·1	53·7	9·6	17·3	4·0	71	128·8	48·0	63·65	SW. & WSW.	W. & WSW.	2·7	0·0	0·2	276	+ 23	0·01	6·0
MONDAY - 5	..	29·897	68·2	53·8	14·4	59·7	− 2·6	46·9	12·8	20·0	5·2	63	122·8	42·7	63·53	NNW., WSW. & NW.	W., WSW. & SW.	1·5	0·0	0·1	216	− 40	0·00	0·2
TUESDAY - 6	Perigee	29·624	74·5	52·2	22·3	60·4	− 2·0	55·7	4·7	16·3	1·7	84	122·8	51·0	63·40	SW. & SSW.	W. & NW.	6·3	0·0	0·8	368	+110	0·07	0·8
WEDNESDAY 7	Last Quarter.	29·847	77·6	53·3	24·3	64·7	+ 2·2	52·5	12·2	22·6	4·0	65	133·0	46·2	63·24	NW. & W.	W. & WSW.	4·7	0·0	0·6	349	+ 90	0·00	0·0
THURSDAY- 8	..	29·883	78·5	60·5	18·0	67·8	+ 5·3	58·1	9·7	17·9	1·9	71	143·7	51·5	63·16	WSW.	W. & SW.	2·0	0·0	0·2	280	+ 21	0·00	0·0
FRIDAY - 9	Greatest Dec. N.	29·786	84·2	54·4	29·8	69·1	+ 6·6	56·5	12·6	25·3	0·8	64	143·0	45·8	63·34	SW. & SSW.	S., SE. & E.	0·7	0·0	0·0	154	−104	0·00	0·0
SATURDAY- 10	..	29·528	82·3	57·0	25·3	67·3	+ 4·8	59·2	8·1	19·4	3·8	75	137·1	45·3	63·60	E. & S.	SSW., SW. & WSW.	6·6	0·0	0·6	289	+ 33	0·00	2·0
MEANS - -		29·770	76·8	55·3	21·5	64·6	+ 2·2	54·7	10·0	19·8	3·1	70	133·0	47·2	63·42	SW.		..	..	..	Sum 1932	Sum +133	Sum 0·08	1·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	4	w. P. generally.	0·9	15·2	Generally overcast till 5h. P.M., fine and partially cloudy afterwards. Slight showers in afternoon.
MONDAY -	5	w. P. till 10h. A.M.; v. P. afterwards.	0·7	15·2	Generally overcast.
TUESDAY -	6	m. P. generally.	4·8	15·1	Overcast, with frequent rain, till noon; fine, with large amounts of cloud, afterwards. Brisk wind prevalent after 3h. P.M.
WEDNESDAY	7	m. P. generally.	12·6	15·1	Very fine generally; the amount of cloud was usually small.
THURSDAY-	8	w. P. till 3h. P.M.; m. P. afterwards.	6·1	15·0	Fine and partially cloudy till evening; cloudless at night.
FRIDAY -	9	w. P. generally.	13·1	15·0	A very fine and hot day, with small amounts of cloud.
SATURDAY-	10	w. P. till noon; w. P. and w. N. till 6h. P.M.; m. P. afterwards.	10·8	14·9	Very fine generally, with variable amounts of cloud. Brisk wind in afternoon.
			Sum 49·0	Sum 105·5	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1899, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·98 in. at the beginning of the week to 29·81 in. by 2h. P.M. on the 4th; increased to 29·91 in. by noon on the 5th; decreased to 29·56 in. by 3h. P.M. on the 6th; increased to 29·91 in. by 11h. P.M. on the 8th; decreased to 29·47 in. by 11h. A.M. on the 10th; and increased to 29·71 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd August, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	21	2	-	1	-	-	2	-
Kensington	176,787	-	18	9	-	3	1	-	5	-
Hammersmith	112,619	1	9	4	-	4	-	-	3	-
Fulham	138,426	-	7	9	-	12	-	-	4	-
Chelsea	73,879	-	1	-	-	-	-	-	1	-
City of Westminster	182,502	1	18	7	-	1	-	-	4	1
NORTH.										
St. Marylebone	133,060	-	6	6	-	2	-	-	4	-
Hampstead	82,287	-	6	2	-	2	-	-	2	-
St. Pancras	235,297	-	15	21	-	5	-	-	4	-
Islington	335,325	-	27	16	-	5	-	-	5	2
Stoke Newington	51,328	-	1	-	-	-	-	-	-	-
Hackney	219,780	1	21	17	-	12	-	-	1	-
CENTRAL.										
Holborn	59,205	-	6	8	-	3	-	-	4	-
Finsbury	101,263	-	17	3	-	1	-	-	3	-
City of London	26,627	-	2	2	-	1	-	-	1	-
EAST.										
Shoreditch	118,554	-	8	12	-	-	-	-	2	-
Bethnal Green	129,700	-	22	7	-	1	-	-	2	-
Stepney	298,884	-	33	18	-	6	-	-	11	-
Poplar	168,887	-	14	20	-	3	-	-	2	-
SOUTH.										
Southwark	206,219	-	25	16	-	3	-	-	6	-
Bermondsey	130,348	-	36	11	-	-	-	-	3	-
Lambeth	302,460	-	14	5	-	2	-	-	6	1
Battersea	169,364	-	6	3	-	-	-	-	4	-
Wandsworth	233,943	-	12	7	-	5	-	-	2	-
Camberwell	259,897	-	46	14	-	1	-	-	1	-
Deptford	110,732	-	7	6	-	3	-	-	-	-
Greenwich	96,188	-	8	-	-	-	-	-	2	-
Lewisham	128,423	-	15	4	-	1	-	-	-	-
Woolwich	117,619	-	8	5	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	3	429	234	-	78	1	-	84	4
Ages 0-1		-	5	5	-	-	-	-	3	-
„ 1-5		-	123	93	-	4	-	-	3	-
„ 5-		1	162	72	-	11	-	-	5	-
„ 10-		-	72	29	-	13	-	-	1	-
„ 15-		-	30	11	-	8	-	-	5	-
„ 20-		1	21	8	-	11	1	-	5	2
„ 25-		1	12	7	-	13	-	-	7	-
„ 35-		-	1	6	-	13	-	-	20	2
„ 45-		-	-	1	-	1	-	-	19	-
„ 55-		-	1	2	-	2	-	-	8	-
„ 65 and upwards		-	-	-	-	2	-	-	8	-
Age not stated		-	2	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during July, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
August, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of July, by the eight Water Companies.

Fourteen samples of each Company's water were collected, except in the cases of the New River and Grand Junction Companies, of each of which fifteen samples were taken. Altogether 114 samples were examined during the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea - - -	July 16th. Drinking Fountain, Moore Park Road, S.W.	20·4	23·88	·110	·014	0	·140	·154	1·7	17·1
West Middlesex -	July 15th. Cab Rank, Maida Vale, by St. John's Wood Road.	21·4	24·24	·124	·012	0	·132	·144	1·7	18·6
Southwark - -	July 16th. Drinking Fountain. Victoria Circus, Battersea.	22·0	24·30	·135	·014	0	·120	·134	1·7	18·3
Grand Junction -	July 15th. Cab Rank, Pickering Place, Westbourne Grove.	19·9	21·78	·283	·037	·002	·098	·137	1·9	15·1
	July 19th. Cab Rank, Pickering Place, Westbourne Grove.	22·4	24·76	·153	·016	0	·148	·164	1·7	18·9
Lambeth - - -	July 15th. Cab Rank, Waterloo Road, opposite St. John's Church.	20·1	25·54	·107	·016	0	·150	·166	1·7	19·1
Lea and Wells.										
New River - -	July 15th. Cab Rank, Canonbury Station.	19·5	31·22	·062	·010	0	·151	·161	2·0	21·2
East London - -	July 16th. Drinking Fountain, Clapton Square.	19·6	30·98	·105	·014	0	·143	·157	2·2	18·6
Deep Well.										
Kent - - - -	July 15th. Cab Rank, Woolwich Arsenal Station.	15·4	51·80	·058	·012	0	·611	·623	4·7	32·5
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, drawn on the 16th July from the drinking fountain in Moore Park Road, S.W., had a temperature of 20·4° C.; 100,000 lbs. of it contained 23·88 lbs. of solid matters in solution; the organic substances, constituting a portion of this matter, contained ·110 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained no ammonia and ·140 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·154 lb. The above weight of water also contained 1·7 lbs. of combined chlorine and 17·1 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on July 15th and 16th were fully examined, and an additional sample of the Grand Junction water was also taken for full analysis on the 19th. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent and New River 1·2, East London 2·0, Chelsea and Lambeth 2·1, West Middlesex 2·3, Southwark 2·5, Grand Junction (July 19th) 2·9, Grand Junction (July 15th) 5·4.

The amounts of organic matter in the Thames-derived supplies were not very different from those found in the previous month, except in the case of the Grand Junction Company's water. A sample of the latter, collected in Pickering Place, Westbourne Grove, on July 15th, was slightly turbid and opalescent, and contained more than double as much organic matter as the average of the other Thames supplies. From enquiries it appears that this abnormal sample resulted from the disturbance made in shutting down a main and repairing valves, about two hours previous to the time at which the water was collected. Another sample taken from the same place on the 19th was of much better quality. All the waters were clear and of good quality with the exception of that already referred to.

Of the supplies chiefly drawn from the River Lea, that of the New River Company was clear and of very good chemical quality. The East London Company's supply was also clear and, in regard to chemical quality, ranked with the best of the Thames waters.

The Kent Company's deep well water, drawn from the standpipe near Woolwich Arsenal Station, was clear and of good quality, but, owing to the greater proportion of salts in solution, including those causing "hardness," the supply at this place was somewhat inferior to that distributed by this Company in other districts.

Seen through a stratum two feet deep, the Kent Company's water was colourless, and that of the New River Company nearly colourless. All the remaining samples were very pale yellow in colour, except the Grand Junction Company's sample of July 15th, which was brown.

In addition to the above analytical examination, 114 samples, collected during the month of July, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·063	·048	·054	·068	·051	·059	·007	·006	·0065
West Middlesex	·068	·052	·060	·072	·061	·065	·0075	·006	·007
Southwark	·082	·049	·063	·089	·053	·069	·007	·0065	·007
Grand Junction	·092	·053	·067	·101	·059	·072	·028	·0065	·010
Lambeth	·079	·055	·069	·080	·056	·072	·008	·007	·0075
New River	·042	·021	·028	·050	·021	·033	·003	·0025	·003
East London	·090	·044	·073	·093	·049	·078	·008	·0055	·007
Kent	·009	·004	·006	·009	·002	·006	·0025	·001	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

The Table shows that of the Thames-derived waters the Chelsea and West Middlesex Company's supplies contained, on the average, the smallest proportions of organic matter. The average amounts of organic impurity in the waters of the other Thames Companies were a little greater than were observed in the corresponding June samples. With the exception of one sample of the Grand Junction Company's water, all these supplies were of good quality during the month.

The New River Company's water was of very good quality, but the maximum and average quantities of organic matter were a little higher than in June, owing to the admixture of a certain proportion of filtered Thames water with the ordinary supply; this being necessary in connection with the arrangements whereby the East London Company is receiving assistance this summer.

From information given by the Engineer to the East London Company, it appears that of the 14 samples, collected in this Company's area, 8 represented water derived from the Southwark and Vauxhall Company, but the average proportion of organic matter in these samples was almost identical with that found in the 6 samples of the East London Company's ordinary supply. The water delivered in the East London area was of good quality throughout the month, but was, on the average, a little inferior to that distributed by the Thames Companies.

The Kent Company's water was invariably of high organic purity.

All the samples of the New River Company's water were clear, and with one very slight exception all the Kent Company's samples were also clear. In samples of all the remaining Companies' supplies small amounts of suspended matter were observed on several occasions (most frequently in the Southwark and Vauxhall Company's water), but from the character of the particles these minute turbidities were evidently chiefly derived from the culverts and mains.

I am, Sir,

Your obedient Servant.

pp. T. E. THORPE.
H. J. HELM.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of July, 1901. The supply was in the ratio of 268 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JULY, 1900.	JULY, 1901.	JULY, 1900.	JULY, 1901.
TOTAL SUPPLY - - -	906,743	928,782	247,802,605	248,470,088
From Thames - - - - - -	432,562	441,567	130,991,389	133,485,896
From Lea and from other Sources -	474,181	487,215	116,811,216	114,984,192
THAMES.				
Chelsea - - - - - - -	38,731	39,165	15,376,858	15,416,005
West Middlesex - - - - -	85,763	87,320	24,774,602	25,980,727
Southwark and Vauxhall - -	124,298	125,539	36,476,980	35,479,898
Grand Junction - - - - -	66,664	68,607	24,339,446	23,804,776
Lambeth - - - - - - -	117,106	120,936	30,023,503	32,804,490
LEA AND OTHER SOURCES.				
New River - - - - - -	170,477	173,374	47,802,855	46,832,282
East London - - - - -	208,366	214,723	48,086,667	47,146,000
Kent - - - - - - - -	95,338	99,118	20,921,694	21,005,910

Note.—The Return for July, 1901, as compared with that for the corresponding month of 1900, shews an increase of 22,039 services and of 667,483 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1901.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS
By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1901. VOL. LXII.] WEEK ENDED SATURDAY, AUG. 17. [Price 1½*d.*

General Register Office, Somerset House,
August 19th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·3 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 21·2, 22·4, and 22·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended July 27.	Aug. 3.	Aug. 10.	Aug. 17.	TOWNS.	Weeks ended July 27.	Aug. 3.	Aug. 10.	Aug. 17.
33 Great Towns	21·2	22·4	22·1	21·3	Leicester - -	18·6	21·8	17·4	20·1
Birkenhead -	30·0	24·9	22·0	30·5	Liverpool - -	34·3	30·2	25·4	22·8
Birmingham -	23·0	25·0	23·6	21·9	London - - -	18·2	20·0	18·8	19·6
Blackburn -	20·8	22·0	25·3	20·4	Manchester - -	24·1	29·2	30·4	26·3
Bolton - -	21·0	24·7	19·5	21·6	Newcastle-on-Tyne	27·1	31·7	28·1	26·9
Bradford -	14·7	18·1	20·1	20·1	Norwich - -	17·7	15·4	18·6	22·8
Brighton -	19·8	17·3	18·6	20·7	Nottingham - -	20·6	23·0	24·9	21·7
Bristol - -	13·1	13·1	11·9	14·2	Oldham - -	18·6	18·6	23·5	14·4
Burnley -	25·7	25·7	22·0	24·7	Plymouth - -	16·4	14·0	14·5	18·8
Cardiff - -	12·3	11·7	15·5	13·9	Portsmouth - -	30·2	29·4	26·4	22·2
Croydon -	9·7	9·7	12·0	13·2	Preston - -	28·1	27·7	24·4	26·7
Derby - -	10·8	21·6	22·6	16·7	Salford - - -	24·2	25·9	34·1	28·7
Gateshead -	25·0	33·0	40·6	30·2	Sheffield - -	31·7	28·1	32·6	27·2
Halifax -	12·4	11·4	15·9	10·4	Sunderland - -	29·8	27·3	33·7	30·2
Huddersfield -	23·1	18·1	21·4	17·6	Swansea - -	16·5	14·9	15·4	15·4
Hull - -	19·2	19·0	27·2	27·2	West Ham - -	23·3	31·0	28·5	24·6
Leeds - -	28·9	29·6	27·7	22·2	Wolverhampton -	13·8	11·6	12·1	21·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Sheffield, 1·4 in Salford, and 2·5 in West Ham; from *scarlet fever*, 1·8 in Preston; from *whooping-cough*, 1·0 in West Ham and 1·7 in Swansea; and from *diarrhœal diseases*, 7·0 in Birkenhead, 7·1 in Leicester, 7·4 in Preston, 7·7 in Birmingham, 7·9 in Norwich, 8·0 in Nottingham, 8·1 in West Ham, 9·6 in Portsmouth and in Sheffield, 10·1 in Salford, 10·2 in Manchester, 10·6 in Sunderland, 11·3 in Burnley, 12·1 in Hull, and 14·2 in Gateshead. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 64 deaths from *diphtheria* included 30 in London, 6 in Leeds, 5 in Leicester, 3 in West Ham, and 3 in Sheffield. Two deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2659 BIRTHS and 1705 DEATHS were registered. Allowing for increase of population, the births were 12, and the deaths 86, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·2, 20·0,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9792—670—8/1901 Wt 45 D & S 3

and 18·8 in the preceding three weeks, rose again last week to 19·6. During the four weeks ended on Saturday last the death-rate averaged 19·2 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1705 deaths included 2 from small-pox, 37 from measles, 16 from scarlet fever, 30 from diphtheria, 24 from whooping-cough, 1 from typhus, 10 from enteric fever, 404 from diarrhœa and dysentery, 7 from cholera and choleraic diarrhœa, and not one death from any ill-defined form of continued fever; thus, 531 deaths were referred to these diseases, being 93 above the corrected average weekly number.

Of the deaths from *small-pox*, one was that of a female aged 2 years, and occurred in the Borough of St. Pancras; the other was the death of a male aged 31 years, who had been removed from the Borough of Westminster to the Hospital Ship "Atlas." The deaths from *measles*, which had been 60, 45, and 40 in the preceding three weeks, further fell last week to 37, the corrected average being 38; 6 cases belonged to Stepney. The deaths from *scarlet fever*, which had been 20, 15, and 10 in the preceding three weeks, rose again last week to 16, but were 5 below the corrected average; 3 cases belonged to Bethnal Green. The deaths from *diphtheria*, which had been 28, 28, and 24 in the preceding three weeks, rose again last week to 30, but were 11 below the corrected average; 4 cases belonged to Hackney and 4 to Camberwell. The deaths from *whooping-cough*, which had been 24, 20, and 19 in the preceding three weeks, rose again last week to 24, but were 9 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 11, and 18 in the preceding three weeks, fell again last week to 10, and were 3 below the corrected average. The deaths from *diarrhœal diseases*, which had been 294, 403, and 372 in the preceding three weeks, rose again last week to 411, and were 120 above the corrected average. Of the 411 deaths from diarrhœal diseases, 394 were of children under 5 years of age; 30 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 134, 126, and 126 in the preceding three weeks, fell last week to 103, and were 54 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 3, 5, and 2 in the preceding three weeks.

Different forms of *violence* caused 68 deaths, concerning all but 3 of which inquests were held. Of these 68 deaths, 13 were cases of suicide, and 1 of execution, while the remaining 54 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 12 to drowning, 1 to the effects of chloroform administered for surgical purposes, 1 to sunstroke, and 5 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 13 cases of small-pox, 3101 of scarlet fever, 1361 of diphtheria, and 188 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 8 cases, against 2, 4, and 3; of scarlet fever, 300 cases, against 374, 391, and 306; of diphtheria, 175 cases, against 214, 195, and 171; and of enteric fever, 35 cases, against 29, 34, and 37. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended August 10th.

Greater London.

In Greater London 3874 births and 2391 deaths were registered, corresponding to annual rates of 30·6 and 18·9 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles, 1 from scarlet fever, 10 from diphtheria, 12 from whooping-cough, 8 from "fever," and 218 from diarrhœal diseases were registered. Thirteen deaths from measles, 6 from diphtheria, 8 from whooping-cough, 4 from "fever," and 83 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 61°·0; the latter being 1°·2 below the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 4 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 49·3 hours; the measured rainfall amounted to 0·50 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 17th Aug. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,463,026	6727	4673	2038	730	2	97	42	64	65	40	1310	135	295	852	35	21·3	7·4	84·7	46·2	58·9	14·94	0·88	2·24	33 Towns.
London - -	4,543,757	2659	1705	734	271	2	37	16	30	24	11	411	68	159	458	3	19·6	6·1	74·3	47·6	61·0	16·11	0·50	1·27	London.
West Ham - -	268,868	185	127	52	23	-	13	-	3	5	2	42	3	4	25	1	24·6	12·6	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	62	34	20	6	-	-	-	-	-	1	9	-	4	3	-	13·2	3·9	75·0	48·0	60·3	15·72	0·35	0·89	Croydon.
Brighton - -	123,668	69	49	20	9	-	-	-	2	1	-	13	1	4	11	-	20·7	6·7	72·0	50·2	60·9	16·06	0·57	1·45	Brighton.
Portsmouth -	189,907	126	81	40	13	-	-	-	1	1	-	35	3	3	10	-	22·2	10·2	-	-	-	-	-	-	Portsmouth.
Plymouth - -	107,974	68	39	14	9	-	-	-	-	-	-	6	2	3	4	-	18·8	2·9	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	188	90	25	24	-	-	1	1	-	-	8	5	12	16	-	14·2	1·6	70·2	49·8	57·6	14·22	1·25	3·17	Bristol.
Cardiff - -	165,308	104	44	16	13	-	-	-	1	-	-	10	1	4	11	-	13·9	3·5	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	70	28	15	3	-	-	-	-	3	-	2	4	6	2	-	15·4	2·8	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	61	38	15	7	-	1	1	1	-	-	7	1	3	5	-	21·0	5·5	75·2	40·2	55·0	12·78	1·18	3·00	Wolverhampton.
Birmingham -	523,284	367	220	102	28	-	9	3	-	3	-	77	1	3	19	6	21·9	9·2	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	64	49	23	12	-	-	-	1	-	-	17	2	3	5	-	22·8	8·4	-	-	-	-	-	-	Norwich.
Leicester - -	212,498	133	82	45	14	-	-	-	5	1	-	29	2	2	12	1	20·1	8·6	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	135	100	50	14	-	-	-	2	1	1	37	1	3	14	2	21·7	8·9	84·7	49·1	59·2	15·11	0·59	1·50	Nottingham.
Derby - - -	106,076	61	34	16	8	-	-	1	-	-	-	11	-	1	7	-	16·7	5·9	-	-	-	-	-	-	Derby.
Birkenhead -	11,203	67	65	31	7	-	1	-	1	1	1	15	1	2	10	-	30·5	8·9	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	420	300	107	47	-	1	3	1	3	6	66	9	15	63	6	22·8	6·1	67·7	51·4	57·7	14·28	1·14	2·90	Liverpool.
Bolton - -	168,748	85	70	34	8	-	2	3	1	2	1	22	-	2	3	1	21·6	9·6	-	-	-	-	-	-	Bolton.
Manchester -	544,934	267	275	112	40	-	4	4	-	5	2	107	5	14	52	-	26·3	11·7	-	-	-	-	-	-	Manchester.
Salford - -	221,526	120	122	57	11	-	6	1	1	2	1	43	6	11	12	-	28·7	12·7	-	-	-	-	-	-	Salford.
Oldham - -	137,382	43	38	9	8	-	2	-	-	-	-	9	-	1	4	-	14·4	4·2	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	68	46	22	5	-	-	-	-	-	-	21	-	-	2	-	24·7	11·3	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	44	50	21	6	-	-	-	1	-	-	13	1	1	2	1	20·4	5·7	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	61	58	25	8	-	-	4	1	-	1	16	-	-	6	2	26·7	10·1	69·0	52·0	58·5	14·72	0·95	2·41	Preston.
Huddersfield -	94,998	57	32	11	6	-	-	-	-	-	-	6	3	4	3	-	17·6	3·3	70·8	48·0	58·6	14·78	0·69	1·75	Huddersfield.
Halifax - -	105,113	43	21	5	5	-	-	1	1	-	1	2	-	1	4	-	10·4	2·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	126	108	38	24	-	-	-	-	2	3	18	5	7	13	-	20·1	4·3	83·6	50·2	60·9	16·06	1·19	3·02	Bradford.
Leeds - - -	430,489	234	183	89	24	-	7	1	6	6	3	48	2	6	16	2	22·2	8·6	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	262	199	90	27	-	8	-	3	1	3	70	5	7	20	2	27·2	11·6	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	162	126	69	19	-	1	-	-	1	2	56	2	3	14	2	27·2	12·9	72·0	47·0	58·0	14·44	1·27	3·23	Hull.
Sunderland -	146,937	115	85	43	6	-	1	1	1	1	1	30	-	2	9	3	30·2	12·4	-	-	-	-	-	-	Sunderland
Gateshead - -	110,492	88	64	32	0	-	2	-	-	1	-	30	-	-	5	2	30·2	15·6	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	133	111	56	16	-	2	2	-	1	-	24	2	5	12	1	26·9	7·0	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2330	2486	2560	2665	2646	2624	2662	2489	2671	2621	2671·3	2659
Males - -	1163	1291	1329	1356	1340	1324	1334	1280	1412	1301	1361·9	1339
Females - -	1167	1195	1231	1309	1306	1300	1328	1209	1259	1320	1309·4	1320
TOTAL **Deaths** -	1445	1407	1855	1428	1459	1666	2074	2019	2208	1706	1791·0	1705
Males - -	769	697	935	741	770	880	1088	1025	1167	894	930·0	882
Females - -	676	710	920	687	689	786	986	994	1041	812	861·0	823

*The numbers in this column are the average weekly numbers in the thirty-third week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.
TOTAL **Births** - - -	2559	2148	2624	2406	2451	2478	2413	2526	2519	2384	2844	2322	2659
TOTAL **Deaths** - - -	1363	1345	1236	1191	1204	1210	1256	1237	1411	1582	1747	1636	1705
Ages at Death: Under 1 year - -	259	289	232	258	283	267	285	282	411	583	716	664	734
1—5 years - -	197	183	156	152	144	154	146	140	168	215	196	185	185
5—20 ,, - -	80	66	72	78	72	58	68	88	77	73	87	92	70
20—40 ,, - -	178	180	189	177	154	176	173	180	175	169	191	171	186
40—60 ,, - -	270	275	278	253	247	264	266	258	279	252	268	244	259
60—80 ,, - -	301	277	256	218	250	235	244	236	244	241	243	226	229
80 years and upwards	78	75	53	55	54	56	74	53	57	49	46	54	42
Deaths from—													
Small pox - - - -	–	–	–	–	–	1	–	–	–	–	1	1	2
Measles - - - - -	44	48	35	38	42	51	49	37	45	60	45	40	37
Scarlet Fever - - -	18	17	17	21	13	12	8	17	10	20	15	10	16
Diphtheria - - - -	22	13	15	13	18	18	27	24	30	28	28	24	30
Whooping-cough - - -	58	33	32	35	25	25	22	15	17	24	20	19	24
Typhus - - - - -	–	–	1	–	–	–	–	–	–	–	–	–	1
Enteric Fever - - -	5	10	6	7	2	4	6	2	9	10	11	18	10
Simple Continued Fever -	–	–	–	–	–	–	–	1	2	–	–	–	–
Diarrhœa and Dysentery -	22	14	17	26	25	23	45	71	140	289	399	367	404
Cholera - - - - -	–	1	–	–	–	–	1	2	–	5	4	5	7
All the above Diseases -	169	136	123	140	125	134	158	169	253	436	523	484	531
Dis. of Respiratory System -	191	240	187	159	150	141	165	133	135	134	126	126	103
Phthisis - - - - -	139	131	140	122	113	138	133	168	114	111	153	106	123
Dis. of Circulatory System -	128	116	121	122	103	109	139	104	116	111	113	113	97
Violence - - - -	65	60	69	68	55	42	59	49	72	74	81	77	6[illegible]
Inquest Cases - - - -	150	122	150	136	126	101	117	123	138	141	162	155	159
Deaths in Public Institutions -	482	476	420	456	419	454	435	435	467	459	507	458	458
TEMPERATURE OF THE AIR													
Mean - - - - -	56·3°	60·0°	58·8°	56·8°	58·0°	61·0°	64·1°	64·5°	68·4°	61·6°	65·1°	64·6°	61·0°
Mean of Highest readings -	66·8	71·6	69·9	67·6	67·8	71·8	73·9	77·2	81·6	71·7	75·8	76·8	72·[illegible]
Mean of Lowest readings -	44·8	49·0	48·6	47·0	50·1	50·9	56·1	52·2	54·4	51·5	54·9	55·3	52·[illegible]
Humidity of the Air - -	61	69	69	60	71	63	75	68	63	83	72	70	7[illegible]
Rain-fall (in inches) - -	0·00	0·27	0·03	0·10	0·43	0·00	1·05	0·00	0·00	1·30	0·38	0·08	0·5[illegible]
Registered Sunshine (in hours)	80·9	51·2	52·3	63·7	36·4	69·5	46·1	60·2	75·5	18·4	49·2	49·0	49·[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	–	1	1	1	1	5	6	12	14	11	13	11	1[illegible]
Scarlet Fever - - - -	2241	2351	2462	2594	2708	2821	2895	2918	2907	2974	3091	3148	310[illegible]
Diphtheria - - - -	1087	1107	1092	1104	1138	1176	1195	1228	1267	1303	1336	1363	136[illegible]
Typhus - - - - -	1	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever - - - -	111	95	93	105	117	125	128	145	152	165	166	180	18[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed the meteorological observations at the disposal of the Registrar-General, and the results have been compiled b J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., an P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.B.C.S Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Me Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-THIRD Week of the Year 1901

CAUSES OF DEATH.	Corrected Averages for the 33rd Week of the 10 years 1891–1900*.	In the Week ended Saturday, 17th August, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1791·0	1705	734	185	70	186	259	229	42
Small-pox { Vaccinated† -	-	1	-	-	-	1	-	-	-
Small-pox { Unvaccinated	0·1	-	-	-	-	-	-	-	-
Small-pox { No Statement	0·7	1	-	1	-	-	-	-	-
Measles - - - -	37·8	37	15	22	-	-	-	-	-
Scarlet Fever - - -	20·7	16	1	10	4	1	-	-	-
Typhus - - - -	0·2	1	-	-	-	1	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	4·4	3	-	1	-	1	-	1	-
Whooping-cough - -	33·2	24	6	16	1	-	-	1	-
Diphtheria - -	41·0	30	1	23	4	-	1	1	-
Simple Continued and Ill-defined Fever -	0·3	-	-	-	-	-	-	-	-
Enteric Fever - - -	13·0	10	-	-	2	6	2	-	-
Cholera and Chol. Diarr.	9·4	7	6	1	-	-	-	-	-
Diarrhœa, Dysentery -	281·6	404	354	33	-	1	5	7	4
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	0·2	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·4	-	-	-	-	-	-	-	-
Venereal Affections -	11·5	11	10	-	-	1	-	-	-
Erysipelas - - -	5·1	2	-	-	-	-	-	2	-
Pyæmia and Septicæmia	2·6	4	1	1	-	1	1	-	-
Herperal Fever - -	5·1	4	-	-	-	4	-	-	-
Other Zymotic Diseases	1·1	2	1	-	-	1	-	-	-
Thrush - - - -	1·5	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·6	1	-	-	-	1	-	-	-
Starvation, Want of Breast-milk - -	2·0	-	-	-	-	-	-	-	-
Alcoholism - - -	13·2	15	-	-	-	4	8	3	-
Rheumatic Fever, Rheumatism of Heart	8·7	11	-	-	2	4	4	1	-
Rheumatism - - -	2·1	-	-	-	-	-	-	-	-
Gout - - - - -	2·3	3	-	-	-	-	2	1	-
Rickets - - - -	6·0	7	6	1	-	-	-	-	-
Cancer - - - -	76·9	88	-	-	1	8	46	31	2
Tabes Mesenterica -	34·2	24	12	9	2	-	1	-	-
Tubercular Meningitis -	28·4	25	12	3	7	3	-	-	-
Phthisis - - - -	141·9	123	-	2	9	54	45	13	-
Scrofula, Tuberculosis -	20·6	20	7	4	4	2	2	1	-
Other Constitutional Diseases - -	13·5	14	-	-	1	4	4	5	-
Premature Birth - -	52·3	54	54	-	-	-	-	-	-
Atelectasis - - -	3·6	5	5	-	-	-	-	-	-
Congenital Malformations - - -	8·8	11	10	1	-	-	-	-	-
Old Age - - - -	43·4	37	-	-	-	-	-	21	16
Apoplexy - - -	39·5	35	2	-	-	2	8	16	7
Epilepsy - - - -	8·4	7	2	1	1	1	1	1	-
Convulsions - - -	43·9	35	32	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	81·2	64	5	13	3	13	19	10	1
Diseases of Organs of Special Sense -	3·1	3	2	1	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 33rd Week of the 10 years 1891–1900*.	In the Week ended Saturday, 17th August, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.
Diseases of Circulatory System - - -	117·9	97	-	1	6	22	30	34
Croup - - - -	2·4	-	-	-	-	-	-	-
Bronchitis - - -	68·6	31	6	2	-	1	1	17
Pneumonia - - -	66·3	56	20	11	4	4	10	6
Pleurisy - - - -	4·1	8	-	1	-	4	-	3
Other Diseases of Respiratory System -	15·1	8	1	-	1	1	1	4
Dentition - - - -	9·2	13	10	3	-	-	-	-
Quinsy, Sore Throat -	2·0	1	-	1	-	-	-	-
Enteritis - - -	114·6	52	34	6	5	2	4	1
Gastro-enteritis -		32	26	4	1	-	1	-
Peritonitis - - -	5·6	3	-	-	2	1	-	-
Diseases of Liver - -	29·0	27	3	-	-	6	12	5
Other Diseases of Digestive System	41·3	53	21	4	1	5	12	9
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	2	-	-	1	-	1	-
Diseases of Urinary System - - -	42·3	39	1	-	1	5	12	19
Diseases of Generative System - - -	5·5	4	-	-	-	-	3	1
Accidents of Childbirth-	5·4	3	-	-	-	2	1	-
Diseases of Locomotive System - - -	5·0	2	-	-	2	-	-	-
Diseases of Integumentary System- -	5·8	8	3	-	-	1	2	2
VIOLENT DEATHS.‡ (ACCIDENT.)								
By Railways - - -	1·7	1	-	-	-	1	-	-
By Vehicles or Horses -	7·6	8	1	1	1	3	-	2
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·8	1	-	-	-	-	1	-
In Building Operations -	0·9	1	-	-	-	-	1	-
In Conflagrations -	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·7	1	-	-	-	-	1	-
By Drowning - - -	9·1	12	1	1	2	2	4	2
By Suffocation in Bed -	6·5	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·9	2	-	-	1	1	-	-
Other or not stated causes - - -	21·6	23	2	2	1	5	7	6
(VIOLENCE OTHER THAN ACCIDENTAL.)								
Homicide - - -	1·2	-	-	-	-	-	-	-
Suicide - - - -	10·4	13	-	-	-	5	5	3
Execution - - -	0·5	1	-	-	-	1	-	-
OTHER CAUSES - -	77·0	58	55	2	-	-	1	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 17th August, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON - - -	4,536,063	2659	1705	734	271	2	37	16	30	24	1	10	-	411	68	159	458	3
WEST DISTRICTS - - -	805,275	389	317	141	65	-	2	1	3	3	-	2	-	87	12	21	94	1
NORTH DISTRICTS - - -	1,056,018	595	332	133	55	1	5	2	9	4	1	3	-	70	11	26	81	-
CENTRAL DISTRICTS - - -	209,432	134	87	29	8	-	7	-	1	2	-	-	-	13	5	10	38	-
EAST DISTRICTS - - -	715,772	505	324	138	51	-	14	-	3	8	-	-	-	77	15	45	102	-
SOUTH DISTRICTS - - -	1,749,566	1036	617	293	87	-	9	7	13	7	-	5	-	164	25	57	115	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	28	-	5	1	-	6	1	-	-	-	-	-	-	-	28	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	54	38	19	11	-	-	-	-	-	-	-	-	14	2	5	3	1
St. John Paddington *H* - - G.	33,608	4	15	3	6	-	-	-	-	-	-	-	-	2	2	1	8	-
North-West Paddington - - C.	17,181	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	71	50	20	10	-	-	-	-	-	-	1	-	11	1	2	16	-
Brompton *HH*- - - W. & C.	48,598	11	6	3	1	-	-	-	-	-	-	-	-	-	1	1	2	-
North Hammersmith *H* } W. & G	49,335	27	16	10	1	-	-	-	-	1	-	-	-	5	1	2	-	-
South Hammersmith *wH* } W. & G	62,910	39	26	11	5	-	-	-	-	1	-	1	-	4	2	2	8	-
North-west Fulham *W* } W. & C.	45,180	35	46	26	7	-	-	-	-	1	-	-	-	23	1	4	16	-
North-east Fulham *w* } W. & C.	46,404	24	14	7	-	-	-	1	1	-	-	-	-	6	-	1	2	-
South Fulham } W. & C.	45,705	31	18	12	3	-	-	-	-	-	-	-	-	7	-	-	-	-
Chelsea North *WWHHHH* - C.	42,515	12	24	5	7	-	-	-	2	-	-	-	-	2	1	2	14	-
Chelsea South *HH* - - C.	31,341	19	10	6	3	-	-	-	-	-	-	-	-	4	-	-	1	-
May Fair and Knightsbridge *H* } C. & G.	28,744	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	22	27	6	6	-	2	-	-	-	-	-	-	1	1	1	16	-
St. Margaret & St. John Westminster *HHH* } C.	43,665	15	14	7	3	-	-	-	-	-	-	-	-	4	-	-	6	-
St. James Westminster *WH* } N. & G.	21,595	9	6	3	1	-	-	-	-	-	-	-	-	3	-	-	2	-
St. Anne Soho *HHHHH* - N.	11,492	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	17	18	3	4	-	-	-	-	1	-	1	-	-	1	2	6	-
Rectory Marylebone *W* G. & W.	19,869	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Mary Marylebone *HHHH* } G. & W.	18,099	32	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Christchurch Marylebone *H* - W	39,541	23	10	4	3	-	1	-	-	-	-	-	-	3	-	1	-	-
St. John Marylebone *HHH* - W	20,426	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *WwHHHHH* } - N. & W.	81,942	35	24	6	6	-	-	1	1	-	-	-	-	3	1	-	6	-
Regent's Park *H* - W.	50,647	32	13	9	1	-	-	-	-	-	-	-	-	7	1	1	-	-
Tottenham-court *wHHHHHH* } - N. & W.	24,814	8	11	5	1	1	-	-	-	-	-	-	-	3	-	-	5	-
Gray's Inn Lane *HHHH* - N.	30,886	17	8	3	-	-	1	-	-	-	-	-	-	2	1	1	2	-
Somers Town *HH* - - - N.	30,131	14	7	2	-	-	-	-	1	-	-	1	-	2	-	-	3	-
Camden Town *WH* - - N.	40,079	19	12	5	2	-	-	-	-	1	-	-	-	1	-	-	3	-
Kentish Town *WW* - - N.	58,727	29	25	11	3	-	-	-	-	-	-	-	-	3	-	1	10	-
Tufnell *W*		27	17	5	5	-	-	-	-	-	-	-	-	3	-	1	8	-
Upper Holloway *WWwHH*	99,841	23	19	3	5	-	-	-	-	-	-	-	-	2	1	2	14	-
Tollington *W*		18	7	2	1	-	-	-	-	-	-	-	-	2	2	4	-	-
Lower Holloway - - - - N.	41,411	25	7	6	1	-	1	-	-	-	-	-	-	3	-	1	-	-
Barnsbury - - - - N.	54,479	31	16	5	1	-	2	-	-	-	-	-	-	7	-	-	-	-
Islington South-east *H* - N.	75,402	37	13	9	2	-	-	-	-	-	-	-	-	4	-	-	-	-
Highbury *HH* - - - N.	63,795	35	18	13	3	-	-	-	-	-	-	-	-	6	-	3	-	-
Stoke Newington *H* - - N.	51,247	16	21	8	3	-	-	-	-	1	-	1	-	4	1	4	-	-
North Hackney - E. & N.	50,570	27	12	5	4	-	-	-	1	-	-	-	-	2	-	-	-	-
Central Hackney *ww* - E. & N.	50,535	32	22	9	2	-	-	1	4	1	1	-	-	4	2	3	6	-
South-west Hackney *HHH* E. & N.	59,929	42	18	9	1	-	-	-	-	-	-	-	-	2	-	-	7	-
South-east Hackney *WwH* E. & N.	58,254	46	27	10	5	-	-	-	2	-	-	-	-	6	-	1	9	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles South *WH* - - N.	22,495	22	4	1	2	-	-	-	-	-	-	-	-	-	-	2	2	-
Giles North *H* - - - N.	8,959	1	3	2	-	-	1	-	-	-	-	-	-	1	-	-	1	-
.Martin-in-the-Fields *HH* N. & C	12,975	1	5	1	1	-	-	-	-	-	-	-	-	-	2	3	-	-
rand *WHH* - - - N.	8,694	5	6	2	-	-	1	-	-	-	-	-	-	1	-	-	5	-
rand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *WHHHHHH* - - N.	29,579	13	20	7	-	-	3	-	-	1	-	-	-	4	1	1	13	-
.James Clerkenwell - - N.	15,634	9	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
nwell - - - - - N.	32,691	30	5	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
swell-street - - - - N.	15,390	9	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
nsbury* *HHHL* - - N.	35,376	37	10	3	2	-	1	-	-	1	-	-	-	2	-	-	1	-
olborn Union Workhouse, Mitcham - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
.Botolph *H* - - N. & E.	11,036	5	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
.Sepulchre *WH* - - - N	7,886	-	19	4	2	-	-	-	1	-	-	-	-	-	1	2	15	-
hallows Barking - - - N	8,717	2	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
ty of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	12	8	4	1	-	-	-	-	-	-	-	-	2	-	-	3	-
xton New Town *wH* - - N	29,761	18	17	6	4	-	-	-	1	-	-	-	-	3	-	3	4	-
xton Old Town - - - N	26,510	11	7	4	2	-	-	-	-	-	-	-	-	2	1	1	-	-
ggerston *W* - - N & E.	46,064	30	19	8	2	-	2	-	-	-	-	-	-	2	1	4	6	-
thnal Green North *HH* - E.	51,513	48	20	11	1	-	2	-	-	1	-	-	-	6	-	1	-	-
thnal Green South - - E	33,473	30	8	3	-	-	1	-	-	-	-	-	-	2	1	2	-	-
thnal Green East *WWHl* - E.	44,695	38	19	10	1	-	-	-	-	1	-	-	-	4	-	1	4	-
talfields - - - E. & N.	27,965	17	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
e End New Town *WH* - E.	28,711	21	43	13	5	-	-	-	1	-	-	-	-	9	2	5	34	-
odman's Fields - - - E.	22,082	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.	40,965	29	16	9	1	-	1	-	-	2	-	-	-	4	-	2	-	-
John *W* - - - E.	8,122	6	13	6	2	-	2	-	-	-	-	-	-	5	-	1	10	-
dwell *H* - - - E. & N.	10,760	8	16	10	2	-	-	-	-	1	-	-	-	5	1	1	11	-
cliff *W* - - - - E.	14,770	7	3	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
nehouse - - - - E	32,358	26	12	5	3	-	-	-	-	-	-	-	-	4	1	4	-	-
e End Old Town West *H* E.	59,467	47	14	5	2	-	2	-	-	1	-	-	-	1	1	4	-	-
e End Old Town East *WWw* - E.	53,348	36	31	14	7	-	-	-	-	1	-	-	-	9	1	2	14	-
w l - - - - E.	41,990	24	10	5	1	-	2	-	-	-	-	-	-	4	1	3	-	-
mley *wwwH* - - - E.	68,326	51	32	4	10	-	1	-	-	1	-	-	-	4	2	7	15	-
olar *WW* - - - - E.	58,522	36	30	16	6	-	-	-	1	-	-	-	-	9	3	4	1	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 17th August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	11,232	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	7	10	1	1	-	-	-	-	-	-	1	-	1	-	-	9
Kent-road - - - S. & L.	21,899	21	3	3	-	-	1	-	-	-	-	-	-	2	-	-	-
Borough-road *WH* - S. & L	16,882	7	6	5	-	-	-	-	-	-	-	-	-	4	-	1	4
London-road *HL* - L. & S.	22,209	9	11	6	-	-	1	-	-	-	-	-	-	4	-	-	-
Trinity Newington *H* - S. & L.	28,485	19	9	5	1	-	-	-	-	-	-	-	-	5	1	1	-
St. Peter Walworth *W*- S. & L.	61,773	28	17	10	-	-	-	-	-	-	-	-	-	3	-	1	-
St. Mary Newington - L. & S.	31,592	23	9	5	1	-	-	-	-	-	-	-	-	2	-	-	-
St. Olave *W* - - - - S.	9,813	11	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W* - - - S.	82,405	55	29	18	5	-	-	-	-	1	-	-	-	12	2	4	-
Rotherhithe *Ww* - - S. & K	38,268	17	17	4	1	-	-	-	-	-	-	-	-	4	-	2	7
Waterloo-road *HH* - L. & S.	27,435	28	11	4	1	-	-	-	-	-	-	-	-	3	2	3	2
Lambeth Church 1st *HH* L. & S.	18,420	12	24	6	4	-	-	-	-	-	-	-	-	4	3	5	15
Lambeth Church 2nd *WW* L. & S.	39,818	35	18	7	4	-	-	-	-	1	-	-	-	3	-	-	12
Kennington 1st *H* - S. & L.	53,196	25	20	5	5	-	1	-	-	-	-	-	-	3	-	1	-
Kennington 2nd - - S. & L.	42,891	20	16	5	6	-	-	-	-	-	-	-	-	4	-	1	-
Brixton *w* - - - L. & S.	84,226	45	14	5	4	-	-	-	1	1	-	1	-	3	-	-	2
Norwood *WH* - - - L.	35,887	19	7	5	1	-	-	-	-	-	-	-	-	3	-	1	-
East Battersea - - - S.	72,201	49	36	24	2	-	2	-	-	-	-	-	-	19	2	5	-
North-west Battersea - - S.	49,650	36	28	19	-	-	1	-	-	1	-	-	-	10	2	4	-
South-west Battersea *WwH*- S.	47,045	21	21	10	7	-	-	-	-	-	-	-	-	4	1	2	9
Clapham *H* - - - - S.	51,353	33	10	6	3	-	-	-	-	-	-	-	-	3	-	-	-
Streatham *WwwwwL* - - L.	88,129	47	25	12	4	-	-	2	-	1	-	-	-	3	2	3	5
Wandsworth *WHHL* - - S.	68,409	52	24	16	4	-	-	-	1	1	-	-	-	8	3	4	2
Putney - - - - - S.	24,139	13	7	4	3	-	-	-	-	-	-	-	-	2	-	-	-
Dulwich - - - - L. & S.	10,246	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	48	38	9	8	-	1	-	2	-	-	-	-	4	-	-	15
Peckham *WW* - S., L., & K.	93,022	47	34	15	5	-	-	-	2	-	-	-	-	6	2	2	-
St. George Camberwell - L. & S.	65,586	55	20	8	3	-	-	-	-	-	-	-	-	6	1	4	-
Deptford North - - - K.	37,601	26	14	7	-	-	-	-	-	-	-	-	-	5	-	-	-
Deptford Central *w* - - K.	45,621	22	21	13	1	-	-	2	3	-	-	-	-	7	-	1	5
Deptford South - - - K.	34,622	14	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West *H* - - K.	23,456	19	6	1	3	-	-	-	-	-	-	-	-	1	1	1	2
Greenwich East *WH* - - K.	43,849	25	20	10	2	-	1	-	-	1	-	1	-	6	-	-	7
Eltham *wH* - - - - K.	7,218	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Lee *H* - - - - - K.	25,489	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwwH* - - K.	58,341	32	22	9	3	-	-	1	-	-	-	1	-	5	-	2	7
Sydenham *H* - - - L.	43,630	23	11	8	-	-	1	-	-	-	-	-	-	3	-	-	-
Charlton *wHH* - - - K.	21,121	7	14	4	-	-	-	2	4	-	-	1	-	1	-	2	7
Woolwich *HHHH* - - K.	41,607	22	13	6	2	-	-	-	-	-	-	-	-	-	-	2	1
Plumstead West *H* - - K.	18,076	10	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead East *WH* - - K.	50,264	32	21	16	-	-	-	-	-	-	-	-	-	10	1	2	4
London County Asy., Banstead -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Epsom -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Cane Hill -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Ships and Camp, Dartford	—	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Darenth -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum, Dartford Heath - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asy., Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7
M.A.B. North-Eastern Hospital -	—	-	7	-	-	-	-	6	1	-	-	-	-	-	-	-	7
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

ABLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th August, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1,215	686	336	113	-	18	1	10	12	8	218	18	40	66	4
30 : 1	Carshalton *H* - - -	12,228	32,997	14	4	2	-	-	-	-	-	-	-	1	1	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	5	4	2	2	-	-	-	-	-	-	1	-	-	1	-
37 : 1	Godstone, *part of** *W* -	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH* -	20,851	164,519	75	38	22	7	-	-	-	-	-	1	10	-	4	3	-
2	Mitcham *w* - - -	11,689	29,906	16	5	4	1	-	-	-	-	-	-	3	-	-	-	-
39 : 1	Wimbledon *HHH* - -	3,221	41,604	17	11	8	-	-	-	-	-	1	-	4	-	-	1	-
2	Kingston *WH* - - -	6,224	42,067	16	13	3	4	-	-	-	-	-	-	4	1	3	-	-
3	Surbiton *HH* - - -	3,046	15,019	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -	5,402	13,003	5	4	1	2	-	-	-	-	-	-	-	1	1	-	-
5	Hampton *HL* - - -	4,564	23,447	18	11	5	2	-	-	-	-	1	-	2	2	2	-	-
40 : 1	Richmond *WHH* - -	2,162	28,871	14	8	4	1	-	-	-	-	-	-	2	-	-	2	-
2	Mortlake *H* - - -	2,847	20,628	14	9	8	-	-	-	-	-	-	-	2	-	-	-	-
41 : 1	Bromley† *HHH*- - -	4,703	27,358	20	5	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H*- - -	7,825	28,499	13	6	2	1	-	1	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* *W* -	10,113	9,857	6	4	-	2	-	-	-	1	-	-	1	1	1	-	-
4	Chislehurst *HH* - -	7,333	16,458	7	5	3	-	-	-	-	-	1	-	1	-	-	-	1
42 : 1	Bexley *HHH* - - -	12,532	46,445	38	17	10	3	-	-	-	-	-	-	5	-	-	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w* - - -	11,054	18,682	12	6	1	2	-	-	-	1	-	-	1	-	-	1	-
2	Staines *WH* - - -	13,277	15,179	7	3	1	-	-	-	-	-	-	1	-	-	-	1	-
125 : 1	Hillingdon *WHH* - -	6,035	13,661	10	2	1	-	-	-	-	-	-	-	1	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	7	6	3	-	-	-	-	-	-	-	-	-	1	-	-
126 : 1	Isleworth *WHH* - -	6,859	30,838	21	14	6	3	-	-	-	-	-	-	3	1	1	4	-
2	Twickenham *HH* - -	2,421	20,991	12	6	2	3	-	-	-	-	-	-	3	1	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	30	16	9	1	-	1	-	-	-	-	5	-	1	-	-
4	Chiswick - - - -	1,249	29,809	18	9	7	-	-	-	-	-	-	-	5	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	36	23	9	2	-	-	1	-	-	-	10	-	2	-	-
127 : 1	Harrow *HHH* - - -	13,809	25,522	10	6	2	2	-	-	-	-	-	-	2	-	-	-	1
2	Edgware *HH* - - -	6,994	4,520	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Willesden *HHH* - -	4,384	114,815	76	33	21	4	-	-	-	-	1	1	15	1	1	1	-
4	Hendon *WH* - - -	8,382	22,450	13	8	1	4	-	-	-	-	-	-	-	-	1	1	-
128 : 1	South Mimms *HH* - -	17,755	7,308	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	15	4	2	2	-	-	-	-	-	-	1	-	-	1	-
3	Finchley *HHH*- - -	4,688	33,692	19	7	1	3	-	1	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - - -	2,875	72,056	20	7	3	3	-	-	-	-	-	-	1	-	-	-	-
2	Tottenham *HHH* - -	4,638	136,702	90	54	28	6	-	-	-	1	-	1	19	2	4	1	1
3	Edmonton *Ww* - -	7,491	61,892	38	28	15	3	-	-	-	-	-	-	11	1	1	5	-
4	Enfield *WWHH* - -	12,601	42,738	22	15	6	5	-	2	-	-	-	-	5	-	-	1	-
5	Waltham Abbey - - -	11,017	6,547	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	8	4	3	-	-	-	-	-	-	-	4	-	-	-	-
135 : 1	Hatfield, *part of** *W* -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - - -	9,333	9,173	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H* - - -	1,072	44,825	25	14	1	11	-	-	-	-	-	-	9	-	-	-	1
2	Plaistow *HHH* - - -	1,249	90,920	67	51	26	5	-	8	-	3	1	-	17	-	1	6	-
3	Canning Town *H* - -	1,556	70,666	60	30	17	1	-	4	-	-	-	-	10	2	2	2	-
4	Forest Gate *w* - - -	806	60,897	33	15	7	3	-	1	-	-	2	-	4	-	-	-	-
5	East Ham *wHHH* - -	3,218	95,970	66	37	22	4	-	-	-	3	2	-	10	-	2	-	-
6	Wanstead - - - -	1,737	9,198	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-
7	South Leyton *WW* -	631	50,458	30	42	10	10	-	-	-	-	3	3	9	1	3	28	-
8	North Leyton *WwH* -	1,963	48,441	28	13	10	1	-	-	-	-	-	-	7	-	2	-	-
9	Walthamstow *HHHL* -	6,504	108,931	73	43	26	3	-	-	-	-	-	1	16	3	4	2	-
187 : 1	Chigwell, *part of** *HHHH*	11,778	16,403	12	4	3	-	-	-	-	-	-	-	1	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W* -	6,556	6,089	11	3	1	-	-	-	-	-	-	-	-	-	1	-	-
2	Ilford *H* - - - -	8,496	41,240	22	12	8	2	-	-	-	-	-	-	7	-	-	-	-
3	Barking Town, *H* - -	3,803	21,547	13	8	3	-	-	-	-	-	-	-	4	-	1	-	-
	North-Western Fever Hospital, Hampstead.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 17th August, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,417	6,604,287	18·9	6·3	2391	1070	384	2	55	17	40	36	19	629	86
INNER LONDON -	74,837	4,543,757	19·6	6·1	1705	734	271	2	37	16	30	24	11	411	68
OUTER RING -	368,580	2,060,530	17·4	6·8	686	336	113	–	18	1	10	12	8	218	18

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,561	August 17	165	112	18·4	–	–	1	–	4	–
GLASGOW - -	763,144	" 17	414	306	20·9	–	11	2	1	10	2
DUBLIN† - -	375,076	" 17	185	143	19·9	–	–	1	–	3	–
CALCUTTA - -	466,460	April 13	–	745	83·3	63	4	–	–	–	500‡
		" 20	–	544	60·8	51	2	–	1	–	333‡
BOMBAY - -	821,764	July 30	277	722	48·7	2	2	?	?	?	221‡
MADRAS - -	452,518	" 12	379	359	41·2	8	3	?	?	?	105
PARIS - - -	2,511,629	August 10	1111	902	18·6	14	18	4	14*	11	4
BRUSSELS - -	582,665	" 10	252	186	16·6	–	2	–	1*	4	4
AMSTERDAM -	523,822	" 3	291	158	15·7	–	–	–	1	2	–
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	August 10	179	106	14·6	–	–	1	–	2	1
STOCKHOLM -	301,050	" 3	175	91	15·7	–	–	–	–	1	–
CHRISTIANIA -	226,423	" 10	109	101	23·2	–	–	–	–	–	–
ST. PETERSBURG	1,248,643	" 3	560	718	30·0	–	16	8	15	1	39
MOSCOW - -	1,023,817	" 3	–	599	30·5	1	3	4	7	7	5
BERLIN - -	1,891,431	July 27	928	751	20·7	–	6	7	2	7	2
HAMBURG - -	705,738	August 10	–	345	25·4	–	10	2	4*	7	–
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	August 10	–	261	31·8	–	2	–	–	–	–
MUNICH - -	500,000	" 10	–	201	20·9	–	2	–	1*	3	1
VIENNA - -	1,691,996	" 10	900	569	17·5	–	5	9	6*	–	8
PRAGUE - -	389,741	" 10	183	165	22·0	–	4	4	4	1	1
BUDA-PESTH -	744,719	" 10	389	275	19·2	–	2	3	1	–	3
TRIESTE - -	177,428	" 10	100	73	21·3	–	–	–	–	2	–
ROME - - -	467,236	July 5	–	–	–	–	–	–	–	–	–
TURIN (10 days)-	344,203	—	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	August 3	80	57	17·0	–	–	–	–	–	1
CAIRO - -	570,062	July 1	414	419	38·2	–	4	–	–	1	20
		" 8	401	476	43·4	1	6	–	7*	–	15
ALEXANDRIA -	319,766	" 1	203	204	33·2	2	–	–	1*	–	7‡
		" 8	187	234	38·1	3	2	–	3*	–	4‡
NEW YORK (including BROOKLYN)	3,536,517	" 27	1484	1644	24·3	9	10	16	16*	6	13
PHILADELPHIA -	1,293,697	" 27	–	461	18·6	1	–	2	4	8	8

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 49 and 53 deaths, respectively from cholera in Calcutta, and 5 in Bombay.
‡ Including 430 and 277 deaths, respectively, from plague in Calcutta, 113 in Bombay, and one death in each wee

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 11	..	29·783	72·9	47·6	25·3	60·2	− 2·3	46·1	14·1	23·8	2·3	60	140·0	36·7	63·88	SW. & SSW.	SSW., SW. & SSE.	3·2	0·0	0·3	262	+ 9	0·00	1·2
MONDAY - 12	..	29·747	69·2	50·3	18·9	58·4	− 4·1	51·4	7·0	18·0	1·6	78	134·8	37·5	63·79	S., SSE. & SSW.	SW. & SSW.	5·8	0·0	0·6	310	+ 61	0·04	3·8
TUESDAY - 13	..	29·913	73·9	51·2	22·7	61·1	− 1·3	52·1	9·0	21·4	1·1	72	142·9	38·7	63·68	SSW. & WSW.	SW. & SSW.	2·1	0·0	0·1	228	− 17	0·00	3·8
WEDNESDAY 14	New	29·825	74·3	57·1	17·2	63·3	+ 1·0	56·9	6·4	18·4	1·3	80	138·9	53·8	63·50	S. & SSW.	SSW., SSE. & SE.	2·8	0·0	0·2	195	− 46	0·34	5·2
THURSDAY - 15	..	29·691	71·3	57·3	14·0	62·9	+ 0·8	54·2	8·7	16·4	2·1	73	127·5	48·5	63·40	SSE., SW. & W.	NW. & NNW.	3·6	0·0	0·3	255	+ 17	0·12	3·0
FRIDAY - 16	In Equator	29·987	70·2	53·2	17·0	60·3	− 1·7	48·3	12·0	21·6	2·6	65	131·1	44·6	63·35	WNW.	NW., WNW. & WSW.	1·7	0·0	0·1	221	− 13	0·00	0·0
SATURDAY - 17	..	30·025	73·7	48·1	25·6	61·1	− 0·7	49·7	11·4	21·2	1·7	66	127·6	39·1	63·21	WSW., SSE. & SSW.	SSW., SSE. & SE.	1·1	0·0	0·0	156	− 75	0·00	0·0
MEANS - -		29·853	72·2	52·1	20·1	61·0	− 1·2	51·2	9·8	20·1	1·8	71	134·7	42·7	63·54	S. & SW.		..	..	..	Sum 1627	Sum − 64	Sum 0·50	2·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. August.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 11	w. P. till 10h. P.M.; v. P. and w. N. afterwards.	14·1	14·8	Very fine, with small amounts of cloud, till 10h. P.M.; overcast, with lightning and occasional slight showers, afterwards.
MONDAY - 12	w. P. generally, with occasional v. N., till 4h. P.M.; m. P. afterwards.	5·3	14·8	Very fine, with occasional lightning, in early morning; variable and showery till afternoon; very fine at night.
TUESDAY - 13	m. P. generally.	7·2	14·7	Very fine in early morning; fine and partially cloudy till evening; very fine at night.
WEDNESDAY 14	w. P. generally till 4h. P.M.; m. P. till 8h. P.M.; v. P. and w. N. afterwards.	1·3	14·7	Cloudy; frequent rain after noon.
THURSDAY - 15	w. P. generally till 9h. A.M.; m. P. till 3h. P.M.; s. P. generally afterwards.	5·2	14·6	Overcast in morning, with continuous rain, till 2h. A.M.: variable, with occasional showers, till evening; cloudless at night. A little hail in the afternoon.
FRIDAY - 16	m. P. generally till 2h. P.M.; s. P. till 9h. P.M.; m. P. afterwards.	8·9	14·5	Fine; partially cloudy.
SATURDAY - 17	m. P. generally.	7·3	14·5	Very fine till 11h. A.M.; cloudy till afternoon; fine, with small amounts of cloud generally, afterwards. Solar halo in forenoon.
		Sum 49·3	Sum 102·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·71 in. at the beginning of the week to 29·80 in. by 8h. A.M. on the 11th; decreased to 29·72 in. by 11h. A.M. on the 12th; increased to 29·96 in. by 9h. P.M. on the 13th; decreased to 29·64 in. by 5h. A.M. on the 15th; increased to 30·06 in. by 11h. P.M. on the 16th; and decreased to 29·99 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th August, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	6	5	-	2	-	-	3	-
Kensington	176,787	-	14	5	-	5	-	-	2	-
Hammersmith	112,619	-	3	3	-	3	-	-	2	-
Fulham	138,426	-	13	5	-	10	-	-	4	-
Chelsea	73,879	-	3	2	-	-	-	-	-	1
City of Westminster	182,502	-	14	4	-	-	-	-	4	1
NORTH.										
St. Marylebone	133,060	1	5	5	-	2	-	-	1	1
Hampstead	82,287	-	5	2	-	1	-	-	1	-
St. Pancras	235,297	3	11	17	-	3	-	-	8	1
Islington	335,325	-	34	17	-	5	-	-	4	-
Stoke Newington	51,328	-	6	2	-	1	-	-	-	-
Hackney	219,780	-	17	14	-	2	-	-	7	-
CENTRAL.										
Holborn	59,205	-	4	4	-	1	-	-	3	-
Finsbury	101,263	-	5	9	-	-	-	-	4	-
City of London	26,627	-	2	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	6	7	-	-	-	-	1	-
Bethnal Green	129,700	-	26	16	-	3	1	-	1	-
Stepney	298,884	-	26	21	-	7	-	-	6	-
Poplar	168,887	-	5	12	-	4	-	-	4	-
SOUTH.										
Southwark	206,219	-	39	11	-	4	-	-	2	-
Bermondsey	130,348	-	23	9	-	8	-	-	2	1
Lambeth	302,460	-	20	4	-	2	-	-	4	-
Battersea	169,364	-	13	5	-	3	-	-	3	-
Wandsworth	233,943	1	11	6	-	3	-	-	5	-
Camberwell	259,897	-	35	21	-	-	-	-	6	-
Deptford	110,732	-	8	5	-	1	-	-	-	-
Greenwich	96,188	-	5	1	-	7	-	-	3	-
Lewisham	128,423	-	6	5	-	2	-	-	2	-
Woolwich	117,619	-	6	3	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	5	371	221	-	79	1	-	84	5
Ages 0-1		-	4	1	-	1	-	-	2	-
" 1-5		-	129	72	-	3	-	-	5	-
" 5-		-	117	78	-	5	-	-	1	-
" 10-		2	62	33	-	14	1	-	2	-
" 15-		2	25	13	-	17	-	-	3	-
" 20-		1	15	7	-	13	-	-	5	1
" 25-		-	13	15	-	17	-	-	19	3
" 35-		-	4	1	-	2	-	-	15	1
" 45-		-	2	-	-	5	-	-	7	-
" 55-		-	-	1	-	2	-	-	18	-
" 65 and upwards		-	-	-	-	-	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS
By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1901. VOL. LXII.] WEEK ENDED SATURDAY, AUG. 24. [Price 1½*d.*

General Register Office, Somerset House,
August 26th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·6 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 22·4, 22·1, and 21·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.		Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
33 Great Towns	22·4	22·1	21·3	21·6	Leicester - -	21·8	17·4	20·1	24·0
Birkenhead -	24·9	22·0	30·5	26·7	Liverpool - -	30·2	25·4	22·8	22·9
Birmingham -	25·0	23·6	21·9	27·2	London - - -	20·0	18·8	19·6	19·2
Blackburn -	22·0	25·3	20·4	23·7	Manchester - -	29·2	30·4	26·3	26·9
Bolton - -	24·7	19·5	21·6	20·1	Newcastle-on-Tyne	31·7	28·1	26·9	28·5
Bradford -	18·1	20·1	20·1	19·5	Norwich - -	15·4	18·6	22·8	21·0
Brighton -	17·3	18·6	20·7	19·0	Nottingham - -	23·0	24·9	21·7	23·2
Bristol - -	13·1	11·9	14·2	14·4	Oldham - -	18·6	23·5	14·4	26·2
Burnley -	25·7	22·0	24·7	17·1	Plymouth - -	14·0	14·5	18·8	18·8
Cardiff - -	11·7	15·5	13·9	14·8	Portsmouth - -	29·4	26·4	22·2	21·4
Croydon -	9·7	12·0	13·2	16·3	Preston - -	27·7	24·4	26·7	21·2
Derby - -	21·6	22·6	16·7	18·7	Salford - - -	25·9	34·1	28·7	27·5
Gateshead -	33·0	40·6	30·2	30·2	Sheffield - -	28·1	32·6	27·2	25·0
Halifax -	11·4	15·9	10·4	17·9	Sunderland - -	27·3	33·7	30·2	29·1
Huddersfield-	18·1	21·4	17·6	14·3	Swansea - -	14·9	15·4	15·4	27·0
Hull - -	19·0	27·2	27·2	27·0	West Ham - -	31·0	28·5	24·6	22·3
Leeds - -	29·6	27·7	22·2	24·7	Wolverhampton -	11·6	12·1	21·0	21·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Salford, 1·9 in Birkenhead, and 2·5 in West Ham; from *scarlet fever*, 1·1 in Wolverhampton and 1·2 in Blackburn; from *whooping-cough*, 1·7 in Swansea; and from *diarrhœal diseases*, 8·3 in Preston, 8·7 in Nottingham, 8·8 in Birmingham and in Leicester, 9·0 in Blackburn, 9·1 in Burnley, 9·3 in Sheffield, 9·7 in Newcastle-on-Tyne, 10·1 in Salford, 10·4 in Manchester, 10·8 in Hull, 11·0 in Sunderland, and 14·6 in Gateshead. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 58 deaths from *diphtheria* included 27 in London, 6 in Leicester, and 4 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2643 BIRTHS and 1676 DEATHS were registered. Allowing for increase of population, the births were equal to, and the deaths were 10 above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·0, 18·8, and 19·6 in the preceding three weeks, fell again last week to 19·2.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

During the four weeks ended on Saturday last the death-rate averaged 19·4 per 1000, being 1·0 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1676 deaths included 26 from measles, 12 from scarlet fever, 27 from diphtheria, 17 from whooping-cough, 25 from enteric fever, 375 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 486 deaths were referred to these diseases, being 101 above the corrected average weekly number.

The deaths from *measles*, which had been 45, 40, and 37 in the preceding three weeks, further fell last week to 26, and were 8 below the corrected average; 5 cases belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 15, 10, and 16 in the preceding three weeks, fell again last week to 12, and were 6 below the corrected average; 4 cases belonged to Southwark, 2 to Bermondsey, and 2 to Bethnal Green. The deaths from *diphtheria*, which had been 28, 24, and 30 in the preceding three weeks, fell again last week to 27, and were 8 below the corrected average; 6 cases belonged to Islington, 4 to Finsbury, and 3 to St. Pancras. The deaths from *whooping-cough*, which had been 20, 19, and 24 in the preceding three weeks, fell again last week to 17, and were 12 below the corrected average. The fatal cases of *enteric fever*, which had been 11, 18, and 10 in the preceding three weeks, rose again last week to 25, and were 12 above the corrected average; 3 cases belonged to Bermondsey, 2 to Battersea, 2 to Kensington, 2 to Fulham, 2 to Islington, and 2 to Stepney. The deaths from *diarrhœal diseases*, which had been 403, 372, and 411 in the preceding three weeks, fell again last week to 379, but were 123 above the corrected average. Of the 379 deaths from diarrhœal diseases, 357 were of children under 5 years of age; 21 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 126, 126, and 103 in the preceding three weeks, rose again last week to 126, but were 27 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 5, 2, and 3 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all but 3 of which inquests were held. Of these 56 deaths, 6 were cases of suicide, and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 5 to burns and scalds, 9 to drowning, 2 to sunstroke, and 8 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 41 cases of small-pox, 3040 of scarlet fever, 1318 of diphtheria, and 198 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 30 cases, against 4, 3, and 8; of scarlet fever, 273 cases, against 391, 306, and 290; of diphtheria, 170 cases, against 195, 171, and 175; and of enteric fever, 42 cases, against 34, 37, and 35. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended August 17th.

Greater London.

In Greater London 3887 births and 2342 deaths were registered, corresponding to annual rates of 30·7 and 18·5 per 1000 of the estimated population. In the Outer Ring 23 deaths from measles, 2 from scarlet fever, 13 from diphtheria, 4 from whooping-cough, 9 from "fever," and 221 from diarrhœal diseases were registered. Seventeen deaths from measles and 80 from diarrhœal diseases occurred in West Ham district; 5 deaths from diphtheria, 3 from "fever," and 40 from diarrhœal diseases occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·10 inches, and that of the Thermometer 63°·9; the latter being 2°·7 above the week's average in the 50 years 1841–90. The direction of the wind was easterly, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 74·4 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 24th Aug. 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Mean. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,463,026	6525	4750	2051	833	-	87	28	53	49	61	1356	128	251	880	45	21·6	7·5	84·0	42·0	61·8	16·56	0·03	0·08	33 Towns.
London - -	4,543,757	2643	1676	689	327	-	26	12	27	17	25	379	56	116	467	1	19·2	5·6	81·9	44·5	63·9	17·72	0·00	0·00	London.
West Ham - -	268,868	167	115	62	17	-	13	-	1	-	1	39	4	8	16	1	22·3	10·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	77	42	27	6	-	2	-	-	1	-	18	-	4	5	-	16·3	8·1	81·0	46·5	62·2	16·78	0·00	0·00	Croydon.
Brighton - -	123,668	63	45	20	8		-	-	2	-	-	12	-	3	10	-	19·0	5·9	84·0	54·0	65·4	18·56	0·00	0·00	Brighton.
Portsmouth -	189,907	90	78	37	21		-	-	1	-	2	27	3	4	10	-	21·4	8·2	81·0	53·5	63·7	17·61	0·00	0·00	Portsmouth.
Plymouth - -	107,974	66	39	19	2	-	-	-	-	-	-	11	1	2	3	1	18·8	5·3	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	186	91	20	27	-	-	-	2	2	1	6	4	9	21	1	14·4	1·7	80·0	47·0	61·5	16·39	0·00	0·00	Bristol.
Cardiff - -	165,308	103	47	21	13	-	1	-	1	-	-	5	2	3	7	-	14·8	2·2	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	58	49	19	6	-	-	-	-	3	-	4	4	4	5	1	27·0	3·9	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	45	38	16	10	-	-	2	-	-	-	12	2	3	5	-	21·0	7·7	79·2	42·0	58·5	14·72	0·00	0·00	Wolverhampton.
Birmingham -	523,284	332	273	125	41	-	9	3	-	4	3	88	4	12	33	10	27·2	10·7	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	49	45	19	5	-	-	1	-	-	-	17	2	2	3	-	21·0	8·4	-	-	-	-	-	-	Norwich.
Leicester - -	212,498	112	98	52	17	-	-	-	6	2	2	36	5	8	16	1	24·0	11·3	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	127	107	57	12	-	3	-	-	1	4	40	1	4	14	-	23·2	10·4	79·2	43·1	60·0	15·56	0·01	0·03	Nottingham.
Derby - - -	106,076	51	38	20	9	-	-	-	-	-	-	15	-	-	4	-	18·7	7·4	-	-	-	-	-	-	Derby.
Birkenhead -	11,203	66	57	21	10	-	4	-	-	1	1	11	2	3	8	-	26·7	8·0	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	389	301	113	41	-	4	1	1	1	6	82	5	11	68	10	22·9	7·2	-	-	-	-	-	-	Liverpool.
Bolton - -	168,748	77	65	25	18	-	-	-	-	1	3	20	2	2	4	-	20·1	7·4	-	-	-	-	-	-	Bolton.
Manchester -	544,934	292	281	116	34	-	3	2	2	3	2	109	6	13	48	3	26·9	11·6	-	-	-	-	-	-	Manchester.
Salford - -	221,526	110	117	50	21	-	5	-	4	1	1	43	1	2	15	1	27·5	12·7	-	-	-	-	-	-	Salford.
Oldham - -	137,382	59	69	22	16	-	2	1	1	-	-	20	1	2	3	-	26·2	9·1	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	52	32	20	2	-	-	-	-	1	-	17	-	-	-	1	17·1	9·6	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	77	58	25	7	-	-	3	2	-	-	22	-	2	2	-	23·7	11·0	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	54	46	29	1	-	2	-	-	-	-	18	1	1	-	-	21·2	9·2	75·0	49·0	60·3	15·72	0·29	0·74	Preston.
Huddersfield -	94,998	48	26	8	7	-	-	-	-	-	-	7	-	1	1	-	14·3	3·8	71·8	44·3	61·5	16·39	0·00	0·00	Huddersfield.
Halifax - -	105,113	46	36	10	10	-	-	1	-	-	-	9	-	2	6	1	17·9	5·0	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	125	105	45	14	-	-	1	-	3	1	23	4	6	17	-	19·5	5·2	79·2	46·6	62·2	16·78	0·05	0·13	Bradford.
Leeds - - -	430,489	254	204	80	45	-	7	1	3	2	1	46	5	7	27	2	24·7	7·3	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	240	183	86	31	-	3	-	2	2	3	68	4	5	17	4	25·0	10·6	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	169	125	68	18	-	-	-	1	2	3	50	2	4	12	2	27·0	12·1	81·0	44·0	60·2	15·67	0·00	0·00	Hull.
Sunderland -	146,937	86	82	39	11	-	-	-	-	1	1	31	2	3	8	1	29·1	11·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	72	64	38	4	-	1	-	1	-	-	31	1	1	1	2	30·2	15·6	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	140	118	53	22	-	2	-	1	1	1	40	4	4	24	2	28·5	10·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2501	2495	2571	2378	2448	2498	2718	2551	2646	2677	2643·2	2643
Males	1234	1237	1306	1201	1235	1254	1409	1283	1354	1349	1334·1	1347
Females	1267	1258	1265	1177	1213	1244	1309	1268	1292	1328	1309·1	1296
TOTAL **Deaths**	1403	1406	1718	1284	1430	1426	1748	1856	2100	1691	1666·0	1676
Males	735	736	901	633	705	720	924	985	1104	905	865·9	895
Females	668	670	817	651	725	706	824	871	996	786	800·1	781

*The numbers in this column are the average weekly numbers in the thirty-fourth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
TOTAL **Births**	2148	2624	2406	2451	2478	2413	2526	2519	2384	2844	2322	2659	2643
TOTAL **Deaths**	1345	1236	1191	1204	1210	1256	1237	1411	1582	1747	1636	1705	1676
Ages at Death: Under 1 year	289	232	258	283	267	285	282	411	583	716	664	734	689
1—5 years	183	156	152	144	154	146	140	168	215	196	185	185	167
5—20 ,,	66	72	78	72	58	68	88	77	73	87	92	70	83
20—40 ,,	180	189	177	154	176	173	180	175	169	191	171	186	177
40—60 ,,	275	278	253	247	264	266	258	279	252	268	244	259	233
60—80 ,,	277	256	218	250	235	244	236	244	241	243	226	229	270
80 years and upwards	75	53	55	54	56	74	53	57	49	46	54	42	57
Deaths from—													
Small pox	–	–	–	–	1	–	–	–	–	1	1	2	–
Measles	48	35	38	42	51	49	37	45	60	45	40	37	26
Scarlet Fever	17	17	21	13	12	8	17	10	20	15	10	16	12
Diphtheria	13	15	13	18	18	27	24	30	28	28	24	30	27
Whooping-cough	33	32	35	25	25	22	15	17	24	20	19	24	17
Typhus	–	1	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever	10	6	7	2	4	6	2	9	10	11	18	10	25
Simple Continued Fever	–	–	–	–	–	–	1	2	–	–	–	–	–
Diarrhœa and Dysentery	14	17	26	25	23	45	71	140	289	399	367	404	375
Cholera	1	–	–	–	–	1	2	–	5	4	5	7	4
All the above Diseases	136	123	140	125	134	158	169	253	436	523	484	531	486
Dis. of Respiratory System	240	187	159	150	141	165	133	135	134	126	126	103	126
Phthisis	131	140	122	113	138	133	168	114	111	153	106	123	120
Dis. of Circulatory System	116	121	122	103	109	139	104	116	111	113	113	97	120
Violence	60	69	68	55	42	59	49	72	74	81	77	68	56
Inquest Cases	122	150	136	126	101	117	123	138	141	162	155	159	116
Deaths in Public Institutions	476	420	456	419	454	435	435	467	459	507	458	460	467
TEMPERATURE OF THE AIR													
Mean	60°·0	58°·8	56°·8	58°·0	61°·0	64°·1	64°·5	68°·4	61°·6	65°·1	64°·6	61°·0	63°·[illegible]
Mean of Highest readings	71·6	69·9	67·6	67·8	71·8	73·9	77·2	81·6	71·7	75·8	76·8	72·2	76·0
Mean of Lowest readings	49·0	48·6	47·0	50·1	50·9	56·1	52·2	54·4	51·5	54·9	55·3	52·1	50·[illegible]
Humidity of the Air	69	69	60	71	63	75	68	63	83	72	70	71	6[illegible]
Rain-fall (in inches)	0·27	0·03	0·10	0·43	0·00	1·05	0·00	0·00	1·30	0·38	0·08	0·50	0·0[illegible]
Registered Sunshine (in hours)	51·2	52·3	63·7	36·4	69·5	46·1	60·2	75·5	18·4	49·2	49·0	49·3	74·[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	1	1	1	1	5	6	12	14	11	13	11	13	4
Scarlet Fever	2351	2462	2594	2708	2821	2895	2918	2907	2974	3091	3148	3101	304[illegible]
Diphtheria	1107	1092	1104	1138	1176	1195	1228	1267	1303	1336	1363	1361	131[illegible]
Typhus	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	95	93	105	117	125	128	145	152	165	166	180	188	19[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed the meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford: and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FOURTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 34th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 24th August, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1666·0	1676	689	167	83	177	233	270	57
all- Vaccinated† -	0·3	-	-	-	-	-	-	-	-
ox Unvaccinated	0·6	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
sles - - - -	33·6	26	8	18	-	-	-	-	-
let Fever - - -	17·6	12	1	6	5	-	-	-	-
hus - - - -	0·1	-	-	-	-	-	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	3·8	2	1	-	-	-	-	1	-
oping-cough - -	29·0	17	12	5	-	-	-	-	-
ntheria - -	34·8	27	-	15	11	1	-	-	-
ple Continued and -defined Fever -	0·2	-	-	-	-	-	-	-	-
eric Fever - - -	12·7	25	-	-	8	14	3	-	-
lera and Chol. Diarr.	8·4	4	1	-	-	1	1	1	-
rrhœa, Dysentery -	247·7	375	314	42	1	1	2	11	4
nittent Fever - -	0·1	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
rpox and Effects of ccination - -	0·1	-	-	-	-	-	-	-	-
erealAffections - -	9·0	5	3	-	-	1	1	-	-
sipelas - - -	5·0	1	-	-	-	-	1	-	-
mia and Septicæmia	2·0	4	1	-	1	1	1	-	-
rperal Fever - -	3·6	3	-	-	1	2	-	-	-
er Zymotic Diseases	1·3	3	2	-	-	1	-	-	-
ush - - - -	1·2	2	2	-	-	-	-	-	-
ms and other Para- ical Diseases -	0·5	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	1·7	5	5	-	-	-	-	-	-
holism - - -	13·4	6	-	-	-	1	5	-	-
umatic Fever, eumatism of Heart	8·4	6	-	-	-	2	3	1	-
umatism - - -	1·9	1	-	-	-	-	-	1	-
t - - - - -	3·2	2	-	-	-	-	2	-	-
kets - - - -	6·9	4	3	1	-	-	-	-	-
cer - - - -	75·5	81	-	-	-	7	32	40	2
es Mesenterica - -	35·5	26	18	2	3	3	-	-	-
ercular Meningitis -	25·6	33	18	11	4	-	-	-	-
isis - - - -	138·6	120	2	4	10	55	39	10	-
fula, Tuberculosis -	21·1	22	7	4	7	2	2	-	-
er Constitutional seases - -	11·2	16	2	-	2	2	6	4	-
nature Birth - -	50·6	50	50	-	-	-	-	-	-
ectasis - - -	3·0	4	4	-	-	-	-	-	-
genital Malforma- ons - - -	6·7	13	11	1	-	1	-	-	-
Age - - - -	43·4	53	-	-	-	-	-	23	30
plexy - - -	33·9	39	2	1	-	-	12	20	4
lepsy - - - -	7·1	7	-	-	-	3	1	3	-
vulsions - - -	39·9	29	26	1	2	-	-	-	-
er Diseases of Brain d Nervous System	79·3	62	10	8	4	7	15	18	-
eases of Organs of pecial Sense -	3·9	5	1	1	2	-	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 34th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 24th August, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	110·1	120	1	-	9	17	37	48	8
Croup - - - -	1·8	1	-	1	-	-	-	-	-
Bronchitis - - -	67·3	46	10	4	-	1	7	20	4
Pneumonia - - -	66·1	73	19	17	2	14	11	8	2
Pleurisy - - - -	3·7	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System -	14·4	6	-	2	-	-	1	3	-
Dentition - - - -	8·5	8	5	3	-	-	-	-	-
Quinsy, Sore Throat -	1·1	1	1	-	-	-	-	-	-
Enteritis - - -	100·0	42	29	4	2	2	1	4	-
Gastro-enteritis -		24	18	3	-	-	1	2	-
Peritonitis - - -	7·1	5	-	-	-	3	2	-	-
Diseases of Liver - -	29·5	27	3	-	-	2	11	11	-
Other Diseases of Digestive System	33·7	45	19	3	2	5	8	7	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	4	-	-	-	2	1	1	-
Diseases of Urinary System - - -	42·0	39	-	-	-	3	10	25	1
Diseases of Generative System - - -	5·6	6	-	-	-	2	3	1	-
Accidents of Childbirth-	4·4	7	-	-	-	6	1	-	-
Diseases of Locomotive System - - -	4·4	2	-	-	1	1	-	-	-
Diseases of Integumentary System- -	6·3	3	2	-	-	-	-	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·7	-	-	-	-	-	-	-	-
By Vehicles or Horses -	5·8	8	-	3	-	2	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·4	-	-	-	-	-	-	-	-
In Building Operations -	1·6	1	-	-	-	-	1	-	-
In Conflagrations -	0·7	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	3·2	5	-	3	1	-	1	-	-
By Drowning - - -	8·9	9	-	1	2	6	-	-	-
By Suffocation in Bed -	7·5	8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·9	2	-	-	1	-	1	-	-
Other or not stated causes - - -	19·6	16	1	2	2	4	1	5	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·2	1	-	-	-	-	1	-	-
Suicide - - - -	7·5	6	-	-	-	2	4	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	75·0	71	69	1	-	-	-	1	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered lical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 24th August, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,536,063	2643	1676	689	327	-	26	12	27	17	-	25	-	379	56	116	467
WEST DISTRICTS - - -	805,275	375	235	104	36	-	5	-	-	2	-	5	-	63	7	13	50
NORTH DISTRICTS - - -	1,056,018	544	350	143	69	-	4	1	13	4	-	4	-	64	13	25	100
CENTRAL DISTRICTS - - -	209,432	139	81	22	15	-	2	-	-	2	-	3	-	17	6	9	27
EAST DISTRICTS - - -	715,772	508	308	125	66	-	10	-	2	5	-	3	-	50	11	32	98
SOUTH DISTRICTS - - -	1,749,566	1077	667	295	133	-	5	7	11	4	-	10	-	184	19	37	157
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	-	8	-	-	4	1	-	-	-	-	1	-	-	35
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	40	21	9	5	-	-	-	-	-	-	-	-	7	-	-	3
St. John Paddington *H* - - G.	33,608	7	14	3	-	-	-	-	-	-	-	-	-	2	1	1	6
North-West Paddington - - C.	17,181	7	3	3	-	-	-	-	-	-	-	-	-	2	-	-	-
Kensington Town *Ww* - W. & C.	128,025	62	44	20	9	-	-	-	-	-	-	2	-	9	-	4	7
Brompton *HH*- - - W. & C.	48,598	10	12	2	3	-	1	-	-	-	-	-	-	-	1	-	6
North Hammersmith *H* W. & G	49,335	25	14	9	1	-	-	-	-	-	-	-	-	3	-	-	-
South Hammersmith *wH* W. & G	62,910	35	36	14	6	-	2	-	-	-	-	1	-	11	1	3	5
North-west Fulham *W* W. & C.	45,180	34	18	11	4	-	-	-	-	1	-	-	-	8	1	1	5
North-east Fulham *w* W. & C.	46,404	24	9	4	1	-	-	-	-	-	-	2	-	4	-	-	1
South Fulham W. & C.	45,705	35	11	9	1	-	-	-	-	1	-	-	-	6	-	-	-
Chelsea North *WWHHHH* - C.	42,515	18	11	5	3	-	-	-	-	-	-	-	-	4	-	-	3
Chelsea South *HH* - - C.	31,341	12	6	2	-	-	-	-	-	-	-	-	-	3	-	1	2
May Fair and Knightsbridge *H* C. & G.	28,744	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	19	9	4	2	-	-	-	-	-	-	-	-	1	1	1	3
St. Margaret & St. John Westminster *HHH* C.	43,665	19	20	7	-	-	2	-	-	-	-	-	-	3	-	-	9
St. James Westminster *WH* N. & G.	21,595	12	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Anne Soho *HHHHH* - N.	11,492	9	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	10	11	2	3	-	-	-	-	-	-	-	-	-	2	2	6
Rectory Marylebone *W* G. & W.	19,869	1	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.	18,099	38	5	3	-	-	-	-	-	-	-	-	-	1	-	-	1
Christchurch Marylebone *H* - W	39,541	16	14	9	2	-	-	-	-	1	-	-	-	7	2	2	-
St. John Marylebone *HHH* - W	20,426	8	10	3	4	-	-	-	-	-	-	-	-	1	-	1	-
Hampstead *WwHHHHH* - N. & W.	81,942	32	28	8	5	-	-	1	7	-	-	3	-	4	-	-	16
Regent's Park *H* - W.	50,647	25	12	4	2	-	-	-	-	-	-	-	-	3	1	2	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	7	15	5	3	-	-	-	-	-	-	-	-	3	-	1	7
Gray's Inn Lane *HHHH* - N.	30,886	21	14	6	2	-	-	-	-	-	-	-	-	3	2	2	4
Somers Town *HH* - - - N.	30,131	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Camden Town *WH* - - N.	40,079	19	12	4	2	-	-	-	-	-	-	-	-	3	-	-	4
Kentish Town *WW* - - N.	58,727	28	23	8	8	-	-	-	-	-	-	-	-	2	-	-	10
Tufnell *W*																	
Upper Holloway *WWwHH* - N.	99,841	14	18	6	6	-	1	-	-	-	-	-	-	1	-	-	10
Tollington *W*		21	21	-	9	-	1	-	-	-	-	-	-	-	-	-	17
Lower Holloway - - - N.	41,411	17	9	5	2	-	-	-	-	-	-	-	-	1	-	-	-
Barnsbury - - - - N.	54,479	27	10	6	1	-	-	-	-	-	-	1	-	3	-	1	-
Islington South-east *H* - N.	75,402	31	16	8	3	-	1	-	-	-	-	-	-	5	1	2	-
Highbury *HH* - - - N.	63,795	30	12	9	-	-	-	-	-	1	-	-	-	5	1	2	2
Stoke Newington *H* - - N.	51,247	17	10	5	2	-	-	-	-	-	-	-	-	2	-	-	-
North Hackney - E. & N.	50,570	32	10	5	3	-	-	-	-	-	-	-	-	1	1	1	-
Central Hackney *ww* - E. & N.	50,535	23	22	11	1	-	-	-	4	1	-	-	-	5	1	4	4
South-west Hackney *HHH* E. & N.	59,929	48	28	15	2	-	-	-	-	-	-	-	-	9	2	3	10
South-east Hackney *WwH* E. & N.	58,254	36	22	9	5	-	-	-	1	-	-	-	-	4	-	-	8

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Uppe Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 24th August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	17	7	1	2	-	-	-	-	-	-	-	-	1	1	1	1	-
t Giles North *H* - - - N.	8,959	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
.Martin-in-the-Fields *HH* N. & C	12,975	5	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
rand *WHH* - - - N.	8,694	2	5	2	1	-	-	-	-	-	-	-	-	3	-	-	4	-
rand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
olborn *WHHHHH* - - N.	29,579	16	12	6	1	-	-	-	-	-	-	1	-	1	-	-	7	-
.James Clerkenwell - - N.	15,634	12	7	3	-	-	2	-	-	-	-	-	-	2	-	1	-	-
mwell - - - - - N.	32,691	20	14	4	3	-	-	-	-	-	-	-	-	4	-	1	-	-
oswell-street - - - - N.	15,390	13	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
insbury* *HHHL* - - N.	35,376	45	8	2	2	-	-	-	-	1	-	-	-	4	-	-	-	-
olborn Union Workhouse, Mitcham - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
.Botolph *H* - - N. & E.	11,036	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.Sepulchre *WH* - - - N	7,886	1	13	1	-	-	-	-	-	-	-	2	-	1	4	5	10	-
lhallows Barking - - - N	8,717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ty of London Asylum, Stone - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	9	5	2	-	-	-	-	-	-	-	-	-	1	-	-	3	-
xton New Town *wH* - - N	29,761	26	17	8	5	-	-	-	-	1	-	-	-	1	1	3	4	-
xton Old Town - - - N	26,510	18	8	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-
ggerston *W* - - N & E.	46,064	23	23	6	6	-	3	-	-	-	-	-	-	3	-	1	10	-
thnal Green North *HH* - E.	51,513	36	11	6	1	-	-	-	-	-	-	-	-	2	1	1	1	-
thnal Green South - - E	33,473	25	12	8	1	-	1	-	-	1	-	-	-	3	-	2	-	-
thnal Green East *WWHl* - E.	44,695	28	29	9	8	-	-	-	1	-	-	-	-	5	2	4	12	-
italfields - - - E. & N.	27,965	14	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
le End New Town *WH* - E.	28,711	30	35	10	2	-	-	-	1	-	-	2	-	2	3	4	29	-
odman's Fields - - - E.	22,082	8	5	5	-	-	-	-	-	-	-	-	-	3	-	1	-	-
George's, North - - - E.	40,965	38	11	5	1	-	-	-	-	-	-	1	-	1	-	-	-	-
John *W* - - - E.	8,122	5	10	1	5	-	-	-	-	-	-	-	-	2	-	1	7	-
adwell *H* - - - E. & N.	10,760	6	9	6	-	-	1	-	-	1	-	-	-	2	-	-	3	-
tcliff *W* - - - - E.	14,770	12	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
nehouse - - - - - E	32,358	33	20	14	3	-	-	-	-	-	-	-	-	6	1	1	-	-
le End Old Town West *H* E.	59,467	49	15	6	3	-	3	-	-	1	-	-	-	2	-	2	-	-
le End Old Town East *VWw* - E.	53,348	32	24	5	9	-	1	-	-	-	-	-	-	4	-	2	10	-
w *l* - - - - E.	41,990	29	12	7	2	-	-	-	-	-	-	-	-	3	1	1	1	-
omley *wwwH* - - - E.	68,326	42	34	10	14	-	1	-	-	-	-	-	-	5	-	2	17	-
plar *WW* - - - - E.	58,522	45	20	8	4	-	-	-	-	-	-	-	-	3	2	4	1	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	9	6	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
St. Saviour Southwark - - S.	12,056	4	23	3	7	-	-	-	-	-	-	1	-	1	2	2	17	-
Kent-road - - - S. & L.	21,899	16	9	2	2	-	-	-	-	-	-	-	-	3	-	-	-	-
Borough-road *WH* - S. & L.	16,882	12	10	8	1	-	-	-	-	-	-	-	-	5	-	1	5	-
London-road *HL* - L. & S.	22,209	8	6	4	1	-	-	-	-	-	-	-	-	2	-	2	-	-
Trinity Newington *H* - S. & L.	28,485	13	6	2	-	-	-	-	-	-	-	-	-	5	-	-	1	-
St. Peter Walworth *W* - S. & L.	61,773	45	23	12	5	-	-	-	-	1	-	-	-	7	1	2	-	-
St. Mary Newington - L. & S.	31,592	23	11	5	3	-	-	-	-	-	-	-	-	5	-	-	-	-
St. Olave *W* - - - - S.	9,813	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Bermondsey *W* - - - S.	82,405	61	25	13	3	-	-	-	-	-	-	-	-	10	-	3	-	-
Rotherhithe *Ww* - - S. & K.	38,268	32	23	7	6	-	-	-	-	-	-	-	-	2	1	1	8	-
Waterloo-road *HH* - L. & S.	27,435	23	15	7	4	-	1	-	-	-	-	-	-	2	1	1	1	-
Lambeth Church 1st *HH* L. & S.	18,420	12	19	4	5	-	-	-	-	-	-	-	-	3	1	3	13	-
Lambeth Church 2nd *WW* L. & S.	39,818	19	23	5	5	-	-	-	-	-	-	-	-	3	-	-	13	-
Kennington 1st *H* - S. & L.	53,196	46	16	8	3	-	-	-	-	-	-	-	-	5	-	-	-	-
Kennington 2nd - - S. & L.	42,891	15	10	6	1	-	-	-	-	-	-	-	-	4	-	-	-	-
Brixton *w* - - - L. & S.	84,226	43	29	16	3	-	-	1	3	-	-	-	-	8	1	-	4	-
Norwood *WH* - - - L.	35,887	21	9	7	1	-	-	-	-	-	-	-	-	4	-	-	-	-
East Battersea - - - S.	72,201	39	26	18	1	-	1	-	-	1	-	-	-	10	-	1	-	-
North-west Battersea - - S.	49,650	43	15	11	2	-	1	-	-	1	-	-	-	8	-	1	-	-
South-west Battersea *WwH* - S.	47,045	26	27	11	12	-	1	-	-	-	-	-	-	3	-	-	15	-
Clapham *H* - - - - S.	51,353	23	20	6	5	-	-	-	-	-	-	-	-	8	1	1	-	-
Streatham *WwwwwL* - - L.	88,129	42	33	14	6	-	-	-	1	-	-	3	-	8	-	1	6	-
Wandsworth *WHHL* - - S.	68,409	39	24	10	8	-	-	-	-	-	-	-	-	10	1	2	-	-
Putney - - - - - - S.	24,139	12	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich - - - - - L. & S.	10,246	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	65	50	13	16	-	-	-	-	-	-	1	-	5	-	3	28	-
Peckham *WW* - S., L., & K.	93,022	55	28	16	3	-	1	-	-	-	-	-	-	13	-	3	-	-
St. George Camberwell - L. & S.	65,586	60	15	10	2	-	-	-	-	1	-	-	-	6	-	-	-	-
Deptford North - - - K.	37,601	22	6	2	1	-	-	-	1	-	-	-	-	2	-	-	-	-
Deptford Central *w* - - K.	45,621	31	25	9	3	-	-	4	3	-	-	-	-	5	1	1	8	-
Deptford South - - - K.	34,622	16	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,456	12	6	2	1	-	-	-	-	-	-	-	-	2	1	-	1	-
Greenwich East *WH* - - K.	43,849	22	20	7	7	-	-	-	-	-	-	-	-	7	1	1	5	-
Eltham *wH* - - - - K.	7,218	6	5	2	-	-	-	-	-	-	-	1	-	1	1	1	1	-
Lee *H* - - - - - K.	25,489	10	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Lewisham *WwwH* - - K.	58,341	29	36	12	7	-	-	2	1	-	-	2	-	8	1	1	20	-
Sydenham *H* - - - L.	43,630	17	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Charlton *wHH* - - - K.	21,121	8	9	2	1	-	-	-	2	-	-	2	-	2	-	-	4	-
Woolwich *HHHH* - - K.	41,607	36	12	6	1	-	-	-	-	-	-	-	-	1	2	3	1	-
Plumstead West *H* - - K.	18,076	15	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Plumstead East *WH* - - K.	50,264	42	28	22	4	-	-	-	-	-	-	-	-	9	1	1	5	-
London County Asy., Banstead -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asy., Cane Hill -	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-
M.A.B. Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asylum, Hanwell	—	-	4	-	3	-	-	-	-	-	-	-	-	1	-	-	4	-
Central London Sick Asy., Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asy., Colney Hatch	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
M.A.B. North-Eastern Hospital -	—	-	5	-	-	-	-	4	1	-	-	-	-	-	-	-	5	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Claybury	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th August, 1901.

gis-tion rict nd ub-rict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1,244	666	354	106	-	23	2	13	4	9	221	20	37	72	6
:1	Carshalton *H* - - - -	12,228	32,997	27	7	4	1	-	-	-	-	-	-	2	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	4	7	3	-	-	-	-	-	-	-	1	1	1	4	-
:1	Godstone, *part of** *W* -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
:1	Croydon *WWwHHH* -	20,851	164,519	86	49	29	6	-	2	-	1	1	-	18	-	4	11	-
2	Mitcham *w* - - -	11,689	29,906	7	5	1	3	-	-	-	-	-	-	1	-	-	-	-
:1	Wimbledon *HHH* - -	3,221	41,604	19	8	3	2	-	-	-	-	-	-	1	-	1	-	-
2	Kingston *WH* - - -	6,224	42,067	21	17	9	3	-	-	-	-	-	-	6	1	2	4	-
3	Surbiton *HH* - - -	3,046	15,019	3	5	3	2	-	-	-	-	-	-	2	1	1	-	-
4	Esher, *part of** *H* - -	5,402	13,003	11	3	-	2	-	-	-	-	-	-	-	1	1	-	-
5	Hampton *HL* - - -	4,164	23,447	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-
:1	Richmond *WHH* - -	2,162	28,871	6	15	6	6	-	-	-	-	-	-	4	-	-	2	-
2	Mortlake *H* - - -	2,847	20,628	5	6	2	-	-	-	-	1	-	-	1	1	1	1	-
:1	Bromley† *HHH*- - -	4,703	27,358	13	7	2	1	-	1	-	-	-	1	-	1	1	2	-
2	Beckenham *H*- - -	7,825	28,499	22	8	4	-	-	-	-	-	-	-	2	-	-	-	-
3	Orpington, *part of**† *W* -	10,113	9,857	7	3	1	1	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH* - -	7,333	16,458	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH* - - -	12,532	46,445	33	11	6	1	-	-	-	1	-	-	4	-	1	-	-
2	Dartford *WH*, *part of** -	—	—	-	3	-	1	-	-	-	-	-	2	-	-	-	3	-
:1	Sunbury *w* - - - -	11,054	18,682	4	8	1	3	-	-	-	1	-	-	2	-	-	-	1
2	Staines *WH* - - -	13,277	15,179	5	6	4	1	-	-	-	-	-	-	2	1	2	-	-
:1	Hillingdon *WHH* - -	6,035	13,661	7	7	2	4	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge - - - - -	12,757	8,984	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,859	30,838	15	7	3	3	-	-	-	-	-	-	1	-	-	2	-
2	Twickenham *HH* - -	2,421	20,991	11	7	4	3	-	-	-	-	-	-	3	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	27	13	7	2	-	-	-	-	-	1	5	1	1	1	-
4	Chiswick - - - - -	1,249	29,809	22	13	9	1	-	-	-	-	-	-	3	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	38	16	10	4	-	-	-	-	-	-	9	-	1	-	-
:1	Harrow *HHH* - - -	13,801	25,522	14	5	3	2	-	-	-	-	-	-	2	-	-	-	1
2	Edgware *HH* - - -	6,994	4,520	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	65	34	24	2	-	1	-	2	-	-	14	1	1	-	1
4	Hendon *WH* - - -	8,382	22,450	17	10	2	2	-	-	-	-	-	-	6	1	1	1	-
:1	South Mimms *HH* - -	17,755	7,308	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	10	4	1	2	-	-	-	-	-	-	1	-	-	-	-
3	Finchley *HHH*- - -	4,688	33,692	22	6	-	1	-	-	-	-	-	1	-	-	-	-	-
:1	Hornsey *HH* - - -	2,875	72,056	38	16	8	3	-	-	-	1	1	-	4	-	1	-	-
2	Tottenham *HHH* - -	4,638	136,702	90	60	31	8	-	-	-	2	-	3	19	3	5	5	-
3	Edmonton *Ww* - -	7,491	61,892	42	17	12	2	-	-	-	-	-	-	13	-	-	1	-
4	Enfield *WWHH* - -	12,601	42,738	24	10	6	2	-	-	-	2	-	-	4	-	1	2	-
5	Waltham Abbey - - -	11,017	6,547	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** *W* - -	3,805	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,333	9,173	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	1,072	44,825	27	10	6	1	-	1	-	-	-	-	5	-	-	-	-
2	Plaistow *HHH* - - -	1,249	90,920	63	40	24	3	-	6	-	1	-	-	14	2	5	2	-
3	Canning Town *H* - -	1,556	70,666	46	30	19	1	-	4	-	-	-	1	11	1	1	-	-
4	Forest Gate *w* - - -	806	60,897	31	21	12	4	-	1	-	-	-	-	7	1	2	-	-
5	East Ham *wHHH* - -	3,218	95,970	95	42	30	4	-	1	-	1	1	-	12	1	1	1	1
6	Wanstead - - - - -	1,737	9,198	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	56,458	34	35	12	10	-	2	-	-	1	-	7	-	-	18	1
8	North Leyton *WwH* -	1,963	48,441	37	15	9	2	-	-	-	-	-	-	9	-	-	-	1
9	Walthamstow *HHHL* -	6,504	108,931	78	34	20	1	-	2	-	-	-	-	15	-	-	-	-
:1	Chigwell, *part of** *HHHH*	11,778	16,403	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W* -	6,556	6,089	1	4	1	2	-	-	-	-	-	-	1	-	-	3	-
2	Ilford *H* - - - -	8,496	41,240	20	12	9	1	-	1	-	-	-	-	6	-	-	-	-
3	Barking Town, *H* - -	3,803	21,547	19	10	5	-	-	1	1	-	-	-	3	2	2	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes. 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 24th August, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,417**	**6,604,287**	**18·5**	**6·0**	**2342**	**1043**	**433**	**–**	**49**	**14**	**40**	**21**	**34**	**600**	**76**
INNER LONDON -	74,837	4,543,757	19·2	5·6	1676	689	327	–	26	12	27	17	25	379	56
OUTER RING -	368,580	2,060,530	16·9	6·9	666	354	106	–	23	2	13	4	9	221	20

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,561	August 24	148	106	17·4	–	2	–	–	1	2
GLASGOW - -	763,144	„ 24	471	271	18·5	–	8	1	–	6	4
DUBLIN† - -	375,076	„ 24	173	176	24·5	–	–	1	–	1	–
CALCUTTA - -	466,460	April 27	–	443	49·5	48	3	–	–	–	225‡
		May 4	–	464	51·9	34	1	–	–	–	219‡
BOMBAY - -	821,764	August 6	229	752	50·7	2	–	?	?	?	278‡
MADRAS - -	452,518	July 19	403	410	47·1	6	3	?	?	?	130
PARIS - - -	2,511,629	August 17	1091	765	15·8	5	9	–	5*	5	14
BRUSSELS - -	582,665	„ 17	250	158	14·1	–	3	1	1*	1	1
AMSTERDAM -	523,822	„ 10	293	142	14·1	–	3	1	–	2	–
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	August 17	201	187	25·8	–	–	–	–	6	6
STOCKHOLM -	301,050	„ 10	157	104	18·0	–	–	1	3*	–	–
CHRISTIANIA -	226,423	„ 17	130	96	22·1	–	–	1	1	1	–
ST. PETERSBURG	1,248,643	„ 10	511	570	23·8	–	14	6	22	1	19
MOSCOW - -	1,023,817	„ 10	–	660	33·6	2	3	7	3	1	6
BERLIN - -	1,891,431	„ 3	956	902	24·9	–	9	12	–	19	4
HAMBURG - -	705,738	„ 17	–	343	25·3	–	2	2	4*	7	3
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	August 17	–	301	36·7	–	2	1	1	–	–
MUNICH - -	500,000	„ 17	–	195	20·3	–	1	–	4*	1	1
VIENNA - -	1,691,996	„ 17	837	568	17·5	–	4	7	1*	1	4
PRAGUE - -	389,741	„ 17	171	164	21·9	–	1	4	1	3	1
BUDA-PESTH -	744,719	„ 17	418	236	16·5	–	3	1	1	1	1
TRIESTE - -	177,428	„ 17	–	–	–	–	–	–	–	–	–
ROME - - -	471,961	July 6	226	182	20·1	–	1	–	–	2	5‖
TURIN (10 days)-	344,203	—	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	August 10	87	67	20·0	–	–	–	–	–	1
CAIRO - -	570,062	July 15	–	–	–	–	–	–	–	–	–
ALEXANDRIA -	319,766	„ 15	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,536,517	August 3	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,293,697	„ 3	–	474	19·1	–	–	2	10	15	11

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 46 and 64 deaths, respectively, from cholera in Calcutta, 8 in Bombay and 2 in Madras.
‡ Including 158 and 136 deaths, respectively, from plague in Calcutta, and 158 in Bombay.
‖ Including one death from malarial fever.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	18	..	29·955	81·9	53·9	28·0	68·2	+ 6·6	52·8	15·4	27·0	2·5	58	139·5	43·4	63·11	SE. & E.	SE. & ESE.	0·8	0·0	0·1	140	− 88	0·00	0·0
MONDAY -	19	..	30·113	80·9	54·8	26·1	68·1	+ 6·7	55·2	12·9	21·4	1·6	63	135·9	44·2	63·30	NE.	NNE, ENE. & NE.	2·8	0·0	0·3	242	+ 16	0·00	0·0
TUESDAY -	20	Apogee	30·238	71·9	53·0	18·9	62·1	+ 0·8	48·0	14·1	22·0	2·6	60	125·1	46·7	63·30	NE.	ENE., ESE. & E.	3·5	0·0	0·4	319	+ 94	0·00	1·0
WEDNESDAY	21	..	30·215	73·1	53·3	19·8	63·2	+ 2·1	51·9	11·3	19·7	2·2	67	140·6	46·1	63·40	ENE.	ESE. & E.	2·0	0·0	0·2	212	− 13	0·00	0·0
THURSDAY-	22	First Quarter.	30·165	74·9	44·5	30·4	60·9	− 0·1	51·2	9·7	22·1	0·7	70	142·9	37·5	63·39	E. & ENE.	E. & ESE.	0·9	0·0	0·0	150	− 76	0·00	0·0
FRIDAY -	23	..	30·068	77·9	45·2	32·7	62·7	+ 1·8	51·0	11·7	26·0	1·5	66	134·0	36·4	63·30	ESE. & ENE.	NE., E. & ESE.	0·5	0·0	0·0	111	−116	0·00	0·0
SATURDAY-	24	Greatest Dec. S.	29·964	75·4	49·1	26·3	62·0	+ 1·2	57·7	4·3	14·3	0·6	86	128·4	39·0	63·15	ESE. & NE.	E.	1·0	0·0	0·1	141	− 88	0·00	0·0
MEANS -	-		30·103	76·6	50·5	26·0	63·9	+ 2·7	52·5	11·3	21·8	1·7	67	135·2	41·9	63·28	E.		..	..	..	Sum 1315	Sum −271	Sum 0·00	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. August.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	18	m. P. till 4h. A.M.; w. P. till 8h. P.M.; m. P. afterwards.	11·3	14·4	Fine and partially cloudy till 7h. 30m. a.m.; very fine and generally cloudless afterwards.
MONDAY -	19	Loss of Register till noon: w. P. afterwards.	9·2	14·3	Very fine generally; the amount of cloud was usually small. Bright solar halo in forenoon.
TUESDAY -	20	m. P. generally.	13·0	14·3	Very fine generally, with small amounts of cloud.
WEDNESDAY	21	m. P. till 11h. A.M.; w. P. till 8h. P.M.; m. P. afterwards.	11·6	14·3	Fine and partially cloudy till noon; cloudless afterwards.
THURSDAY-	22	m. P. generally.	11·8	14·2	Very fine and generally cloudless; foggy in morning.
FRIDAY -	23	m. P. till 1h. P.M.; w. P. generally afterwards.	10·6	14·1	Generally cloudless; foggy in morning.
SATURDAY-	24	w. P. generally; occasional m. P. in morning.	6·9	14·1	Thick fog prevalent in morning; very fine but hazy after 9h. a.m.
			Sum 74·4	Sum 99·7	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·99 in. at the beginning of the week to 29·93 in. by 1h. P.M. on the 18th; increased to 30·25 in. by 11h. A.M. on the 20th; and decreased to 29·89 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th August, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	9	4	-	4	-	-	2	1
Kensington	176,787	-	8	-	-	4	-	-	4	1
Hammersmith	112,619	-	7	5	-	-	-	-	3	-
Fulham	138,426	-	4	9	-	7	-	-	2	-
Chelsea	73,879	-	3	2	-	1	-	-	-	-
City of Westminster	182,502	1	7	4	-	3	-	-	2	1
NORTH.										
St. Marylebone	133,060	-	4	6	-	1	-	-	4	-
Hampstead	82,287	1	2	1	-	2	-	-	-	-
St. Pancras	235,297	1	24	13	-	6	-	-	3	-
Islington	335,325	-	28	34	-	8	-	-	3	-
Stoke Newington	51,328	-	4	5	-	-	-	-	-	1
Hackney	219,780	1	19	23	-	3	-	1	12	1
CENTRAL.										
Holborn	59,205	1	5	7	-	1	-	-	2	-
Finsbury	101,263	1	11	8	-	4	-	-	1	-
City of London	26,627	-	-	2	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	7	9	-	6	-	-	3	-
Bethnal Green	129,700	-	23	7	-	3	-	-	2	-
Stepney	298,884	-	28	20	1	6	-	-	4	-
Poplar	168,887	-	5	12	-	4	-	-	2	-
SOUTH.										
Southwark	206,219	1	31	12	-	3	-	-	2	-
Bermondsey	130,348	-	26	6	-	4	-	-	3	-
Lambeth	302,460	-	18	6	-	5	-	-	4	-
Battersea	169,364	-	10	2	-	2	-	-	3	-
Wandsworth	233,943	-	16	6	-	1	-	-	3	-
Camberwell	259,897	-	17	13	-	1	-	-	2	1
Deptford	110,732	-	11	4	-	-	-	-	1	-
Greenwich	96,188	-	5	6	-	1	-	-	1	-
Lewisham	128,423	-	7	3	-	2	-	-	1	-
Woolwich	117,619	-	4	2	-	2	-	-	1	-
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	7	343	231	1	85	-	1	70	6
Ages 0-1		-	7	2	-	1	-	-	1	-
" 1-5		1	105	94	-	2	-	-	3	-
" 5-		-	131	68	-	13	-	-	2	-
" 10-		-	52	32	-	8	-	-	6	-
" 15-		-	31	11	-	20	-	-	4	-
" 20-		1	8	4	1	13	-	1	3	2
" 25-		2	7	10	-	20	-	-	11	2
" 35-		1	1	6	-	6	-	-	11	2
" 45-		2	1	3	-	1	-	-	10	-
" 55-		-	-	1	-	-	-	-	12	-
" 65 and upwards		-	-	-	-	1	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 35. 1901. VOL. LXII.] WEEK ENDED SATURDAY, AUG. 31. [Price 1½*d.*

General Register Office, Somerset House,
September 2nd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·0 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 22·1, 21·3, and 21·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.		Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
33 Great Towns	22·1	21·3	21·6	21·0	Leicester - -	17·4	20·1	24·0	22·8
Birkenhead -	22·0	30·5	26·7	19·2	Liverpool - -	25·4	22·8	22·9	22·0
Birmingham -	23·6	21·9	27·2	23·9	London - - -	18·8	19·6	19·2	18·6
Blackburn -	25·3	20·4	23·7	21·6	Manchester - -	30·4	26·3	26·9	27·7
Bolton - -	19·5	21·6	20·1	23·8	Newcastle-on-Tyne	28·1	26·9	28·5	30·2
Bradford -	20·1	20·1	19·5	17·9	Norwich - -	18·6	22·8	21·0	23·3
Brighton -	18·6	20·7	19·0	24·5	Nottingham - -	24·9	21·7	23·2	24·3
Bristol - -	11·9	14·2	14·4	12·0	Oldham - -	23·5	14·4	26·2	22·0
Burnley -	22·0	24·7	17·1	23·0	Plymouth - -	14·5	18·8	18·8	19·3
Cardiff - -	15·5	13·9	14·8	15·1	Portsmouth - -	26·4	22·2	21·4	20·9
Croydon -	12·0	13·2	16·3	24·0	Preston - -	24·4	26·7	21·2	24·9
Derby - -	22·6	16·7	18·7	23·1	Salford - - -	34·1	28·7	27·5	23·5
Gateshead -	40·6	30·2	30·2	32·1	Sheffield - -	32·6	27·2	25·0	22·8
Halifax -	15·9	10·4	17·9	15·9	Sunderland - -	33·7	30·2	29·1	25·2
Huddersfield-	21·4	17·6	14·3	20·9	Swansea - -	15·4	15·4	27·0	13·8
Hull - -	27·2	27·2	27·0	29·3	West Ham - -	28·5	24·6	22·3	28·5
Leeds - -	27·7	22·2	24·7	17·7	Wolverhampton -	12·1	21·0	21·0	17·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Wolverhampton and in Sheffield, 1·2 in West Ham, and 1·9 in Oldham; from *whooping-cough*, 1·0 in Plymouth and 1·2 in Newcastle on Tyne; from "*fever*," 1·1 in Nottingham; and from *diarrhœal diseases*, 8·2 in Blackburn, 8·3 in Bolton and in Manchester, 8·4 in Norwich, 8·8 in Leicester and in Derby, 9·3 in Brighton, 10·7 in West Ham, 10·8 in Croydon, 11·0 in Hull, 11·5 in Preston, and 12·3 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 50 deaths from *diphtheria* included 22 in London, 4 in Liverpool, 4 in Sheffield, and 3 in Birmingham. Seven deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2483 BIRTHS and 1623 DEATHS were registered. Allowing for increase of population, the births were 216 below, and the deaths 48 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 19·6,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

and 19·2 in the preceding three weeks, further fell last week to 18·6. During the four weeks ended on Saturday last the death-rate averaged 19·1 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1623 deaths included 7 from small-pox, 40 from measles, 13 from scarlet fever, 22 from diphtheria, 20 from whooping-cough, 12 from enteric fever, 348 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 466 deaths were referred to these diseases, being 127 above the corrected average weekly number.

The deaths from *small-pox*, which had been 1, 2, and 0 in the preceding three weeks, rose last week to 7. This is the largest registered number of deaths from the disease in any week since August, 1894. The deaths last week all occurred in the Hospital Ships "Atlas" and "Castalia"; 3 cases belonged to the Borough of St. Pancras, 2 to Holborn, 1 to St. Marylebone, and 1 to Lambeth, The deaths from *measles*, which had been 40, 37, and 26 in the preceding three weeks, rose again last week to 40, and were 17 above the corrected average; 8 cases belonged to Battersea. The deaths from *scarlet fever*, which had been 10, 16, and 12 in the preceding three weeks, were 13 last week, the corrected average being 16; 2 cases belonged to St. Pancras, 2 to Bethnal Green, 2 to Stepney, 2 to Bermondsey, and 2 to Camberwell. The deaths from *diphtheria*, which had been 24, 30, and 27 in the preceding three weeks, further fell last week to 22, and were 11 below the corrected average; 5 cases belonged to Islington and 3 to Lambeth. The deaths from *whooping-cough*, which had been 19, 24, and 17 in the preceding three weeks, rose again last week to 20, but were 10 below the corrected average. The fatal cases of *enteric fever*, which had been 18, 10, and 25 in the preceding three weeks, fell again last week to 12, the corrected average being 11. The deaths from *diarrhœal diseases*, which had been 372, 411, and 379 in the preceding three weeks, further fell last week to 352, but were 127 above the corrected average. Of the 352 deaths from diarrhœal diseases, 332 were of children under 5 years of age; 22 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 126, 103, and 126 in the preceding three weeks, fell again last week to 114, and were 20 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 2, 3, and 2 in the preceding three weeks.

Different forms of *violence* caused 60 deaths, concerning all but 2 of which inquests were held. Of these 60 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 51 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 5 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 74 cases of small-pox, 3008 of scarlet fever, 1344 of diphtheria, and 225 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 52 cases, against 3, 8, and 30; of scarlet fever, 303 cases, against 306, 290, and 273; of diphtheria, 202 cases, against 171, 175, and 170; and of enteric fever, 55 cases, against 37, 35, and 42. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended August 24th.

Greater London.

In Greater London 3655 births and 2354 deaths were registered, corresponding to annual rates of 28·9 and 18·6 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 9 from whooping-cough, 6 from "fever," and 241 from diarrhœal diseases were registered. Nine deaths from measles, 4 from "fever," and 105 from diarrhœal diseases belonged to West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 58°·6; the latter being 1°·8 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 42 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 39·2 hours; the measured rainfall amounted to 1·36 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 31st Aug. 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**6247**	**4613**	**1909**	**771**	**7**	**89**	**32**	**50**	**63**	**46**	**1219**	**151**	**327**	**887**	**33**	**21·0**	**6·9**	**83·1**	**38·6**	**56·9**	**13·83**	**0·95**	**2·41**	**33 Towns.**
London	4,543,757	2483	1623	647	275	7	40	13	22	20	12	352	60	157	478	2	18·6	5·3	83·1	47·0	58·6	14·78	1·36	3·45	London.
West Ham	268,868	179	147	81	14	-	6	1	1	4	2	55	4	7	24	1	28·5	13·4	-	-	-	-	-	-	West Ham.
Croydon	134,665	77	62	36	10	-	-	-	1	-	1	28	5	11	12	-	24·0	11·6	83·0	44·5	56·7	13·72	1·18	3·00	Croydon.
Brighton	123,668	53	58	30	8	-	-	-	1	1	-	22	1	5	8	-	24·5	10·1	72·4	46·8	58·6	14·78	1·03	2·62	Brighton.
Portsmouth	189,907	95	76	29	21	-	1	-	-	-	1	18	6	10	13	1	20·9	5·5	71·8	48·5	58·7	14·83	0·20	0·51	Portsmouth.
Plymouth	107,974	59	40	18	8	-	-	-	-	2	-	10	-	2	4	1	19·3	5·8	-	-	-	-	-	-	Plymouth.
Bristol	329,831	155	76	21	28	-	-	1	2	-	-	10	3	11	15	-	12·0	2·1	78·0	43·5	55·7	13·17	0·96	2·44	Bristol.
Cardiff	165,308	85	48	23	7	-	-	1	-	-	-	10	1	4	3	-	15·1	3·5	-	-	-	-	-	-	Cardiff.
Swansea	94,618	48	25	11	4	-	1	-	1	1	-	2	1	1	3	-	13·8	2·8	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	63	32	18	4	-	2	-	-	1	-	12	1	1	2	-	17·7	8·3	79·5	42·1	54·3	12·39	1·36	3·45	Wolverhampton.
Birmingham	523,284	335	240	108	25	-	4	4	3	6	1	69	5	8	40	3	23·9	8·7	-	-	-	-	-	-	Birmingham.
Norwich	111,997	53	50	24	11	-	-	-	-	-	-	18	-	2	1	-	23·3	8·4	76·6	45·0	57·2	14·00	0·56	1·42	Norwich.
Leicester	212,498	109	93	48	10	-	-	-	1	1	1	36	2	5	7	2	22·8	9·6	-	-	-	-	-	-	Leicester.
Nottingham	240,400	100	112	39	21	-	4	-	-	2	5	30	5	6	20	-	24·3	8·9	81·4	45·2	56·6	13·67	0·58	1·47	Nottingham.
Derby	106,076	46	47	21	8	-	-	-	1	1	-	18	3	7	9	-	23·1	9·8	-	-	-	-	-	-	Derby.
Birkenhead	111,203	54	41	17	8	-	-	-	1	-	1	7	1	2	5	-	19·2	4·2	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	412	289	93	48	-	3	4	4	2	3	59	14	15	68	10	22·0	5·7	77·3	48·7	55·2	12·89	1·41	3·58	Liverpool.
Bolton	168,748	91	77	38	16	-	-	1	-	1	1	27	-	3	8	1	23·8	9·3	-	-	-	-	-	-	Bolton.
Manchester	544,934	237	290	104	48	-	8	3	2	3	2	87	9	15	53	4	27·7	10·0	-	-	-	-	-	-	Manchester.
Salford	221,526	101	100	46	17	-	2	1	1	1	-	29	1	3	13	1	23·5	8·0	-	-	-	-	-	-	Salford.
Oldham	137,382	59	58	19	12	-	5	-	-	1	-	15	1	3	5	-	22·0	8·0	-	-	-	-	-	-	Oldham.
Burnley	97,295	61	43	21	3	-	-	-	1	1	-	12	1	1	4	-	23·0	7·5	-	-	-	-	-	-	Burnley.
Blackburn	127,714	55	53	28	11	-	-	2	-	-	-	20	4	4	4	1	21·6	9·0	-	-	-	-	-	-	Blackburn.
Preston	113,117	61	54	30	8	-	-	-	1	1	-	25	1	2	2	-	24·9	12·4	75·0	52·0	56·1	13·39	1·04	2·64	Preston.
Huddersfield	94,998	44	38	12	6	-	-	-	-	-	1	8	-	-	2	1	20·9	4·9	79·5	45·6	55·6	13·11	0·64	1·63	Huddersfield.
Halifax	105,113	39	32	8	10	-	-	-	-	-	-	5	1	2	7	-	15·9	2·5	-	-	-	-	-	-	Halifax.
Bradford	280,161	125	96	24	25	-	1	-	-	5	3	20	3	3	11	1	17·9	5·4	79·6	46·0	58·6	14·78	0·85	2·16	Bradford.
Leeds	430,489	242	146	73	20	-	2	-	1	2	4	37	3	9	9	-	17·7	5·6	-	-	-	-	-	-	Leeds.
Sheffield	382,129	225	167	69	23	-	8	-	4	-	2	54	1	2	15	-	22·8	9·3	-	-	-	-	-	-	Sheffield.
Hull	241,622	168	136	64	24	-	-	1	1	1	2	51	4	9	10	1	29·3	12·1	80·0	38·0	57·3	14·06	1·13	2·87	Hull.
Sunderland	146,927	115	71	30	10	-	1	-	-	1	2	20	-	1	8	-	25·2	8·5	-	-	-	-	-	-	Sunderland.
Gateshead	110,492	74	68	29	8	-	-	-	-	-	2	26	4	6	6	1	32·1	13·2	-	-	-	-	-	-	Gateshead.
Newcastle	215,516	144	125	50	20	-	1	-	1	5	-	27	6	10	18	2	30·2	8·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2555	2462	2616	2704	2617	2651	2468	2650	2532	2763	2698·7	2483
Males - -	1261	1270	1325	1428	1328	1346	1259	1371	1331	1443	1386·0	1284
Females - -	1294	1192	1291	1276	1289	1305	1209	1279	1201	1320	1312·7	1199
TOTAL **Deaths** -	1299	1356	1566	1198	1336	1369	1452	1898	1931	1776	1574·6	1623
Males - -	679	689	821	622	692	746	748	977	996	943	820·7	866
Females - -	620	667	745	576	644	623	704	921	935	833	753·9	757

*The numbers in this column are the average weekly numbers in the thirty-fifth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
TOTAL **Births** - - -	2624	2406	2451	2478	2413	2526	2519	2384	2844	2322	2659	2643	2483
TOTAL **Deaths** - - -	1236	1191	1204	1210	1256	1237	1411	1582	1747	1636	1705	1676	1623
Ages at Death: Under 1 year - -	232	258	283	267	285	282	411	583	716	664	734	689	647
1–5 years - -	156	152	144	154	146	140	168	215	196	185	185	167	200
5–20 ,, - -	72	78	72	58	68	88	77	73	87	92	70	83	78
20–40 ,, - -	189	177	154	176	173	180	175	169	191	171	186	177	174
40–60 ,, - -	278	253	247	264	266	258	279	252	268	244	259	233	249
60–80 ,, - -	256	218	250	235	244	236	244	241	243	226	229	270	226
80 years and upwards	53	55	54	56	74	53	57	49	46	54	42	57	49
Deaths from—													
Small pox - - - -	-	-	-	1	-	-	-	-	1	1	2	-	7
Measles - - - - -	35	38	42	51	49	37	45	60	45	40	37	26	40
Scarlet Fever - - -	17	21	13	12	8	17	10	20	15	10	16	12	13
Diphtheria - - - -	15	13	18	18	27	24	30	28	28	24	30	27	22
Whooping-cough - - -	32	35	25	25	22	15	17	24	20	19	24	17	20
Typhus - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Enteric Fever - - -	6	7	2	4	6	2	9	10	11	18	10	25	12
Simple Continued Fever -	-	-	-	-	-	1	2	-	-	-	-	-	-
Diarrhœa and Dysentery -	17	26	25	23	45	71	140	289	399	367	404	375	348
Cholera - - - - -	-	-	-	-	1	2	-	5	4	5	7	4	4
All the above Diseases -	123	140	125	134	158	169	253	436	523	484	531	486	466
Dis. of Respiratory System -	187	159	150	141	165	133	135	134	126	126	103	126	114
Phthisis - - - - -	140	122	113	138	133	168	114	111	153	106	123	120	142
Dis. of Circulatory System -	121	122	103	109	139	104	116	111	113	113	97	120	100
Violence - - - -	69	68	55	42	59	49	72	74	81	77	68	56	60
Inquest Cases - - - -	150	136	126	101	117	123	138	141	162	155	159	116	157
Deaths in Public Institutions -	420	456	419	454	435	435	467	459	507	458	460	467	478
TEMPERATURE OF THE AIR													
Mean - - - - -	58°·8	56°·8	58°·0	61°·0	64°·1	64°·5	68°·4	61°·6	65°·1	64°·6	61°·0	63°·9	58°·6
Mean of Highest readings -	69·9	67·6	67·8	71·8	73·9	77·2	81·6	71·7	75·8	76·8	72·2	76·6	68·5
Mean of Lowest readings -	48·6	47·0	50·1	50·9	56·1	52·2	54·4	51·5	54·9	55·3	52·1	50·5	51·5
Humidity of the Air - -	69	60	71	63	75	68	63	83	72	70	71	67	71
Rain-fall (in inches) - -	0·03	0·10	0·43	0·00	1·05	0·00	0·00	1·30	0·38	0·08	0·50	0·00	1·36
Registered Sunshine (in hours)	52·3	63·7	36·4	69·5	46·1	60·2	75·5	18·4	49·2	49·0	49·3	74·4	39·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	5	6	12	14	11	13	11	13	41	74
Scarlet Fever - - - -	2462	2594	2708	2821	2895	2918	2907	2974	3091	3148	3101	3040	3008
Diphtheria - - - -	1092	1104	1138	1176	1195	1228	1267	1303	1336	1363	1361	1318	1344
Typhus - - - - -	-	-	-	—	-	1	-	-	-	-	-	-	-
Enteric Fever - - - -	93	105	117	125	128	145	152	165	166	180	188	198	225

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIFTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 35th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 31st August, 1901. Deaths of Persons of the Ages: All Ages.	Under 1 year: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1574·6	1623	617	200	78	174	249	226	49
Small-pox { Vaccinated† -	0·5	5	-	-	-	3	2	-	-
Small-pox { Unvaccinated	0·7	1	-	-	-	-	-	1	-
Small-pox { No Statement	0·1	1	-	-	-	1	-	-	-
Measles - - - -	23·3	40	9	31	-	-	-	-	-
Scarlet Fever - - -	15·5	13	1	7	5	-	-	-	-
Typhus - - - -	0·1	-	-	-	-	-	-	-	-
Enteric or Typhoid Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	3·8	2	-	-	-	-	1	1	-
Whooping-cough - -	29·8	20	7	13	-	-	-	-	-
Diphtheria - -	33·3	22	-	16	6	-	-	-	-
Cholera Continued and Defined Fever -	0·4	-	-	-	-	-	-	-	-
Enteric Fever - - -	10·9	12	-	1	4	4	3	-	-
Diarrhœa and Chol. Diarr.	9·3	4	3	-	-	-	1	-	-
Dysentery -	215·2	348	291	38	-	3	4	10	2
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Poisons - - - -	-	-	-	-	-	-	-	-	-
Smallpox and Effects of Vaccination - -	0·2	1	1	-	-	-	-	-	-
Cerebral Affections - -	11·2	8	6	-	-	-	2	-	-
Apoplexy - - -	3·5	-	-	-	-	-	-	-	-
Pyæmia and Septicæmia	2·1	2	2	-	-	-	-	-	-
Puerperal Fever - -	4·8	6	-	-	-	6	-	-	-
Other Zymotic Diseases	0·9	-	-	-	-	-	-	-	-
Phthisis - - - -	1·1	-	-	-	-	-	-	-	-
Tabes and other Parasitical Diseases -	0·2	1	-	-	-	-	1	-	-
Starvation, Want of Breast-milk - -	2·1	2	2	-	-	-	-	-	-
Alcoholism - - -	10·1	11	-	-	-	4	7	-	-
Rheumatic Fever, Rheumatism of Heart	6·8	5	-	-	3	2	-	-	-
Rheumatism - - -	1·1	2	-	-	-	-	1	1	-
Cancer - - - -	1·9	-	-	-	-	-	-	-	-
Diabetes - - - -	5·4	10	6	4	-	-	-	-	-
Brain - - - -	71·4	68	-	1	-	5	30	32	-
Tabes Mesenterica - -	33·5	31	23	2	2	3	1	-	-
Simple Meningitis -	24·9	21	9	8	4	-	-	-	-
Paralysis - - - -	143·2	142	2	3	10	63	51	13	-
Cerebral, Tuberculosis -	21·8	15	3	6	3	-	1	2	-
Other Constitutional Diseases - -	12·7	11	-	1	2	3	2	3	-
Premature Birth - -	50·8	55	55	-	-	-	-	-	-
Atelectasis - - -	3·5	3	3	-	-	-	-	-	-
Congenital Malformations - - -	6·9	6	4	1	1	-	-	-	-
Age - - - -	37·1	43	-	-	-	-	-	18	25
Sex - - - -	35·1	43	1	-	-	2	17	19	4
Injury - - - -	7·6	5	-	-	3	-	2	-	-
Convulsions - - -	38·8	36	33	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	71·9	70	16	13	3	4	15	17	2
Diseases of Organs of Special Sense -	3·5	8	-	2	4	2	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 35th Week of the 10 years 1891–1900*.	In the Week ended Saturday, 31st August, 1901. Deaths of Persons of the Ages: All Ages.	Under 1 year: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	109·7	100	-	2	7	18	34	34	5
Croup - - - -	2·0	-	-	-	-	-	-	-	-
Bronchitis - - -	58·1	36	7	4	-	1	6	16	2
Pneumonia - - -	55·8	56	13	14	3	7	12	6	1
Pleurisy - - - -	4·5	4	-	1	-	1	1	1	-
Other Diseases of Respiratory System -	13·8	18	3	4	1	3	2	4	1
Dentition - - - -	6·9	9	7	2	-	-	-	-	-
Quinsy, Sore Throat -	1·6	1	-	-	1	-	-	-	-
Enteritis - - -	96·2	48	32	6	3	3	2	2	-
Gastro-enteritis -		22	19	3	-	-	-	-	-
Peritonitis - - -	5·9	4	-	-	1	1	1	1	-
Diseases of Liver - -	26·0	23	3	-	-	3	10	5	2
Other Diseases of Digestive System	35·7	47	15	4	1	7	8	12	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·8	3	-	-	-	1	2	-	-
Diseases of Urinary System - - -	44·0	42	1	-	-	4	19	16	2
Diseases of Generative System - - -	5·0	1	-	-	-	-	1	-	-
Accidents of Childbirth -	4·6	6	-	-	-	6	-	-	-
Diseases of Locomotive System - - -	4·8	4	-	-	2	1	-	1	-
Diseases of Integumentary System - -	6·7	7	5	-	-	1	-	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·7	3	-	-	1	-	2	-	-
By Vehicles or Horses -	7·1	10	1	4	3	1	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·2	-	-	-	-	-	-	-	-
In Building Operations -	1·0	2	-	-	-	1	1	-	-
In Conflagrations -	-	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·[illegible]	2	-	1	1	-	-	-	-
By Drowning - - -	7·7	5	-	-	2	1	2	-	-
By Suffocation in Bed -	7·8	5	5	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·5	3	-	1	-	1	1	-	-
Other or not stated causes - - - -	18·4	21	3	3	2	2	3	6	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·9	1	1	-	-	-	-	-	-
Suicide - - - -	8·3	8	-	-	-	5	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	73·9	59	55	1	-	1	-	2	-

* numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase ulation.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the f death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 31st August, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,063	2483	1623	647	275	7	40	13	22	20	-	12	-	352	60	157	478
WEST DISTRICTS	805,275	363	230	91	42	-	5	-	2	5	-	3	-	57	5	20	61
NORTH DISTRICTS	1,056,018	547	312	112	50	-	6	2	6	6	-	4	-	63	11	29	87
CENTRAL DISTRICTS	209,432	109	64	21	6	-	2	-	1	2	-	-	-	13	5	12	24
EAST DISTRICTS	715,772	460	321	134	51	-	7	1	1	2	-	-	-	58	9	41	104
SOUTH DISTRICTS	1,749,566	1004	650	289	111	-	20	8	11	5	-	5	-	160	29	54	156
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	-	15	7	-	2	1	-	-	-	-	1	1	1	46
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	53	24	12	6	-	-	-	-	-	-	-	-	8	1	3	1
St. John Paddington *H* - - G.	33,608	5	13	4	2	-	-	-	-	-	-	-	-	3	2	3	9
North-West Paddington - - C.	17,181	10	6	4	1	-	-	-	-	-	-	-	-	2	-	1	-
Kensington Town *Ww* - W. & C.	128,025	67	50	13	14	-	-	-	-	1	-	1	-	10	1	2	22
Brompton *HH* - - - W. & C.	48,598	9	8	-	4	-	-	-	-	-	-	-	-	-	-	1	2
North Hammersmith *H* } W. & G	49,335	31	16	11	1	-	-	-	-	-	-	1	-	5	-	1	-
South Hammersmith *wH* } W. & G	62,910	38	18	9	1	-	1	-	2	1	-	-	-	7	-	1	-
North-west Fulham *W* } W. & C.	45,180	31	26	14	4	-	-	-	-	-	-	-	-	12	1	3	8
North-east Fulham *w* } W. & C.	46,404	23	12	3	1	-	-	-	-	2	-	-	-	2	-	1	3
South Fulham } W. & C.	45,705	26	11	7	-	-	1	-	-	-	-	1	-	2	-	1	-
Chelsea North *WWHHHH* - C.	42,515	10	8	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Chelsea South *HH* - - C.	31,341	17	4	2	2	-	-	-	-	-	-	-	-	1	-	-	-
May Fair and Knightsbridge *H* } C. & G.	28,744	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *HHH* - - - C.	55,812	11	8	4	1	-	-	-	-	-	-	-	-	2	-	-	3
St. Margaret & St. John Westminster *HHH* } C.	43,665	17	14	3	1	-	2	-	-	1	-	-	-	2	-	1	6
St. James Westminster *WH* } N. & G.	21,595	3	6	2	-	-	-	-	-	-	-	-	-	1	-	2	1
St. Anne Soho *HHHHH* - N.	11,492	5	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* } - - W.	35,394	7	10	1	1	-	-	-	-	-	-	-	-	-	1	2	5
Rectory Marylebone *W* G. & W.	19,869	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	18,099	26	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Christchurch Marylebone *H* - W	39,541	15	10	4	1	-	1	-	-	-	-	-	-	4	-	-	-
St. John Marylebone *HHH* - W	20,426	15	9	3	3	-	-	-	-	1	-	-	-	2	-	1	1
Hampstead *WwHHHHH* } - N. & W.	81,942	34	22	6	2	-	1	2	3	1	-	2	-	2	-	-	10
Regent's Park *H* - W.	50,647	36	13	8	3	-	1	-	-	-	-	-	-	4	-	-	-
Tottenham-court *wHHHHHH* } - N. & W.	24,814	6	13	4	1	-	-	-	-	1	-	-	-	2	-	-	7
Gray's Inn Lane *HHHH* - N.	30,886	15	12	2	2	-	-	-	-	-	-	-	-	1	4	5	7
Somers Town *HH* - - - N.	30,131	20	9	4	1	-	1	-	-	-	-	-	-	1	-	-	4
Camden Town *WH* - - N.	40,079	26	12	1	5	-	-	-	-	-	-	-	-	1	-	1	8
Kentish Town *WW* - - N.	58,727	30	14	5	3	-	-	-	-	-	-	-	-	5	-	1	2
Tufnell *W* }		17	13	5	1	-	-	-	-	-	-	-	-	4	-	1	6
Upper Holloway *WWwHH* } - N.	99,841	14	30	5	7	-	1	-	-	-	-	1	-	1	4	6	19
Tollington *W* }		18	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Lower Holloway - - - N.	41,411	26	12	5	1	-	-	-	-	-	-	-	-	3	-	2	-
Barnsbury - - - - N.	54,479	28	13	9	-	-	-	-	-	-	-	-	-	4	1	1	-
Islington South-east *H* - N.	75,402	37	18	11	1	-	-	-	-	-	-	-	-	8	-	-	-
Highbury *HH* - - - N.	63,795	25	12	7	3	-	-	-	-	1	-	-	-	2	-	1	-
Stoke Newington *H* - - N.	51,247	19	10	3	4	-	1	-	1	-	-	-	-	2	-	-	-
North Hackney - E. & N.	50,570	18	5	1	1	-	-	-	-	-	-	-	-	2	-	1	-
Central Hackney *ww* - E. & N.	50,535	36	16	5	2	-	1	-	2	-	-	1	-	1	-	-	3
South-west Hackney *HHH* E. & N.	59,929	39	22	8	3	-	-	-	-	1	-	-	-	6	1	3	5
South-east Hackney *WwH* E. & N.	58,254	36	28	11	4	-	-	-	-	1	-	-	-	4	-	4	10

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. I River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Up Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 31st August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	17	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St Giles North *H* - - - N.	8,959	2	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C	12,975	3	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Strand *WHH* - - - N.	8,694	-	3	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHHH* - - N.	29,579	5	18	5	1	-	-	-	-	2	-	-	-	5	1	1	11	-
St. James Clerkenwell - - N.	15,634	7	6	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-
Amwell - - - - - N.	32,691	25	6	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-
Goswell-street - - - - N.	15,390	10	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Finsbury* *HHHL* - - N.	35,376	36	4	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Holborn Union Workhouse, Mitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - N. & E.	11,036	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N	7,886	-	7	-	1	-	-	-	-	-	-	-	-	1	2	2	5	-
All Hallows Barking - - - N	8,717	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	6	6	2	3	-	-	-	-	-	-	-	-	1	-	-	2	-
Hoxton New Town *wH* - - N	29,761	24	19	8	6	-	-	-	-	-	-	-	-	4	-	1	8	-
Hoxton Old Town - - - N	26,510	28	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Haggerston *W* - - N & E.	46,064	24	24	8	3	-	2	-	-	-	-	-	-	1	-	-	9	-
Bethnal Green North *HH* - E.	51,513	41	19	14	2	-	-	1	-	-	-	-	-	8	-	3	1	-
Bethnal Green South - - E	33,473	26	16	7	2	-	1	-	-	-	-	-	-	5	-	1	-	-
Bethnal Green East *WWHl* - E.	44,695	33	21	5	5	-	-	-	-	-	-	-	-	3	-	-	8	-
Spitalfields - - - E. & N.	27,965	14	7	5	-	-	1	-	-	-	-	-	-	2	-	3	-	-
Mile End New Town *WH* - E.	28,711	19	47	14	5	-	-	-	-	-	-	-	-	5	5	11	40	-
Goodman's Fields - - - E.	22,082	11	9	5	-	-	-	-	-	2	-	-	-	1	-	-	-	-
St. George's, North - - - E.	40,965	31	8	4	1	-	-	-	-	-	-	-	-	2	1	1	-	-
St. John *W* - - - E.	8,122	8	3	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-
Shadwell *H* - - - E. & N.	10,760	8	9	6	-	-	-	-	-	-	-	-	-	3	-	1	3	-
Ratcliff *W* - - - - E.	14,770	4	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Limehouse - - - - E	32,358	20	7	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* E.	59,467	39	15	8	2	-	-	-	-	-	-	-	-	3	-	3	-	-
Mile End Old Town East *WWw* - E.	53,348	28	27	8	6	-	1	-	-	-	-	-	-	3	-	4	12	-
Bow *l* - - - E.	41,990	25	17	11	1	-	1	-	-	-	-	-	-	5	1	2	-	-
Bromley *wwwH* - - - E.	68,326	38	36	12	6	-	-	-	1	-	-	-	-	5	1	8	17	-
Poplar *WW* - - - - E.	58,522	33	24	11	5	-	-	-	-	-	-	-	-	5	-	2	3	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 31st August, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	11,232	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	5	19	6	2	-	-	-	-	-	-	1	-	2	-	2	15
Kent-road - - - S. & L.	21,899	14	3	2	1	-	-	-	-	-	-	-	-	1	1	1	-
Borough-road *WH* - S. & L	16,882	12	14	10	-	-	-	-	-	-	-	-	-	4	2	3	8
London-road *HL* - L. & S.	22,209	12	7	3	1	-	-	-	-	-	-	-	-	2	-	2	1
Trinity Newington *H* - S. & L.	28,485	22	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Peter Walworth *W*- S. & L.	61,773	42	18	11	3	-	-	-	-	-	-	-	-	3	-	-	-
St. Mary Newington - L. & S.	31,592	17	11	4	1	-	-	-	-	-	-	-	-	3	2	3	-
St. Olave *W* - - - - S.	9,813	10	5	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Bermondsey *W* - - - S.	82,405	59	25	13	5	-	-	-	1	-	-	-	-	9	2	4	-
Rotherhithe *Ww* - - S. & K	38,268	26	24	8	8	-	1	-	-	-	-	1	-	4	1	2	11
Waterloo-road *HH* - L. & S.	27,435	28	14	4	1	-	1	-	-	2	-	-	-	7	-	-	5
Lambeth Church 1st *HH* L. & S.	18,420	20	28	8	3	-	-	-	-	-	-	-	-	4	2	2	15
Lambeth Church 2nd *WW* L. & S.	39,818	43	20	5	6	-	-	-	-	-	-	-	-	4	2	3	13
Kennington 1st *H* - S. & L.	53,196	33	16	9	1	-	-	-	1	-	-	-	-	9	-	1	-
Kennington 2nd - - S. & L.	42,891	24	8	4	-	-	-	-	-	-	-	-	-	2	1	1	-
Brixton *w* - - - L. & S.	84,226	42	32	13	4	-	2	1	3	-	-	1	-	6	1	1	4
Norwood *WH* - - - L.	35,887	18	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - S.	72,201	41	26	15	1	-	5	-	-	-	-	-	-	7	1	2	-
North-west Battersea - - S.	49,650	21	16	6	1	-	3	-	-	-	-	-	-	5	1	3	-
South-west Battersea *WwH*- S.	47,045	28	16	7	4	-	1	-	-	-	-	-	-	1	-	-	7
Clapham *H* - - - - S.	51,353	25	3	1	1	-	-	-	-	-	-	-	-	2	-	-	-
Streatham *WwwwL*- - L.	88,129	37	35	19	8	-	-	1	2	-	-	-	-	9	-	-	5
Wandsworth *WHHL* - - S.	68,409	41	15	7	3	-	-	-	-	-	-	-	-	6	-	-	-
Putney - - - - - S.	24,139	6	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Dulwich - - - - L. & S.	10,246	1	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell *WWwll* - S. & L.	90,404	38	52	16	18	-	-	-	-	1	-	-	-	7	3	5	25
Peckham *WW* - S., L., & K.	93,022	47	27	15	4	-	2	-	-	-	-	-	-	8	1	3	-
St. George Camberwell - L. & S.	65,586	38	22	12	5	-	-	-	-	1	-	-	-	6	1	4	-
Deptford North - - - K.	37,601	30	14	7	1	-	-	-	-	-	-	-	-	5	-	-	-
Deptford Central *w* - - K.	45,621	24	16	6	2	-	-	3	3	-	-	1	-	4	1	-	7
Deptford South - - - K.	34,622	11	4	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,456	10	5	4	1	-	-	-	-	-	-	-	-	2	-	-	-
Greenwich East *WH* - - K.	43,819	38	30	9	4	-	2	-	-	-	-	-	-	4	1	1	15
Eltham *wH* - - - - K.	7,218	4	3	3	-	-	-	-	-	1	-	-	-	1	-	-	-
Lee *H* - - - - - K.	25,489	7	6	3	2	-	-	-	-	-	-	-	-	1	-	1	-
Lewisham *WwwH* - - K.	58,341	25	33	15	7	-	-	3	-	-	-	1	-	11	1	2	16
Sydenham *H* - - - L.	43,630	22	16	6	2	-	2	-	-	-	-	-	-	1	1	2	1
Charlton *wHH* - - - K.	21,121	16	10	4	2	-	-	-	1	-	-	-	-	-	-	1	2
Woolwich *HHHH* - - K.	41,607	23	22	12	1	-	1	-	-	-	-	-	-	8	1	2	2
Plumstead West *H* - - K.	18,076	7	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	50,264	32	15	10	2	-	-	-	-	-	-	-	-	6	-	-	4
London County Asy., Banstead -	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
London County Asy., Epsom -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Cane Hill -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
M.A.B. Ships and Camp, Dartford	—	-	7	-	1	7	-	-	-	-	-	-	-	-	-	-	7
Met. Asy. for Imbeciles, Darenth -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	9	-	1	-	-	-	-	-	-	-	-	-	-	-	9
London County Asylum, Hanwell	—	-	5	-	3	-	-	-	-	-	-	-	-	1	-	-	5
Central London Sick Asy., Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Colney Hatch	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5
M.A.B. North-Eastern Hospital -	—	-	4	-	-	-	-	2	1	-	-	-	-	-	-	-	4
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	5	-	4	-	-	-	-	-	-	-	-	1	1	5	-
London County Asylum, Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 31st August, 1901.

Sub-district No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	ONDON—OUTER RING -	368,580	2,044,553	1,172	731	373	112	-	14	2	6	9	6	241	22	49	77	2
1	Carshalton *H* - - -	12,228	32,997	12	5	2	1	-	-	-	-	-	-	3	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	11	3	1	1	-	-	-	-	1	-	-	-	-	-	1
1	Godstone, *part of** *W* -	2,754	2,692	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	164,519	87	68	38	12	-	-	-	1	-	1	31	5	11	14	-
2	Mitcham *w* - - -	11,689	29,906	15	8	4	1	-	2	-	-	2	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,221	41,604	22	15	11	1	-	1	-	-	-	-	6	-	1	-	-
2	Kingston *WH* - - -	6,224	42,067	18	15	8	3	-	-	-	-	-	-	7	-	2	2	-
3	Surbiton *HH* - - -	3,046	15,019	3	5	-	3	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** *H* - -	5,402	13,003	9	6	2	-	-	-	-	-	-	-	1	-	-	-	-
5	Hampton *HL* - - -	4,564	23,447	17	8	2	1	-	-	-	-	-	-	3	2	2	-	-
1	Richmond *WHH* - -	2,162	28,871	8	4	2	1	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake *H* - - -	2,847	20,628	16	9	2	1	-	-	-	-	-	-	-	-	1	-	-
1	Bromley† *HHH*- - -	4,703	27,358	11	13	9	2	-	-	-	-	-	-	6	-	-	-	-
2	Beckenham *H*- - -	7,825	28,499	16	9	5	2	-	-	-	-	-	-	4	-	-	1	-
3	Orpington, *part of*†* *W* -	10,113	9,857	2	4	2	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH* - -	7,333	16,458	13	4	3	-	-	-	-	-	-	-	2	-	1	-	-
1	Bexley *HHH* - - -	12,532	46,445	23	16	6	3	-	-	-	-	-	-	4	1	2	-	-
2	Dartford *WH*, *part of** -	—	—	-	2	-	-	-	-	-	2	-	-	-	-	-	2	-
1	Sunbury *w* - - -	11,054	18,682	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	14	4	2	1	-	-	-	-	-	-	1	-	1	-	-
1	Hillingdon *WHH* - -	6,035	13,661	3	5	2	-	-	-	-	-	-	-	1	1	1	-	-
2	Uxbridge - - - -	12,757	8,984	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,859	30,838	16	14	3	3	-	-	-	-	-	-	3	1	1	6	-
2	Twickenham *HH* - -	2,421	20,991	6	6	2	1	-	-	-	-	-	-	2	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	19	14	5	4	-	-	1	-	-	-	3	1	1	2	-
4	Chiswick - - - -	1,249	29,809	16	5	2	1	-	-	-	-	-	-	1	-	1	-	-
5	Acton *wHH* - - -	6,132	48,913	32	13	7	1	-	-	-	-	-	-	5	-	-	-	-
1	Harrow *HHH* - - -	13,809	25,522	9	6	3	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	55	39	23	6	-	-	-	1	-	-	9	1	1	1	-
4	Hendon *WH* - - -	8,382	22,450	8	7	4	-	-	-	-	-	-	-	3	1	1	1	-
1	South Mimms *HH* - -	17,755	7,308	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	9	7	3	2	-	-	-	-	-	-	1	-	-	-	-
3	Finchley *HHH*- - -	4,688	33,692	24	10	6	1	-	-	-	-	-	-	1	-	-	-	-
1	Hornsey *HH* - - -	2,875	72,056	30	13	4	2	-	-	-	1	-	-	1	-	-	-	-
2	Tottenham *HHH* - -	4,638	136,702	72	43	22	10	-	1	-	-	-	1	14	1	6	1	-
3	Edmonton *Ww* - -	7,491	61,892	49	26	11	8	-	-	-	-	-	-	10	-	-	8	-
4	Enfield *WWHH* - -	12,601	42,738	37	12	6	2	-	-	-	-	-	-	2	-	1	-	-
5	Waltham Abbey - -	11,017	6,547	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	5	2	2	-	-	-	-	-	-	-	1	-	-	-	-
1	Hatfield, *part of** *W*- -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,333	9,173	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,825	25	23	15	1	-	-	-	-	-	-	13	2	3	1	-
2	Plaistow *HHH* - - -	1,249	90,920	74	52	29	3	-	3	1	1	3	-	22	1	1	4	-
3	Canning Town *H* - -	1,556	70,666	51	36	24	1	-	1	-	-	-	1	15	1	3	-	-
4	Forest Gate *w* - - -	806	60,897	29	17	12	3	-	-	-	-	-	-	5	-	-	-	1
5	East Ham *wHHH* - -	3,248	95,970	67	38	21	2	-	1	-	-	-	-	11	2	2	-	-
6	Wanstead - - - -	1,737	9,198	1	4	3	1	-	-	-	-	-	-	2	-	-	-	-
7	South Leyton *WW* -	631	56,458	31	46	12	14	-	3	-	-	1	1	10	-	1	29	-
8	North Leyton *WwH* -	1,963	48,441	31	12	6	1	-	1	-	-	-	-	4	1	1	-	-
9	Walthamstow *HHHL* -	6,504	108,931	76	41	27	4	-	-	-	-	-	1	23	-	1	1	-
1	Chigwell, *part of** *HHHH*	11,778	16,403	9	3	1	-	-	-	-	-	-	-	1	1	1	-	-
2	Epping *WH*, *part of**- -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1	Romford, *part of** *W* -	6,556	6,089	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,496	41,240	23	12	7	1	-	-	-	-	-	-	3	-	1	-	-
3	Barking Town, *H* - -	3,803	21,547	22	8	5	1	-	1	-	-	-	-	5	-	-	-	-
	Brook Hospital, Kidbrook -	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 31st August, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,417**	**6,604,287**	**18·6**	**5·9**	**2354**	**1020**	**387**	**7**	**54**	**15**	**28**	**29**	**18**	**593**	**82**
INNER LONDON -	74,837	4,543,757	18·6	5·3	1623	647	275	7	40	13	22	20	12	352	60
OUTER RING -	368,580	2,060,530	18·5	7·0	731	373	112	–	14	2	6	9	6	241	22

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,561	August 31	143	115	18·9	–	–	–	1	3	2
GLASGOW - -	763,144	„ 31	463	257	17·5	–	12	1	1	3	7
DUBLIN† - -	375,076	„ 31	175	169	23·5	–	–	2	2	1	2
CALCUTTA - -	466,460	May 11	–	366	40·9	19	2	–	1	–	117
		„ 18	–	331	37·0	21	–	–	–	1	1[illegible]
BOMBAY - -	821,764	August 13	256	866	58·4	–	–	?	?	?	32
MADRAS - -	452,518	July 26	418	445	51·1	3	5	?	?	?	150
PARIS - - -	2,511,629	August 24	1039	873	18·0	9	24	1	10*	17	16
BRUSSELS - -	582,665	„ 24	254	193	12·7	–	1	–	2*	5	2
AMSTERDAM -	523,822	„ 17	270	159	15·8	–	3	–	–	3	–
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	August 24	268	142	19·6	–	3	–	–	5	3
STOCKHOLM -	301,050	„ 17	151	108	18·7	–	–	–	–	1	–
CHRISTIANIA -	226,423	„ 24	105	71	16·3	–	–	–	–	–	–
ST. PETERSBURG	1,248,643	„ 17	527	619	25·8	–	17	8	18	4	30
MOSCOW - -	1,023,817	„ 17	–	538	27·4	–	2	10	1	2	8
BERLIN - -	1,891,431	„ 10	921	870	24·1	–	10	11	5	6	3
HAMBURG - -	705,738	„ 24	–	331	24·4	–	7	3	1*	7	–
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	August 24	–	245	29·9	–	4	1	1	1	1
MUNICH - -	500,000	„ 24	–	206	21·4	–	3	–	–	5	–
VIENNA - -	1,691,996	„ 24	801	573	17·6	–	4	9	2*	–	4
PRAGUE - -	389,741	„ 24	190	139	18·6	–	3	5	1	2	1
BUDA-PESTH -	744,719	„ 24	430	217	15·2	–	2	5	2	–	1
TRIESTE - -	177,428	„ 17	–	–	–	–	–	–	–	–	–
ROME - - -	471,961	July 13	216	146	16·1	–	–	–	1	–	7
TURIN (10 days) -	344,203	—	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	August 17	68	75	22·4	–	–	–	2*	–	2
CAIRO - -	570,062	July 15	419	455	41·5	–	1	–	8*	2	16
ALEXANDRIA -	319,766	„ 15	228	278	45·2	3	2	–	2*	–	3
NEW YORK (including BROOKLYN)	3,536,517	August 3	2067	1662	24·5	14	21	11	28*	8	13
PHILADELPHIA -	1,293,697	„ 10	–	477	19·2	–	–	2	9	14	9

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 33 and 57 deaths, respectively, from cholera in Calcutta, 9 in Bombay and 1 in Madras.
‡ Including 89 and 60 deaths, respectively, from plague in Calcutta, and 197 in Bombay.
‖ Including 2 deaths from malarial fever.

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 25	..	29·600	83·1	54·3	28·8	68·8	+ 8·0	54·6	14·2	27·9	0·8	61	138·5	43·2	63·22	ENE. & ESE.	SSE. & SW.	1·9	0·0	0·1	172	− 60	0·00	0·0
MONDAY - 26	..	29·322	63·3	50·5	12·8	53·9	− 6·9	47·8	6·1	11·0	3·2	80	122·3	46·5	63·08	WSW. & W.	W. & WNW.	11·5	0·0	1·7	536	+301	0·57	0·0
TUESDAY - 27	..	29·618	64·6	47·4	17·2	54·6	− 6·1	45·9	8·7	19·4	0·4	72	133·3	41·8	63·03	WSW.	WSW. & NNE.	4·6	0·0	0·8	412	+174	0·44	0·0
WEDNESDAY 28	..	29·731	63·5	47·0	16·5	54·3	− 6·3	41·9	12·4	21·0	3·8	63	124·0	40·7	62·50	NNW., W. & WNW.	WNW., W. & WSW.	5·5	0·0	0·7	389	+148	0·00	0·0
THURSDAY- 29	Full	29·915	65·8	49·5	16·3	56·4	− 3·9	44·6	11·8	18·4	5·9	65	118·2	40·2	62·00	WSW. & WNW.	NW. & SW.	2·5	0·0	0·1	274	+ 30	0·00	0·0
FRIDAY - 30	In Equator	29·890	70·6	55·2	15·4	60·9	+ 0·8	53·2	7·7	15·5	0·0	76	132·9	46·7	61·70	SW.	WSW.	3·6	0·0	0·5	362	+115	0·00	0·0
SATURDAY- 31	..	29·836	68·8	56·5	12·3	61·4	+ 1·5	55·2	6·2	12·2	2·3	80	118·1	50·9	61·57	WSW.	WNW., NNW. & NE.	1·3	0·0	0·1	245	− 5	0·35	0·0
MEANS - -		29·702	68·5	51·5	17·0	58·6	− 1·8	49·0	9·6	17·9	2·3	71	126·8	44·3	62·44	Variable		..	..	..	Sum 2390	Sum +703	Sum 1·36	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	25	w. P. generally.	10·6	14·0
MONDAY -	26	v. P. and v. N. in morning; s. P. and s. N. afterwards.	4·6	13·9
TUESDAY -	27	m. P. generally till 5h. P.M.; s. N. and s. P. afterwards.	5·7	13·9
WEDNESDAY	28	m. P. till 9h. A.M.; v. P. afterwards.	10·3	13·8
THURSDAY-	29	m. P. in morning; v. P. afterwards.	3·6	13·8
FRIDAY -	30	m. P. throughout.	3·2	13·7
SATURDAY-	31	w. P. in morning; v. P. afterwards.	1·2	13·6
			Sum 39·2	Sum 96·7
No. of Col. -	-	27	28	29

GENERAL REMARKS.

SUNDAY - 25	Dense fog prevailed in morning; very fine, with small amounts of cloud, till afternoon; overcast, with slight showers, at night.
MONDAY - 26	Very variable; frequent heavy showers. Lightning and thunder shortly before noon.
TUESDAY - 27	Fine and partially cloudy till afternoon; overcast afterwards. Heavy rain between 5h. P.M. and 11h. P.M.
WEDNESDAY 28	Very fine; partially cloudy.
THURSDAY- 29	Fine; partially cloudy. Solar halo at 5h. P.M.
FRIDAY - 30	Overcast in morning; fine and partially cloudy afterwards. Lunar halo at night.
SATURDAY- 31	Fine but cloudy till 9h. A.M.; overcast afterwards, and rain fell steadily between 3h. P.M. and 9h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 in. at the beginning of the week to 29·28 in. by 3h. P.M. on the 26th; increased to 29·64 in. by noon on the 27th; decreased to 29·57 in. by 9h. P.M. on the 27th: increased to 29·95 in. by 9h. P.M. on the 29th; decreased to 29·81 in. by 3h. P.M. on the 31st; and was 29·84 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th August, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	1	1	-	1	-	-	1	-
Kensington	176,787	-	14	3	-	2	-	-	5	-
Hammersmith	112,619	-	3	1	-	2	-	-	2	-
Fulham	138,426	-	5	7	-	9	-	-	2	-
Chelsea	73,879	1	3	-	-	-	-	-	1	-
City of Westminster	182,502	-	6	7	-	-	-	-	2	-
NORTH.										
St. Marylebone	133,060	-	7	4	-	1	-	-	4	-
Hampstead	82,287	-	-	3	-	1	-	-	-	-
St. Pancras	235,297	16	10	20	-	5	-	-	5	2
Islington	335,325	-	22	9	-	8	-	-	6	-
Stoke Newington	51,328	1	2	1	-	1	-	-	-	-
Hackney	219,780	-	16	15	-	2	-	-	5	-
CENTRAL.										
Holborn	59,205	2	6	3	-	2	-	-	3	-
Finsbury	101,263	-	12	7	-	-	-	-	2	-
City of London	26,627	-	2	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	6	8	-	2	-	-	3	-
Bethnal Green	129,700	1	20	14	-	-	-	-	6	-
Stepney	298,884	-	25	28	-	3	-	-	7	-
Poplar	168,887	-	5	10	-	4	-	-	2	-
SOUTH.										
Southwark	206,219	1	24	7	-	3	-	-	5	-
Bermondsey	130,348	-	21	4	-	6	-	-	2	-
Lambeth	302,460	-	16	5	-	1	-	-	5	1
Battersea	169,364	-	13	2	-	-	-	-	1	-
Wandsworth	233,943	-	6	11	-	1	-	-	3	-
Camberwell	259,897	-	20	16	-	4	-	-	4	-
Deptford	110,732	-	10	10	-	-	-	-	2	-
Greenwich	96,188	-	8	2	-	2	-	-	2	-
Lewisham	128,423	-	4	1	-	2	-	-	-	1
Woolwich	117,619	-	7	7	-	4	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	22	294	207	-	66	-	-	82	4
Ages 0-1		-	2	-	-	1	-	-	3	-
" 1-5		1	98	81	-	6	-	-	4	-
" 5-		3	105	62	-	10	-	-	1	-
" 10-		4	42	20	-	10	-	-	-	-
" 15-		4	28	18	-	11	-	-	3	-
" 20-		-	11	6	-	7	-	-	5	1
" 25-		5	7	15	-	13	-	-	11	1
" 35-		2	1	2	-	5	-	-	19	2
" 45-		1	-	2	-	2	-	-	12	-
" 55-		2	-	-	-	1	-	-	13	-
" 65 and upwards		-	-	1	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36. 1901. VOL. LXII.] WEEK ENDED SATURDAY, SEPT. 7. [Price 1½*d.*

General Register Office, Somerset House,
September 9th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 21·3, 21·6, and 21·0. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.		Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
33 Great Towns	21·3	21·6	21·0	19·4	Leicester - -	20·1	24·0	22·8	21·1
Birkenhead -	30·5	26·7	19·2	22·5	Liverpool - -	22·8	22·9	22·0	17·9
Birmingham -	21·9	27·2	23·9	24·5	London - - -	19·6	19·2	18·6	16·9
Blackburn -	20·4	23·7	21·6	20·4	Manchester - -	26·3	26·9	27·7	23·1
Bolton - -	21·6	20·1	23·8	21·6	Newcastle-on-Tyne	26·9	28·5	30·2	27·1
Bradford -	20·1	19·5	17·9	20·1	Norwich - -	22·8	21·0	23·3	17·2
Brighton -	20·7	19·0	24·5	21·5	Nottingham - -	21·7	23·2	24·3	16·9
Bristol - -	14·2	14·4	12·0	9·5	Oldham - -	14·4	26·2	22·0	24·3
Burnley -	24·7	17·1	23·0	24·1	Plymouth - -	18·8	18·8	19·3	16·4
Cardiff - -	13·9	14·8	15·1	13·6	Portsmouth - -	22·2	21·4	20·9	20·3
Croydon -	13·2	16·3	24·0	22·5	Preston - -	26·7	21·2	24·9	19·8
Derby - -	16·7	18·7	23·1	14·3	Salford - - -	28·7	27·5	23·5	22·6
Gateshead -	30·2	30·2	32·1	36·8	Sheffield - -	27·2	25·0	22·8	23·9
Halifax -	10·4	17·9	15·9	15·9	Sunderland - -	30·2	29·1	25·2	24·5
Huddersfield-	17·6	14·3	20·9	14·8	Swansea - -	15·4	27·0	13·8	17·1
Hull - -	27·2	27·0	29·3	26·3	West Ham - -	24·6	22·3	28·5	25·4
Leeds - -	22·2	24·7	17·7	21·8	Wolverhampton -	21·0	21·0	17·7	24·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in West Ham; from "*fever*," 1·3 in Nottingham; and from *diarrhœal diseases*, 6·2 in Birmingham, 6·5 in Blackburn and in Preston, 6·8 in West Ham and in Newcastle on Tyne, 6·9 in Manchester, 7·1 in Sheffield, 7·8 in Salford, 8·3 in Wolverhampton and in Leicester, 8·5 in Croydon, 9·2 in Sunderland, 10·8 in Hull, and 15·1 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* or from *whooping-cough* reach 1·0 per 1000. The 65 deaths from *diphtheria* included 20 in London, 6 in West Ham, 6 in Manchester, 5 in Sheffield, 4 in Leeds, 3 in Birmingham, 3 in Salford, and 3 in Sunderland. Seven deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2582 BIRTHS and 1471 DEATHS were registered. Allowing for increase of population, the births were 25, and the deaths 74, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·6, 19·2,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9903—670—9/1901 Wt 45 D & S 3

and 18·6 in the preceding three weeks, further fell last week to 16·9. During the four weeks ended on Saturday last the death-rate averaged 18·6 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1471 deaths included 7 from small-pox, 13 from measles, 14 from scarlet fever, 20 from diphtheria, 27 from whooping-cough, 17 from enteric fever, 271 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 373 deaths were referred to these diseases, being 63 above the corrected average weekly number.

The deaths from *small-pox*, which had been 2, 0, and 7 in the preceding three weeks, were again 7 last week; the deceased had all been removed from the Borough of St. Pancras to the Metropolitan Hospital Ships "Atlas" and "Castalia." The deaths from *measles*, which had been 37, 26, and 40 in the preceding three weeks, fell again last week to 13, and were 9 below the corrected average. The deaths from *scarlet fever*, which had been 16, 12, and 13 in the preceding three weeks, were 14 last week, the corrected average being 17; 2 cases belonged to Islington and 2 to Camberwell. The deaths from *diphtheria*, which had been 30, 27, and 22 in the preceding three weeks, further fell last week to 20, and were 16 below the corrected average. The deaths from *whooping-cough*, which had been 24, 17, and 20 in the preceding three weeks, further rose last week to 27, but were 3 below the corrected average; 6 cases belonged to Stepney and 5 to Camberwell. The fatal cases of *enteric fever*, which had been 10, 25, and 12 in the preceding three weeks, rose again last week to 17, and were 2 above the corrected average; 2 cases belonged to Islington, 2 to Hackney, 2 to Stepney, and 2 to Lambeth. The deaths from *diarrhœal diseases*, which had been 411, 379, and 352 in the preceding three weeks, further fell last week to 275, but were 85 above the corrected average. Of the 275 deaths from diarrhœal diseases, 257 were of children under 5 years of age; 19 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 103, 126, and 114 in the preceding three weeks, rose again last week to 124, and were 17 below the corrected average. The deaths attributed directly to *influenza* numbered 4, having been 3, 2, and 2 in the preceding three weeks.

Different forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 6 were cases of suicide, and 1 of homicide, while the remaining 38 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 4 to burns and scalds, 4 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 92 cases of small-pox, 2994 of scarlet fever, 1365 of diphtheria, and 254 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 31 cases, against 8, 30, and 52; of scarlet fever, 346 cases, against 290, 273, and 303; of diphtheria, 212 cases, against 175, 170, and 202; and of enteric fever, 51 cases, against 35, 42, and 55. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended August 31st.

Greater London.

In Greater London 3756 births and 2117 deaths were registered, corresponding to annual rates of 29·7 and 16·7 per 1000 of the estimated population. In the Outer Ring 1 death from small-pox, 12 deaths from measles, 3 from scarlet fever, 12 from diphtheria, 4 from whooping-cough, 6 from "fever," and 174 from diarrhœal diseases were registered. The death from small-pox was that of a resident of Tottenham, who had been removed to the Hospital Ship "Castalia." Five deaths from measles, 7 from diphtheria, and 68 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 56°·4; the latter being 3°·0 below the week's average in the 50 years 1841–90. The direction of the wind was easterly, the horizontal movement of the air being 3 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 52·3 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease: but in some of the cases, the diagnosis is afterwards found to have been erroneous

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Registered during the Week ended 7th Sept. 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	11,463,026	6599	4270	1621	776	7	46	39	65	47	52	1000	117	243	867	39	19·4	5·7	69·5	38·6	54·0	12·22	0·10	0·25	33 Towns.
London - -	4,543,757	2582	1471	543	298	7	13	14	20	27	17	275	45	120	462	4	16·9	4·3	69·5	41·8	56·4	13·56	0·00	0·00	London.
West Ham - -	268,868	186	131	59	21	-	5	1	6	1	1	35	5	7	19	-	25·4	9·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	85	58	26	12	-	-	-	-	-	-	22	1	5	3	-	22·5	8·5	69·2	42·5	54·3	12·67	0·46	1·17	Croydon.
Brighton - -	123,668	54	51	22	18	-	-	-	1	-	-	11	-	4	8	-	21·5	5·1	68·8	49·6	58·1	14·50	0·00	0·00	Brighton.
Portsmouth -	189,907	110	74	29	17	-	-	-	-	1	2	20	1	2	10	-	20·3	6·3	68·0	47·5	57·1	13·94	0·00	0·00	Portsmouth.
Plymouth - -	107,974	39	34	14	10	-	-	-	1	1	-	9	-	-	-	-	16·4	5·3	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	174	60	14	16	-	-	-	1	1	1	8	1	4	21	1	9·5	1·7	68·5	40·5	53·3	11·83	0·35	0·89	Bristol.
Cardiff - -	165,308	113	43	18	10	-	-	1	1	-	-	5	1	3	3	-	13·6	2·2	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	46	31	12	5	-	1	1	-	-	-	2	1	1	3	1	17·1	2·2	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	52	45	16	8	-	1	-	-	-	-	15	1	1	8	-	24·8	8·8	65·7	40·1	50·4	10·22	0·00	0·00	Wolverhampton.
Birmingham -	523,284	317	246	99	38	-	8	4	3	4	2	62	5	6	33	6	24·5	8·3	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	51	37	13	8	-	-	1	2	-	1	10	1	1	5	-	17·2	6·5	-	-	-	-	-	-	Norwich.
Leicester - -	212,498	113	86	46	12	-	-	-	2	3	-	34	-	1	8	2	21·1	9·6	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	157	78	34	14	-	2	-	-	-	6	22	4	5	19	1	16·9	6·5	67·0	39·9	53·1	11·72	0·00	0·00	Nottingham.
Derby - - -	106,076	60	29	8	10	-	-	-	-	-	1	6	-	1	4	-	14·3	3·4	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	72	48	15	8	-	1	-	-	2	-	5	3	3	9	1	22·5	3·8	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	468	236	66	45	-	-	6	1	1	4	46	8	11	72	8	17·9	4·4	66·7	46·2	54·6	12·56	0·11	0·28	Liverpool.
Bolton - -	168,748	88	70	20	14	-	-	-	1	-	1	14	2	5	7	-	21·6	4·9	-	-	-	-	-	-	Bolton.
Manchester -	544,934	297	241	89	26	-	1	2	6	-	2	72	15	24	53	-	23·1	7·9	-	-	-	-	-	-	Manchester.
Salford - -	221,526	114	96	38	9	-	3	3	3	1	2	33	1	2	14	-	22·6	10·6	-	-	-	-	-	-	Salford.
Oldham - -	137,382	48	64	19	14	-	1	1	-	-	-	7	1	2	5	-	24·3	3·4	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	42	45	17	5	-	-	-	1	-	-	10	2	5	2	-	24·1	5·9	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	66	50	24	9	-	-	1	1	-	-	16	-	-	6	1	20·4	7·3	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	82	43	21	4	-	-	-	-	-	-	14	1	1	4	4	19·8	6·5	64·0	44·0	54·1	12·28	0·00	0·00	Preston.
Huddersfield -	94,998	31	27	6	8	-	-	-	1	-	-	4	2	3	2	-	14·8	2·7	66·8	40·2	51·4	10·78	0·19	0·48	Huddersfield.
Halifax - -	105,113	48	32	5	7	-	1	-	-	-	-	6	-	1	3	1	15·9	3·5	-				-	-	Halifax.
Bradford - -	280,161	133	108	38	24	-	1	1	-	1	1	21	1	3	12	-	20·1	4·7	64·8	42·0	52·7	11·50	0·00	0·00	Bradford.
Leeds - - -	430,489	250	180	73	29	-	4	1	4	2	3	28	6	7	23	1	21·8	5·1	-	-		-	-	-	Leeds.
Sheffield - -	382,129	252	175	77	24	-	2	2	5	-	2	52	2	3	18	1	23·9	8·6	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	142	122	59	15	-	-	-	1	-	4	50	1	2	7	2	26·3	11·9	67·0	38·0	52·0	11·11	0·05	0·13	Hull.
Sunderland -	146,937	91	69	27	10	-	2	-	3	-	-	26	2	4	4	1	24·5	11·0	-	-	-	-	-		Sunderland.
Gateshead - -	110,492	90	78	34	7	-	-	-	1	-	1	32	2	2	1	4	36·8	16·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	146	112	40	21	-	-	-	-	2	1	23	2	4	19	-	27·1	7·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2496	2604	2556	2369	2486	2449	2655	2446	2442	2628	2606·7	2582
Males - -	1298	1316	1327	1203	1246	1281	1374	1222	1212	1307	1326·2	1369
Females - -	1198	1288	1229	1166	1240	1168	1281	1224	1230	1321	1280·5	1213
TOTAL **Deaths** -	1217	1361	1560	1175	1358	1308	1391	2007	1934	1582	1544·7	1471
Males - -	644	705	796	629	704	685	708	1049	967	861	803·6	759
Females - -	573	656	764	546	654	623	683	958	967	721	741·1	712

*The numbers in this column are the average weekly numbers in the thirty-sixth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
TOTAL **Births** - - -	2406	2451	2478	2413	2526	2519	2384	2844	2322	2659	2643	2483	2582
TOTAL **Deaths** - - -	1191	1204	1210	1256	1237	1411	1582	1747	1636	1705	1676	1623	1471
Ages at Death: Under 1 year - -	258	283	267	285	282	411	583	716	664	734	689	647	543
1—5 years - -	152	144	154	146	140	168	215	196	185	185	167	200	137
5—20 " - -	78	72	58	68	88	77	73	87	92	70	83	78	80
20—40 " - -	177	154	176	173	180	175	169	191	171	186	177	174	157
40—60 " - -	253	247	264	266	258	279	252	268	244	259	233	249	256
60—80 " - -	218	250	235	244	236	244	241	243	226	229	270	226	243
80 years and upwards	55	54	56	74	53	57	49	46	54	42	57	49	55
Deaths from—													
Small pox - - - -	-	-	1	-	-	-	-	1	1	2	-	7	7
Measles - - - -	38	42	51	49	37	45	60	45	40	37	26	40	13
Scarlet Fever - - -	21	13	12	8	17	10	20	15	10	16	12	13	14
Diphtheria - - - -	13	18	18	27	24	30	28	28	24	30	27	22	20
Whooping-cough - - -	35	25	25	22	15	17	24	20	19	24	17	20	27
Typhus - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever - - -	7	2	4	6	2	9	10	11	18	10	25	12	17
Simple Continued Fever -	-	-	-	-	1	2	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	26	25	23	45	71	140	289	399	367	404	375	348	271
Cholera - - - - -	-	-	-	1	2	-	5	4	5	7	4	4	4
All the above Diseases -	140	125	134	158	169	253	436	523	484	531	486	66	373
Dis. of Respiratory System -	159	150	141	165	133	135	134	126	126	103	126	114	124
Phthisis - - - - -	122	113	138	133	168	114	111	153	106	123	120	142	124
Dis. of Circulatory System -	122	103	109	139	104	116	111	113	113	97	120	100	142
Violence - - - -	68	55	42	59	49	72	74	81	77	68	56	60	45
Inquest Cases - - - -	136	126	101	117	123	138	141	162	155	159	116	157	120
Deaths in Public Institutions -	456	419	454	435	435	467	459	507	458	460	467	478	462
TEMPERATURE OF THE AIR													
Mean - - - - -	56·8°	58·0°	61·0°	64·1°	64·5°	68·4°	61·6°	65·1°	64·6°	61·0°	63·9°	58·6°	56·4°
Mean of Highest readings -	67·6	67·8	71·8	73·9	77·2	81·6	71·7	75·8	76·8	72·2	76·6	68·5	65·1
Mean of Lowest readings -	47·0	50·1	50·9	56·1	52·2	54·4	54·5	54·9	55·3	52·1	50·5	51·5	47·8
Humidity of the Air - -	60	71	63	75	68	63	83	72	70	71	67	71	66
Rain-fall (in inches) - -	0·10	0·43	0·00	1·05	0·00	0·00	1·30	0·38	0·08	0·50	0·00	1·36	0·00
Registered Sunshine (in hours)	63·7	36·4	69·5	46·1	60·2	75·5	18·4	49·2	49·0	49·3	74·4	39·2	52·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	5	6	12	14	11	13	11	13	41	74	92
Scarlet Fever - - - -	2594	2708	2821	2895	2918	2907	2974	3091	3148	3101	3040	3008	2994
Diphtheria - - - -	1104	1138	1176	1195	1228	1267	1303	1336	1363	1361	1318	1344	1365
Typhus - - - - -	-	-	—	-	1	-	-	-	-	-	-	-	-
Enteric Fever - - - -	105	117	125	128	145	152	165	166	180	188	198	225	254

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SIXTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 36th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 7th September, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1544·7	1471	543	137	80	157	256	243	55
all- { Vaccinated† -	0·3	4	-	-	-	2	2	-	-
ox { Unvaccinated	0·4	3	-	-	2	1	-	-	-
{ No Statement	0·4	-	-	-	-	-	-	-	-
sles - - - -	22·3	13	4	9	-	-	-	-	-
let Fever - - -	16·7	14	-	8	6	-	-	-	-
hus - - - -	-	-	-	-	-	-	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	4·1	4	-	1	-	-	2	1	-
oping-cough - -	29·9	27	17	10	-	-	-	-	-
atheria - -	35·6	20	2	9	9	-	-	-	-
ple Continued and -defined Fever -	0·1	-	-	-	-	-	-	-	-
eric Fever - - -	14·6	17	-	1	3	6	7	-	-
era and Chol. Diarr.	4·5	4	4	-	-	-	-	-	-
rhœa, Dysentery -	185·6	271	224	29	2	3	2	9	2
ittent Fever - -	-	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of ccination - -	0·3	-	-	-	-	-	-	-	-
real Affections - -	9·2	11	5	-	-	1	4	1	-
ipelas - - -	4·7	1	1	-	-	-	-	-	-
mia and Septicæmia	1·1	1	-	-	1	-	-	-	-
peral Fever - -	3·6	5	-	-	-	5	-	-	-
er Zymotic Diseases	0·5	-	-	-	-	-	-	-	-
ish - - - -	1·3	3	3	-	-	-	-	-	-
ms and other Para- ical Diseases -	0·6	2	-	-	1	1	-	-	-
vation, Want of east-milk - -	2·1	2	2	-	-	-	-	-	-
holism - - -	11·8	9	-	-	-	4	3	2	-
umatic Fever, eumatism of Heart	7·2	2	-	-	1	-	1	-	-
umatism - - -	2·4	2	-	-	-	-	-	2	-
t - - - - -	2·0	1	-	-	-	-	1	-	-
tets - - - -	4·3	3	3	-	-	-	-	-	-
cer - - - -	75·8	79	-	1	1	7	30	39	1
s Mesenterica - -	34·4	21	15	3	-	1	2	-	-
ercular Meningitis -	22·7	15	3	9	1	2	-	-	-
tiis - - - -	140·8	124	1	2	10	56	50	5	-
tula, Tuberculosis -	23·5	9	3	2	2	-	1	1	-
r Constitutional seases - -	11·8	15	1	-	1	4	2	6	1
nature Birth - -	46·1	46	46	-	-	-	-	-	-
ectasis - - -	4·1	5	5	-	-	-	-	-	-
enital Malforma- ns - - -	6·8	10	10	-	-	-	-	-	-
Age - - - -	40·6	41	-	-	-	-	-	16	25
plexy - - -	38·1	38	1	-	-	1	14	18	4
epsy - - - -	6·6	5	-	-	-	2	1	2	-
vulsions - - -	41·2	32	29	3	-	-	-	-	-
r Diseases of Brain d Nervous System	72·2	50	10	5	4	7	12	11	1
ases of Organs of ecial Sense -	2·7	2	-	-	1	1	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 36th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 7th September, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	113·2	142	3	2	16	18	43	54	6
Croup - - - -	2·0	-	-	-	-	-	-	-	-
Bronchitis - - -	61·6	41	6	3	-	-	5	23	4
Pneumonia - - -	59·0	67	16	16	4	4	19	7	1
Pleurisy - - - -	3·3	8	1	1	1	2	2	1	-
Other Diseases of Respiratory System -	15·5	8	-	2	-	-	3	3	-
Dentition - - - -	6·0	4	4	-	-	-	-	-	-
Quinsy, Sore Throat -	2·2	2	1	1	-	-	-	-	-
Enteritis - - -	84·0	34	17	6	3	5	2	-	1
Gastro-enteritis -		21	17	2	-	-	-	2	-
Peritonitis - - -	6·0	1	-	-	-	-	1	-	-
Diseases of Liver - -	25·7	24	4	-	-	4	12	3	1
Other Diseases of Digestive System	31·9	39	16	4	-	2	4	11	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	3	-	1	1	1	-	-	-
Diseases of Urinary System - - -	43·1	51	-	-	1	8	20	18	4
Diseases of Generative System - - -	3·9	3	-	-	1	-	2	-	-
Accidents of Childbirth-	6·1	-	-	-	-	-	-	-	-
Diseases of Locomotive System - - -	3·9	5	1	1	2	-	1	-	-
Diseases of Integumentary System- -	7·9	2	2	-	-	-	-	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·6	-	-	-	-	-	-	-	-
By Vehicles or Horses -	7·1	7	-	1	2	-	1	2	1
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·7	1	-	-	-	-	-	1	-
In Building Operations -	0·9	-	-	-	-	-	-	-	-
In Conflagrations -	-	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	5·4	4	-	3	-	-	-	1	-
By Drowning - - -	4·9	4	-	-	-	2	1	1	-
By Suffocation in Bed -	7·6	7	7	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·8	2	-	1	-	-	1	-	-
Other or not stated causes - - - -	18·6	13	1	1	2	3	3	2	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·0	1	-	-	1	-	-	-	-
Suicide - - - -	7·8	6	-	-	-	3	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	75·7	60	58	-	1	1	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 7th September, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,536,063	2582	1471	543	298	7	13	14	20	27	-	17	-	275	45	120	462	
WEST DISTRICTS - - -	805,275	372	259	83	56	-	2	-	6	6	-	3	-	43	15	26	82	
NORTH DISTRICTS - - -	1,056,018	558	270	80	70	-	2	2	7	4	-	5	-	33	6	22	76	
CENTRAL DISTRICTS - - -	209,432	122	70	31	9	-	-	-	-	-	-	-	-	18	4	7	27	
EAST DISTRICTS - - -	715,772	477	312	114	58	-	6	-	-	6	-	2	-	53	10	35	112	
SOUTH DISTRICTS - - -	1,749,566	1053	526	235	100	-	3	7	7	11	-	7	-	126	10	30	131	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	5	7	-	5	-	-	-	-	-	2	-	-	34	
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	46	27	13	4	-	-	-	-	-	-	1	-	12	-	-	4	
St. John Paddington *H* - - G.	33,608	8	7	-	1	-	-	-	-	-	-	-	-	-	1	1	4	
North-West Paddington - - C.	17,181	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town *Ww* - W. & C.	128,025	67	44	16	6	-	1	-	-	1	-	-	-	6	2	4	12	
Brompton *HH* - - - W. & C.	48,598	13	9	2	5	-	-	-	-	-	-	-	-	1	1	2	-	
North Hammersmith *H* W. & G	49,335	28	14	6	2	-	-	-	-	1	-	-	-	2	2	2	-	
South Hammersmith *wH* W. & G	62,910	24	24	6	5	-	-	-	-	1	-	-	-	4	-	2	6	
North-west Fulham *W* W. & C.	45,180	39	27	9	6	-	-	-	1	2	-	-	-	6	-	2	16	
North-east Fulham *w* W. & C.	46,404	24	23	8	6	-	-	-	5	-	-	-	-	4	2	3	5	
South Fulham W. & C.	45,705	20	8	4	1	-	-	-	-	-	-	1	-	2	-	-	-	
Chelsea North *WWHHHH* - C.	42,515	17	21	1	7	-	-	-	-	-	-	-	-	-	2	3	14	
Chelsea South *HH* - - C.	31,341	13	7	2	2	-	1	-	-	-	-	-	-	1	-	-	1	
May Fair and Knightsbridge *H* C. & G.	28,744	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave *HHH* - - - C.	55,812	25	21	8	3	-	-	-	-	-	-	1	-	5	-	1	12	
St. Margaret & St. John Westminster *HHH* C.	43,665	21	21	5	7	-	-	-	-	1	-	-	-	-	5	6	6	
St. James Westminster *WH* N. & G.	21,595	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
St. Anne Soho *HHHHH* - N.	11,492	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	11	13	-	6	-	-	-	-	-	-	1	-	-	-	3	7	
Rectory Marylebone *W* G. & W.	19,869	4	5	1	2	-	-	-	-	-	-	-	-	2	-	2	1	
St. Mary Marylebone *HHHH* G. & W.	18,099	36	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone *H* - W	39,541	21	7	2	4	-	-	-	-	-	-	-	-	2	-	3	-	
St. John Marylebone *HHH* - W	20,426	11	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
Hampstead *WwHHHHH* - N. & W.	81,942	21	17	4	4	-	-	2	2	1	-	-	-	1	1	1	7	
Regent's Park *H* - W.	50,647	26	8	3	3	-	-	-	-	-	-	-	-	1	-	-	-	
Tottenham-court *wHHHHHH* - N. & W.	24,814	14	7	2	1	-	-	-	-	-	-	-	-	-	-	-	4	
Gray's Inn Lane *HHHH* - N.	30,886	10	8	2	-	-	-	-	-	-	-	-	-	1	-	-	3	
Somers Town *HH* - - - N.	30,131	15	11	5	3	-	-	-	-	-	-	-	-	3	-	-	2	
Camden Town *WH* - - N.	40,079	19	12	2	3	-	-	-	-	-	-	-	-	1	-	2	4	
Kentish Town *WW* - - N.	58,727	34	13	4	-	-	-	-	-	-	-	-	-	-	2	3	2	
Tufnell *W*		16	21	5	8	-	-	-	-	1	-	-	-	2	1	1	9	
Upper Holloway *WWwHH* - N.	99,841	28	21	3	5	-	1	-	-	-	-	1	-	2	-	-	12	
Tollington *W*		15	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-	
Lower Holloway - - - N.	41,411	23	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	
Barnsbury - - - - N.	54,479	30	7	4	-	-	-	-	-	-	-	-	-	2	-	1	-	
Islington South-east *H* - N.	75,402	35	21	6	9	-	-	-	-	-	-	-	-	2	-	-	-	
Highbury *HH* - - - N.	63,795	27	13	4	3	-	-	-	-	-	-	1	-	1	-	1	-	
Stoke Newington *H* - - N.	51,247	27	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	
North Hackney - E. & N.	50,570	22	7	2	-	-	-	-	-	1	-	-	-	1	-	-	-	
Central Hackney *ww* - E. & N.	50,535	32	14	6	-	-	-	-	4	-	-	-	-	2	-	1	3	
South-west Hackney *HHH* E. & N.	59,929	32	18	8	2	-	1	-	1	-	-	2	-	3	1	3	6	
South-east Hackney *WwH* E. & N.	58,254	49	28	7	13	-	-	-	-	1	-	-	-	3	1	1	15	

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Upper Holloway, and Tollington respectively.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.																		
outh *WH* - -	22,495	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Giles North *H* - - - N.	8,959	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Martin-in-the-Fields *HH* N. & C	12,975	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
and *WHH* - - - N.	8,694	3	8	1	4	-	-	-	-	-	-	-	-	-	2	2	5	-
and Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn *WHHHHHH* - - N.	29,579	9	19	9	-	-	-	-	-	-	-	-	-	5	1	1	12	-
James Clerkenwell - - N.	15,634	9	7	5	2	-	-	-	-	-	-	-	-	1	-	1	-	-
well - - - - - N.	32,691	12	6	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-
well-street - - - - N.	15,390	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury* *HHHL* - - N.	35,376	46	12	9	-	-	-	-	-	-	-	-	-	8	-	1	-	-
born Union Workhouse, } *itcham* - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph *H* - - N. & E.	11,036	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N	7,886	1	8	-	-	-	-	-	-	-	-	-	-	1	1	2	7	-
hallows Barking - - - N	8,717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	16,370	4	6	3	1	-	-	-	-	-	-	-	-	1	-	-	2	-
tton New Town *wH* - - N	29,761	26	15	2	6	-	-	-	-	-	-	-	-	1	-	1	8	-
tton Old Town - - - N	26,510	16	7	3	-	-	1	-	-	-	-	1	-	1	-	1	-	-
gerston *W* - - N & E.	46,064	36	19	7	5	-	1	-	-	-	-	-	-	1	-	1	5	-
nnal Green North *HH* - E.	51,513	30	14	8	3	-	1	-	-	-	-	-	-	2	-	1	3	-
nnal Green South - - E	33,473	27	11	6	1	-	1	-	-	-	-	-	-	3	-	2	-	-
nnal Green East *WWHl* - E.	44,695	29	33	7	7	-	-	-	-	-	-	-	-	5	1	3	17	-
alfields - - - E. & N.	27,965	17	4	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
e End New Town *WH* - E.	28,711	22	37	6	3	-	-	-	-	1	-	-	-	2	4	5	29	-
dman's Fields - - - E.	22,082	9	7	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
George's, North - - - E.	40,965	43	10	6	1	-	-	-	-	-	-	-	-	2	1	1	-	-
ohn *W* - - - E.	8,122	9	12	3	6	-	-	-	-	1	-	-	-	2	-	-	10	-
dwell *H* - - - E. & N.	10,760	5	7	6	-	-	-	-	-	-	-	-	-	5	-	-	6	-
cliff *W* - - - - E.	14,770	6	8	5	-	-	-	-	-	-	-	-	-	3	-	1	-	-
ehouse - - - - E	32,558	20	11	4	2	-	-	-	-	-	-	-	-	2	-	1	-	-
e End Old Town West *H* E.	59,467	41	19	12	2	-	-	-	-	2	-	-	-	4	-	1	-	-
e End Old Town East } *Ww* - E.	53,348	22	16	5	8	-	-	-	-	-	-	-	-	1	-	3	8	-
y l - - - - E.	41,990	20	13	9	-	-	-	-	-	-	-	-	-	8	-	2	-	-
mley *wwwH* - - - E.	68,926	53	41	11	11	-	-	-	-	-	-	1	-	5	3	6	21	-
lar *WW* - - - - E.	58,522	42	22	6	2	-	2	-	-	-	-	-	-	4	-	5	3	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 7th September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	9	6	4	1	-	-	-	-	-	-	-	-	3	-	-	-
St. Saviour Southwark - - S.	12,056	5	17	2	2	-	-	-	1	-	-	-	-	1	3	5	12
Kent-road - - - S. & L.	21,899	9	7	3	1	-	-	-	-	1	-	-	-	2	-	1	-
Borough-road *WH* - S. & L	16,882	10	10	6	-	-	-	-	-	-	-	-	-	4	-	-	5
London-road *HL* - L. & S.	22,209	16	5	1	-	-	-	-	-	-	-	-	-	2	-	1	1
Trinity Newington *H* - S. & L.	28,485	18	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Peter Walworth *W*- S. & L.	61,773	55	20	12	2	-	-	-	-	-	-	-	-	3	-	-	1
St. Mary Newington - L. & S.	31,592	32	6	4	1	-	-	-	-	-	-	-	-	2	-	-	-
St. Olave *W* - - - - S.	9,813	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W* - - - S.	82,405	57	22	12	4	-	-	-	-	-	-	-	-	4	-	-	-
Rotherhithe *Ww* - - S. & K.	38,268	17	9	3	-	-	-	-	-	-	-	-	-	2	-	-	5
Waterloo-road *HH* - L. & S.	27,435	30	5	4	-	-	-	-	-	-	-	-	-	3	-	-	1
Lambeth Church 1st *HH* L. & S.	18,420	3	8	1	1	-	-	-	-	-	-	-	-	2	1	1	6
Lambeth Church 2nd *WW* L. & S.	39,818	30	18	9	5	-	-	-	-	-	-	-	-	5	-	-	11
Kennington 1st *H* - S. & L.	53,196	34	12	9	1	-	-	-	-	-	-	-	-	5	-	1	1
Kennington 2nd - - S. & L.	42,891	27	10	3	4	-	-	-	-	-	-	1	-	-	-	-	-
Brixton *w* - - - L. & S.	84,226	41	20	8	2	-	-	1	-	1	-	2	-	6	1	2	3
Norwood *WH* - - - L.	35,887	15	8	4	3	-	-	-	-	-	-	-	-	4	-	-	1
East Battersea - - - S.	72,201	47	12	8	1	-	1	-	-	-	-	-	-	4	-	-	-
North-west Battersea - - S.	49,650	33	14	7	3	-	1	-	-	1	-	-	-	3	-	4	-
South-west Battersea *WwH* - S.	47,045	27	21	4	9	-	-	1	-	-	-	-	-	1	-	2	11
Clapham *H* - - - - S.	51,353	26	18	9	4	-	-	-	-	-	-	-	-	5	-	1	1
Streatham *WwwwL* - - L.	88,129	39	28	11	6	-	-	2	1	1	-	-	-	4	-	-	4
Wandsworth *WHHL* - - S.	68,409	38	16	8	1	-	-	-	-	-	-	1	-	6	-	1	1
Putney - - - - - S.	24,139	19	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	10,246	5	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	40	40	13	10	-	-	-	-	-	-	-	-	7	-	-	25
Peckham *WW* - S., L., & K.	93,022	61	20	12	3	-	-	-	-	3	-	-	-	6	-	2	-
St. George Camberwell - L. & S.	65,586	37	20	13	2	-	-	-	-	1	-	-	-	7	-	-	-
Deptford North - - - K.	37,601	27	6	4	2	-	-	-	-	-	-	-	-	4	-	-	-
Deptford Central *w* - - K.	45,621	23	12	6	1	-	-	-	-	1	-	1	-	3	-	-	2
Deptford South - - - K.	34,622	14	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,456	19	4	1	2	-	-	-	-	-	-	-	-	1	-	-	1
Greenwich East *WH* - - K.	43,849	23	25	9	6	-	-	-	-	-	-	1	-	5	3	3	15
Eltham *wH* - - - - K.	7,218	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	15	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwwH* - - K.	58,341	36	27	13	2	-	-	2	3	-	-	-	-	10	-	1	12
Sydenham *H* - - - L.	43,630	19	13	6	3	-	1	-	-	1	-	-	-	3	-	-	-
Charlton *wHH* - - - K.	21,121	11	7	1	2	-	-	1	2	-	-	1	-	1	-	-	4
Woolwich *HHHH* - - K.	41,607	26	11	5	3	-	-	-	-	-	-	-	-	2	2	3	-
Plumstead West *H* - - K.	18,076	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	42	19	8	4	-	-	-	-	-	-	-	-	4	-	1	7
London County Asy., Banstead -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Cane Hill -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Ships and Camp, Dartford	—	-	7	-	-	7	-	-	-	-	-	-	-	-	-	-	7
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6
London County Asylum, Hanwell	—	-	6	-	2	-	-	-	-	-	-	-	-	2	-	-	6
Central London Sick Asy., Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M.A.B. North-Eastern Hospital -	—	-	4	-	-	-	-	4	-	-	-	-	-	-	-	-	4
M.A.B. Northern Hospital - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nded Saturday, 7th September, 1901.

Sub-district	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	ONDON—OUTER RING -	368,580	2,044,553	1174	646	282	131	1	12	3	12	4	6	174	16	39	71	-
1	Carshalton *H* - - -	12,228	32,997	16	6	1	-	-	-	-	-	1	-	-	-	-	1	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	6	4	2	-	-	-	-	-	-	-	2	-	-	1	-
1	Godstone, *part of** *W* -	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	164,519	95	65	27	14	-	1	-	-	-	-	23	1	5	3	-
2	Mitcham *w* - - -	11,689	29,906	12	6	4	1	-	1	-	-	-	-	2	-	-	-	-
1	Wimbledon *HHH* - -	3,221	41,604	29	12	6	4	-	-	-	-	-	-	3	-	1	-	-
2	Kingston *WH* - - -	6,224	42,067	26	17	6	5	-	-	-	-	-	-	5	-	-	4	-
3	Surbiton *HH* - - -	3,046	15,019	8	2	1	1	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** *H* - -	5,402	13,003	7	4	1	2	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,564	23,447	11	4	1	2	-	-	-	-	-	-	-	1	1	1	-
1	Richmond *WHH* - -	2,162	28,871	13	9	2	4	-	-	-	-	-	-	2	-	1	1	-
2	Mortlake *H* - - -	2,847	20,628	13	4	2	2	-	-	-	-	-	-	1	-	1	-	-
1	Bromley† *HHH*- - -	4,703	27,358	15	3	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham *H*- - -	7,825	28,499	9	4	1	3	-	-	-	-	-	-	2	-	-	-	-
3	Orpington, *part of**† *W* -	10,113	9,857	6	2	-	1	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH* - -	7,333	16,458	6	3	1	1	-	-	-	1	-	-	-	-	-	-	-
1	Bexley *HHH* - - -	12,532	46,445	28	14	7	1	-	-	-	1	1	-	5	1	1	2	-
2	Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Sunbury *w* - - -	11,054	18,682	15	6	2	-	-	-	-	-	-	-	3	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	6	7	4	-	-	-	-	-	-	-	2	1	1	1	-
1	Hillingdon *WHH* - -	6,035	13,661	14	5	4	-	-	-	-	-	-	-	1	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*- - - -	8,066	16,358	2	4	-	1	-	-	-	-	-	-	-	-	1	-	-
1	Isleworth *WHH* - -	6,859	30,838	28	22	7	6	-	-	-	1	-	-	-	-	2	9	-
2	Twickenham *HH* - -	2,421	20,991	9	3	1	1	-	-	-	-	-	-	1	1	1	-	-
3	Brentford *HHHH* - -	4,319	48,298	17	9	7	2	-	-	-	-	-	-	6	-	-	-	-
4	Chiswick - - - -	1,249	29,809	20	7	6	1	-	-	-	-	-	-	1	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	21	12	5	3	-	-	-	-	-	-	5	1	1	-	-
1	Harrow *HHH* - - -	13,809	25,522	13	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	82	28	15	3	-	-	-	2	-	-	7	-	-	3	-
4	Hendon *WH* - - -	8,382	22,450	11	10	5	-	-	-	-	-	-	-	3	-	-	2	-
1	South Mimms *HH* - -	17,755	7,308	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	10	6	3	-	-	1	-	-	-	-	3	-	-	1	-
3	Finchley *HHH*- - -	4,688	33,692	20	6	4	1	-	1	-	-	-	-	2	-	-	-	-
1	Hornsey *HH* - - -	2,875	72,056	29	18	6	6	-	-	-	-	-	-	3	1	1	-	-
2	Tottenham *HHH* - -	4,638	136,702	72	42	20	11	-	-	-	-	-	2	9	-	3	-	-
3	Edmonton *Ww* - -	7,491	61,892	38	22	9	4	-	1	-	-	-	1	8	2	3	5	-
4	Enfield *WWHH* - -	12,601	42,738	22	11	5	3	-	1	-	-	-	-	3	-	1	-	-
5	Waltham Abbey - - -	11,017	6,547	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* -	3,205	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,333	9,173	5	3	2	-	-	-	-	-	-	-	-	1	1	1	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,825	47	15	12	-	-	-	-	-	-	-	7	-	-	1	-
2	Plaistow *HHH* - - -	1,249	90,920	65	47	22	6	-	2	-	5	-	-	11	-	2	7	-
3	Canning Town *H* - -	1,556	70,666	45	46	20	6	-	2	-	1	-	1	11	5	5	2	-
4	Forest Gate *w* - - -	806	60,897	29	14	4	5	-	1	1	-	-	-	4	-	-	-	-
5	East Ham *wHHH* - -	3,208	95,970	66	30	15	1	-	-	-	-	1	1	9	-	2	-	-
6	Wanstead - - - -	1,737	9,198	4	4	1	1	-	-	-	1	-	-	-	-	-	1	-
7	South Leyton *WW* - -	631	56,458	24	29	10	10	-	-	-	-	1	1	15	1	1	11	-
8	North Leyton *WwH* -	1,963	48,441	22	14	6	2	-	-	-	-	-	-	5	-	-	-	-
9	Walthamstow *HHHL* -	6,504	108,931	67	30	12	7	-	-	1	-	-	-	6	-	2	-	-
1	Chigwell, *part of** *HHHH*	11,778	16,403	12	2	2	-	-	1	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	6,089	9	3	-	-	-	-	-	-	-	-	-	-	-	3	-
2	Ilford *H* - - - -	8,496	41,240	22	9	5	1	-	-	-	-	-	-	2	-	-	1	-
3	Barking Town, *H* - -	3,803	21,547	13	6	2	1	-	-	1	-	-	-	1	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	5	2	2	-	-	-	-	-	-	-	-	-	5	-
	Metropolitan Asylums Board Hospital Ship, Dartford.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the uter Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, xcepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses nd Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 7th September, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,417**	**6,604,287**	**16·7**	**4·6**	**2117**	**825**	**429**	**8**	**25**	**17**	**32**	**31**	**23**	**449**	**61**
INNER LONDON -	74,837	4,543,757	16·9	4·3	1471	543	298	7	13	14	20	27	17	275	45
OUTER RING -	368,580	2,060,530	16·3	5·4	646	282	131	1	12	3	12	4	6	174	16

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,561	September 7	160	102	16·7	–	–	–	1	2	1
GLASGOW - -	763,144	„ 7	495	251	17·1	–	6	1	1	7	4
DUBLIN† - -	375,076	„ 7	234	148	20·6	–	–	2	–	2	1
CALCUTTA - -	466,460	May 25	–	290	32·4	18	1	–	1	–	91‡
		June 1	–	286	31·9	5	–	–	–	–	98‡
BOMBAY - -	821,764	August 20	313	856	57·7	1	–	?	?	?	324‡
MADRAS - -	452,518	August 2	397	575	66·0	9	4	?	?	?	165
PARIS - - -	2,511,629	„ 31	1038	844	17·4	3	4	2	8*	6	9
BRUSSELS - -	582,665	„ 31	240	170	15·2	–	1	–	–	4	3
AMSTERDAM -	523,822	„ 24	–	–	–	–	–	–	–	–	–
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	August 31	189	134	18·5	–	1	3	–	7	3
STOCKHOLM -	301,050	„ 24	129	102	17·6	–	1	1	1*	1	–
CHRISTIANIA -	226,423	„ 31	140	66	14·9	–	–	–	–	–	–
ST. PETERSBURG	1,248,643	„ 24	548	558	23·3	–	13	8	20	2	23
MOSCOW - -	1,023,817	„ 24	–	626	31·9	1	2	6	8	4	5
BERLIN - -	1,891,431	„ 17	953	940	26·0	–	8	2	3	11	1
HAMBURG - -	705,738	„ 31	–	302	22·3	–	4	4	3*	8	2
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	August 31	–	208	25·4	–	2	5	2	–	1
MUNICH - -	500,000	„ 31	–	197	20·5	–	–	1	–	1	–
VIENNA - -	1,691,996	„ 31	904	542	16·7	–	2	9	3*	4	4
PRAGUE - -	389,741	„ 31	206	158	21·1	–	–	13	1	2	1
BUDA-PESTH -	744,719	„ 31	442	232	16·2	–	1	9	5	4	2
TRIESTE - -	177,428	„ 17	119	107	31·4	–	–	3	–	1	–
ROME - - -	471,961	July 20	210	166	18·3	–	1	–	1	–	6‖
		„ 27	182	176	19·4	–	1	–	–	–	7‖
TURIN (10 days) -	344,203	—	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	August 24	79	56	16·7	–	–	–	–	–	1
CAIRO - -	570,062	July 22	431	506	46·2	1	2	–	9*	1	23
ALEXANDRIA -	319,766	„ 22	217	241	39·2	1	4	–	1*	–	4
NEW YORK (including BROOKLYN)	3,536,517	August 10	1695	1454	21·5	13	13	11	22*	6	15
PHILADELPHIA -	1,293,697	„ 17	–	507	20·4	1	–	1	9	11	24

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 45 and 50 deaths, respectively, from cholera in Calcutta, 11 in Bombay and 26 in Madras.
‡ Including 30 and 35 deaths, respectively, from plague in Calcutta, and 201 in Bombay.
‖ Including 1 and 2 deaths, respectively, from malarial fever.

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 1	Perigee	29·931	65·0	51·3	13·7	57·0	− 2·7	45·3	11·7	20·0	3·0	65	132·2	42·0	61·71	NE.	ENE., ESE. & E.	1·2	0·0	0·1	199	− 54	0·00	0·0
MONDAY - 2	..	29·957	61·8	45·9	15·9	54·7	− 5·0	43·1	11·6	16·7	3·6	65	117·0	35·2	61·50	NE. & ENE.	ENE. & ESE.	2·2	0·0	0·1	255	− 1	0·00	0·0
TUESDAY - 3	..	29·886	64·7	52·7	12·0	57·4	− 2·2	45·9	11·5	17·3	5·0	65	126·0	50·1	61·21	NE. & ENE.	ENE.	4·3	0·0	0·5	349	+ 91	0·00	1·0
WEDNESDAY 4	..	29·812	64·5	49·5	15·0	56·9	− 2·5	42·1	14·8	21·1	4·8	58	123·2	40·0	61·01	NE. & ENE.	ENE. & NE	14·2	0·0	1·1	434	+173	0·00	0·0
THURSDAY- 5	Last Quarter.	29·685	64·5	48·2	16·3	55·6	− 3·7	45·3	10·3	17·2	2·0	68	137·3	35·0	60·80	NNE. & ENE.	ENE. & ESE.	6·9	0·0	0·6	316	+ 52	0·00	0·0
FRIDAY - 6	Greatest Dec. N.	29·707	65·9	41·8	24·1	54·4	− 4·7	44·9	9·5	18·9	2·2	70	128·7	28·5	60·51	ESE. & ENE.	ESE.	1·5	0·0	0·0	162	−104	0·00	0·0
SATURDAY- 7	..	29·776	69·5	45·3	24·2	58·5	− 0·4	48·4	10·1	19·3	1·5	69	126·7	35·6	60·22	E. & SE.	SE. & E.	1·5	0·0	0·1	169	−100	0·00	0·0
MEANS - -		29·822	65·1	47·8	17·3	56·4	− 3·0	45·0	11·4	18·6	3·2	66	127·3	38·1	60·99	ENE. & ESE.		..	..	..	Sum 1884	Sum + 57	Sum 0·00	0·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 1	w. P. throughout.	9·4	13·6	Fine; partially cloudy.
MONDAY - 2	w. P. in morning; m. P. afterwards.	4·2	13·5	Fine and partially cloudy till 11h. A.M.; generally overcast afterwards. Solar halo at 10h. A.M.
TUESDAY - 3	m. P. generally.	5·4	13·4	Overcast till 10h. A.M.; fine and partially cloudy afterwards.
WEDNESDAY 4	w. P. till 8h. A.M.; v. N. till 1h. P.M.; v. P. afterwards.	9·1	13·4	Fine; partially cloudy. Brisk wind.
THURSDAY- 5	m. P. generally.	7·7	13·3	Fine and partially cloudy till afternoon; cloudless afterwards.
FRIDAY - 6	w. P. generally.	9·4	13·2	Very fine; cloudless in morning; partially cloudy afterwards.
SATURDAY- 7	w. P. throughout.	7·1	13·2	Fine; partially cloudy. Solar halo in afternoon.
		Sum 52·3	Sum 93·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon: 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·84 in. at the beginning of the week to 29·98 in. by 9h. A.M. on the 2nd; decreased to 29·68 in. by 9h. P.M. on the 5th; increased to 29·79 in. by 9h. A.M. on the 7th; decreased to 29·76 in. by 3h. P.M. on the same day; and was 29·78 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 31st August, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	7	9	-	3	-	-	3	-
Kensington	176,787	-	11	1	-	2	-	-	8	-
Hammersmith	112,619	-	13	6	-	3	-	-	5	-
Fulham	138,426	-	6	9	-	4	-	-	4	3
Chelsea	73,879	-	-	2	-	-	-	-	1	-
City of Westminster	182,502	2	5	4	-	1	-	-	1	-
NORTH.										
St. Marylebone	133,060	16	4	6	-	4	-	-	5	-
Hampstead	82,287	-	2	2	-	1	-	-	2	-
St. Pancras	235,297	29	11	24	-	4	-	-	4	-
Islington	335,325	3	31	22	-	10	-	-	6	-
Stoke Newington	51,328	1	-	2	-	1	-	-	-	-
Hackney	219,780	4	14	18	1	9	-	-	6	1
CENTRAL.										
Holborn	59,205	2	3	2	-	4	-	-	-	-
Finsbury	101,263	1	16	6	-	2	-	-	2	1
City of London	26,627	-	1	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	6	13	-	-	1	-	2	-
Bethnal Green	129,700	-	9	12	-	3	-	-	1	-
Stepney	298,884	-	29	17	-	12	-	-	4	-
Poplar	168,887	-	10	9	-	9	-	-	2	-
SOUTH.										
Southwark	206,219	-	24	9	-	6	-	-	3	-
Bermondsey	130,348	-	25	7	-	6	-	-	4	-
Lambeth	302,460	1	18	13	-	3	-	-	2	-
Battersea	169,364	-	6	3	-	3	-	-	1	-
Wandsworth	233,943	1	15	2	-	3	-	-	2	-
Camberwell	259,897	-	43	17	-	7	-	-	2	1
Deptford	110,732	-	6	11	-	3	-	-	3	-
Greenwich	96,188	-	6	5	-	2	-	-	-	1
Lewisham	128,423	-	5	3	-	4	-	-	3	-
Woolwich	117,619	-	6	6	-	1	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	60	332	241	1	110	1	-	78	7
Ages 0-1		-	11	6	-	1	-	-	5	-
" 1-5		3	99	86	-	6	-	-	2	-
" 5-		4	117	73	-	8	-	-	2	-
" 10-		8	60	37	-	14	-	-	5	-
" 15-		7	19	19	-	23	1	-	3	-
" 20-		9	12	6	-	15	-	-	9	2
" 25-		17	11	10	-	21	-	-	7	4
" 35-		6	3	2	1	12	-	-	13	1
" 45-		5	-	-	-	9	-	-	12	-
" 55-		1	-	1	-	1	-	-	10	-
" 65 and upwards		-	-	1	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 37. 1901. VOL. LXII.] WEEK ENDED SATURDAY, SEPT. 14. [Price 1½*d*.

General Register Office, Somerset House,
September 16th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·3 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 21·6, 21·0, and 19·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.		Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
33 Great Towns	21·6	21·0	19·4	18·3	Leicester - -	24·0	22·8	21·1	17·9
Birkenhead -	26·7	19·2	22·5	20·2	Liverpool - -	22·9	22·0	17·9	19·9
Birmingham -	27·2	23·9	24·5	22·4	London - - -	19·2	18·6	16·9	16·0
Blackburn -	23·7	21·6	20·4	17·6	Manchester - -	26·9	27·7	23·1	22·5
Bolton - -	20·1	23·8	21·6	19·5	Newcastle-on-Tyne	28·5	30·2	27·1	27·8
Bradford -	19·5	17·9	20·1	15·6	Norwich - -	21·0	23·3	17·2	17·7
Brighton -	19·0	24·5	21·5	16·9	Nottingham - -	23·2	24·3	16·9	16·3
Bristol - -	14·4	12·0	9·5	16·6	Oldham - -	26·2	22·0	24·3	22·4
Burnley -	17·1	23·0	24·1	24·1	Plymouth - -	18·8	19·3	16·4	11·6
Cardiff - -	14·8	15·1	13·6	14·5	Portsmouth - -	21·4	20·9	20·3	16·5
Croydon -	16·3	24·0	22·5	16·6	Preston - -	21·2	24·9	19·8	24·0
Derby - -	18·7	23·1	14·3	13·8	Salford - - -	27·5	23·5	22·6	26·4
Gateshead -	30·2	32·1	36·8	28·8	Sheffield - -	25·0	22·8	23·9	20·5
Halifax -	17·9	15·9	15·9	17·9	Sunderland - -	29·1	25·2	24·5	24·5
Huddersfield-	14·3	20·9	14·8	14·8	Swansea - -	27·0	13·8	17·1	15·4
Hull - -	27·0	29·3	26·3	20·7	West Ham - -	22·3	28·5	25·4	17·6
Leeds - -	24·7	17·7	21·2	18·7	Wolverhampton -	21·0	17·7	24·8	21·0

The highest annual death-rates per 1000 living, as measured by last weeks' mortality, were:—from *scarlet fever*, 1·2 in Bolton; from *whooping-cough*, 1·4 in Gateshead and 1·7 in Leicester; from "*fever*," 1·1 in Swansea, in Nottingham, in Huddersfield, and in Sheffield, and 1·9 in Birkenhead; and from *diarrhœal diseases*, 5·0 in Birmingham, 5·6 in Hull, 5·7 in Sunderland, 5·9 in Manchester and in Sheffield, 6·0 in Preston, 6·4 in Salford, 7·7 in Wolverhampton, and 8·0 in Gateshead. In none of the thirty-three towns did the death-rate from *measles* reach 1·0 per 1000. The 77 deaths from *diphtheria* included 28 in London, 9 in Sheffield, 6 in West Ham, 4 in Bristol, 4 in Manchester, 3 in Leicester, and 3 in Gateshead. Nine deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2442 BIRTHS and 1398 DEATHS were registered. Allowing for increase of population, the births were 211, and the deaths 76, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·2, 18·6, and 16·9 in the preceding three weeks, further fell last week to 16·0.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

9921—670—9/1901 Wt 45 D & S 3 2 O

During the four weeks ended on Saturday last the death-rate averaged 17·7 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1398 deaths included 9 from small-pox, 13 from measles, 13 from scarlet fever, 28 from diphtheria, 8 from whooping-cough, 14 from enteric fever, 184 from diarrhœa and dysentery, 4 from cholera and choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 273 deaths were referred to these diseases, being 3 above the corrected average weekly number.

The deaths from *small-pox*, which had been 0, 7, and 7 in the preceding three weeks, rose last week to 9; 6 cases belonged to the Borough of St. Pancras, and one each to the Boroughs of St. Marylebone, Hampstead, and Stoke Newington. Of 2 fatal cases of *small-pox* which were returned in the week ending 31st August as belonging to Holborn, 1 has since been ascertained to belong to St. Marylebone. The deaths from *measles*, which had been 26, 40, and 13 in the preceding three weeks, were again 13 last week, the corrected average being 16; 3 cases belonged to Wandsworth. The deaths from *scarlet fever*, which had been 12, 13, and 14 in the preceding three weeks, were 13 last week, the corrected average being 16; 3 cases belonged to Camberwell. The deaths from *diphtheria*, which had been 27, 22, and 20 in the preceding three weeks, rose again last week to 28, but were 13 below the corrected average; 3 cases belonged to Islington, 3 to Hackney, 3 to Southwark, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 17, 20, and 27 in the preceding three weeks, fell again last week to 8, and were 24 below the corrected average. The fatal cases of *enteric fever*, which had been 25, 12, and 17 in the preceding three weeks, fell again last week to 14, and were 2 below the corrected average. The deaths from *diarrhœal diseases*, which had been 379, 352, and 275 in the preceding three weeks, further fell last week to 188, but were 40 above the corrected average. Of the 188 deaths from diarrhœal diseases, 172 were of children under 5 years of age; 17 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 126, 114, and 124 in the preceding three weeks, fell again last week to 116, and were 26 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 2, 2, and 4 in the preceding three weeks.

Different forms of *violence* caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 40 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 4 to drowning, and 5 (including 4 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 135 cases of small-pox, 3065 of scarlet fever, 1416 of diphtheria, and 262 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 60 cases, against 30, 52, and 31; of scarlet fever, 457 cases, against 273, 303, and 346; of diphtheria, 280 cases, against 170, 202, and 212; and of enteric fever, 45 cases, against 42, 55, and 51. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended September 7th.

Greater London.

In Greater London 3626 births and 1899 deaths were registered, corresponding to annual rates of 28·6 and 15·0 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 1 from scarlet fever, 19 from diphtheria, 12 from whooping-cough, 8 from "fever," and 91 from diarrhœal diseases were registered. Four deaths from measles, 7 from diphtheria, and 34 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 59°·4; the latter being 1°·2 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 26 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 17·0 hours; the measured rainfall amounted to 0·25 inch.

Metropolitan Water Supply (see pp. 481–3).

* The figures represent persons notified as suffering from the several specified forms of infectious disease: but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Provisional).	Births, the Week ended 14th Sept. 1901,	Deaths, the Week ended 14th Sept. 1901,	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths per 1000, corresponding to the Week's Deaths, From All Causes.	From Diseases in Cols. 6-12.	Temperature of Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18	19.	20.	21	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**6261**	**4018**	**1333**	**848**	**9**	**38**	**37**	**77**	**45**	**61**	**704**	**120**	**248**	**911**	**34**	**18·3**	**4·4**	**76·9**	**42·6**	**57·9**	**14·39**	**0·26**	**0·66**	**33 Towns.**
London	4,543,757	2442	1398	435	341	9	13	13	28	8	14	188	48	119	484	4	16·0	3·1	76·9	51·1	59·4	15·22	0·25	0·63	London.
West Ham	268,868	181	91	39	10	-	1	-	6	2	1	23	2	3	20	-	17·6	6·4	-	-	-	-	-	-	West Ham.
Croydon	134,665	74	43	24	6	-	-	-	-	-	1	12	-	1	6	-	16·6	5·0	76·0	48·5	59·7	15·39	0·00	0·00	Croydon.
Brighton	123,668	48	40	17	13	-	-	-	1	-	-	5	-	-	5	-	16·9	2·5	69·2	55·8	60·2	15·67	0·26	0·66	Brighton.
Portsmouth	189,907	79	60	18	20	-	-	-	1	-	2	13	1	4	15	-	16·5	4·4	70·0	50·0	59·3	15·17	0·49	1·17	Portsmouth.
Plymouth	107,974	56	24	8	5	-	-	-	-	-	-	6	-	1	-	-	11·6	2·9	-	-	-	-	-	-	Plymouth.
Bristol	329,831	195	105	29	27	-	-	1	4	1	1	8	4	10	18	1	16·6	2·4	70·0	48·0	58·2	14·56	0·45	1·14	Bristol.
Cardiff	165,308	118	46	16	7	-	-	1	1	3	1	7	3	4	9	-	14·5	4·1	-	-	-	-	-	-	Cardiff.
Swansea	94,618	56	28	5	7	-	-	-	-	-	2	1	2	2	5	-	15·4	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	68	38	16	10	-	1	-	-	-	-	14	-	-	5	-	21·0	8·3	70·2	44·9	55·2	12·89	0·03	0·08	Wolverhampton.
Birmingham	523,284	307	225	92	26	-	5	3	2	-	4	50	5	6	43	2	22·4	6·4	-	-	-	-	-	-	Birmingham.
Norwich	111,997	45	38	12	10	-	-	-	1	-	-	5	1	2	5	-	17·7	2·8	73·0	47·8	53·1	15·06	0·19	0·48	Norwich.
Leicester	212,498	117	73	31	17	-	-	-	3	7	-	14	2	3	8	1	17·9	5·9	-	-	-	-	-	-	Leicester.
Nottingham	240,400	136	75	23	16	-	1	-	1	1	5	9	1	1	18	1	16·3	3·7	70·2	43·7	56·5	13·61	0·33	0·84	Nottingham.
Derby	106,076	52	28	8	11	-	-	-	1	1	-	2	-	2	3	-	13·8	2·0	-	-	-	-	-	-	Derby.
Birkenhead	111,203	61	43	13	14	-	-	-	-	-	4	3	1	1	13	-	20·2	3·3	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	392	262	66	56	-	-	3	2	1	3	43	11	18	81	10	19·9	3·9	-	-	-	-	-	-	Liverpool.
Bolton	168,748	90	63	17	11	-	-	4	-	1	3	13	1	4	6	-	19·5	6·5	-	-	-	-	-	-	Bolton.
Manchester	544,934	263	235	92	35	-	1	5	4	5	-	62	9	12	44	1	22·5	7·4	-	-	-	-	-	-	Manchester.
Salford	221,526	116	112	37	19	-	3	-	2	-	2	27	2	5	15	2	26·4	8·0		-	-	-	-	-	Salford.
Oldham	137,382	70	59	17	15	-	2	-	-	-	-	11	2	4	4	-	22·4	4·9	-	-	-	-	-	-	Oldham.
Burnley	97,295	41	45	17	8	-	-	-	1	-	-	6	-	-	2	1	24·1	3·8	-	-	-	-	-	-	Burnley.
Blackburn	127,714	51	43	15	9	-	-	-	1	-	-	7	-	-	3	2	17·6	3·3	-	-	-	-	-	-	Blackburn.
Preston	113,117	64	52	16	9	-	-	1	-	-	1	13	1	1	2	1	24·0	6·9	68·0	49·0	58·0	14·44	0·38	0·97	Preston.
Huddersfield	94,998	42	27	4	9	-	-	-	1	-	2	4	3	3	5	-	14·8	3·8	68·5	49·7	56·4	13·56	0·06	0·15	Huddersfield.
Halifax	105,113	46	36	3	8	-	-	1	-	-	-	5	1	4	12	1	17·9	3·0	-	-	-	-	-	-	Halifax.
Bradford	280,161	122	84	26	26	-	1	1	-	2	-	15	1	5	8	-	15·6	3·5	70·0	44·0	56·8	13·78	0·54	1·37	Bradford.
Leeds	430,489	243	154	59	26	-	3	2	2	4	1	23	6	11	20	-	18·7	4·2	-	-	-	-	-	-	Leeds.
Sheffield	382,129	196	150	54	20	-	6	-	9	1	8	43	1	4	12	3	20·5	9·1	-	-	-	-	-	-	Sheffield.
Hull	241,622	171	96	30	23	-	-	-	1	1	3	26	4	5	11	1	20·7	6·7	73·0	42·0	55·8	13·22	0·12	0·30	Hull.
Sunderland	146,997	97	69	28	10	-	-	-	-	2	2	16	2	4	4	2	24·5	7·1	-	-	-	-	-	-	Sunderland.
Gateshead	110,492	76	61	32	8	-	-	-	3	3	-	17	-	-	3	1	28·8	10·9	-	-	-	-	-	-	Gateshead.
Newcastle	215,516	146	115	34	16	-	1	2	2	2	1	13	6	9	22	-	27·8	5·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-SEVENTH **Week of each** of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2507	2547	2635	2569	2557	2440	2633	2499	2675	2519	2653·3	2442
Males - -	1275	1318	1350	1251	1289	1217	1353	1266	1382	1296	1348·1	1227
Females - -	1232	1229	1285	1318	1268	1223	1280	1233	1293	1223	1305·2	1215
TOTAL **Deaths** -	1274	1381	1441	1241	1298	1251	1378	1832	1643	1470	1473·8	1398
Males - -	678	723	728	624	659	683	740	972	883	789	775·7	758
Females - -	596	658	713	617	639	568	638	860	760	681	698·1	640

*The numbers in this column are the average weekly numbers in the thirty-seventh week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
TOTAL **Births** - - -	2451	2478	2413	2526	2519	2384	2844	2322	2659	2643	2483	2582	2442
TOTAL **Deaths** - - -	1204	1210	1256	1237	1411	1582	1747	1636	1705	1676	1623	1471	1398
Ages at Death: Under 1 year - -	283	267	285	282	411	583	716	664	734	689	647	548	438
1—5 years - -	144	154	146	140	168	215	196	185	185	167	200	137	118
5—20 ,, - -	72	58	68	88	77	73	87	92	70	83	78	80	8[illegible]
20—40 ,, - -	154	176	173	180	175	169	191	171	186	177	174	157	166
40—60 ,, - -	247	264	266	258	279	252	268	244	259	233	249	256	258
60—80 ,, - -	250	235	244	236	244	241	243	226	229	270	226	243	270
80 years and upwards	54	56	74	53	57	49	46	54	42	57	49	55	71
Deaths from—													
Small pox - - - -	-	1	-	-	-	-	1	1	2	-	7	7	[illegible]
Measles - - - -	42	51	49	37	45	60	45	40	37	26	40	13	13
Scarlet Fever - - -	13	12	8	17	10	20	15	10	16	12	13	14	1[illegible]
Diphtheria - - - -	18	18	27	24	30	28	28	24	30	27	22	20	2[illegible]
Whooping-cough - - -	25	25	22	15	17	24	20	19	24	17	20	27	[illegible]
Typhus - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric Fever - - -	2	4	6	2	9	10	11	18	10	25	12	17	14
Simple Continued Fever -	-	-	-	1	2	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	25	23	45	71	140	289	399	367	404	375	348	271	184
Cholera - - - - -	-	-	1	2	-	5	4	5	7	4	4	4	[illegible]
All the above Diseases -	125	134	158	169	253	436	523	484	531	486	466	373	273
Dis. of Respiratory System -	150	141	165	133	135	134	126	126	103	126	114	124	116
Phthisis - - - - -	113	138	133	168	114	111	153	106	123	120	142	124	12[illegible]
Dis. of Circulatory System -	103	109	139	104	116	111	113	113	97	120	100	142	131
Violence - - - -	55	42	59	49	72	74	81	77	68	56	60	45	4[illegible]
Inquest Cases - - - -	126	101	117	123	138	141	162	155	159	116	157	120	11[illegible]
Deaths in Public Institutions -	419	454	435	435	467	459	507	458	460	467	478	462	484
TEMPERATURE OF THE AIR													
Mean - - - - -	58°·0	61°·0	64°·1	64°·5	68°·4	61°·6	65°·1	64°·6	61°·0	63°·9	58°·6	56°·4	59°·4
Mean of Highest readings -	67·8	71·8	73·9	77·2	81·6	71·7	75·8	76·8	72·2	76·6	68·5	65·1	68·1
Mean of Lowest readings -	50·1	50·9	56·1	52·2	54·4	54·5	54·9	55·3	52·1	50·5	51·5	47·8	53·1
Humidity of the Air - -	71	63	75	68	63	83	72	70	71	67	71	66	83
Rain-fall (in inches) - -	0·43	0·00	1·05	0·00	0·00	1·30	0·38	0·08	0·50	0·00	1·36	0·00	0·2[illegible]
Registered Sunshine (in hours)	36·4	69·5	46·1	60·2	75·5	18·4	49·2	49·0	49·3	74·4	39·2	52·3	17·[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	5	6	12	14	11	13	11	13	41	74	92	13[illegible]
Scarlet Fever - - - -	2708	2821	2895	2918	2907	2974	3091	3148	3101	3040	3008	2994	3067
Diphtheria - - - -	1138	1176	1195	1228	1267	1303	1336	1363	1361	1318	1344	1365	141[illegible]
Typhus - - - - -	-	—	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	117	125	128	145	152	165	166	180	188	198	225	254	26[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General and the results have been compiled by J. Hunter, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.M.S., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SEVENTH Week of the Year 1901

ES OF DEATH.	Corrected Averages for the 37th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 14th September, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1473·8	1398	435	118	80	166	258	270	71
Vaccinated† -	0·1	4	-	-	1	1	2	-	-
Unvaccinated	0·3	3	-	-	1	1	1	-	-
No Statement	0·2	2	-	-	-	1	1	-	-
- - - -	16·1	13	2	11	-	-	-	-	-
ever - - -	16·3	13	2	7	4	-	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
gFever - -	-	-	-	-	-	-	-	-	-
- - - -	3·3	2	-	-	1	-	1	-	-
g-cough - -	31·7	8	6	2	-	-	-	-	-
ia - -	40·9	28	1	17	10	-	-	-	-
Continued and ned Fever -	-	-	-	-	-	-	-	-	-
Fever - - -	15·8	14	-	-	1	9	4	-	-
nd Chol. Diarr.	4·1	4	1	1	-	-	1	-	1
, Dysentery -	144·3	184	146	24	-	-	1	8	5
t Fever - -	-	-	-	-	-	-	-	-	-
obia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
and Effects of tion - -	0·3	-	-	-	-	-	-	-	-
Affections - -	11·0	7	7	-	-	-	-	-	-
s - - -	4·8	1	-	-	-	-	-	1	-
and Septicæmia	2·7	2	1	-	-	1	-	-	-
l Fever - -	3·8	5	-	-	1	4	-	-	-
motic Diseases	0·5	1	-	-	-	-	1	-	-
- - - -	1·3	-	-	-	-	-	-	-	-
d other Para- diseases -	0·3	-	-	-	-	-	-	-	-
, Want of milk - -	2·0	2	2	-	-	-	-	-	-
n - - -	11·9	12	-	-	-	-	10	2	-
c Fever, tism of Heart	7·2	13	-	1	3	3	4	2	-
sm - - -	1·2	1	-	-	-	-	-	1	-
- - - -	2·3	1	-	-	-	-	-	1	-
- - - -	4·7	2	1	1	-	-	-	-	-
- - - -	71·7	80	-	-	-	6	27	44	3
enterica - -	34·1	25	18	3	4	-	-	-	-
r Meningitis -	20·7	26	9	8	7	2	-	-	-
- - - -	146·0	129	-	1	12	58	41	15	2
uberculosis -	19·8	19	6	6	2	1	2	2	-
Constitutional - -	14·2	14	-	1	-	1	7	5	-
e Birth - -	47·7	47	47	-	-	-	-	-	-
s - - -	3·8	5	5	-	-	-	-	-	-
Malforma- - - -	8·1	12	12	-	-	-	-	-	-
- - - -	38·7	49	-	-	-	-	-	20	29
- - - -	36·5	32	-	-	-	3	10	16	3
- - - -	8·4	6	-	-	1	1	3	1	-
s - - -	37·2	18	18	-	-	-	-	-	-
ases of Brain ous System	78·1	66	11	5	1	12	17	16	4
Organs of ense -	2·5	4	3	-	-	1	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 37th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 14th September, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	110·1	131	1	1	13	21	42	45	8
Croup - - - -	3·0	3	-	2	1	-	-	-	-
Bronchitis - - -	65·4	44	11	4	-	1	5	20	3
Pneumonia - - -	54·7	58	15	9	2	9	15	7	1
Pleurisy - - - -	2·8	2	1	-	-	-	1	-	-
Other Diseases of Respiratory System -	16·2	9	-	-	-	3	3	3	-
Dentition - - - -	4·7	7	6	1	-	-	-	-	-
Quinsy, Sore Throat -	1·3	1	-	-	1	-	-	-	-
Enteritis - - -	63·5	26	17	1	2	1	2	2	1
Gastro-enteritis -		18	14	3	-	-	1	-	-
Peritonitis - - -	6·9	3	-	-	-	1	1	1	-
Diseases of Liver - -	25·7	23	3	-	-	3	9	8	-
Other Diseases of Digestive System	29·5	46	17	-	3	5	5	15	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	4	-	1	1	-	1	1	-
Diseases of Urinary System - - -	43·7	58	-	-	4	5	23	21	5
Diseases of Generative System - - -	5·6	3	-	-	-	-	2	1	-
Accidents of Childbirth-	4·1	2	-	-	-	-	2	-	-
Diseases of Locomotive System - - -	4·9	5	-	1	-	2	-	2	-
Diseases of Integumentary System- -	5·4	5	2	-	-	-	1	-	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·3	4	-	-	-	2	2	-	-
By Vehicles or Horses -	7·1	4	-	-	-	1	1	1	1
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·2	1	-	-	-	-	-	1	-
In Building Operations -	1·5	-	-	-	-	-	-	-	-
In Conflagrations -	0·2	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·3	2	-	2	-	-	-	-	-
By Drowning - - -	6·2	4	-	-	-	2	2	-	-
By Suffocation in Bed -	10·5	5	4	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·5	2	-	1	1	-	-	-	-
Other or not stated causes - - - -	20·8	18	1	-	3	3	5	4	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·7	2	-	1	-	-	-	1	-
Suicide - - - -	10·6	6	-	-	-	2	2	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	61·4	48	45	2	-	-	-	1	-

abers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase on.

ese cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered n. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the ath is not certified by a registered practitioner, the case is returned under the heading "no statement."

ence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of urder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENC
registered in each SUB-DISTRICT during the Week ended Saturday, 14th September, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.
LONDON	4,536,063	2442	1398	435	341	9	13	13	28	8	–	14	–	188	48	119
WEST DISTRICTS	805,275	357	210	58	67	–	–	1	3	1	–	4	–	27	7	15
NORTH DISTRICTS	1,056,018	531	276	79	79	1	2	1	5	–	–	2	–	32	7	22
CENTRAL DISTRICTS	209,432	122	68	19	11	–	1	–	–	–	–	1	–	11	6	11
EAST DISTRICTS	715,772	474	257	94	60	–	3	–	2	1	–	3	–	31	12	35
SOUTH DISTRICTS	1,749,566	958	540	185	114	–	7	10	16	6	–	3	–	86	16	35
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	47	–	10	8	–	1	2	–	–	1	–	1	–	1
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	93,165	43	17	6	7	–	–	–	1	–	–	–	–	4	–	1
St. John Paddington *H* G.	33,608	6	10	–	3	–	–	–	–	–		–	–	–	1	1
North-West Paddington C.	17,181	10	4	2	1	–	–		–	–		–	–	1	–	–
Kensington Town *Ww* W. & C.	128,025	55	28	2	14	–	–			–		–	–	–	1	1
Brompton *HH* W. & C.	48,598	7	7	1	4	–	–	–	–	–	–	–	–	–	–	–
North Hammersmith *H* } W. & G	49,335	24	13	7	3	–	–			–		–	–	3	–	–
South Hammersmith *wH* } W. & G	62,910	27	19	7	8		–	–	–	–		–	–	1	1	1
North-west Fulham *W* } W. & C.	45,180	38	23	8	6	–	–	–	–	1	–	–	–	8	2	4
North-east Fulham *w* } W. & C.	46,404	18	15	5	4	–	–	1	2	–	–	–	–	3	–	1
South Fulham } W. & C.	45,705	28	8	2	2	–	–	–	–	–	–	1	–	1	–	–
Chelsea North *WWHHHH* C	42,515	15	15	2	4		–		–	–	–	–	–	–	1	2
Chelsea South *HH* C.	31,341	13	14	6	3		–		–		–	1	–	1	–	2
May Fair and Knightsbridge *H* } C. & G.	28,744	4	2	–	1		–	–		–	–	–		–	–	–
Belgrave *HHH* C.	55,812	26	12	5	2		–	–	–	–	–	–	–	1	–	–
St. Margaret & St. John Westminster *HHH* } C.	43,665	29	15	3	1		–			–	–	2	–	2	–	1
St. James Westminster *WH* } N. & G.	21,595	8	8	2	4	–	–	–	–	–	–	–	–	2	1	1
St. Anne Soho *HHHHH* N	11,492	6	–	–	–	–	–	–	–	–	–		–	–	–	–
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* W	35,394	13	20	–	4	–	–	–	–	–		1	–	1	–	1
Rectory Marylebone *W* G. & W.	19,869	6	5	–	–		–	–	–	–	–	–	–	–	–	1
St. Mary Marylebone *HHHH* G. & W.	18,099	24	2	–	–	–	–	–	–			–	–	–	–	–
Christchurch Marylebone *H* W	39,541	20	8	4	2	–	–		–	–	–	–	–	2	–	–
St. John Marylebone *HHH* W	20,426	10	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WwHHHHH* N. & W.	81,942	31	21	3	7	–	–	–	2	–	–	–	–	1	1	2
Regent's Park *H* W.	50,647	32	15	2	6	–	–		–	–		–	–	1	–	1
Tottenham-court *wHHHHHH* N. & W.	24,814	6	9	2	1	1	–		–	–	–	–	–	1	–	–
Gray's Inn Lane *HHHH* N.	30,886	18	15	5	1	–	–	–	–	–		–	–	1	1	1
Somers Town *HH* N.	30,131	15	6	3	1	–	–	–	–	–	–	–	–	3	–	–
Camden Town *WH* N.	40,079	24	19	5	8	–	–	–	–	–	–	1	–	–	–	2
Kentish Town *WW* N.	58,727	18	11	4	3	–	–		–	–	–	–	–	2	–	–
Tufnell *W* }		15	18	1	6	–	–	1	–	–	–	–	–	–	–	–
Upper Holloway *WWwHH* } N.	99,841	30	16	5	6	–	–	–	–	–	–	–	–	2	2	2
Tollington *W* }		10	7	4	1	–	–	–	–	–	–	–	–	1	–	1
Lower Holloway N.	41,411	16	7	2	2	–		–	–	–	–	–	–	1	–	1
Barnsbury N.	54,479	29	9	3	2	–	2	–	–	–	–	–	–	2	–	1
Islington South-east *H* N	75,402	41	11	6	2	–	–	–	–	–	–	–	–	3		1
Highbury *HH* N.	63,795	25	8	2	2	–	–	–	1	–	–	–	–	–	–	2
Stoke Newington *H* N.	51,247	24	9	5	2	–	–	–	–	–	–	–	–	3	–	–
North Hackney E. & N.	50,570	33	10	3	5	–	–	–	–	–	–	–	–	2	–	–
Central Hackney *ww* E. & N.	50,535	26	13	7	3	–	–	–	2	–	–	–	–	1	–	2
South-west Hackney *HHH* E. & N.	59,929	35	15	4	6	–	–	–	–	–	–	–	–	2	1	1
South-east Hackney *WwH* E. & N.	58,254	30	19	8	8	–	–	–	–	–	–	–	–	3	2	3

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated t
namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di
than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupe
received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. s
Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N
River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, U
Holloway, and Tollington respectively.

LE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
mesbury and St. Giles nth *WH* - - N.	22,495	11	8	1	1	-	-	-	-	-	-	-	-	1	1	2	3	-
iles North *H* - - - N.	8,959	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
artin-in-the-Fields *HH* N. & C	12,975	3	2	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
nd *WHH* - - - N.	8,694	1	8	1	-	-	-	-	-	-	-	1	-	-	1	2	5	-
nd Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *WHHHHHH* - - N.	29,579	17	9	4	-	-	-	-	-	-	-	-	-	3	-	-	6	-
ames Clerkenwell - - N.	15,634	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well - - - - - N.	32,691	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well-street - - - - N.	15,390	16	6	2	1	-	-	-	-	-	-	-	-	2	1	1	-	-
bury* *HHHL* - - N.	35,376	32	11	3	2	-	1	-	-	-	-	-	-	3	1	2	-	-
orn Union Workhouse, ticham - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-	2	-
otolph *H* - - N. & E.	11,036	3	3	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-
epulchre *WH* - - - N	7,886	1	9	3	1	-	-	-	-	-	-	-	-	-	-	-	8	-
allows Barking - - - N	8,717	1	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	16,370	12	3	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-
on New Town *wH* - - N	29,761	18	17	5	6	-	-	-	-	-	-	1	-	2	-	1	6	-
on Old Town - - - N	26,510	14	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
erston *W* - - N & E.	46,064	29	17	8	4	-	1	-	-	-	-	-	-	5	-	1	5	-
nal Green North *HH* - E.	51,513	41	15	7	1	-	1	-	1	-	-	1	-	2	1	2	3	-
nal Green South - - E	33,473	15	7	4	2	-	-	-	-	-	-	-	-	-	1	2	-	-
nal Green East *WWHl* - E.	44,695	40	29	6	9	-	1	-	-	-	-	-	-	-	-	3	17	-
lfields - - - E. & N	27,965	19	7	4	1	-	-	-	-	-	-	-	-	2	-	1	-	-
End New Town *WH* - E	28,711	21	37	11	6	-	-	-	-	-	-	-	-	1	5	7	32	-
man's Fields - - - E.	22,082	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	40,965	23	8	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-
hn *W* - - - E.	8,122	6	6	1	3	-	-	-	-	-	-	-	-	2	-	2	5	-
well *H* - - - E. & N.	10,760	10	7	6	-	-	-	-	-	1	-	-	-	1	-	1	6	-
iff *W* - - - - E.	14,770	12	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
house - - - - - E	32,558	28	15	9	2	-	-	-	-	-	-	-	-	3	-	1	-	-
End Old Town West *H* E.	59,467	36	8	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
End Old Town East *Ww* - E.	53,348	28	10	2	4	-	-	-	-	-	-	-	-	1	-	-	3	-
l - - - - E.	41,990	21	15	5	5	-	-	-	1	-	-	-	-	1	-	1	-	-
ley *wwwH* - - - E.	68,326	47	30	7	10	-	-	-	-	-	-	1	-	2	4	8	17	-
ar *WW* - - - - E.	58,522	45	15	8	2	-	-	-	-	-	-	-	-	4	-	3	3	

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE registered in each SUB-DISTRICT during the Week ended Saturday, 14th September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	11,232	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	8	16	5	1	-	1	-	-	-	-	-	-	4	-	2
Kent-road - - - S. & L.	21,899	18	4	1	-	-	-	-	-	-	-	-	-	1	1	2
Borough-road *WH* - S. & L	16,882	10	9	2	-	-	-	-	-	-	-	-	-	1	-	-
London-road *HL* - L. & S.	22,209	9	8	4	1	-	-	-	-	-	-	-	-	2	-	-
Trinity Newington *H* - S. & L.	28,485	19	6	4	1	-	-	-	-	-	-	-	-	1	-	1
St. Peter Walworth *W*- S. & L.	61,773	32	15	5	3	-	-	-	-	2	-	-	-	-	-	1
St. Mary Newington - L. & S.	31,592	15	7	6	1	-	-	-	-	-	-	-	-	2	-	1
St. Olave *W* - - - - S.	9,813	9	4	1	2	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W* - - - S.	82,405	59	23	13	2	-	-	-	-	1	-	-	-	8	-	1
Rotherhithe *Ww* - - S. & K	38,268	29	22	4	3	-	-	-	-	-	-	-	-	4	2	3
Waterloo-road *HH* - L. & S.	27,435	24	14	5	3	-	-	-	-	-	-	-	-	2	-	-
Lambeth Church 1st *HH* L. & S.	18,420	9	16	4	5	-	-	-	-	-	-	-	-	-	2	3
Lambeth Church 2nd *WW* L. & S.	39,818	25	23	7	3	-	-	-	-	-	-	-	-	1	-	2
Kennington 1st *H* - S. & L.	53,196	28	13	8	1	-	-	-	-	-	-	-	-	1	-	-
Kennington 2nd - - S. & L.	42,891	19	7	3	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	84,226	42	25	8	8	-	-	-	3	1	-	-	-	6	-	-
Norwood *WH* - - - L.	35,887	18	9	3	3	-	-	-	-	-	-	-	-	3	-	-
East Battersea - - - S.	72,201	44	14	10	1	-	-	-	-	-	-	-	-	3	2	2
North-west Battersea - - S.	49,650	31	10	3	-	-	-	-	-	-	-	-	-	1	1	1
South-west Battersea *WwH*- S.	47,045	17	21	3	4	-	4	-	-	-	-	-	-	-	3	3
Clapham *H* - - - - S.	51,353	23	12	4	2	-	-	-	-	-	-	-	-	1	-	1
Streatham *WwwwwL* - - L.	88,129	61	26	5	8	-	-	2	4	-	-	-	-	3	-	1
Wandsworth *WHHL* - - S.	68,409	45	18	10	4	-	-	-	-	-	-	-	-	3	-	1
Putney - - - - - S.	24,139	13	4	2	1	-	-	-	-	-	-	-	-	-	-	2
Dulwich - - - - L. & S.	10,246	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	32	38	12	16	-	-	-	-	-	-	-	-	7	-	-
Peckham *WW* - S., L., & K.	93,022	52	18	7	1	-	-	-	-	-	-	-	-	5	1	1
St. George Camberwell - L. & S.	65,586	45	17	5	4	-	-	-	-	-	-	-	-	5	-	-
Deptford North - - - K.	37,601	25	18	6	4	-	-	-	-	-	-	-	-	6	-	-
Deptford Central *w* - - K.	45,621	31	14	4	2	-	-	2	3	1	-	-	-	-	-	-
Deptford South - - - K.	34,622	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,456	11	3	-	2	-	-	-	1	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,849	26	24	7	8	-	1	-	-	-	-	-	-	3	2	2
Eltham *wH* - - - - K.	7,218	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	5	3	1	2	-	-	-	-	-	-	-	-	1	-	-
Lewisham *WwwH* - - K.	58,341	26	31	7	6	-	1	5	3	-	-	2	-	6	1	1
Sydenham *H* - - - L.	43,630	15	6	4	2	-	-	-	-	1	-	-	-	1	-	-
Charlton *wHH* - - - K.	21,121	8	10	2	2	-	-	1	2	-	-	1	-	-	-	-
Woolwich *HHHH* - - K.	41,607	18	9	3	2	-	-	-	-	-	-	-	-	2	1	3
Plumstead West *H* - - K.	18,076	4	5	2	1	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *WH* - - K.	50,264	32	10	2	2	-	-	-	-	-	-	-	-	2	-	-
London County Asy., Banstead -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Ships and Camp, Dartford	—	-	8	-	-	8	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	9	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -	—	-	4	-	-	-	-	1	2	-	-	1	-	-	-	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	1

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA : POPULATION ; BIRTHS and DEATHS registered during the Week ended Saturday, 14th September, 1901.

gis-tion rict nd b-rict m-rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1184	501	201	104	-	5	1	19	12	8	91	22	40	73	2
:1	Carshalton *H* - - -	12,228	32,997	12	10	2	4	-	-	-	1	-	-	-	-	1	2	-
2	Epsom, *part of* WwHHH*	10,423	15,548	8	5	2	2	-	-	-	-	2	-	1	-	-	2	-
:1	Godstone, *part of* W* -	2,754	2,692	2	3	1	-	-	-	-	-	-	-	1	1	1	-	-
:1	Croydon *WWwHHH* -	20,851	164,519	86	50	27	7	-	-	-	-	-	1	14	-	1	7	-
2	Mitcham *w* - - -	11,689	29,906	21	6	4	1	-	-	-	-	1	-	1	-	-	-	-
:1	Wimbledon *HHH* - -	3,221	41,604	22	5	2	2	-	-	-	-	2	-	2	-	-	1	-
2	Kingston *WH* - - -	6,224	42,067	18	13	5	7	-	-	-	-	-	1	4	-	1	-	-
3	Surbiton *HH* - - -	3,046	15,019	8	5	-	2	-	-	-	1	-	-	2	-	-	1	-
4	Esher, *part of* H* - -	5,402	13,003	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,664	23,447	6	4	1	2	-	-	-	-	-	-	1	-	-	-	-
:1	Richmond *WHH* - -	2,162	28,871	10	7	-	2	-	-	-	-	-	-	-	2	2	1	-
2	Mortlake *H* - - -	2,847	20,628	14	3	1	-	-	-	-	-	-	-	-	1	1	-	-
:1	Bromley† *HHH*- - -	4,703	27,358	23	6	1	3	-	-	-	-	-	-	2	-	-	1	-
2	Beckenham *H*- - -	7,825	28,499	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of*†* W -	10,113	9,857	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *HH* - -	7,333	16,458	14	2	-	2	-	-	-	-	-	-	1	-	-	1	-
:1	Bexley *HHH* - - -	12,532	46,445	33	16	6	2	-	-	-	1	1	2	2	1	2	1	1
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury *w* - - -	11,054	18,682	5	3	-	1	-	-	-	-	-	1	1	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	12	3	2	1	-	-	-	-	1	-	-	-	-	-	-
:1	Hillingdon *WHH* - -	6,035	13,661	4	1	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Uxbridge - - - -	12,757	8,984	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	15	3	1	-	-	-	-	1	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,859	30,838	24	11		2	-	-	1	-	-	-	-	-	-	6	-
2	Twickenham *HH* - -	2,421	20,991	8	4		2	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH* - -	4,319	48,298	35	11	2	2	-	-	-	1	-	-	1	1	3	2	-
4	Chiswick - - - -	1,249	29,809	11	9	2	1	-	-	-	-	-	-	-	1	1	-	-
5	Acton *wHH* - - -	6,132	48,913	34	10	5	1	-	-	-	1	-	-	5	-	-	-	-
:1	Harrow *HHH* - - -	13,809	25,522	8	3	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Edgware *HH* - - -	6,994	4,520	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	75	18	7	5	-	1	-	1	-	-	3	-	-	-	-
4	Hendon *WH* - - -	8,382	22,450	13	8	3	1	-	-	-	-	-	-	1	-	-	2	-
:1	South Mimms *HH* - -	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	8	5	3	1	-	-	-	-	-	-	2	1	1	1	-
3	Finchley *HHH*- - -	4,688	33,692	14	8	4	2	-	-	-	-	-	-	1	-	2	-	-
:1	Hornsey *HH* - - -	2,875	72,056	31	9	4	1	-	-	-	-	-	-	1	1	1	-	-
2	Tottenham *HHH* - -	4,638	136,702	86	27	12	7	-	-	-	1	-	-	4	2	5	3	-
3	Edmonton *Ww* - -	7,491	61,892	51	19	6	6	-	-	-	-	-	1	3	1	3	5	-
4	Enfield *WWHH* - -	12,601	42,738	21	8	2	2	-	-	-	1	-	-	1	1	1	1	-
5	Waltham Abbey - - -	11,017	6,547	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	8	2	2	-	-	-	-	-	1	-	-	-	-	-	-
:1	Hatfield, *part of* W*- -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,333	9,173	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,825	21	18	8	3	-	-	-	-	1	-	5	-	-	1	-
2	Plaistow *HHH* - - -	1,249	90,920	74	29	17	-	-	-	-	4	-	-	8	-	1	7	-
3	Canning Town *H* - -	1,556	70,666	57	29	11	3	-	-	-	2	-	1	6	1	1	-	-
4	Forest Gate *w* - - -	806	60,897	29	3	2	-	-	-	-	-	-	-	1	-	-	-	-
5	East Ham *wHHH* - -	3,268	95,970	57	37	23	5	-	1	-	1	2	-	4	1	1	-	-
6	Wanstead - - - -	1,737	9,198	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	50,458	27	26	4	9	-	2	-	-	1	-	5	1	2	19	-
8	North Leyton *WwH* -	1,963	48,441	26	6	2	2	-	-	-	-	-	-	1	-	-	-	-
9	Walthamstow *HHHL* -	6,504	108,931	69	20	12	1	-	-	-	-	-	1	4	4	4	2	-
1	Chigwell, *part of* HHHH*	11,778	16,403	9	3	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of* W* -	6,556	6,089	2	3	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *H* - - - -	8,496	41,240	23	7	2	2	-	-	-	1	-	-	1	-	2	3	-
3	Barking Town. *H* - -	3,803	21,547	11	10	5	1	-	-	-	-	-	-	2	-	-	-	1
	North-Eastern Fever Hosp., Tottenham.	—	—	-	2	-	-	-	-	-	2	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the uter Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, xcepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses nd Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 14th September, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16
GREATER LONDON	443,417	6,604,287	15·0	3·2	1899	636	445	9	18	14	47	20	22	279	70	55
INNER LONDON -	74,837	4,543,757	16·0	3·1	1398	435	341	9	13	13	28	8	14	188	48	48
OUTER RING -	368,580	2,060,530	12·7	3·4	501	201	104	–	5	1	19	12	8	91	22	7

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	317,561	September 14	151	98	16·1	–	–	–	–	3	1	
GLASGOW - -	763,144	" 14	464	262	17·9	–	6	2	3	1	8	
DUBLIN† - -	375,076	" 14	212	160	22·2	–	–	–	–	1	2	
CALCUTTA - -	466,460	June 8	–	267	29·8	5	2	–	–	–	94‡	
		" 15	–	252	28·1	3	1	–	–	–	83‡	
BOMBAY - -	821,764	August 27	312	837	56·5	1	–	?	?	?	325‡	
MADRAS - -	452,518	" 9	418	663	76·1	7	4	?	?	?	190	1
PARIS - - -	2,511,629	September 7	1038	833	17·2	7	4	–	12*	16	4	
BRUSSELS - -	582,665	" 7	234	155	13·8	–	–	–	2*	1	2	
AMSTERDAM -	523,822	August 31	281	145	14·4	–	2	–	–	1	1	
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–	
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–	
COPENHAGEN -	378,200	September 7	200	154	21·2	–	–	1	–	4	1	
STOCKHOLM -	301,050	August 31	133	77	13·3	–	–	1	–	2	–	
CHRISTIANIA -	226,423	September 7	159	79	18·1	–	–	–	1	–	1	
ST. PETERSBURG	1,248,643	August 31	540	524	21·9	–	10	11	15	4	30	1
MOSCOW - -	1,023,817	" 31	–	578	29·4	2	1	5	4	2	10	2
BERLIN - -	1,891,431	" 24	926	866	24·0	–	6	5	6	11	2	4
HAMBURG - -	705,738	September 7	–	256	18·9	–	3	2	2*	7	2	
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–	
BRESLAU - -	427,505	September 7	–	232	28·3	–	2	3	–	1	1	
MUNICH - -	500,000	" 7	–	224	23·3	–	1	–	2*	3	–	
VIENNA - -	1,691,996	" 7	899	505	15·5	–	1	8	8*	1	3	
PRAGUE - -	389,741	" 7	–	–	–	–	–	–	–	–	–	
BUDA-PESTH -	744,719	" 7	450	200	14·0	–	–	3	3	1	1	
TRIESTE - -	177,428	August 24	119	92	26·9	–	–	1	3*	–	1	
		" 31	110	74	21·7	–	1	1	1*	1	–	
ROME - - -	471,961	" 3	223	168	18·6	–	–	–	1	–	7	
TURIN (10 days) -	344,203	—	–	–	–	–	–	–	–	–	–	
VENICE - -	174,378	August 31	73	77	23·0	–	–	–	–	–	3	
CAIRO - -	570,062	July 29	451	518	47·3	–	8	–	7*	–	24	
ALEXANDRIA -	319,766	" 29	244	263	42·8	2	1	–	4*	–	3‡	
NEW YORK (including BROOKLYN)	3,536,517	August 17	1484	1514	22·3	6	2	9	27*	13	12	
PHILADELPHIA -	1,293,697	" 24	-	491	19·8	1	1	3	7	10	10	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 46 and 45 deaths, respectively, from cholera in Calcutta, 4 in Bombay and 45 in Madras.
‡ Including 25 and 37 deaths, respectively, from plague in Calcutta, 293 in Bombay, and 1 in Alexandria.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
September.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	8	..	29·721	76·9	55·5	21·4	63·0	+ 4·3	59·9	3·1	15·8	1·0	90	139·2	46·5	60·10	ESE., SE. & SSE.	SSW., S. & SE.	2·0	0·0	0·1	188	− 83	0·20	0·0
Monday -	9	..	29·751	71·5	56·0	15·5	62·5	+ 4·0	56·7	5·8	12·4	0·8	81	126·1	45·0	60·26	SW.	SW.	2·0	0·0	0·1	228	− 46	0·01	0·0
Tuesday -	10	..	29·807	71·5	53·6	17·9	60·6	+ 2·3	56·7	3·9	14·9	0·0	87	116·0	42·4	60·50	WSW.	WSW., W. & WNW.	0·6	0·0	0·0	179	− 98	0·00	0·0
Wednesday	11	..	29·848	61·0	51·6	9·4	55·8	− 2·3	51·5	4·3	7·6	3·0	85	89·0	44·0	60·61	NNW., WSW. & WNW.	WNW. & NNW.	1·4	0·0	0·1	223	− 56	0·04	0·0
Thursday-	12	New. In Eqr.	29·841	64·1	53·2	10·9	58·0	0·0	53·4	4·6	10·1	1·0	85	99·3	43·8	60·65	NNW., N. & NNE.	N. & NNW.	1·3	0·0	0·0	195	− 86	0·00	0·0
Friday -	13	..	29·775	65·1	53·3	11·8	58·1	+ 0·2	52·8	5·3	12·6	0·5	83	98·1	43·7	60·50	NNW.. NNE. & N.	N., NNW. & NNE.	1·0	0·0	0·0	225	− 57	0·00	0·0
Saturday -	14	..	29·605	67·1	51·1	16·0	57·9	+ 0·1	47·6	10·3	18·2	1·6	69	131·6	44·4	60·48	NNW. & NNE.	N. & NNW.	2·0	0·0	0·1	203	− 79	0·00	0·2
Means -	-		29·764	68·2	53·5	14·7	59·4	+ 1·2	54·1	5·3	13·1	1·1	83	114·2	44·3	60·44	Variable		..	..	..	Sum 1441	Sum −505	Sum 0·25	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	8	w. P. till 9h. P.M.; s. N. and s. P. afterwards.	2·8	13·1	Overcast in morning: fine in afternoon; overcast, with rain, at night.
Monday -	9	w. P. throughout.	4·6	13·1	Overcast, with gentle rain, in early morning; fine and partially cloudy till evening; cloudless at night.
Tuesday -	10	w. P. generally.	2·8	13·0	Overcast and foggy in morning; fine and partially cloudy afterwards.
Wednesday	11	w. P. in morning; v. N. and v. P. afterwards.	0·5	12·9	Overcast generally till evening, with a shower shortly before noon; cloudless, with exceptions, at night.
Thursday-	12	w. P. throughout.	0·2	12·9	Overcast generally till evening: cloudless at night till 11h. P.M.; then cloudy.
Friday -	13	w. P. throughout.	0·0	12·8	Overcast.
Saturday-	14	w. P. in morning; v. P. afterwards.	6·1	12·7	Fine; partially cloudy till evening; cloudless at night.
			Sum 17·0	Sum 90·5	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·78 in. at the beginning of the week to 29·72 in. by noon on the 8th; increased to 29·88 in. by 9h. A.M. on the 11th; decreased to 29·57 in. by 3h. P.M. on the 14th; and was 29·62 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th September, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	1	9	2	-	4	-	-	1	-
Kensington	176,787	-	11	5	-	2	-	-	3	-
Hammersmith	112,619	-	6	4	-	-	-	-	3	-
Fulham	138,426	-	10	9	-	6	-	1	3	-
Chelsea	73,879	-	1	2	-	2	-	-	-	-
City of Westminster	182,502	4	8	9	-	3	-	-	-	-
NORTH.										
St. Marylebone	133,060	6	4	5	-	2	-	-	2	-
Hampstead	82,287	1	7	3	-	3	-	-	2	1
St. Pancras	235,297	10	24	18	-	8	-	-	7	-
Islington	335,325	-	33	30	-	14	-	-	2	1
Stoke Newington	51,328	1	1	2	-	2	-	-	1	-
Hackney	219,780	-	25	24	-	12	-	-	4	-
CENTRAL.										
Holborn	59,205	4	4	7	-	-	-	-	-	-
Finsbury	101,263	-	7	11	-	-	-	-	4	-
City of London	26,627	-	1	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	13	10	-	7	-	-	1	-
Bethnal Green	129,700	-	24	5	-	2	-	-	4	-
Stepney	298,884	-	26	14	-	8	-	-	8	-
Poplar	168,887	-	13	12	-	4	-	-	5	-
SOUTH.										
Southwark	206,219	-	31	24	-	6	-	-	6	-
Bermondsey	130,348	-	23	5	-	3	-	-	4	-
Lambeth	302,460	-	26	16	-	1	-	-	2	1
Battersea	169,364	-	14	6	-	3	-	-	1	-
Wandsworth	233,943	-	12	6	-	2	-	-	6	-
Camberwell	259,897	-	28	10	-	6	-	-	5	-
Deptford	110,732	-	10	14	-	4	-	-	5	-
Greenwich	96,188	-	8	7	-	3	-	-	1	-
Lewisham	128,423	-	7	1	-	1	-	-	-	-
Woolwich	117,619	-	8	4	-	1	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	27	394	266	-	109	-	1	82	3
Ages 0-1		-	3	1	-	-	-	-	2	-
" 1-5		-	110	98	-	3	-	-	4	-
" 5-		1	144	84	-	9	-	-	3	-
" 10-		3	76	31	-	18	-	-	4	-
" 15-		2	32	22	-	25	-	-	4	-
" 20-		3	10	9	-	22	-	-	3	1
" 25-		7	12	13	-	19	-	-	11	2
" 35-		8	4	7	-	9	-	-	16	-
" 45-		-	3	-	-	3	-	-	22	-
" 55-		3	-	1	-	1	-	-	9	-
" 65 and upwards		-	-	-	-	-	-	1	4	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

Analysis of Metropolitan Water Supply during August, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th September, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of August, by the eight Water Companies.

Thirteen samples of each Company's water were examined, making a total of 104 samples for the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea - - -	August 19th. Cab Rank, Victoria-street.	19·6	23·02	·139	·017	0	·117	·134	1·8	17·1
West Middlesex -	August 19th. Cab Rank, Riding House-street.	18·2	21·50	·121	·017	0	·068	·085	1·7	16·3
Southwark - -	August 19th. Cab Rank, St. George's Church, Borough.	21·3	25·00	·147	·020	0	·125	·145	1·8	18·3
Grand Junction -	August 19th. Cab Rank, Portman-street, Oxford-street.	20·4	24·30	·143	·016	0	·151	·167	1·8	15·4
Lambeth - - -	August 19th. Cab Rank, St. George's-road, Southwark.	19·7	25·36	·132	·018	0	·139	·157	2·0	18·9
Lea and Wells.										
New River - -	August 19th. Cab Rank, Tottenham Court-road.	19·1	29·74	·049	·007	0	·166	·173	1·7	21·5
East London - -	August 19th. Police Station, Poplar, E.	21·0	29·42	·117	·016	0	·133	·149	1·9	17·4
Deep Well.										
Kent - - - -	August 19th. Police Station, Blackheath-road.	13·5	39·74	·038	·005	0	·468	·473	2·3	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected from the stand-pipe at the cab rank in Victoria Street on August 19th, had a temperature of 19·6° C.; 100,000 lbs. of it contained 23·02 lbs. of solid matters in solution ; the organic substances constituting a portion of this matter contained ·139 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained no ammonia and ·117 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·134 lb. The above weight of water also contained 1·8 lbs. of combined chlorine and 17·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on August 19th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·7, New River 0·9, West Middlesex and East London 2·3, Lambeth 2·5, Chelsea 2·6, Grand Junction 2·7, and Southwark 2·8.

Of the Thames-derived waters the supplies of the Chelsea and Lambeth Companies contained a little more organic matter than was found in the corresponding samples examined in July, but in the cases of the other Thames companies the proportions of organic matters were about the same as in the previous month's samples. All the samples were of good chemical quality and clear.

Of the waters chiefly derived from the River Lea, the supply of the New River Company contained only a small amount of organic matter and was of good quality and clear. The East London Company's supply was similar in quality to the best of the Thames waters, and clear. The Kent Company's deep well water was, as usual, of great organic purity and clear.

Seen through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless, and the waters of the remaining companies very pale yellow in colour.

In addition to the above analytical examination, 104 samples, collected during the month of August, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained :—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·076	·055	·061	·082	·053	·067	·0075	·006	·0065
West Middlesex	·070	·060	·065	·080	·064	·072	·0075	·007	·007
Southwark	·084	·057	·069	·092	·059	·075	·009	·0075	·008
Grand Junction	·075	·058	·067	·080	·062	·072	·0085	·007	·008
Lambeth	·082	·060	·073	·090	·068	·079	·008	·007	·0075
New River	·037	·021	·029	·041	·021	·031	·0045	·0025	·0035
East London	·087	·044	·072	·102	·054	·076	·009	·0065	·0075
Kent	·009	·003	·005	·010	·004	·007	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

With regard to the Thames-derived waters, the above results show that the Chelsea, West Middlesex and Grand Junction Companies supplied water containing, on the average, smaller proportions of organic matter than the Southwark and Lambeth Companies, and by comparison with the corresponding results observed in July it appears that the average amounts of organic impurities in all these waters were slightly greater than in that month. All the supplies were of good quality.

The New River Company's water was of good quality throughout the month. Owing to the arrangements whereby the East London Company has been receiving assistance from other Companies during the past month, certain districts in the New River Company's area of supply have been furnished with a mixture of New River and filtered Thames water, but the examinations of the samples taken in the New River Company's area show that the proportion of Thames water, present at any time, has not been more than a small fraction of the whole supply.

The average quality of the East London Company's water was about the same as that of the Thames Companies, and indeed, from information given by the Engineer to this Company, it appears that half the samples examined during the month contained a large proportion of water supplied by the Southwark and Vauxhall Company.

All the samples of the Kent Company's water were of great organic purity and excellent uality.

All the samples of the Chelsea, West Middlesex, and New River Companies' supplies were clear, but in the cases of the remaining Companies, on a few occasions, minute amounts of suspended matter, probably derived from the mains, were present.

I am, Sir,

Your obedient Servant.

The Registrar-General,

Somerset House, W.C.

pp. T. E. THORPE,
JAS. CAMERON.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of August, 1901. The supply was in the ratio of 253 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	AUGUST, 1900.	AUGUST, 1901.	AUGUST, 1900.	AUGUST, 1901.
TOTAL SUPPLY - - -	908,600	921,858	223,662,334	233,327,964
From Thames - - - - - -	433,275	433,562	118,350,047	124,507,585
From Lea and from other Sources -	475,325	488,296	105,312,287	108,820,379
THAMES.				
Chelsea - - - - - - -	38,806	39,278	13,742,700	13,987,059
West Middlesex - - - - - -	85,827	87,320	21,580,284	23,590,012
Southwark and Vauxhall - -	124,394	116,957	34,430,231	34,636,263
Grand Junction - - - - -	66,805	68,769	20,585,377	21,573,380
Lambeth - - - - - - -	117,443	121,238	28,011,455	30,720,871
LEA AND OTHER SOURCES.				
New River - - - - - - -	170,741	173,568	42,449,674	43,046,652
East London - - - - - -	209,062	215,258	44,267,909	45,738,000
Kent - - - - - - - -	95,522	99,470	18,594,704	20,035,727

Note.—The Return for August, 1901, as compared with that for the corresponding month of 1900, shows an increase of 13,258 services and of 9,665,630 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 38. 1901. VOL. LXII.] WEEK ENDED SATURDAY, SEPT. 21. [Price 1½*d*.

General Register Office, Somerset House,
September 23rd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 21·0, 19·4, and 18·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.		Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
33 Great Towns	21·0	19·4	18·3	16·8	Leicester - -	22·8	21·1	17·9	15·9
Birkenhead -	19·2	22·5	20·2	12·2	Liverpool - -	22·0	17·9	19·9	19·4
Birmingham -	23·9	24·5	22·4	17·3	London - - -	18·6	16·9	16·0	15·6
Blackburn -	21·6	20·4	17·6	15·9	Manchester - -	27·7	23·1	22·5	19·2
Bolton - -	23·8	21·6	19·5	20·7	Newcastle-on-Tyne	30·2	27·1	27·8	20·6
Bradford -	17·9	20·1	15·6	17·3	Norwich - -	23·3	17·2	17·7	16·3
Brighton -	24·5	21·5	16·9	14·8	Nottingham - -	24·3	16·9	16·3	18·0
Bristol - -	12·0	9·5	16·6	11·2	Oldham - -	22·0	24·3	22·4	20·1
Burnley -	23·0	24·1	24·1	25·2	Plymouth - -	19·3	16·4	11·6	15·9
Cardiff - -	15·1	13·6	14·5	13·6	Portsmouth - -	20·9	20·3	16·5	17·6
Croydon -	24·0	22·5	16·6	17·0	Preston - -	24·9	19·8	24·0	20·3
Derby - -	23·1	14·3	13·8	11·8	Salford - - -	23·5	22·6	26·4	20·0
Gateshead -	32·1	36·8	28·8	22·7	Sheffield - -	22·8	23·9	20·5	19·0
Halifax -	15·9	15·9	17·9	17·4	Sunderland - -	25·2	24·5	24·5	25·6
Huddersfield-	20·9	14·8	14·8	19·2	Swansea - -	13·8	17·1	15·4	11·6
Hull - -	29·3	26·3	20·7	15·1	West Ham - -	28·5	25·4	17·6	18·6
Leeds - -	17·7	21·2	18·7	16·6	Wolverhampton -	17·7	24·8	21·0	13·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *scarlet fever*, 1·0 in Derby; from *whooping-cough*, 1·1 in Swansea; from "*fever*," 1·0 in Plymouth, 1·1 in Nottingham, in Hull, and in Sunderland, 1·6 in Salford, and 2·2 in Huddersfield; and from *diarrhœal diseases*, 3·0 in Manchester and in Oldham, 3·3 in West Ham, in Norwich, and in Salford, 3·7 in Hull, 4·0 in Sheffield, 4·1 in Newcastle on Tyne, 4·3 in Sunderland, 5·4 in Burnley, and 6·6 in Gateshead. In none of the thirty-three towns did the death-rate from *measles* reach 1·0 per 1000. The 49 deaths from *diphtheria* included 27 in London and 3 in West Ham. Three deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2355 BIRTHS and 1360 DEATHS were registered. Allowing for increase of population, the births were 241, and the deaths 115, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·6, 16·9, and 16·0 in the preceding three weeks, further fell last week to 15·6.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

During the four weeks ended on Saturday last the death-rate averaged 16·8 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1360 deaths included 3 from small-pox, 19 from measles, 9 from scarlet fever, 27 from diphtheria, 14 from whooping-cough, 14 from enteric fever, 138 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 224 deaths were referred to these diseases, being 22 below the corrected average weekly number.

The deaths from *small-pox*, which had been 7, 7, and 9 in the preceding three weeks, fell again last week to 3; the cases all belonged to the Borough of St. Pancras. The deaths from *measles*, which had been 40, 13, and 13 in the preceding three weeks, rose last week to 19, and were 6 above the corrected average; 4 cases belonged to Hackney. The deaths from *scarlet fever*, which had been 13, 14, and 13 in the preceding three weeks, fell last week to 9, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 22, 20, and 28 in the preceding three weeks, were 27 last week, the corrected average being 46; 6 cases belonged to Islington and 3 to Stepney. The deaths from *whooping-cough*, which had been 20, 27, and 8 in the preceding three weeks, rose again last week to 14, but were 17 below the corrected average. The fatal cases of *enteric fever*, which had been 12, 17, and 14 in the preceding three weeks, were again 14 last week, the corrected average being 17; 2 cases belonged to Islington, 2 to Stepney, 2 to Camberwell, and 2 to Greenwich. The deaths from *diarrhœal diseases*, which had been 352, 275, and 188 in the preceding three weeks, further fell last week to 138, but were 15 above the corrected average. Of the 138 deaths from diarrhœal diseases, 126 were of children under 5 years of age; 17 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 114, 124, and 116 in the preceding three weeks, rose again last week to 124, but were 48 below the corrected average. The deaths attributed directly to *influenza* numbered 4, having been 2, 4, and 2 in the preceding three weeks.

Different forms of *violence* caused 75 deaths, concerning all but 6 of which inquests were held. Of these 75 deaths, 12 were cases of suicide, while the remaining 63 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 8 to drowning, 1 to the effects of chloroform administered for surgical purposes, and 8 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 153 cases of small-pox, 3098 of scarlet fever, 1465 of diphtheria, and 290 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 37 cases, against 52, 31, and 62; of scarlet fever, 427 cases, against 303, 346, and 457; of diphtheria, 254 cases, against 202, 212, and 280; and of enteric fever, 65 cases, against 55, 51, and 45. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended September 14th.

Greater London.

In Greater London 3447 births and 1859 deaths were registered, corresponding to annual rates of 27·2 and 14·7 per 1000 of the estimated population. In the Outer Ring 1 death from small-pox, 10 deaths from measles, 2 from scarlet fever, 9 from diphtheria, 8 from whooping-cough, 9 from "fever," and 76 from diarrhœal diseases were registered. Seven deaths from measles, 4 from diphtheria, 6 from "fever," and 32 from diarrhœal diseases occurred in West Ham district. The death from small-pox was of a person who had been removed from Tottenham to the Small-pox Hospital at South Mimms.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·54 inches, and that of the Thermometer 56°·8; the latter agreeing with the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 19·8 hours; the measured rainfall amounted to 1·10 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 21st Sept. 1901, Births.	Registered during the Week ended 21st Sept. 1901, Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 8-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15	16.	17.	18	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6261**	**3704**	**1131**	**778**	**3**	**40**	**39**	**49**	**41**	**70**	**491**	**147**	**254**	**919**	**45**	**16·8**	**3·3**	**69·0**	**33·3**	**55·4**	**13·60**	**0·77**	**1·96**	**33 Towns.**
London - -	4,543,757	2355	1360	370	323	3	19	9	27	14	14	138	75	133	503	4	15·6	2·6	67·4	39·6	56·8	13·78	1·10	2·79	London.
West Ham - -	268,868	193	96	34	11	-	3	1	3	3	4	17	4	7	26	-	18·6	6·0	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	59	44	13	15	-	1	-	1	-	-	7	1	3	12	-	17·0	3·5	68·5	38·5	55·7	13·17	0·86	2·18	Croydon.
Brighton - -	123,668	56	35	10	12	-	-	-	-	-	-	6	1	1	7	-	14·8	2·5	67·2	45·8	57·9	14·39	0·72	1·83	Brighton.
Portsmouth -	189,907	86	64	24	15	-	-	-	1	-	1	9	3	6	8	2	17·6	3·0	66·0	50·0	58·4	14·67	1·85	4·70	Portsmouth.
Plymouth - -	107,974	60	33	11	9	-	-	-	-	-	2	6	1	2	6	-	15·9	3·9	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	173	71	17	18	-	-	-	-	-	3	5	4	8	15	-	11·2	1·3	66·0	43·0	55·6	13·11	1·25	3·17	Bristol.
Cardiff - -	165,308	85	43	17	5	-	-	-	1	1	1	3	2	4	11	-	13·6	1·9	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	50	21	3	4	-	-	-	-	2	-	-	3	3	2	-	11·6	1·1	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	62	25	10	4	-	1	-	-	-	-	4	2	3	1	1	13·8	2·8	65·1	38·4	52·1	11·17	0·47	1·19	Wolverhampton.
Birmingham -	523,284	323	174	66	30	-	4	4	-	4	4	29	3	6	33	6	17·3	4·5	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	59	35	8	11	-	-	-	-	-	-	7	-	-	4	-	16·3	3·3	69·0	43·0	56·9	13·83	0·54	1·37	Norwich.
Leicester - -	212,498	101	65	27	14	-	-	-	-	-	-	5	6	6	4	1	15·9	1·2	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	125	83	23	20	-	2	-	1	-	5	8	3	3	12	-	18·0	3·5	65·6	40·1	54·4	12·44	0·38	0·97	Nottingham.
Derby - - -	106,076	54	24	10	3	-	-	2	-	-	-	6	1	2	4	-	11·8	3·9	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	49	26	5	7	-	-	-	1	-	-	4	-	-	4	-	12·2	2·3	-	-	-	-	-	-	Birkenhead.
Liverpool	686,332	435	255	76	48	-	1	5	1	1	5	35	5	8	60	12	19·4	3·6	-	-	-	-	-	-	Liverpool.
Bolton - -	168,748	99	67	17	14	-	-	3	-	1	1	8	2	3	10	-	20·7	4·0	-	-	-	-	-	-	Bolton.
Manchester -	544,934	269	201	66	35	-	3	-	1	2	1	31	6	14	47	2	19·2	3·6	-	-	-	-	-	-	Manchester.
Salford - -	221,526	113	85	27	13	-	1	1	1	1	7	14	3	4	18	1	20·0	5·9	-	-	-	-	-	-	Salford.
Oldham - -	137,382	81	53	11	14	-	-	2	-	1	-	8	1	2	10	-	20·1	4·2	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	64	47	20	6	-	-	-	1	-	-	10	1	1	9	-	25·2	5·9	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	67	39	12	6	-	-	2	-	-	-	7	1	2	2	1	15·9	3·7	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	80	44	16	12	-	-	2	1	-	2	6	1	1	4	2	20·3	5·1	64·0	43·0	54·8	12·67	0·38	0·97	Preston.
Huddersfield -	94,998	51	35	11	8	-	-	1	-	-	4	3	1	2	3	-	19·2	4·4	66·4	36·3	54·2	12·33	0·54	1·37	Huddersfield.
Halifax - -	105,113	37	35	9	7	-	-	-	2	-	-	3	-	1	8	1	17·4	2·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	120	93	21	24	-	-	3	-	-	1	11	1	4	9	1	17·3	2·8	65·0	40·4	54·3	12·39	0·62	1·57	Bradford.
Leeds - - -	430,489	253	137	57	28	-	2	2	1	6	1	12	2	7	19	-	16·6	2·9	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	266	139	51	21	-	3	1	2	-	5	29	1	1	27	4	19·0	5·5	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	149	70	22	9	-	-	-	2	1	5	17	1	3	7	2	15·1	5·4	65·0	38·0	53·9	12·17	0·55	1·40	Hull.
Sunderland -	146,937	90	72	19	15	-	-	1	1	1	3	12	1	2	20	2	25·6	6·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	60	48	20	8	-	-	-	1	1	-	14	2	2	1	2	22·7	7·6	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	137	85	28	9	-	-	-	-	2	1	17	9	10	13	1	20·6	4·8	-	-	-	-	-	-	Newcastle.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2559	2433	2554	2358	2541	2537	2492	2574	2531	2448	2595·9	2355
Males - -	1334	1245	1299	1224	1278	1308	1267	1323	1302	1235	1329·2	1191
Females - -	1225	1188	1255	1134	1263	1229	1225	1251	1229	1213	1266·7	1164
TOTAL **Deaths** -	1322	1238	1561	1211	1346	1238	1341	1863	1649	1449	1474·7	1360
Males - -	663	634	802	647	703	621	701	1001	859	768	767·4	747
Females - -	659	604	759	564	643	617	640	862	790	681	707·3	613

*The numbers in this column are the average weekly numbers in the thirty-eighth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
TOTAL **Births** - - -	2478	2413	2526	2519	2384	2844	2322	2659	2643	2483	2582	2442	2355
TOTAL **Deaths** - - -	1210	1256	1237	1411	1582	1747	1636	1705	1676	1623	1471	1398	1360
Ages at Death: Under 1 year - -	267	285	282	411	583	716	664	734	689	647	543	435	370
1—5 years - -	154	146	140	168	215	196	185	185	167	200	137	118	146
5—20 ,, - -	58	68	88	77	73	87	92	70	83	78	80	80	81
20—40 ,, - -	176	173	180	175	169	191	171	186	177	174	157	166	176
40—60 ,, - -	264	266	258	279	252	268	244	259	233	249	256	258	264
60—80 ,, - -	235	244	236	244	241	243	226	229	270	226	243	270	262
80 years and upwards	56	74	53	57	49	46	54	42	57	49	55	71	61
Deaths from—													
Small pox - - - -	1	-	-	-	-	1	1	2	-	7	7	9	[illegible]
Measles - - - -	51	49	37	45	60	45	40	37	26	40	13	13	19
Scarlet Fever - - -	12	8	17	10	20	15	10	16	12	13	14	13	[illegible]
Diphtheria - - - -	18	27	24	30	28	28	24	30	27	22	20	28	27
Whooping-cough - - -	25	22	15	17	24	20	19	24	17	20	27	8	14
Typhus - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever - - -	4	6	2	9	10	11	18	10	25	12	17	14	14
Simple Continued Fever -	-	-	1	2	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	23	45	71	140	289	399	367	404	375	348	271	184	138
Cholera - - - - -	-	1	2	-	5	4	5	7	4	4	4	4	-
All the above Diseases -	134	158	169	253	436	523	484	531	486	466	373	273	22[illegible]
Dis. of Respiratory System -	141	165	133	135	134	126	126	103	126	114	124	116	12[illegible]
Phthisis - - - - -	138	133	168	114	111	153	106	123	120	142	124	129	14[illegible]
Dis. of Circulatory System -	109	139	104	116	111	113	113	97	120	100	142	131	13[illegible]
Violence - - - -	42	59	49	72	74	81	77	68	56	60	45	48	7[illegible]
Inquest Cases - - - -	101	117	123	138	141	162	155	159	116	157	120	119	13[illegible]
Deaths in Public Institutions -	454	435	435	467	459	507	458	460	467	478	462	484	50[illegible]
TEMPERATURE OF THE AIR													
Mean - - - - -	61°·0	64°·1	64°·5	68°·4	61°·6	65°·1	64°·6	61°·0	63°·9	58°·6	56°·4	59°·4	56°[illegible]
Mean of Highest readings -	71·8	73·9	77·2	81·6	71·7	75·8	76·8	72·2	76·6	68·5	65·1	68·2	65[illegible]
Mean of Lowest readings -	50·9	56·1	52·2	54·4	54·5	54·9	55·3	52·1	50·5	51·5	47·8	53·5	48[illegible]
Humidity of the Air - -	63	75	68	63	83	72	70	71	67	71	66	83	8[illegible]
Rain-fall (in inches) - -	0·00	1·05	0·00	0·00	1·30	0·38	0·08	0·50	0·00	1·36	0·00	0·25	1·1[illegible]
Registered Sunshine (in hours)	69·5	46·1	60·2	75·5	18·4	49·2	49·0	49·3	74·4	39·2	52·3	17·0	19[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	5	6	12	14	11	13	11	13	41	74	92	137	15[illegible]
Scarlet Fever - - - -	2821	2895	2918	2907	2974	3091	3148	3101	3040	3008	2994	3064	309[illegible]
Diphtheria - - - -	1176	1195	1228	1267	1303	1336	1363	1361	1318	1344	1365	1417	146[illegible]
Typhus - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	125	128	145	152	165	166	180	188	198	225	254	262	29[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed the meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley; Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-EIGHTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 38th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 21st September, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1474·7	1360	370	146	81	176	264	262	61
ll- Vaccinated† -	0·2	1	-	-	-	1	-	-	-
Unvaccinated	0·1	1	-	1	-	-	-	-	-
No Statement	0·1	1	-	-	-	1	-	-	-
es - - - -	12·8	19	8	11	-	-	-	-	-
t Fever - - -	15·5	9	-	4	2	2	1	-	-
s - - - -	0·2	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	3·3	4	-	-	-	3	-	1	-
ping-cough - -	30·8	14	7	7	-	-	-	-	-
heria - -	46·1	27	-	17	9	1	-	-	-
e Continued and Defined Fever -	0·4	-	-	-	-	-	-	-	-
ic Fever - - -	17·3	14	-	2	5	5	2	-	-
ea and Chol. Diarr.	2·7	-	-	-	-	-	-	-	-
oea, Dysentery -	119·9	138	107	19	2	1	2	4	3
tent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects of vaccination - -	0·2	-	-	-	-	-	-	-	-
eal Affections -	9·4	4	1	1	-	-	2	-	-
pelas - - -	3·9	10	3	-	-	1	2	4	-
ia and Septicæmia	2·3	3	2	-	-	-	-	1	-
eral Fever - -	3·7	5	-	-	-	4	1	-	-
Zymotic Diseases	0·9	1	-	-	-	1	-	-	-
h - - - -	1·0	1	1	-	-	-	-	-	-
s and other Parasitical Diseases -	0·4	-	-	-	-	-	-	-	-
ation, Want of Breast-milk - -	1·6	1	1	-	-	-	-	-	-
olism - - -	9·7	7	-	-	-	2	3	2	-
matic Fever, Rheumatism of Heart	8·8	9	-	1	3	3	-	2	-
matism - - -	2·5	1	-	-	-	-	-	1	-
- - - - -	2·5	1	-	-	-	-	-	1	-
ts - - - -	4·6	2	1	1	-	-	-	-	-
r - - - -	77·4	74	-	1	1	2	32	34	4
Mesenterica - -	27·6	24	15	6	1	1	1	-	-
cular Meningitis -	23·5	16	7	8	1	-	-	-	-
sis - - - -	139·7	147	-	5	13	60	56	13	-
la, Tuberculosis -	18·0	18	5	4	3	5	-	1	-
Constitutional ases - -	11·1	12	-	-	4	2	3	3	-
ture Birth - -	52·7	36	36	-	-	-	-	-	-
tasis - - -	4·6	6	6	-	-	-	-	-	-
nital Malformations - - - -	7·3	8	7	1	-	-	-	-	-
ge - - - -	47·6	46	-	-	-	-	-	18	28
exy - - -	38·5	29	-	-	-	1	8	18	2
sy - - - -	6·7	10	-	2	2	2	4	-	-
lsions - - -	33·7	23	19	4	-	-	-	-	-
Diseases of Brain Nervous System	70·8	73	6	10	4	9	14	26	4
es of Organs of ial Sense -	2·7	1	-	1	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 38th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 21st September, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	113·9	133	-	-	12	11	45	57	8
Croup - - - -	2·3	-	-	-	-	-	-	-	-
Bronchitis - - -	76·9	47	13	1	3	-	9	17	4
Pneumonia - - -	72·6	59	8	16	2	12	11	10	-
Pleurisy - - - -	3·7	4	-	-	1	1	-	2	-
Other Diseases of Respiratory System -	16·9	14	-	1	-	1	4	6	2
Dentition - - - -	4·9	4	2	2	-	-	-	-	-
Quinsy, Sore Throat -	1·9	-	-	-	-	-	-	-	-
Enteritis - - -	61·4	27	15	2	4	1	4	1	-
Gastro-enteritis -		19	13	4	-	1	1	-	-
Peritonitis - - -	5·8	5	-	-	1	3	-	1	-
Diseases of Liver - -	28·1	19	-	-	-	3	11	5	-
Other Diseases of Digestive System	33·5	29	8	3	1	5	5	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·5	1	-	-	-	-	-	1	-
Diseases of Urinary System - - -	44·6	48	-	-	-	8	19	19	2
Diseases of Generative System - - -	4·8	6	-	-	-	2	3	1	-
Accidents of Childbirth -	4·4	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	3·6	1	-	-	-	-	1	-	-
Diseases of Integumentary System - -	6·2	5	2	-	-	-	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	0·9	3	-	-	-	2	1	-	-
By Vehicles or Horses -	6·6	7	-	-	3	1	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·5	1	-	-	-	1	-	-	-
In Building Operations -	1·3	-	-	-	-	-	-	-	-
In Conflagrations -	0·7	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·8	1	-	-	-	1	-	-	-
By Drowning - - -	4·9	8	-	1	-	2	5	-	-
By Suffocation in Bed -	9·1	8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·4	1	-	-	-	-	1	-	-
Other or not stated causes - - -	20·6	34	11	5	4	5	4	2	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·8	-	-	-	-	-	-	-	-
Suicide - - - -	6·9	12	-	-	-	6	4	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	65·3	65	58	5	-	-	1	1	-

e numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase ulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE registered in each SUB-DISTRICT during the Week ended Saturday, 21st September, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.
LONDON - - -	4,536,063	2355	1360	370	323	3	19	9	27	14	-	14	-	138	75	133
WEST DISTRICTS - - -	805,275	340	194	43	57	-	1	-	2	2	-	1	-	12	7	11
NORTH DISTRICTS - - -	1,056,018	540	300	77	72	-	4	3	10	2	-	5	-	25	18	38
CENTRAL DISTRICTS - - -	209,432	120	74	23	11	-	3	-	-	1	-	-	-	8	8	12
EAST DISTRICTS - - -	715,772	449	271	93	61	-	5	1	2	3	-	1	-	38	12	30
SOUTH DISTRICTS - - -	1,749,566	906	482	134	112	-	6	4	11	6	-	7	-	55	29	41
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	10	3	-	1	2	-	-	-	-	-	1	1
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	93,165	44	18	6	2	-	-	-	-	1	-	1	-	-	1	2
St. John Paddington *H* - - G.	33,608	11	9	1	5	-	-	-	-	-	-	-	-	1	1	1
North-West Paddington - - C.	17,181	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	48	39	9	12	-	-	-	-	1	-	-	-	3	1	1
Brompton *HH*- - - W. & C.	48,598	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* W. & G	49,335	30	6	1	1	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *wH* W. & G	62,910	24	19	6	8	-	-	-	-	-	-	-	-	2	-	-
North-west Fulham *W* W. & C.	45,180	33	20	8	4	-	-	-	-	-	-	-	-	4	1	1
North-east Fulham *w* W. & C.	46,404	20	9	2	3	-	-	-	1	-	-	-	-	-	-	-
South Fulham W. & C.	45,705	25	6	1	2	-	-	-	-	-	-	-	-	-	-	2
Chelsea North *WWHHHH* - C.	42,515	8	25	-	10	-	-	-	-	-	-	-	-	-	-	-
Chelsea South *HH* - - C.	31,341	15	6	-	4	-	-	-	-	-	-	-	-	-	-	-
May Fair and Knightsbridge *H* C. & G.	28,744	9	3	2	-	-	1	-	-	-	-	-	-	-	1	1
Belgrave *HHH* - - - C.	55,812	27	16	3	2	-	-	-	-	-	-	-	-	1	1	2
St. Margaret & St. John Westminster *HHH* C.	43,665	13	10	2	2	-	-	-	-	-	-	-	-	-	1	1
St. James Westminster *WH* N. & G.	21,595	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Anne Soho *HHHHH* - N.	11,492	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	35,394	9	13	2	5	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone *W* G. & W.	19,869	9	5	1	1	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone *HHHH* G. & W.	18,099	33	6	1	2	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H* - W	39,541	26	7	3	1	-	-	-	-	-	-	-	-	2	1	1
St. John Marylebone *HHH* - W	20,426	8	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHHH* - N. & W.	81,942	30	18	4	3	-	-	2	2	-	-	2	-	3	-	-
Regent's Park *H* - W.	50,647	15	7	4	2	-	-	-	-	-	-	-	-	2	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	9	16	1	4	-	-	-	-	1	-	-	-	-	1	1
Gray's Inn Lane *HHHH* - N.	30,886	18	8	4	-	-	-	-	-	-	-	-	-	2	-	-
Somers Town *HH* - - - N.	30,131	24	10	2	1	-	1	-	-	-	-	1	-	1	1	2
Camden Town *WH* - - N.	40,079	19	13	1	8	-	-	-	-	-	-	-	-	-	1	2
Kentish Town *WW* - - N.	58,727	25	21	6	3	-	-	-	-	-	-	-	-	1	2	5
Tufnell *W*		8	14	1	7	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway *WWwHH* - N.	99,841	18	23	2	5	-	-	-	-	-	-	-	-	1	2	3
Tollington *W*		15	3	1	-	-	-	-	-	-	-	1	-	1	-	-
Lower Holloway - - - N.	41,411	29	7	3	1	-	-	-	-	-	-	-	-	2	-	-
Barnsbury - - - - N.	54,479	37	17	5	3	-	-	-	-	-	-	-	-	1	-	2
Islington South-east *H* - N.	75,402	42	22	8	3	-	-	1	2	1	-	-	-	1	3	5
Highbury *HH* - - - N.	63,795	27	4	2	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H* - - N.	51,247	22	9	2	4	-	-	-	-	-	-	-	-	-	-	1
North Hackney - E. & N.	50,570	21	11	3	2	-	1	-	-	-	-	-	-	1	-	2
Central Hackney *ww* - E. & N.	50,535	30	18	4	2	-	-	-	5	-	-	1	-	1	1	4
South-west Hackney *HHH* E. & N.	59,929	29	20	7	5	-	1	-	-	-	-	-	-	2	3	4
South-east Hackney *WwH* E. & N.	58,254	37	24	10	7	-	1	-	1	-	-	-	-	3	1	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated t namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupe received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. si Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, U Holloway, and Tollington respectively.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions
CENTRAL DISTRICTS.																	
Bloomsbury and St. Giles South *WH* - - - N.	22,495	14	3	1	1	-	1	-	-	-	-	-	-	-	-	-	1
St Giles North *H* - - - N.	8,959	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Martin-in-the-Fields *HH* N. & C	12,975	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Strand *WHH* - - - N.	8,694	6	15	-	4	-	-	-	-	-	-	-	-	1	1	1	13
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHHH* - - N	29,579	11	15	8	-	-	1	-	-	-	-	-	-	4	-	-	8
St. James Clerkenwell - - N.	15,634	8	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Amwell - - - - - N.	32,691	22	7	3	-	-	1	-	-	1	-	-	-	-	1	3	-
Goswell-street - - - - N	15,390	5	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Finsbury* *HHHL* - - N.	35,376	38	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Holborn Union Workhouse, Mitcham - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H* - - N. & E.	11,036	5	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Sepulchre *WH* - - - N	7,886	1	14	1	2	-	-	-	-	-	-	-	-	-	3	3	14
All hallows Barking - - - N	8,717	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
City of London Asylum, Stone - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
EAST DISTRICTS.																	
Shoreditch South *Hl* - E. & N.	16,370	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hoxton New Town *wH* - - N	29,761	17	15	2	10	-	-	-	-	-	-	-	-	1	1	2	9
Hoxton Old Town - - - N	26,510	22	7	4	2	-	-	-	-	-	-	-	-	2	-	-	-
Haggerston *W* - - N & E.	46,064	42	24	11	5	-	3	-	-	-	-	-	-	3	1	1	7
Bethnal Green North *HH* - E.	51,513	34	16	5	3	-	-	1	-	-	-	-	-	3	2	2	2
Bethnal Green South - - E	33,473	16	6	4	-	-	-	-	-	-	-	-	-	3	-	-	-
Bethnal Green East *WWHl* - E.	44,695	31	26	8	4	-	-	-	-	-	-	-	-	5	1	2	13
Spitalfields - - - E. & N.	27,965	14	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Mile End New Town *WH* - E.	28,711	23	37	7	5	-	-	-	-	-	-	-	-	1	3	4	30
Goodman's Fields - - - E.	22,082	14	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
St. George's, North - - - E.	40,965	37	11	6	3	-	-	-	-	-	-	-	-	-	-	1	-
St. John *W* - - - E.	8,122	2	6	1	2	-	-	-	-	-	-	-	-	1	-	-	4
Shadwell *H* - - - E. & N.	10,760	2	12	6	-	-	-	-	-	-	-	-	-	2	-	1	10
Ratcliff *W* - - - - E.	14,770	1	6	2	2	-	-	-	-	1	-	-	-	1	1	1	-
Limehouse - - - - - E	32,358	21	11	6	1	-	-	-	1	-	-	1	-	2	-	-	-
Mile End Old Town West *H* E.	59,467	40	14	5	4	-	1	-	-	1	-	-	-	2	-	1	-
Mile End Old Town East *WWw* - E.	53,348	29	14	4	5	-	-	-	-	-	-	-	-	2	-	2	5
Bow *l* - - - - E.	41,990	22	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-
Bromley *wwwH* - - - E.	68,326	39	33	10	9	-	-	-	1	-	-	-	-	7	1	7	14
Poplar *WWw* - - - - E.	58,522	38	16	7	3	-	1	-	-	1	-	-	-	1	2	5	2

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	11,232	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark - - S.	12,056	5	16	-	3	-	1	-	-	-	-	-	-	1	2	2	14
Kent-road - - - S. & L.	21,899	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L	16,882	8	6	3	-	-	-	-	-	-	-	-	-	1	-	1	4
London-road *HL* - L. & S.	22,209	12	5	3	1	-	1	-	-	-	-	-	-	1	-	1	-
Trinity Newington *H* - S. & L.	28,485	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	61,773	24	13	2	3	-	-	-	-	-	-	-	-	1	-	1	1
St. Mary Newington - L. & S.	31,592	24	6	2	4	-	1	-	-	-	-	-	-	1	-	1	-
St. Olave *W* - - - - S.	9,813	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey *W* - - - S.	82,405	45	14	6	4	-	-	-	-	1	-	-	-	1	-	-	-
Rotherhithe *Ww* - - S. & K	38,268	23	15	5	4	-	-	-	-	-	-	-	-	3	-	-	6
Waterloo-road *HH* - L. & S.	27,435	32	5	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Lambeth Church 1st *HH* L. & S.	18,420	10	18	6	2	-	-	-	-	1	-	-	-	-	4	6	10
Lambeth Church 2nd *WW* L. & S.	39,818	24	26	4	9	-	2	-	-	-	-	-	-	3	-	1	19
Kennington 1st *H* - S. & L.	53,196	34	7	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 2nd - - S. & L.	42,891	14	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Brixton *w* - - - - L. & S.	84,226	39	19	4	6	-	-	2	1	-	-	-	-	3	-	-	4
Norwood *WH* - - - L.	35,887	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.	72,201	53	19	11	-	-	-	-	-	-	-	-	-	4	2	4	-
North-west Battersea - - S.	49,650	32	8	5	2	-	1	-	-	1	-	-	-	-	-	1	-
South-west Battersea *WwH* - S.	47,045	15	24	1	9	-	-	-	-	-	-	-	-	2	1	2	16
Clapham *H* - - - - S.	51,353	32	10	2	5	-	-	-	-	-	-	-	-	1	-	-	1
Streatham *WwwwwL* - - L.	88,129	36	19	5	5	-	-	1	1	-	-	1	-	-	2	-	4
Wandsworth *WHHL* - - S.	68,409	23	14	2	6	-	-	-	-	-	-	-	-	2	1	2	-
Putney - - - - - - S.	24,139	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	10,246	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,404	30	38	6	18	-	-	-	-	-	-	-	-	4	-	2	26
Peckham *WW* - S., L., & K.	93,022	43	15	7	1	-	-	-	-	1	-	-	-	4	1	1	-
St. George Camberwell - L. & S.	65,586	38	18	9	2	-	-	-	-	-	-	-	-	4	2	2	-
Deptford North - - - K.	37,601	25	7	-	2	-	-	-	-	-	-	-	-	-	2	2	-
Deptford Central *w* - - K.	45,621	40	17	6	1	-	-	-	6	-	-	-	-	3	1	-	6
Deptford South - - - K.	34,622	15	6	3	3	-	-	-	-	-	-	-	-	3	1	1	-
Greenwich West *H* - - K.	23,456	14	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	43,849	19	35	9	10	-	-	-	-	-	-	1	-	5	2	2	25
Eltham *wH* - - - - K.	7,218	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Lee *H* - - - - - K.	25,489	4	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwwH* - - K.	58,341	29	20	7	2	-	-	1	-	-	-	1	-	4	-	1	7
Sydenham *H* - - - L.	43,630	12	9	1	-	-	-	-	-	1	-	1	-	-	-	-	-
Charlton *wHH* - - - K.	21,121	13	10	1	-	-	-	-	3	-	-	3	-	-	2	2	7
Woolwich *HHHH* - - K.	41,607	21	9	2	1	-	-	-	-	-	-	-	-	-	4	4	-
Plumstead West *H* - - K.	18,076	8	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	50,264	32	12	3	-	-	-	-	-	-	-	-	-	1	-	-	4
London County Asy., Banstead -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Cane Hill -	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7
M.A.B. Ships and Hosp., Dartford	—	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	3
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
London County Asylum, Hanwell	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5
Central London Sick Asy., Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
M.A.B. North-Eastern Hospital -	—	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	3
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	5	-	2	-	-	-	-	-	-	-	-	-	1	1	5
London County Asylum, Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st September, 1901.

is-ion ict d p-ict n-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1092	499	178	108	1	10	2	9	8	9	76	15	40	74	1
:1	Carshalton *H* - - -	12,228	32,997	14	6	-	3	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	7	5	2	-	-	-	-	-	1	-	-	1	2	1	-
:1	Godstone, *part of** *W* -	2,754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	164,519	73	50	14	17	-	2	-	1	-	-	7	2	4	13	-
2	Mitcham *w* - - -	11,689	29,906	8	6	2	2	-	-	-	-	-	-	1	-	-	-	-
:1	Wimbledon *HHH* - -	3,221	41,604	14	8	1	1	-	-	-	-	1	-	-	1	1	-	-
2	Kingston *WH* - - -	6,224	42,067	30	15	5	7	-	-	-	-	-	-	3	-	-	6	-
3	Surbiton *HH* - - -	3,046	15,019	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-
4	Esher, *part of** *H* - -	5,402	13,003	6	4	3	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,564	23,447	5	5	1	2	-	-	-	-	-	-	1	-	-	-	-
:1	Richmond *WHH* - -	2,162	28,871	6	3	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake *H* - - -	2,847	20,628	9	5	1	2	-	-	-	-	-	-	-	1	1	-	-
1	Bromley† *HHH*- - -	4,703	27,358	13	6	1	-	-	-	-	-	-	-	1	-	1	-	-
2	Beckenham *H*- - -	7,825	28,499	14	2	1	-	-	-	-	-	1	-	-	-	-	-	-
3	Orpington, *part of**† *W* -	10,113	9,857	5	7	2	3	-	-	-	-	-	-	2	-	-	4	-
4	Chislehurst *HH* - -	7,333	16,458	10	5	1	3	-	-	-	-	-	-	-	-	-	-	-
1	Bexley *HHH* - - -	12,532	46,445	30	11	6	1	-	-	-	-	-	1	1	-	1	-	-
2	Dartford *WH, part of** -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
1	Sunbury *w* - - -	11,054	18,682	10	6	2	2	-	-	-	-	-	-	-	-	2	-	-
2	Staines *WH* - - -	13,277	15,179	8	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Hillingdon *WHH* - -	6,035	13,661	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	11	3	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,859	30,838	18	10	2	3	-	-	-	-	-	-	-	-	-	2	-
2	Twickenham *HH* - -	2,421	20,991	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	17	11	3	5	-	-	-	-	-	-	1	1	2	-	-
4	Chiswick - - - -	1,249	29,809	13	6	4	2	-	-	-	-	-	-	3	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	34	10	6	2	-	-	-	-	-	-	2	-	-	-	-
1	Harrow *HHH* - - -	13,809	25,522	9	4	1	1	-	-	-	-	-	-	1	-	1	-	-
2	Edgware *HH* - - -	6,994	4,520	2	3	-	2	-	-	-	-	-	1	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	64	25	8	4	-	-	-	-	-	-	4	1	2	-	-
4	Hendon *WH* - - -	8,382	22,450	15	5	2	1	-	-	-	-	-	-	1	-	-	2	-
1	South Mimms *HH* - -	17,755	7,308	2	3	1	-	1	-	-	-	-	-	1	-	-	1	-
2	Barnet *WHH* - - -	3,324	17,970	7	3	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH*- - -	4,688	33,692	14	2	-	-	-	-	-	-	-	-	1	-	-	-	-
1	Hornsey *HH* - - -	2,875	72,056	25	8	5	3	-	-	-	-	-	-	1	-	-	-	-
2	Tottenham *HHH* - -	4,638	136,702	73	29	10	8	-	-	-	1	-	1	2	-	4	1	-
3	Edmonton *Ww* - -	7,491	61,892	32	14	6	4	-	1	-	1	-	-	1	-	1	3	-
4	Enfield *WWHH* - -	12,601	42,738	9	5	1	1	-	-	-	-	-	-	-	-	-	-	1
5	Waltham Abbey - - -	11,017	6,547	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	6	3	2	-	-	-	-	-	1	-	1	-	-	-	-
1	Hatfield, *part of** *W* -	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	1,072	44,825	31	12	6	3	-	1	-	-	-	-	4	1	2	3	-
2	Plaistow *HHH* - - -	1,249	90,920	71	25	10	1	-	1	1	3	3	-	6	1	1	8	-
3	Canning Town *H* - -	1,556	70,666	66	36	17	1	-	-	-	-	-	2	7	2	2	1	-
4	Forest Gate *w* - - -	806	60,897	25	9	1	1	-	-	-	-	-	-	-	-	1	-	-
5	East Ham *wHHH* - -	3,268	95,970	82	27	14	3	-	-	-	-	-	1	2	1	4	2	-
6	Wanstead - - - -	1,737	9,198	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	50,458	32	28	4	8	-	2	-	-	-	2	3	-	1	20	-
8	North Leyton *WwH* -	1,963	48,441	24	14	5	2	-	-	-	1	-	-	3	1	1	-	-
9	Walthamstow *HHHL* -	6,504	108,931	62	16	9	1	-	-	-	-	-	1	7	1	2	1	-
1	Chigwell, *part of** *HHHH*	11,778	16,403	5	5	2	2	-	-	-	-	-	-	-	1	1	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	6,089	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,496	41,240	26	8	5	-	-	-	-	-	1	-	3	-	-	1	-
3	Barking Town, *H* - -	3,803	21,547	17	9	6	1	-	-	-	-	-	-	4	-	1	-	-
	Homerton Fever Hospital, Hackney.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes: 135: 1, Northaw parish; 187: excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 21st September, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14
GREATER LONDON	443,419	6,604,287	14·7	2·7	1859	543	431	4	29	11	36	22	23	214
INNER LONDON -	74,839	4,543,757	15·6	2·6	1360	370	323	3	19	9	27	14	14	138
OUTER RING -	368,580	2,060,530	12·6	2·9	499	178	108	1	10	2	9	8	9	76

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,561	September 21	142	94	15·4	–	2	–	1	3	–
GLASGOW - -	763,144	" 21	452	244	16·6	–	2	–	2	7	5
DUBLIN† - -	375,076	" 21	152	168	23·4	–	–	1	2	4	3
CALCUTTA - -	466,460	June 22	–	228	25·5	4	–	–	–	–	70
		" 29	–	224	25·0	4	–	–	–	–	66
BOMBAY - -	821,764	September 3	274	906	61·1	–	1	?	?	?	383
MADRAS - -	452,518	August 16	460	794	91·2	9	1	?	?	?	238
PARIS - - -	2,511,629	September 14	1081	762	15·7	2	4	1	12*	11	8
BRUSSELS - -	582,665	" 14	249	157	14·0	–	–	–	–	1	4
AMSTERDAM -	523,822	" 7	297	136	13·5	–	–	–	2	2	–
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,200	September 14	205	158	21·8	–	–	–	–	11	2
STOCKHOLM -	301,050	" 7	152	83	14·3	–	1	1	2*	2	–
CHRISTIANIA -	226,423	" 14	178	54	12·4	–	–	–	–	2	1
ST. PETERSBURG	1,248,643	" 7	517	578	24·1	–	13	23	22	7	35
MOSCOW - -	1,023,817	" 7	–	589	30·0	–	1	3	7	2	10
BERLIN - -	1,891,431	August 31	953	810	22·4	–	4	4	6	15	3
HAMBURG - -	705,738	September 14	–	246	18·1	–	2	5	2*	7	5
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	September 14	–	191	23·3	–	2	3	1	–	–
MUNICH - -	500,000	" 14	–	189	19·7	–	2	–	3*	2	–
VIENNA - -	1,691,996	" 14	935	496	15·2	–	2	8	6*	3	–
PRAGUE - -	389,741	" 7	158	138	18·4	–	–	4	1	–	1
BUDA-PESTH -	744,719	" 14	409	219	15·3	–	–	10	–	2	3
TRIESTE - -	177,428	" 7	121	74	21·7	–	2	1	–	3	–
ROME - - -	471,961	August 10	201	156	17·2	–	1	–	–	–	7
TURIN (10 days) -	344,203	—	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	September 7	83	62	18·5	–	–	–	–	–	5
CAIRO - -	570,062	August 5	447	639	58·3	–	10	–	14*	–	2
ALEXANDRIA -	319,766	" 5	217	301	48·9	1	1	–	2*	–	6
NEW YORK (including BROOKLYN)	3,536,517	" 24	1562	1390	20·5	8	5	11	24*	9	1
PHILADELPHIA -	1,293,697	" 31	–	410	16·5	2	–	–	9	6	[illegible]

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 26 and 17 deaths, respectively, from cholera in Calcutta, 17 in Bombay and 76 in Madras.
‡ Including 13 and 9 deaths, respectively, from plague in Calcutta, 245 in Bombay, and 1 in Alexandria.
‖ Including one death from malarial fever.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	15	..	29·655	64·1	51·6	12·5	56·8	− 0·9	48·5	8·3	14·2	2·2	74	116·1	47·4	60·38	NNW.	NNW.	2·4	0·0	0·1	256	− 25	0·00	0·8
MONDAY -	16	..	29·590	65·8	39·6	26·2	53·6	− 3·9	47·2	6·4	16·0	0·0	79	124·3	30·2	60·25	NW., S. & SE.	SSE. & ESE.	3·4	0·0	0·0	169	−110	0·57	1·0
TUESDAY -	17	Apogee	29·274	66·5	53·0	13·5	59·5	+ 2·2	57·6	1·9	5·4	0·0	94	102·0	48·0	59·92	SSE. & SE.	SSW., SW. & WSW.	6·0	0·0	0·4	368	+ 92	0·28	4·0
WEDNESDAY	18	..	29·904	64·9	47·0	17·9	54·0	− 2·9	43·1	10·9	19·8	2·0	67	116·2	38·0	59·80	WNW. & WSW.	SW. & S.	3·6	0·0	0·1	281	+ 8	0·00	0·0
THURSDAY-	19	..	29·704	63·4	43·6	19·8	53·8	− 2·7	46·9	6·9	13·5	2·2	78	113·0	34·2	59·70	SSE.	S. & SE.	3·4	0·0	0·1	283	+ 13	0·00	4·7
FRIDAY -	20	Greatest Dec. S.	29·343	67·4	52·9	14·5	60·2	+ 4·1	55·1	5·1	9·0	0·9	83	100·3	45·7	59·61	ESE., SSE. & SSW.	S. & SSE.	9·2	0·0	0·7	381	+113	0·25	5·3
SATURDAY -	21	First Quarter.	29·319	67·0	54·5	12·5	59·7	+ 4·0	56·9	2·8	6·5	0·5	91	107·3	44·4	59·40	ESE. & SE.	SSE.	2·4	0·0	0·1	201	− 64	0·00	2·7
MEANS -	-		29·541	65·6	48·9	16·7	56·8	0·0	50·8	6·0	12·1	1·1	81	111·4	41·1	59·87	Variable		..	..	..	Sum 1959	Sum + 27	Sum 1·10	2·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	15	w. P. generally.	4·8	12·7	Fine. Partially cloudy till evening; cloudless afterwards.
MONDAY -	16	w. P. till evening; v. P. and v. N. afterwards.	3·8	12·6	Fog prevailed in morning; fine and partially cloudy in afternoon; overcast with heavy rain at night.
TUESDAY -	17	Loss of Register in morning; v. P. and v. N. afterwards.	0·1	12·5	Overcast. Showery.
WEDNESDAY	18	m. P. generally.	7·6	12·5	Overcast till 9h. A.M.; fine, with few clouds, till afternoon; cloudless afterwards.
THURSDAY-	19	m. P. generally.	2·7	12·4	Fine, with little cloud in morning, until 8h. A.M.; overcast till 2h. P.M.: fine and partially cloudy afterwards.
FRIDAY -	20	Insulation defective in morning; v. P. and v. N. afterwards.	0·7	12·3	Fine, with variable amounts of cloud, in morning; overcast afterwards, with frequent rain. Brisk wind in afternoon.
SATURDAY-	21	w. P. generally.	0·1	12·3	Overcast, with occasional light showers, till evening; fine and partially cloudy at night.
			Sum 19·8	Sum 87·3	
No. of Col.-	-	27½	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·62 in. at the beginning of the week to 29·68 in. by 8h. P.M. on the 15th; decreased to 29·20 in. by 3h. P.M. on the 17th; increased to 29·94 in. by 9h. P.M. on the 18th; decreased to 29·30 in. by noon on the 21st; and increased to 29·38 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th September, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	1	19	3	-	5	-	-	5	1
Kensington	176,787	4	15	8	-	3	-	-	1	-
Hammersmith	112,619	-	4	1	-	1	-	-	3	-
Fulham	138,426	-	18	18	-	6	-	-	-	-
Chelsea	73,879	-	2	3	-	2	-	-	1	-
City of Westminster	182,502	-	10	10	-	1	1	-	2	-
NORTH.										
St. Marylebone	133,060	7	9	5	-	1	-	-	3	-
Hampstead	82,287	-	8	3	-	2	-	-	-	-
St. Pancras	235,297	24	34	32	-	10	-	-	8	-
Islington	335,325	5	45	29	-	5	1	-	8	-
Stoke Newington	51,328	3	2	2	-	1	-	-	1	-
Hackney	219,780	-	16	28	-	7	-	-	10	1
CENTRAL.										
Holborn	59,205	5	8	7	-	-	-	-	3	-
Finsbury	101,263	-	9	14	-	4	-	-	4	-
City of London	26,627	-	3	2	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	1	13	10	-	7	-	-	1	-
Bethnal Green	129,700	1	27	10	-	6	-	-	5	-
Stepney	298,884	-	37	20	-	21	-	-	6	-
Poplar	168,887	-	13	27	-	8	-	-	3	-
SOUTH.										
Southwark	206,219	-	42	22	-	4	-	-	9	-
Bermondsey	130,348	-	44	9	-	2	-	-	4	-
Lambeth	302,460	1	26	7	-	4	-	-	7	1
Battersea	169,364	-	14	4	-	3	-	-	1	-
Wandsworth	233,943	1	11	4	-	3	-	-	4	1
Camberwell	259,897	-	38	14	-	10	-	-	7	-
Deptford	110,732	-	8	20	-	1	-	-	3	-
Greenwich	96,188	-	13	6	-	1	-	-	4	-
Lewisham	128,423	-	8	6	-	1	-	-	4	-
Woolwich	117,619	-	8	5	-	4	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	53	504	329	-	123	2	-	107	4
Ages 0-1		-	3	7	-	2	-	-	2	-
" 1-5		2	134	99	-	2	-	-	8	-
" 5-		3	184	122	-	14	-	-	3	-
" 10-		8	102	39	-	16	-	-	6	-
" 15-		6	47	20	-	19	-	-	5	-
" 20-		10	16	12	-	21	-	-	7	1
" 25-		12	11	19	-	22	1	-	17	3
" 35-		10	5	7	-	14	1	-	24	-
" 45-		1	2	2	-	8	-	-	14	-
" 55-		1	-	1	-	3	-	-	11	-
" 65 and upwards		-	-	-	-	2	-	-	10	-
Age not stated		-	-	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS
By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 39. 1901. VOL. LXII.] WEEK ENDED SATURDAY, SEPT. 28. [Price 1½*d.*

General Register Office, Somerset House,
September 30th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 19·4, 18·3, and 16·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.		Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
33 Great Towns	19·4	18·3	16·8	16·7	Leicester - -	21·1	17·9	15·9	9·6
Birkenhead -	22·5	20·2	12·2	15·0	Liverpool - -	17·9	19·9	19·4	18·3
Birmingham -	24·5	22·4	17·3	21·6	London - - -	16·9	16·0	15·6	15·0
Blackburn -	20·4	17·6	15·9	17·1	Manchester - -	23·1	22·5	19·2	21·5
Bolton - -	21·6	19·5	20·7	16·1	Newcastle-on-Tyne	27·1	27·8	20·6	25·6
Bradford -	20·1	15·6	17·3	12·5	Norwich - -	17·2	17·7	16·3	19·1
Brighton -	21·5	16·9	14·8	16·0	Nottingham - -	16·9	16·3	18·0	13·2
Bristol - -	9·5	16·6	11·2	13·3	Oldham - -	24·3	22·4	20·1	16·7
Burnley -	24·1	24·1	25·2	17·7	Plymouth - -	16·4	11·6	15·9	13·5
Cardiff - -	13·6	14·5	13·6	12·9	Portsmouth - -	20·3	16·5	17·6	16·5
Croydon -	22·5	16·6	17·0	10·5	Preston - -	19·8	24·0	20·3	18·9
Derby - -	14·3	13·8	11·8	12·8	Salford - - -	22·6	26·4	20·0	17·9
Gateshead -	36·8	28·8	22·7	22·7	Sheffield - -	23·9	20·5	19·0	20·6
Halifax -	15·9	17·9	17·4	17·4	Sunderland - -	24·5	24·5	25·6	27·3
Huddersfield-	14·8	14·8	19·2	15·9	Swansea - -	17·1	15·4	11·6	19·8
Hull - -	26·3	20·7	15·1	20·3	West Ham - -	25·4	17·6	18·6	17·6
Leeds - -	21·2	18·7	16·6	19·1	Wolverhampton -	24·8	21·0	13·8	17·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Oldham; from *whooping-cough*, 1·1 in Sunderland; from "*fever*," 1·1 in Huddersfield, 1·3 in Hull, and 1·4 in Sunderland; and from *diarrhœal diseases*, 3·3 in Blackburn and in Sheffield, 3·5 in Hull, 4·2 in Oldham, 4·6 in Sunderland, 5·0 in Wolverhampton, and 5·7 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 82 deaths from *diphtheria* included 34 in London, 10 in West Ham, 5 in Bristol, 5 in Liverpool, 5 in Manchester, 4 in Bolton, 3 in Cardiff, and 3 in Salford. Five deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2581 BIRTHS and 1304 DEATHS were registered. Allowing for increase of population, the births were 33 above, and the deaths 167 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·9, 16·0, and 15·6 in the preceding three weeks, further fell last week to 15·0.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

During the four weeks ended on Saturday last the death-rate averaged 15·9 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1304 deaths included 5 from small-pox, 13 from measles, 13 from scarlet fever, 34 from diphtheria, 13 from whooping-cough, 19 from enteric fever, 87 from diarrhœa and dysentery, 1 from cholera, and not one death from typhus, or from any ill-defined form of continued fever; thus, 185 deaths were referred to these diseases, being 41 below the corrected average weekly number.

The deaths from *small-pox*, which had been 7, 9, and 3 in the preceding three weeks, rose again last week to 5; these 5 cases belonged respectively to the five Boroughs of St. Marylebone, St. Pancras, Islington, Hackney, and Southwark. The deaths from *measles*, which had been 13, 13, and 19 in the preceding three weeks, fell again last week to 13, and were 3 below the corrected average. The deaths from *scarlet fever*, which had been 14, 13, and 9 in the preceding three weeks, rose again last week to 13, but were 7 below the corrected average; 4 cases belonged to Southwark, 2 to Lambeth, and 2 to Camberwell. The deaths from *diphtheria*, which had been 20, 28, and 27 in the preceding three weeks, rose again last week to 34, but were 21 below the corrected average; 5 cases belonged to St. Pancras, 4 to Hackney, 3 to Bethnal Green, 3 to Southwark, and 3 to Greenwich. The deaths from *whooping-cough*, which had been 27, 8, and 14 in the preceding three weeks, were 13 last week, the corrected average being 25. The fatal cases of *enteric fever*, which had been 17, 14, and 14 in the preceding three weeks, rose again last week to 19, and were 3 above the corrected average; 3 cases belonged to Bermondsey and 3 to Camberwell. The deaths from *diarrhœal diseases*, which had been 275, 188, and 138 in the preceding three weeks, further fell last week to 88, and were 6 below the corrected average. Of the 88 deaths from diarrhœal diseases, 81 were of children under 5 years of age; 11 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 124, 116, and 124 in the preceding three weeks, further rose last week to 137, but were 50 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 4, 2, and 4 in the preceding three weeks.

Different forms of *violence* caused 52 deaths, concerning all but 3 of which inquests were held. Of these 52 deaths, 8 were cases of suicide, and 3 of homicide, while the remaining 41 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 4 to burns and scalds, 5 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 163 cases of small-pox, 3151 of scarlet fever, 1513 of diphtheria, and 291 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 44 cases, against 31, 62, and 37; of scarlet fever, 460 cases, against 346, 457, and 427; of diphtheria, 258 cases, against 212, 280, and 254; and of enteric fever, 37 cases, against 51, 45, and 66. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended September 21st.

Greater London.

In Greater London 3779 births and 1759 deaths were registered, corresponding to annual rates of 29·8 and 13·9 per 1000 of the estimated population. In the Outer Ring 1 death from small-pox, 6 deaths from measles, 3 from scarlet fever, 19 from diphtheria, 6 from whooping-cough, 8 from "fever," and 42 from diarrhœal diseases were registered. Twelve deaths from diphtheria and 4 from "fever" occurred in West Ham district. The death from small-pox was of a person who had been removed from Walthamstow to the Small-pox Hospital at South Mimms.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 58°·7; the latter being 3°·7 above the week's average in the 50 years 1841–90. The direction of the wind was south-easterly, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·3 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease: but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Week ended 28th September, 1901.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 28th Sept., 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6519**	**3676**	**1045**	**779**	**5**	**34**	**33**	**82**	**37**	**65**	**378**	**139**	**257**	**910**	**39**	**16·7**	**2·9**	**71·2**	**42·0**	**58·2**	**14·56**	**0·69**	**0·23**	**33 Towns.**
London - -	4,543,757	2581	1304	345	294	5	13	13	34	13	19	88	59	118	480	4	15·0	2·1	70·9	43·7	58·7	14·83	0·00	0·00	London.
West Ham - -	268,868	206	91	28	12	-	2	1	10	1	2	13	3	4	26	-	17·6	5·6	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	75	27	12	6	-	-	-	1	-	-	5	-	4	7	-	10·5	2·3	69·5	43·5	58·6	14·78	0·00	0·00	Croydon.
Brighton - -	123,668	59	38	12	13	-	-	-	-	-	-	5	-	2	8	-	16·0	2·1	69·0	45·0	59·0	15·00	0·00	0·00	Brighton.
Portsmouth -	189,907	100	60	16	18	-	-	1	-	1	1	2	2	4	8	1	16·5	1·4	67·0	50·0	59·2	15·11	0·11	0·28	Portsmouth.
Plymouth - -	107,974	46	28	8	11	-	-	-	-	-	1	1	1	2	3	-	13·5	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	166	84	21	23	-	-	-	5	-	4	6	7	15	24	1	13·3	2·4	68·7	45·6	57·2	14·00	0·29	0·74	Bristol.
Cardiff - -	165,308	95	41	13	9	-	-	-	3	-	-	2	3	3	7	-	12·9	1·6	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	71	36	8	8	-	-	-	-	1	-	2	1	2	3	-	19·8	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	74	32	10	5	-	-	-	1	-	-	9	1	1	9	-	17·7	5·5	70·0	42·0	54·7	12·61	0·19	0·48	Wolverhampton.
Birmingham -	523,284	315	217	70	41	-	5	1	2	3	1	29	5	8	46	5	21·6	4·1	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	50	41	9	13	-	-	-	-	-	-	6	-	1	8	1	19·1	2·8	70·4	43·4	59·6	15·33	0·12	0·30	Norwich.
Leicester - -	212,498	110	39	12	6	-	1	-	-	2	-	7	2	3	6	2	9·6	2·5	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	134	61	21	13	-	-	-	-	-	1	9	3	4	12	-	13·2	2·2	-	-	-	-	-	-	Nottingham.
Derby - - -	106,076	54	26	11	5	-	-	-	1	-	-	4	-	5	6	-	12·8	2·5	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	64	32	13	7	-	-	-	1	1	-	6	-	-	3	-	15·0	3·8	-	-	-	-	-	-	Birkenhead.
Liverpool - -	686,332	445	241	60	50	-	2	4	5	-	4	21	13	15	63	12	18·3	2·7	68·3	50·2	58·8	14·89	0·12	0·30	Liverpool.
Bolton - -	168,748	94	52	14	15	-	-	1	4	-	3	8	1	5	3	-	16·1	4·9	-	-	-	-	-	-	Bolton.
Manchester -	544,934	275	225	64	39	-	1	2	5	1	4	26	10	15	43	1	21·5	3·7	-	-	-	-	-	-	Manchester.
Salford - -	221,526	94	76	27	7	-	1	1	3	1	1	12	2	2	17	-	17·9	4·5	-	-	-	-	-	-	Salford.
Oldham - -	137,382	52	44	12	7	-	3	1	-	-	-	11	2	3	5	-	16·7	5·7	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	63	33	7	1	-	-	-	-	-	-	5	1	1	4	-	17·7	2·7	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	63	42	19	7	-	1	1	-	-	-	8	2	2	2	-	17·1	4·1	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	50	41	9	15	-	-	2	-	-	2	3	1	1	2	2	18·9	3·2	-	-	-	-	-	-	Preston.
Huddersfield -	94,998	46	29	4	9	-	-	-	-	-	2	1	-	-	5	1	15·9	1·6	71·2	43·8	57·7	14·28	0·00	0·00	Huddersfield.
Halifax - -	105,113	52	35	6	8	-	-	1	-	-	-	1	-	1	8	1	17·4	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	108	67	16	18	-	-	-	-	1	2	5	1	6	10	-	12·5	1·5	-	-	-	-	-	-	Bradford.
Leeds - - -	430,489	273	158	38	37	-	2	2	2	4	2	10	1	7	27	-	19·1	2·7	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	236	151	53	22	-	2	-	2	2	5	24	5	5	15	4	20·6	4·8	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	165	94	34	16	-	1	-	1	2	6	16	5	6	16	1	20·3	5·6	-	-	-	-	-	-	Hull.
Sunderland -	146,937	84	77	25	18	-	-	-	-	3	4	13	2	3	8	1	27·3	7·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	87	48	14	5	-	-	1	1	-	-	12	-	-	8	-	22·7	6·6	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	132	106	34	21	-	-	1	1	1	1	8	6	9	18	2	25·6	2·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births and Deaths** Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births**	2367	2469	2633	2403	2618	2316	2503	2614	2399	2239	2547·5	2581
Males	1238	1258	1377	1243	1378	1200	1246	1299	1223	1138	1306·9	1317
Females	1129	1211	1256	1160	1240	1116	1257	1315	1176	1101	1240·6	1264
TOTAL **Deaths**	1272	1245	1656	1277	1532	1264	1313	1700	1456	1471	1471·4	1304
Males	647	631	855	675	784	637	707	930	752	709	760·0	692
Females	625	614	801	602	748	627	606	770	704	762	711·4	612

*The numbers in this column are the average weekly numbers in the thirty-ninth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
TOTAL **Births**	2413	2526	2519	2384	2844	2322	2659	2643	2483	2582	2442	2355	2581
TOTAL **Deaths**	1256	1237	1411	1582	1747	1636	1705	1676	1623	1471	1398	1360	1304
Ages at Death: Under 1 year	285	282	411	583	716	664	734	689	647	543	435	370	345
1—5 years	146	140	168	215	196	185	185	167	200	137	118	146	156
5—20 ,,	68	88	77	73	87	92	70	83	78	80	80	81	87
20—40 ,,	173	180	175	169	191	171	186	177	174	157	166	176	171
40—60 ,,	266	258	279	252	268	244	259	233	249	256	258	264	251
60—80 ,,	244	236	244	241	243	226	229	270	226	243	270	262	233
80 years and upwards	74	53	57	49	46	54	42	57	49	55	71	61	61
Deaths from—													
Small pox	–	–	–	–	1	1	2	–	7	7	9	3	5
Measles	49	37	45	60	45	40	37	26	40	13	13	19	13
Scarlet Fever	8	17	10	20	15	10	16	12	13	14	13	9	13
Diphtheria	27	24	30	28	28	24	30	27	22	20	28	27	34
Whooping-cough	22	15	17	24	20	19	24	17	20	27	8	14	13
Typhus	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever	6	2	9	10	11	18	10	25	12	17	14	14	19
Simple Continued Fever	–	1	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	45	71	140	289	399	367	404	375	348	271	184	138	87
Cholera	1	2	–	5	4	5	7	4	4	4	4	–	1
All the above Diseases	158	169	253	436	523	484	531	486	466	373	273	224	185
Dis. of Respiratory System	165	133	135	134	126	126	103	126	114	124	116	124	137
Phthisis	133	168	114	111	153	106	123	120	142	121	129	147	139
Dis. of Circulatory System	139	104	116	111	113	113	97	120	100	142	131	133	101
Violence	59	49	72	74	81	77	68	56	60	45	48	75	59
Inquest Cases	117	123	138	141	162	155	159	116	157	120	119	133	118
Deaths in Public Institutions	435	435	467	459	507	458	460	467	478	462	484	503	480
TEMPERATURE OF THE AIR													
Mean	64°·1	64°·5	68°·4	61°·6	65°·1	64°·6	61°·0	63°·9	58°·6	56°·4	59°·4	56°·8	58°·7
Mean of Highest readings	73·9	77·2	81·6	71·7	75·8	76·8	72·2	76·6	68·5	65·1	68·2	65·6	68·3
Mean of Lowest readings	56·1	52·2	54·4	51·5	54·9	55·3	52·1	50·5	51·5	47·8	53·5	48·9	50·5
Humidity of the Air	75	68	63	83	72	70	71	67	71	66	83	81	81
Rain-fall (in inches)	1·05	0·00	0·00	1·30	0·38	0·08	0·50	0·00	1·36	0·00	0·25	1·10	0·00
Registered Sunshine (in hours)	46·1	60·2	75·5	18·4	49·2	49·0	49·3	74·4	39·2	52·3	17·0	19·8	21·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	6	12	14	11	13	11	13	41	74	92	187	153	163
Scarlet Fever	2895	2918	2907	2974	3091	3148	3101	3040	3008	2994	3064	3098	3151
Diphtheria	1195	1228	1267	1303	1336	1363	1361	1318	1344	1365	1417	1465	1513
Typhus	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	128	145	152	165	166	180	188	198	225	254	262	290	291

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst C.E., Bradford; and E. Peak, Esq., F.R.Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-NINTH Week of the Year 1901.

SES OF DEATH.	Corrected Averages for the 39th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 28th September, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1471·4	1304	345	156	87	171	251	233	61
Vaccinated† -	0·3	1	-	-	1	-	-	-	-
Unvaccinated	0·2	4	-	1	3	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
s - - - -	15·6	13	1	12	-	-	-	-	-
Fever - - -	19·5	13	1	5	7	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ngFever - -	-	-	-	-	-	-	-	-	-
za - -	4·0	3	-	1	-	1	-	1	-
ng-cough - -	25·2	13	3	10	-	-	-	-	-
ria - -	54·8	34	2	22	8	1	-	1	-
Continued and dined Fever -	0·2	-	-	-	-	-	-	-	-
Fever - - -	16·0	19	-	-	7	8	4	-	-
and Chol. Diarr.	2·6	1	1	-	-	-	-	-	-
ea, Dysentery -	91·5	87	73	7	-	-	2	2	3
nt Fever - -	-	-	-	-	-	-	-	-	-
hobia - - -	0·1	-	-	-	-	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·4	-	-	-	-	-	-	-	-
l Affections - -	9·6	6	2	-	-	-	2	2	-
las - - -	4·6	4	1	-	-	-	3	-	-
and Septicæmia	2·6	1	-	1	-	-	-	-	-
al Fever - -	3·3	2	-	-	-	1	1	-	-
ymotic Diseases	0·7	1	1	-	-	-	-	-	-
- - - -	0·9	-	-	-	-	-	-	-	-
nd other Para- Diseases -	-	-	-	-	-	-	-	-	-
on, Want of -milk - -	1·3	1	1	-	-	-	-	-	-
sm - - -	11·5	10	-	-	-	2	7	1	-
tic Fever, atism of Heart	8·4	7	-	-	3	2	2	-	-
tism - - -	2·0	-	-	-	-	-	-	-	-
- - - -	2·3	2	-	-	-	-	1	1	-
- - - -	3·1	2	1	1	-	-	-	-	-
- - - -	80·4	72	-	1	1	5	31	33	1
senterica - -	31·6	16	10	4	1	-	-	1	-
ar Meningitis -	20·6	25	5	18	2	-	-	-	-
- - - -	143·1	139	1	-	12	61	52	12	1
Tuberculosis -	19·3	19	2	4	5	6	-	2	-
Constitutional es - -	13·4	14	-	-	-	5	6	3	-
re Birth - -	51·4	52	52	-	-	-	-	-	-
sis - - -	3·7	3	3	-	-	-	-	-	-
al Malforma- - - -	6·9	6	6	-	-	-	-	-	-
- - - -	40·2	43	-	-	-	-	-	22	21
y - - -	38·5	41	-	-	-	2	11	22	6
ons - - -	6·4	6	-	-	1	1	2	-	2
seases of Brain rvous System	74·3	63	5	8	3	6	13	23	5
of Organs of Sense -	4·4	2	-	-	2	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 39th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 28th September, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	120·7	101	1	1	5	15	32	41	6
Croup - - - -	3·8	1	-	1	-	-	-	-	-
Bronchitis - - -	84·5	63	13	4	-	2	15	24	5
Pneumonia - - -	77·9	59	13	19	4	5	12	6	-
Pleurisy - - - -	4·9	5	1	-	-	-	3	-	1
Other Diseases of Respiratory System -	16·1	9	3	-	-	2	3	-	1
Dentition - - - -	5·5	8	3	5	-	-	-	-	-
Quinsy, Sore Throat -	2·0	-	-	-	-	-	-	-	-
Enteritis - - -	47·6	28	16	3	5	2	1	1	-
Gastro-enteritis -		13	8	3	-	-	1	-	1
Peritonitis - - -	5·5	5	-	-	1	4	-	-	-
Diseases of Liver - -	26·9	18	1	1	1	7	3	3	2
Other Diseases of Digestive System	32·6	46	15	7	4	6	9	5	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·3	6	-	-	2	3	1	-	-
Diseases of Urinary System - - -	41·4	50	1	1	2	8	18	18	2
Diseases of Generative System - - -	5·4	2	-	-	-	1	1	-	-
Accidents of Childbirth -	4·8	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	4·7	4	-	-	-	1	1	1	1
Diseases of Integumentary System - -	6·9	10	4	-	-	2	1	1	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·0	5	-	-	-	1	4	-	-
By Vehicles or Horses -	6·5	3	-	-	-	2	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - -	0·1	-	-	-	-	-	-	-	-
In Building Operations -	1·0	-	-	-	-	-	-	-	-
In Conflagrations -	0·7	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	5·3	4	-	2	2	-	-	-	-
By Drowning - - -	5·7	5	-	-	2	1	2	-	-
By Suffocation in Bed -	10·1	9	9	-	-	-	-	-	-
By Poison or Poisonous Vapours - -	2·7	-	-	-	-	-	-	-	-
Other or not stated causes - - - -	20·3	22	6	6	1	1	3	4	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - - -	0·7	3	-	-	2	-	1	-	-
Suicide - - - -	10·1	8	-	-	-	5	1	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	65·8	52	46	5	-	-	1	-	-

umbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase tion.

hose cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ien. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the eath is not certified by a registered practitioner, the case is returned under the heading "no statement."

idence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 28th September, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2581	1304	345	294	5	13	13	34	13	-	19	-	88	59	118	480
WEST DISTRICTS - - -	805,275	376	197	47	51	-	-	1	3	-	-	1	-	10	11	19	72
NORTH DISTRICTS - - -	1,056,018	590	271	57	69	-	3	1	8	4	-	3	-	9	5	14	87
CENTRAL DISTRICTS - - -	209,432	127	66	16	13	-	1	-	2	3	-	3	-	6	6	10	28
EAST DISTRICTS - - -	715,772	468	261	80	44	-	4	-	3	2	-	2	-	22	19	40	116
SOUTH DISTRICTS - - -	1,749,566	1020	478	145	106	-	5	10	17	4	-	10	-	41	18	34	146
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	-	11	5	-	1	1	-	-	-	-	-	-	1	31
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	56	17	6	3	-	-	-	-	-	-	-	-	2	-	1	4
St. John Paddington *H* - - G.	33,608	5	13	-	4	-	-	-	1	-	-	-	-	-	2	3	[illegible]
North-West Paddington - - C.	17,181	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	62	42	12	11	-	-	-	-	-	-	-	-	3	1	2	1
Brompton *HH* - - - W. & C.	48,598	12	7	-	4	-	-	-	-	-	-	-	-	-	-	1	[illegible]
North Hammersmith *H* } W. & G	49,335	26	8	1	1	-	-	-	-	-	-	-	-	-	1	2	[illegible]
South Hammersmith *wH* } W. & G	62,910	24	16	3	5	-	-	-	1	-	-	-	-	1	3	4	[illegible]
North-west Fulham *W* } W. & C.	45,180	43	16	5	5	-	-	-	-	-	-	1	-	1	-	-	1
North-east Fulham *H* } W. & C.	46,404	26	9	4	1	-	-	1	1	-	-	-	-	1	-	-	
South Fulham } W. & C.	45,705	19	5	2	-	-	-	-	-	-	-	-	-	1	-	-	
Chelsea North *WwHHH* - C.	42,515	21	15	-	9	-	-	-	-	-	-	-	-	-	-	-	1
Chelsea South *HH* - - C.	31,341	14	8	1	4	-	-	-	-	-	-	-	-	-	-	-	
May Fair and Knightsbridge *H* } C. & G.	28,744	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Belgrave *WHH* - - - C.	55,812	23	21	6	-	-	-	-	-	-	-	-	-	-	3	5	
St. Margaret & St. John Westminster *HHHH* } C.	43,665	23	14	6	2	-	-	-	-	-	-	-	-	1	1	1	
St. James Westminster *WH* } N. & G.	21,595	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho *HHHHH* - N.	11,492	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHH* - - W.	35,394	11	12	1	3	-	-	-	-	-	-	1	-	-	-	-	
Rectory Marylebone *W* G. & W.	19,869	5	3	1	-	-	-	-	-	-	-	-	-	-	1	2	
St. Mary Marylebone *HHHH* } G. & W.	18,099	36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone *H* - W	39,541	23	11	2	4	-	-	-	-	-	-	-	-	1	1	2	
St. John Marylebone *HHH* - W	20,426	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
Hampstead *WHHHHHH* } - N. & W.	81,942	33	13	2	3	-	-	-	-	1	-	1	-	1	-	-	
Regent's Park *H* - W.	50,647	36	11	2	4	-	1	-	-	-	-	-	-	-	1	1	
Tottenham-court *wHHHHHH* } - N. & W.	24,814	8	15	-	-	-	-	-	2	-	-	-	-	-	-	1	
Gray's Inn Lane *HHHH* - N.	30,886	12	10	1	1	-	-	-	-	1	-	-	-	-	-	-	
Somers Town *HH* - - - N.	30,131	16	5	1	1	-	-	-	-	-	-	-	-	1	-	-	
Camden Town *WH* - - N.	40,079	25	16	3	5	-	-	-	-	-	-	-	-	-	-	1	
Kentish Town *WW* - - N.	58,727	30	22	6	5	-	-	-	1	1	-	-	-	1	-	-	
Tufnell *W* }		18	15	1	3	-	-	-	-	-	-	-	-	-	-	1	
Upper Holloway *WWwHH* } - N.	99,841	29	20	2	5	-	-	-	-	1	-	1	-	-	-	-	
Tollington *W* }		21	8	3	1	-	-	1	-	-	-	-	-	1	-	1	
Lower Holloway - - - N.	41,411	28	4	3	1	-	-	-	-	-	-	-	-	-	1	1	
Barnsbury - - - - N.	54,479	44	9	3	3	-	-	-	1	-	-	-	-	-	-	-	
Islington South-east *H* - N.	75,402	39	6	2	4	-	-	-	-	-	-	-	-	-	-	1	
Highbury *HH* - - - N.	63,795	38	9	1	3	-	2	-	-	-	-	-	-	-	-	-	
Stoke Newington *H* - - N.	51,247	23	9	1	5	-	-	-	-	-	-	-	-	1	-	-	
North Hackney - E. & N.	50,570	19	10	2	2	-	-	-	1	-	-	-	-	1	-	1	
Central Hackney *wH* - E. & N.	50,535	24	13	6	1	-	-	-	3	-	-	-	-	-	-	-	
South-west Hackney *HHH* E. & N.	59,929	37	21	6	3	-	-	-	-	-	-	-	-	1	1	2	
South-east Hackney *WwH* E. & N.	58,254	25	24	6	11	-	-	-	-	-	-	-	-	1	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other D than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paup received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. s Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	26	6	1	1	-	-	-	-	-	-	-	-	-	1	2	1	-
St Giles North *H* - - - N.	8,959	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C	12,975	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *WHH* - - - - N.	8,694	-	8	1	3	-	-	-	-	-	-	-	-	-	-	-	7	1
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHH* - - N	29,579	9	10	3	-	-	-	-	1	3	-	-	-	4	-	-	10	-
St. James Clerkenwell - - N.	15,634	7	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Amwell - - - - - N.	32,691	22	8	4	-	-	1	-	-	-	-	1	-	1	-	1	-	-
Goswell-street - - - - N	15,390	15	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury* *HHHL* - - N.	35,376	36	10	3	3	-	-	-	-	-	-	1	-	1	-	2	2	-
Holborn Union Workhouse, Mitcham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - N. & E.	11,036	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N	7,886	1	12	-	1	-	-	-	1	-	-	1	-	-	3	3	7	-
All Hallows Barking - - - N	8,717	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
City of London Asylum, Stone - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	9	6	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Hoxton New Town *wH* - - N	29,761	17	15	2	2	-	2	-	-	1	-	-	-	-	1	1	6	-
Hoxton Old Town - - - N	26,510	13	8	5	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Haggerston *W* - - N & E.	46,064	39	20	6	4	-	-	-	-	-	-	-	-	2	2	2	10	-
Bethnal Green North *HH* - E.	51,513	42	20	8	3	-	-	-	2	1	-	-	-	-	3	4	7	-
Bethnal Green South - - E	33,473	23	4	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Bethnal Green East *WWHl* - E.	44,695	34	25	5	7	-	1	-	-	-	-	-	-	2	1	3	15	-
Spitalfields - - - E. & N.	27,965	12	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Mile End New Town *WH* - E.	28,711	19	47	6	7	-	-	-	-	-	-	1	-	-	5	11	46	-
Goodman's Fields - - - E.	22,082	9	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George's, North - - - E.	40,965	32	8	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John *W* - - - E.	8,122	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Shadwell *H* - - - E. & N.	10,760	8	11	6	-	-	-	-	-	-	-	-	-	3	1	3	9	-
Ratcliff *W* - - - - E.	14,770	10	4	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Limehouse - - - - E	32,358	27	7	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Mile End Old Town West *H* E.	59,467	48	14	5	3	-	-	-	-	-	-	-	-	3	-	-	-	-
Mile End Old Town East *WWw* - E.	53,348	26	14	5	2	-	1	-	-	-	-	-	-	3	2	1	2	-
Bow *l* - - - - E.	41,990	25	8	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Bromley *wwwH* - - - E.	68,326	40	29	7	10	-	-	-	1	-	-	-	-	3	-	4	17	-
Poplar *Ww* - - - - E.	58,522	33	13	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &C., registered in each SUB-DISTRICT during the Week ended Saturday, 28th September, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,056	14	15	3	-	-	-	-	-	-	-	2	-	-	4	3	9	1
Kent-road - - - S. & L.	21,899	8	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Borough-road *WH* - S. & L	16,882	10	9	1	-	-	1	-	1	-	-	-	-	1	-	-	6	-
London-road *HL* - L. & S.	22,209	19	5	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-
Trinity Newington *H* - S. & L.	28,485	18	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	49	15	5	4	-	-	-	1	-	-	-	-	1	1	1	1	-
St. Mary Newington - L. & S.	31,592	19	6	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Olave *W* - - - - S.	9,813	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *WH*- - - S.	82,405	71	20	7	2	-	-	-	-	-	-	-	-	7	-	-	-	-
Rotherhithe *WH*- - S. & K	38,268	28	19	5	7	-	-	-	1	-	-	-	-	-	-	-	11	-
Waterloo-road *HH* - L. & S.	27,435	20	9	5	-	-	-	-	1	-	-	-	-	-	-	1	3	-
Lambeth Church 1st *H* L. & S.	18,420	12	21	4	2	-	-	-	-	-	-	-	-	2	4	5	17	-
Lambeth Church 2nd *WW* L. & S.	39,818	30	22	5	8	-	-	-	-	-	-	-	-	3	-	2	14	1
Kennington 1st *H* - S. & L.	53,196	35	18	8	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Kennington 2nd - - S. & L.	42,891	29	7	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Brixton *H* - - - L. & S.	84,226	40	15	3	3	-	1	3	1	-	-	1	-	2	-	-	8	-
Norwood *WH* - - - L.	35,887	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.	72,201	44	15	4	4	-	2	-	-	1	-	-	-	2	1	2	-	-
North-west Battersea - - S.	49,650	34	11	6	-	-	-	-	-	-	-	-	-	3	-	-	-	-
South-west Battersea *WwH*- S.	47,045	20	8	2	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Clapham *H* - - - - S.	51,353	31	14	4	5	-	-	-	-	-	-	-	-	-	-	1	2	-
Streatham *WwwHHL* - L.	88,129	57	35	8	10	-	-	4	2	-	-	4	-	1	2	2	15	-
Wandsworth *WHHL* - - S.	68,409	49	10	4	3	-	-	-	-	-	-	-	-	1	-	1	1	-
Putney - - - - - S.	24,139	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich - - - - L. & S.	10,246	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *Wwll* - S. & L.	90,404	34	39	8	13	-	-	-	-	1	-	-	-	2	1	3	22	-
Peckham *W*- - S., L., & K.	93,022	51	13	4	3	-	-	-	-	1	-	-	-	2	-	-	-	-
St. George Camberwell - L. & S.	65,586	42	12	6	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Deptford North - - - K.	37,601	18	12	3	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford Central *H* - - K.	45,621	28	8	2	1	-	-	-	2	-	-	-	-	-	1	1	2	-
Deptford South - - - K.	34,622	18	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H* - - K.	23,456	12	6	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Greenwich East *WH* - - K.	43,849	26	17	5	6	-	-	-	-	-	-	-	-	-	-	-	10	-
Eltham *wH* - - - - K.	7,218	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	58,341	24	22	5	3	-	-	3	3	-	-	1	-	1	1	1	10	-
Sydenham *H* - - - L.	43,630	14	7	3	2	-	-	-	-	1	-	-	-	2	-	-	-	-
Charlton *HHH* - - - K.	21,121	12	9	1	1	-	-	-	5	-	-	2	-	1	-	-	7	-
Woolwich *HHHH* - - K.	41,607	18	10	2	4	-	-	-	-	-	-	-	-	1	1	3	-	-
Plumstead West *H* - - K.	18,076	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	22	13	8	2	-	-	-	-	-	-	-	-	3	-	-	2	-
London County Asy., Banstead -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asy., Cane Hill -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M.A.B. Ships and Hosp., Dartford	—	-	5	-	-	5	-	-	-	-	-	-	-	-	-	-	5	-
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Hanwell	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asy., Hendon	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Asy., Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M.A.B. North-Eastern Hospital -	—	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	1	3	-
London County Asylum, Claybury	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 28th September, 1901.

gis-tion rict d b-rict m-rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1198	455	142	95	1	6	3	19	6	8	42	15	28	82	2
:1	Carshalton *H* - - -	12,228	32,997	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	8	7	4	1	-	-	-	-	2	-	-	1	-	1	1
:1	Godstone, *part of** *W* -	2,754	2,692	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	164,519	84	28	12	6	-	-	-	1	-	-	5	-	4	7	-
2	Mitcham *w* - - -	11,689	29,906	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH* - -	3,221	41,604	19	7	1	2	-	-	-	1	-	-	2	-	-	2	-
2	Kingston *WH* - - -	6,224	42,067	19	7	3	2	-	-	-	-	-	-	2	-	-	2	-
3	Surbiton *HH* - - -	3,046	15,019	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** *H* - -	5,402	13,003	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,664	23,447	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Richmond *WHH* - -	2,162	28,871	11	5	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake *H* - - -	2,847	20,628	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bromley† *HHH*- - -	4,703	27,358	15	3	-	-	-	-	-	-	-	-	-	1	2	-	-
2	Beckenham *H*- - -	7,825	28,499	21	2	1	-	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of*†* *W* -	10,113	9,857	1	4	-	2	-	-	-	-	-	1	-	-	-	2	-
4	Chislehurst *HH* - -	7,333	16,458	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH* - - -	12,532	46,445	41	12	4	4	-	-	-	-	-	-	3	-	-	-	1
2	Dartford *WH*, *part of** -	—	—	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-
:1	Sunbury *w* - - -	11,054	18,682	9	4	-	1	-	-	-	-	-	-	1	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	16	2	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hillingdon *WHH* - -	6,035	13,661	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	8	4	2	1	-	-	-	-	1	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,859	30,838	4	13	2	6	-	-	-	-	-	-	-	1	1	9	-
2	Twickenham *HH* - -	2,421	20,991	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	21	5	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,249	29,809	21	4	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	40	10	4	4	-	-	-	-	-	-	3	1	1	-	-
:1	Harrow *HHH* - - -	13,809	25,522	15	3	-	1	-	-	-	-	-	-	1	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,384	114,815	72	24	11	4	-	-	-	3	1	-	3	4	4	2	-
4	Hendon *WH* - - -	8,382	22,450	12	6	1	1	-	-	-	-	-	-	-	-	-	3	-
:1	South Mimms *HH* - -	17,755	7,308	1	3	1	-	1	-	-	-	-	-	-	-	-	1	-
2	Barnet *WHH* - - -	3,324	17,970	8	5	1	1	-	-	-	-	-	-	1	1	1	1	-
3	Finchley *HHH*- - -	4,688	33,692	13	6	-	1	-	-	-	1	1	-	-	-	-	-	-
:1	Hornsey *HH* - - -	2,875	72,056	32	12	1	5	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham *HHH* - -	4,638	136,702	91	29	9	11	-	1	-	1	-	1	2	1	2	2	-
3	Edmonton *Ww* - -	7,491	61,892	35	11	6	2	-	-	-	-	-	-	1	-	2	-	-
4	Enfield *WWHH* - -	12,601	42,738	25	10	3	4	-	-	-	-	-	1	-	-	1	2	-
5	Waltham Abbey - - -	11,017	6,547	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	4	3	2	1	-	-	-	-	-	-	1	-	-	-	-
:1	Hatfield, *part of** *W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,333	9,173	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	1,072	44,825	30	9	2	2	-	-	-	-	-	-	-	3	3	2	-
2	Plaistow *HHH* - - -	1,249	90,920	85	31	11	3	-	-	1	7	1	1	5	-	-	7	-
3	Canning Town *H* - -	1,556	70,666	62	27	13	2	-	1	-	3	-	-	5	-	-	2	-
4	Forest Gate *w* - - -	806	60,897	29	9	2	1	-	-	-	-	-	-	1	-	-	-	-
5	East Ham *wHHH* - -	3,268	95,970	63	23	10	2	-	-	1	1	-	1	-	-	1	1	-
6	Wanstead - - - -	1,737	9,198	2	4	1	1	-	1	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	56,458	39	32	1	7	-	2	-	-	-	2	2	-	1	22	-
8	North Leyton *WwH* -	1,963	48,441	26	12	3	2	-	-	-	1	-	-	1	-	1	2	-
9	Walthamstow *HHHL* -	6,504	108,931	60	33	16	2	-	-	1	-	-	-	2	1	2	1	-
:1	Chigwell, *part of** *HHHH*	11,778	16,403	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
:1	Romford, *part of** *W* -	6,556	6,089	3	1	-	-	-	-	-	-	-	1	-	-	-	1	-
2	Ilford *H* - - - -	8,496	41,240	19	9	4	-	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town, *H* - -	3,803	21,547	15	4	3	-	-	-	-	-	-	-	1	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum, Dartford Heath.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† On 1st July changes were made in the boundaries of these sub-districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 28th September, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,419**	**6,604,287**	**13·9**	**2·1**	**1759**	**487**	**389**	**6**	**19**	**16**	**53**	**19**	**27**	**130**	**74**
INNER LONDON -	74,839	4,543,757	15·0	2·1	1304	345	294	5	13	13	34	13	19	88	59
OUTER RING -	368,580	2,060,530	11·5	2·2	455	142	95	1	6	3	19	6	8	42	15

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,561	September 28	159	101	16·6	-	-	1	-	3	-
GLASGOW - -	763,144	" 28	429	232	15·8	-	11	3	1	3	2
DUBLIN† - -	375,076	" 28	245	128	17·8	-	-	1	-	1	3
CALCUTTA - -	466,460	July 6	-	216	24·1	2	-	-	-	-	7
		" 13	-	163	18·2	3	-	-	-	-	55
BOMBAY - -	821,764	September 10	329	926	62·5	1	1	?	?	?	410‡
MADRAS - -	452,518	August 23	417	1043	119·8	9	3	?	?	?	288
PARIS - - -	2,511,629	September 21	1076	740	15·3	1	2	1	7*	10	8
BRUSSELS - -	582,665	" 21	251	135	12·0	-	-	-	1*	1	1
AMSTERDAM -	523,822	" 14	322	135	13·4	-	-	-	1	1	2
ROTTERDAM -	320,991	—	-	-	-	-	-	-	-	-	-
THE HAGUE -	205,328	—	-	-	-	-	-	-	-	-	-
COPENHAGEN -	378,200	September 21	227	151	20·8	-	1	1	-	13	11
STOCKHOLM -	301,050	" 14	160	86	14·9	-	-	2	2*	-	-
CHRISTIANIA -	226,423	" 21	135	49	11·3	-	-	-	1	-	-
ST. PETERSBURG	1,248,643	" 14	540	551	23·0	-	19	16	14	3	22
MOSCOW - -	1,023,817	" 14	-	595	30·3	1	1	13	6	9	11
BERLIN - -	1,891,431	" 7	916	658	18·0	-	4	3	8	11	4
HAMBURG - -	705,738	" 21	-	182	13·4	-	4	7	4*	-	1
DRESDEN - -	400,140	—	-	-	-	-	-	-	-	-	-
BRESLAU - -	427,505	September 21	-	180	22·0	-	-	4	2	-	-
MUNICH - -	500,000	" 21	-	197	20·5	-	-	-	4*	2	1
VIENNA - -	1,691,996	" 21	1010	573	17·6	-	3	4	3*	2	2
PRAGUE - -	389,741	" 14	185	136	18·1	-	-	6	-	2	4
BUDA-PESTH -	744,719	" 21	473	250	17·5	-	-	7	1	2	2
TRIESTE - -	177,428	" 14	88	72	21·1	-	-	-	2*	-	1
ROME - - -	471,961	August 17	199	153	16·9	-	-	-	1	3	9
		" 24	228	147	16·2	-	-	-	1	1	8
TURIN - -	344,203	—	-	-	-	-	-	-	-	-	-
VENICE - -	174,378	September 14	87	59	17·6	-	-	-	-	-	2
CAIRO - -	570,062	August 12	461	497	45·3	-	5	-	9*	1	19
ALEXANDRIA -	319,766	" 12	194	248	40·5	2	-	-	-	-	5
NEW YORK (including BROOKLYN)	3,536,517	" 31	1626	1287	19·0	4	9	6	6*	7	25
PHILADELPHIA -	1,293,697	September 7	-	399	16·1	4	2	-	4	12	12

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 13 and 14 deaths, respectively, from cholera in Calcutta, 4 in Bombay and 125 in Madras.
‡ Including 12 deaths in each week from plague in Calcutta, 275 in Bombay, and 1 in Alexandria.
‖ Including 5 and 3 deaths, respectively, from malarial fever.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SEPTEMBER.																									
SUNDAY -	22	..	29·401	68·5	53·1	15·4	60·7	+ 5·3	52·5	8·2	15·1	1·4	75	124·7	45·6	59·32	SE. & E.	SE. & E.	2·0	0·0	0·0	188	− 75	0·00	2·3
MONDAY -	23	..	29·438	69·0	53·5	15·5	59·8	+ 4·6	55·9	3·9	9·7	0·8	87	111·9	46·0	59·57	E. & SE.	SSE. & ESE.	0·7	0·0	0·0	171	− 90	0·00	0·0
TUESDAY -	24	..	29·702	67·0	52·1	14·9	59·6	+ 4·5	55·3	4·3	9·7	0·8	86	101·2	40·2	59·63	SE.	SE. & E.	0·0	0·0	0·0	121	−138	0·00	0·0
WEDNESDAY	25	..	29·723	70·9	50·3	20·6	59·3	+ 4·3	54·6	4·7	13·9	0·8	85	111·6	41·9	59·65	Calm	SSE. & S.	0·0	0·0	0·0	98	−159	0·00	0·0
THURSDAY-	26	..	29·975	65·8	45·0	20·8	54·8	− 0·1	46·8	8·0	17·8	0·4	75	106·0	38·1	59·64	S., SW. & NNW.	NW. & WSW.	0·2	0·0	0·0	150	−106	0·00	0·0
FRIDAY -	27	In Equator	30·116	68·9	43·7	25·2	56·6	+ 1·7	50·0	6·6	14·4	0·9	79	117·1	36·4	59·60	S., SSE. & SSW.	SSW. & S.	1·8	0·0	0·1	263	+ 8	0·00	2·0
SATURDAY -	28	Full	30·110	67·7	56·0	11·7	60·3	+ 5·5	55·0	5·3	10·8	0·8	83	118·3	49·5	59·32	S.	SSW. & S.	1·1	0·0	0·1	225	− 29	0·00	4·0
MEANS -	-		29·781	68·3	50·5	17·7	58·7	+ 3·7	52·9	5·9	13·1	0·8	81	113·0	42·5	59·53	SE.		..	..	..	Sum 1216	Sum −589	Sum 0·00	1·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	22	w. P. throughout.	8·3	12·2	Very fine in early morning; variable amounts of cloud prevalent afterwards. Bright solar halo in forenoon.
MONDAY -	23	w. P. throughout.	0·7	12·1	Generally overcast till afternoon. Very fine, with small amounts of cloud, afterwards.
TUESDAY -	24	w. P. throughout.	0·3	12·1	Very fine generally till 9h. A.M.; cloudy afterwards. Solar halo in forenoon. Fog prevalent after 11h. P.M.
WEDNESDAY	25	w. P. generally till 11h. A.M.: Loss of Register afterwards.	1·2	12·0	Foggy till 8h. A.M.; generally cloudy till evening; cloudless at night.
THURSDAY-	26	Loss of Register till noon; m. P. till 3h. P.M.; s. P. till 8h. P.M.; m.P. afterwards.	6·3	12·0	Foggy in early morning; partially cloudy between 8h. A.M. and noon; cloudless afterwards, with slight fog in evening.
FRIDAY -	27	w. P. throughout.	3·7	11·9	Fine; partially cloudy.
SATURDAY-	28	w. P. throughout.	0·2	11·8	Generally cloudy.
			Sum 21·3	Sum 84·1	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·38 in. at the beginning of the week to 29·42 in. by 10h. A.M. on the 22nd; decreased to 29·33 in. by 5h. A.M. on the 23rd; increased to 30·15 in. by 8h. A.M. on the 27th; and decreased to 30·10 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st September, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	13	10	-	1	-	-	7	-
Kensington	176,787	-	6	4	-	5	-	-	3	-
Hammersmith	112,619	1	10	4	-	3	-	-	1	-
Fulham	138,426	-	18	21	-	4	-	-	1	-
Chelsea	73,879	1	5	1	-	1	-	-	-	-
City of Westminster	182,502	1	8	5	-	2	-	-	7	-
NORTH.										
St. Marylebone	133,060	6	13	7	-	2	-	-	7	-
Hampstead	82,287	1	3	7	-	3	-	-	3	-
St. Pancras	235,297	10	28	49	-	7	-	-	7	1
Islington	335,325	4	38	32	-	10	-	-	6	2
Stoke Newington	51,328	-	6	1	-	2	-	-	-	-
Hackney	219,780	2	30	30	-	11	-	-	4	1
CENTRAL.										
Holborn	59,205	2	6	4	-	-	-	-	2	-
Finsbury	101,263	2	11	6	-	1	-	-	6	-
City of London	26,627	-	1	2	-	3	-	-	-	-
EAST.										
Shoreditch	118,554	-	10	8	-	2	-	-	1	-
Bethnal Green	129,700	-	15	6	-	3	-	-	3	-
Stepney	298,884	1	37	27	-	12	-	-	17	-
Poplar	168,887	-	10	14	-	8	-	-	6	-
SOUTH.										
Southwark	206,219	4	44	20	-	10	-	-	10	1
Bermondsey	130,348	-	24	13	-	6	-	-	3	-
Lambeth	302,460	1	36	17	-	4	-	-	4	-
Battersea	169,364	-	21	8	-	2	-	-	2	-
Wandsworth	233,943	-	16	14	-	3	-	-	4	-
Camberwell	259,897	-	27	19	-	10	-	-	5	-
Deptford	110,732	-	11	13	-	6	-	-	2	-
Greenwich	96,188	-	11	12	-	2	-	-	1	-
Lewisham	128,423	1	13	8	-	3	-	-	1	-
Woolwich	117,619	-	8	2	-	7	-	-	1	-
Port of London	—	-	-	-	-	3	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	37	479	364	-	136	-	-	114	5
Ages 0-1		-	5	4	-	-	-	-	7	-
" 1-5		5	114	125	-	6	-	-	1	-
" 5-		1	211	103	-	8	-	-	4	-
" 10-		5	80	62	-	26	-	-	5	-
" 15-		5	31	23	-	21	-	-	5	-
" 20-		9	23	13	-	26	-	-	6	2
" 25-		8	8	18	-	31	-	-	15	2
" 35-		1	5	9	-	12	-	-	15	1
" 45-		3	1	6	-	5	-	-	28	-
" 55-		-	1	-	-	1	-	-	18	-
" 65 and upwards		-	-	1	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE .E.C

No. 40. 1901. VOL. LXII.] WEEK ENDED SATURDAY, OCT. 5. [Price 1½*d.*

General Register Office, Somerset House,
October 7th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 18·3, 16·8, and 16·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.		Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
33 Great Towns	18·3	16·8	16·7	15·6	Leicester - -	17·9	15·9	9·6	12·5
Birkenhead -	20·2	12·2	15·0	13·1	Liverpool - -	19·9	19·4	18·3	20·0
Birmingham -	22·4	17·3	21·6	17·1	London - - -	16·0	15·6	15·0	14·7
Blackburn -	17·6	15·9	17·1	18·4	Manchester - -	22·5	19·2	21·5	18·1
Bolton - -	19·5	20·7	16·1	12·1	Newcastle-on-Tyne	27·8	20·6	25·6	21·3
Bradford -	15·6	17·3	12·5	10·8	Norwich - -	17·7	16·3	19·1	14·0
Brighton -	16·9	14·8	16·0	13·9	Nottingham - -	16·3	18·0	13·2	14·1
Bristol - -	16·6	11·2	13·3	12·3	Oldham - -	22·4	20·1	16·7	14·0
Burnley -	24·1	25·2	17·7	16·6	Plymouth - -	11·6	15·9	13·5	15·0
Cardiff - -	14·5	13·6	12·9	12·0	Portsmouth - -	16·5	17·6	16·5	13·5
Croydon -	16·6	17·0	10·5	13·2	Preston - -	24·0	20·3	18·9	17·5
Derby - -	13·8	11·8	12·8	11·3	Salford - - -	26·4	20·0	17·9	17·4
Gateshead -	28·8	22·7	22·7	19·8	Sheffield - -	20·5	19·0	20·6	18·8
Halifax -	17·9	17·4	17·4	12·9	Sunderland - -	24·5	25·6	27·3	23·1
Huddersfield-	14·8	19·2	15·9	11·0	Swansea - -	15·4	11·6	19·8	14·9
Hull - -	20·7	15·1	20·3	15·5	West Ham - -	17·6	18·6	17·6	17·5
Leeds - -	18·7	16·6	19·1	18·4	Wolverhampton -	21·0	13·8	17·7	16·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Wolverhampton and 1·7 in West Ham; from *scarlet fever*, 1·4 in Preston; from *whooping-cough*, 1·0 in Plymouth and in Newcastle-on-Tyne; from "*fever*," 1·0 in Sheffield and 1·4 in Sunderland; and from *diarrhœal diseases*, 2·0 in Sheffield, 2·1 in Sunderland, 2·5 in Leicester, 2·7 in Burnley, 2·8 in Salford, 3·5 in West Ham, and 4·2 in Gateshead. The 74 deaths from *diphtheria* included 30 in London, 8 in West Ham, 8 in Liverpool, 5 in Brighton, 5 in Hull, 4 in Bristol, 3 in Leicester, and 3 in Leeds. Three deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2499 BIRTHS and 1280 DEATHS were registered. Allowing for increase of population, the births were 118, and the deaths 175, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 15·6, and 15·0 in the preceding three weeks, further fell last week to 14·7. During the four weeks ended on Saturday last the death-rate averaged

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10026—670—10/1901 Wt 45 D & S 3 2 R

15·3 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1280 deaths included 3 from small-pox, 14 from measles, 14 from scarlet fever, 30 from diphtheria, 12 from whooping-cough, 18 from enteric fever, 78 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 169 deaths were referred to these diseases, being 22 below the corrected average weekly number.

The deaths from *small-pox*, which had been 9, 3, and 5 in the preceding three weeks, were 3 last week; the cases belonged to the Boroughs of Hackney, Holborn, and Stepney, respectively. The deaths from *measles*, which had been 13, 19, and 13 in the preceding three weeks, were 14 last week, being equal to the corrected average; 5 cases belonged to Islington. The deaths from *scarlet fever*, which had been 13, 9, and 13 in the preceding three weeks, were 14 last week, the corrected average being 20; 3 cases belonged to Hackney, 3 to Southwark, and 2 to Hammersmith. The deaths from *diphtheria*, which had been 28, 27, and 34 in the preceding three weeks, fell again last week to 30, and were 22 below the corrected average; 3 cases belonged to Fulham, 3 to Hampstead, and 3 to Islington. The deaths from *whooping-cough*, which had been 8, 14, and 13 in the preceding three weeks, further fell last week to 12, and were 7 below the corrected average. The fatal cases of *enteric fever*, which had been 14, 14, and 19 in the preceding three weeks, were 18 last week, the corrected average being 16; 3 cases belonged to Lewisham, 2 to Islington, 2 to Stepney, 2 to Lambeth, and 2 to Camberwell. The deaths from *diarrhœal diseases*, which had been 188, 138, and 88 in the preceding three weeks, further fell last week to 78, but were 8 above the corrected average. Of the 78 deaths from diarrhœal diseases, 68 were of children under 5 years of age; 12 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 116, 124, and 137 in the preceding three weeks, fell again last week to 131, and were 73 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 2, 4, and 3 in the preceding three weeks. The death of a male, aged 27 years, which occurred in the London Hospital, was certified, after inquest, as due to *anthrax*.

Different forms of *violence* caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 47 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 3 to burns and scalds, 3 to drowning, 1 to phosphorus poisoning by sucking matches, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 169 cases of small-pox, 3157 of scarlet fever, 1541 of diphtheria, and 296 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 51 cases, against 62, 37, and 44; of scarlet fever, 426 cases, against 457, 427, and 460; of diphtheria, 246 cases, against 280, 254, and 258; and of enteric fever, 47 cases, against 45, 66, and 37. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended September 28th.

Greater London.

In Greater London 3586 births and 1725 deaths were registered, corresponding to annual rates of 28·3 and 13·6 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 11 from measles, 4 from scarlet fever, 14 from diphtheria, 8 from whooping-cough, 9 from "fever," and 49 from diarrhœal diseases were registered. Ten deaths from measles, 10 from diphtheria, and 27 from diarrhœal diseases occurred in West Ham district. One death from small-pox occurred in Isleworth, 1 was of a person who had been removed from Erith to the Hospital Ship "Castalia," and 2 were of persons who had been removed from Tottenham to the Small-pox Hospital at South Mimms.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 57°·3; the latter being 3°·5 above the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 27·8 hours; the measured rainfall amounted to 1·24 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease but in some of the cases, the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
						Deaths from											Deaths to the Week's Deaths.		Fahrenheit.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**6378**	**3435**	**1002**	**748**	**3**	**41**	**38**	**74**	**30**	**59**	**281**	**117**	**256**	**873**	**41**	**15·6**	**2·4**	**76·0**	**33·2**	**55·9**	**13·28**	**0·76**	**1·93**	**33 Towns.**
London	4,543,757	2499	1280	342	314	3	14	14	30	12	18	78	52	124	441	7	14·7	1·9	75·3	41·2	57·3	14·06	1·24	3·15	London.
West Ham	268,868	178	90	29	11	–	9	1	8	1	–	18	–	5	17	–	17·5	7·2	–	–	–	–	–	–	West Ham.
Croydon	134,665	55	34	10	6	–	1	–	–	–	–	3	1	2	6	–	13·2	1·5	73·0	40·0	55·8	13·22	1·14	2·90	Croydon.
Brighton	123,668	52	33	8	6	–	–	–	5	1	–	3	–	1	12	–	13·9	3·8	68·8	44·6	57·6	14·22	1·12	2·84	Brighton.
Portsmouth	189,907	101	49	11	19	–	–	–	–	1	–	3	–	–	7	1	13·5	1·1	68·5	41·0	56·8	13·78	1·11	2·82	Portsmouth.
Plymouth	107,974	62	31	9	9	–	–	–	1	2	–	4	1	4	3	–	15·0	3·4	–	–	–	–	–	–	Plymouth.
Bristol	329,831	167	78	17	26	–	–	–	4	–	1	4	3	8	18	1	12·3	1·4	70·0	39·4	55·6	13·11	0·41	1·04	Bristol.
Cardiff	165,308	109	38	6	8	–	–	–	–	–	–	3	1	5	9	–	12·0	0·9	–	–	–	–	–	–	Cardiff.
Swansea	94,618	56	27	11	6	–	–	–	–	–	–	2	–	1	3	–	14·9	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	61	29	11	6	–	2	–	–	–	–	2	2	3	5	–	16·0	2·2	65·4	33·2	52·6	11·44	0·44	1·12	Wolverhampton.
Birmingham	523,284	344	172	52	30	–	2	3	–	1	2	9	8	9	38	6	17·1	1·7	–	–	–	–	–	–	Birmingham.
Norwich	111,997	70	30	6	11	–	–	–	1	–	1	1	–	–	5	1	14·0	1·4	76·0	41·2	57·3	14·06	0·57	1·45	Norwich.
Leicester	212,498	114	51	18	7	–	–	–	3	–	–	10	3	3	10	1	12·5	3·2	–	–	–	–	–	–	Leicester.
Nottingham	240,400	131	65	16	17	–	–	–	2	–	2	5	4	5	15	–	14·1	2·0	69·5	37·1	55·6	13·11	0·34	0·86	Nottingham.
Derby	106,076	57	23	5	13	–	–	–	–	–	–	2	–	1	4	–	11·3	1·0	–	–	–	–	–	–	Derby.
Birkenhead	111,203	55	28	6	7	–	–	–	1	–	1	1	2	3	9	–	13·1	1·4	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	397	263	76	43	–	1	1	8	–	4	24	11	14	72	12	20·0	2·9	64·7	47·0	55·0	12·78	1·02	2·59	Liverpool.
Bolton	168,748	79	39	7	9	–	–	1	–	1	3	1	2	3	4	–	12·1	1·9	–	–	–	–	–	–	Bolton.
Manchester	544,934	269	189	43	35	–	2	6	1	1	4	17	3	12	53	2	18·1	3·0	–	–	–	–	–	–	Manchester.
Salford	221,526	133	74	31	11	–	2	3	–	2	–	12	2	5	14	–	17·4	4·5	–	–	–	–	–	–	Salford.
Oldham	137,382	64	37	10	10	–	1	–	–	–	–	3	1	2	4	–	14·0	1·5	–	–	–	–	–	–	Oldham.
Burnley	97,295	43	31	17	4	–	–	–	–	–	–	5	2	2	1	–	16·6	2·7	–	–	–	–	–	–	Burnley.
Blackburn	127,714	74	45	13	7	–	–	1	–	–	–	4	4	6	4	–	18·4	2·0	–	–	–	–	–	–	Blackburn.
Preston	113,117	66	38	12	10	–	–	3	–	–	–	1	1	1	1	2	17·5	1·8	68·0	48·0	56·5	13·61	0·69	1·75	Preston.
Huddersfield	94,998	46	20	1	5	–	–	–	–	–	1	1	–	–	3	–	11·0	1·1	64·7	43·8	54·7	12·61	0·86	2·18	Huddersfield.
Halifax	105,113	39	26	8	6	–	–	1	–	–	–	2	–	–	9	1	12·9	1·5	–	–	–	–	–	–	Halifax.
Bradford	280,161	112	58	16	19	–	1	–	–	–	3	4	2	4	10	–	10·8	1·5	70·0	45·0	56·4	13·56	0·35	0·89	Bradford.
Leeds	430,489	239	152	50	30	–	4	2	3	4	7	12	3	12	20	–	18·4	3·9	–	–	–	–	–	–	Leeds.
Sheffield	382,129	218	138	55	23	–	2	1	–	–	7	15	1	3	23	4	18·8	3·4	–	–	–	–	–	–	Sheffield.
Hull	241,622	169	72	30	9	–	–	–	5	–	1	9	–	3	19	1	15·5	3·2	65·0	40·0	55·7	13·17	0·64	1·63	Hull.
Sunderland	146,937	103	65	29	8	–	–	–	1	–	4	6	4	6	10	1	23·1	3·9	–	–	–	–	–	–	Sunderland.
Gateshead	110,492	87	42	19	5	–	–	1	–	–	–	9	1	2	–	–	19·8	4·7	–	–	–	–	–	–	Gateshead.
Newcastle	215,516	129	88	28	18	–	–	–	1	4	–	8	3	7	24	1	21·3	3·1	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTIETH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*
TOTAL **Births** -	2578	2441	2513	2532	2447	2844	2460	2554	2540	2319	2616·7
Males - -	1329	1226	1292	1312	1228	1473	1252	1277	1285	1150	1330·1
Females - -	1249	1215	1221	1220	1219	1371	1208	1277	1255	1169	1286·6
TOTAL **Deaths** -	1395	1344	1481	1287	1342	1276	1324	1620	1564	1391	1454·6
Males - -	719	672	740	640	697	646	695	814	799	719	740·7
Females - -	676	672	741	647	645	630	629	806	765	672	713·9

* The numbers in this column are the average weekly numbers in the fortieth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNE in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
TOTAL **Births** - - -	2526	2519	2384	2844	2322	2659	2643	2483	2582	2442	2355	2581
TOTAL **Deaths** - - -	1237	1411	1582	1747	1636	1705	1676	1623	1471	1398	1360	1304
Ages at Death: Under 1 year - -	282	411	583	716	664	734	689	647	543	435	370	345
1—5 years - -	140	168	215	196	185	185	167	200	137	118	146	156
5—20 " - -	88	77	73	87	92	70	83	78	80	80	81	87
20—40 " - -	180	175	169	191	171	186	177	174	157	166	176	171
40—60 " - -	258	279	252	268	244	259	233	249	256	258	264	251
60—80 " - -	236	244	241	243	226	229	270	226	243	270	262	233
80 years and upwards	53	57	49	46	54	42	57	49	55	71	61	61
Deaths from—												
Small-pox - - - -	-	-	-	1	1	2	-	7	7	9	3	5
Measles - - - - -	37	45	60	45	40	37	26	40	13	13	19	13
Scarlet Fever - - -	17	10	20	15	10	16	12	13	14	13	9	13
Diphtheria - - - -	24	30	28	28	24	30	27	22	20	28	27	34
Whooping-cough - - -	15	17	24	20	19	24	17	20	27	8	14	13
Typhus - - - - -	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever - - -	2	9	10	11	18	10	25	12	17	14	14	19
Simple Continued Fever -	1	2	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	71	140	289	399	367	404	375	348	271	184	138	87
Cholera - - - - -	2	-	5	4	5	7	4	4	4	4	-	1
All the above Diseases - -	169	253	436	523	484	531	486	466	373	273	224	185
Dis. of Respiratory System -	133	135	134	126	126	103	126	114	124	116	124	137
Phthisis - - - - -	168	114	111	153	106	123	120	142	124	129	147	139
Dis. of Circulatory System -	104	116	111	113	113	97	120	100	142	131	133	101
Violence - - - -	49	72	74	81	77	68	56	60	45	48	75	59
Inquest Cases - - - -	123	138	141	162	155	159	116	157	120	119	133	118
Deaths in Public Institutions -	435	467	459	507	458	460	467	478	462	484	503	480
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - - - -	64·5	68·4	61·6	65·1	64·6	61·0	63·9	58·6	56·4	59·4	56·8	58·7
Mean of Highest readings -	77·2	81·6	71·7	75·8	76·8	72·2	76·6	68·5	65·1	68·2	65·6	68·3
Mean of Lowest readings -	52·2	54·4	54·5	54·9	55·3	52·1	50·5	51·5	47·8	53·5	48·9	50·5
Humidity of the Air - -	68	63	83	72	70	71	67	71	66	83	81	81
Rain-fall (in inches) - -	0·00	0·00	1·30	0·38	0·08	0·50	0·00	1·36	0·00	0·25	1·10	0·00
Registered Sunshine (in hours)	60·2	75·5	18·4	49·2	49·0	49·3	74·4	39·2	52·3	17·0	19·8	21·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.												
Small-pox - - - - -	12	14	11	13	11	13	41	74	92	137	153	163
Scarlet Fever - - - -	2918	2907	2974	3091	3148	3101	3040	3008	2994	3064	3098	3151
Diphtheria - - - -	1228	1267	1303	1336	1363	1361	1318	1344	1365	1417	1465	1512
Typhus - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	145	152	165	166	180	188	198	225	254	262	290	292

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed th meteorological observations at the disposal of the Registrar-General, and the results have been compiled J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmou John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottes Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., a P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. M Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTIETH Week of the Year 1901.

S OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 5th October, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	1454·6	1280	342	115	71	181	257	270	44
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated -	0·1	2	-	-	1	1	-	-	-
No Statement -	0·1	1	-	-	-	-	1	-	-
- - - -	13·8	14	1	12	1	-	-	-	-
ever - - -	19·5	14	1	9	4	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
Fever - -	-	-	-	-	-	-	-	-	-
- - - -	4·7	3	-	-	-	-	-	3	-
g-cough - -	18·7	12	7	5	-	-	-	-	-
a - - -	52·3	30	1	18	11	-	-	-	-
Continued and ed Fever -	0·3	-	-	-	-	-	-	-	-
ever - - -	15·7	18	-	-	6	10	2	-	-
nd Chol. Diarr.	1·3	-	-	-	-	-	-	-	-
, Dysentery -	68·9	78	62	6	-	2	1	6	1
t Fever - -	-	-	-	-	-	-	-	-	-
obia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·2	-	-	-	-	-	-	-	-
Affections - -	8·3	8	6	-	-	-	2	-	-
s - - -	5·3	3	-	-	-	-	2	-	1
and Septicæmia	1·9	2	-	-	-	1	1	-	-
l Fever - -	5·2	4	-	-	-	3	1	-	-
motic Diseases -	1·1	5	1	1	-	3	-	-	-
- - - -	1·0	-	-	-	-	-	-	-	-
nd other Para- Diseases -	0·3	-	-	-	-	-	-	-	-
n, Want of milk - -	1·9	-	-	-	-	-	-	-	-
m - - -	12·2	10	-	-	-	3	6	1	-
ic Fever, atism of Heart	8·6	3	-	-	1	-	1	1	-
ism - - -	2·0	-	-	-	-	-	-	-	-
- - - -	3·0	-	-	-	-	-	-	-	-
- - - -	4·3	3	2	1	-	-	-	-	-
- - - -	80·5	86	-	-	1	4	35	44	2
senterica - -	25·8	14	10	4	-	-	-	-	-
ar Meningitis -	19·8	21	11	5	4	1	-	-	-
- - - -	154·8	155	2	2	7	65	65	14	-
Tuberculosis -	17·3	17	4	4	3	3	1	2	-
Constitutional s - -	13·4	10	-	1	-	2	4	3	-
re Birth - -	50·8	48	48	-	-	-	-	-	-
is - - -	3·0	4	4	-	-	-	-	-	-
al Malforma- - - -	7·8	8	6	1	1	-	-	-	-
- - - -	44·3	36	-	-	-	-	-	19	17
y - - - -	41·3	43	-	-	-	2	8	27	6
- - - -	6·0	5	-	-	-	2	2	1	-
ons - - -	34·6	34	31	3	-	-	-	-	-
seases of Brain rvous System	65·4	65	12	5	2	5	21	18	2
of Organs of Sense -	3·8	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 40th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 5th October, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	127·1	119	-	-	9	22	34	48	6
Croup - - - -	2·4	-	-	-	-	-	-	-	-
Bronchitis - - -	99·6	60	16	10	1	2	8	20	3
Pneumonia - - -	77·4	51	13	6	5	7	9	11	-
Pleurisy - - - -	5·5	6	-	2	-	-	2	2	-
Other Diseases of Respiratory System -	18·8	15	1	1	1	-	5	5	2
Dentition - - -	5·5	6	5	1	-	-	-	-	-
Quinsy, Sore Throat -	1·3	1	1	-	-	-	-	-	-
Enteritis - - -	38·5	23	13	3	2	2	1	2	-
Gastro-enteritis -		12	11	1	-	-	-	-	-
Peritonitis - - -	5·6	5	-	-	1	3	-	1	-
Diseases of Liver - -	27·1	28	4	2	-	5	9	8	-
Other Diseases of Digestive System	27·1	47	18	1	4	6	8	8	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·9	3	-	-	1	1	1	-	-
Diseases of Urinary System - -	44·5	33	-	-	2	2	13	16	-
Diseases of Generative System - -	4·7	2	-	-	-	1	1	-	-
Accidents of Childbirth -	4·4	7	-	-	-	7	-	-	-
Diseases of Locomotive System - -	4·9	3	-	3	-	-	-	-	-
Diseases of Integumentary System - -	7·1	5	-	-	-	1	2	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·0	1	-	-	-	-	-	-	1
By Vehicles or Horses -	6·4	10	-	1	2	6	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	1·8	3	-	-	-	2	1	-	-
In Building Operations -	1·2	-	-	-	-	-	-	-	-
In Conflagrations - -	0·2	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	4·8	3	-	3	-	-	-	-	-
By Drowning - - -	5·5	3	-	-	1	1	1	-	-
By Suffocation in Bed -	10·5	9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·3	3	-	1	-	1	1	-	-
Other or not stated causes - - -	18·5	15	-	-	-	4	4	6	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·5	1	-	-	-	-	1	-	-
Suicide - - - -	9·2	4	-	-	-	1	3	-	-
Execution - - -	0·3	-	-	-	-	-	-	-	-
OTHER CAUSES - -	66·6	46	42	3	-	-	-	1	-

numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for of population.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-PO SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIO registered in each SUB-DISTRICT during the Week ended Saturday, 5th October, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week includ: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Fever.	Simple Fever.	Diarrhœal Diseases.	Violence.
LONDON	4,536,063	2499	1280	342	314	3	14	14	30	12	-	18	-	78	52
WEST DISTRICTS	805,275	351	201	44	62	-	-	1	3	3	-	2	-	11	10
NORTH DISTRICTS	1,056,018	563	285	79	66	1	6	3	9	2	-	3	-	17	10
CENTRAL DISTRICTS	209,432	111	57	18	14	-	1	-	-	1	-	-	-	3	-
EAST DISTRICTS	715,772	523	268	87	60	-	3	-	2	5	-	1	-	18	8
SOUTH DISTRICTS	1,749,566	951	430	114	99	-	4	7	13	1	-	11	-	29	24
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	13	2	-	3	3	-	-	1	-	-	-
WEST DISTRICTS.															
St. Mary Paddington *WHH* G. & W.	93,165	45	11	4	3	-	-	-	-	-	-	-	-	-	-
St. John Paddington *H* G.	33,608	4	13	2	5	-	-	-	-	-	-	1	-	1	1
North-West Paddington C.	17,181	9	1	-	1	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* W. & C.	128,025	60	41	9	17	-	-	-	-	1	-	-	-	3	3
Brompton *HH* W. & C.	48,598	9	8	-	5	-	-	-	-	-	-	1	-	-	-
North Hammersmith *H* W. & G	49,335	19	13	3	3	-	-	-	-	-	-	-	-	1	-
South Hammersmith *wH* W. & G	62,910	27	18	3	6	-	-	-	-	1	-	-	-	1	1
North-west Fulham *W* W. & C.	45,180	41	13	4	2	-	-	-	-	-	-	-	-	1	1
North-east Fulham *H* W. & C.	46,404	38	9	3	1	-	-	1	2	1	-	-	-	-	1
South Fulham W. & C.	45,705	17	9	3	2	-	-	-	-	-	-	-	-	2	-
Chelsea North *WwHHH* C.	42,515	22	15	1	7	-	-	-	-	-	-	-	-	-	-
Chelsea South *HH* C.	31,341	10	9	5	2	-	-	-	-	-	-	-	-	1	-
May Fair and Knightsbridge *H* C. & G.	28,744	3	4	2	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHH* C.	55,812	19	15	1	7	-	-	-	-	-	-	-	-	-	2
St. Margaret & St. John Westminster *HHHH* C.	43,665	17	17	4	1	-	-	-	1	-	-	-	-	1	1
St. James Westminster *WH* N. & G.	21,595	7	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* N.	11,492	4	3	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.															
All Souls Marylebone *HHHHHHHH* W.	35,394	15	16	1	4	-	-	-	-	-	-	-	-	2	2
Rectory Marylebone *W* G. & W.	19,869	11	2	-	2	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	32	7	4	3	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* W	39,541	21	6	2	1	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* W	20,426	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WHHHHH* N. & W.	81,942	27	24	3	6	-	-	1	4	-	-	-	-	-	1
Regent's Park *H* W.	50,647	28	10	1	4	-	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* N. & W.	24,814	11	13	3	1	-	-	-	1	-	-	-	-	1	1
Gray's Inn Lane *HHHH* N.	30,886	19	12	3	3	-	1	-	1	-	-	-	-	-	-
Somers Town *HH* N.	30,131	14	8	5	-	-	-	-	-	-	-	-	-	-	-
Camden Town *WH* N.	40,079	25	13	3	7	-	-	-	-	2	-	-	-	1	-
Kentish Town *WW* N.	58,727	26	15	3	5	-	-	-	1	-	-	-	-	-	-
Tufnell *W*		14	15	6	2	-	3	-	-	-	-	-	-	4	1
Upper Holloway *WWwHH* N.	99,841	30	20	6	1	-	1	-	-	-	-	-	-	-	1
Tollington *W*		16	4	1	2	-	-	-	-	-	-	-	-	-	-
Lower Holloway N.	41,411	18	8	5	1	-	-	-	1	-	-	-	-	1	1
Barnsbury N.	54,479	31	22	9	3	-	1	-	-	-	-	-	-	1	1
Islington South-east *H* N.	75,402	51	8	2	2	-	-	1	-	-	-	1	-	-	-
Highbury *HH* N.	63,795	32	11	4	3	-	-	-	-	-	-	1	-	3	-
Stoke Newington *H* N.	51,247	13	8	1	3	-	-	-	-	-	-	-	-	-	-
North Hackney E. & N.	50,570	23	7	1	-	-	-	-	-	-	-	-	-	1	-
Central Hackney *wH* E. & N.	50,535	33	13	4	1	1	-	1	1	-	-	1	-	-	1
South-west Hackney *HHH* E. & N.	59,929	36	17	4	3	-	-	-	-	-	-	-	-	1	1
South-east Hackney *WwH* E. & N.	58,254	31	26	8	9	-	-	-	-	-	-	-	-	2	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situa namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to oth than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which p received. The Roman capitals signify the Water Companies which supply the different Sub-districts:— Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufn Holloway, and Tollington respectively.

LE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles uth *WH* - - - N.	22,495	16	6	1	3	-	-	-	-	1	-	-	-	1	-	-	2	-
Giles North *H* - - - N.	8,959	3	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Martin-in-the-Fields *HH* N. & C	12,975	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
nd *WHH* - - - N.	8,694	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
nd Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
bborn *WHHHHH* - - N	29,579	19	8	3	1	-	-	-	-	-	-	-	-	-	-	-	5	-
James Clerkenwell - - N.	15,634	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well - - - - N.	32,691	16	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
well-street - - - - N	15,390	6	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
sbury* *HHHL* - - N.	35,376	34	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, Hitcham - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph *H* - - N. & E.	11,036	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N	7,886	1	6	-	2	-	-	-	-	-	-	-	-	-	-	1	5	-
hallows Barking - - - N	8,717	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	16,370	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
xton New Town *wH* - - N	29,761	19	9	2	3	-	-	-	1	-	-	-	-	2	-	1	4	-
xton Old Town - - - N	26,510	14	10	5	2	-	-	-	-	-	-	-	-	2	-	-	-	-
ggerston *W* - - N & E.	46,064	27	16	5	2	-	1	-	-	-	-	-	-	1	2	4	6	-
thnal Green North *HH* - E.	51,513	40	9	3	4	-	-	-	-	-	-	-	-	-	-	2	1	-
thnal Green South - - E	33,473	24	8	1	3	-	1	-	-	1	-	-	-	-	-	1	-	-
thnal Green East *WWHl* - E.	44,695	26	14	1	5	-	-	-	-	-	-	-	-	-	-	1	7	-
talfields - - - E. & N.	27,965	24	6	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-
le End New Town *WH* - E.	28,711	35	45	10	6	-	-	-	-	-	-	-	-	2	4	9	40	-
odman's Fields - - - E.	22,082	10	3	3	-	-	-	-	-	-	-	-	-	1	1	2	-	-
George's, North - - - E.	40,965	35	13	9	1	-	-	-	-	-	-	-	-	1	-	3	-	-
John *W* - - - E.	8,122	9	10	3	1	-	1	-	-	2	-	-	-	-	-	2	6	-
adwell *H* - - - E. & N.	10,760	6	11	4	-	-	-	-	1	-	-	1	-	-	-	1	8	-
tcliff *W* - - - - E.	14,770	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
mehouse - - - - E	32,358	24	9	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
le End Old Town West *H* E.	59,467	42	15	9	2	-	-	-	-	2	-	-	-	1	-	2	-	-
le End Old Town East *WWw* - E.	53,348	33	27	5	12	-	-	-	-	-	-	-	-	-	-	3	12	-
ow - - - - E.	41,990	37	10	4	3	-	-	-	-	-	-	-	-	2	-	-	-	-
omley *wwwH* - - - E.	68,326	44	32	10	10	-	-	-	-	-	-	-	-	3	1	2	17	-
plar *Ww* - - - - E.	58,522	59	14	4	4	-	-	-	-	-	-	-	-	1	-	1	-	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 5th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	11,232	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Saviour Southwark - - S.	12,056	6	12	2	-	-	-	-	-	-	-	-	-	1	4	4	9
Kent-road - - - S. & L.	21,899	18	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L	16,882	17	11	3	-	-	-	-	1	-	-	-	-	1	-	-	5
London-road *HL* - L. & S.	22,209	16	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Trinity Newington *H* - S. & L.	28,485	20	9	4	1	-	1	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W*- S. & L.	61,773	35	11	6	1	-	-	-	-	-	-	-	-	1	-	2	1
St. Mary Newington - L. & S.	31,592	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *W* - - - - S.	9,813	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *WH*- - - S.	82,405	77	20	11	4	-	-	-	-	-	-	-	-	2	-	-	-
Rotherhithe *WH*- - S. & K	38,268	23	11	5	1	-	-	-	-	-	-	-	-	1	1	1	4
Waterloo-road *HH* - L. & S.	27,435	23	12	5	1	-	1	-	-	-	-	1	-	2	1	1	3
Lambeth Church 1st *H* L. & S.	18,420	7	14	-	1	-	-	-	-	-	-	1	-	-	2	3	13
Lambeth Church 2nd *WW* L. & S.	39,818	24	17	3	7	-	-	-	-	-	-	-	-	1	1	1	10
Kennington 1st *H* - S. & L.	53,196	25	13	5	4	-	-	-	-	-	-	-	-	2	-	2	-
Kennington 2nd - - S. & L.	42,891	13	6	2	-	-	-	-	1	-	-	-	-	-	2	2	-
Brixton *H* - - - L. & S.	84,226	33	15	3	5	-	-	4	1	-	-	1	-	-	1	1	6
Norwood *WH* - - - L.	35,887	13	10	4	2	-	-	-	-	-	-	1	-	4	-	-	-
East Battersea - - - S.	72,201	42	11	5	-	-	1	-	-	-	-	-	-	2	-	-	-
North-west Battersea - - S.	49,650	28	6	4	2	-	-	-	-	-	-	-	-	2	-	-	-
South-west Battersea *WwH*- S.	47,045	12	13	1	4	-	-	-	-	-	-	-	-	-	-	-	8
Clapham *H* - - - - S.	51,353	20	21	2	8	-	-	-	-	-	-	-	-	-	-	2	3
Streatham *WwwHHL* - L.	83,129	45	15	5	1	-	-	1	2	-	-	2	-	-	-	-	5
Wandsworth *WHL* - - S.	68,409	29	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - - S.	24,139	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	10,246	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *Wwll* - S. & L.	90,404	49	29	2	9	-	-	-	-	-	-	-	-	1	1	1	21
Peckham *W*- - S., L., & K.	93,022	50	20	4	11	-	-	-	-	-	-	-	-	2	2	2	-
St. George Camberwell - L. & S.	65,586	46	13	7	1	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North - - - K.	37,601	30	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *H* - - K.	45,621	30	13	5	2	-	1	2	1	-	-	-	-	-	1	1	4
Deptford South - - - K.	34,622	22	9	2	4	-	-	-	-	-	-	-	-	1	-	1	-
Greenwich West *H* - - K.	23,456	9	5	-	1	-	-	-	-	-	-	-	-	-	2	2	1
Greenwich East *WH* - - K.	43,849	23	18	3	4	-	-	-	-	-	-	-	-	1	3	5	9
Eltham *wH* - - - - K.	7,218	2	4	2	1	-	-	-	-	-	-	1	-	1	-	-	1
Lee *H* - - - - - K.	25,489	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	58,341	32	17	1	6	-	-	-	3	-	-	3	-	1	1	2	9
Sydenham *H* - - - - L.	43,630	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Charlton *HHH* - - - K.	21,121	6	10	1	1	-	-	-	4	1	-	1	-	-	-	-	6
Woolwich *HHHH* - - K.	41,607	24	10	3	2	-	-	-	-	-	-	-	-	1	1	1	1
Plumstead West *H* - - K.	18,076	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	37	16	2	6	-	-	-	-	-	-	-	-	-	-	-	7
London County Asy., Banstead -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Met. Asy. for Imbeciles, Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Cane Hill -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
M.A.B. Ships and Hosp., Dartford	—	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum, Hanwell	—	-	9	-	4	-	-	-	-	-	-	-	-	-	-	-	9
Central London Sick Asy., Hendon	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Colney Hatch	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
M.A.B. North-Eastern Hospital -	—	-	7	-	-	-	-	3	3	-	-	1	-	-	-	-	7
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week led Saturday, 5th October, 1901.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON—OUTER RING -	368,580	2,044,553	1087	445	146	89	4	11	4	14	8	9	49	15	32	70	2
Carshalton *H* - - -	12,228	32,997	14	7	3	–	–	–	–	–	–	1	1	–	–	1	–
Epsom, *part of** *WwHHH*	10,423	15,548	9	3	–	1	–	–	–	1	–	–	–	–	–	1	–
Godstone, *part of** *W* -	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH* -	20,851	164,519	66	40	14	6	–	1	–	–	1	–	3	1	4	6	–
Mitcham *w* - - -	11,689	29,906	17	6	4	2	–	–	–	–	–	–	2	–	–	–	–
Wimbledon *HHH* - -	3,221	41,604	19	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Kingston *WH* - - -	6,224	42,067	12	5	1	2	–	–	–	–	–	–	1	–	–	1	–
Surbiton *HH* - - -	3,046	15,019	9	1	–	1	–	–	–	–	–	–	–	1	1	–	–
Esher, *part of** *H* - -	5,402	13,003	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Hampton *HL* - - -	4,664	23,447	11	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Richmond *WHH* - -	2,162	28,871	8	6	–	2	–	–	–	–	–	–	–	1	1	2	–
Mortlake *H* - - -	2,847	20,628	8	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Bromley *HHH*- - -	4,703	27,358	14	6	1	3	–	–	–	–	–	–	–	1	1	–	–
Beckenham *H*- - -	7,825	28,499	8	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Orpington, *part of** *W* -	10,113	9,857	3	5	–	2	–	–	–	–	–	–	–	–	–	4	–
Chislehurst *HH* - -	7,333	16,458	4	4	–	–	–	–	–	–	–	–	1	–	–	–	–
Bexley *HHH* - - -	12,532	46,445	23	8	2	–	–	–	–	1	1	–	–	–	–	–	–
Dartford *WH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sunbury *w* - - -	11,054	18,682	10	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Staines *WH* - - -	13,277	15,179	11	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Hillingdon *WHH* - -	6,035	13,661	11	4	1	–	–	–	–	–	–	–	1	–	1	1	–
Uxbridge - - - -	12,757	8,984	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH* - - - -	8,066	16,358	10	5	2	1	–	–	–	–	–	–	1	2	2	–	–
Isleworth *WHH* - -	6,859	30,838	21	16	7	3	1	–	–	1	–	–	1	–	–	3	–
Twickenham *HH* - -	2,421	20,991	13	5	3	2	–	–	–	–	–	–	1	–	–	–	–
Brentford *HHHH* - -	4,319	48,298	18	7	2	1	–	–	–	–	–	1	–	2	2	–	–
Chiswick - - - -	1,249	29,809	16	4	3	–	–	–	–	–	–	–	–	–	–	–	–
Acton *wHH* - - -	6,132	48,913	25	11	5	2	–	–	–	–	–	1	2	–	–	1	–
Harrow *HHH* - - -	13,809	25,522	8	5	2	1	–	–	–	–	–	1	1	–	–	2	–
Edgware *HH* - - -	6,994	4,520	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Willesden *HHH* - -	4,384	114,815	51	20	7	7	–	–	–	1	2	–	2	1	3	2	–
Hendon *WH* - - -	8,382	22,450	11	2	1	1	–	–	–	–	–	–	–	1	1	1	–
South Mimms *HH* - -	17,755	7,308	2	3	1	–	2	–	–	–	–	–	–	–	–	2	–
Barnet *WHH* - - -	3,324	17,970	12	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Finchley *HHH*- - -	4,688	33,692	19	5	2	1	–	–	–	–	–	–	–	–	–	–	–
Hornsey *HH* - - -	2,875	72,056	35	6	1	–	–	–	–	–	–	–	1	1	1	–	–
Tottenham *HHH* - -	4,638	136,702	80	31	13	5	–	–	–	–	1	1	1	2	4	1	–
Edmonton *Ww* - -	7,491	61,892	44	8	2	4	–	–	–	–	–	–	–	–	2	2	–
Enfield *WWHH* - -	12,601	42,738	14	9	–	4	–	–	1	–	–	–	1	–	–	1	–
Waltham Abbey - - -	11,017	6,547	1	2	–	2	–	–	–	–	–	–	–	–	–	–	1
Cheshunt *H* - - -	8,479	12,288	4	3	–	–	–	–	–	–	1	–	–	–	–	–	–
Hatfield, *part of** *W* - -	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H* - - - -	9,333	9,173	6	3	2	–	–	–	–	–	–	–	–	–	–	1	–
Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford *H* - - -	1,072	44,825	26	10	1	3	–	–	–	–	–	–	1	–	1	1	–
Plaistow *HHH* - - -	1,249	90,920	65	35	16	2	–	1	1	5	–	–	9	–	1	5	–
Canning Town *H* - -	1,556	70,666	55	26	9	1	–	3	–	3	1	–	6	–	3	1	–
Forest Gate *w* - - -	806	60,897	32	9	2	3	–	1	–	–	–	–	–	–	–	–	–
East Ham *wHHH* - -	3,268	95,970	78	20	9	2	–	–	–	2	–	1	3	–	–	1	–
Wanstead - - - -	1,737	9,198	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South Leyton *WW* - -	631	56,458	24	30	7	8	–	5	–	–	1	–	5	–	–	21	–
North Leyton *WwH* -	1,963	48,441	23	10	3	3	–	–	1	–	–	1	–	–	–	1	1
Walthamstow *HHHL* -	6,504	108,931	71	26	9	5	–	–	1	–	–	–	3	1	3	–	–
Chigwell, *part of** *HHHH*	11,778	16,403	10	3	1	–	–	–	–	–	–	2	–	–	–	1	–
Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W* -	6,556	6,089	1	4	2	1	–	–	–	–	–	–	–	–	–	2	–
Ilford *H* - - - -	8,496	41,240	21	6	5	1	–	–	–	–	–	–	–	–	–	1	–
Barking Town, *H* - -	3,803	21,547	24	5	2	1	–	–	–	–	–	–	2	–	–	–	–
Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–
Metropolitan Asylums Board Hospital Ship, Dartford.	—	—	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–

he parts of sub-districts included within that portion of the Metropolitan Police District which forms the r Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warlingham and Farley parishes; 39: 4, pting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: cepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses nfectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ended Saturday, 5th October, 1901.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14.	15
Greater London	**443,419**	**6,604,287**	**13·6**	**2·1**	**1725**	**438**	**403**	**7**	**25**	**18**	**44**	**20**	**27**	**127**	**67**
Inner London	74,839	4,543,757	14·7	1·9	1280	342	314	3	14	14	30	12	18	78	52
Outer Ring	368,580	2,060,530	11·3	2·5	445	146	89	4	11	4	14	8	9	49	15

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
Edinburgh	317,885	October 5	149	87	14·3	–	–	1	3	2	1
Glasgow	764,423	„ 5	473	219	14·9	–	12	5	3	5	3
Dublin†	375,076	„ 5	223	143	19·9	–	–	–	1	2	8
Calcutta	466,460	July 20	–	207	23·1	3	–	–	–	–	65‡
		„ 27	–	203	22·6	3	–	–	1	–	54‡
Bombay	821,764	September 17	255	873	58·9	–	–	–	–	–	379‡
Madras	452,518	August 30	473	995	114·3	3	2	?	?	?	280
Paris	2,511,629	September 28	1120	694	14·3	8	2	1	6*	6	7
Brussels	582,665	„ 28	238	142	12·7	–	–	–	–	2	1
Amsterdam	525,636	„ 21	310	129	12·8	–	1	–	–	1	1
Rotterdam	320,991	—	–	–	–	–	–	–	–	–	–
The Hague	205,328	—	–	–	–	–	–	–	–	–	–
Copenhagen	378,235	September 28	166	129	17·8	–	3	–	–	7	3
Stockholm	301,050	„ 21	123	96	16·6	–	–	–	1*	1	3
Christiania	228,929	„ 28	132	59	13·4	–	–	–	–	1	–
St. Petersburg	1,248,643	„ 21	587	566	23·6	–	18	14	30	5	38
Moscow	1,023,817	„ 21	–	500	25·5	–	2	9	15	3	13
Berlin	1,888,613	„ 14	920	687	19·7	1	9	9	12	15	5
Hamburg	705,738	„ 28	–	215	15·8	–	4	8	–	2	–
Dresden	400,140	—	–	–	–	–	–	–	–	–	–
Breslau	427,505	September 28	–	186	22·7	–	1	3	3	1	–
Munich	500,000	„ 28	–	216	22·5	–	4	–	–	1	1
Vienna	1,691,996	„ 28	979	478	14·8	–	–	7	2*	–	2
Prague	389,741	„ 21	180	142	19·0	–	1	2	1	2	2
Buda-Pesth	744,719	„ 28	505	230	16·1	–	1	9	1	–	1
Trieste	177,428	„ 21	103	63	18·4	–	–	1	1*	1	–
Rome	471,961	August 31	185	139	15·4	–	–	–	1	–	5
Turin	335,639	—	–	–	–	–	–	–	–	–	–
Venice	174,378	September 21	79	48	14·4	–	1	–	2*	–	2
Cairo	570,062	August 19	448	468	42·7	–	10	–	8*	–	28
Alexandria	319,766	„ 19	220	268	43·6	–	3	–	–	1	6
New York (including Brooklyn)	3,536,517	September 7	1475	1418	20·9	4	–	8	16*	6	27
Philadelphia	1,293,697	„ 14	–	430	17·3	4	–	1	6	4	11

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
§ Including 18 and 13 deaths, respectively, from cholera in Calcutta, 11 in Bombay and 124 in Madras.
‡ Including 8 and 11 deaths, respectively, from plague in Calcutta, 250 in Bombay, and 2 in Alexandria.
‖ Including one death from malarial fever

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SEPTEMBER.																										
SUNDAY -	29	Perigee	30·041	73·5	46·6	26·9	58·7	+ 4·1	51·9	6·8	21·2	0·6	78	122·3	34·2	59·30	S. & calm.	S., SE. & E.	0·6	0·0	0·0	86	−167	0·00	0·0
MONDAY -	30	..	29·958	71·2	49·8	21·4	58·4	+ 4·0	56·3	2·1	13·1	0·0	93	109·0	37·1	59·23	Calm & variable.	ESE. & SSE.	0·0	0·0	0·0	70	−182	0·00	0·0
OCTOBER. TUESDAY -	1	..	29·803	75·3	50·1	25·2	62·8	+ 8·7	55·4	7·4	15·9	0·6	77	133·8	40·0	59·26	Calm, ESE. & SE.	S., SE. & E.	3·8	0·0	0·1	166	− 85	0·07	0·0
WEDNESDAY	2	..	29·679	66·8	57·4	9·4	60·8	+ 7·0	59·7	1·1	5·8	0·0	96	88·9	52·0	59·16	E.	NNW. & variable.	0·2	0·0	0·0	89	−161	0·65	0·0
THURSDAY -	3	Greatest Dec. N.	29·868	68·0	51·0	17·0	57·7	+ 4·2	50·8	6·9	14·8	1·9	78	112·2	44·0	59·30	SW.	SW. & SSW.	0·8	0·0	0·0	188	− 60	0·00	0·0
FRIDAY -	4	Last Quarter.	29·828	56·9	48·8	8·1	53·0	− 0·2	51·0	2·0	7·2	0·4	93	61·1	42·3	59·20	S. & calm.	NNW. & NW.	1·6	0·0	0·1	231	− 16	0·51	0·0
SATURDAY -	5	..	29·652	57·5	41·2	16·3	50·0	− 3·0	44·4	5·6	12·0	1·6	81	104·2	30·2	59·01	NW. & SSW.	SSW., SW. & WSW.	5·2	0·0	0·6	339	+ 94	0·01	0·0
MEANS -	-		29·833	67·0	49·3	17·8	57·3	+ 3·5	52·8	4·6	12·9	0·7	85	104·5	40·0	59·21	SE. & SW.		..	..	..	Sum 1169	Sum −577	Sum 1·24	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	29	w. P. throughout.	9·1	11·8
MONDAY -	30	w. P. throughout.	2·2	11·7
OCTOBER. TUESDAY -	1	w. P. till 6h. P.M.; v. P. and v. N. afterwards.	6·9	11·6
WEDNESDAY	2	v. P. and v. N. till noon; w. P. afterwards.	0·0	11·6
THURSDAY -	3	w. P. throughout.	6·5	11·5
FRIDAY -	4	w. P. throughout.	0·0	11·4
SATURDAY -	5	w. P. throughout.	3·1	11·4
			Sum 27·8	Sum 81·0
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Cloudy in early morning, with dense fog after 3h. 30m. A.M.; very fine and generally cloudless after 8h. A.M.

Cloudless, with dense fog, in morning; fine but generally cloudy till afternoon; very fine, with small amounts of cloud, afterwards.

Fine, with dense fog, in morning; fine generally, with variable amounts of cloud, afterwards. Bright solar halo in forenoon. Showery at night. A very warm day.

Overcast: frequent rain till 11h. A.M. and slight fog afterwards. Heavy rain fell between 9h. 30m. and 10h. 30m. A.M.

Cloudy, with slight fog, in morning; fine and partially cloudy afterwards.

Very fine till 1h. A.M.; generally overcast afterwards, with frequent rain till evening.

Cloudless and very fine till 8h. A.M.; fine but generally cloudy till noon; overcast till evening, with slight rain between 5h. and 7h. P.M.; fine afterwards.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·10 in. at the beginning of the week to 29·65 in. by 5h. A.M. on the 2nd October; increased to 29·89 in. by 9h. A.M. on the 3rd October; decreased to 29·79 in. by 4h. A.M. on the 4th October; increased to 29·88 in. by 10h. P.M. on the same day; and decreased to 29·53 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th September, 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	23	10	-	2	-	-	4	1
Kensington	176,787	-	14	7	-	2	1	-	2	1
Hammersmith	112,619	-	17	1	-	1	-	-	1	-
Fulham	138,426	-	13	21	-	3	1	-	3	-
Chelsea	73,879	-	8	1	-	-	-	-	-	-
City of Westminster	182,502	-	17	4	-	1	-	-	4	-
NORTH.										
St. Marylebone	133,060	3	20	4	-	-	-	-	3	-
Hampstead	82,287	-	9	1	-	1	-	-	-	-
St. Pancras	235,297	8	28	30	-	4	-	-	7	-
Islington	335,325	1	41	34	-	8	-	-	13	-
Stoke Newington	51,328	1	2	6	-	-	-	-	2	-
Hackney	219,780	4	36	23	-	8	-	-	17	-
CENTRAL.										
Holborn	59,205	2	7	9	1	1	-	-	-	-
Finsbury	101,263	10	18	12	-	2	-	-	5	-
City of London	26,627	2	3	6	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	1	9	9	-	1	1	-	3	1
Bethnal Green	129,700	1	18	14	-	2	-	-	3	-
Stepney	298,884	3	38	28	-	8	-	-	12	-
Poplar	168,887	2	21	11	-	9	-	-	4	-
SOUTH.										
Southwark	206,219	-	44	8	-	2	-	-	6	-
Bermondsey	130,348	-	37	6	-	4	-	-	2	-
Lambeth	302,460	1	50	13	-	8	-	-	7	1
Battersea	169,364	-	18	5	-	3	-	-	3	1
Wandsworth	233,943	-	12	13	-	2	-	-	5	2
Camberwell	259,897	-	43	20	-	3	-	-	6	-
Deptford	110,732	-	15	15	-	3	1	-	6	-
Greenwich	96,188	-	19	8	-	2	-	-	3	-
Lewisham	128,423	-	8	10	-	3	-	-	4	-
Woolwich	117,619	1	6	4	-	-	-	-	3	-
Port of London	—	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	40	594	333	1	85	4	-	128	7
Ages 0-1		-	10	6	-	-	-	-	2	-
,, 1-5		7	171	111	-	4	-	-	5	-
,, 5-		3	224	115	-	8	-	-	4	-
,, 10-		3	115	35	-	12	-	-	9	-
,, 15-		9	38	25	-	20	1	-	12	-
,, 20-		5	20	17	-	5	-	-	6	-
,, 25-		6	9	14	1	18	1	-	13	5
,, 35-		4	3	6	-	14	-	-	19	2
,, 45-		3	2	3	-	3	1	-	32	-
,, 55-		-	2	1	-	-	-	-	10	-
,, 65 and upwards		-	-	-	-	1	1	-	16	-
Age not stated		-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 28th SEPTEMBER, 1901.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple continued Fever.	Diarrhœal Diseases.	Phthisis.		
COUNTY OF LONDON -	18,851	35	437	170	348	239	1	153	3	3135	1,668	6,635	203
West.													
PADDINGTON - - -	468	-	-	2	7	3	-	5	-	97	27	157	185
KENSINGTON - - -	607	-	3	3	7	6	-	3	-	93	61	195	205
HAMMERSMITH - -	502	2	5	3	8	8	-	5	-	95	41	180	241
FULHAM - - -	569	-	10	3	6	10	-	11	-	144	37	261	227
CHELSEA - - -	244	-	-	3	2	1	-	2	-	30	28	57	152
CITY OF WESTMINSTER -	620	1	18	5	7	4	-	5	-	50	73	135	159
North.													
ST. MARYLEBONE - -	532	4	6	3	10	4	-	3	-	85	52	130	135
HAMPSTEAD - - -	194	1	1	-	5	6	-	4	-	18	20	48	121
ST. PANCRAS - - -	1,060	21	19	9	29	9	-	7	-	163	92	350	220
ISLINGTON - - -	1,213	1	30	12	45	15	-	15	-	155	106	396	172
STOKE NEWINGTON - -	154	1	2	2	2	1	-	2	-	21	14	44	151
HACKNEY - - -	884	1	17	6	30	12	-	6	-	148	76	339	207
Central.													
HOLBORN - - -	275	1	9	1	4	2	-	5	-	31	39	70	161
FINSBURY - - -	517	-	22	3	13	8	-	3	-	91	56	161	166
CITY OF LONDON - -	118	-	-	1	3	-	-	1	-	5	15	16	235
East.													
SHOREDITCH - - -	656	-	31	3	11	5	-	4	-	124	60	268	279
BETHNAL GREEN - -	675	-	20	14	11	7	-	5	1	101	67	231	203
STEPNEY - - -	1,582	-	65	14	19	30	1	14	-	231	147	609	234
POPLAR - - -	868	-	27	3	27	10	-	5	-	165	64	348	246
South.													
SOUTHWARK - - -	1,054	1	26	19	15	12	-	3	-	177	100	387	234
BERMONDSEY - - -	640	-	13	16	14	6	-	12	-	104	41	216	200
LAMBETH - - -	1,263	1	20	11	14	16	-	4	2	238	114	448	191
BATTERSEA - - -	740	-	47	4	4	15	-	3	-	165	44	326	245
WANDSWORTH - -	781	-	15	9	7	7	-	4	-	124	59	284	180
CAMBERWELL - -	986	-	6	16	27	18	-	8	-	172	91	356	195
DEPTFORD - - -	427	-	4	3	7	10	-	3	-	80	37	156	181
GREENWICH - - -	368	-	8	1	8	4	-	3	-	67	28	134	198
LEWISHAM - - -	427	-	6	1	4	6	-	3	-	80	28	164	205
WOOLWICH - - -	427	-	7	-	2	4	-	5	-	81	51	169	185

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 490 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 555 cases the previous residence was outside London, and these have been excluded from the Table.

Analysis of Metropolitan Water Supply during September, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th October, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of September, by the eight Water Companies.

Fourteen samples of the Chelsea Company's supply and thirteen samples of all the other Companies' supplies were examined, making a total of 105 samples analysed during the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
		°								
Thames.										
Chelsea - - -	September 10th. Cab Rank, Horse Guards, Whitehall.	16·7	24·30	·118	·016	0	·123	·139	1·85	18·6
West Middlesex -	September 10th. Cab Rank, Albert-road, near York and Albany.	16·8	23·04	·136	·015	0	·108	·123	1·9	16·9
Southwark - -	September 10th. Cab Rank, High-street, Peckham.	17·8	25·88	·131	·020	0	·138	·158	1·85	19·1
Grand Junction -	September 10th. Cab Rank, Piccadilly, opposite Bolton-street.	17·2	25·16	·115	·014	0	·158	·172	1·95	18·9
Lambeth - - -	September 10th. Cab Rank, Westminster Bridge-road.	17·0	25·28	·127	·015	0	·171	·186	1·95	18·9
Lea (Thames and Wells).										
New River - -	September 10th. Cab Rank, St. Clement Dane's Church, Strand.	16·8	24·62	·115	·013	0	·108	·121	1·9	18·3
East London - -	September 10th. Cab Rank, High-street, Shoreditch.	18·0	26·64	·124	·015	0	·218	·233	2·0	20·0
Deep Well.										
Kent - - - -	September 10th. Cab Rank, New Cross Station, opposite Jerningham-rd.	12·8	39·58	·037	·009	0	·453	·462	2·2	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected from the stand-pipe at the Horse Guards cab rank on September 10th, had a temperature of 16·7° C.; 100,000 lbs. of it contained 24·30 lbs. of solid matter in solution ; the organic substances constituting a portion of this matter contained ·118 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained no ammonia and ·123 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·139 lb. The above weight of water also contained 1·85 lbs. of chlorine and 18·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on September 10th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·8, New River and Grand Junction 2·2, Chelsea 2·3, East London and Lambeth 2·4, and West Middlesex and Southwark 2·6.

Of the Thames-derived supplies those of the Chelsea and Grand Junction Companies contained the smallest proportions of organic impurity, but in the other supplies the proportions were neither high nor unusual for the time of year. All the samples were of good chemical quality and clear.

Of the waters chiefly derived from the River Lea, that of the New River Company contained more organic matter than it usually does at this season of the year, but this was due to an admixture of filtered Thames water with the Company's ordinary supply; the water was, however, of good quality and clear. The East London Company's supply was clear and of the same quality as that distributed by the Thames Companies.

The Kent Company's deep well water was, as usual, clear and of excellent quality.

Seen through a stratum two feet deep, the Kent Company's water was colourless, and the supplies of all the other Companies very pale yellow in colour.

In addition to the above analytical examination, 105 samples, collected during the month of September, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded.

The following results, expressed in parts per 100,000, were obtained:—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·057	·049	·053	·066	·055	·060	·008	·0055	·0065
West Middlesex	·064	·051	·057	·074	·056	·064	·0085	·005	·007
Southwark	·068	·046	·059	·077	·052	·064	·0075	·006	·007
Grand Junction	·068	·052	·056	·074	·057	·062	·0075	·005	·0065
Lambeth	·073	·057	·063	·078	·064	·069	·008	·005	·0065
New River	·048	·017	·028	·054	·021	·032	·0065	·002	·004
East London	·071	·051	·062	·078	·053	·068	·008	·006	·007
Kent	·007	·004	·006	·008	·005	·007	·002	·001	·0017

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

Of the water supplied by the Thames Companies, that of the Chelsea Company contained, on the average, least organic impurity, and was the best in quality. The supplies of all the other Companies were of good quality, and, in all cases, the maximum and mean amounts of organic matter were less than were found during the month of August.

With regard to the Lea-derived supplies, the New River Company's water, on a few occasions, was found to contain somewhat more organic matter than usual, but from information supplied by the Secretary to the Company it appears that these abnormal results were due to an admixture of filtered Thames water, this being necessary in connection with the arrangements whereby the East London Company has been assisted during the past month.

The East London Company's Lea supply was of good quality throughout the month, and the proportion of organic matter in it was almost identical with that observed in the Thames Companies' supplies.

All the samples of the Kent Company's water were of their usual great organic purity.

All the samples of the Grand Junction, Lambeth, New River and Kent Companies' supplies were clear, but in the cases of the remaining Companies, on a few occasions, minute amounts of suspended matter, probably derived from the mains, were present.

I am, Sir,

Your obedient Servant,

T. E. Thorpe,

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of September, 1901. The supply was in the ratio of 241 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	September, 1900.	September, 1901.	September, 1900.	September, 1901.
Total Supply - - -	911,438	932,746	220,158,052	224,923,899
From Thames - - - - - -	434,359	443,303	116,343,545	120,075,837
From Lea and from other Sources -	477,079	489,443	103,814,507	104,848,062
Thames.				
Chelsea - - - - - - -	38,851	39,278	13,181,014	13,196,359
West Middlesex - - - - - -	86,059	87,588	21,487,405	23,284,795
Southwark and Vauxhall - -	124,535	125,799	34,739,404	32,924,800
Grand Junction - - - - -	67,080	68,998	19,973,255	20,308,213
Lambeth - - - - - - -	117,834	121,640	26,962,467	30,361,670
Lea and other Sources.				
New River - - - - - - -	171,049	173,752	41,852,622	41,717,633
East London - - - - - -	209,829	216,005	43,451,285	44,329,000
Kent - - - - - - - -	96,201	99,686	18,510,600	18,801,429

Note.—The Return for September, 1901, as compared with that for the corresponding month of 1900 shows an increase of 21,308 services and of 4,765,847 gallons of water supplied daily.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE .E.C

No. 41. 1901. VOL. LXII.] WEEK ENDED SATURDAY, OCT. 12. [Price 1½*d*.

General Register Office, Somerset House,
October 14th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 16·7, and 15·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	TOWNS.	Weeks ended Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
33 Great Towns	16·8	16·7	15·6	15·9	Leicester - -	15·9	9·6	12·5	14·7
Birkenhead -	12·2	15·0	13·1	12·7	Liverpool - -	19·4	18·3	20·0	17·9
Birmingham -	17·3	21·6	17·1	16·8	London - - -	15·6	15·0	14·7	15·0
Blackburn -	15·9	17·1	18·4	15·9	Manchester - -	19·2	21·5	18·1	20·8
Bolton - -	20·7	16·1	12·1	14·5	Newcastle-on-Tyne	20·6	25·6	21·3	22·5
Bradford -	17·3	12·5	10·8	14·5	Norwich - -	16·3	19·1	14·0	15·8
Brighton -	14·8	16·0	13·9	16·9	Nottingham - -	18·0	13·2	14·1	13·2
Bristol - -	11·2	13·3	12·3	13·4	Oldham - -	20·1	16·7	14·0	19·4
Burnley -	25·2	17·7	16·6	13·4	Plymouth - -	15·9	13·5	15·0	12·6
Cardiff - -	13·6	12·9	12·0	12·0	Portsmouth - -	17·6	16·5	13·5	18·1
Croydon -	17·0	10·5	13·2	9·7	Preston - -	20·3	18·9	17·5	17·1
Derby - -	11·8	12·8	11·3	9·3	Salford - - -	20·0	17·9	17·4	21·7
Gateshead -	22·7	22·7	19·8	13·7	Sheffield - -	19·0	20·6	18·8	18·8
Halifax -	17·4	17·4	12·9	15·9	Sunderland - -	25·6	27·3	23·1	16·3
Huddersfield-	19·2	15·9	11·0	15·4	Swansea - -	11·6	19·8	14·9	11·6
Hull - -	15·1	20·3	15·5	19·6	West Ham - -	18·6	17·6	17·5	13·6
Leeds - -	16·6	19·1	18·4	17·4	Wolverhampton -	13·8	17·7	16·0	13·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *scarlet fever*, 1·0 in Halifax, 1·1 in Swansea, and 2·3 in Preston; from *whooping-cough*, 1·0 in Newcastle-on-Tyne; from "*fever*," 1·0 in West Ham and 1·1 in Portsmouth; and from *diarrhœal diseases*, 2·3 in West Ham and in Sheffield, 2·4 in Gateshead, 2·8 in Wolverhampton, 3·0 in Hull, and 3·3 in Salford. In none of the thirty-three towns did the death-rate from *measles* reach 1·0 per 1000. The 93 deaths from *diphtheria* included 54 in London, 5 in West Ham, 5 in Leicester, 4 in Liverpool, 3 in Bristol, 3 in Cardiff, 3 in Salford, and 3 in Leeds. Three deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2676 BIRTHS and 1309 DEATHS were registered. Allowing for increase of population, the births were 83 above, and the deaths 166 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·6, 15·0, and 14·7 in the preceding three weeks, rose again last week to 15·0.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

During the four weeks ended on Saturday last the death-rate averaged 15·1 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1309 deaths included 3 from small-pox, 14 from measles, 22 from scarlet fever, 54 from diphtheria, 10 from whooping-cough, 11 from enteric fever, 50 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 164 deaths were referred to these diseases, being 18 below the corrected average weekly number.

The deaths from *small-pox*, which had been 3, 5, and 3 in the preceding three weeks, were again 3 last week; the cases belonged to the City of Westminster, and the Boroughs of St. Pancras and Stepney, respectively. The deaths from *measles*, which had been 19, 13, and 14 in the preceding three weeks, were again 14 last week, the corrected average being 21. The deaths from *scarlet fever*, which had been 9, 13, and 14 in the preceding three weeks, further rose last week to 22, and were 4 above the corrected average; 3 cases belonged to St. Marylebone and 3 to Southwark. The deaths from *diphtheria*, which had been 27, 34, and 30 in the preceding three weeks, rose again last week to 54, and were 3 above the corrected average; 8 cases belonged to Islington, 8 to Hackney, 7 to St. Pancras, 6 to Camberwell, 4 to Fulham, 4 to Stepney, 3 to Paddington, and 3 to Wandsworth. The deaths from *whooping-cough*, which had been 14, 13, and 11 in the preceding three weeks, were 10 last week, the corrected average being 18. The fatal cases of *enteric fever*, which had been 14, 19, and 18 in the preceding three weeks, fell last week to 11, and were 9 below the corrected average; 2 cases belonged to Battersea, 2 to Wandsworth, and 2 to Lewisham. The deaths from *diarrhœal diseases*, which had been 138, 88, and 78 in the preceding three weeks, further fell last week to 50, and were 5 below the corrected average. Of the 50 deaths from diarrhœal diseases, 42 were of children under 5 years of age; 2 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 124, 137, and 132 in the preceding three weeks, rose again last week to 186, but were 55 below the corrected average. The deaths attributed directly to *influenza* numbered 8, having been 4, 3, and 3 in the preceding three weeks.

Different forms of *violence* caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 39 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 4 to burns and scalds, 8 to drowning, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 175 cases of small-pox, 3280 of scarlet fever, 1522 of diphtheria, and 307 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 37 cases, against 37, 44, and 51; of scarlet fever, 422 cases, against 427, 460, and 426; of diphtheria, 224 cases, against 254, 258, and 246; and of enteric fever, 48 cases, against 66, 37, and 47. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended October 5th.

Greater London.

In Greater London 3928 births and 1759 deaths were registered, corresponding to annual rates of 31·0 and 13·9 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox, 3 from measles, 6 from scarlet fever, 13 from diphtheria, 6 from whooping-cough, 16 from "fever," and 34 from diarrhœal diseases were registered. The 3 cases of small-pox belonged to Dartford, Isleworth, and Tottenham respectively. Nine deaths from diphtheria and 11 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 50°·7; the latter being 1°·0 below the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 39 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 20·3 hours; the measured rainfall amounted to 0·19 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 12th Oct., 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Proportion per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns –	**11,463,026**	**6556**	**3498**	**965**	**751**	**3**	**34**	**51**	**93**	**32**	**55**	**217**	**125**	**252**	**846**	**39**	**15·9**	**2·2**	**62·3**	**30·8**	**48·7**	**9·28**	**0·77**	**1·96**	**33 Towns.**
London – –	4,543,757	2676	1309	329	298	3	14	22	54	10	11	50	49	117	440	3	15·0	1·9	62·3	37·2	50·7	10·39	0·19	0·48	London.
West Ham – –	268,868	191	70	30	9	–	–	–	5	1	5	12	3	6	12	–	13·6	4·5	–	–	–	–	–	–	West Ham.
Croydon – –	134,665	62	25	7	7	–	–	–	1	–	–	2	–	2	3	–	9·7	1·2	62·0	38·0	49·8	9·89	0·20	0·51	Croydon.
Brighton – –	123,668	61	40	11	14	–	–	–	2	–	–	3	1	5	11	–	16·9	2·1	–	–	–	–	–	–	Brighton.
Portsmouth –	189,907	104	66	16	17	–	–	–	1	–	4	2	5	12	15	1	18·1	1·9	–	–	–	–	–	–	Portsmouth.
Plymouth – –	107,974	52	26	6	9	–	–	–	1	–	1	2	–	–	–	–	12·6	1·9	–	–	–	–	–	–	Plymouth.
Bristol – –	329,831	169	85	20	27	–	–	–	3	–	3	3	2	4	20	1	13·4	1·4	–	–	–	–	–	–	Bristol.
Cardiff – –	165,308	87	38	11	9	–	–	–	3	–	–	2	1	2	2	–	12·0	1·6	–	–	–	–	–	–	Cardiff.
Swansea – –	94,618	56	21	3	4	–	–	2	–	–	–	–	2	2	3	–	11·6	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	43	25	9	8	–	–	–	–	–	1	5	1	2	2	–	13·8	3·3	58·6	30·8	46·6	8·11	0·97	2·46	Wolverhampton.
Birmingham –	523,284	297	169	53	24	–	–	4	2	2	1	16	7	9	40	3	16·8	2·5	–	–	–	–	–	–	Birmingham.
Norwich – –	111,997	59	34	12	8	–	–	–	1	–	1	4	2	2	4	–	15·8	2·8	–	–	–	–	–	–	Norwich.
Leicester – –	212,498	110	60	14	13	–	–	–	5	1	–	6	2	2	6	–	14·7	2·9	–	–	–	–	–	–	Leicester.
Nottingham –	240,400	139	61	16	16	–	–	–	–	–	3	2	2	3	10	–	13·2	1·1	57·5	31·2	47·1	8·39	0·34	0·86	Nottingham.
Derby – – –	106,076	61	19	4	6	–	–	–	–	–	1	1	–	2	8	–	9·3	1·0	–	–	–	–	–	–	Derby.
Birkenhead –	111,203	61	27	11	6	–	1	–	–	1	–	–	–	–	5	–	12·7	0·9	–	–	–	–	–	–	Birkenhead.
Liverpool – –	686,332	371	236	59	55	–	–	4	4	4	4	9	11	14	65	15	17·9	1·9	58·3	42·8	50·2	10·11	1·28	3·25	Liverpool.
Bolton – –	168,748	92	47	15	8	–	1	–	1	1	1	6	1	3	4	–	14·5	3·1	–	–	–	–	–	–	Bolton.
Manchester –	544,934	288	217	59	30	–	5	3	1	2	5	11	9	14	57	4	20·8	2·6	–	–	–	–	–	–	Manchester.
Salford – –	221,526	125	92	31	13	–	2	2	3	1	2	14	–	1	19	–	21·7	5·6	–	–	–	–	–	–	Salford.
Oldham – –	137,382	58	51	7	18	–	1	–	–	–	1	4	2	3	10	–	19·4	2·3	–	–	–	–	–	–	Oldham.
Burnley – –	97,295	45	25	6	5	–	–	–	–	–	–	2	–	2	3	–	13·4	1·1	–	–	–	–	–	–	Burnley.
Blackburn – –	127,714	57	39	12	4	–	2	2	–	1	–	3	1	2	3	1	15·9	3·3	–	–	–	–	–	–	Blackburn.
Preston – –	113,117	52	37	10	9	–	–	5	–	–	1	1	–	1	6	–	17·1	3·2	57·0	42·0	49·3	9·61	1·44	3·66	Preston.
Huddersfield –	94,998	57	28	7	8	–	–	–	–	1	–	–	–	–	4	–	15·4	0·5	–	–	–	–	–	–	Huddersfield.
Halifax – –	105,113	54	32	4	9	–	–	2	–	–	–	–	1	3	9	2	15·9	1·0	–	–	–	–	–	–	Halifax.
Bradford – –	280,161	114	78	26	15	–	–	1	1	1	–	1	1	6	7	–	14·5	0·7	58·4	39·0	47·4	8·56	0·95	2·41	Bradford.
Leeds – – –	430,489	263	144	44	32	–	2	1	3	2	2	8	6	8	20	2	17·4	2·2	–	–	–	–	–	–	Leeds.
Sheffield – –	382,129	251	138	50	21	–	6	1	1	–	4	17	5	5	17	4	18·8	4·0	–	–	–	–	–	–	Sheffield.
Hull – – –	241,622	175	91	34	15	–	–	–	1	–	2	14	4	8	14	–	19·6	3·7	–	–	–	–	–	–	Hull.
Sunderland –	146,937	94	46	13	8	–	–	1	–	–	–	5	2	3	8	2	16·3	2·1	–	–	–	–	–	–	Sunderland.
Gateshead – –	110,492	79	29	10	8	–	–	–	–	–	–	5	–	–	1	1	13·7	2·4	–	–	–	–	–	–	Gateshead.
Newcastle – –	215,516	153	93	26	18	–	–	1	–	4	2	7	5	9	18	–	22·5	3·4	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIRST Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2508	2511	2434	2323	2622	2536	2633	2454	2549	2429	2593·0	2676
Males - -	1278	1278	1250	1184	1355	1344	1347	1219	1317	1198	1324·6	1368
Females - -	1230	1233	1184	1139	1267	1192	1286	1235	1232	1231	1268·4	1308
TOTAL **Deaths** -	1321	1395	1477	1291	1435	1378	1381	1600	1637	1305	1474·9	1309
Males - -	676	697	742	692	733	743	721	812	882	679	765·1	667
Females - -	645	698	735	599	702	635	660	788	755	626	709·8	642

* The numbers in this column are the average weekly numbers in the forty-first week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
TOTAL **Births** - - -	2519	2384	2844	2322	2659	2643	2483	2582	2442	2355	2581	2499	2676
TOTAL **Deaths** - - -	1411	1582	1747	1636	1705	1676	1623	1471	1398	1360	1304	1280	1309
Ages at Death: Under 1 year - -	411	583	716	664	734	689	647	543	435	370	345	341	329
1—5 years - -	168	215	196	185	185	167	200	137	118	146	156	115	160
5—20 " - -	77	73	87	92	70	83	78	80	80	81	87	71	78
20—40 " - -	175	169	191	171	186	177	174	157	166	176	171	181	183
40—60 " - -	279	252	268	244	259	233	249	256	258	264	251	257	261
60—80 " - -	244	241	243	226	229	270	226	243	270	262	233	270	251
80 years and upwards	57	49	46	54	42	57	49	55	71	61	61	45	47
Deaths from—													
Small-pox - - - -	-	-	1	1	2	-	7	7	9	3	5	3	3
Measles - - - - -	45	60	45	40	37	26	40	13	13	19	13	14	14
Scarlet Fever - - -	10	20	15	10	16	12	13	14	13	9	13	14	22
Diphtheria - - - -	30	28	28	24	30	27	22	20	28	27	34	30	54
Whooping-cough - - -	17	24	20	19	24	17	20	27	8	14	13	11	10
Typhus - - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever - - -	9	10	11	18	10	25	12	17	14	14	19	18	11
Simple Continued Fever -	2	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	140	289	399	367	404	375	348	271	184	138	87	78	50
Cholera - - - - -	-	5	4	5	7	4	4	4	4	-	1	-	-
All the above Diseases - -	253	436	523	484	531	486	466	373	273	224	185	168	164
Dis. of Respiratory System -	135	134	126	126	103	126	114	124	116	124	137	132	186
Phthisis - - - - -	114	111	153	106	123	120	142	124	129	147	139	155	136
Dis. of Circulatory System -	116	111	113	113	97	120	100	142	131	133	101	119	122
Violence - - - -	72	74	81	77	68	56	60	45	48	75	59	52	49
Inquest Cases - - - -	138	141	162	155	159	116	157	120	119	133	118	124	117
Deaths in Public Institutions -	467	459	507	458	460	467	478	462	484	503	480	441	440
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - - -	68·4	61·6	65·1	64·6	61·0	63·9	58·6	56·4	59·4	56·8	58·7	57·3	50·7
Mean of Highest readings -	81·6	71·7	75·8	76·8	72·2	76·6	68·5	65·1	68·2	65·6	68·3	67·0	57·9
Mean of Lowest readings -	54·4	54·5	54·9	55·3	52·1	50·5	51·5	47·8	53·5	48·9	50·5	49·3	43·6
Humidity of the Air - -	63	83	72	70	71	67	71	66	83	81	81	85	82
Rain-fall (in inches) - -	0·00	1·30	0·38	0·08	0·50	0·00	1·36	0·00	0·25	1·10	0·00	1·24	0·19
Registered Sunshine (in hours)	75·5	18·4	49·2	49·0	49·3	74·4	39·2	52·3	17·0	19·8	21·3	27·8	20·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	14	11	13	11	13	41	74	92	137	153	163	169	175
Scarlet Fever - - - -	2907	2974	3091	3148	3101	3040	3008	2994	3064	3098	3151	3159	3280
Diphtheria - - - -	1267	1303	1336	1363	1361	1318	1344	1365	1417	1465	1512	1539	1522
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	152	165	166	180	188	198	225	254	262	290	292	296	307

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIRST Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 41st Week of the 10 years 1891-1900*.	In the Week ended Saturday, 12th October, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1474·9	1309	329	160	78	183	261	251	47
all-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
all-pox { Unvaccinated -	0·2	2	1	1	-	-	-	-	-
all-pox { No Statement -	0·2	1	-	-	-	-	1	-	-
asles - - - -	20·6	14	1	12	1	-	-	-	-
arlet Fever - - -	17·9	22	3	8	6	5	-	-	-
hooping-cough - -	18·4	10	4	5	1	-	-	-	-
iphtheria - - -	50·5	54	4	33	17	-	-	-	-
ample Continued and Ill-defined Fever -	0·1	-	-	-	-	-	-	-	-
puerperal Fever - - -	19·6	11	-	1	2	5	3	-	-
cholera and Chol. Diarr.	0·5	-	-	-	-	-	-	-	-
diarrhœa, Dysentery -	54·0	50	35	7	1	1	1	4	1
intermittent Fever - -	-	-	-	-	-	-	-	-	-
hydrophobia - - -	-	-	-	-	-	-	-	-	-
glanders - - - -	0·1	-	-	-	-	-	-	-	-
smallpox and Effects of Vaccination - -	0·3	-	-	-	-	-	-	-	-
erysipelas - - -	9·2	7	6	-	-	-	-	1	-
pyæmia and Septicæmia	4·9	3	-	-	-	1	2	-	-
puerperal Fever - -	2·1	1	-	-	1	-	-	-	-
other Zymotic Diseases -	5·9	3	-	-	-	3	-	-	-
	1·2	1	-	-	-	-	1	-	-
cough - - - -	0·6	1	1	-	-	-	-	-	-
worms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·3	1	1	-	-	-	-	-	-
Atrophy - - -	12·2	18	-	-	-	7	8	3	-
Rheumatic Fever, Rheumatism of Heart	8·4	5	-	-	2	1	2	-	-
Rheumatism - - -	1·1	5	1	-	1	1	-	2	-
Gout - - - - -	3·0	3	-	-	-	-	2	1	-
Cancer - - - -	4·6	4	-	3	1	-	-	-	-
Cancer - - - -	73·9	71	-	-	1	5	23	39	3
Tabes Mesenterica -	22·8	26	19	6	-	-	1	-	-
Epidemic Meningitis -	19·7	24	8	10	6	-	-	-	-
Phthisis - - - -	158·3	136	1	2	10	71	43	9	-
Scrofula, Tuberculosis -	18·6	15	2	4	1	6	2	-	-
Other Constitutional Diseases - -	15·8	12	-	2	-	3	3	4	-
Premature Birth - -	47·3	58	58	-	-	-	-	-	-
Phlebectasis - - -	4·1	4	4	-	-	-	-	-	-
Congenital Malformations - - -	6·4	7	7	-	-	-	-	-	-
Old Age - - - -	47·5	31	-	-	-	-	-	18	13
Apoplexy - - - -	41·3	43	-	-	-	2	18	22	1
Epilepsy - - - -	7·8	6	-	-	-	1	3	2	-
Convulsions - - -	39·2	33	31	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	72·2	63	10	8	1	8	19	14	3
Diseases of Organs of Special Sense -	4·6	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 41st Week of the 10 years 1891-1900*.	In the Week ended Saturday, 12th October, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	128·5	122	-	2	14	15	36	48	7
Croup - - - -	2·4	-	-	-	-	-	-	-	-
Bronchitis - - -	120·6	64	15	7	-	3	7	25	7
Pneumonia - - -	91·6	95	27	26	2	7	21	12	-
Pleurisy - - - -	4·5	3	-	1	-	1	1	-	-
Other Diseases of Respiratory System -	22·2	24	6	5	-	2	7	3	1
Dentition - - -	5·4	3	2	1	-	-	-	-	-
Quinsy, Sore Throat -	2·1	2	-	-	-	1	1	-	-
Enteritis - - -	29·4	22	10	2	1	2	2	5	-
Gastro-enteritis -		3	2	-	-	-	-	1	-
Peritonitis - - -	5·8	3	1	-	-	-	2	-	-
Diseases of Liver - -	22·3	25	2	-	1	4	9	9	-
Other Diseases of Digestive System	29·4	29	10	-	3	4	7	4	1
Diseases of Lymphatic System & of Ductless Glands - - -	3·1	3	1	-	1	-	1	-	-
Diseases of Urinary System - -	44·9	46	-	2	-	5	18	16	5
Diseases of Generative System - -	5·1	6	-	1	-	2	1	2	-
Accidents of Childbirth -	5·2	1	-	-	-	1	-	-	-
Diseases of Locomotive System - -	4·8	7	-	1	2	1	2	-	1
Diseases of Integumentary System - -	5·9	6	4	-	-	-	2	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·9	-	-	-	-	-	-	-	-
By Vehicles or Horses -	5·7	2	-	-	-	-	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·4	-	-	-	-	-	-	-	-
In Building Operations -	0·5	-	-	-	-	-	-	-	-
In Conflagrations - -	-	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	5·9	4	-	2	-	2	-	-	-
By Drowning - - -	4·7	8	-	-	1	4	1	2	-
By Suffocation in Bed -	9·5	9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·2	1	-	-	-	1	-	-	-
Other or not stated causes - - -	19·9	15	2	2	-	3	3	2	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·6	1	1	-	-	-	-	-	-
Suicide - - - -	6·5	9	-	-	-	5	3	1	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	60·1	43	40	3	-	-	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for ease of population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered lical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 12th October, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2676	1309	329	298	3	14	22	54	10	-	11	-	50	49	117	449
WEST DISTRICTS - - -	805,275	348	178	35	50	1	2	1	2	1	-	-	-	7	6	12	57
NORTH DISTRICTS - - -	1,056,018	610	277	61	70	-	2	8	24	1	-	2	-	11	4	17	86
CENTRAL DISTRICTS - - -	209,432	121	83	19	14	-	2	-	1	1	-	-	-	5	8	12	38
EAST DISTRICTS - - - -	715,772	494	237	79	44	-	5	2	7	3	-	-	-	10	11	31	86
SOUTH DISTRICTS - - -	1,749,566	1103	493	134	109	-	3	11	19	4	-	9	-	17	20	44	132
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	1	11	2	-	-	1	-	-	-	-	-	-	1	41
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	58	25	9	7	-	-	-	-	-	-	-	-	1	1	1	8
St. John Paddington *H* - - G.	33,608	6	7	1	3	-	-	-	-	-	-	-	-	-	-	-	4
North-West Paddington - - C.	17,181	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	55	37	8	10	-	2	-	-	-	-	-	-	-	1	3	8
Brompton *HH* - - W. & C.	48,598	7	9	2	1	-	-	-	-	-	-	-	-	1	1	2	3
North Hammersmith *H* W. & G.	49,335	16	7	-	1	-	-	-	1	-	-	-	-	1	1	1	-
South Hammersmith *wH* W. & G.	62,910	36	11	2	4	-	-	-	-	-	-	-	-	-	1	2	2
North-west Fulham *W* W. & C.	45,180	36	14	2	5	-	-	-	-	1	-	-	-	-	-	-	8
North-east Fulham *H* W. & C.	46,404	20	7	2	1	-	-	1	1	-	-	-	-	-	-	-	2
South Fulham W. & C.	45,705	38	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North *WwHHH* - C.	42,515	20	15	2	5	1	-	-	-	-	-	-	-	-	-	1	11
Chelsea South *HH* - - - C.	31,341	9	7	3	2	-	-	-	-	-	-	-	-	2	-	1	2
May Fair and Knightsbridge *H* C.&G.	28,744	4	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHH* - - - C.	55,812	11	13	2	3	-	-	-	-	-	-	-	-	-	1	1	5
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	21	10	1	4	-	-	-	-	-	-	-	-	1	-	-	3
St. James Westminster *WH* N. & G.	21,595	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	11,492	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	35,394	12	9	-	4	-	-	-	-	-	-	-	-	-	-	-	3
Rectory Marylebone *W* G. & W.	19,869	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	35	6	3	2	-	-	-	-	-	-	-	-	-	-	-	4
Christchurch Marylebone *H* - W.	39,541	21	8	1	3	-	-	1	-	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W.	20,426	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hampstead *WHHHHHH* - - N. & W.	81,942	34	24	3	4	-	-	5	4	-	-	-	-	-	-	-	10
Regent's Park *H* - - - W.	50,647	32	12	4	3	-	-	-	1	-	-	-	-	1	-	1	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	7	13	3	4	-	-	-	-	-	-	-	-	-	-	-	8
Gray's Inn Lane *HHHH* - N.	30,886	17	7	1	1	-	-	-	-	-	-	-	-	-	-	-	3
Somers Town *HH* - - - N.	30,131	26	7	4	-	-	-	-	-	-	-	1	-	1	1	1	2
Camden Town *WH* - - N.	40,079	36	14	2	4	-	-	-	3	-	-	-	-	-	-	-	9
Kentish Town *WW* - - N.	58,727	36	13	3	4	-	-	-	1	-	-	-	-	2	1	1	5
Tufnell *W*		14	14	1	4	-	1	-	-	-	-	-	-	-	-	1	7
Upper Holloway *WWwHH* N.	99,841	23	30	6	8	-	-	-	1	-	-	1	-	1	-	3	17
Tollington *W*		21	5	1	2	-	-	-	1	-	-	-	-	1	-	-	-
Lower Holloway - - - N.	41,411	18	7	-	1	-	1	-	1	-	-	-	-	1	-	-	-
Barnsbury - - - - - N.	54,479	48	8	4	2	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east *H* - - N.	75,402	47	17	4	2	-	-	1	4	-	-	-	-	-	-	-	3
Highbury *HH* - - - - N.	63,795	24	10	3	1	-	-	-	-	1	-	-	-	-	-	1	-
Stoke Newington *H* - - N.	51,247	22	14	1	7	-	-	-	1	-	-	-	-	1	-	1	-
North Hackney - - E. & N.	50,570	20	13	2	5	-	-	-	1	-	-	-	-	1	2	4	-
Central Hackney *wH* - E. & N.	50,535	31	12	2	3	-	-	1	4	-	-	-	-	-	-	1	4
South-west Hackney *HHH* E. & N.	59,929	44	16	7	2	-	-	-	1	-	-	-	-	1	-	1	6
South-east Hackney *WwH* E. & N.	58,254	34	13	6	3	-	-	-	-	-	-	-	-	1	-	1	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therei namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts, entitled Tufnell, Upp Holloway, and Tollington respectively.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	15	8	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
St. Giles North *H* - - - N.	8,959	3	2	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Martin-in-the-Fields *HH* N.&C.	12,975	5	5	–	1	–	–	–	–	–	–	–	–	–	1	1	3	–
Strand *WHH* - - - - N.	8,694	4	10	–	3	–	–	–	–	–	–	–	–	1	1	1	8	–
Strand Union Workhouse, Edmonton -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *WHHHHHH* - - N.	29,579	13	22	6	3	–	1	–	1	1	–	–	–	3	–	1	14	–
St. James Clerkenwell - - N.	15,634	7	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Amwell - - - - - N.	32,691	27	6	4	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Goswell-street - - - - N.	15,390	7	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Finsbury* *HHHL* - - - N.	35,376	33	7	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Holborn Union Workhouse, Mitcham - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H* - - - N. & E.	11,036	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre *WH* - - - N.	7,886	2	13	–	2	–	–	–	–	–	–	–	–	1	3	4	11	–
Allhallows Barking - - - N.	8,717	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
City of London Asylum, Stone - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hoxton New Town *wH* - - N.	29,761	23	22	5	7	–	–	–	–	–	–	–	–	2	1	2	11	–
Hoxton Old Town - - - N.	26,510	17	7	2	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Haggerston *W* - - - N & E.	46,064	30	15	5	2	–	–	–	–	–	–	–	–	–	–	–	6	–
Bethnal Green North *HH* - E.	51,513	36	8	2	–	–	–	–	1	–	–	–	–	–	–	2	2	–
Bethnal Green South - - E.	33,473	24	8	5	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Bethnal Green East *WWHl* - E.	44,695	29	21	6	3	–	2	–	–	1	–	–	–	2	–	2	9	–
Spitalfields - - - E. & N.	27,965	16	4	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Mile End New Town *WH* - E.	28,711	23	32	9	3	–	–	–	3	–	–	–	–	–	4	6	26	–
Goodman's Fields - - - E.	22,082	22	9	4	1	–	–	–	–	–	–	–	–	–	1	1	–	–
St. George's, North - - - E.	40,965	42	12	7	1	–	–	–	–	–	–	–	–	–	1	3	–	–
St. John *W* - - - - E.	8,122	6	7	3	1	–	–	–	–	–	–	–	–	1	–	–	5	–
Shadwell *H* - - - E. & N.	10,760	9	6	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–
Ratcliff *W* - - - - E.	14,770	11	4	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Limehouse - - - - - E.	32,358	19	7	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Mile End Old Town West *H* - E.	59,467	51	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town East *WWw* - - - E.	53,348	22	14	2	4	–	–	1	1	1	–	–	–	2	–	1	4	–
Bow *l* - - - - - E.	41,990	27	10	3	2	–	1	1	1	–	–	–	–	–	1	3	–	–
Bromley *wwwH* - - - E.	68,326	39	34	8	11	–	–	–	1	–	–	–	–	3	–	2	19	–
Poplar *Ww* - - - - E.	58,522	38	10	3	2	–	1	–	–	–	–	–	–	–	1	3	–	–

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	12	10	–	1	–	–	–	–	–	–	–	–	–	3	3	9	–
Kent-road - - - S. & L.	21,899	22	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,882	16	11	4	2	–	1	–	–	–	–	–	–	–	1	3	4	–
London-road *HL* - L. & S.	22,209	14	4	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,485	18	8	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–
St. Peter Walworth *W*- S. & L.	61,773	35	9	1	3	–	–	–	–	–	–	–	–	–	–	1	2	1
St. Mary Newington - L. & S.	31,592	29	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Olave *W* - - - - S.	9,813	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Bermondsey *WH*- - - S.	82,405	83	20	8	3	–	–	–	–	–	–	–	–	1	–	1	–	–
Rotherhithe *WH* - - S. & K	38,268	23	19	5	5	–	–	–	–	–	–	–	–	1	2	2	6	–
Waterloo-road *HH* - L. & S.	27,435	23	9	4	–	–	–	–	–	1	–	–	–	–	1	1	2	–
Lambeth Church 1st *H* L. & S.	18,420	14	13	2	1	–	–	–	–	–	–	–	–	–	–	–	9	–
Lambeth Church 2nd *WW* L. & S.	39,818	34	33	9	11	–	–	–	–	–	–	–	–	1	1	3	19	–
Kennington 1st *H* - S. & L.	53,196	48	11	5	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Kennington 2nd - - S. & L.	42,891	18	7	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *H* - - - L. & S.	84,226	41	15	3	6	–	–	–	–	–	–	1	–	1	1	2	1	–
Norwood *WH* - - - L.	35,887	13	5	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–
East Battersea - - - S.	72,201	45	19	7	2	–	1	–	–	–	–	2	–	1	1	4	–	–
North-west Battersea - - S.	49,650	27	10	4	1	–	–	–	–	1	–	–	–	–	2	3	–	–
South-west Battersea *WH* - S.	47,045	19	20	2	7	–	–	–	–	–	–	–	–	1	–	–	10	–
Clapham *H* - - - - S.	51,353	28	11	5	1	–	–	–	–	–	–	–	–	1	1	1	1	–
Streatham *WwwHHL* - L.	88,129	50	31	8	6	–	–	3	10	–	–	2	–	1	–	–	14	–
Wandsworth *WHL* - - S.	68,409	40	12	4	1	–	–	–	1	–	–	–	–	2	1	1	–	–
Putney - - - - - S.	24,139	6	9	3	1	–	–	–	–	–	–	1	–	–	1	2	–	–
Dulwich - - - - L. & S.	10,246	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Camberwell *Wwll* - S. & L.	90,404	43	40	7	11	–	–	–	1	–	–	–	–	–	1	2	24	–
Peckham *W*- - S., L., & K.	93,022	57	26	6	7	–	–	–	1	–	–	–	–	–	2	4	–	1
St. George Camberwell - L. & S.	65,586	44	13	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Deptford North - - - K.	37,601	23	10	1	3	–	–	–	–	–	–	–	–	1	–	–	–	1
Deptford Central *H* - - K.	45,621	32	13	5	1	–	–	2	1	1	–	1	–	1	–	1	2	–
Deptford South - - - K.	34,622	15	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,456	13	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Greenwich East *WH* - - K.	43,849	33	11	2	7	–	–	–	–	–	–	–	–	1	–	–	5	–
Eltham *wH* - - - - K.	7,218	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Lee *H* - - - - - K.	25,489	9	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwH* - - - K.	58,341	49	33	6	7	–	–	5	4	1	–	2	–	2	1	2	16	–
Sydenham *H* - - - L.	43,630	21	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *HHH* - - - K.	21,121	11	5	–	–	–	–	1	1	–	–	–	–	–	–	–	2	–
Woolwich *HHHH* - - K.	41,607	29	13	5	3	–	–	–	–	–	–	–	–	–	1	2	–	–
Plumstead West *H* - - K.	18,076	9	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	33	11	4	4	–	–	–	–	–	–	–	–	–	–	2	4	–
London County Asy., Banstead -	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
London County Asy., Epsom -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Caterham	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–
London County Asy., Cane Hill -	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	–	6	–
M.A.B. Ships and Hosp., Dartford	—	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–
Met. Asy. for Imbeciles, Darenth -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asylum, Dartford Heath - - - - -	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
London County Asylum, Hanwell	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Central London Sick Asy., Hendon	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Colney Hatch	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
M.A.B. North-Eastern Hospital -	—	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–
London County Asylum, Claybury	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th October, 1901.

Registration District and Sub-District Nos.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1252	450	129	106	3	3	6	13	6	16	34	9	26	56	-
:1	Carshalton *H*	12,228	32,997	14	6	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	11	6	2	2	-	-	-	-	-	-	-	-	1	2	-
:1	Godstone, *part of** *W*	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH*	20,851	164,519	76	28	7	10	-	-	-	1	-	-	2	-	2	3	-
2	Mitcham *w*	11,689	29,906	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH*	3,221	41,604	25	5	1	1	-	1	-	-	-	-	1	-	1	-	-
2	Kingston *WH*	6,224	42,067	17	7	3	1	-	-	-	-	-	-	1	-	-	1	-
3	Surbiton *HH*	3,046	15,019	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*	5,402	13,003	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-
5	Hampton *HL*	4,564	23,447	14	7	1	3	-	-	-	1	-	-	-	-	-	-	-
:1	Richmond *WHH*	2,162	28,871	12	9	1	3	-	-	-	-	-	-	1	1	1	2	-
2	Mortlake *H*	2,847	20,628	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
:1	Bromley *HHH*	4,703	27,358	12	7	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H*	7,825	28,499	13	9	3	3	-	-	-	-	2	-	1	-	-	1	-
3	Orpington, *part of** *W*	10,113	9,857	2	5	-	3	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH*	7,333	16,458	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH*	12,532	46,445	36	13	3	4	-	-	-	-	-	1	1	-	1	1	-
2	Dartford *WH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury *w*	11,054	18,682	18	3	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Staines *WH*	13,277	15,179	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Hillingdon *WHH*	6,035	13,661	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	12,757	8,984	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	8,066	16,358	6	6	2	-	-	-	-	-	-	-	-	1	1	1	-
:1	Isleworth *WHH*	6,859	30,838	22	8	3	1	1	-	-	-	-	-	-	-	-	4	-
2	Twickenham *HH*	2,421	20,991	8	6	2	1	-	-	1	-	-	-	-	-	-	1	-
3	Brentford *HHHH*	4,319	48,298	33	9	5	2	-	-	-	-	-	-	1	-	-	-	-
4	Chiswick	1,249	29,809	17	10	3	3	-	-	-	-	1	-	1	-	-	-	-
5	Acton *wHH*	6,132	48,913	36	9	3	4	-	-	-	-	-	-	1	-	-	-	-
:1	Harrow *HHH*	13,809	25,522	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6,994	4,520	2	3	1	1	-	-	-	-	-	-	-	-	-	1	-
3	Willesden *HHH*	4,384	114,815	72	15	6	4	-	-	1	-	-	-	1	-	-	1	-
4	Hendon *WH*	8,382	22,450	15	3	2	-	-	-	-	-	-	-	1	-	-	1	-
:1	South Mimms *HH*	17,755	7,308	6	2	-	-	1	-	-	1	-	-	-	-	-	1	-
2	Barnet *WHH*	3,324	17,970	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH*	4,688	33,692	21	2	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey *HH*	2,875	72,056	40	6	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Tottenham *HHH*	4,638	136 702	99	34	6	8	-	1	1	-	-	2	-	1	5	1	-
3	Edmonton *Ww*	7,491	61,892	44	20	4	6	-	-	-	-	-	-	-	1	1	3	-
4	Enfield *WWHH*	12,601	42,738	23	13	4	2	-	-	-	-	-	-	-	-	-	-	-
5	Waltham Abbey	11,017	6,547	1	3	-	2	-	-	-	1	-	-	-	-	-	-	-
6	Cheshunt *H*	8,479	12,288	4	4	2	1	-	-	-	-	2	-	-	-	-	-	-
:1	Hatfield, *part of** *W*	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H*	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WhH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H*	1,072	44,825	29	13	7	-	-	-	-	-	-	-	1	1	2	2	-
2	Plaistow *HHH*	1,249	90,920	67	19	10	-	-	-	-	3	-	2	3	-	-	4	-
3	Canning Town *H*	1,556	70,666	68	23	12	1	-	-	-	2	-	3	7	1	3	1	-
4	Forest Gate *w*	806	60,897	27	10	1	3	-	-	-	-	1	-	-	1	1	-	-
5	East Ham *wHHH*	3,268	95,970	77	24	9	2	-	-	-	1	-	1	4	-	2	2	-
6	Wanstead	1,737	9,198	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW*	631	50,458	30	21	1	10	-	-	-	1	-	2	3	-	-	14	-
8	North Leyton *WwH*	1,963	48,441	25	16	4	1	-	-	1	1	-	1	-	-	1	1	-
9	Walthamstow *HHHL*	6,504	108,931	69	19	4	6	-	1	1	1	-	2	2	1	2	1	-
:1	Chigwell, *part of** *LHHH*	11,778	16,403	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W*	6,556	6,089	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H*	8,496	41,240	30	7	1	1	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town *H*	3,803	21,547	23	6	4	-	-	-	1	-	-	-	1	1	1	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	M.A.B. Hospital Ship, Dartford.	—	—	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-
	North-Eastern Fever Hospital, Tottenham.	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer g are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher ish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious eases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 12th October, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised.)	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,419**	**6,604,287**	**13·9**	**1·9**	**1759**	**458**	**404**	**6**	**17**	**28**	**67**	**16**	**27**	**84**	**58**
INNER LONDON -	74,839	4,543,757	15·0	1·9	1309	329	298	3	14	22	54	10	11	50	49
OUTER RING -	368,580	2,060,530	11·4	2·0	450	129	106	3	3	6	13	6	16	34	9

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	317,885	October 12	163	97	15·9	–	1	–	3	3	–
GLASGOW - -	764,423	„ 12	526	243	16·6	–	5	2	2	–	4
DUBLIN† - -	375,076	„ 12	176	142	19·7	–	–	–	–	1	6
BELFAST† - -	350,862	„ 5	211	100	14·9	–	2	–	–	–	8
		„ 12	216	132	19·6	–	–	–	1	1	11
CALCUTTA - -	466,460	August 3	–	228	25·5	3	–	–	–	–	72‡
		„ 10	–	207	23·1	2	1	–	1	–	70‡
BOMBAY - -	770,843	September 24	360	861	58·1	1	1	?	?	?	371‡
MADRAS - -	509 397	„ 6	435	917	93·9	5	3	?	?	?	265
PARIS - - -	2,511,629	October 5	1069	767	15·8	6	3	1	7*	7	4
BRUSSELS - -	582,665	„ 5	247	167	14·9	1	–	–	–	1	1
AMSTERDAM -	525,636	September 28	307	142	14·1	–	–	–	–	–	1
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,235	October 5	262	118	16·3	–	1	–	–	1	8
STOCKHOLM -	301,050	September 28	152	96	16·6	–	1	–	2*	1	2
CHRISTIANIA -	228 929	October 5	140	62	14·1	–	–	1	1	–	1
ST. PETERSBURG	1,248,643	September 28	452	498	20·8	1	11	15	23	5	38
MOSCOW - -	1,023,817	„ 28	–	486	24·8	1	2	13	3	4	13
BERLIN - -	1,888,613	„ 21	989	569	15·7	–	4	10	13	10	1
HAMBURG - -	705,738	October 5	–	217	16·0	–	4	2	3*	2	1
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	October 5	–	156	19·0	–	1	4	1	–	1
MUNICH - -	500,000	„ 5	–	158	16·4	–	–	–	–	1	–
VIENNA - -	1,691,996	„ 5	932	501	15·2	–	–	8	4*	–	–
PRAGUE - -	389,741	September 28	169	154	20·6	–	–	9	3	–	–
BUDA-PESTH -	744,719	October 5	451	216	15·1	–	–	6	1	–	1
TRIESTE - -	177,428	September 28	119	70	20·5	–	–	–	1*	1	1
ROME - - -	471,961	„ 7	203	162	17·9	–	–	–	–	1	3
TURIN - -	335,639	—	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	September 28	76	55	16·4	–	–	–	–	–	2
CAIRO - -	570,062	August 26	451	469	42·8	–	4	–	7*	1	24
ALEXANDRIA -	319,766	„ 26	187	291	47·3	–	2	–	2*	–	3
NEW YORK (including BROOKLYN)	3,536,517	September 14	1735	1411	20·8	3	7	8	26*	1	23
PHILADELPHIA -	1,293,697	„ 21	–	–	–	–	–	–	–	–	–

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundary of Dublin and Belfas respectively.
§ Including 11 and 2 deaths, respectively, from cholera in Calcutta, 5 in Bombay and 130 in Madras.
‡ Including 7 and 9 deaths, respectively, from plague in Calcutta, and 248 in Bombay.

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday - 6	..	29·069	59·1	44·1	15·0	50·4	− 2·3	46·7	3·7	8·4	0·8	87	82·9	38·0	58·50	WSW., SW. & SSW.	WNW., W. & WSW.	26·0	0·0	2·1	585	+341	0·16	0·0
Monday - 7	..	29·491	51·7	40·7	11·0	46·4	− 6·1	37·2	9·2	12·8	4·1	70	84·4	33·9	57·91	WSW. & W.	W. & WSW.	7·5	0·0	1·2	494	+251	0·00	0·0
Tuesday - 8	..	29·433	59·1	41·8	17·3	50·5	− 1·6	49·1	1·4	5·5	0·0	95	69·9	37·2	57·29	WSW., SW. & SSW.	S., SSW. & SW.	9·8	0·0	0·6	385	+142	0·03	0·0
Wednesday 9	..	29·656	58·7	45·8	12·9	52·6	+ 0·9	42·1	10·5	13·5	4·6	68	86·0	40·0	56·94	SW., WSW. & W.	NW., NNW. & N.	18·2	0·0	1·9	515	+271	0·00	1·0
Thursday - 10	In Equator	30·025	59·7	37·2	22·5	49·4	− 1·9	43·2	6·2	13·1	2·4	79	99·6	31·0	56·59	Variable & S.	SW. & SSW.	0·8	0·0	0·0	161	− 84	0·00	0·0
Friday - 11	..	30·012	54·5	49·3	5·2	51·6	+ 0·6	49·6	2·0	4·2	0·8	93	68·1	43·4	56·32	SSW., SW. & N.	N., ENE. & NNE.	0·6	0·0	0·0	143	−103	0·00	0·0
Saturday - 12	New	29·938	62·3	46·5	15·8	54·0	+ 3·4	49·6	4·4	12·0	0·6	85	108·0	38·0	56·29	NNE. & E.	ESE.	0·1	0·0	0·0	99	−149	0·00	0·0
Means - -		29·661	57·9	43·6	14·2	50·7	− 1·0	45·4	5·3	9·9	1·9	82	85·6	37·4	57·12	SW.		..	..	..	Sum 2382	Sum +669	Sum 0·19	0·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday - 6	w. P. till noon; w. P. and m. N. till 5h. P.M.; w. P. afterwards.	1·6	11·3	Fine and bright till 3h. A.M.; generally overcast, with frequent rain, till evening; fine afterwards. A gale of wind. Occasional lightning at night.
Monday - 7	w. P. till 4h. P.M.; m. P. afterwards.	5·0	11·2	Cloudless in morning; fine and partially cloudy till evening; cloudless at night. Occasional slight showers in afternoon. Brisk wind.
Tuesday - 8	w. P. generally.	0·1	11·1	Generally overcast; frequent slight rain. Gusty wind at night.
Wednesday 9	w. P. till 9h. A.M.; v. P. afterwards.	2·8	11·1	Generally cloudy. Strong gusty wind till afternoon.
Thursday - 10	v. P. till noon; w. P. generally afterwards.	6·5	11·0	Fine generally; partially cloudy.
Friday - 11	w. P. generally.	0·0	11·0	Generally overcast. Slight fog in morning and at night. Gloomy between 8h. and 9h. A.M.
Saturday - 12	w. P. throughout.	4·3	10·9	Fine; partially cloudy. Slight fog in morning.
		Sum 20·3	Sum 77·6	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·53 in. at the beginning of the week to 28·91 in. by 1h. P.M. on the 6th; increased to 29·55 in. by 1h. A.M. on the 8th; decreased to 29·24 in. by 3h. A.M. on the 9th; increased to 30·05 in. by 9h. A.M. on the 10th; decreased to 29·91 in. by 4h. P.M. on the 12th; and was 29·95 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th October 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	20	27	-	4	-	-	2	1
Kensington	176,787	1	14	4	-	2	-	-	1	-
Hammersmith	112,619	-	12	5	-	2	-	-	5	-
Fulham	138,426	-	14	26	-	6	-	-	2	-
Chelsea	73,879	1	2	3	-	-	-	-	1	-
City of Westminster	182,502	3	21	7	-	5	-	-	5	-
NORTH.										
St. Marylebone	133,060	4	7	1	-	3	-	-	3	-
Hampstead	82,287	-	9	6	-	2	-	-	2	-
St. Pancras	235,297	8	37	31	-	6	-	-	4	-
Islington	335,325	4	62	26	-	8	-	-	9	1
Stoke Newington	51,328	-	8	12	-	-	-	-	2	-
Hackney	219,780	5	34	29	-	3	-	-	6	-
CENTRAL.										
Holborn	59,205	3	6	5	-	2	-	-	1	-
Finsbury	101,263	7	20	10	-	3	-	-	4	-
City of London	26,627	-	6	3	-	1	-	-	-	-
EAST.										
Shoreditch	118,554	-	8	7	-	3	-	-	3	-
Bethnal Green	129,700	1	20	8	-	4	-	-	5	-
Stepney	298,884	2	43	22	-	7	-	-	12	-
Poplar	168,887	2	17	5	-	9	-	-	6	-
SOUTH.										
Southwark	206,219	-	61	15	-	2	-	-	9	1
Bermondsey	130,348	-	37	8	-	5	-	-	4	-
Lambeth	302,460	1	36	15	-	8	-	-	7	-
Battersea	169,364	-	17	9	-	3	-	-	1	-
Wandsworth	233,943	-	15	9	-	2	-	-	7	1
Camberwell	259,897	-	54	44	-	4	-	-	8	-
Deptford	110,732	-	25	9	-	3	-	-	2	-
Greenwich	96,188	-	18	2	-	2	-	-	2	-
Lewisham	128,423	1	8	7	-	5	-	-	1	1
Woolwich	117,619	1	5	8	-	1	-	-	2	1
Port of London	—	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	44	636	363	-	106	-	-	116	6
Ages 0-1		1	6	3	-	-	-	-	1	-
" 1-5		7	179	111	-	5	-	-	4	-
" 5-		4	256	143	-	19	-	-	2	-
" 10-		4	124	42	-	12	-	-	8	-
" 15-		11	38	18	-	13	-	-	9	1
" 20-		4	16	14	-	17	-	-	11	2
" 25-		6	13	16	-	22	-	-	18	3
" 35-		4	4	13	-	12	-	-	20	-
" 45-		3	-	3	-	3	-	-	22	-
" 55-		-	-	-	-	3	-	-	10	-
" 65 and upwards		-	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 42. 1901. VOL. LXII.] WEEK ENDED SATURDAY, OCT. 19. [Price 1½*d.*

General Register Office, Somerset House,
October 21st, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 15·6, and 15·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.		Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
33 Great Towns	16·7	15·6	15·9	16·8	Leicester - -	9·6	12·5	14·7	14·2
Birkenhead -	15·0	13·1	12·7	14·5	Liverpool - -	18·3	20·0	17·9	19·5
Birmingham -	21·6	17·1	16·8	19·7	London - - -	15·0	14·7	15·0	16·0
Blackburn -	17·1	18·4	15·9	22·0	Manchester - -	21·5	18·1	20·8	18·7
Bolton - -	16·1	12·1	14·5	16·1	Newcastle-on-Tyne	25·6	21·3	22·5	26·9
Bradford -	12·5	10·8	14·5	16·4	Norwich - -	19·1	14·0	15·8	18·2
Brighton -	16·0	13·9	16·9	14·3	Nottingham - -	13·2	14·1	13·2	16·5
Bristol - -	13·3	12·3	13·4	11·1	Oldham - -	16·7	14·0	19·4	15·6
Burnley -	17·7	16·6	13·4	14·5	Plymouth - -	13·5	15·0	12·6	15·0
Cardiff - -	12·9	12·0	12·0	11·7	Portsmouth - -	16·5	13·5	18·1	15·7
Croydon -	10·5	13·2	9·7	11·2	Preston - -	18·9	17·5	17·1	17·5
Derby - -	12·8	11·3	9·3	10·3	Salford - - -	17·9	17·4	21·7	21·9
Gateshead -	22·7	19·8	13·7	28·8	Sheffield - -	20·6	18·8	18·8	17·5
Halifax -	17·4	12·9	15·9	14·9	Sunderland - -	27·3	23·1	16·3	16·0
Huddersfield-	15·9	11·0	15·4	11·5	Swansea - -	19·8	14·9	11·6	15·4
Hull - -	20·3	15·5	19·6	14·9	West Ham - -	17·6	17·5	13·6	17·8
Leeds - -	19·1	18·4	17·4	17·3	Wolverhampton -	17·7	16·0	13·8	19·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·8 in Sheffield, 2·3 in Norwich, and 4·1 in Blackburn; from *scarlet fever*, 1·2 in Salford; and from *diarrhœal diseases*, 1·5 in Newcastle on Tyne, 1·7 in Hull, 2·7 in West Ham, and 2·8 in Gateshead. In none of the thirty-three towns did the death-rate from *whooping-cough* or from "*fever*," reach 1·0 per 1000. The 71 deaths from *diphtheria* included 33 in London, 6 in Sheffield, 5 in Leicester, 4 in Brighton, 3 in Portsmouth, and 3 in Leeds. Eleven deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2389 BIRTHS and 1394 DEATHS were registered. Allowing for increase of population, the births were 237, and the deaths 111, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·0, 14·7, and 15·0 in the preceding three weeks, further rose last week to 16·0. During the four weeks ended on Saturday last the death-rate averaged

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10110—670—10/1901 Wt 45 D & S 3 2 T

15·2 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1394 deaths included 11 from small-pox, 22 from measles, 13 from scarlet fever, 33 from diphtheria, 6 from whooping-cough, 19 from enteric fever, 56 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 160 deaths were referred to these diseases, being 16 below the corrected average weekly number.

The deaths from *small-pox*, which had been 5, 3, and 3 in the preceding three weeks, rose last week to 11; 2 cases belonged to the Borough of St. Pancras, 2 to Bermondsey, and 1 each to Westminster, St. Marylebone, Hackney, Stepney, Poplar, Camberwell, and Woolwich. The deaths from *measles*, which had been 13, 14, and 14 in the preceding three weeks, rose last week to 22, the corrected average being 23; 5 cases belonged to Islington. The deaths from *scarlet fever*, which had been 13, 14, and 22 in the preceding three weeks, fell again last week to 13, and were 6 below the corrected average; 2 cases belonged to Paddington, 2 to Hampstead, 2 to Southwark, and 2 to Camberwell. The deaths from *diphtheria*, which had been 34, 30, and 54 in the preceding three weeks, fell again last week to 33, and were 23 below the corrected average; 6 cases belonged to Paddington, 5 to Camberwell, 4 to St. Pancras, and 3 to Stepney. The deaths from *whooping-cough*, which had been 13, 11, and 10 in the preceding three weeks, further fell last week to 6, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 19, 18, and 11 in the preceding three weeks, rose again last week to 19, which is slightly below the corrected average; 3 cases belonged to Bethnal Green, 2 to Stepney, 2 to Poplar, 2 to Hackney, 2 to St. Pancras, and 2 to Wandsworth. The deaths from *diarrhœal diseases*, which had been 88, 78, and 50 in the preceding three weeks, rose again last week to 56, and were 17 above the corrected average. Of the 56 deaths from diarrhœal diseases, 50 were of children under 5 years of age; 10 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 137, 132, and 186 in the preceding three weeks, further rose last week to 196, but were 72 below the corrected average. The deaths attributed directly to *influenza* numbered 4, having been 3, 3, and 8 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 46 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 7 to burns and scalds, 5 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 172 cases of small-pox, 3346 of scarlet fever, 1544 of diphtheria, and 288 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 47 cases, against 44, 51, and 37; of scarlet fever, 407 cases, against 460, 426, and 422; of diphtheria, 253 cases, against 258, 246, and 224; and of enteric fever, 28 cases, against 37, 47, and 48. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended October 12th.

Greater London.

In Greater London 3486 births and 1855 deaths were registered, corresponding to annual rates of 27·5 and 14·6 per 1000 of the estimated population. In the Outer Ring 1 death from small-pox, 5 deaths from measles, 3 from scarlet fever, 13 from diphtheria, 3 from whooping-cough, 7 from "fever," and 27 from diarrhœal diseases were registered. The person who died from small-pox had been removed from Erith to the Hospital Ship "Castalia." Three fatal cases of scarlet fever, 4 of diphtheria, 3 of "fever," and 21 of diarrhœal diseases belonged to West Ham district.

Meteorology.

The mean reading of the barometer last week at Greenwich was 29·54 inches, and that of the Thermometer 51°·5; the latter being 1°·7 above the week's average in the 50 years 1841–90. The direction of the wind was south-easterly, the horizontal movement of the air being 30 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 26·0 hours; the measured rainfall amounted to 1·10 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 19th Oct., 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean Fahrenheit.	Mean Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6451**	**3684**	**962**	**839**	**11**	**81**	**47**	**71**	**30**	**59**	**168**	**130**	**285**	**863**	**39**	**16·8**	**2·1**	**61·7**	**32·6**	**49·5**	**9·72**	**0·78**	**1·98**	**33 Towns.**
London - -	4,543,757	2389	1394	324	358	11	22	13	33	6	19	56	56	145	449	2	16·0	1·8	61·7	36·5	51·5	10·83	1·10	2·79	London.
West Ham - -	268,868	175	92	35	12	–	1	2	2	1	1	14	6	9	12	1	17·8	4·1	–	–	–	–	–	–	West Ham.
Croydon - -	134,665	68	29	6	9	–	–	–	–	–	–	–	1	4	10	–	11·2	–	60·0	35·5	49·9	9·94	1·20	3·05	Croydon.
Brighton - -	123,668	45	34	10	8	–	–	–	4	–	–	1	1	1	8	–	14·3	2·1	60·6	41·4	53·7	12·06	1·35	3·43	Brighton.
Portsmouth -	189,907	110	57	9	20	–	–	1	3	1	2	4	2	2	14	–	15·7	3·0	60·5	41·0	51·7	10·94	1·63	4·14	Portsmouth.
Plymouth - -	107,974	56	31	6	11	–	–	–	–	1	1	2	1	3	3	–	15·0	1·9	–	–	–	–	–	–	Plymouth.
Bristol - -	329,831	172	70	23	14	–	–	1	–	2	2	4	3	7	11	1	11·1	1·4	59·3	36·4	49·8	9·89	0·37	0·94	Bristol.
Cardiff - -	165,308	108	37	11	6	–	–	–	2	1	–	–	3	3	4	–	11·7	0·9	–	–	–	–	–	–	Cardiff.
Swansea - -	94,618	48	28	10	8	–	–	–	–	–	1	–	–	1	5	1	15·4	0·6	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	54	36	9	13	–	1	–	–	–	–	2	–	–	9	–	19·9	1·7	60·5	32·6	45·5	7·50	0·55	1·40	Wolverhampton.
Birmingham -	523,284	332	198	61	45	–	6	5	2	1	2	11	6	9	37	6	19·7	2·7	–	–	–	–	–	–	Birmingham.
Norwich - -	111,997	76	39	4	14	–	5	–	1	–	–	1	1	2	7	–	18·2	3·3	60·8	38·8	50·9	10·50	0·40	1·02	Norwich.
Leicester - -	212,498	112	58	11	11	–	–	–	5	3	–	2	3	3	10	2	14·2	2·5	–	–	–	–	–	–	Leicester.
Nottingham -	240,400	133	76	25	17	–	2	–	–	–	1	5	4	6	11	–	16·5	1·7	60·3	35·2	48·4	9·11	0·59	1·50	Nottingham.
Derby - - -	106,076	60	21	4	5	–	–	–	–	–	–	–	2	5	2	–	10·3	–	–	–	–	–	–	–	Derby.
Birkenhead -	111,203	66	31	5	5	–	–	–	1	–	1	1	–	1	6	–	14·5	1·4	–	–	–	–	–	–	Birkenhead.
Liverpool - -	686,332	424	257	70	44	–	1	6	1	3	7	11	11	18	71	11	19·5	2·2	55·0	40·7	47·7	8·72	0·35	0·89	Liverpool.
Bolton - -	168,748	104	52	12	10	–	–	3	2	–	2	1	2	6	7	–	16·1	2·5	–	–	–	–	–	–	Bolton.
Manchester -	544,934	314	195	51	39	–	8	2	–	3	5	8	4	8	48	3	18·7	2·5	–	–	–	–	–	–	Manchester.
Salford - -	221,526	136	93	33	18	–	1	5	–	–	4	3	1	3	23	1	21·9	3·1	–	–	–	–	–	–	Salford.
Oldham - -	137,382	98	41	10	9	–	1	1	–	–	1	2	–	1	5	–	15·6	1·9	–	–	–	–	–	–	Oldham.
Burnley - -	97,295	52	27	12	2	–	–	–	–	1	1	1	–	1	1	–	14·5	1·6	–	–	–	–	–	–	Burnley.
Blackburn - -	127,714	76	54	14	8	–	10	1	–	–	–	2	–	–	4	2	22·0	5·3	–	–	–	–	–	–	Blackburn.
Preston - -	113,117	65	38	8	13	–	–	2	–	–	–	1	2	2	8	1	17·5	1·4	58·0	42·0	49·3	9·61	0·55	1·40	Preston.
Huddersfield -	94,998	33	21	5	5	–	1	–	–	–	1	1	–	–	2	1	11·5	1·6	57·7	35·8	47·0	8·33	0·53	1·35	Huddersfield.
Halifax - -	105,113	27	30	3	11	–	1	–	1	–	–	–	1	2	4	1	14·9	1·0	–	–	–	–	–	–	Halifax.
Bradford - -	280,161	131	88	11	25	–	–	2	1	–	3	2	1	7	13	–	16·4	1·5	60·6	40·0	48·2	9·00	0·77	1·96	Bradford.
Leeds - - -	430,489	268	143	44	23	–	3	2	3	1	2	3	5	15	7	–	17·3	1·7	–	–	–	–	–	–	Leeds.
Sheffield - -	382,129	277	128	51	13	–	13	–	6	3	1	7	2	2	11	1	17·5	4·1	–	–	–	–	–	–	Sheffield.
Hull - - -	241,622	119	69	16	17	–	–	–	2	1	1	8	4	4	15	–	14·9	2·6	–	–	–	–	–	–	Hull.
Sunderland -	146,937	105	45	17	7	–	2	–	–	1	–	3	4	4	10	2	16·0	2·1	–	–	–	–	–	–	Sunderland.
Gateshead - -	110,492	102	61	21	17	–	–	1	1	–	–	6	–	3	11	2	28·8	3·8	–	–	–	–	–	–	Gateshead.
Newcastle - -	215,516	116	111	31	22	–	3	–	1	1	1	6	4	8	25	1	26·9	2·9	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SECOND Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2562	2446	2559	2516	2629	2516	2610	2468	2529	2485	2626·3	2389
Males - -	1276	1230	1248	1303	1308	1261	1342	1248	1284	1267	1324·3	1201
Females - -	1286	1216	1311	1213	1321	1255	1268	1220	1245	1218	1302·0	1188
TOTAL **Deaths** -	1428	1449	1554	1326	1518	1333	1442	1197	1567	1392	1504·6	1394
Males - -	711	783	808	693	766	706	708	795	789	694	773·0	700
Females - -	717	666	746	633	752	627	734	702	778	698	731·6	694

* The numbers in this column are the average weekly numbers in the forty-second week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
TOTAL **Births** - - -	2384	2844	2322	2659	2643	2483	2582	2442	2355	2581	2499	2676	2389
TOTAL **Deaths** - - -	1582	1747	1636	1705	1676	1623	1471	1398	1360	1304	1280	1309	1394
Ages at Death: Under 1 year - -	583	716	664	734	689	647	543	435	370	345	341	329	324
1—5 years - -	215	196	185	185	167	200	137	118	146	156	115	160	139
5—20 " - -	73	87	92	70	83	78	80	80	81	87	71	78	86
20—40 " - -	169	191	171	186	177	174	157	166	176	171	181	183	209
40—60 " - -	252	268	244	259	233	249	256	258	264	251	257	261	278
60—80 " - -	241	243	226	229	270	226	243	270	262	233	270	251	280
80 years and upwards	49	46	54	42	57	49	55	71	61	61	45	47	78
Deaths from—													
Small-pox - - - -	–	1	1	2	–	7	7	9	3	5	3	3	11
Measles - - - - -	60	45	40	37	26	40	13	13	19	13	14	14	22
Scarlet Fever - - -	20	15	10	16	12	13	14	13	9	13	14	22	13
Diphtheria - - - -	28	28	24	30	27	22	20	28	27	34	30	54	33
Whooping-cough - - -	24	20	19	24	17	20	27	8	14	13	11	10	6
Typhus - - - - -	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	10	11	18	10	25	12	17	14	14	19	18	11	19
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	289	399	367	404	375	343	271	184	138	87	78	50	56
Cholera - - - - -	5	4	5	7	4	4	4	4	–	1	–	–	–
All the above Diseases - -	436	523	484	531	486	466	373	273	224	185	168	164	160
Dis. of Respiratory System -	134	126	126	103	126	114	124	116	124	137	132	186	196
Phthisis - - - - -	111	153	106	123	120	142	124	129	147	139	155	136	143
Dis. of Circulatory System -	111	113	113	97	120	100	142	131	133	101	119	122	146
Violence - - - -	74	81	77	68	56	60	45	48	75	59	52	49	56
Inquest Cases - - - -	141	162	155	159	116	157	120	119	133	118	124	117	145
Deaths in Public Institutions -	459	507	458	460	467	478	462	484	503	480	441	440	449
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - - -	61·6	65·1	64·6	61·0	63·9	58·6	56·4	59·4	56·8	58·7	57·3	50·7	51·5
Mean of Highest readings -	71·7	75·8	76·8	72·2	76·6	68·5	65·1	68·2	65·6	68·3	67·0	57·9	59·0
Mean of Lowest readings -	54·5	54·9	55·3	52·1	50·5	51·5	47·8	53·5	48·9	50·5	49·3	43·6	43·9
Humidity of the Air - -	83	72	70	71	67	71	66	83	81	81	85	82	84
Rain-fall (in inches) - -	1·30	0·38	0·08	0·50	0·00	1·36	0·00	0·25	1·10	0·00	1·24	0·19	1·10
Registered Sunshine (in hours)	18·4	49·2	49·0	49·3	74·4	39·2	52·3	17·0	19·8	21·3	27·8	20·3	26·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	11	13	11	13	41	74	92	137	153	163	169	175	172
Scarlet Fever - - - -	2974	3091	3148	3101	3040	3008	2994	3064	3098	3151	3159	3280	3340
Diphtheria - - - -	1303	1336	1363	1361	1318	1344	1365	1417	1465	1512	1539	1522	1544
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - - -	165	166	180	188	198	225	254	262	290	292	296	307	288

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SECOND Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 42nd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 19th October, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
L CAUSES - - -	1504·6	1394	324	139	86	209	278	280	78
all- Vaccinated† -	-	6	1	-	-	3	2	-	-
ox Unvaccinated -	0·1	2	-	1	1	-	-	-	-
No Statement -	-	3	-	-	2	-	1	-	-
asles - - - -	22·8	22	8	13	1	-	-	-	-
rlet Fever - - -	18·6	13	2	4	6	1	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	6·6	4	-	-	-	1	2	1	-
ooping-cough - -	19·2	6	4	2	-	-	-	-	-
phtheria - - -	55·8	33	-	23	9	1	-	-	-
ple Continued and l-defined Fever -	0·4	-	-	-	-	-	-	-	-
eric Fever - - -	19·5	19	-	1	6	8	4	-	-
lera and Chol. Diarr.	0·3	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	38·7	56	43	7	-	1	-	4	1
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	0·1	-	-	-	-	-	-	-	-
ypox and Effects of accination - -	0·2	-	-	-	-	-	-	-	-
ereal Affections - -	9·6	7	4	1	-	-	1	1	-
sipelas - - -	5·4	4	1	-	-	-	2	1	-
emia and Septicæmia	2·5	1	-	1	-	-	-	-	-
rperal Fever - -	5·0	1	-	-	-	1	-	-	-
er Zymotic Diseases -	1·1	-	-	-	-	-	-	-	-
ush - - - -	1·3	-	-	-	-	-	-	-	-
ms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	1·9	2	2	-	-	-	-	-	-
holism - - -	10·7	16	-	-	-	8	7	1	-
umatic Fever, eumatism of Heart	9·4	13	-	1	4	4	3	1	-
umatism - - -	2·0	2	-	-	-	-	-	1	1
- - - - -	2·3	1	-	-	-	-	1	-	-
ets - - - -	3·6	4	1	3	-	-	-	-	-
er - - - -	75·6	81	-	1	1	8	35	32	4
s Mesenterica - -	22·1	12	6	5	1	-	-	-	-
rcular Meningitis -	17·3	27	7	10	8	2	-	-	-
isis - - - -	162·4	143	1	1	11	69	44	16	1
ula, Tuberculosis -	16·6	24	6	5	3	5	2	3	-
r Constitutional eases - -	13·6	16	-	1	1	5	3	6	-
nature Birth - -	49·9	45	45	-	-	-	-	-	-
ctasis - - -	4·6	1	1	-	-	-	-	-	-
enital Malformations - - -	7·4	6	5	1	-	-	-	-	-
Age - - - -	42·5	51	-	-	-	-	-	19	32
plexy - - - -	39·9	50	-	-	-	6	14	23	7
rpsy - - - -	7·4	5	-	-	-	3	-	2	-
ulsions - - -	37·4	19	19	-	-	-	-	-	-
r Diseases of Brain Nervous System	70·9	50	1	3	5	8	16	16	1
ses of Organs of cial Sense -	3·1	6	1	2	1	1	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 42nd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 19th October, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	130·4	146	2	1	7	13	55	61	7
Croup - - - -	4·5	-	-	-	-	-	-	-	-
Bronchitis - - -	141·9	81	29	9	-	4	7	24	8
Pneumonia - - -	97·9	95	36	24	2	7	10	13	3
Pleurisy - - -	5·1	5	-	1	1	1	1	1	-
Other Diseases of Respiratory System -	18·3	15	1	2	2	3	2	1	4
Dentition- - - -	4·6	3	3	-	-	-	-	-	-
Quinsy, Sore Throat -	1·9	2	-	-	-	-	-	2	-
Enteritis - - -	31·2	21	9	1	3	6	1	1	-
Gastro-enteritis -		13	10	-	-	-	1	2	-
Peritonitis - - -	6·7	8	-	-	1	2	4	1	-
Diseases of Liver - -	24·9	29	1	-	-	2	20	5	1
Other Diseases of Digestive System	32·5	29	3	-	2	5	8	10	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·6	5	-	-	1	1	1	2	-
Diseases of Urinary System - -	48·6	51	-	1	2	12	15	19	2
Diseases of Generative System - -	5·9	2	-	-	-	-	-	2	-
Accidents of Childbirth-	4·9	8	-	-	-	7	1	-	-
Diseases of Locomotive System - -	4·1	3	-	1	1	-	-	1	-
Diseases of Integumentary System- -	9·0	7	4	1	-	-	1	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·0	2	-	-	-	1	1	-	-
By Vehicles or Horses -	5·8	4	-	1	-	1	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·7	-	-	-	-	-	-	-	-
In Building Operations -	0·5	-	-	-	-	-	-	-	-
In Conflagrations - -	1·1	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	5·2	7	1	3	2	-	-	-	1
By Drowning - - -	5·5	5	1	-	1	1	2	-	-
By Suffocation in Bed -	10·0	5	5	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·4	-	-	-	-	-	-	-	-
Other or not stated causes - - -	21·4	23	4	4	1	2	2	6	4
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·0	1	-	-	-	1	-	-	-
Suicide - - - -	9·1	9	-	-	-	4	4	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·6	64	57	4	-	1	2	-	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for ease of population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when ause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of lent, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 19th October, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2389	1394	324	358	11	22	13	33	6	-	19	-	56	56	145	449
WEST DISTRICTS - - -	805,275	369	226	47	65	-	6	2	6	-	-	1	-	9	8	24	76
NORTH DISTRICTS - - -	1,056,018	530	318	72	78	-	7	2	11	1	-	5	-	12	14	33	88
CENTRAL DISTRICTS - - -	209,432	127	80	19	16	-	2	-	1	1	-	-	-	5	4	9	32
EAST DISTRICTS - - - -	715,772	471	299	75	77	1	-	-	1	2	-	5	-	8	19	50	108
SOUTH DISTRICTS - - -	1,749,566	892	430	110	110	2	7	6	14	2	-	7	-	22	10	28	104
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	1	12	8	-	3	-	-	-	1	-	-	1	1	41
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	44	21	8	6	-	-	1	2	-	-	-	-	2	1	2	6
St. John Paddington *H* - - G.	33,608	8	10	-	5	-	-	-	-	-	-	-	-	-	-	-	6
North-West Paddington - - C.	17,181	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	58	42	7	13	-	3	-	-	-	-	-	-	1	2	4	20
Brompton *HH* - - W. & C.	48,598	6	12	1	4	-	-	-	-	-	-	-	-	-	-	3	1
North Hammersmith *H* W. & G.	49,335	22	14	2	6	-	-	-	-	-	-	-	-	-	-	3	-
South Hammersmith *wH* W. & G.	62,910	29	13	4	4	-	-	-	-	-	-	-	-	2	-	-	-
North-west Fulham *W* W. & C.	45,180	39	22	8	5	-	-	-	-	-	-	1	-	2	2	2	10
North-east Fulham *H* W. & C.	46,404	28	17	5	5	-	-	1	3	-	-	-	-	-	1	1	4
South Fulham W. & C.	45,705	29	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WwHHH* - C.	42,515	25	20	3	5	-	-	-	-	-	-	-	-	-	-	1	15
Chelsea South *HH* - - - C.	31,341	16	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-
May Fair and Knightsbridge *H* C.&G.	28,744	5	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Belgrave *WHH* - - - C.	55,812	18	17	5	3	-	1	-	-	-	-	-	-	1	-	1	6
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	22	14	-	2	-	2	-	-	-	-	-	-	1	-	-	6
St. James Westminster *WH* N. & G.	21,595	15	6	1	2	-	-	-	-	-	-	-	-	-	1	3	2
St. Anne Soho *HHHHH* - N.	11,492	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	35,394	8	20	4	3	-	-	-	1	-	-	-	-	1	2	3	8
Rectory Marylebone *W* G. & W.	19,869	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	27	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W.	39,541	24	7	2	2	-	-	-	-	-	-	-	-	-	1	3	-
St. John Marylebone *HHH* - W.	20,426	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WHHHHHH* - - N. & W.	81,942	30	33	1	7	-	1	2	4	-	-	3	-	-	1	1	14
Regent's Park *H* - - - W.	50,647	14	15	4	3	-	-	-	-	1	-	-	-	1	-	3	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	9	11	-	3	-	-	-	-	-	-	-	-	-	2	2	7
Gray's Inn Lane *HHHH* - N.	30,886	15	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Somers Town *HH* - - - N.	30,131	21	10	3	3	-	-	-	-	-	-	-	-	1	-	-	1
Camden Town *WH* - - N.	40,079	20	14	3	6	-	1	-	-	-	-	-	-	-	1	1	7
Kentish Town *WW* - - N.	58,727	31	17	3	4	-	-	-	1	-	-	-	-	-	-	-	5
Tufnell *W*		12	16	2	8	-	-	-	-	-	-	-	-	2	1	1	10
Upper Holloway *WWwHH* - N.	99,841	30	23	-	7	-	-	-	-	-	-	-	-	-	1	2	18
Tollington *W*		10	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway - - - N.	41,411	21	13	4	2	-	1	-	1	-	-	-	-	1	-	-	-
Barnsbury - - - - - N.	54,479	34	26	14	2	-	3	-	-	-	-	-	-	3	2	4	-
Islington South-east *H* - - N.	75,402	42	15	3	2	-	1	-	1	-	-	-	-	-	-	2	1
Highbury *HH* - - - - N.	63,795	30	12	4	1	-	-	-	1	-	-	-	-	-	1	3	-
Stoke Newington *H* - - N.	51,247	20	6	2	3	-	-	-	1	-	-	-	-	-	1	2	-
North Hackney - - E. & N.	50,570	15	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *wH* - E. & N.	50,535	34	10	4	2	-	-	-	1	-	-	-	-	-	-	1	2
South-west Hackney *HHH* E. & N.	59,929	33	18	6	5	-	-	-	-	-	-	-	-	1	-	1	1
South-east Hackney *WwH* E. & N.	58,254	32	27	9	5	-	-	-	-	-	-	2	-	2	1	3	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	13	8	4	1	-	-	-	-	1	-	-	-	1	-	1	3	-
t. Giles North *H* - - - N.	8,959	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Martin-in-the-Fields *HH* N.&C.	12,975	6	5	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-
trand *WHH* - - - - N.	8,694	4	9	2	2	-	-	-	-	-	-	-	-	1	-	-	7	1
trand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *WHHHHHH* - - N.	29,579	15	11	1	2	-	1	-	-	-	-	-	-	-	-	-	8	-
t. James Clerkenwell - - N.	15 634	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mwell - - - - - N.	32,691	22	9	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
oswell-street - - - - N.	15,390	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
insbury* *HHHL* - - - N.	35,376	42	14	3	3	-	-	-	-	-	-	-	-	3	-	3	-	-
olborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Botolph *H* - - - N. & E.	11,036	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Sepulchre *WH* - - - N.	7,886	3	9	-	2	-	-	-	1	-	-	-	-	-	2	2	9	-
llhallows Barking - - - N.	8,717	3	3	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
ity of London Asylum, Stone - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
EAST DISTRICTS.																		
horeditch South *Hl* - E. & N.	16,370	6	5	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
oxton New Town *wH* - - N.	29,761	17	15	3	8	-	-	-	-	-	-	-	-	-	-	1	12	-
oxton Old Town - - - N.	26,510	15	6	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
aggerston *W* - - - N & E.	46,064	25	22	6	5	-	-	-	-	1	-	-	-	1	-	3	8	-
thnal Green North *HH* - E.	51,513	30	24	8	3	-	-	-	1	-	-	1	-	-	3	5	3	-
thnal Green South - - E.	33,473	25	10	2	3	-	-	-	-	-	-	-	-	1	1	3	-	-
thnal Green East *WWHl* - E.	44,695	30	21	4	7	-	-	-	-	-	-	1	-	-	1	2	10	-
italfields - - - E. & N.	27,965	23	8	2	3	-	-	-	-	-	-	-	-	1	1	2	-	-
ile End New Town *WH* - E.	28,711	20	42	9	4	-	-	-	-	-	-	3	-	2	2	2	39	-
oodman's Fields - - - E.	22,082	8	7	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
. George's, North - - - E.	40,965	52	13	10	-	-	-	-	-	1	-	-	-	1	1	4	-	-
. John *W* - - - - - E.	8,122	9	6	1	1	-	-	-	-	-	-	-	-	-	1	1	3	-
adwell *H* - - - E. & N.	10,760	6	8	3	-	-	-	-	-	-	-	-	-	-	1	1	6	-
atcliff *W* - - - - - E.	14,770	12	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
mehouse - - - - - - E.	32,358	15	14	3	2	1	-	-	-	-	-	-	-	-	-	6	-	-
ile End Old Town West *H* - E.	59,467	58	16	5	5	-	-	-	-	-	-	-	-	-	-	3	-	-
ile End Old Town East *WWw* - - - - E.	53,348	29	22	4	7	-	-	-	-	-	-	-	-	-	-	1	2	-
w *l* - - - - - - E.	41,990	24	10	4	2	-	-	-	-	-	-	-	-	1	2	3	1	-
omley *wwwH* - - - E.	68,326	36	33	4	18	-	-	-	-	-	-	-	-	-	4	8	20	-
plar *Ww* - - - - - E.	58,522	31	12	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c registered in each SUB-DISTRICT during the Week ended Saturday, 19th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	2	3	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
St. Saviour Southwark - - S.	12,056	9	12	5	1	–	–	–	–	–	–	–	–	2	–	–	11	–
Kent-road - - - S. & L.	21,899	17	5	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,882	9	8	1	1	–	–	–	–	–	–	–	–	–	–	3	4	–
London-road *HL* - L. & S.	22,209	10	5	2	2	–	–	–	–	–	–	–	–	–	–	3	1	–
Trinity Newington *H* - S. & L.	28,485	12	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Peter Walworth *W*- S. & L.	61,773	42	11	4	1	–	–	–	–	–	–	–	–	–	–	–	1	1
St. Mary Newington - L. & S.	31,592	20	6	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–
St. Olave *W* - - - - S.	9,813	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *WH*- - - S.	82,405	45	21	9	3	1	1	–	–	–	–	–	–	–	–	2	–	–
Rotherhithe *WH* - - S. & K	38,268	22	9	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Waterloo-road *HH* - L. & S.	27,435	19	11	4	1	–	–	–	–	–	–	–	–	1	–	–	2	–
Lambeth Church 1st *H* L. & S.	18,420	10	13	3	1	–	–	–	–	–	–	–	–	1	2	2	9	–
Lambeth Church 2nd *WW* L. & S.	39,818	31	24	6	6	–	–	–	–	1	–	–	–	–	–	1	7	–
Kennington 1st *H* - S. & L.	53,196	27	15	4	4	–	1	–	–	–	–	–	–	–	1	1	–	–
Kennington 2nd - - S. & L.	42,891	20	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *H* - - - L. & S.	84,226	30	15	5	6	–	–	1	1	1	–	–	–	–	–	–	1	–
Norwood *WH* - - - L.	35,887	18	9	4	3	–	–	–	–	–	–	–	–	3	–	–	–	–
East Battersea - - - S.	72,201	44	14	7	1	–	3	–	–	–	–	–	–	–	2	4	–	–
North-west Battersea - - S.	49,650	27	7	5	1	–	–	–	–	–	–	–	–	2	–	–	–	–
South-west Battersea *WH* - S.	47,045	17	15	2	7	–	–	–	–	–	–	–	–	1	–	1	9	–
Clapham *H* - - - - S.	51,353	31	14	–	5	–	–	–	–	–	–	1	–	–	1	3	3	–
Streatham *WwwHHL* - L.	88,129	37	22	3	7	–	–	2	4	–	–	–	–	–	–	–	8	–
Wandsworth *WHL* - - S.	68,409	29	11	1	4	–	–	–	–	–	–	1	–	–	–	–	1	–
Putney - - - - - S.	24,139	15	5	1	2	–	1	–	–	–	–	–	–	–	2	2	–	–
Dulwich - - - - L. & S.	10,246	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *Wwll* - S. & L.	90,404	42	23	4	9	–	–	–	1	–	–	–	–	–	–	–	13	–
Peckham *W*- - S., L., & K.	93,022	44	24	4	6	–	–	–	1	–	–	–	–	2	–	–	–	–
St. George Camberwell - L. & S.	65,586	44	11	4	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Deptford North - - - K.	37,601	38	6	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Deptford Central *H* - - K.	45,621	17	15	4	2	1	–	–	2	–	–	1	–	1	–	–	4	–
Deptford South - - - K.	34,622	9	3	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Greenwich West *H* - - K.	23,456	9	5	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Greenwich East *WH* - - K.	43,849	26	12	1	5	–	–	–	–	–	–	–	–	–	1	1	8	–
Eltham *wH* - - - - K.	7,218	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	13	7	–	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Lewisham *WwH* - - - K.	58,341	26	19	3	1	–	–	3	2	–	–	3	–	1	–	1	13	–
Sydenham *H* - - - L.	43,630	13	11	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *HHH* - - - K.	21,121	7	7	2	–	–	–	–	3	–	–	1	–	–	–	–	4	–
Woolwich *HHHH* - - K.	41,607	14	13	3	1	–	–	–	–	–	–	–	–	1	1	2	–	–
Plumstead West *H* - - K.	18,076	7	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	30	6	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–
London County Asy., Banstead -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Epsom -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Caterham	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asy., Cane Hill -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
M.A.B. Ships and Hosp., Dartford	—	–	8	1	–	8	–	–	–	–	–	–	–	–	–	–	8	–
Met. Asy. for Imbeciles, Darenth -	—	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–
London County Asylum, Dartford Heath - - - - -	—	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–
London County Asylum, Hanwell	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Central London Sick Asy., Hendon	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asy., Colney Hatch	—	–	7	–	3	–	–	–	–	–	–	–	–	–	–	–	7	–
M.A.B. North-Eastern Hospital -	—	–	3	–	–	–	–	3	–	–	–	–	–	–	–	–	3	–
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asylum, Claybury	—	–	4	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–

BLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th October, 1901.

gis-tion trict nd ub-trict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquests Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING -	368,580	2,044,553	1097	461	122	123	1	5	3	13	3	7	27	24	44	64	4
0:1	Carshalton *H* - - -	12,228	32,997	7	5	-	-	-	-	-	1	-	-	-	1	1	1	-
2	Epsom, *part of** *WwHHH* -	10,423	15,548	9	5	-	-	-	-	-	-	-	-	-	1	1	1	-
7:1	Godstone, *part of** *W* -	2,754	2,692	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:1	Croydon *WWwHHH* -	20,851	164,519	77	34	6	11	-	1	-	-	-	-	-	1	4	10	-
2	Mitcham *w* - - - -	11,689	29,906	18	4	-	1	-	-	-	-	-	-	-	-	-	-	-
9:1	Wimbledon *HHH* - -	3,221	41,604	22	7	2	1	-	-	-	-	-	-	-	1	1	1	-
2	Kingston *WH* - - -	6,224	42,067	20	10	2	5	-	-	-	-	1	-	-	2	3	4	-
3	Surbiton *HH* - - -	3,046	15,019	6	4	-	2	-	-	-	2	-	-	-	-	-	1	-
4	Esher, *part of** *H* - -	5,402	13,003	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,564	23,447	10	5	-	3	-	-	-	-	-	-	-	1	1	-	-
0:1	Richmond *WHH* - -	2,162	28,871	12	7	1	4	-	-	-	-	-	-	-	-	1	2	-
2	Mortlake *H* - - -	2,847	20,628	15	4	-	2	-	-	-	-	-	1	-	-	-	1	-
1:1	Bromley *HHH* - - -	4,703	27,358	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	7,825	28,499	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** *W* -	10,113	9,857	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *HH* - - -	7,333	16,458	4	4	1	-	-	-	-	1	-	-	-	-	-	1	-
2:1	Bexley *HHH* - - -	12,532	46,445	31	5	2	2	-	-	-	-	-	-	-	-	2	-	-
2	Dartford *WH, part of** -	—	—	-	2	-	2	-	-	-	-	-	1	-	-	-	2	-
1:1	Sunbury *w* - - - -	11,054	18,682	12	4	1	-	-	-	-	-	-	-	1	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	6	5	2	1	-	-	-	-	-	-	1	-	-	-	-
5:1	Hillingdon *WHH* - -	6,035	13,661	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3:1	Isleworth *WHH* - -	6,859	30,838	17	7	1	2	-	-	-	-	-	-	-	-	-	1	-
2	Twickenham *HH* - -	2,421	20,991	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,319	48,298	15	10	1	5	-	-	-	1	-	-	-	-	1	1	-
4	Chiswick - - - -	1,249	29,809	11	7	2	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	26	12	4	2	-	-	-	1	-	-	1	1	2	-	-
7:1	Harrow *HHH* - - -	13,809	25,522	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - - -	4,384	114,815	65	28	10	7	-	1	-	-	1	-	1	1	3	-	-
4	Hendon *WH* - - -	8,382	22,450	11	7	-	2	-	-	-	-	-	1	-	1	2	3	-
3:1	South Mimms *HH* - -	17,755	7,308	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	33,692	25	4	1	1	-	-	-	-	-	-	-	-	-	1	-
0:1	Hornsey *HH* - - -	2,875	72,056	21	8	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,638	136,702	75	18	-	4	-	1	-	1	-	-	-	1	4	1	1
3	Edmonton *Ww* - - -	7,491	61,892	29	17	3	9	-	-	-	-	-	-	2	-	-	5	-
4	Enfield *WWHH* - -	12,601	42,738	23	10	-	4	-	-	-	-	-	-	-	3	3	1	-
5	Waltham Abbey - - -	11,017	6,547	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,479	12,288	3	3	1	-	-	-	-	1	-	-	-	-	-	-	-
5:1	Hatfield, *part of** *W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey *H* - - - -	9,333	9,173	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WLH, part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
3:1	Stratford *H* - - -	1,072	44,825	24	5	2	-	-	-	-	-	-	-	2	1	1	1	-
2	Plaistow *HHH* - - -	1,249	90,920	75	34	15	2	-	1	1	2	1	1	6	3	4	5	1
3	Canning Town *H* - -	1,556	70,666	48	33	12	5	-	-	-	-	-	-	5	2	4	1	-
4	Forest Gate *w* - - -	806	60,897	28	15	6	2	-	-	1	-	-	-	1	-	-	-	-
5	East Ham *wHHH* - -	3,268	95,970	54	24	9	7	-	1	-	1	-	1	3	-	-	1	-
6	Wanstead - - - -	1,737	9,198	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-
7	South Leyton *WW* - -	631	50,458	32	20	5	7	-	-	-	-	-	-	2	2	2	10	-
8	North Leyton *WwH* - -	1,963	48,441	26	12	8	1	-	-	-	-	-	-	2	-	-	-	-
9	Walthamstow *HHHL* -	6,504	108,931	70	25	10	3	-	-	-	1	-	1	-	1	2	1	2
7:1	Chigwell, *part of** *LHHH*	11,778	16,403	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, *part of** *W* -	6,556	6,089	13	2	-	-	-	-	-	-	-	1	-	-	-	-	-
2	Ilford *H* - - - -	8,496	41,240	21	10	4	4	-	-	-	-	-	-	-	1	1	2	-
3	Barking Town *H* - -	3,803	21,547	23	10	3	2	-	-	-	1	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Brook Hospital, Kidbrook -	—	—	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-
	M.A.B. Hospital Ship, Dartford.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious seases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 19th October, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	**443,419**	**6,604,287**	**14·6**	**1·7**	**1855**	**446**	**481**	**12**	**27**	**16**	**46**	**9**	**26**	**83**	**80**	**513**
INNER LONDON -	74,839	4,543,757	16·0	1·8	1394	324	358	11	22	13	33	6	19	56	56	449
OUTER RING -	368,580	2,060,530	11·7	1·5	461	122	123	1	5	3	13	3	7	27	24	64

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH -	317,885	October 19	164	96	15·7	–	–	1	1	3	3	4
GLASGOW - -	764,423	„ 19	433	267	18·2	–	14	2	7	8	1	11
DUBLIN† - -	375,076	„ 19	229	143	19·9	–	–	–	1	1	3	5
BELFAST† - -	350,862	„ 19	205	121	18·0	–	–	1	3	1	8	5
CALCUTTA - -	466,460	August 17	–	207	23·1	–	–	–	–	–	57‡	34
BOMBAY - -	770,843	October 1	386	883	59·6	1	–	?	?	?	376‡	76
MADRAS - -	509,346	September 13	440	959	97·8	2	4	?	?	?	285	315
		„ 20	477	775	79·1	3	4	?	?	?	284	21
PARIS - - -	2,511,629	October 12	1041	783	16·2	3	5	1	13*	6	4	42
BRUSSELS - -	582,665	„ 12	249	136	12·1	–	1	–	–	–	1	21
AMSTERDAM -	525,636	„ 5	282	149	14·7	–	1	–	1	2	1	17
ROTTERDAM -	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	378,235	October 12	227	121	16·7	–	2	–	–	3	3	1
STOCKHOLM -	301,050	„ 5	131	81	14·0	–	–	1	1*	–	–	
CHRISTIANIA -	228,929	„ 12	162	47	10·6	–	–	–	1	–	–	
ST. PETERSBURG	1,248,643	„ 5	605	502	21·0	–	18	15	17	8	34	6
MOSCOW - -	1,023,817	„ 5	–	463	23·6	1	1	10	7	1	17	8
BERLIN - -	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG - -	705 738	October 12	–	195	14·4	–	3	2	4*	2	–	2
DRESDEN - -	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH - -	500,000	„ 12	–	181	18·8	–	–	1	1*	1	–	3
VIENNA - -	1,691,996	„ 12	890	481	14·6	–	2	5	8*	–	2	4
PRAGUE - -	389,741	„ 5	147	171	22·7	–	2	5	1	–	4	
BUDA-PESTH -	744,719	„ 12	418	230	16·1	–	1	9	1	1	3	2
TRIESTE - -	177,428	„ 5	106	56	16·3	–	–	1	1*	1	–	
ROME - -	471,961	September 14	184	152	16·8	–	–	–	–	2	8‖	2
TURIN - -	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE - -	174,378	October 5	71	46	13·8	–	–	–	–	–	4	
CAIRO - -	570,062	September 2	453	412	37·6	1	6	–	7*	1	20	11
ALEXANDRIA -	319,766	„ 2	189	267	43·4	–	–	–	4*	–	10‡	8
NEW YORK (including BROOKLYN)	3,536,517	„ 21	1558	1293	19·1	1	1	2	29*	9	21	27
PHILADELPHIA -	1,293,697	„ 21	–	379	15·3	4	–	1	8	5	11	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast respectively.
§ Including 6 deaths from cholera in Calcutta, 2 in Bombay and 113 and 63, respectively, in Madras.
‡ Including 11 deaths from plague in Calcutta, 206 in Bombay and one in Alexandria.
‖ Including 2 deaths from malarial fever.

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday - 13	..	29·952	58·1	42·9	15·2	50·0	− 0·3	43·2	6·8	11·0	0·9	77	98·2	33·7	56·10	E. & calm.	NE., E. & ENE.	0·1	0·0	0·0	99	−151	0·00	0·0
Monday - 14	..	29·759	58·4	41·8	16·6	49·4	− 0·7	43·2	6·2	13·7	2·0	79	95·1	33·3	55·95	Variable, calm & NE.	E. & ESE.	0·1	0·0	0·0	107	−146	0·00	0·0
Tuesday - 15	Apogee	29·625	59·2	36·5	22·7	48·5	− 1·4	43·7	4·8	12·5	1·7	83	100·1	27·3	55·72	Calm & NE.	NE. & ENE.	0·2	0·0	0·0	100	−156	0·00	0·0
Wednesday 16	..	29·381	58·4	49·2	9·2	53·6	+ 3·8	52·8	0·8	3·6	0·0	97	87·0	40·1	55·48	NE. & calm.	SE., ESE. & SSE.	3·8	0·0	0·1	145	−114	0·54	0·5
Thursday - 17	Greatest Dec. S.	29·314	61·7	48·2	13·5	54·8	+ 5·2	49·1	5·7	11·4	1·7	81	110·0	38·7	55·41	S. & SSE.	SSW. & S.	6·2	0·0	0·5	307	+ 45	0·00	2·7
Friday - 18	..	29·225	57·4	46·1	11·3	52·9	+ 3·4	50·7	2·2	5·1	0·0	92	74·2	38·2	55·42	S., SSE. & SE.	S., SSW. & SW.	6·6	0·0	0·5	315	+ 51	0·56	4·3
Saturday - 19	..	29·537	60·1	42·3	17·8	51·1	+ 1·8	44·4	6·7	12·5	1·3	78	103·8	35·7	55·34	S., SSW. & SW.	SW., SSW. & S.	0·8	0·0	0·0	202	− 64	0·00	1·5
Means - -		29·542	59·0	43·9	15·2	51·5	+ 1·7	46·7	4·7	10·0	1·1	84	95·5	35·3	55·63	E. & S.		..	..	..	Sum 1275	Sum −535	Sum 1·10	1·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday - 13	w. P. throughout.	2·9	10·8	Dense fog prevalent in morning; fine but generally cloudy afterwards. Solar halo observed in forenoon.
Monday - 14	w. P. throughout.	3·2	10·8	Cloudy and foggy in morning; fine and partially cloudy till 9h. p.m.; cloudless afterwards.
Tuesday - 15	w. P. till 9h. A.M.; m. P. afterwards.	6·3	10·7	Dense fog in morning; very fine, with small amounts of cloud, till afternoon; cloudy afterwards.
Wednesday 16	v. P. and v. N. till 2h. P.M.; w. P. and w. N. afterwards.	0·1	10·6	Generally overcast; frequent rain. Slight fog prevalent in morning.
Thursday - 17	w. P. till 8h. P.M.; w. P. and w. N. afterwards.	5·4	10·6	Overcast till 5h. A.M.; fine, with variable amounts of cloud, till evening; overcast, with occasional slight rain, after 7h. p.m.
Friday - 18	w. P. till 3h. P.M.; v. N. and v. P. till 6h. P.M.; w. P. afterwards.	0·4	10·5	Variable and showery till 8h. a.m.; overcast, with frequent rain, till evening. Cloudless at night.
Saturday - 19	w. P. till 4h. P.M.; s. P. and s. N. till 5h. P.M.; m. P. afterwards.	7·7	10·5	Very fine generally; partially cloudy. Sharp shower, with lightning and thunder, at 4h. P.M.
		Sum 26·0	Sum 74·5	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·95 in. at the beginning of the week to 29·98 in. by 9h. A.M. on the 13th; decreased to 29·27 in. by 10h. P.M. on the 16th; increased to 29·36 in. by 9h. P.M. on the 17th; decreased to 29·16 in. by 4h. P.M. on the 18th; and increased to 29·65 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th October 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	13	17	-	1	-	-	3	-
Kensington	176,787	-	5	4	-	4	-	-	4	-
Hammersmith	112,619	-	7	4	-	2	-	-	2	-
Fulham	138,426	-	12	26	-	4	-	-	-	-
Chelsea	73,879	-	8	-	-	-	-	-	2	-
City of Westminster	182,502	3	13	3	-	1	-	-	2	-
NORTH.										
St. Marylebone	133,060	1	9	4	-	2	-	-	3	-
Hampstead	82,287	-	8	4	-	4	-	-	2	-
St. Pancras	235,297	1	28	28	-	4	-	-	8	-
Islington	335,325	4	45	28	-	8	-	-	5	-
Stoke Newington	51,328	-	4	4	-	1	-	-	2	-
Hackney	219,780	1	34	33	-	9	-	-	9	-
CENTRAL.										
Holborn	59,205	1	6	3	-	1	-	-	1	-
Finsbury	101,263	5	5	6	-	4	-	-	5	-
City of London	26,627	-	2	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	1	7	3	-	1	2	-	5	-
Bethnal Green	129,700	-	18	4	-	1	-	-	8	1
Stepney	298,884	1	27	23	-	10	-	-	11	-
Poplar	168,887	3	15	20	-	3	-	-	3	-
SOUTH.										
Southwark	206,219	2	39	15	-	-	-	-	6	-
Bermondsey	130,348	-	24	5	-	3	-	-	4	1
Lambeth	302,460	4	31	11	-	3	-	-	7	-
Battersea	169,364	-	31	5	-	4	-	-	5	-
Wandsworth	233,943	-	11	17	-	4	-	-	3	-
Camberwell	259,897	-	50	27	-	4	-	-	6	1
Deptford	110,732	-	15	12	-	2	-	-	4	-
Greenwich	96,188	-	15	5	-	-	-	-	2	-
Lewisham	128,423	1	10	11	-	2	-	-	2	-
Woolwich	117,619	-	18	4	-	2	-	-	2	-
Port of London	—	-	-	-	-	-	2	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	28	510	327	-	84	4	-	116	3
Ages 0-1		-	8	8	-	-	-	-	1	-
" 1-5		1	139	124	-	6	-	-	3	-
" 5-		1	206	95	-	6	-	-	6	-
" 10-		4	95	44	-	13	-	-	11	-
" 15-		6	34	20	-	19	1	-	11	1
" 20-		5	12	10	-	13	2	-	8	-
" 25-		4	11	20	-	13	1	-	17	2
" 35-		4	5	4	-	9	-	-	16	-
" 45-		2	-	-	-	4	-	-	21	-
" 55-		1	-	2	-	1	-	-	14	-
" 65 and upwards		-	-	-	-	-	-	-	8	-
Age not stated		-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 43. 1901. VOL. LXII.] WEEK ENDED SATURDAY, OCT. 26. [Price 1½*d.*

General Register Office, Somerset House,
October 28th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 15·9, and 16·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.		Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.
33 Great Towns	15·6	15·9	16·8	16·7	Leicester - -	12·5	14·7	14·2	10·6
Birkenhead -	13·1	12·7	14·5	13·6	Liverpool - -	20·0	17·9	19·5	18·6
Birmingham -	17·1	16·8	19·7	18·5	London - - -	14·7	15·0	16·0	16·1
Blackburn -	18·4	15·9	22·0	22·5	Manchester - -	18·1	20·8	18·7	22·3
Bolton - -	12·1	14·5	16·1	14·2	Newcastle-on-Tyne	21·3	22·5	26·9	25·2
Bradford -	10·8	14·5	16·4	15·3	Norwich - -	14·0	15·8	18·2	19·6
Brighton -	13·9	16·9	14·3	11·4	Nottingham - -	14·1	13·2	16·5	13·7
Bristol - -	12·3	13·4	11·1	11·9	Oldham - -	14·0	19·4	15·6	16·3
Burnley -	16·6	13·4	14·5	17·1	Plymouth - -	15·0	12·6	15·0	21·2
Cardiff - -	12·0	12·0	11·7	12·6	Portsmouth - -	13·5	18·1	15·7	15·1
Croydon -	13·2	9·7	11·2	10·8	Preston - -	17·5	17·1	17·5	17·1
Derby - -	11·3	9·3	10·3	11·8	Salford - - -	17·4	21·7	21·9	20·7
Gateshead -	19·8	13·7	28·8	17·5	Sheffield - -	18·8	18·8	17·5	19·1
Halifax -	12·9	15·9	14·9	11·4	Sunderland - -	23·1	16·3	16·0	19·2
Huddersfield-	11·0	15·4	11·5	13·7	Swansea - -	14·9	11·6	15·4	14·9
Hull - -	15·5	19·6	14·9	18·3	West Ham - -	17·5	13·6	17·8	17·1
Leeds - -	18·4	17·4	17·3	17·1	Wolverhampton -	16·0	13·8	19·9	9·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Sheffield, 1·2 in Manchester, 3·7 in Norwich, and 4·1 in Blackburn; from *scarlet fever*, 1·2 in Blackburn; from *whooping-cough*, 1·2 in Newcastle on Tyne; from "*fever*," 1·1 in Huddersfield; and from *diarrhœal diseases*, 1·1 in Swansea and in Liverpool, 1·4 in Sunderland, and 1·6 in West Ham and in Blackburn. The 64 deaths from *diphtheria* included 26 in London, 6 in Cardiff, 6 in Leeds, 5 in West Ham, 4 in Portsmouth, 3 in Sheffield, and 3 in Hull. Six deaths from *small-pox* were registered in London, and 1 in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2655 BIRTHS and 1404 DEATHS were registered. Allowing for increase of population, the births were 57 above, and the deaths 144 below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·7, 15·0, and 16·0 in the preceding three weeks, further rose last week to 16·1. During the four weeks ended on Saturday last the death-rate averaged

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

15·5 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1404 deaths included 6 from small-pox, 21 from measles, 9 from scarlet fever, 26 from diphtheria, 11 from whooping-cough, 10 from enteric fever, 42 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 125 deaths were referred to these diseases, being 46 below the corrected average weekly number.

The deaths from *small-pox*, which had been 3, 3, and 11 in the preceding three weeks, fell again last week to 6; 2 cases belonged to the Borough of St. Pancras, and 1 each to Holborn, Finsbury, Stepney, and Poplar. The deaths from *measles*, which had been 14, 14, and 22 in the preceding three weeks, were 21 last week, the corrected average being 28. The deaths from *scarlet fever*, which had been 14, 22, and 13 in the preceding three weeks, further fell last week to 9, and were 11 below the corrected average; 3 cases belonged to Southwark. The deaths from *diphtheria*, which had been 30, 54, and 33 in the preceding three weeks, further fell last week to 26, and were 31 below the corrected average; 6 cases belonged to St. Pancras and 4 to Camberwell. The deaths from *whooping-cough*, which had been 11, 10, and 6 in the preceding three weeks, rose again last week to 11, but were 7 below the corrected average. The fatal cases of *enteric fever*, which had been 18, 11, and 19 in the preceding three weeks, fell again last week to 10, and were 11 below the corrected average. The deaths from *diarrhœal diseases*, which had been 78, 50, and 56 in the preceding three weeks, fell again last week to 42, but were 14 above the corrected average. Of the 42 deaths from diarrhœal diseases, 37 were of children under 5 years of age; 4 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 132, 186, and 196 in the preceding three weeks, further rose last week to 242, but were 73 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 3, 8, and 4 in the preceding three weeks.

Different forms of *violence* caused 55 deaths, concerning all but 1 of which inquests were held. Of these 55 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 44 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 2 to a conflagration, and 10 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 180 cases of small-pox, 3353 of scarlet fever, 1588 of diphtheria, 287 of enteric fever, and 1 of typhus under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 57 cases, against 51, 37, and 47; of scarlet fever, 400 cases, against 426, 422, and 404; of diphtheria, 270 cases, against 246, 224, and 256; and of enteric fever, 28 cases, against 47, 48, and 28. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended October 19th.

Greater London.

In Greater London 3883 births and 1876 deaths were registered, corresponding to annual rates of 30·7 and 14·8 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 7 from scarlet fever, 19 from diphtheria, 7 from whooping-cough, 1 from "fever," and 15 from diarrhœal diseases were registered. Eleven deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·81 inches, and that of the Thermometer 44°·6; the latter being 3°·6 below the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 43 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·8 hours; the measured rainfall amounted to 0·03 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 26th Oct., 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000 corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6767**	**3663**	**916**	**842**		**80**	**34**	**64**	**43**	**56**	**114**	**146**	**294**	**894**	**33**	**16·7**	**1·8**	**58·6**	**29·6**	**44·4**	**6·89**	**0·40**	**1·02**	**33 Towns.**
London - -	4,543,757	2655	1404	308	365	6	21	9	26	11	10	42	55	123	489	4	16·1	1·4	56·9	32·1	44·6	7·00	0·03	0·08	London.
West Ham - -	268,868	183	88	31	12	-	2	2	5	1	-	8	7	12	18	-	17·1	3·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	68	28	4	11	-	1	-	-	-	-	1	-	2	6	-	10·8	0·8	56·0	31·5	43·4	6·33	0·06	0·15	Croydon.
Brighton - -	123,668	67	27	3	8	-	-	-	-	1	-	1	1	1	6	-	11·4	0·8	56·7	40·8	47.8	8·78	1·83	4·65	Brighton.
Portsmouth -	189,907	107	55	11	15	-	-	-	4	1	2	1	5	5	8	-	15·1	2·2	58·5	33·5	46·8	8·22	0·21	0·53	Portsmouth.
Plymouth - -	107,974	68	44	9	12	-	-	-	1	-	1	-	1	4	10	-	21·2	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	208	75	14	21	-	-	1	2	-	3	-	-	3	14	-	11·9	0·9	58·0	30·7	44·8	7·11	0·23	0·58	Bristol.
Cardiff - -	165,308	69	40	8	6	-	-	1	6	2	-	1	-	4	9	1	12·6	3·2	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	55	27	8	5	-	-	-	-	-	-	2	3	4	4	-	14·9	1·1	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	58	18	6	9	-	-	-	-	-	1	-	-	2	3	-	9·9	0·6	54·1	29·6	40·8	4·89	0·30	0·76	Wolverhampton.
Birmingham -	523,284	355	186	70	33	-	1	3	1	7	6	5	4	8	31	3	18·5	2·3	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	69	42	14	12	-	8	-	-	-	-	1	-	1	1	1	19·6	4·2	58·6	32·2	44·3	6·83	0·07	0·18	Norwich.
Leicester - -	212,498	124	43	9	9	-	-	-	-	-	-	2	3	7	9	-	10·6	0·5	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	116	63	16	19	-	-	-	1	-	1	3	1	3	12	-	13·7	1·1	55·9	30·8	42·1	5·61	0·46	1·17	Nottingham.
Derby - - -	106,076	55	24	5	5	-	-	1	-	-	1	-	2	2	6	-	11·8	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	66	29	5	9	-	1	-	-	-	-	-	1	2	8	1	13·6	0·5	-	-	-	-	-	-	Birkenhead.
Liverpool - -	686,332	432	245	64	44	1	6	3	1	4	5	15	7	15	67	10	18·6	2·7	53·4	38·8	45·3	7·39	0·49	1·24	Liverpool.
Bolton - -	168,748	90	46	9	8	-	-	2	-	1	2	1	3	4	8	-	14·2	1·9	-	-	-	-	-	-	Bolton.
Manchester -	544,934	320	233	70	38	-	13	2	2	1	5	7	12	22	51	4	22·3	2·9	-	-	-	-	-	-	Manchester.
Salford - -	221,526	134	88	25	9	-	2	1	2	1	4	2	3	6	14	-	20·7	2·8	-	-	-	-	-	-	Salford.
Oldham - -	137,382	73	43	7	9	-	2	1	-	1	1	2	3	4	4	-	16·3	2·7	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	47	32	6	9	-	-	-	1	-	-	-	3	3	3	1	17·1	0·5	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	50	55	16	8	-	10	3	-	-	1	4	-	-	4	-	22·5	7·3	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	62	37	10	8	-	-	1	-	1	2	2	1	1	3	-	17·1	2·8	53·0	38·0	46·0	7·78	0·49	1·24	Preston.
Huddersfield -	94,998	48	25	7	8	-	1	-	-	-	2	-	-	-	3	-	13·7	1·6	56·5	33·8	42·6	5·89	0·25	0·63	Huddersfield.
Halifax - -	105,113	50	23	3	8	-	1	1	-	-	1	-	2	3	6	-	11·4	1·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	133	82	23	21	-	-	1	-	-	2	3	3	5	16	1	15·3	1·1	56·4	38·0	44·7	7·06	0·34	0·86	Bradford.
Leeds - - -	430,489	247	141	39	39	-	2	-	6	2	3	2	3	11	25	-	17·1	1·8	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	271	140	46	21	-	7	1	3	1	2	2	10	13	18	4	19·1	2·2	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	158	85	20	25	-	-	-	3	2	-	1	4	9	8	-	18·3	1·3	-	-	-	-	-	-	Hull.
Sunderland -	146,937	109	54	14	11	-	1	-	-	-	-	4	1	2	8	1	19·2	1·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	81	37	12	4	-	-	-	-	1	-	-	2	2	2	-	17·5	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	139	104	24	21	-	1	1	-	5	1	2	6	11	20	2	25·2	2·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-THIRD Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2603	2312	2590	2413	2447	2755	2540	2652	2495	2238	2597·7	2655
Males - -	1338	1170	1293	1232	1220	1426	1261	1369	1261	1146	1318·9	1386
Females - -	1265	1142	1297	1181	1227	1329	1279	1283	1234	1092	1278·8	1269
TOTAL **Deaths** -	1348	1514	1487	1481	1470	1450	1514	1411	1844	1403	1547·8	1404
Males - -	687	777	762	740	744	773	814	725	941	705	795·4	748
Females - -	661	737	725	741	726	677	700	686	903	698	752·4	656

* The numbers in this column are the average weekly numbers in the forty-third week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.
TOTAL **Births** - - -	2844	2322	2659	2643	2483	2582	2442	2355	2581	2499	2676	2389	2655
TOTAL **Deaths** - - -	1747	1636	1705	1676	1623	1471	1398	1360	1304	1280	1309	1394	1404
Ages at Death: Under 1 year - -	716	664	734	689	647	543	435	370	345	341	329	324	308
1—5 years - -	196	185	185	167	200	137	118	146	156	115	160	139	148
5—20 " - -	87	92	70	83	78	80	80	81	87	71	78	86	81
20—40 " - -	191	171	186	177	174	157	166	176	171	181	183	209	182
40—60 " - -	268	244	259	233	249	256	258	264	251	257	261	278	320
60—80 " - -	243	226	229	270	226	243	270	262	233	270	251	280	316
80 years and upwards	46	54	42	57	49	55	71	61	61	45	47	78	49
Deaths from—													
Small-pox - - - -	1	1	2	–	7	7	9	3	5	3	3	11	6
Measles - - - - -	45	40	37	26	40	13	13	19	13	14	14	22	21
Scarlet Fever - - -	15	10	16	12	13	14	13	9	13	14	22	13	9
Diphtheria - - - -	28	24	30	27	22	20	28	27	34	30	54	33	26
Whooping-cough - - -	20	19	24	17	20	27	8	14	13	11	10	6	11
Typhus - - - - -	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	11	18	10	25	12	17	14	14	19	18	11	19	10
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	399	367	404	375	348	271	184	138	87	78	50	56	42
Cholera - - - - -	4	5	7	4	4	4	4	–	1	–	–	–	–
All the above Diseases - -	523	484	531	486	466	373	273	224	185	168	164	160	125
Dis. of Respiratory System -	126	126	103	126	114	124	116	124	137	132	186	196	242
Phthisis - - - - -	153	106	123	120	142	124	129	147	139	155	136	143	177
Dis. of Circulatory System -	113	113	97	120	100	142	131	133	101	119	122	146	158
Violence - - - -	81	77	68	56	60	45	48	75	59	52	49	56	55
Inquest Cases - - - -	162	155	159	116	157	120	119	133	118	124	117	145	123
Deaths in Public Institutions -	507	458	460	467	478	462	484	503	480	441	440	449	489
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - - -	65·1	64·6	61·0	63·9	58·6	56·4	59·4	56·8	58·7	57·3	50·7	51·5	44·6
Mean of Highest readings -	75·8	76·8	72·2	76·6	68·5	65·1	68·2	65·6	68·3	67·0	57·9	59·0	53·6
Mean of Lowest readings -	54·9	55·3	52·1	50·5	51·5	47·8	53·5	48·9	50·5	49·3	43·6	43·9	36·4
Humidity of the Air - -	72	70	71	67	71	66	83	81	81	85	82	84	90
Rain-fall (in inches) - -	0·38	0·08	0·50	0·00	1·36	0·00	0·25	1·10	0·00	1·24	0·19	1·10	0·03
Registered Sunshine (in hours)	49·2	49·0	49·3	74·4	39·2	52·3	17·0	19·8	21·3	27·8	20·3	26·0	12·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	13	11	13	41	74	92	137	153	163	169	175	172	180
Scarlet Fever - - - -	3091	3148	3101	3040	3008	2994	3064	3098	3151	3159	3280	3344	3353
Diphtheria - - - -	1336	1363	1361	1318	1344	1365	1417	1465	1512	1539	1522	1546	1588
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever - - - -	166	180	188	198	225	254	262	290	292	296	307	288	287

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-THIRD Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 43rd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 26th October, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
LL CAUSES - - -	1547·8	1404	308	148	81	182	320	316	49
mall-pox { Vaccinated† -	-	2	-	-	-	2	-	-	-
mall-pox { Unvaccinated -	0·2	4	-	2	1	1	-	-	-
mall-pox { No Statement -	0·1	-	-	-	-	-	-	-	-
easles - - - -	27·9	21	5	16	-	-	-	-	-
arlet Fever - - -	19·5	9	1	6	2	-	-	-	-
yphus - - - -	-	-	-	-	-	-	-	-	-
elapsing Fever - -	-	-	-	-	-	-	-	-	-
nfluenza - - - -	8·3	2	-	1	-	-	1	-	-
hooping-cough - -	17·9	11	6	4	1	-	-	-	-
iphtheria - - -	56·5	26	-	20	6	-	-	-	-
mple Continued and Ill-defined Fever -	0·7	-	-	-	-	-	-	-	-
nteric Fever - - -	20·6	10	-	2	2	5	1	-	-
holera and Chol. Diarr.	0·3	-	-	-	-	-	-	-	-
arrhœa, Dysentery -	27·5	42	27	10	-	1	1	2	1
emittent Fever - -	-	-	-	-	-	-	-	-	-
ydrophobia - - -	0·1	-	-	-	-	-	-	-	-
anders - - - -	0·1	-	-	-	-	-	-	-	-
wpox and Effects of Vaccination - -	0·2	1	1	-	-	-	-	-	-
neureal Affections - -	8·1	9	5	1	-	1	1	1	-
ysipelas - - -	6·9	3	1	-	-	-	1	1	-
æmia and Septicæmia	1·9	2	1	-	-	1	-	-	-
erperal Fever - -	6·6	2	-	-	-	2	-	-	-
her Zymotic Diseases -	1·3	1	-	-	-	-	1	-	-
rush - - - -	0·4	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases -	0·1	-	-	-	-	-	-	-	-
arvation, Want of Breast-milk - -	2·1	-	-	-	-	-	-	-	-
coholism - - -	12·1	13	-	-	-	4	5	4	-
eumatic Fever, Rheumatism of Heart	9·1	12	-	-	2	3	4	2	1
eumatism - - -	1·8	1	-	-	-	-	-	-	1
ut - - - - -	2·6	3	-	-	-	-	-	3	-
ckets - - - -	3·9	4	2	1	1	-	-	-	-
ncer - - - -	73·3	83	-	-	1	7	39	34	2
bes Mesenterica - -	22·5	19	13	3	3	-	-	-	-
bercular Meningitis -	17·1	32	5	18	7	-	2	-	-
thisis - - - -	163·3	177	-	3	8	71	84	11	-
rofula, Tuberculosis -	16·7	9	3	2	-	2	1	1	-
her Constitutional Diseases - -	15·1	13	1	-	1	3	3	5	-
emature Birth - -	50·3	46	46	-	-	-	-	-	-
electasis - - -	4·9	3	3	-	-	-	-	-	-
ngenital Malformations - - -	8·7	11	9	2	-	-	-	-	-
d Age - - - -	42·6	42	-	-	-	-	1	23	18
oplexy - - - -	41·3	35	1	-	-	1	11	20	2
ilepsy - - - -	6·8	1	-	-	-	-	1	-	-
nvulsions - - -	37·1	23	20	3	-	-	-	-	-
her Diseases of Brain and Nervous System	72·6	57	4	5	4	7	14	19	4
eases of Organs of Special Sense -	3·9	2	-	-	2	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 43rd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 26th October, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	139·3	158	2	2	11	19	46	72	6
Croup - - - -	3·3	-	-	-	-	-	-	-	-
Bronchitis - - -	169·1	105	36	12	1	5	13	33	5
Pneumonia - - -	112·6	107	29	23	6	6	20	23	-
Pleurisy - - - -	4·8	7	1	-	1	3	1	1	-
Other Diseases of Respiratory System -	25·2	23	3	2	-	2	3	9	4
Dentition - - -	5·7	4	4	-	-	-	-	-	-
Quinsy, Sore Throat -	1·9	-	-	-	-	-	-	-	-
Enteritis - - -	23·8	19	9	2	3	3	-	2	-
Gastro-enteritis -		6	4	-	-	-	2	-	-
Peritonitis - - -	4·9	1	-	-	1	-	-	-	-
Diseases of Liver - -	24·5	21	-	-	-	5	12	4	-
Other Diseases of Digestive System	31·4	40	7	2	4	5	12	10	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	3	-	-	1	1	1	-	-
Diseases of Urinary System - -	44·3	52	1	1	3	9	15	22	1
Diseases of Generative System - -	6·9	5	-	-	-	1	4	-	-
Accidents of Childbirth -	5·8	5	-	-	-	4	1	-	-
Diseases of Locomotive System - -	4·9	3	1	-	1	-	-	1	-
Diseases of Integumentary System - -	7·6	10	1	1	-	-	4	1	3
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	0·8	2	-	-	2	-	-	-	-
By Vehicles or Horses -	6·9	4	-	-	2	-	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·3	-	-	-	-	-	-	-	-
In Building Operations -	1·0	-	-	-	-	-	-	-	-
In Conflagrations - -	0·1	2	-	-	-	1	1	-	-
By Burns, Scalds, Explosions - -	5·2	3	-	1	1	-	-	1	-
By Drowning - - -	4·5	2	-	-	-	1	-	1	-
By Suffocation in Bed -	10·0	10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·1	2	-	-	-	1	-	1	-
Other or not stated causes - - -	20·4	19	1	2	2	2	7	5	-
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·7	1	-	-	-	-	1	-	-
Suicide - - - -	7·4	10	-	-	-	3	5	1	1
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·3	49	45	1	1	-	-	2	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for crease of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered edical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when e cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of cident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 26th October, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,063	2655	1404	308	365	6	21	9	26	11	–	10	–	42	55	123	489	4
WEST DISTRICTS - - -	805,275	373	227	33	69	–	6	–	4	3	–	2	–	3	6	15	94	–
NORTH DISTRICTS - - -	1,056,018	598	291	70	77	–	4	3	7	–	–	2	–	9	11	17	90	1
CENTRAL DISTRICTS - - -	209,432	119	72	19	12	–	–	–	–	2	–	1	–	5	4	5	31	–
EAST DISTRICTS - - - -	715,772	534	295	92	64	–	6	–	1	4	–	2	–	6	18	44	116	–
SOUTH DISTRICTS - - -	1,749,566	1031	489	94	135	–	5	5	11	2	–	2	–	19	15	41	128	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	30	–	8	6	–	1	3	–	–	1	–	–	1	1	30	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	45	21	7	9	–	–	–	–	–	–	–	–	1	2	4	9	–
St. John Paddington *H* - - G.	33,608	8	13	–	2	–	–	–	1	–	–	–	–	–	1	1	9	–
North-West Paddington - - C.	17,181	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *Ww* - W. & C.	128,025	62	37	6	7	–	3	–	–	–	–	–	–	–	2	4	20	–
Brompton *HH* - - W. & C.	48,598	12	10	–	6	–	–	–	–	–	–	–	–	–	–	–	1	–
North Hammersmith *H* } W. & G.	49,335	23	10	4	3	–	–	–	–	1	–	–	–	–	–	–	–	–
South Hammersmith *wH* } W. & G.	62,910	29	15	5	5	–	1	–	–	–	–	–	–	–	–	–	2	–
North-west Fulham *W* } W. & C.	45,180	28	9	1	3	–	–	–	–	–	–	–	–	–	–	–	7	–
North-east Fulham *H* } W. & C.	46,404	37	20	5	–	–	–	–	3	–	–	2	–	–	1	1	6	–
South Fulham } W. & C.	45,705	33	13	2	6	–	–	–	–	1	–	–	–	1	–	3	–	–
Chelsea North *WwHHH* - C.	42,515	24	25	–	9	–	–	–	–	1	–	–	–	–	–	1	19	–
Chelsea South *HH* - - - C.	31,341	13	8	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
May Fair and Knightsbridge *H* } C.&G.	28,744	4	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Belgrave *WHH* - - - C.	55,812	22	13	2	4	–	–	–	–	–	–	–	–	1	–	–	7	–
St. Margaret & St. John Westminster *HHHH* - - } C.	43,665	16	21	1	5	–	2	–	–	–	–	–	–	–	–	–	10	–
St. James Westminster *WH* } N. & G.	21,595	5	4	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Anne Soho *HHHHH* - N.	11,492	5	7	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* } - - W.	35,394	12	12	1	4	–	–	–	–	–	–	–	–	–	–	1	5	–
Rectory Marylebone *W* G. & W.	19,869	5	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Mary Marylebone *HHHH* } G. & W.	18,099	38	6	3	1	–	–	–	–	–	–	–	–	1	2	2	2	–
Christchurch Marylebone *H* - W.	39,541	27	8	4	1	–	–	–	–	–	–	–	–	1	1	1	–	–
St. John Marylebone *HHH* - W.	20,426	3	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WHHHHHH* } - - N. & W.	81,942	27	19	3	3	–	–	1	2	–	–	–	–	–	1	1	10	–
Regent's Park *H* - - - W.	50,647	28	8	1	1	–	–	–	–	–	–	1	–	–	–	–	1	–
Tottenham-court *wHHHHHH* } - N. & W.	24,814	17	16	3	4	–	–	–	1	–	–	–	–	–	1	2	11	–
Gray's Inn Lane *HHHH* - N.	30,886	18	10	2	1	–	–	–	–	–	–	–	–	2	1	2	5	–
Somers Town *HH* - - - N.	30,131	10	5	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Camden Town *WH* - - N.	40,079	24	13	1	6	–	–	–	–	–	–	–	–	–	–	–	8	–
Kentish Town *WW* - - N.	58,727	29	28	6	10	–	1	–	–	–	–	–	–	1	–	1	10	–
Tufnell *W*		19	14	2	8	–	–	–	–	–	–	–	–	–	–	–	7	–
Upper Holloway *WWwHH*	99,841	26	24	5	10	–	–	–	–	–	–	–	–	2	2	2	13	–
Tollington *W*		19	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway - - - N.	41,411	25	9	2	4	–	1	1	–	–	–	–	–	–	–	–	–	–
Barnsbury - - - - - N.	54,479	33	15	4	1	–	2	–	–	–	–	–	–	–	–	1	–	–
Islington South-east *H* - - N.	75,402	44	17	7	3	–	–	–	–	–	–	–	–	2	–	–	–	–
Highbury *HH* - - - - N.	63,795	35	10	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Stoke Newington *H* - - N.	51,247	33	9	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney - - E. & N.	50,570	21	6	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Central Hackney *wH* - E. & N.	50,535	28	13	2	4	–	–	1	3	–	–	–	–	–	–	–	4	–
South-west Hackney *HHH* E. & N.	59,929	33	20	7	2	–	–	–	–	–	–	1	–	–	2	2	6	–
South-east Hackney *WwH* E. & N.	58,254	39	18	6	2	–	–	–	–	–	–	–	–	–	1	2	7	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	23	7	2	1	–	–	–	–	1	–	–	–	–	–	–	2	–
t. Giles North *H* - - - N.	8,959	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
t. Martin-in-the-Fields *HH* N.&C.	12,975	2	6	1	1	–	–	–	–	–	–	–	–	1	–	–	3	–
trand *WHH* - - - - N.	8,694	3	8	1	2	–	–	–	–	–	–	–	–	–	–	–	5	–
trand Union Workhouse, Edmonton -	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Iolborn *WHHHHHH* - - N.	29,579	8	11	2	1	–	–	–	–	–	–	–	–	2	–	–	7	–
t. James Clerkenwell - - N.	15,634	8	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
mwell - - - - - N.	32,691	27	8	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
oswell-street - - - - N.	15,390	8	4	3	–	–	–	–	–	1	–	–	–	–	2	2	–	–
insbury* *HHHL* - - - N.	35,376	34	8	2	2	–	–	–	–	–	–	–	–	2	–	–	1	–
Iolborn Union Workhouse, Mitcham - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
t. Botolph *H* - - - N. & E.	11,036	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
t. Sepulchre *WH* - - - N.	7,886	–	10	2	–	–	–	–	–	–	–	1	–	–	2	2	10	–
llhallows Barking - - - N.	8,717	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ity of London Asylum, Stone - -	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
EAST DISTRICTS.																		
horeditch South *Hl* - E. & N.	16,370	12	8	2	3	–	–	–	–	–	–	–	–	–	–	–	2	–
oxton New Town *wH* - - N.	29,761	14	15	2	4	–	–	–	–	–	–	–	–	–	–	1	10	–
oxton Old Town - - - N.	26,510	20	9	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–
aggerston *W* - - - N & E.	46,064	37	25	7	9	–	–	–	–	–	–	–	–	1	1	1	9	–
ethnal Green North *HH* - E.	51,513	35	18	11	1	–	–	–	–	–	–	–	–	–	–	1	3	–
ethnal Green South - - E.	33,473	28	9	3	1	–	1	–	–	–	–	–	–	–	1	3	–	–
ethnal Green East *WWHl* - E.	44,695	36	18	5	7	–	–	–	–	–	–	1	–	–	–	–	10	–
pitalfields - - - E. & N.	27,965	13	5	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–
ile End New Town *WH* - E.	28,711	24	44	10	7	–	–	–	1	–	–	1	–	1	6	14	37	–
oodman's Fields - - - E.	22,082	19	6	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–
t. George's, North - - - E.	40,965	37	13	8	–	–	–	–	–	1	–	–	–	–	–	–	–	–
t. John *W* - - - - E.	8,122	8	7	1	2	–	2	–	–	–	–	–	–	1	–	1	4	–
hadwell *H* - - - E. & N.	10,760	7	8	3	1	–	–	–	–	1	–	–	–	2	–	1	4	–
atcliff *W* - - - - E.	14,770	6	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
imehouse - - - - - E.	32,358	34	9	3	1	–	–	–	–	–	–	–	–	–	1	2	–	–
ile End Old Town West *H* - E.	59,467	42	8	2	2	–	–	–	–	–	–	–	–	–	–	2	–	–
ile End Old Town East *WWw* - - - E.	53,348	33	28	10	8	–	–	–	–	–	–	–	–	–	1	3	15	–
ow *l* - - - - - E.	41,990	36	15	5	4	–	–	–	–	–	–	–	–	–	2	3	–	–
romley *wwwH* - - - E.	68,326	48	31	4	8	–	1	–	–	1	–	–	–	1	5	8	18	–
oplar *Ww* - - - - E.	58,522	45	17	6	5	–	1	–	–	–	–	–	–	–	–	1	4	–

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 26th October, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	11,232	5	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–
St. Saviour Southwark - - S.	12,056	4	18	3	2	–	–	–	–	–	–	–	–	1	5	7	14
Kent-road - - - S. & L.	21,899	12	4	2	1	–	–	–	–	–	–	–	–	1	–	–	–
Borough-road *WH* - S. & L.	16,882	9	9	3	1	–	–	–	–	–	–	–	–	2	–	–	3
London-road *HL* - L. & S.	22,209	11	3	–	2	–	–	–	–	–	–	–	–	1	–	–	–
Trinity Newington *H* - S. & L.	28,485	17	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–
St. Peter Walworth *W*- S. & L.	61,773	38	12	4	1	–	–	1	–	1	–	–	–	2	–	1	–
St. Mary Newington - L. & S.	31,592	21	7	2	1	–	–	–	–	–	–	–	–	–	1	1	–
St. Olave *W* - - - - S.	9,813	3	7	1	1	–	–	–	–	–	–	–	–	–	–	1	–
Bermondsey *WH*- - - S.	82,405	47	15	4	2	–	–	–	–	–	–	–	–	–	2	3	–
Rotherhithe *WH* - - S. & K	38,268	30	22	4	5	–	–	–	–	–	–	–	–	–	–	3	6
Waterloo-road *HH* - L. & S.	27,435	24	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lambeth Church 1st *H* L. & S.	18,420	12	16	2	2	–	–	–	–	–	–	–	–	–	1	1	8
Lambeth Church 2nd *WW* L. & S.	39,818	18	26	6	12	–	–	–	–	–	–	–	–	1	1	2	20
Kennington 1st *H* - S. & L.	53,196	38	17	2	5	–	3	–	–	–	–	–	–	–	–	1	–
Kennington 2nd - - S. & L.	42,891	21	11	–	4	–	–	–	–	1	–	–	–	1	–	–	–
Brixton *H* - - - L. & S.	84,226	39	24	4	5	–	–	3	2	–	–	–	–	2	–	–	4
Norwood *WH* - - - L.	35,887	15	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–
East Battersea - - - S.	72,201	41	17	3	4	–	2	–	–	–	–	–	–	–	1	4	–
North-west Battersea - - S.	49,650	41	12	5	3	–	–	–	–	–	–	–	–	–	1	3	–
South-west Battersea *WH* - S.	47,045	15	16	1	7	–	–	–	–	–	–	–	–	–	–	2	8
Clapham *H* - - - - S.	51,353	21	6	–	4	–	–	–	–	–	–	–	–	–	–	–	1
Streatham *WwHHL* - L.	88,129	42	20	2	9	–	–	–	2	–	–	–	–	–	–	1	5
Wandsworth *WHL* - - S.	68,409	51	13	3	4	–	–	–	–	–	–	–	–	–	1	1	4
Putney - - - - - S.	24,139	16	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich - - - - L. & S.	10,246	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *Wwll* - S. & L.	90,404	43	38	5	10	–	–	–	–	–	–	–	–	2	–	1	24
Peckham *W*- - S., L., & K.	93,022	74	24	6	9	–	–	–	1	–	–	–	–	–	1	2	–
St. George Camberwell - L. & S.	65,586	46	18	5	2	–	–	–	–	–	–	–	–	–	–	–	–
Deptford North - - - K.	37,601	34	9	3	1	–	–	–	1	–	–	–	–	–	–	–	–
Deptford Central *H* - - K.	45,621	27	17	6	3	–	–	–	1	–	–	1	–	3	–	–	2
Deptford South - - - K.	34,622	14	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,456	19	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1
Greenwich East *WH* - - K.	43,849	34	19	1	9	–	–	–	–	–	–	1	–	–	–	1	13
Eltham *wH* - - - - K.	7,218	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	9	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Lewisham *WwH* - - - K.	58,341	32	25	1	10	–	–	1	4	–	–	–	–	–	–	2	14
Sydenham *H* - - - L.	43,630	15	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *HHH* - - - K.	21,121	12	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Woolwich *HHHH* - - K.	41,607	31	11	2	3	–	–	–	–	–	–	–	–	–	–	–	1
Plumstead West *H* - - K.	18,076	8	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–
Plumstead East *WH* - - K.	50,264	36	11	3	1	–	–	–	–	–	–	–	–	1	–	1	–
London County Asy., Banstead -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
London County Asy., Epsom -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Caterham	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
London County Asy., Cane Hill -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M.A.B. Ships and Hosp., Dartford	—	–	6	–	–	6	–	–	–	–	–	–	–	–	–	–	6
Met. Asy. for Imbeciles, Darenth -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Dartford Heath - - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4
London County Asylum, Hanwell	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Central London Sick Asy., Hendon	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Colney Hatch	—	–	3	–	1	–	–	–	–	–	–	1	–	–	–	–	3
M.A.B. North-Eastern Hospital -	—	–	5	–	–	–	–	1	3	–	–	–	–	–	–	–	5
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Claybury	—	–	3	–	1	–	–	–	–	–	–	–	–	–	1	1	3

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th October, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1228	472	115	110	–	6	7	19	7	1	15	20	42	71	4
30 : 1	Carshalton *H*	12.228	32,997	15	3	2	–	–	–	–	–	–	–	–	1	1	–	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	3	3	–	–	–	–	–	–	–	–	–	–	–	2	–
37 : 1	Godstone, *part of** *W*	2,754	2,692	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH*	20.851	164,519	85	34	5	11	–	1	–	–	–	–	1	1	3	7	–
2	Mitcham *w*	11,689	29,906	20	7	2	2	–	1	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3.221	41.604	23	2	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Kingston *WH*	6,224	42,067	16	12	2	4	–	–	–	–	1	–	–	1	2	–	–
3	Surbiton *HH*	3,046	15,019	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H*	5,402	13,003	6	3	–	1	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL*	4,564	23,447	15	2	1	–	–	–	–	–	1	–	–	–	–	–	–
40 : 1	Richmond *WHH*	2.162	28,871	11	9	2	1	–	–	–	1	–	–	–	–	–	1	–
2	Mortlake *H*	2,847	20,628	12	1	–	1	–	–	–	–	–	–	–	1	1	–	–
41 : 1	Bromley *HHH*	4,703	27.358	17	3	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	7.825	28 499	13	9	3	–	–	–	–	–	1	–	1	–	–	2	–
3	Orpington, *part of** *W*	10.113	9.857	6	2	–	1	–	–	–	–	–	–	–	–	–	1	–
4	Chislehurst *HH*	7,333	16,458	12	2	–	1	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley *HHH*	12.532	46,445	24	7	1	5	–	–	–	–	–	–	–	–	–	–	–
2	Dartford *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124 : 1	Sunbury *w*	11,054	18.682	15	5	2	2	–	–	–	–	–	–	–	–	1	–	–
2	Staines *WH*	13,277	15,179	6	3	–	1	–	–	–	2	–	–	–	–	–	–	–
125 : 1	Hillingdon *WHH*	6.035	13,661	16	2	–	–	–	–	–	1	–	–	–	–	–	–	–
2	Uxbridge	12,757	8.984	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	8,066	16.358	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6,859	30.838	17	16	3	6	–	–	–	–	–	–	–	–	–	8	–
2	Twickenham *HH*	2.421	20,991	9	2	–	1	–	–	1	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4.319	48.298	21	9	–	–	–	–	1	1	–	–	–	2	2	2	–
4	Chiswick	1,249	29.809	23	10	3	4	–	–	–	–	–	–	–	1	1	–	–
5	Acton *wHH*	6,132	48.913	31	11	4	1	–	–	–	–	–	–	1	–	–	1	–
127 : 1	Harrow *HHH*	13,809	25,522	15	5	–	–	–	–	–	–	–	–	–	–	–	1	–
2	Edgware *HH*	6,994	4.520	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4.384	114,815	71	23	3	7	–	–	–	1	–	–	–	1	1	–	1
4	Hendon *WH*	8,382	22,450	14	6	–	4	–	–	–	–	–	–	–	1	2	2	–
128 : 1	South Mimms *HH*	17,755	7,308	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	3,324	17,970	2	7	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Finchley *HHH*	4,688	33,692	13	3	1	2	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH*	2.875	72,056	31	9	2	5	–	–	–	1	–	–	–	–	1	–	–
2	Tottenham *HHH*	4.638	136 702	98	36	10	11	–	2	–	–	–	–	1	1	4	1	–
3	Edmonton *Ww*	7,491	61.892	38	17	6	6	–	–	–	–	–	–	–	–	2	8	1
4	Enfield *WWHH*	12.601	42,738	31	4	1	–	–	–	1	–	–	–	–	–	1	1	–
5	Waltham Abbey	11,017	6.547	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12.288	4	3	1	1	–	–	–	–	–	–	–	–	–	1	1
135 : 1	Hatfield, *part of** *W*	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9,333	9.173	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WLH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1,072	44.825	25	9	2	2	–	–	1	–	–	–	–	2	2	2	–
2	Plaistow *HHH*	1.249	90.920	72	31	11	2	–	1	1	3	–	–	3	1	2	5	–
3	Canning Town *H*	1,556	70,666	60	27	13	3	–	1	–	1	1	–	5	3	5	3	–
4	Forest Gate *w*	806	60,897	26	13	5	2	–	–	–	1	–	–	–	1	2	–	–
5	East Ham *wHHH*	3,268	95,970	68	26	9	4	–	–	–	3	1	1	1	–	–	1	–
6	Wanstead	1,737	9,198	5	2	–	–	–	–	–	1	–	–	–	–	–	–	–
7	South Leyton *WW*	631	50.458	49	19	4	5	–	–	–	–	1	–	–	–	1	11	–
8	North Leyton *WwH*	1,963	48.441	24	14	3	4	–	–	–	–	1	–	–	1	1	–	1
9	Walthamstow *HHHL*	6,504	108,931	70	23	7	3	–	–	–	2	–	–	1	1	4	1	–
187 : 1	Chigwell, *part of** *LHHH*	11,778	16,403	9	1	–	–	–	–	–	–	–	–	–	–	1	–	–
2	Epping *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** *W*	6,556	6.089	2	7	–	–	–	–	–	–	–	–	–	–	1	3	–
2	Ilford *H*	8,496	41,240	36	9	3	2	–	–	–	–	–	–	1	–	–	1	–
3	Barking Town *H*	3,803	21,547	17	8	1	2	–	–	–	–	–	–	–	1	1	–	–
	North-Western Fever Hospital, Hampstead.	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
	North-Eastern Fever Hospital, Tottenham.	—	—	–	2	–	–	–	–	1	1	–	–	–	–	–	2	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 26th October, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16
GREATER LONDON	**443,419**	**6,604,287**	**14·8**	**1·4**	**1876**	**423**	**475**	**6**	**27**	**16**	**45**	**18**	**11**	**57**	**75**	**56**
INNER LONDON –	74,839	4,543,757	16·1	1·4	1404	308	365	6	21	9	26	11	10	42	55	48
OUTER RING –	368,580	2,060,530	11·9	1·4	472	115	110	–	6	7	19	7	1	15	20	7

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	317,885	October 26	152	95	15·6	–	–	1	3	2	–	
GLASGOW –	764,423	„ 26	411	294	20·1	–	10	1	1	6	11	1
DUBLIN† –	375,076	„ 26	235	139	19·3	–	–	1	1	2	–	
BELFAST† –	350,862	„ 26	193	103	15·3	–	2	–	–	2	6	–
CALCUTTA –	466,460	August 24	–	237	26·5	–	–	–	2	–	90‡	3
		„ 31	–	211	23·6	1	–	–	1	–	68‡	3
BOMBAY –	770,843	October 8	279	794	53·6	–	2	?	?	?	297‡	6
MADRAS –	509,346	September 27	400	742	75·7	5	1	?	?	?	259	17
PARIS – –	2,511,629	October 19	1033	890	18·4	5	2	2	11*	1	6	3
BRUSSELS –	582,665	„ 19	229	166	14·8	–	–	–	2*	4	3	2
AMSTERDAM	525,636	„ 12	279	131	12·9	–	–	–	3	2	2	
ROTTERDAM	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN	378,235	October 19	242	99	13·6	–	–	–	–	2	5	1
STOCKHOLM –	301,050	„ 12	143	72	12·4	–	–	2	2*	1	–	
CHRISTIANIA –	228,929	„ 19	145	32	9·4	–	–	–	–	–	–	
ST. PETERSBURG	1,248,843	„ 12	526	464	19·4	–	15	15	19	8	25	6
MOSCOW – –	1,023,817	„ 12	–	557	28·4	1	2	18	9	7	14	9
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705 738	October 19	–	215	15·8	–	7	6	2*	4	2	
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	„ 19	–	186	19·3	–	1	1	–	1	–	3
VIENNA – –	1,691,996	„ 19	900	506	15·4	–	–	7	7*	1	1	5
PRAGUE – –	389,741	„ 12	147	169	22·4	–	–	3	1	–	–	1
BUDA-PESTH –	744,719	„ 19	430	210	14·7	–	–	5	1	–	1	2
TRIESTE – –	177,428	„ 12	94	60	17·5	–	–	4	1*	1	–	
ROME – –	471,961	September 21	197	151	16·7	–	–	–	–	–	6‖	2
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE – –	174,378	October 12	69	56	16·7	–	–	–	1*	–	3	1
CAIRO – –	570,062	September 9	448	403	36·8	–	4	–	4*	–	13	11
ALEXANDRIA –	319,766	„ 9	219	245	39·8	1	1	–	5*	–	10‡	8
NEW YORK (including BROOKLYN)	3,536,517	„ 28	1402	1202	17·7	2	3	4	21*	6	24	22
PHILADELPHIA –	1,293,697	„ 28	–	365	14·7	3	–	1	8	7	8	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast respectively.
§ Including 8 and 5 deaths, respectively, from cholera in Calcutta, 3 in Bombay, and 36 in Madras.
‡ Including 16 and 11 deaths, respectively, from plague in Calcutta, 174 in Bombay and 3 in Alexandria.
‖ Including 3 deaths from malarial fever.

[Under the Superintendence of the Astronomer Royal.]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	20	First Quarter.	29·696	56·9	36·2	20·7	45·1	− 3·9	42·1	3·0	12·5	0·0	89	102·0	29·1	55·17	S., SSW. & calm.	SSW. & SSE.	0·1	0·0	0·0	132	−135	0·00	0·7
Monday -	21	..	29·592	53·1	33·6	19·5	43·8	− 5·0	42·1	1·7	6·0	0·0	94	73·6	28·8	54·72	Calm & variable.	SE.	0·0	0·0	0·0	70	−198	0·00	1·6
Tuesday -	22	..	29·680	53·9	39·1	14·8	46·2	− 2·3	44·3	1·9	5·6	0·2	93	79·5	30·9	54·30	Variable & ESE.	SE., NE. & S.	0·4	0·0	0·0	118	−150	0·01	0·7
Wednesday	23	..	29·815	53·3	40·0	13·3	45·7	− 2·5	41·6	4·1	9·6	0·0	86	84·7	32·0	53·80	SE., S. & SW.	SW. & SSW.	1·1	0·0	0·0	175	− 94	0·00	0·0
Thursday-	24	In Equator	29·912	53·7	36·5	17·2	47·3	− 0·6	43·3	4·0	7·2	1·5	86	68·2	27·7	53·70	SSW., S. & SSE.	S. & SW.	3·7	0·0	0·4	303	+ 34	0·02	0·0
Friday -	25	..	29·885	51·6	37·3	14·3	43·7	− 3·9	40·2	3·5	9·7	0·5	87	71·0	28·7	53·20	SW. & SSW.	SW., WSW. & S.	0·6	0·0	0·0	171	− 99	0·00	0·0
Saturday-	26	..	30·066	52·5	32·1	20·4	40·7	− 6·7	38·7	2·0	13·6	0·0	93	89·0	25·0	53·10	SW. & variable.	N. & S.	0·3	0·0	0·0	104	−167	0·00	0·0
Means -	-		29·807	53·6	36·4	17·2	44·6	− 3·6	41·8	2·9	9·2	0·3	90	81·1	28·9	54·00	SE. & SW.		..	..	..	Sum 1073	Sum −809	Sum 0·03	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	20	m. P. generally.	6·9	10·4	Cloudless in morning, with dense fog prevalent between 7h. and 11h. A.M.; very fine, with small amounts of cloud, till evening; cloudless at night.
Monday -	21	w. N. till 1h. A.M.; v. P. till noon; m. P. generally afterwards.	0·2	10·3	Dense fog till 10h. A.M.; generally cloudy and slightly foggy afterwards. Occasional slight rain in afternoon.
Tuesday -	22	m. P. generally.	0·2	10·2	Foggy in morning; cloudy, with frequent slight rain, till evening; fine but foggy at night.
Wednesday	23	w. P. generally till 9h. A.M., with w. N. at 5h. A.M.; m. P. afterwards.	2·8	10·2	Partially cloudy and foggy, with occasional slight showers, till evening; cloudless, with variable fog, at night. Solar halo in afternoon. Lunar halo at night.
Thursday-	24	w. P. generally.	0·0	10·1	Very fine in early morning; overcast, with frequent slight rain till evening; fine and partially cloudy afterwards.
Friday -	25	w. P. till 9h. A.M.; m. P. till 2h. P.M.; s. P. afterwards.	0·2	10·1	Fine, but generally cloudy. Fog in morning and at night.
Saturday-	26	m. P. generally.	2·5	10·0	Dense fog prevalent in morning; fine, with small amounts of cloud, after 11h. A.M. Hoar frost and variable fog at night.
			Sum 12·8	Sum 71·3	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·65 in. at the beginning of the week to 29·72 in. by 10h. A.M. on the 20th; decreased to 29·57 in. by 2h. P.M. on the 21st; increased to 30·03 in. by 1h. A.M. on the 24th; decreased to 29·81 in. by 6h. P.M. on the same day; and increased to 30·19 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th October 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	18	17	-	5	-	-	6	-
Kensington	176,787	-	16	6	-	-	-	-	5	1
Hammersmith	112,619	-	8	8	-	1	-	-	6	-
Fulham	138,426	-	10	25	-	2	-	-	1	-
Chelsea	73,879	-	5	5	-	1	-	-	1	-
City of Westminster	182,502	1	18	14	-	1	1	-	2	-
NORTH.										
St. Marylebone	133,060	1	8	4	-	3	-	-	4	-
Hampstead	82,287	-	6	2	-	2	-	-	1	-
St. Pancras	235,297	10	30	39	-	6	-	-	4	-
Islington	335,325	2	43	18	-	6	-	-	6	-
Stoke Newington	51,328	-	7	9	-	-	-	-	-	-
Hackney	219,780	1	42	29	-	6	-	-	10	-
CENTRAL.										
Holborn	59,205	3	5	8	-	-	-	-	-	-
Finsbury	101,263	3	15	13	-	-	-	-	5	1
City of London	26,627	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	1	7	8	-	-	-	-	4	-
Bethnal Green	129,700	-	23	10	-	4	-	-	13	-
Stepney	298,884	15	39	24	-	6	-	-	15	1
Poplar	168,887	4	13	10	-	6	-	-	6	-
SOUTH.										
Southwark	206,219	-	44	14	-	5	-	-	5	-
Bermondsey	130,348	3	38	7	-	9	-	-	7	1
Lambeth	302,460	2	29	9	-	4	-	-	4	-
Battersea	169,364	1	37	11	-	2	-	-	3	-
Wandsworth	233,943	-	30	18	-	2	-	-	7	-
Camberwell	259,897	1	64	17	-	4	-	-	10	-
Deptford	110,732	-	21	14	-	1	-	-	3	-
Greenwich	96,188	-	7	1	-	2	-	-	-	-
Lewisham	128,423	-	15	10	-	4	-	-	1	-
Woolwich	117,619	-	11	4	-	1	-	-	2	-
Port of London	—	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	48	610	354	-	85	1	-	131	4
Ages 0-1		1	10	6	-	-	-	-	5	-
" 1-5		4	162	129	-	5	-	-	5	-
" 5-		5	238	112	-	11	1	-	7	-
" 10-		5	128	46	-	12	-	-	9	-
" 15-		8	33	16	-	10	-	-	9	-
" 20-		6	17	18	-	11	-	-	6	2
" 25-		10	9	21	-	18	-	-	13	-
" 35-		5	9	4	-	14	-	-	30	2
" 45-		3	4	1	-	1	-	-	30	-
" 55-		1	-	1	-	3	-	-	13	-
" 65 and upwards		-	-	-	-	-	-	-	4	-
Age not stated		-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 44. 1901. VOL. LXII.] WEEK ENDED SATURDAY, NOV. 2. [Price 1½*d*.

General Register Office, Somerset House,
November 4th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 15·9, 16·8, and 16·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.		Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
33 Great Towns	15·9	16·8	16·7	17·6	Leicester - -	14·7	14·2	10·6	11·5
Birkenhead -	12·7	14·5	13·6	17·8	Liverpool - -	17·9	19·5	18·6	21·5
Birmingham -	16·8	19·7	18·5	20·9	London - - -	15·0	16·0	16·1	17·4
Blackburn -	15·9	22·0	22·5	23·7	Manchester - -	20·8	18·8	22·3	19·0
Bolton - -	14·5	16·1	14·2	14·8	Newcastle-on-Tyne	22·5	26·9	25·2	21·5
Bradford -	14·5	16·4	15·3	16·6	Norwich - -	15·8	18·2	19·6	15·4
Brighton -	16·9	14·3	11·4	13·1	Nottingham - -	13·2	16·5	13·7	13·0
Bristol - -	13·4	11·1	11·9	15·7	Oldham - -	19·4	15·6	16·3	17·1
Burnley -	13·4	14·5	17·1	22·0	Plymouth - -	12·6	15·0	21·2	15·9
Cardiff - -	12·0	11·7	12·6	11·0	Portsmouth - -	18·1	15·7	15·1	14·3
Croydon -	9·7	11·2	10·8	8·1	Preston - -	17·1	17·5	17·1	22·1
Derby - -	9·3	10·3	11·8	15·2	Salford - - -	21·4	21·9	20·7	22·1
Gateshead -	13·7	28·8	17·5	14·6	Sheffield - -	18·8	17·5	19·1	20·3
Halifax -	15·9	14·9	11·4	17·4	Sunderland - -	16·3	16·0	19·2	18·8
Huddersfield-	15·4	11·5	13·7	18·7	Swansea - -	11·6	15·4	14·9	10·5
Hull - -	19·6	14·9	18·3	16·2	West Ham - -	13·6	17·8	17·1	18·4
Leeds - -	17·4	17·3	17·1	17·6	Wolverhampton -	13·8	19·9	9·9	12·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Halifax, 1·1 in Huddersfield, 1·2 in Sheffield, 1·9 in Norwich, and 3·3 in Blackburn; from *whooping-cough*, 1·4 in Sunderland; from "*fever*," 1·0 in Halifax and 1·4 in Salford; and from *diarrhœal diseases*, 1·1 in Burnley and in Halifax, 1·2 in West Ham, and 1·4 in Preston and in Sunderland. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1,000. The 71 deaths from *diphtheria* included 36 in London, 6 in Liverpool, 4 in West Ham, 4 in Sheffield, and 3 in Bristol. Six deaths from *small-pox* were registered in London, and 1 in Plymouth, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2737 BIRTHS and 1516 DEATHS were registered. Allowing for increase of population, the births were 1, and the deaths 99, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·0, 16·0, and 16·1 in the preceding three weeks, further rose last week to 17·4.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

During the four weeks ended on Saturday last the death-rate averaged 16·1 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1516 deaths included 6 from small-pox, 24 from measles, 12 from scarlet fever, 36 from diphtheria, 12 from whooping-cough, 12 from enteric fever, 28 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 130 deaths were referred to these diseases, being 45 below the corrected average weekly number.

The deaths from *small-pox*, which had been 3, 11, and 6 in the preceding three weeks, were again 6 last week; 3 cases belonged to the Borough of Bermondsey, and 1 each to St. Pancras, Holborn, and Southwark. The deaths from *measles*, which had been 14, 22, and 21 in the preceding three weeks, rose last week to 24, but were 11 below the corrected average; 4 cases belonged to Islington, 4 to Lambeth, and 4 to Battersea. The deaths from *scarlet fever*, which had been 22, 13, and 9 in the preceding three weeks, rose again last week to 12, but were 7 below the corrected average; 2 cases belonged to Stepney, 2 to Bermondsey, and 2 to Lambeth. The deaths from *diphtheria*, which had been 54, 33, and 26 in the preceding three weeks, rose again last week to 36, but were 18 below the corrected average; 5 cases belonged to Wandsworth, 3 to Paddington, 3 to Fulham, 3 to Islington, and 3 to Stepney. The deaths from *whooping-cough*, which had been 10, 6, and 11 in the preceding three weeks, were 12 last week, the corrected average being 18. The fatal cases of *enteric fever*, which had been 11, 19, and 10 in the preceding three weeks, rose again last week to 12, but were 9 below the corrected average; 3 cases belonged to Islington, 2 to Poplar, and 2 to Lambeth. The deaths from *diarrhœal diseases*, which had been 50, 56, and 42 in the preceding three weeks, further fell last week to 28, the corrected average being 27. Of the 28 deaths from diarrhœal diseases, 25 were of children under 5 years of age; 6 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 186, 196, and 242 in the preceding three weeks, further rose last week to 327, but were 24 below the corrected average. The deaths attributed directly to *influenza* numbered 9, having been 8, 4, and 2 in the preceding three weeks.

Different forms of *violence* caused 75 deaths, concerning all but 3 of which inquests were held. Of these 75 deaths, 6 were cases of suicide, and 3 of homicide, while the remaining 66 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 11 to burns and scalds, 4 to the effects of anæsthetics administered for surgical purposes, and 15 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 284 cases of small-pox, 3391 of scarlet fever, 1586 of diphtheria, and 291 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 169 cases, against 37, 47, and 57; of scarlet fever, 425 cases, against 422, 404, and 400; of diphtheria, 235 cases, against 224, 256, and 270; and of enteric fever, 41 cases, against 48, 28, and 28. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended October 26th.

Greater London.

In Greater London 4048 births and 2002 deaths were registered, corresponding to annual rates of 32·0 and 15·8 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 9 from measles, 4 from scarlet fever, 11 from diphtheria, 1 from whooping-cough, 8 from "fever," and 11 from diarrhœal diseases were registered. The cases of small-pox both belonged to Dartford district; 6 deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 49°·0; the latter being 2°·1 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 38·4 hours; the measured rainfall amounted to 0·02 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901 (Unrevised).	Registered during the Week ended 2nd Nov., 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**7003**	**3859**	**1011**	**919**	**7**	**65**	**46**	**71**	**35**	**59**	**88**	**151**	**332**	**956**	**39**	**17·6**	**1·7**	**61·6**	**28·5**	**47·9**	**8·33**	**0·05**	**0·12**	**33 Towns.**
London	4,543,757	2737	1516	368	412	6	24	12	36	12	12	28	75	173	546	3	17·4	1·5	60·0	29·9	49·0	9·44	0·02	0·05	London.
West Ham	268,868	233	95	31	22	–	3	2	4	–	–	6	5	6	15	–	18·4	2·9	–	–	–	–	–	–	West Ham.
Croydon	134,665	66	21	6	7	–	–	–	–	–	–	–	–	2	2	–	8·1	–	59·5	28·5	47·8	8·78	0·02	0·05	Croydon.
Brighton	123,668	61	31	6	8	–	1	–	1	–	–	–	1	3	7	–	13·1	0·8	57·8	34·0	50·5	10·28	0·01	0·03	Brighton.
Portsmouth	189,907	111	52	6	12	–	–	2	–	–	2	–	–	1	7	–	14·3	1·1	58·0	33·0	49·5	9·72	0·00	0·00	Portsmouth.
Plymouth	107,974	59	33	4	12	1	–	–	1	–	–	–	1	4	5	–	15·9	1·0	–	–	–	–	–	–	Plymouth.
Bristol	329,831	197	99	24	28	–	–	1	3	2	3	1	1	6	22	1	15·7	1·6	56·7	35·8	48·2	9·00	0·09	0·23	Bristol.
Cardiff	165,338	125	35	15	4	–	–	1	–	–	–	–	1	5	7	1	11·0	0·3	–	–	–	–	–	–	Cardiff.
Swansea	94,618	47	19	4	5	–	–	–	–	–	1	1	1	3	2	1	10·5	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	48	23	8	5	–	–	–	1	1	1	–	–	–	1	–	12·7	1·7	58·3	30·6	44·3	6·83	0·00	0·00	Wolverhampton.
Birmingham	523,284	327	210	73	38	–	–	4	–	2	3	7	8	10	47	3	20·9	1·6	–	–	–	–	–	–	Birmingham.
Norwich	111,997	61	33	4	9	–	4	1	1	–	–	–	–	1	3	2	15·4	2·8	61·6	28·6	49·1	9·50	0·06	0·15	Norwich.
Leicester	212,498	129	47	15	12	–	1	–	1	1	–	1	2	7	4	1	11·5	1·0	–	–	–	–	–	–	Leicester.
Nottingham	240,490	128	60	11	16	–	–	1	–	2	–	–	1	3	13	2	13·0	0·7	57·6	32·1	46·3	7·94	0·05	0·13	Nottingham.
Derby	106,076	57	31	10	6	–	–	1	–	–	–	–	–	–	4	–	15·2	0·5	–	–	–	–	–	–	Derby.
Birkenhead	111,273	70	38	10	9	–	–	–	1	1	1	–	–	–	4	1	17·8	1·4	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	492	283	64	53	–	2	8	6	1	10	7	12	16	71	11	21·5	2·6	–	–	–	–			Liverpool.
Bolton	168,748	79	48	11	9	–	–	1	1	–	–	3	3	4	10	–	14·8	1·5	–	–	–	–	–	–	Bolton.
Manchester	544,934	364	199	67	39	–	6	–	1	2	2	5	11	23	49	3	19·0	1·5	–	–	–	–	–	–	Manchester.
Salford	221,526	137	94	21	14	–	1	1	1	–	6	2	4	7	19	–	22·1	2·6	–	–	–	–	–	–	Salford.
Oldham	137,382	58	45	16	12	–	–	–	–	–	–	2	1	5	9	–	17·1	0·8	–	–	–	–	–	–	Oldham.
Burnley	97,295	47	41	15	8	–	–	–	2	–	–	2	1	1	5	–	22·0	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,714	68	58	16	9	–	8	2	1	–	1	–	1	2	4	1	23·7	4·9	–	–	–	–	–	–	Blackburn.
Preston	113,117	74	48	21	5	–	–	1	–	–	1	3	1	1	7	–	22·1	2·3	58·0	40·0	48·7	9·28	0·18	0·46	Preston.
Huddersfield	94,998	46	34	2	10	–	2	–	–	–	–	2	3	3	4	1	18·7	2·2	58·2	36·2	46·9	8·28	0·04	0·10	Huddersfield.
Halifax	105,113	40	35	3	10	–	2	–	–	1	2	–	4	4	7	1	17·4	2·5	–	–	–	–	–	–	Halifax.
Bradford	280,161	137	89	20	23	–	–	–	2	–	2	3	1	5	10	–	16·6	1·3	60·0	30·0	46·5	8·06	0·08	0·20	Bradford.
Leeds	430,489	295	145	43	41	–	2	1	2	2	1	3	–	13	16	–	17·6	1·3	–	–	–	–	–	–	Leeds.
Sheffield	382,129	255	149	51	25	–	9	2	4	1	5	3	4	7	22	2	20·3	3·3	–	–	–	–	–	–	Sheffield.
Hull	241,622	159	75	15	23	–	–	–	–	–	3	1	1	5	8	–	16·2	0·9	–	–	–	–	–	–	Hull.
Sunderland	146,937	102	53	15	7	–	–	2	2	4	1	4	1	2	7	2	18·8	4·6	–	–	–	–	–	–	Sunderland.
Gateshead	110,492	83	31	13	5	–	–	1	–	–	1	2	2	2	6	1	14·6	1·9	–	–	–	–	–	–	Gateshead.
Newcastle	215,516	120	89	23	21	–	–	2	–	3	1	2	5	8	22	2	21·5	1·9	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** –	2717	2767	2452	2659	2693	2319	2751	2530	2613	2392	2737·6	2737
Males – –	1348	1336	1253	1331	1368	1405	1379	1275	1305	1266	1376·0	1385
Females – –	1369	1431	1199	1328	1325	1414	1372	1255	1308	1126	1361·6	1352
TOTAL **Deaths** –	1446	1491	1695	1372	1789	1709	1585	1391	1626	1466	1615·3	1516
Males – –	755	747	853	711	921	873	818	713	838	772	829·9	783
Females – –	691	744	842	661	868	836	767	681	788	694	785·4	733

* The numbers in this column are the average weekly numbers in the forty-fourth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
TOTAL **Births** – – –	2322	2659	2643	2483	2582	2442	2355	2581	2499	2676	2389	2655	2737
TOTAL **Deaths** – – –	1636	1705	1676	1623	1471	1398	1360	1304	1280	1309	1394	1404	1516
Ages at Death: Under 1 year – –	664	734	689	647	543	435	370	345	341	329	324	308	368
1—5 years – –	185	185	167	200	137	118	146	156	115	160	139	148	167
5—20 " – –	92	70	83	78	80	80	81	87	71	78	86	81	77
20—40 " – –	171	186	177	174	157	166	176	171	181	183	209	182	204
40—60 " – –	244	259	233	249	256	258	264	251	257	261	278	320	288
60—80 " – –	226	229	270	226	243	270	262	233	270	251	280	316	339
80 years and upwards	54	42	57	49	55	71	61	61	45	47	78	49	73
Deaths from—													
Small-pox – – – –	1	2	–	7	7	9	3	5	3	3	11	6	6
Measles – – – – –	40	37	26	40	13	13	19	13	14	14	22	21	24
Scarlet Fever – – –	10	16	12	13	14	13	9	13	14	22	13	9	12
Diphtheria – – – –	24	30	27	22	20	28	27	34	30	54	33	26	36
Whooping-cough – – –	19	24	17	20	27	8	14	13	11	10	6	11	12
Typhus – – – – –	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	18	10	25	12	17	14	14	19	18	11	19	10	12
Simple Continued Fever –	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery –	367	404	375	348	271	184	138	87	78	50	56	42	28
Cholera – – – – –	5	7	4	4	4	4	–	1	–	–	–	–	–
All the above Diseases – –	484	531	486	466	373	273	224	185	168	164	160	125	130
Dis. of Respiratory System –	126	103	126	114	124	116	124	137	132	186	196	242	327
Phthisis – – – – –	106	123	120	142	124	129	147	139	155	136	143	177	167
Dis. of Circulatory System –	113	97	120	100	142	131	133	101	119	122	146	158	132
Violence – – – –	77	68	56	60	45	48	75	59	52	49	56	55	75
Inquest Cases – – – –	155	159	116	157	120	119	133	118	124	117	145	123	173
Deaths in Public Institutions –	458	460	467	478	462	484	503	480	441	440	449	489	546
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean – – – – –	64·6	61·0	63·9	58·6	56·4	59·4	56·8	58·7	57·3	50·7	51·5	44·6	49·0
Mean of Highest readings –	76·8	72·2	76·6	68·5	65·1	68·2	65·6	68·3	67·0	57·9	59·0	53·6	55·3
Mean of Lowest readings –	55·3	52·1	50·5	51·5	47·8	53·5	48·9	50·5	49·3	43·6	43·9	36·4	42·6
Humidity of the Air – –	70	71	67	71	66	83	81	81	85	82	84	90	76
Rain-fall (in inches) – –	0·08	0·50	0·00	1·36	0·00	0·25	1·10	0·00	1·24	0·19	1·10	0·03	0·02
Registered Sunshine (in hours)	49·0	49·3	74·4	39·2	52·3	17·0	19·8	21·3	27·8	20·3	26·0	12·8	38·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox – – – –	11	13	41	74	92	137	153	163	169	175	172	180	284
Scarlet Fever – – – –	3148	3101	3040	3008	2994	3064	3098	3151	3159	3280	3344	3353	3391
Diphtheria – – – –	1363	1361	1318	1344	1365	1417	1465	1512	1539	1522	1546	1588	1586
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever – – – –	180	188	198	225	254	262	290	292	296	307	288	286	291

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FOURTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 44th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 2nd November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
. CAUSES - - - -	1615·3	1516	368	167	77	204	288	339	73
all-pox { Vaccinated† -	0·1	5	1	-	1	2	1	-	-
all-pox { Unvaccinated -	0·2	1	-	-	1	-	-	-	-
all-pox { No Statement -	-	-	-	-	-	-	-	-	-
asles - - - -	35·1	24	4	18	2	-	-	-	-
rlet Fever - - -	19·1	12	1	9	2	-	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	9·0	9	1	2	-	2	2	2	-
ooping-cough - -	18·0	12	4	8	-	-	-	-	-
phtheria - - -	53·7	36	6	15	15	-	-	-	-
ple Continued and ll-defined Fever -	0·5	-	-	-	-	-	-	-	-
teric Fever - - -	21·2	12	-	-	5	4	2	1	-
olera and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	27·1	28	19	6	-	1	1	1	-
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
ypox and Effects of vaccination - -	0·3	-	-	-	-	-	-	-	-
nereal Affections - -	9·9	8	4	-	-	-	2	2	-
ysipelas - - -	6·9	4	-	-	-	1	3	-	-
emia and Septicæmia	1·8	2	1	1	-	-	-	-	-
erperal Fever - -	8·0	2	-	-	-	2	-	-	-
her Zymotic Diseases -	1·1	-	-	-	-	-	-	-	-
rush - - - -	0·9	1	1	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·2	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	1·3	2	2	-	-	-	-	-	-
oholism - - -	13·3	11	-	-	-	5	4	2	-
eumatic Fever, heumatism of Heart	10·0	7	-	-	4	2	1	-	-
eumatism - - -	1·8	1	-	-	-	-	-	1	-
it - - - - -	3·0	-	-	-	-	-	-	-	-
kets - - - -	4·9	4	1	3	-	-	-	-	-
ncer - - - -	78·5	89	-	1	1	9	27	46	5
es Mesenterica - -	20·3	17	7	8	-	1	1	-	-
ercular Meningitis -	18·6	20	5	10	2	1	1	1	-
hisis - - - -	162·8	167	3	2	9	72	63	18	-
ofula, Tuberculosis -	18·8	13	2	6	3	1	1	-	-
her Constitutional iseases - -	13·4	15	-	-	1	5	6	3	-
mature Birth - -	51·1	47	47	-	-	-	-	-	-
lectasis - - -	4·7	3	3	-	-	-	-	-	-
genital Malformations - - -	8·3	9	8	1	-	-	-	-	-
Age - - - -	45·6	45	-	-	-	-	-	24	21
plexy - - - -	47·4	37	-	-	1	-	1	19	7
lepsy - - - -	7·2	10	-	-	2	6	-	1	1
vulsions - - -	39·6	32	30	2	-	-	-	-	-
her Diseases of Brain nd Nervous System	72·3	68	6	6	5	8	17	23	3
eases of Organs of pecial Sense -	3·5	2	1	-	-	-	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 44th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 2nd November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	140·5	132	1	1	5	23	33	65	4
Croup - - - -	4·5	-	-	-	-	-	-	-	-
Bronchitis - - -	184·8	168	59	7	1	3	16	65	17
Pneumonia - - -	130·0	128	37	34	4	17	20	13	3
Pleurisy - - - -	6·2	3	1	1	-	-	-	1	-
Other Diseases of Respiratory System -	25·6	28	4	1	1	2	12	5	3
Dentition- - - -	4·6	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	1·6	2	1	-	1	-	-	-	-
Enteritis - - -	23·8	15	5	-	3	4	2	1	-
Gastro-enteritis -		8	1	1	-	-	1	-	1
Peritonitis - - -	6·7	4	1	-	-	2	-	-	1
Diseases of Liver - -	23·5	23	3	-	1	5	7	6	1
Other Diseases of Digestive System	31·4	28	6	3	2	2	7	6	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·6	1	-	-	-	-	-	1	-
Diseases of Urinary System - -	47·8	55	-	1	1	8	21	23	1
Diseases of Generative System - -	5·6	5	-	-	-	1	2	2	-
Accidents of Childbirth-	4·3	3	-	-	-	2	1	-	-
Diseases of Locomotive System - -	3·9	5	-	-	2	2	1	-	-
Diseases of Integumentary System- -	8·5	10	2	1	-	1	4	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·1	3	-	-	-	2	1	-	-
By Vehicles or Horses -	5·6	3	-	-	-	-	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	-	-	-	-	-	-	-	-
In Building Operations -	1·6	2	-	-	-	1	1	-	-
In Conflagrations - -	0·1	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	6·1	11	2	8	1	-	-	-	-
By Drowning - - -	3·1	4	1	-	-	2	1	-	-
By Suffocation in Bed -	13·5	15	15	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·5	5	-	-	1	-	4	-	-
Other or not stated causes - - -	20·7	23	6	4	-	2	5	4	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·8	3	1	-	-	1	1	-	-
Suicide - - - -	9·2	6	-	-	-	2	3	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	54·4	61	56	5	-	-	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for rease of population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered dical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 2nd November, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2737	1516	368	412	6	24	12	36	12	–	12	–	28	75	173	546
WEST DISTRICTS - - -	805,275	400	262	41	88	–	4	–	4	2	–	1	–	5	11	22	103
NORTH DISTRICTS - - -	1,056,018	570	315	64	92	–	5	2	10	2	–	5	–	5	18	39	108
CENTRAL DISTRICTS - - -	209,432	129	70	13	18	–	2	–	–	–	–	–	–	1	3	10	30
EAST DISTRICTS - - - -	715,772	530	289	97	54	–	3	–	4	3	–	2	–	7	15	42	112
SOUTH DISTRICTS - - -	1,749,566	1108	547	151	151	–	10	8	16	5	–	3	–	10	28	60	160
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	33	2	9	6	–	2	2	–	–	1	–	–	–	–	33
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	64	21	2	12	–	–	–	–	–	–	–	–	–	1	1	6
St. John Paddington *H* - - G.	33,608	7	11	1	4	–	–	–	1	–	–	–	–	–	1	2	7
North-West Paddington - - C.	17,181	7	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Kensington Town *Ww* - W. & C.	128,025	56	43	9	14	–	2	–	–	1	–	–	–	–	–	–	17
Brompton *HH* - - W. & C.	48,598	19	17	1	7	–	–	–	–	–	–	–	–	–	–	–	5
North Hammersmith *H* W. & G.	49,335	32	16	8	5	–	1	–	–	–	–	–	–	–	2	1	–
South Hammersmith *wH* W. & G.	62,910	28	9	–	4	–	–	–	–	1	–	–	–	–	–	1	–
North-west Fulham *W* W. & C.	45,180	39	24	7	4	–	–	–	–	–	–	–	–	3	2	2	16
North-east Fulham *H* W. & C.	46,404	14	11	1	3	–	–	–	3	–	–	–	–	–	–	–	3
South Fulham W. & C.	45,705	37	11	1	6	–	1	–	–	–	–	–	–	1	–	–	–
Chelsea North *WwHHH* - C.	42,515	24	35	2	11	–	–	–	–	–	–	–	–	–	1	4	26
Chelsea South *HH* - - - C.	31,341	13	14	2	5	–	–	–	–	–	–	–	–	–	–	1	3
May Fair and Knightsbridge *H* C.&G.	28,744	3	6	3	2	–	–	–	–	–	–	–	–	–	1	2	–
Belgrave *WHH* - - - C.	55,812	19	21	1	5	–	–	–	–	–	–	1	–	–	2	2	12
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	23	19	3	4	–	–	–	–	–	–	–	–	1	1	5	8
St. James Westminster *WH* N. & G.	21,595	10	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Anne Soho *HHHHH* - N.	11,492	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	35,394	9	7	–	3	–	–	–	–	–	–	–	–	–	–	–	4
Rectory Marylebone *W* G. & W.	19,869	14	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Mary Marylebone *HHHH* G. & W.	18,099	32	6	1	1	–	–	–	–	–	–	–	–	–	1	1	3
Christchurch Marylebone *H* - W.	39,541	20	9	4	1	–	–	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *HHH* - W.	20,426	9	3	1	1	–	–	–	–	–	–	–	–	–	1	1	–
Hampstead *WHHHHHH* - - N. & W.	81,942	25	24	3	7	–	1	1	6	–	–	1	–	–	–	–	13
Regent's Park *H* - - - W.	50,647	15	18	4	5	–	–	–	–	–	–	–	–	–	1	3	1
Tottenham-court *wHHHHHH* - N. & W.	24,814	13	10	–	2	–	–	–	–	–	–	–	–	–	2	2	9
Gray's Inn Lane *HHHH* - N.	30,886	16	10	5	1	–	–	–	–	–	–	–	–	–	1	2	2
Somers Town *HH* - - - N.	30,131	17	8	3	1	–	–	–	–	–	–	–	–	–	–	–	2
Camden Town *WH* - - N.	40,079	21	20	4	9	–	–	–	–	–	–	–	–	–	2	5	15
Kentish Town *WW* - - N.	58,727	42	16	3	5	–	–	–	–	1	–	–	–	–	1	1	6
Tufnell *W*		12	18	2	7	–	1	–	–	–	–	–	–	–	–	1	11
Upper Holloway *WWwHH* - N.	99,841	25	19	2	6	–	1	–	–	–	–	1	–	1	1	3	13
Tollington *W*		12	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–
Lower Holloway - - - N.	41,411	19	14	4	–	–	–	–	–	–	–	1	–	–	–	2	–
Barnsbury - - - - N.	54,479	50	20	6	4	–	2	–	–	1	–	–	–	2	–	–	–
Islington South-east *H* - - N.	75,402	43	16	3	7	–	–	–	–	–	–	–	–	–	2	5	–
Highbury *HH* - - - - N.	63,795	18	8	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Stoke Newington *H* - - N.	51,247	23	12	3	7	–	–	–	–	–	–	–	–	–	1	2	–
North Hackney - - E. & N.	50,570	24	10	2	4	–	–	–	1	–	–	–	–	–	1	1	–
Central Hackney *wH* - E. & N.	50,535	27	14	2	4	–	–	1	3	–	–	–	–	–	–	1	3
South-west Hackney *HHH* E. & N.	59,929	39	21	5	2	–	–	–	–	–	–	1	–	1	2	3	10
South-east Hackney *WwH* E. & N.	58,254	45	27	5	11	–	–	–	–	–	–	1	–	1	2	4	16

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	21	6	1	3	–	–	–	–	–	–	–	–	–	–	1	3	–
St. Giles North *H* - - - N.	8,959	7	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
St. Martin-in-the-Fields *HH* N.&C.	12,975	5	5	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Strand *WHH* - - - - N.	8,694	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Strand Union Workhouse, Edmonton -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *WHHHHHH* - - N.	29,579	10	14	7	3	–	–	–	–	–	–	–	–	–	1	1	6	–
St. James Clerkenwell - - N.	15 634	11	4	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Camwell - - - - - N.	32,691	18	7	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Goswell-street - - - - N.	15,390	13	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Finsbury* *HHHL* - - - N.	35,376	36	11	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham - - - - -	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H* - - - N. & E.	11,036	4	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
St. Sepulchre *WH* - - - N.	7,886	–	11	–	–	–	–	–	–	–	–	–	–	–	2	4	11	–
All Hallows Barking - - - N.	8,717	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
City of London Asylum, Stone - -	–	–	3	–	2	–	–	–	–	–	–	–	–	1	–	–	3	–
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N	16,370	16	7	2	1	–	–	–	–	–	–	–	–	1	–	–	4	–
Hoxton New Town *wH* - - N.	29,761	15	22	6	7	–	–	–	–	–	–	–	–	–	1	2	10	–
Hoxton Old Town - - - N.	26,510	21	6	3	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Haggerston *W* - - N & E.	46,064	37	24	8	6	–	1	–	–	–	–	–	–	1	1	4	7	–
Bethnal Green North *HH* - E.	51,513	49	16	6	2	–	1	–	2	–	–	–	–	1	–	1	4	–
Bethnal Green South - - E.	33,473	34	5	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Bethnal Green East *WWHl* - E.	44,695	28	20	4	2	–	–	–	–	–	–	–	–	1	–	–	10	–
Spitalfields - - - E. & N.	27,965	11	9	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *WH* - E.	28,711	28	46	10	7	–	–	–	–	–	–	1	–	–	6	10	42	–
Goodman's Fields - - - E.	22,082	19	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. George's, North - - - E.	40,965	34	14	11	–	–	–	–	–	–	–	–	–	–	1	3	–	–
St. John *W* - - - - E.	8,122	9	3	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Radwell *H* - - - E. & N.	10,760	8	8	4	–	–	–	–	1	–	–	–	–	–	–	–	7	–
Ratcliff *W* - - - - E.	14,770	11	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Limehouse - - - - - E.	32,358	22	11	5	1	–	–	–	1	1	–	–	–	–	–	1	–	–
Mile End Old Town West *H* - E.	59,467	43	7	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–
Mile End Old Town East *WWw* - - - - E.	53,348	28	20	4	4	–	–	–	–	–	–	–	–	–	1	6	7	–
Bow *l* - - - - - E.	41,990	27	13	5	3	–	–	–	–	2	–	–	–	–	–	1	–	–
Bromley *wwwH* - - - E.	68,326	49	40	10	12	–	–	–	–	–	–	1	–	2	4	6	19	–
Poplar *Ww* - - - - E.	58,522	41	11	5	1	–	1	–	–	–	–	–	–	–	1	4	–	–

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population. 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	11,232	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1
St. Saviour Southwark - - S.	12,956	14	15	4	-	-	-	-	-	-	-	-	-	-	1	3	12
Kent-road - - - S. & L.	21,899	19	13	7	1	-	-	-	-	-	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,882	15	8	4	-	-	-	-	-	-	-	-	-	-	-	-	5
London-road *HL* - L. & S.	22,299	16	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,485	23	11	4	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Peter Walworth *W*- S. & L.	61,773	50	14	4	9	-	-	-	-	-	-	-	-	-	1	3	1
St. Mary Newington - L. & S.	31,592	29	14	6	4	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave *W* - - - - S.	9,813	9	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *WH*- - - S.	82,405	65	14	7	1	-	-	-	-	-	-	-	-	1	-	1	-
Rotherhithe *WH* - - S. & K	38,268	25	21	4	6	-	-	-	-	-	-	-	-	-	-	-	10
Waterloo-road *HP* - L. & S.	27,435	39	11	4	-	-	-	-	-	-	-	-	-	1	2	2	2
Lambeth Church 1st *H* L. & S.	18,420	14	17	4	2	-	-	-	-	-	-	-	-	-	6	7	12
Lambeth Church 2nd *WW* L. & S.	39,818	33	27	1	14	-	-	1	-	-	-	-	-	-	-	6	19
Kennington 1st *H* - S. & L.	53,196	36	19	6	5	-	4	-	-	2	-	-	-	-	1	1	-
Kennington 2nd - - S. & L.	42,891	15	9	2	4	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *H* - - - L. & S.	84,226	38	26	9	6	-	-	2	4	-	-	-	-	1	1	1	7
Norwood *WH* - - - L.	35,887	18	11	2	5	-	-	-	-	-	-	-	-	2	-	1	-
East Battersea - - - S.	72,201	38	21	4	3	-	4	-	-	-	-	-	-	-	3	4	-
North-west Battersea - - S.	49,650	51	18	6	3	-	-	-	-	-	-	-	-	-	1	3	-
South-west Battersea *WH* - S.	47,045	26	24	4	8	-	-	-	-	-	-	-	-	1	2	1	15
Clapham *H* - - - - S.	51,353	25	13	3	5	-	1	-	-	-	-	-	-	-	-	2	3
Streatham *WwHHL* - L.	88,129	43	32	7	6	-	-	-	5	-	-	2	-	1	3	3	11
Wandsworth *WHL* - - S.	68,409	38	13	5	3	-	-	-	-	-	-	-	-	2	-	-	-
Putney - - - - - S.	24,139	15	3	1	1	-	-	-	1	-	-	-	-	-	-	1	-
Dulwich - - - - L. & S.	10,246	2	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Camberwell *Wwll* - S. & L.	90,404	52	41	8	20	-	-	-	-	1	-	-	-	-	-	1	31
Peckham *W*- - S., L., & K.	93,022	59	18	5	7	-	1	-	-	1	-	-	-	-	-	3	-
St. George Camberwell - L. & S.	65,586	41	16	10	4	-	-	-	-	-	-	-	-	1	-	2	-
Deptford North - - - K.	37,601	27	11	4	3	-	-	-	-	-	-	-	-	-	2	3	-
Deptford Central *H* - - K.	45,621	22	11	3	3	-	-	1	2	-	-	-	-	-	-	1	3
Deptford South - - - K.	34,622	13	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,456	18	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich East *WH* - - K.	43,849	21	19	4	8	-	-	-	-	-	-	1	-	-	1	2	7
Eltham *wH* - - - - K.	7,218	2	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Lee *H* - - - - - K.	25,489	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	58,341	35	17	3	4	-	-	2	1	-	-	-	-	-	-	-	9
Sydenham *H* - - - - L.	43,630	25	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *HHH* - - - K.	21,121	14	7	2	-	-	-	2	3	-	-	-	-	-	-	-	6
Woolwich *HHHH* - - K.	41,607	22	9	4	-	-	-	-	-	-	-	-	-	-	1	2	2
Plumstead West *H* - - K.	18,076	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	35	11	3	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Banstead -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Ships and Hosp., Dartford	—	-	6	1	-	6	-	-	-	-	-	-	-	-	-	-	6
Met. Asy. for Imbeciles, Darenth -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Central London Sick Asy., Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	1	-	-	-	-	4
M.A.B. North-Eastern Hospital -	—	-	5	1	-	-	-	2	2	-	-	-	-	-	-	-	5
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd November, 1901.

gis-ion rict d d-rict m-rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population. 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,589	2,044,553	1311	486	143	134	2	9	1	11	1	8	11	18	21	58	2
:1	Carshalton *H*	12,228	32,997	20	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	15,548	5	1	-	-							-			-	-
:1	Godstone, *part of** *W*	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH*	20,851	164,519	82	31	9	8	-	1	-	-	-	1	-	1	3	3	-
2	Mitcham *w*	11,689	29,906	24	3	-	1	-	1	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH*	3,221	41,604	22	4	-	2	-	-	1	-	-	-	-	-	-	1	-
2	Kingston *WH*	6,224	42,067	17	10	1	3	-	-	-	-	-	-	-	1	1	4	-
3	Surbiton *HH*	3,046	15,019	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*	5,402	13,003	7	4	1	-	-	-	-	-	-	1	-	1	1	1	-
5	Hampton *HL*	4,564	23,447	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-
:1	Richmond *WHH*	2,162	28,871	12	6	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *H*	2,847	20,628	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bromley *HHH*	4,703	27,358	15	14	4	6	-	-	-	1	-	-	-	-	-	1	-
2	Beckenham *H*	7,825	28,499	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** *W*	10,113	9,857	6	4	1	1	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst *HH*	7,333	16,458	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH*	12,532	46,445	25	11	3	2	1	1	-	-	-	-	-	1	1	1	1
2	Dartford *WH, part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
:1	Sunbury *w*	11,054	18,682	15	3	2	1	-	-	-	-	-	-	1	-	1	-	1
2	Staines *WH*	13,277	15,179	11	3	1	-	-	-	-	1	-	-	-	-	-	-	-
:1	Hillingdon *WHH*	6,035	13,661	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	12,757	8,984	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	8,066	16,258	8	3	1	1	-	-	-	-	-	-	-	-	1	-	-
:1	Isleworth *WHH*	6,859	30,838	19	10	3	1	-	-	-	-	-	-	-	1	1	1	-
2	Twickenham *HH*	2,421	20,991	15	4	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH*	4,319	48,298	25	7	-	1	-	1	-	-	-	-	-	-	-	-	-
4	Chiswick	1,249	29,809	21	1	1	-	-	-	-	-	-	-	1	-	-	-	-
5	Acton *wHH*	6,132	48,913	20	11	2	3	-	-	-	-	-	1	-	-	-	-	-
:1	Harrow *HHH*	13,809	25,522	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH*	6,994	4,520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4,384	114,815	93	26	9	8	-	-	-	2	-	-	-	1	-	-	-
4	Hendon *WH*	8,382	22,450	20	8	3	3	-	-	-	-	-	-	-	-	-	5	-
:1	South Mimms *HH*	17,755	7,308	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH*	3,324	17,970	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH*	4,688	33,692	13	5	1	3	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey *HH*	2,875	72,056	24	10	2	2	-	-	-	-	-	-	-	1	3	-	-
2	Tottenham *HHH*	4,638	136,702	90	37	11	5	-	2	-	1	-	2	-	1	3	-	-
3	Edmonton *Ww*	7,491	61,892	46	14	4	4	-	-	-	-	-	-	1	1	2	1	-
4	Enfield *WWHH*	12,601	42,738	41	8	1	4	-	-	-	-	-	-	-	-	-	1	-
5	Waltham Abbey	11,017	6,547	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8,479	12,288	16	4	2	2	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of** *W*	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H*	9,333	9,173	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H*	1,072	44,825	40	14	7	2	-	-	-	-	-	-	-	1	1	3	-
2	Plaistow *HHH*	1,249	90,920	78	37	16	8	-	2	1	3	-	-	3	3	3	2	-
3	Canning Town *H*	1,556	70,666	81	25	7	4	-	1	-	-	-	-	2	1	2	-	-
4	Forest Gate *w*	806	60,897	34	9	1	2	-	-	1	1	-	-	1	-	-	-	-
5	East Ham *wHHH*	3,268	95,970	69	32	13	8	-	-	-	-	1	1	1	-	2	1	-
6	Wanstead	1,737	9,198	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW*	631	50,458	27	27	4	11	-	-	-	1	-	-	-	1	1	18	-
8	North Leyton *WwH*	1,963	48,441	23	12	5	1	-	-	1	1	-	1	-	2	2	2	-
9	Walthamstow *HHHL*	6,504	108,931	72	25	8	6		-		-	-	-	1	1	2	1	-
:1	Chigwell, *part of** *LHHH*	11,778	16,403	9	7	2	4	-	-	-	-							
2	Epping *WH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W*	6,556	6,089	5	7	1	4	-	-	-	-	-	1	-	-	-	4	-
2	Ilford *H*	8,496	41,240	33	11	6	1	-	-	-	-	-	-	-	-	-	2	-
3	Barking Town *H*	3,803	21,547	20	8	5	1	-	-	-	-	-	-	-	-	1	-	-
	Middlesex County Asylum Annexe, Streatham.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	M.A.B. Hospital Ship, Dartford.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes. 39: 4, excepting Esher rish: 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish. 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious ases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 137: 3 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 2nd November, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.
GREATER LONDON	**443,419**	**6,604,287**	**15·8**	**1·4**	**2092**	**511**	**546**	**8**	**33**	**16**	**47**	**13**	**20**	**39**	**93**
INNER LONDON –	74,839	4,543,757	17·4	1·5	1516	368	412	6	24	12	36	12	12	28	75
OUTER RING –	368,580	2,060,530	12·3	1·2	486	143	134	2	9	4	11	1	8	11	18

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH –	317,885	November 2	143	102	16·7	–	–	–	3	1	2
GLASGOW – –	764,423	„ 2	449	316	21·6	–	13	4	4	2	1‡
DUBLIN† – –	375,076	„ 2	141	163	22·7	–	–	1	–	4	5
BELFAST† – –	350,862	„ 2	195	153	22·7	–	–	2	3	3	6
CALCUTTA – –	466,460	September 7	–	224	25·0	–	–	–	1	–	81‡
		„ 14	–	245	27·4	–	1	–	1	–	86‡
BOMBAY – –	770,843	October 15	319	751	50·7	–	1	?	?	?	289‡
MADRAS – –	509,346	„ 4	430	791	80·7	2	2	?	?	?	272
PARIS – – –	2,511,629	„ 26	1064	862	17·2	3	5	1	19*	3	12
BRUSSELS – –	582,665	„ 26	264	176	15·7	–	–	1	3*	1	3
AMSTERDAM –	525,636	„ 19	256	137	13·5	–	–	1	1	2	2
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	October 26	205	120	16·5	–	–	1	–	2	1
STOCKHOLM –	301,050	„ 19	150	77	13·3	–	–	–	2*	1	–
CHRISTIANIA –	228,929	„ 23	120	62	14·1	–	–	–	–	1	–
ST. PETERSBURG	1,248,643	„ 19	634	489	20·4	–	14	16	16	3	22
MOSCOW – –	1,023,817	„ 19	–	441	22·5	4	2	19	8	1	10
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–
HAMBURG – –	705 738	October 26	–	211	15·5	–	6	9	4*	5	1
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,595	October 12	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	„ 26	–	192	20·0	–	1	–	1*	–	1
VIENNA – –	1,691,996	„ 26	877	465	14·1	–	–	7	5*	–	3
PRAGUE – –	389,741	„ 19	167	155	20·6	–	3	7	1	–	3
BUDA-PESTH –	744,719	„ 26	456	217	15·2	–	2	4	–	–	3
TRIESTE – –	177,428	„ 19	112	66	19·2	–	1	2	2*	1	1
ROME – –	471,961	September 28	223	133	14·7	–	–	–	1	–	7
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–
VENICE – –	174,378	October 19	65	63	18·8	–	–	–	2*	–	2
CAIRO – –	570,062	September 16	458	356	32·5	–	3	–	5*	–	9
ALEXANDRIA –	319,766	„ 16	201	247	40·2	–	1	–	3*	–	8‡
NEW YORK (including BROOKLYN)	3,536,517	October 12	1389	1251	18·5	2	1	9	40*	9	27
PHILADELPHIA –	1,293,697	„ 5	–	392	15·8	6	–	3	12	4	9

* Including deaths from croup.

† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast respectively.

§ Including 3 and 6 deaths, respectively, from cholera in Calcutta, one in Bombay, and 58 in Madras.

‡ Including one death from plague in Glasgow, 6 and 9 deaths, respectively, in Calcutta, 179 in Bombay, and in Alexandria.

‖ Including 2 deaths from malarial fever.

1901. Month and Day.		Phases of the Moon.	Meter. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	27	Full	30·176	56·8	29·9	26·9	44·7	− 2·6	39·7	5·0	12·2	0·4	82	93·6	27·6	52·62	SSW. & SE.	SSW. & S.	2·0	0·0	0·2	224	− 48	0·00	0·0
Monday -	28	Perigee	29·970	60·0	46·9	13·1	53·8	+ 6·6	46·7	7·1	11·2	2·7	77	102·4	41·7	52·31	S. & SSW.	SSW.	3·7	0·0	0·6	388	+115	0·00	0·2
Tuesday -	29	..	29·897	56·1	51·0	5·1	52·8	+ 5·8	50·2	2·6	7·6	0·8	91	68·1	44·5	52·15	SSW. & S.	NE., NNE. & N.	3·2	0·0	0·0	154	−120	0·00	0·8
Wednesday	30	Greatest Dec. N.	30·057	56·1	46·6	9·5	50·9	+ 3·0	42·7	8·2	12·5	3·8	73	104·0	38·2	52·32	N., NNE. & NE.	NE. & NNE.	12·0	0·0	1·1	459	+184	0·02	3·2
Thursday- November.	31	..	30·117	55·0	46·2	8·8	50·2	+ 3·4	38·3	11·9	17·8	5·7	63	92·0	37·9	52·48	NE.	NE.	16·7	0·0	2·3	596	+320	0·00	2·8
Friday -	1	..	30·120	51·0	42·0	9·0	46·7	0·0	38·2	8·5	12·2	4·0	72	91·9	32·0	52·37	NE. & ENE.	ENE.	9·9	0·0	1·1	398	+121	0·00	0·0
Saturday -	2	..	30·222	52·2	25·8	16·4	44·0	− 2·5	35·7	8·3	14·4	0·7	73	89·9	24·8	52·11	ENE. & E.	ENE.	0·6	0·0	0·0	146	−131	0·00	0·0
Means -	-		30·080	55·3	42·6	12·7	49·0	+ 2·1	41·6	7·4	12·6	2·6	76	91·7	35·2	52·34	SSW. & NE.		..	..	..	Sum 2365	Sum +441	Sum 0·02	1·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	27	s. P. till 7h. A.M.; w. P. generally afterwards.	6·6	10·0
Monday -	28	w. P. throughout.	6·1	9·9
Tuesday -	29	w. P. generally.	0·0	9·8
Wednesday	30	w. P. till 2h. P.M.: m. P. afterwards.	3·5	9·8
Thursday- November.	31	w. P. generally; m. P. in afternoon.	8·4	9·7
Friday -	1	w. P. till noon: m. P. till 6h. P.M.: s. P. afterwards.	6·4	9·6
Saturday-	2	m. P. till 9h. A.M.; s. P. till 8h. P.M.: m. P. afterwards.	7·4	9·6
			Sum 38·4	Sum 68·4
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Sunday 27	Partially cloudy, with fog and hoar frost, in morning; very fine, with small amounts of cloud, till afternoon; fine but cloudy afterwards.
Monday 28	Fine, with variable amounts of cloud, till afternoon; overcast after 4h. P.M. A very mild day.
Tuesday 29	Overcast. Slight misty rain in forenoon. Very mild.
Wednesday 30	Overcast, with light showers, in morning; fine and partially cloudy after 11h. A.M. Gusty wind prevalent between 10h. A.M. and 4h. P.M.
Thursday 31	Generally cloudless; a very fine day. Strong gusty wind.
Friday 1	A very fine day. Small amounts of cloud prevalent till noon; cloudless afterwards. Gusty wind till afternoon.
Saturday 2	Cloudless throughout. Hoar frost and slight fog in morning and at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·19 in. at the beginning of the week to 30·22 in. by 9h. A.M. on October 27th; decreased to 29·83 in. by 6h. A.M. on October 29th; increased to 30·24 in. by 10h. A.M. on November 2nd; and was 30·21 in. at the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th October 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	1	11	11	-	1	-	-	6	-
Kensington	176,787	-	13	6	-	2	1	-	5	1
Hammersmith	112,619	-	13	3	-	5	-	-	3	-
Fulham	138,426	-	15	35	-	2	1	-	2	-
Chelsea	73,879	-	2	2	-	1	-	-	2	-
City of Westminster	182,502	1	15	8	-	2	-	-	4	-
NORTH.										
St. Marylebone	133,060	3	13	6	-	4	-	-	4	-
Hampstead	82,287	-	5	2	-	-	-	-	-	-
St. Pancras	235,297	7	34	24	-	7	-	-	5	1
Islington	335,325	2	40	26	-	8	-	-	3	-
Stoke Newington	51,328	1	5	5	-	2	-	-	2	-
Hackney	219,780	1	37	37	-	6	-	-	9	-
CENTRAL.										
Holborn	59,205	2	7	5	-	1	-	-	-	-
Finsbury	101,263	3	12	11	-	4	-	-	3	-
City of London	26,027	-	3	1	-	2	-	-	-	-
EAST.										
Shoreditch	118,554	-	9	7	-	3	1	-	4	-
Bethnal Green	129,700	3	17	15	-	3	-	-	6	-
Stepney	298,884	1	37	15	-	6	-	-	6	-
Poplar	168,887	1	26	15	-	3	-	-	6	-
SOUTH.										
Southwark	206,219	2	44	11	-	3	-	-	9	-
Bermondsey	130,348	16	19	2	-	1	-	-	3	-
Lambeth	302,460	2	43	18	-	2	-	-	7	1
Battersea	169,364	3	22	9	-	3	-	-	2	-
Wandsworth	233,943	-	25	19	-	-	-	-	7	1
Camberwell	259,897	-	46	28	-	2	-	-	4	1
Deptford	110,732	-	22	20	-	1	-	-	3	-
Greenwich	96,188	1	24	6	-	2	-	-	1	-
Lewisham	128,423	3	13	16	1	1	-	-	3	-
Woolwich	117,619	-	18	4	-	1	-	-	1	-
Port of London	—	1	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	54	590	367	1	78	3	-	110	5
Ages 0-1		1	4	6	-	-	-	-	5	-
" 1-5		1	152	119	-	2	-	-	4	-
" 5-		7	232	108	-	7	-	-	5	-
" 10-		4	123	61	-	12	1	-	6	-
" 15-		9	39	27	-	7	1	-	6	-
" 20-		4	18	18	1	15	-	-	6	1
" 25-		16	18	17	-	18	1	-	13	3
" 35-		9	2	8	-	13	-	-	16	1
" 45-		3	2	2	-	3	-	-	15	-
" 55-		-	-	-	-	1	-	-	18	-
" 65 and upwards		-	-	1	-	-	-	-	16	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 45. 1901. VOL. LXII.] WEEK ENDED SATURDAY, NOV. 9. [Price 1½*d.*

General Register Office, Somerset House,
November 11th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 16·7, and 17·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	TOWNS.	Weeks ended Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.
33 Great Towns	16·8	16·7	17·6	19·7	Leicester - -	14·2	10·6	11·5	14·2
Birkenhead -	14·5	13·6	17·8	15·0	Liverpool - -	19·5	18·6	21·5	21·5
Birmingham -	19·7	18·5	20·9	19·0	London - - -	16·0	16·1	17·4	19·4
Blackburn -	22·0	22·5	23·7	25·3	Manchester - -	18·8	22·3	19·0	25·9
Bolton - -	16·1	14·2	14·8	20·4	Newcastle-on-Tyne	26·9	25·2	21·5	22·7
Bradford -	16·4	15·3	16·6	14·7	Norwich - -	18·2	19·6	15·4	16·8
Brighton -	14·3	11·4	13·1	18·6	Nottingham - -	16·5	13·7	13·0	17·8
Bristol - -	11·1	11·9	15·7	16·6	Oldham - -	15·6	16·3	17·1	24·3
Burnley -	14·5	17·1	22·0	23·6	Plymouth - -	15·0	21·2	15·9	12·6
Cardiff - -	11·7	12·6	11·0	14·8	Portsmouth - -	15·7	15·1	14·3	16·2
Croydon -	11·2	10·8	8·1	14·7	Preston - -	17·5	17·1	22·1	24·4
Derby - -	10·3	11·8	15·2	13·8	Salford - - -	21·9	20·7	22·1	26·1
Gateshead -	28·8	17·5	14·6	23·6	Sheffield - -	17·5	19·1	20·3	26·7
Halifax -	14·9	11·4	17·4	17·4	Sunderland - -	16·0	19·2	18·8	18·1
Huddersfield-	11·5	13·7	18·7	17·0	Swansea - -	15·4	14·9	10·5	17·6
Hull - -	14·9	18·3	16·2	18·3	West Ham - -	17·8	17·1	18·4	20·8
Leeds - -	17·3	17·1	17·6	20·3	Wolverhampton -	19·9	9·9	12·7	11·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in West Ham, 2·3 in Oldham, 2·4 in Blackburn, 2·8 in Norwich, and 3·0 in Sheffield; from *scarlet fever*, 1·2 in Bolton and 2·3 in Preston; from *whooping-cough*, 1·0 in Newcastle on Tyne; from "*fever*," 1·0 in Derby; and from *diarrhœal diseases*, 1·0 in Plymouth, 1·1 in Liverpool, 1·4 in Preston, 1·9 in Gateshead, and 2·1 in Burnley. The 88 deaths from *diphtheria* included 33 in London, 7 in Sheffield, 6 in Burnley, 5 in Liverpool, 5 in West Ham, 4 in Manchester, and 4 in Leeds. Sixteen deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2437 BIRTHS and 1688 DEATHS were registered. Allowing for increase of population, the births were 248 below, and the deaths 58 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 16·1, and 17·4 in the preceding three weeks, further rose last week to 19·4. During the four weeks ended on Saturday last the death-rate averaged

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10244—670—11/1901 Wt 45 D & S 3 2 Y

17.2 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1688 deaths included 16 from small-pox, 38 from measles, 10 from scarlet fever, 33 from diphtheria, 10 from whooping-cough, 16 from enteric fever, 20 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 143 deaths were referred to these diseases, being 35 below the corrected average weekly number.

The deaths from *small-pox*, which had been 11, 6, and 6 in the preceding three weeks, rose again last week to 16; 5 cases belonged to the City of Westminster, 4 to the Borough of Holborn, and 1 each to St. Pancras, Islington, Finsbury, Stepney, Poplar, Southwark, and Lambeth. In the course of the fortnight ended November 2nd, there were admitted to the hospital ships at Dartford two newly-born infants, together with their mothers, who were suffering from small-pox. These infants died shortly after admission; they were vaccinated at the ships, but not until several days after they had become infected with small-pox. The deaths from *measles*, which had been 22, 21, and 24 in the preceding three weeks, further rose last week to 38, but were 3 below the corrected average; 11 cases belonged to Islington, 5 to Battersea, and 4 to Finsbury. The deaths from *scarlet fever*, which had been 13, 9, and 12 in the preceding three weeks, fell again last week to 10, and were 10 below the corrected average; 2 cases belonged to Kensington, 2 to Islington, and 2 to Lambeth. The deaths from *diphtheria*, which had been 33, 26, and 36 in the preceding three weeks, fell again last week to 33, and were 22 below the corrected average; 6 cases belonged to Islington, 4 to Southwark, 3 to St. Pancras, 3 to Hackney, 3 to Wandsworth, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 6, 11, and 12 in the preceding three weeks, fell again last week to 10, and were 11 below the corrected average. The fatal cases of *enteric fever*, which had been 19, 10, and 12 in the preceding three weeks, further rose last week to 16, but were 7 below the corrected average; 4 cases belonged to Bermondsey and 2 to Islington. The deaths from *diarrhœal diseases*, which had been 56, 42, and 28 in the preceding three weeks, further fell last week to 20, but were 3 above the corrected average. Of the 20 deaths from diarrhœal diseases, 16 were of children under 5 years of age; 5 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 196, 242, and 327 in the preceding three weeks, further rose last week to 445, and were 75 above the corrected average. The deaths attributed directly to *influenza* numbered 12, having been 4, 2, and 9 in the preceding three weeks.

Different forms of *violence* caused 69 deaths, concerning all but 2 of which inquests were held. Of these 69 deaths, 5 were cases of suicide, and 2 of homicide, while the remaining 62 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 3 to a conflagration, 10 others to burns and scalds, 9 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 6 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 297 cases of small-pox, 3331 of scarlet fever, 1539 of diphtheria, and 270 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 62 cases, against 47, 57, and 169; of scarlet fever, 380 cases, against 404, 400, and 425; of diphtheria, 172 cases, against 256, 270, and 235; and of enteric fever, 23 cases, against 28, 28, and 41. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended November 2nd.

Greater London.

In Greater London 3609 births and 2271 deaths were registered, corresponding to annual rates of 28·5 and 17·9 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox, 14 from measles, 4 from scarlet fever, 23 from diphtheria, 4 from whooping-cough, 4 from "fever," and 6 from diarrhœal diseases were registered. Two of the fatal cases of small-pox belonged to Dartford district and 1 to Romford. Six cases of measles and 9 of diphtheria belonged to West Ham district.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

NOTE.—For Meteorology *see* p. 584, and for Metropolitan Water Supply *see* pp. 585–7.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Births, the Week ending 9th Nov., 1901.	Deaths, the Week ending 9th Nov., 1901.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean: Fahrenheit.	Mean: Centigrade.	Rainfall: In Inches.	Rainfall: In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6554**	**4336**	**1092**	**1041**	**16**	**111**	**51**	**88**	**41**	**50**	**85**	**157**	**361**	**1619**	**55**	**19·7**	**2·0**	**58·0**	**19·6**	**39·5**	**4·17**	**0·02**	**0·05**	**33 Towns.**
London - -	4,543,757	2437	1688	368	445	16	38	10	33	10	16	20	69	181	563	8	19·4	1·6	50·9	28·2	39·5	4·17	0·00	0·00	London.
West Ham - -	268,868	191	107	42	12	-	6	1	5	2	-	1	8	9	13	-	20·8	2·9	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	67	38	5	17	-	2	-	1	1	-	-	4	9	10	-	14·7	1·5	50·7	26·5	37·3	2·94	0·00	0·00	Croydon.
Brighton - -	123,668	70	44	6	17	-	-	-	2	-	-	2	3	3	15	-	18·6	1·7	56·2	31·0	42·7	5·94	0·00	0·00	Brighton.
Portsmouth -	189,907	118	59	10	17	-	-	-	2	-	2	-	2	7	8	1	16·2	1·1	55·0	31·0	42·3	5·72	0·00	0·00	Portsmouth.
Plymouth - -	107,974	59	26	6	10	-	-	-	-	1	1	2	1	4	5	1	12·6	1·9	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	172	105	34	33	-	-	2	2	-	1	1	3	8	22	-	16·6	0·9	53·4	23·0	37·0	2·78	0·02	0·05	Bristol.
Cardiff - -	165,308	107	47	17	12	-	-	2	2	-	-	1	-	5	6	-	14·8	1·6	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	63	32	10	9	-	-	1	1	-	-	1	1	2	1	-	17·6	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	57	20	5	3	-	-	1	-	1	-	1	-	-	1	-	11·0	1·7	50·1	19·6	36·2	2·33	0·00	0·00	Wolverhampton.
Birmingham -	523,284	334	191	61	41	-	4	7	2	4	1	6	4	7	40	6	19·0	2·4	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	62	36	8	13	-	6	-	2	-	1	1	-	2	8	-	16·8	4·7	58·0	25·8	40·1	4·50	00·1	0·03	Norwich.
Leicester - -	212,498	132	58	19	20	-	-	-	1	1	-	-	-	2	12	2	14·2	0·5	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	104	82	28	21	-	1	-	1	1	1	2	7	8	18	-	17·8	1·3	51·9	24·1	37·2	2·89	0·03	0·08	Nottingham.
Derby - - -	106,076	56	28	11	7	-	-	-	-	-	2	-	1	4	5	-	13·8	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	71	32	11	6	-	-	1	2	1	-	-	3	6	5	-	15·0	1·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	686,332	462	283	71	51	-	1	6	5	2	9†	14	5	11	80	12	21·5	2·8	51·3	31·3	41·8	5·44	0·02	0·05	Liverpool.
Bolton - -	168,748	95	66	14	14	-	-	4	2	1	-	2	1	6	3	1	20·4	2·8	-	-	-	-	-	-	Bolton.
Manchester -	544,934	329	271	68	58	-	9	5	4	-	1	3	9	24	72	6	25·9	2·1	-	-	-	-	-	-	Manchester.
Salford - -	221,526	149	111	28	18	-	2	1	1	-	2	3	3	5	17	-	26·1	2·1	-	-	-	-	-	-	Salford.
Oldham - -	137,382	78	64	15	20	-	6	-	-	-	-	2	4	5	8	-	24·3	3·0	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	46	44	15	9	-	-	-	6	1	-	4	-	3	2	-	23·6	5·9	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	52	62	17	10	-	6	1	1	1	-	1	-	1	3	2	25·3	4·1	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	60	53	17	7	-	1	5	-	-	1	3	1	1	3	1	24·4	4·6	50·0	29·0	41·4	5·22	0·03	0·08	Preston.
Huddersfield -	94,998	49	31	6	12	-	-	-	-	-	1	-	1	3	3	-	17·0	0·5	48·8	23·5	38·6	3·67	0·04	0·10	Huddersfield.
Halifax - -	105,113	35	35	4	12	-	-	1	1	1	-	1	1	1	7	-	17·4	2·0	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	108	79	15	26	-	2	-	-	2	1	3	2	4	11	1	14·7	1·5	52·0	27·0	40·1	4·50	0·02	0·05	Bradford.
Leeds - - -	430,489	235	168	44	34	-	5	-	4	3	-	1	8	15	16	-	20·3	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	246	196	53	35	-	22	2	7	3	4	3	6	7	28	6	26·7	5·6	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	164	85	26	19	-	-	-	1	-	3	2	3	6	7	3	18·3	1·3	52·0	28·0	39·0	3·89	0·08	0·20	Hull.
Sunderland -	146,937	112	51	12	11	-	-	-	-	1	2	1	2	2	7	2	18·1	1·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	91	50	16	8	-	-	-	-	-	-	4	2	2	3	2	23·6	1·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	143	94	30	14	-	-	1	-	4	1	-	3	8	17	1	22·7	1·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† Including 1 death from plague.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	19
TOTAL **Births** -	2456	2435	2659	2657	2525	2736	2507	2696	2711	2500	2684·6	24
Males - -	1266	1246	1378	1367	1314	1384	1221	1348	1380	1257	1365·1	12
Females - -	1190	1189	1281	1290	1211	1352	1286	1348	1331	1243	1319·5	11
TOTAL **Deaths** -	1590	1538	1769	1249	1790	1713	1660	1405	1506	1498	1630·3	16
Males - -	817	795	901	648	910	847	861	768	784	742	837·3	8
Females - -	773	743	868	601	880	866	799	637	722	756	793·0	7

* The numbers in this column are the average weekly numbers in the forty-fifth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	No 9
TOTAL **Births** - - -	2659	2643	2483	2582	2442	2355	2581	2499	2676	2389	2655	2737	24
TOTAL **Deaths** - - -	1705	1676	1623	1471	1398	1360	1304	1280	1309	1394	1404	1516	16
Ages at Death: Under 1 year - -	734	689	647	543	435	370	345	341	329	324	308	368	3
1—5 years - -	185	167	200	137	118	146	156	115	160	139	148	167	2
5—20 " - -	70	83	78	80	80	81	87	71	78	86	81	77	
20—40 " - -	186	177	174	157	166	176	171	181	183	209	182	204	2
40—60 " - -	259	233	249	256	258	264	251	257	261	278	320	288	3
60—80 " - -	229	270	226	243	270	262	233	270	251	280	316	339	3
80 years and upwards	42	57	49	55	71	61	61	45	47	78	49	73	
Deaths from—													
Small-pox - - - -	2	–	7	7	9	3	5	3	3	11	6	6	
Measles - - - -	37	26	40	13	13	19	13	14	14	22	21	24	
Scarlet Fever - - -	16	12	13	14	13	9	13	14	22	13	9	12	
Diphtheria - - - -	30	27	22	20	28	27	34	30	54	33	26	36	
Whooping-cough - - -	24	17	20	27	8	14	13	11	10	6	11	12	
Typhus - - - - -	1	–	–	–	–	–	–	–	–	–	–	–	
Enteric Fever - - -	10	25	12	17	14	14	19	18	11	19	10	12	
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	
Diarrhœa and Dysentery -	404	375	348	271	184	138	87	78	50	56	42	28	
Cholera - - - - -	7	4	4	4	4	–	1	–	–	–	–	–	
All the above Diseases - -	531	486	466	373	273	224	185	168	164	160	125	150	1
Dis. of Respiratory System -	103	126	114	124	116	124	137	132	186	196	242	327	4
Phthisis - - - - -	123	120	142	124	129	147	139	155	136	143	177	167	1
Dis. of Circulatory System -	97	120	100	142	131	133	101	119	122	146	158	132	1
Violence - - - -	68	56	60	45	48	75	59	52	49	56	55	75	
Inquest Cases - - - -	159	116	157	120	119	133	118	124	117	145	123	173	1
Deaths in Public Institutions -	460	467	478	462	484	503	480	441	440	449	489	546	6
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	
Mean - - - - - -	61·0	63·9	58·6	56·4	59·4	56·8	58·7	57·3	50·7	51·5	44·6	49·0	3
Mean of Highest readings -	72·2	76·6	68·5	65·1	68·2	65·6	68·3	67·0	57·9	59·0	53·6	55·3	4
Mean of Lowest readings -	52·1	50·5	51·5	47·8	53·5	48·9	50·5	49·3	43·6	43·9	36·4	42·6	3
Humidity of the Air - -	71	67	71	66	83	81	81	85	82	84	90	76	
Rain-fall (in inches) - -	0·50	0·00	1·36	0·00	0·25	1·10	0·00	1·24	0·19	1·10	0·03	0·02	0
Registered Sunshine (in hours)	49·3	74·4	39·2	52·3	17·0	19·8	21·3	27·8	20·3	26·0	12·8	38·4	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	13	41	74	92	137	153	163	169	175	172	180	284	
Scarlet Fever - - - -	3101	3040	3008	2994	3064	3098	3151	3159	3280	3344	3353	3392	3
Diphtheria - - - -	1361	1318	1344	1365	1417	1465	1512	1539	1522	1546	1588	1585	1
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	1	–	
Enteric Fever - - - -	188	198	225	254	262	290	292	296	307	288	286	291	

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed the meteorological observations at the disposal of the Registrar-General, and the results have been compiled J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmout John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesle Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., a P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. M Scc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIFTH Week of the Year 1901.

ES OF DEATH.	Corrected Averages for the 45th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 9th November, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1630·3	1688	368	209	86	227	353	364	81
Vaccinated† -	-	7	-	-	-	3	4	-	-
Unvaccinated -	0·2	8	-	3	1	3	1	-	-
No Statement -	0·2	1	-	-	-	1	-	-	-
- - - -	41·3	38	2	34	2	-	-	-	-
Fever - - -	19·9	10	1	7	1	1	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
g Fever - -	-	-	-	-	-	-	-	-	-
a - - - -	11·7	12	1	1	2	2	3	3	-
ng-cough - -	20·8	10	2	8	-	-	-	-	-
ria - - -	54·8	33	-	22	11	-	-	-	-
Continued and ined Fever -	0·2	-	-	-	-	-	-	-	-
Fever - - -	23·4	16	-	1	1	10	4	-	-
and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
ea, Dysentery -	17·0	20	14	2	1	1	1	1	-
nt Fever - -	0·1	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
s - - - -	0·1	-	-	-	-	-	-	-	-
and Effects of nation - -	0·4	-	-	-	-	-	-	-	-
l Affections - -	9·2	7	3	-	-	-	3	1	-
las - - -	5·6	8	4	-	-	1	1	2	-
and Septicæmia	1·3	5	1	-	-	3	1	-	-
al Fever - -	6·2	4	-	-	-	4	-	-	-
ymotic Diseases -	1·8	-	-	-	-	-	-	-	-
- - - -	0·6	-	-	-	-	-	-	-	-
and other Para- Diseases -	0·8	-	-	-	-	-	-	-	-
on, Want of -milk - -	1·9	1	1	-	-	-	-	-	-
sm - - -	10·8	9	-	-	-	1	7	1	-
tic Fever, natism of Heart	11·3	11	-	-	3	6	1	1	-
tism - - -	2·6	4	-	-	-	1	-	2	1
- - - -	2·5	1	-	-	-	-	1	-	-
- - - -	4·9	6	1	5	-	-	-	-	-
- - - -	78·8	77	-	-	-	2	29	43	3
lesenterica - -	18·9	19	11	3	3	1	-	1	-
lar Meningitis -	19·7	15	5	7	2	1	-	-	-
- - - -	158·0	181	1	4	17	75	72	11	1
, Tuberculosis -	19·0	22	2	6	5	3	5	1	-
Constitutional es - -	17·7	13	-	-	1	1	3	7	1
ure Birth - -	51·0	54	54	-	-	-	-	-	-
sis - - -	3·8	5	5	-	-	-	-	-	-
tal Malforma- - - -	8·6	8	5	1	-	2	-	-	-
- - - -	49·0	46	-	-	-	-	-	18	28
y - - - -	42·8	54	-	-	-	1	19	29	5
y - - - -	8·0	8	-	-	2	2	2	1	1
ions - - -	36·1	22	21	1	-	-	-	-	-
Diseases of Brain ervous System	72·0	80	8	3	4	17	20	25	3
of Organs of l Sense -	3·0	2	-	1	1	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 45th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 9th November, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	136·9	167	2	2	8	20	64	65	6
Croup - - - -	4·1	4	-	2	2	-	-	-	-
Bronchitis - - -	202·2	253	82	32	-	4	34	79	22
Pneumonia - - -	131·9	158	50	45	3	16	23	19	2
Pleurisy - - - -	6·1	3	-	-	-	1	1	1	-
Other Diseases of Respiratory System -	25·7	27	9	2	4	-	4	8	-
Dentition- - - -	6·6	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	2·3	2	-	1	-	1	-	-	-
Enteritis - - -	19·1	10	3	2	1	3	1	-	-
Gastro-enteritis -		7	5	-	-	1	1	-	-
Peritonitis - - -	6·5	8	-	-	2	3	2	1	-
Diseases of Liver - -	25·3	26	1	-	-	5	12	8	-
Other Diseases of Digestive System	28·2	25	7	1	3	4	2	6	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	1	-	-	-	-	1	-	-
Diseases of Urinary System - -	50·4	40	-	1	3	7	12	15	2
Diseases of Generative System - -	6·0	5	-	-	1	1	3	-	-
Accidents of Childbirth-	4·9	4	-	-	-	4	-	-	-
Diseases of Locomotive System - -	4·7	-	-	-	-	-	-	-	-
Diseases of Integumentary System- -	6·4	7	4	1	-	-	-	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	2·3	1	-	-	-	-	1	-	-
By Vehicles or Horses -	4·8	4	-	-	-	1	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·6	1	-	-	-	1	-	-	-
In Building Operations -	0·8	-	-	-	-	-	-	-	-
In Conflagrations - -	1·0	3	1	1	-	1	-	-	-
By Burns, Scalds, Explosions - -	7·6	10	-	6	1	-	-	3	-
By Drowning - - -	3·0	9	-	-	1	3	2	3	-
By Suffocation in Bed -	12·4	6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·1	3	-	-	-	1	2	-	-
Other or not stated causes - - -	22·4	25	3	2	-	4	6	7	3
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·2	2	1	-	-	1	-	-	-
Suicide - - - -	6·9	5	-	-	-	3	2	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	60·9	51	49	1	-	-	-	1	-

numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for e of population.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE registered in each SUB-DISTRICT during the Week ended Saturday, 9th November, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.
LONDON - - -	4,536,063	2437	1688	368	445	16	38	10	33	10	–	16	–	20	69	181
WEST DISTRICTS - - -	805,275	363	251	48	77	–	3	2	2	–	–	1	–	6	13	27
NORTH DISTRICTS - - -	1,056,018	527	348	54	105	–	13	4	11	1	–	4	–	1	16	37
CENTRAL DISTRICTS - - -	209,432	128	99	20	20	–	4	–	1	2	–	–	–	2	1	11
EAST DISTRICTS - - - -	715,772	482	342	110	69	–	7	–	4	2	–	2	–	4	14	53
SOUTH DISTRICTS - - -	1,749,566	937	589	136	166	1	11	4	13	5	–	9	–	7	25	52
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	59	–	8	15	–	–	2	–	–	–	–	–	–	1
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	93,165	51	22	4	7	–	–	–	–	–	–	–	–	–	–	2
St. John Paddington *H* - - G.	33,608	4	8	2	3	–	–	–	–	–	–	–	–	1	1	1
North-West Paddington - - C.	17,181	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *Ww* - W. & C.	128,025	53	51	11	17	–	–	–	–	–	–	–	–	3	5	8
Brompton *HH* - - W. & C.	48,598	12	13	3	6	–	–	1	–	–	–	–	–	–	–	–
North Hammersmith *H* W. & G.	49,335	23	14	2	1	–	–	–	–	–	–	–	–	–	1	1
South Hammersmith *wH* W. & G.	62,910	41	21	2	6	–	1	–	–	–	–	–	–	1	2	3
North-west Fulham *W* W. & C.	45,180	20	15	5	5	–	–	–	–	–	–	1	–	1	–	1
North-east Fulham *H* W. & C.	46,404	27	11	5	1	–	–	1	1	–	–	–	–	–	–	1
South Fulham W. & C.	45,705	29	13	3	1	–	–	–	1	–	–	–	–	–	–	–
Chelsea North *WwHHH* - C.	42,515	18	25	2	12	–	–	–	–	–	–	–	–	–	–	4
Chelsea South *HH* - - C.	31,341	17	12	4	4	–	–	–	–	–	–	–	–	–	1	2
May Fair and Knightsbridge *H* C.&G.	28,744	6	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Belgrave *WHH* - - - C.	55,812	23	20	4	8	–	–	–	–	–	–	–	–	–	1	2
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	21	16	–	5	–	2	–	–	–	–	–	–	–	2	2
St. James Westminster *WH* N. & G.	21,595	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Anne Soho *HHHHH* - N.	11,492	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHH* - - W.	35,394	14	9	–	3	–	–	–	–	–	–	–	–	–	–	–
Rectory Marylebone *W* G. & W.	19,869	5	5	–	5	–	–	–	–	–	–	–	–	–	–	1
St. Mary Marylebone *HHHH* G. & W.	18,099	26	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Christchurch Marylebone *H* - W.	39,541	21	10	5	3	–	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *HHH* - W.	20,426	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WHHHHHH* - - N. & W.	81,942	24	24	1	10	–	–	2	1	–	–	2	–	–	–	–
Regent's Park *H* - - - W.	50,647	27	12	–	6	–	–	–	–	–	–	–	–	–	–	3
Tottenham-court *wHHHHHH* - N. & W.	24,814	5	13	2	4	–	–	–	–	–	–	1	–	–	2	3
Gray's Inn Lane *HHHH* - N.	30,886	11	18	1	1	–	–	–	1	–	–	–	–	–	4	4
Somers Town *HH* - - - N.	30,131	22	21	7	1	–	–	–	–	–	–	–	–	–	1	2
Camden Town *WH* - - N.	40,079	26	17	2	10	–	–	–	1	–	–	–	–	–	1	3
Kentish Town *WW* - - N.	58,727	22	18	–	6	–	2	–	–	–	–	–	–	–	–	1
Tufnell *W*		12	14	2	4	–	–	–	1	–	–	–	–	–	–	1
Upper Holloway *WWwHH* - N.	99,841	28	25	2	8	–	1	–	–	–	–	–	–	–	1	1
Tollington *W*		24	5	1	1	–	–	–	–	–	–	–	–	–	1	1
Lower Holloway - - - N.	41,411	18	12	1	5	–	1	–	1	–	–	–	–	–	–	1
Barnsbury - - - - - N.	54,479	28	19	3	3	–	5	–	1	–	–	–	–	–	–	–
Islington South-east *H* - - N.	75,402	45	26	3	3	–	2	–	–	1	–	1	–	–	–	2
Highbury *HH* - - - - N.	63,795	32	18	6	7	–	2	–	–	–	–	–	–	–	1	2
Stoke Newington *H* - - N.	51,247	18	9	3	5	–	–	–	–	–	–	–	–	–	–	1
North Hackney - - E. & N.	50,570	21	13	2	6	–	–	–	1	–	–	–	–	–	1	1
Central Hackney *wH* - E. & N.	50,535	27	12	1	3	–	–	1	3	–	–	–	–	–	–	1
South-west Hackney *HHH* E. & N.	59,929	36	21	5	2	–	–	–	1	–	–	–	–	–	3	6
South-east Hackney *WwH* E. & N.	58,254	32	23	7	8	–	–	1	–	–	–	–	–	1	1	3

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which pauper received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, U Holloway, and Tollington respectively.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., gistered in each SUB-DISTRICT during the Week ended Saturday, 9th November, 1901—*continued.*

ISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - - N.	22,495	19	9	1	3	–	–	–	–	–	–	–	–	–	–	2	3	–
les North *H* - - - N.	8,959	3	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	
artin-in-the-Fields *HH* N.&C.	12,975	5	12	1	3	–	–	–	–	–	–	–	–	–	–	–	5	–
d *WHH* - - - - N.	8,694	2	7	1	1	–	–	–	–	–	–	–	–	–	–	–	6	–
d Union Workhouse, Edmonton -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
orn *WHHHHHH* - - N.	29,579	14	19	6	2	–	–	–	1	–	–	–	–	–	–	2	7	–
mes Clerkenwell - - N.	15 634	11	8	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
ell - - - - - N.	32,691	13	7	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
ell-street - - - - N.	15,390	9	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
ury* *HHHL* - - - N.	35,376	46	14	4	2	–	–	–	–	2	–	–	–	2	–	–	1	–
rn Union Workhouse, cham - - - - -	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
otolph *H* - - - N. & E.	11,036	1	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
pulchre *WH* - - - N.	7,886	2	14	2	4	–	–	–	–	–	–	–	–	–	–	3	9	–
llows Barking - - - N.	8,717	3	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
f London Asylum, Stone - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
editch South *Hl* - E. & N	16,370	6	5	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–
ton New Town *wH* - - N.	29,761	29	13	4	1	–	–	–	–	–	–	–	–	–	–	1	3	–
ton Old Town - - - N.	26,510	20	7	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
gerston *W* - - - N & E.	46,064	35	25	11	2	–	–	–	–	1	–	–	–	1	–	–	10	–
nal Green North *HH* - E.	51,513	33	20	11	1	–	1	–	1	–	–	–	–	–	2	4	3	–
nal Green South - - E.	33,473	23	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
nal Green East *WWHl* - E.	44,695	26	23	5	3	–	–	–	–	–	–	–	–	–	–	1	13	–
alfields - - - E. & N.	27,965	10	7	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–
End New Town *WH* - E.	28,711	16	45	9	4	–	3	–	2	–	–	–	–	1	3	10	36	–
dman's Fields - - - E.	22,082	12	12	3	2	–	–	–	–	–	–	–	–	–	–	3	–	–
eorge's, North - - - E.	40,965	46	18	14	1	–	–	–	–	–	–	–	–	–	1	1	–	–
ohn *W* - - - - E.	8,122	4	14	4	5	–	–	–	–	–	–	1	–	–	–	2	10	–
dwell *H* - - - E. & N.	10,760	5	10	7	–	–	–	–	–	–	–	–	–	1	–	1	7	–
cliff *W* - - - - E.	14,770	6	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ehouse - - - - - E.	32,358	28	19	7	4	–	–	–	1	–	–	–	–	–	–	2	–	–
End Old Town West *H* - E.	59,467	38	18	5	4	–	1	–	–	–	–	–	–	–	1	2	–	–
End Old Town East *Ww* - - - - E.	53,348	41	26	8	11	–	–	–	–	–	–	–	–	–	2	4	10	–
l - - - - - E.	41,990	25	13	4	3	–	–	–	–	–	–	–	–	–	–	3	–	–
mley *wwwH* - - - E.	68,326	39	45	4	19	–	1	–	–	–	–	1	–	1	3	11	34	–
lar *Ww* - - - - E.	58,522	40	15	3	4	–	1	–	–	1	–	–	–	–	2	6	–	–

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Saviour Southwark – – S.	12,056	6	10	5	–	–	–	–	–	–	–	–	–	1	–	1	7	–
Kent-road – – – S. & L.	21,899	17	11	6	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Borough-road *WH* – S. & L.	16,882	11	12	1	2	–	–	–	–	–	–	–	–	–	2	2	7	–
London-road *HL* – L. & S.	22,209	10	7	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–
Trinity Newington *H* – S. & L.	28,485	18	10	4	2	–	–	–	–	–	–	–	–	–	1	3	–	–
St. Peter Walworth *W* – S. & L.	61,773	39	26	8	5	–	–	–	1	–	–	–	–	–	1	3	1	–
St. Mary Newington – L. & S.	31,592	22	10	7	1	–	1	–	–	–	–	–	–	–	–	1	–	–
St. Olave *W* – – – – S.	9,813	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Bermondsey *WH* – – – S.	82,405	47	25	9	7	–	–	–	–	1	–	–	–	–	3	4	–	2
Rotherhithe *WH* – – S. & K	38,268	15	27	10	4	1	–	–	–	–	–	1	–	–	2	3	12	–
Waterloo-road *HH* – L. & S.	27,435	23	14	2	4	–	–	–	–	–	–	–	–	–	–	2	4	1
Lambeth Church 1st *H* L. & S.	18,420	8	23	4	3	–	–	–	–	–	–	1	–	–	3	3	19	–
Lambeth Church 2nd *WW* L. & S.	39,818	30	33	4	11	–	–	–	–	–	–	–	–	–	–	–	14	1
Kennington 1st *H* – S. & L.	53,196	41	17	6	1	–	1	–	–	–	–	–	–	1	3	3	–	–
Kennington 2nd – – S. & L.	42,891	23	9	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Brixton *H* – – – L. & S.	84,226	38	14	1	6	–	–	1	–	–	–	1	–	1	–	–	2	–
Norwood *WH* – – – L.	35,887	12	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
East Battersea – – – S.	72,201	57	29	6	8	–	3	–	–	–	–	–	–	–	–	3	–	–
North-west Battersea – – S.	49,650	38	10	6	1	–	–	–	–	1	–	1	–	–	2	2	–	–
South-west Battersea *WH* – S.	47,045	17	25	4	10	–	2	–	–	–	–	–	–	–	–	–	16	–
Clapham *H* – – – – S.	51,353	26	6	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Streatham *WwHHL* – L.	88,129	39	19	4	7	–	–	1	2	–	–	–	–	1	–	–	6	–
Wandsworth *WHL* – – S.	68,409	40	23	8	4	–	3	–	–	–	–	–	–	1	–	1	4	–
Putney – – – – – S.	24,139	13	5	2	2	–	–	–	–	1	–	–	–	–	1	–	–	–
Dulwich – – – – L. & S.	10,246	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *Wwll* – S. & L.	90,404	40	56	5	25	–	–	–	–	–	–	–	–	1	2	4	32	–
Peckham *W* – – S., L., & K.	93,022	34	24	7	6	–	–	–	–	–	–	–	–	–	–	4	–	–
St. George Camberwell – L. & S.	65,586	39	17	3	6	–	–	–	1	–	–	–	–	–	1	3	–	–
Deptford North – – – K.	37,601	29	10	2	4	–	–	–	–	–	–	–	–	–	1	2	–	–
Deptford Central *H* – – K.	45,621	26	13	7	2	–	–	–	1	–	–	1	–	1	–	–	3	2
Deptford South – – – K.	34,622	14	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* – – K.	23,456	14	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich East *WH* – – K.	43,849	17	13	1	6	–	–	–	–	–	–	1	–	–	1	1	8	–
Eltham *wH* – – – – K.	7,218	3	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Lee *H* – – – – – K.	25,489	11	8	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Lewisham *WwH* – – – K.	58,341	25	23	2	9	–	–	–	6	2	–	–	–	–	–	–	11	–
Sydenham *H* – – – L.	43,630	17	7	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *HHH* – – – K.	21,121	6	6	1	–	–	–	1	1	–	–	2	–	–	–	–	3	–
Woolwich *HHHH* – – K.	41,607	23	8	1	3	–	1	–	–	–	–	–	–	–	–	1	1	–
Plumstead West *H* – – K.	18,076	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Plumstead East *WH* – – K.	50,264	32	18	1	10	–	–	–	–	–	–	–	–	–	1	2	7	1
London County Asy., Banstead –	—	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–
London County Asy., Epsom –	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Met. Asy. for Imbeciles, Caterham	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–
London County Asy., Cane Hill –	—	–	7	–	1	–	–	–	–	–	–	–	–	–	–	–	7	–
M.A.B. Ships and Hosp., Dartford	—	–	15	–	–	15	–	–	–	–	–	–	–	–	–	–	15	–
Met. Asy. for Imbeciles, Darenth –	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Dartford Heath – – – – –	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
London County Asylum, Hanwell	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–
Central London Sick Asy., Hendon	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asy., Colney Hatch	—	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–
M.A.B. North-Eastern Hospital –	—	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–
M.A.B. Northern Hospital – –	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asylum, Claybury	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	1	5	–

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th November, 1901.

Sub-District No.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1172	583	150	159	3	14	4	23	4	4	6	27	53	75	1
1	Carshalton *H*	12,228	32,997	14	7	1	2	–	–	–	1	–	–	1	–	–	1	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	8	6	1	4	–	–	–	–	–	–	–	–	–	1	–
1	Godstone, *part of** *W*	2,754	2,692	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Croydon *WWwHHH*	20,851	164,519	75	43	6	20	–	2	–	1	1	–	–	4	9	13	–
2	Mitcham *w*	11,689	29,906	9	12	2	2	–	3	–	1	–	–	–	2	5	–	–
1	Wimbledon *HHH*	3,221	41,604	14	6	1	1	–	–	–	1	–	–	–	1	2	–	–
2	Kingston *WH*	6,224	42,067	24	14	2	7	–	–	–	–	–	–	–	–	–	4	–
3	Surbiton *HH*	3,046	15,019	7	2	–	–	–	–	–	1	–	–	–	–	–	1	–
4	Esher, *part of** *H*	5,402	13,003	4	5	–	1	–	–	–	–	–	–	–	–	–	1	–
5	Hampton *HL*	4,564	23,447	15	5	1	–	–	–	–	–	–	–	–	–	1	–	–
1	Richmond *WHH*	2,162	28,871	14	9	–	6	–	–	–	–	–	–	–	–	1	2	–
2	Mortlake *H*	2,847	20,628	22	10	6	2	–	–	–	–	–	–	1	–	–	–	–
1	Bromley *HHH*	4,703	27,358	13	6	2	1	–	–	–	1	–	–	–	–	–	1	–
2	Beckenham *H*	7,825	28,499	18	2	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of** *W*	10,113	9,857	8	9	2	3	–	1	–	–	–	–	–	–	–	4	–
4	Chislehurst *HH*	7,333	16,458	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Bexley *HHH*	12,532	46,445	31	12	2	2	–	–	–	–	–	–	–	1	2	–	1
2	Dartford *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Sunbury *w*	11,054	18,682	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13,277	15,179	8	5	3	1	–	–	–	–	–	–	–	1	1	–	–
1	Hillingdon *WHH*	6,035	13,661	10	6	–	4	–	–	–	–	–	–	–	–	–	3	–
2	Uxbridge	12,757	8,984	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	8,066	16,358	13	2	1	1	–	–	–	–	–	–	–	1	1	–	–
1	Isleworth *WHH*	6,859	30,838	13	12	3	4	–	–	–	–	–	–	–	1	1	2	–
2	Twickenham *HH*	2,421	20,991	12	5	–	1	–	–	–	1	–	–	–	–	1	–	–
3	Brentford *HHHH*	4,319	48,298	21	9	1	3	–	–	–	–	–	–	–	–	–	–	–
4	Chiswick	1,249	29,809	15	2	–	2	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wHH*	6,132	48,913	47	13	4	6	–	–	–	–	–	–	–	–	1	–	–
1	Harrow *HHH*	13,809	25,522	9	5	1	1	–	1	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6,994	4,520	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,384	114,815	73	33	8	7	–	–	–	4	–	–	–	1	2	2	–
4	Hendon *WH*	8,382	22,450	11	5	–	4	–	–	–	–	–	–	1	–	–	–	–
1	South Mimms *HH*	17,755	7,308	3	5	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	3,324	17,970	8	6	–	4	–	–	–	–	–	–	–	–	–	6	–
3	Finchley *HHH*	4,688	33,692	15	11	3	2	–	–	–	–	–	–	–	–	–	–	–
1	Hornsey *HH*	2,875	72,056	28	18	–	10	–	–	–	–	–	1	–	1	1	–	–
2	Tottenham *HHH*	4,638	136,702	68	37	10	11	–	1	–	1	–	–	–	1	7	1	–
3	Edmonton *Ww*	7,491	61,892	41	16	6	2	–	–	–	–	–	1	–	2	2	2	–
4	Enfield *WWHH*	12,601	42,738	27	7	2	3	–	–	–	–	–	–	–	1	1	–	–
5	Waltham Abbey	11,017	6,547	1	3	–	1	–	–	–	2	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12,288	7	1	1	–	–	–	–	–	–	–	–	–	–	–	–
1	Hatfield, *part of** *W*	3,305	664	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Bushey *H*	9,333	9,173	2	3	1	2	–	–	–	–	–	–	–	1	1	–	–
2	Watford *WhH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Stratford *H*	1,072	44,825	31	21	7	2	–	–	–	1	–	–	–	2	2	2	–
2	Plaistow *HHH*	1,249	90,920	71	32	15	5	–	3	–	3	1	–	–	–	–	2	–
3	Canning Town *H*	1,556	70,666	61	34	15	1	–	3	1	1	–	–	1	5	5	2	–
4	Forest Gate *w*	806	60,897	28	13	4	2	–	–	–	–	1	–	–	1	2	–	–
5	East Ham *wHHH*	3,268	95,970	69	31	12	5	–	–	–	–	1	1	–	–	3	–	–
6	Wanstead	1,737	9,198	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*	631	50,458	37	25	7	8	–	–	1	–	–	1	–	1	1	12	–
8	North Leyton *WwH*	1,963	48,441	22	12	2	4	–	–	–	1	–	–	–	–	–	1	–
9	Walthamstow *HHHL*	6,504	108,931	77	32	14	1	–	–	1	2	–	–	1	–	1	–	–
1	Chigwell, *part of** *LHHH*	11,778	16,403	6	3	–	1	–	–	1	–	–	–	–	–	–	1	–
2	Epping *WH, part of**	—	—	–	3	–	2	–	–	–	–	–	–	–	–	–	3	–
1	Romford, *part of** *W*	6,556	6,089	3	2	–	–	1	–	–	–	–	–	–	–	–	1	–
2	Ilford *H*	8,496	41,240	23	8	2	2	–	–	–	–	–	–	1	–	–	2	–
3	Barking Town *H*	3,803	21,547	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Middlesex County Lunatic Asylum, Wandsworth,	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–
	Brook Hospital, Charlton	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
	M.A.B. Hospital Ship, Dartford.	—	—	–	2	–	–	2	–	–	–	–	–	–	–	–	2	–

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher sh; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious ases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 9th November, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	**443,419**	**6,604,287**	**17·9**	**1·6**	**2271**	**518**	**604**	**19**	**52**	**14**	**56**	**14**	**20**	**26**	**96**	**638**
INNER LONDON –	74,839	4,543,757	19·4	1·6	1688	368	445	16	38	10	33	10	16	20	69	563
OUTER RING –	368,580	2,060,530	14·8	1·5	583	150	159	3	14	4	23	4	4	6	27	75

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	November 9	138	118	19·4	–	–	1	1	1	1	2
GLASGOW – –	764,423	„ 9	426	356	24·3	–	19	2	5	12	12	10
DUBLIN† – –	375,076	„ 9	192	167	23·2	–	–	–	–	1	2	2
BELFAST† – –	350,862	„ 9	195	112	16·6	–	1	1	1	–	5	2
CALCUTTA – –	466,460	September 21	–	256	28·6	1	–	–	–	–	81‡	298
		„ 28	–	233	26·0	1	–	–	–	–	83‡	328
BOMBAY – –	770,843	October 22	331	754	52·9	–	–	?	?	?	314‡	738
MADRAS – –	509,346	„ 11	463	829	84·6	2	6	?	?	?	270	247§
PARIS – – –	2,511,629	November 2	1037	880	18·2	4	3	1	14*	3	11	27
BRUSSELS – –	582,665	„ 2	227	164	14·6	–	–	–	3*	2	1	16
AMSTERDAM –	525,636	October 26	268	125	12·4	–	–	–	–	2	–	6
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	November 2	172	118	16·3	–	–	–	–	7	2	3
STOCKHOLM –	301,050	October 26	127	87	15·0	–	–	–	2*	1	–	8
CHRISTIANIA –	228,929	November 2	127	60	13·6	–	–	–	1	–	–	4
ST. PETERSBURG	1,248,643	October 26	598	501	20·9	–	21	13	32	6	31	44
MOSCOW – –	1,023,817	„ 26	–	498	25·4	2	6	16	11	2	8	59
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705,738	November 2	–	169	12·5	–	10	4	3*	2	1	7
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	November 2	–	184	19·1	–	1	–	3*	3	1	25
VIENNA – –	1,691,996	„ 2	860	486	14·8	–	2	9	6*	–	–	40
PRAGUE – –	389,741	October 26	162	164	21·8	–	–	3	2	–	3	2
BUDA-PESTH –	744,719	November 2	400	218	15·2	–	3	4	1	1	5	16
TRIESTE – –	177,428	October 26	96	71	20·7	–	1	1	–	1	2	3
ROME – –	471,961	„ 5	–	–	–	–	–	–	–	–	–	–
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE – –	174,378	October 26	63	49	14·7	–	–	–	2*	–	1	8
CAIRO – –	570,062	September 23	452	396	36·1	–	2	–	11*	–	19	111
ALEXANDRIA –	319,766	„ 23	190	220	35·8	–	–	–	2*	–	3	74
NEW YORK (including BROOKLYN)	3,536,517	October 19	1489	1145	16·9	1	6	6	25*	7	23	102
PHILADELPHIA –	1,293,697	„ 12	–	404	16·3	2	1	1	18	3	10	[illegible]
		„ 19	–	401	16·2	10	–	2	7	3	11	[illegible]

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast, respectively.
§ Including 6 and 7 deaths, respectively, from cholera in Calcutta, 4 in Bombay, and 80 in Madras.
‡ Including 8 and 11 deaths, respectively, from plague in Calcutta, and 179 in Bombay.

[Glaisher's Supplementary Table of Corrections for the Thermometer Reading.]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	3	Last Quarter.	30·204	50·9	28·9	22·0	37·9	− 8·4	35·3	2·6	10·0	0·0	90	82·1	20·8	51·66	ENE.	E., ENE & calm.	0·1	0·0	0·0	96	−181	0·00	0·0
MONDAY -	4	..	30·195	48·8	28·2	20·6	36·8	− 9·3	35·8	1·0	7·3	0·0	96	53·1	20·3	51·14	Calm	ENE., NNW. & NNE.	0·1	0·0	0·0	63	−215	0·00	0·
TUESDAY -	5	..	30·273	38·9	32·2	6·7	35·5	−10·4	35·5	0·0	1·0	0·0	100	41·0	32·2	50·50	Calm, NNE. & NW.	Variable & calm.	0·1	0·0	0·0	51	−227	0·00	0·0
WEDNESDAY	6	In Equator	30·127	40·8	30·2	10·6	34·2	−11·3	34·2	0·0	1·6	0·0	100	64·0	29·4	50·09	SSW.	SSW. & SW.	0·1	0·0	0·0	148	−130	0·00	0·0
THURSDAY-	7	..	30·113	46·0	30·4	15·6	39·3	− 5·8	39·1	0·2	2·8	0·0	99	49·1	29·3	49·73	SW. & SSW.	SSW.	0·1	0·0	0·0	138	−141	0·00	0·0
FRIDAY -	8	..	30·024	50·8	44·0	6 8	47·2	+ 2·6	39·6	7·6	10·9	3·4	75	65·7	30·0	49·38	SW. & W.	WNW., W. & NW.	1·9	0·0	0·1	224	− 55	0·00	0·0
SATURDAY-	9	..	30·011	48·9	42·5	6·4	45·9	+ 1·9	39·7	6·2	8·6	3·5	79	57·9	34·6	49·38	SW.	SW. & SSW.	1·0	0·0	0·1	252	− 28	0·00	0·5
MEANS -	-		30·135	46·4	33·8	12·7	39·5	− 5·8	37·0	2·5	6·0	1·0	91	59·0	28·1	50·27	NE. & SW.		..	..	..	Sum 972	Sum −977	Sum 0·00	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	3	s. P. generally.	3·9	9·5	Dense fog, with hoar frost, prevalent in morning; cloudless and very fine after noon, with hoar frost and variable fog at night.
MONDAY -	4	s. P. generally.	2·2	9·4	Dense fog prevalent generally; cloudless and very fine in afternoon.
TUESDAY -	5	s. P. generally.	0·0	9·4	Fog of variable density prevalent throughout the day.
WEDNESDAY	6	m. P. till noon; s. P. afterwards.	1·2	9·3	Dense fog in morning; partially cloudy, with variable fog, after 11h. A.M. Solar halo in afternoon. Hoar frost at night.
THURSDAY-	7	s. P. till noon; m. P. afterwards.	0·0	9·3	Overcast; foggy.
FRIDAY -	8	w. P. till 9h. A.M.; s. P. afterwards.	0·0	9·2	Generally overcast; slight fog in morning.
SATURDAY-	9	m. P. till 10h. A.M.; s. P. afterwards.	0·0	9·2	Overcast.
			Sum 7·3	Sum 65·3	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon: 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·21 in. at the beginning of the week to 30·23 in. by 10h. A.M. on the 3rd; decreased to 30·17 in. by 3h. P.M. on the 4th; increased to 30·29 in. by 10h. A.M. on the 5th; and decreased to 30·00 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd November 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	13	17	-	-	-	-	4	-
Kensington	176,787	1	15	8	-	5	2	-	7	-
Hammersmith	112,619	-	6	3	-	-	-	-	2	-
Fulham	138,426	-	7	23	-	4	-	-	3	-
Chelsea	73,879	1	2	1	-	1	-	-	2	-
City of Westminster	182,502	29	15	5	-	4	-	-	2	-
NORTH.										
St. Marylebone	133,060	4	22	6	-	3	-	-	3	-
Hampstead	82,287	1	4	-	-	1	-	-	1	-
St. Pancras	235,297	11	31	16	-	7	-	-	4	1
Islington	335,325	7	51	32	-	12	-	-	6	-
Stoke Newington	51,328	-	5	4	-	-	-	-	1	-
Hackney	219,780	-	26	29	-	6	-	-	7	-
CENTRAL.										
Holborn	59,205	38	5	7	-	-	-	-	4	-
Finsbury	101,263	3	15	9	-	3	-	-	3	-
City of London	26,627	1	5	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	1	3	5	-	-	1	-	6	-
Bethnal Green	129,700	2	5	11	-	1	-	-	3	-
Stepney	298,884	8	30	17	-	4	-	-	11	-
Poplar	168,887	7	14	9	-	4	-	-	4	1
SOUTH.										
Southwark	206,219	5	45	19	-	3	-	-	5	-
Bermondsey	130,348	39	27	10	-	13	-	-	2	-
Lambeth	302,460	5	34	14	-	4	-	-	8	-
Battersea	169,364	1	21	12	-	4	-	-	4	-
Wandsworth	233,943	1	21	36	-	3	-	-	3	-
Camberwell	259,897	5	49	14	-	3	-	-	3	1
Deptford	110,732	1	17	3	-	1	-	-	3	-
Greenwich	96,188	1	10	3	-	1	-	-	5	-
Lewisham	128,423	-	24	9	-	1	-	-	5	-
Woolwich	117,619	1	10	3	-	2	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	173	532	326	-	90	3	-	113	3
Ages 0-1		1	8	9	-	-	-	-	5	-
" 1-5		6	156	114	-	4	-	-	6	-
" 5-		11	207	96	-	15	-	-	5	-
" 10-		11	90	39	-	15	-	-	7	-
" 15-		23	35	28	-	13	1	-	6	-
" 20-		29	15	7	-	7	-	-	6	1
" 25-		41	18	21	-	12	1	-	15	2
" 35-		27	2	9	-	17	1	-	18	-
" 45-		20	1	3	-	6	-	-	19	-
" 55-		3	-	-	-	-	-	-	12	-
" 65 and upwards		1	-	-	-	1	-	-	14	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·14 inches, and that of the Thermometer 39°·5; the latter being 5°·8 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 50 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 7·3 hours; no rain was measured during the week.

Analysis of Metropolitan Water Supply during October, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th November, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, during the month of October, by the eight Water Companies.

Thirteen samples of each Company's supply were examined, making a total of 104 samples analysed during the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - -	October 7th, Cab Rank, Fulham-road, near the Hospital for Women.	16·6	25·06	·107	·017	·001	·143	·161	1·8	18·7
West Middlesex -	October 7th. Cab Rank, Maida Vale, by St. John's Wood Road.	16·3	24·64	·132	·019	0	·132	·151	1·8	18·3
Southwark - -	October 7th. Drinking Fountain, Victoria Circus, Battersea.	—	25·32	·115	·013	0	·142	·155	1·8	18·9
Grand Junction -	October 7th. Cab Rank, Pickering Place, Westbourne Grove.	16·0	25·78	·120	·016	0	·184	·200	1·8	18·9
Lambeth - - -	October 7th. Cab Rank, Waterloo Road, opposite St. John's Church.	16·0	26·94	·132	·018	0	·185	·203	1·8	19·4
Lea.										
New River - -	October 7th. Cab Rank, Gray's Inn Road, by King's Cross Station.	15·3	31·74	·046	·010	0	·210	·220	1·55	22·8
East London - -	October 7th. Cab Rank, Sidney Street, E.	16·0	26·58	·140	·015	0	·167	·182	1·8	19·4
Deep Well.										
Kent - - - -	October 7th. Cab Rank by Woolwich Arsenal Station.	12·0	49·00	·058	·007	0	·605	·612	2·8	31·0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected on October 7th, at the Fulham Road cab rank had a temperature of 16·6° C.; 100,000 lbs. of it contained 25·06 lbs. of solid matters in solution ; the organic substances constituting a portion of the matter contained ·107 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained ·001 lb. of ammonia and ·143 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·161 lb. The above weight of water also contained 1·8 lbs. of chlorine and 18·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on October 7th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—New River 0·9, Kent 1·1, Chelsea 2·1, Southwark 2·2, Grand Junction 2·3, Lambeth 2·5, and West Middlesex and East London 2·6.

Of the Thames-derived supplies that of the Chelsea Company contained the smallest amount of organic matter. In no case was the proportion of organic impurity very different from that found in the corresponding sample examined in September. All the samples were of good chemical quality and clear.

With regard to the supplies chiefly obtained from the Lea, that of the New River Company was clear and of very good chemical quality: it contained only a small proportion of organic matter, and in this respect surpassed the water drawn from the Kent Company's mains on the same day. The East London Company's water was clear and similar in chemical quality to that distributed by the Thames Companies.

The Kent Company's deep well water was, as usual, clear and of good quality.

Seen through a stratum two feet deep, the Kent Company's water was colourless, and that of the New River Company nearly colourless; the supplies of the other Companies were very pale yellow in colour.

In addition to the above analytical examination, 104 samples, collected during the month of October, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has, also, been recorded.

The following results, expressed in parts per 100,000, were obtained:—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·061	·048	·057	·068	·054	·061	·009	·007	·008
West Middlesex	·066	·052	·061	·073	·053	·065	·009	·007	·008
Southwark	·076	·050	·066	·082	·051	·069	·009	·006	·0075
Grand Junction	·070	·051	·061	·079	·057	·068	·0085	·0075	·008
Lambeth	·081	·057	·071	·089	·058	·074	·009	·0075	·008
New River	·025	·017	·020	·026	·018	·022	·0045	·0025	003
East London	·080	·046	·064	·089	·052	·068	·008	·007	·0075
Kent	·008	·001	·006	·010	·005	·007	·002	·0015	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

With regard to the Thames derived waters, the above results show that the Chelsea Company's water contained, on the average, the smallest amount of organic impurity; all the supplies were of good chemical quality throughout the month.

Of the Lea-derived waters, that of the New River Company was of very good quality during the month. The East London Company's water was also of good quality, and closely resembled that distributed by the Thames Companies.

All the samples drawn from the Kent Company's mains were invariably of great organic purity and excellent quality.

All the samples taken from the Lambeth and New River Companies' services were uniformly clear; but, in the cases of the other Companies, on a very few occasions, minute amounts of suspended matter, probably derived from the mains, were present,

I am, Sir,

Your obedient Servant.

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of October, 1901. The supply was in the ratio of 229 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	October, 1900.	October, 1901.	October, 1900.	October, 1901.
Total Supply - - -	913,705	935,016	211,475,266	213,828,330
From Thames - - - - - -	435,304	444,180	112,851,222	113,749,329
From Lea and from other Sources -	478,401	490,836	98,624,044	100,079,001
Thames.				
Chelsea - - - - - - -	38,937	39,368	13,126,974	12,934,851
West Middlesex - - - - -	86,247	87,718	21,251,714	22,303,578
Southwark and Vauxhall - -	124,628	125,841	32,116,160	31,187,693
Grand Junction - - - - -	67,253	69,173	20,469,961	19,760,510
Lambeth - - - - - - -	118,239	122,080	25,886,413	27,562,697
Lea and other Sources.				
New River - - - - - -	171,424	174,069	39,684,367	40,115,302
East London - - - - - -	210,467	216,584	40,887,000	42,051,000
Kent - - - - - - - -	96,510	100,183	18,052,677	17,912,699

Note.—The Return for October, 1901, as compared with that for the corresponding month of 1900, shows an increase of 21,311 services and of 2,353,064 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 46. 1901. VOL. LXII.] WEEK ENDED SATURDAY, NOV. 16. [Price 1½*d.*

General Register Office, Somerset House,
November 18th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 17·6, and 19·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.		Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.
33 Great Towns	16·7	17·6	19·7	19·4	Leicester - -	10·6	11·5	14·2	12·3
Birkenhead -	13·6	17·8	15·0	15·5	Liverpool - -	18·6	21·5	21·5	19·6
Birmingham -	18·5	20·9	19·0	21·6	London - - -	16·1	17·4	19·4	20·0
Blackburn -	22·5	23·7	25·3	21·2	Manchester - -	22·3	19·0	25·9	23·9
Bolton - -	14·2	14·8	20·4	19·8	Newcastle-on-Tyne	25·2	21·5	22·7	16·0
Bradford -	15·3	16·6	14·7	16·0	Norwich - -	19·6	15·4	16·8	28·4
Brighton -	11·4	13·1	18·6	17·3	Nottingham - -	13·7	13·0	17·8	13·7
Bristol - -	11·9	15·7	16·6	16·6	Oldham - -	16·3	17·1	24·3	22·4
Burnley -	17·1	22·0	23·6	16·6	Plymouth - -	21·2	15·9	12·6	21·7
Cardiff - -	12·6	11·0	14·8	18·9	Portsmouth - -	15·1	14·3	16·2	19·2
Croydon -	10·8	8·1	14·7	11·2	Preston - -	17·1	22·1	24·4	27·2
Derby - -	11·8	15·2	13·8	16·7	Salford - - -	20·7	22·1	26·1	22·8
Gateshead -	17·5	14·6	23·6	17·5	Sheffield - -	19·1	20·3	26·7	22·7
Halifax -	11·4	17·4	17·4	12·4	Sunderland - -	19·2	18·8	18·1	19·2
Huddersfield-	13·7	18·7	17·0	15·4	Swansea - -	14·9	10·5	17·6	13·2
Hull - -	18·3	16·2	18·3	15·1	West Ham - -	17·1	18·4	20·8	20·4
Leeds - -	17·1	17·6	20·3	18·3	Wolverhampton -	9·9	12·7	11·0	16·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·1 in Manchester, 1·4 in Preston, 2·3 in Oldham, 2·5 in Sheffield, and 7·4 in Norwich ; from *scarlet fever*, 1·2 in Birmingham ; and from *diarrhœal diseases*, 1·7 in Wolverhampton. In none of the thirty-three towns did the death-rate from *whooping-cough* or from "*fever*" reach 1·0 per 1,000. The 81 deaths from *diphtheria* included 35 in London, 6 in West Ham, 6 in Cardiff, 5 in Portsmouth, 4 in Liverpool, 3 in Bristol, 3 in Birmingham, and 3 in Salford. Fourteen deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2574 BIRTHS and 1744 DEATHS were registered. Allowing for increase of population, the births were 86 below, and the deaths 116 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·1, 17·4, and 19·4 in the preceding three weeks, further rose last week to 20·0. During the four weeks ended on Saturday last the death-rate averaged

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10294—670—11/1901 Wt 45 D & S 3 2 Z

18·2 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1744 deaths included 14 from small-pox, 60 from measles, 4 from scarlet fever, 35 from diphtheria, 15 from whooping-cough, 15 from enteric fever, 15 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 158 deaths were referred to these diseases, being 17 below the corrected average weekly number.

The deaths from *small-pox*, which had been 6, 6, and 16 in the preceding three weeks, were 14 last week; 3 cases belonged to the Borough of Holborn, 2 to Bermondsey, 2 to Lambeth, and 1 each to Hammersmith, Westminster, Hampstead, St. Pancras, Finsbury, Stepney, and Poplar. An infant who died from small-pox in the Hospital Ship "Atlas" on the 13th inst., aged 15 days, had been vaccinated on 1st November; this case is classed as "Vaccinated" in Table 4. The deaths from *measles*, which had been 21, 24, and 38 in the preceding three weeks, further rose last week to 60, and were 19 above the corrected average; 12 cases belonged to Lambeth, 11 to Battersea, 8 to Islington, and 7 to Kensington. The deaths from *scarlet fever*, which had been 9, 12, and 10 in the preceding three weeks, further fell last week to 4, and were 15 below the corrected average; 2 cases belonged to Bermondsey. The deaths from *diphtheria*, which had been 26, 36, and 33 in the preceding three weeks, rose again last week to 35, but were 15 below the corrected average; 4 cases belonged to Islington, 3 to Poplar, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 11, 12, and 10 in the preceding three weeks, rose again last week to 15, and were 10 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 12, and 16 in the preceding three weeks, were 15 last week, the corrected average being 23; 4 cases belonged to Islington. The deaths from *diarrhœal diseases*, which had been 42, 28, and 20 in the preceding three weeks, further fell last week to 15, and were 3 below the corrected average. Of the 15 deaths from diarrhœal diseases, 13 were of children under 5 years of age; 6 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the *respiratory organs*, which had been 242, 327, and 445 in the preceding three weeks, further rose last week to 477, and were 83 above the corrected average. The deaths attributed directly to *influenza* numbered 14, having been 2, 9, and 12 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all but 2 of which inquests were held. Of these 59 deaths, 7 were cases of suicide, while the remaining 52 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 6 to burns and scalds, and 17 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 368 cases of small-pox, 3353 of scarlet fever, 1556 of diphtheria, and 269 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 113 cases, against 57, 169, and 62; of scarlet fever, 376 cases, against 400, 425, and 380; of diphtheria, 212 cases, against 270, 235, and 172; and of enteric fever, 44 cases, against 28, 41, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended November 9th.

Greater London.

In Greater London 3797 births and 2307 deaths were registered, corresponding to annual rates of 30·0 and 18·2 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 10 from measles, 2 from scarlet fever, 18 from diphtheria, 7 from whooping-cough, 5 from "fever," and 4 from diarrhœal diseases were registered. The two deaths from small-pox occurred in Bromley district; 8 deaths from diphtheria and 3 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·46 inches, and that of the Thermometer 41°·6; the latter being 1°·2 below the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 27 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·4 hours; the measured rainfall amounted to 0·39 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Mean Fahrenheit.	Mean Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
		the Week ended 16th Nov., 1901.				Deaths from											corresponding to the Week's Deaths.		Fahrenheit.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6275**	**4264**	**1079**	**1107**	**14**	**138**	**38**	**81**	**46**	**53**	**57**	**162**	**355**	**953**	**43**	**19·4**	**1·9**	**57·0**	**19·0**	**41·7**	**5·39**	**1·63**	**4·27**	**33 Towns.**
London - -	4,543,757	2574	1744	441	470	14	60	4	35	15	15	15	59	176	497	4	20·0	1·8	54·8	21·2	41·6	5·33	0·39	0·99	London.
West Ham - -	268,868	196	105	42	20	-	3	-	6	2	2	-	6	10	15	-	20·4	2·5	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	62	29	6	14	-	1	-	-	-	-	-	-	1	5	-	11·2	0·4	55·0	19·0	40·6	4·78	0·05	0·13	Croydon.
Brighton - -	123,668	44	41	7	21	-	1	-	1	-	-	1	2	2	5	-	17·3	1·3	56·4	29·4	45·2	7·33	0·17	0·43	Brighton.
Portsmouth -	189,907	102	70	11	22	-	-	-	5	-	2	-	3	4	12	-	19·2	1·9	57·0	29·0	44·2	6·78	0·20	0·51	Portsmouth.
Plymouth - -	107,974	52	45	8	19	-	1	-	-	-	-	1	1	2	13	-	21·7	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	151	105	29	40	-	-	-	3	1	-	1	5	12	15	-	16·6	0·8	57·0	22·7	42·0	5·56	0·46	1·17	Bristol.
Cardiff - -	165,308	92	60	19	10	-	-	1	6	-	-	1	4	11	9	-	18·9	2·5	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	41	24	7	5	-	-	-	-	1	-	1	-	1	4	-	13·2	1·1	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	51	30	10	10	-	1	-	1	1	-	3	2	2	2	-	16·6	3·3	54·2	20·0	39·7	4·28	1·09	2·77	Wolverhampton.
Birmingham -	523,284	309	217	68	41	-	4	12	3	5	2	4	9	14	51	6	21·6	5·0	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	57	61	11	20	-	16	1	1	1	-	-	1	1	5	-	28·4	8·8	57·0	26·8	42·9	6·06	1·82	4·62	Norwich.
Leicester - -	212,498	108	50	17	12	-	1	-	1	2	-	-	3	2	6	1	12·3	1·0	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	143	63	9	22	-	1	-	-	-	1	-	2	4	12	-	13·7	0·4	54·8	22·8	41·2	5·11	1·33	3·38	Nottingham.
Derby - - -	106,076	49	34	10	12	-	-	-	-	-	-	-	1	5	7	-	16·7	-	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	47	33	2	10	-	-	-	1	-	-	2	3	4	6	-	15·5	1·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	686,332	406	258	61	57	-	-	3	4	3	6	7	13	21	75	13	19·6	1·7	-	-	-	-	-	-	Liverpool.
Bolton - -	168,748	83	64	16	15	-	-	3	2	2	1	-	2	4	8	-	19·8	2·5	-	-	-	-	-	-	Bolton.
Manchester -	544,934	305	259	66	50	-	11	-	2	1	3	2	7	18	58	6	23·9	1·8	-	-	-	-	-	-	Manchester.
Salford - -	221,526	122	97	23	23	-	-	2	3	2	3	4	4	4	21	-	22·8	3·3	-	-	-	-	-	-	Salford.
Oldham - -	137,382	52	59	6	16	-	6	1	1	-	-	-	2	4	5	-	22·4	3·0	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	47	31	9	6	-	-	-	-	-	-	-	2	3	6	-	16·6	-	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	55	52	13	11	-	2	2	-	-	-	-	4	8	8	1	21·2	1·6	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	56	59	22	12	-	3	1	-	-	1	2	1	2	3	-	27·2	3·2	55·0	25·0	41·3	5·17	4·45	11·30	Preston.
Huddersfield -	94,998	31	28	4	12	-	1	-	-	-	1	-	-	-	4	-	15·4	1·1	54·2	21·7	39·5	4·17	3·50	8·89	Huddersfield.
Halifax - -	105,113	43	25	6	5	-	1	-	-	-	1	-	1	3	3	1	12·4	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	137	86	19	29	-	-	2	-	1	3	1	3	8	13	-	16·0	1·3	54·4	24·8	41·3	5·17	3·86	9·80	Bradford.
Leeds - - -	430,489	229	151	33	37	-	7	1	2	6	6	5	2	6	27	2	18·3	3·3	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	223	166	39	38	-	18	1	2	1	3	4	9	10	33	3	22·7	4·0	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	136	70	16	22	-	-	-	2	-	1	2	2	3	5	2	15·1	1·1	56·0	21·0	40·4	4·67	2·88	7·32	Hull.
Sunderland -	146,937	87	54	15	10	-	-	1	-	-	2	1	4	4	8	2	19·2	1·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	63	37	12	5	-	-	2	-	-	-	-	2	2	2	2	17·5	0·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	122	66	22	11	-	-	1	-	2	-	-	3	4	10	-	16·0	0·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	190
TOTAL **Births** –	2596	2510	2430	2494	2576	2675	2780	2585	2674	2323	2659·8	257
Males – –	1279	1293	1260	1268	1328	1375	1407	1303	1357	1133	1348·7	135
Females – –	1317	1217	1170	1226	1248	1300	1373	1282	1317	1190	1311·1	122
TOTAL **Deaths** –	1629	1508	2016	1275	1510	1675	1617	1436	1528	1505	1628·3	174
Males – –	822	759	1016	644	758	815	838	728	769	815	826·0	87
Females – –	807	749	1000	631	752	860	779	708	759	690	802·3	87

* The numbers in this column are the average weekly numbers in the forty-sixth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov 16
TOTAL **Births** – – –	2643	2483	2582	2442	2355	2581	2499	2676	2389	2655	2737	2437	257
TOTAL **Deaths** – – –	1676	1623	1471	1398	1360	1304	1280	1309	1394	1404	1516	1688	174
Ages at Death: Under 1 year – –	689	647	543	435	370	345	341	329	324	308	368	368	41
1—5 years – –	167	200	137	118	146	156	115	160	139	148	167	209	20
5—20 " – –	83	78	80	80	81	87	71	78	86	81	77	86	8
20—40 " – –	177	174	157	166	176	171	181	183	209	182	204	227	20
40—60 " – –	233	249	256	258	264	251	257	261	278	320	288	353	33
60—80 " – –	270	226	243	270	262	233	270	251	280	316	339	364	36
80 years and upwards	57	49	55	71	61	61	45	47	78	49	73	81	10
Deaths from—													
Small-pox – – – –	–	7	7	9	3	5	3	3	11	6	6	16	1
Measles – – – – –	26	40	13	13	19	13	14	14	22	21	24	38	6
Scarlet Fever – – –	12	13	14	13	9	13	14	22	13	9	12	10	4
Diphtheria – – – –	27	22	20	28	27	34	30	54	33	26	36	33	3
Whooping-cough – – –	17	20	27	8	14	13	11	10	6	11	12	10	1
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	25	12	17	14	14	19	18	11	19	10	12	16	1
Simple Continued Fever –	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery –	375	348	271	184	138	87	78	50	56	42	28	20	1
Cholera – – – – –	4	4	4	4	–	1	–	–	–	–	–	–	–
All the above Diseases – –	486	466	373	273	224	185	168	164	160	125	130	143	158
Dis. of Respiratory System –	126	114	124	116	124	137	132	186	196	242	327	445	477
Phthisis – – – – –	120	142	124	129	147	139	155	136	143	177	167	181	163
Dis. of Circulatory System –	120	100	142	131	133	101	119	122	146	158	132	167	159
Violence – – – – –	56	60	45	48	75	59	52	49	56	55	75	69	59
Inquest Cases – – – –	116	157	120	119	133	118	124	117	145	123	173	181	176
Deaths in Public Institutions –	467	478	462	484	503	480	441	440	449	489	547	564	497
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean – – – – – –	63·9	58·6	56·4	59·4	56·8	58·7	57·3	50·7	51·5	44·6	49·0	39·5	41·6
Mean of Highest readings –	76·6	68·5	65·1	68·2	65·6	68·3	67·0	57·9	59·0	53·6	55·3	46·4	45·9
Mean of Lowest readings –	50·5	51·5	47·8	53·5	48·9	50·5	49·3	43·6	43·9	36·4	42·6	33·8	37·6
Humidity of the Air – –	67	71	66	83	81	81	85	82	84	90	76	91	80
Rain-fall (in inches) – –	0·00	1·36	0·00	0·25	1·10	0·00	1·24	0·19	1·10	0·03	0·02	0·00	0·39
Registered Sunshine (in hours)	74·4	39·2	52·3	17·0	19·8	21·3	27·8	20·3	26·0	12·8	38·4	7·3	5·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox – – – –	41	74	92	137	153	163	169	175	172	180	284	297	368
Scarlet Fever – – – –	3040	3008	2994	3064	3098	3151	3159	3280	3344	3353	3392	3331	3353
Diphtheria – – – –	1318	1344	1365	1417	1465	1512	1539	1522	1546	1588	1585	1539	1556
Typhus – – – – –	–	–	–	–	–	–	–	–	–	1	–	–	1
Enteric Fever – – – –	198	225	254	262	290	292	296	307	288	286	291	270	269

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SIXTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 46th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 16th November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1628·3	1744	441	208	88	202	335	369	101
all-pox { Vaccinated† -	0·1	6	1	-	1	2	2	-	-
{ Unvaccinated -	-	6	-	-	5	-	1	-	-
{ No Statement -	-	2	-	-	2	-	-	-	-
sles - - - -	40·5	60	9	44	7	-	-	-	-
let Fever - - -	18·5	4	1	1	2	-	-	-	-
hus - - - -	-	-	-	-	-	-	-	-	-
ipsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	13·0	14	1	2	-	2	4	3	2
oping-cough - -	24·5	15	8	6	1	-	-	-	-
htheria - - -	50·1	35	4	23	8	-	-	-	-
ple Continued and -defined Fever -	0·1	-	-	-	-	-	-	-	-
eric Fever - - -	23·3	15	-	1	3	9	2	-	-
lera and Chol. Diarr.	0·3	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	18·0	15	11	2	-	-	-	2	-
nitent Fever - -	-	-	-	-	-	-	-	-	-
trophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of accination - -	0·2	-	-	-	-	-	-	-	-
ereal Affections - -	7·8	9	5	-	-	1	2	1	-
sipelas - - -	5·7	4	2	-	-	1	-	-	1
mia and Septicæmia	2·6	2	-	-	-	1	1	-	-
rperal Fever - -	5·8	3	-	-	-	3	-	-	-
er Zymotic Diseases -	1·2	1	-	-	-	-	1	-	-
ush - - - -	0·4	-	-	-	-	-	-	-	-
ms and other Parasitical Diseases -	0·2	1	-	-	-	-	1	-	-
vation, Want of breast-milk - -	2·0	2	2	-	-	-	-	-	-
holism - - -	11·9	16	-	-	-	4	9	3	-
umatic Fever, heumatism of Heart	8·8	9	-	-	3	1	4	1	-
umatism - - -	2·3	-	-	-	-	-	-	-	-
t - - - - -	2·5	7	-	-	-	1	-	4	2
ets - - - -	4·1	5	2	3	-	-	-	-	-
cer - - - -	74·9	81	-	1	-	5	36	35	4
es Mesenterica - -	14·1	8	5	2	1	-	-	-	-
ercular Meningitis -	18·7	17	4	8	4	-	1	-	-
nisis - - - -	158·6	163	1	2	9	82	59	10	-
fula, Tuberculosis -	16·6	15	5	5	1	1	2	1	-
er Constitutional seases - -	13·9	20	2	1	1	3	5	7	1
nature Birth - -	53·1	53	53	-	-	-	-	-	-
ectasis - - -	3·6	4	4	-	-	-	-	-	-
genital Malformations - - -	7·6	14	14	-	-	-	-	-	-
Age - - - -	45·6	64	-	-	-	-	-	38	26
plexy - - - -	44·2	44	-	1	-	4	9	21	9
epsy - - - -	6·6	8	-	-	1	2	3	2	-
vulsions - - -	39·0	25	21	3	1	-	-	-	-
er Diseases of Brain d Nervous System	74·4	57	9	2	3	5	20	15	3
ases of Organs of ecial Sense -	4·1	2	-	1	1	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 46th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 16th November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	141·7	159	1	-	11	26	42	63	16
Croup - - - -	3·5	1	-	1	-	-	-	-	-
Bronchitis - - -	211·8	265	93	24	2	5	34	82	25
Pneumonia - - -	143·3	167	63	46	4	10	21	21	2
Pleurisy - - - -	6·9	6	-	1	-	2	1	2	-
Other Diseases of Respiratory System -	28·8	38	9	4	2	-	8	13	2
Dentition - - - -	5·2	11	8	3	-	-	-	-	-
Quinsy, Sore Throat -	2·2	3	-	2	-	-	1	-	-
Enteritis - - - -	2·5	15	6	1	3	2	3	-	-
Gastro-enteritis - -	13·5	7	5	1	-	-	-	1	-
Peritonitis - - -	6·5	5	-	1	1	2	1	-	-
Diseases of Liver - -	27·7	27	3	1	-	1	13	8	1
Other Diseases of Digestive System	25·6	34	7	-	3	6	11	7	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	4	1	-	-	1	2	-	-
Diseases of Urinary System - - -	49·0	52	1	1	3	4	21	18	4
Diseases of Generative System - -	6·6	5	-	1	-	2	1	1	-
Accidents of Childbirth -	4·6	7	-	-	-	7	-	-	-
Diseases of Locomotive System - -	4·7	2	-	-	-	-	1	-	1
Diseases of Integumentary System - -	6·2	8	2	1	-	1	3	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·6	3	-	-	-	1	2	-	-
By Vehicles or Horses -	5·6	2	-	-	-	-	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	1·3	1	-	-	-	-	1	-	-
In Building Operations -	0·7	1	-	-	-	1	-	-	-
In Conflagrations - -	1·0	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	7·8	6	-	4	1	-	1	-	-
By Drowning - - -	4·3	2	-	-	1	-	1	-	-
By Suffocation in Bed -	13·0	17	17	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·6	-	-	-	-	-	-	-	-
Other or not stated causes - - -	20·4	20	3	3	1	2	1	8	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·1	-	-	-	-	-	-	-	-
Suicide - - - -	6·1	7	-	-	2	2	3	-	-
Execution - - -	0·3	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·7	63	58	5	-	-	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for ease of population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered lical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 16th November, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2574	1744	441	470	14	60	4	35	15	-	15	-	15	59	176	497
WEST DISTRICTS - - -	805,275	347	286	54	104	-	12	1	4	1	-	2	-	3	5	21	71
NORTH DISTRICTS - - -	1,056,018	569	386	96	109	-	10	-	8	1	-	6	-	3	18	46	105
CENTRAL DISTRICTS - - -	209,432	117	105	30	21	-	3	1	1	2	-	1	-	-	7	16	40
EAST DISTRICTS - - - -	715,772	497	321	101	66	1	6	-	7	4	-	2	-	2	13	48	95
SOUTH DISTRICTS - - -	1,749,566	1044	598	159	155	-	29	2	15	7	-	3	-	7	16	45	138
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	1	15	13	-	-	-	-	-	1	-	-	-	-	48
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	50	29	7	12	-	-	-	-	-	-	-	-	-	-	5	7
St. John Paddington *H* - - G.	33,608	8	10	2	5	-	-	-	1	-	-	-	-	-	-	-	1
North-West Paddington - - C.	17,181	8	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Kensington Town *Ww* - W. & C.	128,025	47	51	9	22	-	7	-	1	-	-	-	-	1	1	2	15
Brompton *HH* - - W. & C.	48,598	7	9	1	2	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *H*	49,335	33	9	1	2	-	-	-	-	-	-	-	-	-	-	1	-
South Hammersmith *wH* W. & G.	62,910	24	30	7	8	-	2	-	-	1	-	1	-	-	1	4	5
North-west Fulham *W*	45,180	40	24	7	7	-	1	-	-	-	-	-	-	-	-	1	7
North-east Fulham *H* W. & C.	46,404	21	13	-	2	-	-	1	1	-	-	-	-	-	-	1	2
South Fulham	45,705	26	13	4	3	-	-	-	1	-	-	-	-	-	1	1	-
Chelsea North *WwHHH* - C.	42,515	14	25	1	16	-	-	-	-	-	-	-	-	1	-	1	16
Chelsea South *HH* - - - C.	31,341	13	9	5	2	-	-	-	-	-	-	-	-	1	-	-	1
May Fair and Knightsbridge *H* C.&G.	28,744	8	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave *WHH* - - - C.	55,812	18	21	-	8	-	-	-	-	-	-	1	-	-	1	2	9
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	21	28	6	9	-	2	-	-	-	-	-	-	-	1	1	6
St. James Westminster *WH* N. & G.	21,595	4	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	11,492	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	35,394	9	18	2	3	-	-	-	-	-	-	-	-	-	-	1	14
Rectory Marylebone *W* G. & W.	19,869	11	9	-	4	-	-	-	-	-	-	-	-	-	-	1	4
St. Mary Marylebone *HHHH* G. & W.	18,099	26	5	2	1	-	-	-	-	-	-	-	-	-	-	2	1
Christchurch Marylebone *H* - W.	39,541	28	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	20,426	6	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WHHHHHH* - - N. & W.	81,942	28	21	5	8	-	-	-	1	-	-	1	-	-	3	4	7
Regent's Park *H* - - - W.	50,647	27	12	-	6	-	-	-	1	-	-	-	-	-	-	1	-
Tottenham-court *wHHHHHH* - - N. & W.	24,814	6	10	3	4	-	1	-	-	-	-	-	-	-	-	2	3
Gray's Inn Lane *HHHH* - N.	30,886	15	17	1	4	-	1	-	-	-	-	-	-	-	3	6	4
Somers Town *HH* - - - N.	30,131	17	9	4	1	-	-	-	-	-	-	-	-	-	1	1	4
Camden Town *WH* - - N.	40,079	23	25	6	7	-	-	-	1	-	-	-	-	1	2	3	10
Kentish Town *WW* - - N.	58,727	25	21	2	8	-	-	-	-	-	-	-	-	-	-	4	8
Tufnell *W*		14	22	3	6	-	-	-	-	-	-	2	-	-	1	3	11
Upper Holloway *WWwHH* - N.	99,841	21	25	6	7	-	-	-	-	-	-	2	-	-	2	2	15
Tollington *W*		22	10	3	3	-	1	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,411	25	16	6	3	-	4	-	-	-	-	-	-	-	1	1	-
Barnsbury - - - - - N.	54,479	35	22	7	2	-	2	-	1	-	-	-	-	-	2	2	-
Islington South-east *H* - - N.	75,402	51	22	13	3	-	1	-	1	-	-	-	-	1	1	2	1
Highbury *HH* - - - - N.	63,795	25	19	3	8	-	-	-	-	-	-	-	-	-	1	5	-
Stoke Newington *H* - - N.	51,247	24	13	5	3	-	-	-	-	1	-	-	-	-	-	1	-
North Hackney - - E. & N.	50,570	20	9	4	2	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *wH* - E. & N.	50,535	31	16	6	2	-	-	-	3	-	-	-	-	-	-	-	3
South-west Hackney *HHH* E. & N.	59,929	38	26	7	8	-	-	-	-	-	-	1	-	1	-	2	8
South-east Hackney *WwH* E. & N.	58,254	42	29	7	10	-	-	-	-	-	-	-	-	-	-	2	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub-District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	9	6	1	4	-	-	-	-	-	-	-	-	-	-	1	2	-
t. Giles North *H* - - - N.	8,959	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Martin-in-the-Fields *HH* N.&C.	12,975	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
trand *WHH* - - - - N.	8,694	-	7	2	2	-	-	-	-	-	-	-	-	-	1	1	6	-
trand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *WHHHHHH* - - N.	29,579	13	19	7	2	-	-	-	1	1	-	-	-	-	-	2	10	-
t. James Clerkenwell - - N.	15 634	8	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
mwell - - - - - N.	32,691	29	15	7	2	-	1	1	-	1	-	-	-	-	-	4	-	-
oswell-street - - - - N.	15,390	12	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
insbury* *HHHL* - - - N.	35,376	25	17	6	3	-	2	-	-	-	-	-	-	-	-	1	1	-
olborn Union Workhouse, *Mitcham* - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Botolph *H* - - - N. & E.	11,036	7	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t. Sepulchre *WH* - - - N.	7,886	6	20	2	3	-	-	-	-	-	-	1	-	-	5	6	17	-
llhallows Barking - - - N.	8,717	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ty of London Asylum, Stone - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
horeditch South *Hl* - E. & N.	16,370	10	7	2	1	-	-	-	-	-	-	-	-	1	1	1	2	-
oxton New Town *wH* - - N.	29,761	26	20	6	4	-	1	-	-	-	-	-	-	-	-	2	5	-
oxton Old Town - - - N.	26,510	16	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
aggerston *W* - - - N & E.	46,064	38	27	10	4	-	1	-	1	1	-	-	-	-	2	5	7	-
ethnal Green North *HH* - E.	51,513	28	25	7	4	-	3	-	-	-	-	-	-	-	1	1	4	-
ethnal Green South - - E.	33,473	19	10	8	-	-	-	-	-	1	-	-	-	-	1	1	-	-
ethnal Green East *WWHl* - E.	44,695	30	23	4	10	-	-	-	-	-	-	-	-	-	-	3	12	-
pitalfields - - - E. & N.	27,965	20	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *WH* - E.	28,711	25	30	7	3	1	-	-	1	-	-	1	-	-	3	4	25	-
oodman's Fields - - - E.	22,082	11	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
t. George's, North - - - E.	40,965	28	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
t. John *W* - - - - E.	8,122	1	12	3	2	-	-	-	1	-	-	-	-	-	-	3	8	-
hadwell *H* - - - E. & N.	10,760	10	10	4	-	-	-	-	1	-	-	-	-	1	-	-	5	-
atcliff *W* - - - - E.	14,770	13	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
imehouse - - - - - E.	32,358	25	11	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-
ile End Old Town West *H* - E.	59,467	43	9	5	1	-	-	-	-	1	-	-	-	-	-	1	-	-
ile End Old Town East *WWw* - - - - E.	53,348	42	30	14	7	-	-	-	-	-	-	-	-	-	2	10	5	-
ow *l* - - - - - E.	41,990	33	10	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-
romley *wwwH* - - - E.	68,326	48	42	7	16	-	-	-	2	1	-	-	-	-	2	12	21	-
oplar *Ww* - - - - E.	58,522	31	27	9	4	-	1	-	1	-	-	-	-	-	1	1	1	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	11,232	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
St. Saviour Southwark - - S.	12,056	10	15	5	4	–	–	–	–	–	–	–	–	–	2	2	12	
Kent-road - - - S. & L.	21,899	20	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Borough-road *WH* - S. & L.	16,882	11	10	2	–	–	1	–	–	–	–	–	–	–	2	3	1	
London-road *HL* - L. & S.	22,209	15	10	4	–	–	–	–	–	–	–	–	–	1	–	–	–	
Trinity Newington *H* - S. & L.	26,485	12	8	4	1	–	–	–	1	–	–	–	–	–	–	1	–	
St. Peter Walworth *W* - S. & L.	61,773	46	28	10	6	–	–	–	–	–	–	–	–	–	–	3	4	
St. Mary Newington - L. & S.	31,592	25	11	5	2	–	–	–	–	–	–	–	–	1	–	–	–	
St. Olave *W* - - - - S.	9,813	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
Bermondsey *WH* - - - S.	82,405	66	30	14	6	–	–	–	–	–	–	–	–	1	–	3	–	
Rotherhithe *WH* - - S. & K	38,268	27	21	6	4	–	–	–	–	–	–	–	–	–	–	–	9	
Waterloo-road *HH* - L. & S.	27,435	23	10	3	1	–	2	–	–	–	–	–	–	–	–	–	1	
Lambeth Church 1st *H* L. & S.	18,420	11	18	2	2	–	1	–	1	–	–	–	–	–	1	1	11	
Lambeth Church 2nd *WW* L. & S.	39,818	34	20	4	9	–	–	–	–	1	–	–	–	–	1	2	13	
Kennington 1st *H* - S. & L.	53,196	35	23	5	7	–	4	–	–	–	–	–	–	–	–	1	–	
Kennington 2nd - - S. & L.	42,891	30	10	2	5	–	–	–	–	–	–	–	–	–	–	–	–	
Brixton *H* - - - L. & S.	84,226	31	17	4	6	–	–	–	–	–	–	–	–	–	–	–	–	
Norwood *WH* - - - L.	35,887	14	7	1	1	–	5	–	–	–	–	–	–	–	–	–	–	
East Battersea - - - S.	72,201	37	28	8	4	–	8	–	–	1	–	–	–	–	–	3	–	
North-west Battersea - - S.	49,650	31	14	4	4	–	–	–	–	–	–	1	–	–	–	3	–	
South-west Battersea *WH* - S.	47,045	21	19	2	7	–	3	–	–	–	–	–	–	–	2	4	10	
Clapham *H* - - - - S.	51,353	32	13	3	6	–	–	–	–	2	–	–	–	1	–	–	–	
Streatham *WwHHL* - L.	88,129	53	32	10	15	–	–	–	3	–	–	–	–	–	1	2	6	
Wandsworth *WHL* - - S.	68,409	36	22	10	3	–	4	–	–	–	–	–	–	–	1	3	2	
Putney - - - - - S.	24,139	8	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dulwich - - - - L. & S.	10,246	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Camberwell *Wwll* - S. & L.	90,404	40	48	6	15	–	–	–	1	–	–	–	–	1	–	1	27	
Peckham *Ww* - S., L., & K.	93,022	57	27	9	6	–	–	–	–	1	–	–	–	–	1	4	2	
St. George Camberwell - L. & S.	65,586	46	18	6	4	–	–	–	–	–	–	1	–	–	2	3	–	
Deptford North - - - K.	37,601	22	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
Deptford Central *H* - - K.	45,621	39	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
Deptford South - - - K.	34,622	19	8	1	4	–	–	–	1	–	–	–	–	1	–	–	–	
Greenwich West *H* - - K.	23,456	11	7	3	2	–	–	–	–	–	–	–	–	–	–	–	1	
Greenwich East *WH* - - K.	43,849	20	23	4	9	–	–	–	–	–	–	–	–	–	1	3	13	
Eltham *wH* - - - - K.	7,218	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
Lee *H* - - - - - K.	25,489	5	6	–	3	–	–	–	1	–	–	–	–	–	–	–	–	
Lewisham *WwH* - - - K.	58,341	35	19	4	5	–	–	1	3	–	–	1	–	1	–	1	12	
Sydenham *H* - - - L.	43,630	23	11	1	3	–	1	–	–	1	–	–	–	–	–	–	–	
Charlton *HHH* - - - K.	21,121	9	10	1	1	–	–	1	4	–	–	–	–	–	1	1	5	
Woolwich *HHHH* - - K.	41,607	22	4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	
Plumstead West *H* - - K.	18,076	12	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Plumstead East *WH* - - K.	50,264	34	21	5	6	–	–	–	–	1	–	–	–	–	1	1	7	
London County Asy., Banstead -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
London County Asy., Epsom -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Met. Asy. for Imbeciles, Caterham	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	
London County Asy., Cane Hill -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
M.A.B. Ships and Hosp., Dartford	—	–	13	1	–	13	–	–	–	–	–	–	–	–	–	–	13	
Met. Asy. for Imbeciles, Darenth -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
London County Asylum, Dartford Heath - - - - -	—	–	10	–	4	–	–	–	–	–	–	–	–	–	–	–	10	
London County Asylum, Hanwell	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	
Central London Sick Asy., Hendon	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5	
London County Asy., Colney Hatch	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	
M.A.B. North-Eastern Hospital -	—	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Met. Asy. for Imbeciles, Leavesden	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
London County Asylum, Claybury	—	–	6	–	4	–	–	–	–	–	–	–	–	–	–	–	6	

ABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th November, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of death.
	LONDON—OUTER RING -	368,580	2,044,553	1223	563	161	146	2	10	2	18	7	5	4	20	45	93	3
30 : 1	Carshalton *H* - - -	12,228	32,997	13	6	1	3	-	-	-	-	-	-	-	1	2	-	-
2	Epsom, *part of** *WwHHH* -	10,423	15,548	4	7	3	2	-	-	-	-	1	-	-	-	-	2	1
37 : 1	Godstone, *part of** *W* -	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH*- -	20,851	164,519	76	38	9	17	-	2	-	-	-	-	-	-	1	7	-
2	Mitcham *w* - - - -	11,689	29,906	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH* - -	3,221	41,604	17	7	-	3	-	-	-	-	-	-	-	1	3	-	-
2	Kingston *WH* - - -	6,224	42,067	30	18	4	4	-	1	-	-	-	-	-	2	3	7	-
3	Surbiton *HH* - - -	3,046	15,019	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -	5,402	13,003	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,564	23,447	13	3	2	-	-	-	-	-	-	-	-	1	1	-	-
40 : 1	Richmond *WHH* - -	2,162	28,871	13	7	1	1	-	-	-	-	1	-	-	-	-	2	-
2	Mortlake *H* - - -	2,847	20,628	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH* - - -	4,703	27,358	11	7	-	5	1	-	-	-	-	-	-	-	-	2	-
2	Beckenham *H* - - -	7,825	28,499	11	10	3	2	-	-	-	-	1	-	-	-	-	-	-
3	Orpington, *part of** *W* -	10,113	9,857	3	2	1	-	-	-	-	-	-	-	1	1	1	-	-
4	Chislehurst *HH* - - -	7,333	16,458	7	8	-	3	1	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley *HHH* - - -	12,532	46,445	29	9	1	1	-	-	-	2	-	-	-	-	-	-	1
2	Dartford *WH*, *part of** -	—	—	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w* - - - -	11,054	18,682	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	15,179	8	11	3	5	-	-	-	1	-	-	-	-	-	4	1
125 : 1	Hillingdon *WHH* - -	6,035	13,661	9	5	1	1	-	-	-	1	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	8,066	16,358	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *WHH* - -	6,859	30,838	22	25	7	11	-	-	-	1	-	-	-	-	-	18	-
2	Twickenham *HH* - -	2,421	20,991	17	7	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Brentford *HHHH* - -	4,319	48,298	28	11	4	2	-	2	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,249	29,809	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	48,913	20	17	4	5	-	-	-	1	-	-	-	1	2	1	-
127 : 1	Harrow *HHH* - - -	13,809	25,522	13	4	3	1	-	1	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	4,520	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - - -	4,384	114,815	85	23	8	4	-	-	1	1	-	-	-	-	-	1	-
4	Hendon *WH* - - -	8,382	22,450	12	8	1	4	-	-	-	-	-	-	1	-	-	3	-
128 : 1	South Mimms *HH* - -	17,755	7,308	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -	3,324	17,970	9	4	1	1	-	-	-	-	-	-	1	-	-	1	-
3	Finchley *HHH* - - -	4,688	33,692	23	10	1	5	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *HH* - - -	2,875	72,056	23	9	1	2	-	-	-	-	1	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,638	136,702	81	35	10	2	-	1	-	1	-	-	-	2	7	4	-
3	Edmonton *Ww* - - -	7,491	61,892	39	16	5	6	-	-	-	1	-	-	1	1	2	5	-
4	Enfield *WWHH* - -	12,601	42,738	19	14	1	7	-	-	-	-	-	1	-	-	-	4	-
5	Waltham Abbey - - -	11,017	6,547	5	1	-	-	-	-	-	-	-	-	-	1	1	1	-
6	Cheshunt *H* - - -	8,479	12,288	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** *W* - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H* - - - -	9,333	9,173	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WhH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H* - - -	1,072	44,825	37	19	5	6	-	1	-	-	1	-	-	4	4	3	-
2	Plaistow *HHH* - - -	1,249	90,920	74	43	21	4	-	2	-	6	1	-	-	-	1	6	-
3	Canning Town *H* - -	1,556	70,666	53	26	11	5	-	-	-	-	-	2	-	1	4	-	-
4	Forest Gate *w* - - -	806	60,897	32	11	5	3	-	-	-	-	-	-	-	1	1	-	-
5	East Ham *wHHH* - -	3,268	95,970	67	25	10	3	-	-	-	-	1	-	-	1	4	-	-
6	Wanstead - - - -	1,737	9,198	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW* - -	631	50,458	41	31	6	6	-	-	-	-	-	1	-	-	-	8	-
8	North Leyton *WwH* - -	1,963	48,441	24	13	5	3	-	-	-	2	-	-	-	-	2	3	-
9	Walthamstow *HHHL* -	6,504	108,931	80	27	10	5	-	-	-	-	-	-	-	1	3	2	-
187 : 1	Chigwell, *part of** *LHHH*	11,778	16,403	12	5	1	4	-	-	-	-	-	-	-	-	-	1	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W* - -	6,556	6,089	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,496	41,240	22	8	1	1	-	-	-	-	-	1	-	-	2	3	-
3	Barking Town *H* - -	3,803	21,547	17	4	2	1	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	North-Eastern Fever Hospital, Tottenham.	—	—	-	2	-	-	-	-	1	1	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 187 : 1, excepting Theydon Bois parish, and part of Epping parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 2, 137 : 2, and 187 : 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 16th November, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,419	6,364,287	18·2	1·6	2307	602	616	16	70	6	53	22	20	19	79	590
INNER LONDON –	74,839	4,543,757	20·0	1·8	1744	441	470	14	60	4	35	15	15	15	59	497
OUTER RING –	368,580	2,060,530	14·2	1·2	563	161	146	2	10	2	18	7	5	4	20	93

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	November 16	114	98	16·1	–	–	1	3	–	1	1
GLASGOW – –	764,423	" 16	408	318	21·7	–	18	5	5	3	8	13
DUBLIN† – –	375,076	" 16	144	172	23·9	–	–	–	3	1	–	2
BELFAST† – –	350,862	" 16	186	131	19·5	–	–	–	4	2	9	8
CALCUTTA – –	466,460	October 5	–	252	28·1	–	–	–	–	–	94‡	358
BOMBAY – –	770,843	" 29	275	759	50·9	–	1	?	?	?	315‡	608
MADRAS – –	509,346	" 18	390	754	76·9	2	2	?	?	?	263	190§
PARIS – – –	2,511,629	November 9	1036	956	19·7	4	4	–	17*	3	7	38
BRUSSELS – –	582,665	" 9	262	180	16·1	–	–	–	1*	1	–	14
AMSTERDAM –	525,636	" 2	274	106	10·5	–	–	–	1	2	1	2
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	November 9	235	101	13·9	–	–	1	1	2	1	13
STOCKHOLM –	301,050	" 2	126	70	12·1	–	–	1	2*	–	–	6
CHRISTIANIA –	228,929	" 9	95	51	11·6	–	–	–	–	2	1	–
ST. PETERSBURG	1,248,643	" 2	637	506	21·1	–	16	16	35	8	20	42
MOSCOW – –	1,023,817	" 2	–	500	25·5	2	10	12	13	5	4	60
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705 738	November 9	–	244	18·0	–	13	7	3*	6	–	6
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	November 9	–	193	20·1	–	2	–	2*	–	3	22
VIENNA – –	1,691,996	" 9	894	567	17·2	–	2	3	10*	–	1	42
PRAGUE – –	389,741	" 2	185	147	19·5	–	–	5	2	3	1	4
BUDA-PESTH –	744,719	" 9	370	244	17·0	–	1	9	2	1	2	17
TRIESTE – –	177,428	" 9	99	77	22·4	–	–	4	–	–	1	5
ROME – –	471,961	October 5	238	137	15·1	–	–	–	–	–	8‖	21
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE – –	174,378	November 2	68	59	17·6	–	1	–	1*	–	1	9
CAIRO – –	570,062	September 30	450	368	33·6	–	–	–	11*	–	14	94
ALEXANDRIA –	319,766	" 30	193	251	40·8	–	–	–	–	–	3‡	87
NEW YORK (including BROOKLYN)	3,536,517	October 26	–	–	–	–	–	–	–	–	–	–
PHILADELPHIA –	1,293,697	" 26	–	358	14·4	10	–	–	12	2	4	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast, respectively.
§ Including 3 deaths from cholera in Calcutta, 1 in Bombay, and 60 in Madras.
‡ Including 12 deaths from plague in Calcutta, 191 in Bombay, and 2 in Alexandria.
‖ Including 3 deaths from malarial fever.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	10	..	29·876	52·0	45·5	6·5	49·5	+ 5·9	40·4	9·1	9·8	5·4	71	58·4	42·7	49·42	SSW.	SSW.	3·0	0·0	0·4	351	+ 70	0·00	1·7
MONDAY -	11	New. Apogee.	29·648	54·8	47·8	7·0	51·0	+ 7·8	42·8	8·2	11·4	4·0	74	69·0	41·2	49·50	SSW.	SSW. & S.	4·5	0·0	0·7	440	+158	0·00	2·8
TUESDAY -	12	..	29·060	52·9	48·7	4·2	50·0	+ 7·1	44·6	5·4	8·4	1·0	82	57·0	43·8	49·73	S. & SSE.	SSE., S. & SSW.	14·1	0·0	2·4	652	+368	0·04	4·0
WEDNESDAY	13	Greatest Dec. S.	28·908	50·8	40·5	10·3	44·7	+ 1·9	41·9	2·8	9·2	1·3	90	54·4	33·2	49·92	SSW. & S.	SSW. & NW.	12·0	0·0	1·4	471	+184	0·17	3·0
THURSDAY-	14	..	29·296	40·7	33·0	7·7	37·1	− 5·5	30·4	6·7	10·1	2·1	77	72·8	24·0	49·88	NW.	NW.	10·8	0·0	1·2	366	+ 76	0·18	0·0
FRIDAY -	15	..	29·506	38·7	26·5	12·2	32·5	−10·0	26·5	6·0	9·2	2·5	78	57·3	18·0	49·44	NW. & SSW.	SSW. & SSE.	0·3	0·0	0·0	183	−110	0·00	0·0
SATURDAY-	16	..	29·943	31·3	21·2	10·1	26·5	−15·9	24·2	2·3	4·4	0·5	90	36·1	16·2	48·90	Variable & calm.	Variable & SSW.	0·0	0·0	0·0	91	−205	0·00	0·0
MEANS - -			29·462	45·9	37·6	8·3	41·6	− 1·2	35·8	5·8	8·9	2·4	80	57·9	31·3	49·54	SSW. & NW.		..	..	..	Sum 2554	Sum +541	Sum 0·39	1·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. November.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	10	m. P. generally.	0·0	9·1	Generally overcast. Mild.
MONDAY -	11	m. P. generally.	0·0	9·1	Fine, but generally cloudy. Very mild.
TUESDAY -	12	w. N. till 1h. A.M.; w. P. generally with occasional w. N. afterwards.	0·0	9·0	Generally overcast; frequent slight rain. Strong gusty wind. Very mild.
WEDNESDAY	13	Loss of Register till 9h. A.M.; m. P. with occasional w. N. till 8h. P.M.; v. P. and s. N. afterwards.	0·0	8·9	Very fine, with strong gusty wind, till 8h. A.M.; overcast, with frequent rain, afterwards. Brisk wind after 10h. P.M.
THURSDAY-	14	v. P. and s. N. till 5h. A.M.; m. P. till 9h. A.M.; s. P. afterwards.	1·3	8·9	Overcast, with rain and gusty wind, in morning; fine but generally cloudy till evening; cloudless, with hoar frost, at night.
FRIDAY -	15	s. P. generally.	4·1	8·9	Generally cloudless; hoar frost in morning and at night. Very cold.
SATURDAY-	16	s. P. throughout.	0·0	8·8	Dense fog, with hoar frost, prevalent throughout the day. Very cold.
			Sum 5·4	Sum 62·7	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon: 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 28·86 in. by midnight on the 13th; and increased to 30·17 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th November 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	1	17	9	-	-	-	-	3	-
Kensington	176,787	-	13	7	-	3	-	-	5	-
Hammersmith	112,619	-	3	7	-	-	-	-	-	1
Fulham	138,426	-	7	16	-	-	-	-	5	-
Chelsea	73,879	-	2	1	-	1	-	-	1	1
City of Westminster	182,502	7	9	4	-	4	-	-	3	-
NORTH.										
St. Marylebone	133,060	1	9	4	-	3	-	-	3	-
Hampstead	82,287	-	2	2	-	-	-	-	-	-
St. Pancras	235,297	5	27	21	-	3	-	-	7	-
Islington	335,325	1	35	30	-	10	1	-	5	-
Stoke Newington	51,328	-	1	3	-	3	-	-	1	-
Hackney	219,780	-	18	26	-	4	-	-	11	1
CENTRAL.										
Holborn	59,205	15	5	3	-	-	-	-	3	-
Finsbury	101,263	15	9	1	-	4	-	-	3	-
City of London	26,627	-	3	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	6	8	-	4	-	-	4	-
Bethnal Green	129,700	3	9	5	-	3	-	-	3	-
Stepney	298,884	5	38	17	-	8	-	-	12	-
Poplar	168,887	-	7	17	-	3	-	-	6	-
SOUTH.										
Southwark	206,219	4	21	14	-	2	-	-	10	-
Bermondsey	130,348	2	21	5	-	6	-	-	3	-
Lambeth	302,460	-	30	8	-	6	-	-	4	-
Battersea	169,364	-	24	5	-	3	-	-	4	1
Wandsworth	233,943	2	27	17	-	2	-	-	6	-
Camberwell	259,897	3	43	13	-	4	-	-	5	-
Deptford	110,732	-	5	6	-	3	-	-	5	-
Greenwich	96,188	-	24	5	-	3	-	-	5	-
Lewisham	128,423	-	7	5	-	2	1	-	2	-
Woolwich	117,619	-	10	6	-	1	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	64	432	266	-	85	2	-	119	4
Ages 0-1		-	5	5	-	-	-	-	4	-
,, 1-5		3	121	95	-	4	-	-	2	-
,, 5-		8	180	70	-	8	-	-	3	-
,, 10-		6	61	29	-	16	-	-	8	-
,, 15-		7	26	10	-	8	2	-	9	-
,, 20-		3	23	15	-	16	-	-	8	1
,, 25-		20	11	18	-	18	-	-	17	2
,, 35-		10	2	19	-	11	-	-	22	1
,, 45-		4	2	3	-	4	-	-	20	-
,, 55-		3	-	1	-	-	-	-	16	-
,, 65 and upwards		-	1	1	-	-	-	-	10	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 47. 1901. VOL. LXII.] WEEK ENDED SATURDAY, NOV. 23. [Price 1½*d.*

General Register Office, Somerset House,
November 25th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·3 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 17·6, 19·7, and 19·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.		Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
33 Great Towns	17·6	19·7	19·4	21·3	Leicester - -	11·5	14·2	12·3	22·1
Birkenhead -	17·8	15·0	15·5	15·5	Liverpool - -	21·5	21·5	19·6	20·4
Birmingham -	20·9	19·0	21·6	19·7	London - - -	17·4	19·4	20·0	22·3
Blackburn -	23·7	25·3	21·2	19·2	Manchester - -	19·0	25·9	23·9	22·7
Bolton - -	14·8	20·4	19·8	19·8	Newcastle-on-Tyne	21·5	22·7	16·0	21·5
Bradford -	16·6	14·7	16·0	20·8	Norwich - -	15·4	16·8	28·4	28·4
Brighton -	13·1	18·6	17·3	22·3	Nottingham - -	13·0	17·8	13·7	20·0
Bristol - -	15·7	16·6	16·6	20·9	Oldham - -	17·1	24·3	22·4	25·0
Burnley -	22·0	23·6	16·6	24·7	Plymouth - -	15·9	12·6	21·7	15·9
Cardiff - -	11·0	14·8	18·9	19·2	Portsmouth - -	14·3	16·2	19·2	17·3
Croydon -	8·1	14·7	11·2	14·7	Preston - -	22·1	24·4	27·2	23·5
Derby - -	15·2	13·8	16·7	14·7	Salford - - -	22·1	26·1	22·8	25·4
Gateshead -	14·6	23·6	17·5	17·5	Sheffield - -	20·3	26·7	22·7	23·3
Halifax -	17·4	17·4	12·4	12·9	Sunderland - -	18·8	18·1	19·2	21·3
Huddersfield-	18·7	17·0	15·4	12·6	Swansea - -	10·5	17·6	13·2	16·5
Hull - -	16·2	18·3	15·1	20·7	West Ham - -	18·4	20·8	20·4	20·4
Leeds - -	17·6	20·3	18·3	20·2	Wolverhampton -	12·7	11·0	16·6	28·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Halifax and in Leeds, 1·1 in Wolverhampton, in Oldham, and in Huddersfield, 1·6 in Manchester, 1·8 in Sheffield, 2·9 in Blackburn, and 10·7 in Norwich; from *scarlet fever*, 1·1 in Oldham and in Sunderland, and 1·6 in Cardiff; from *whooping-cough*, 1·0 in Newcastle on Tyne, 1·1 in Wolverhampton, and 1·2 in Leicester; and from "*fever*," 1·0 in Sheffield, 1·1 in Sunderland, and 1·2 in Salford. In none of the thirty-three towns did the death-rate from *diarrhœal diseases* reach 1·0 per 1,000. The 82 deaths from *diphtheria* included 37 in London, 8 in West Ham, 4 in Leeds, 4 in Hull, 3 in Birmingham, 3 in Leicester, 3 in Salford, and 3 in Sheffield. Twenty-two deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2519 BIRTHS and 1939 DEATHS were registered. Allowing for increase of population, the births were 82 below, and the deaths 277 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4, 19·4,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

and 20·0 in the preceding three weeks, further rose last week to 22·3. During the four weeks ended on Saturday last the death-rate averaged 19·8 per 1000, being 1·0 per 1000 above the mean rate in the corresponding periods of the ten years 1891–1900.

The 1939 deaths included 22 from small-pox, 50 from measles, 12 from scarlet fever, 37 from diphtheria, 15 from whooping-cough, 16 from enteric fever, 1 from an ill-defined form of continued fever, 17 from diarrhœa and dysentery, and not one death from typhus or from cholera; thus, 170 deaths were referred to these diseases, being 16 below the corrected average weekly number.

The deaths from *small-pox*, which had been 6, 16, and 14 in the preceding three weeks, rose again last week to 22; 5 cases belonged to the Borough of Camberwell, 4 to Stepney, 3 to St. Pancras, 2 each to Holborn, Finsbury, Southwark, and Bermondsey, and 1 each to Westminster and Hackney. An infant who had been vaccinated on 2nd November, died on the 17th from small-pox, and an infant who had been vaccinated on 10th November, died on the 18th from small-pox; both these cases are classed as "Vaccinated" in Table 4. The deaths from *measles*, which had been 24, 38, and 60 in the preceding three weeks, fell again last week to 50, but were 3 above the corrected average; 10 cases belonged to Islington, 10 to Battersea, 7 to Kensington, and 6 to Lambeth. The deaths from *scarlet fever*, which had been 12, 10, and 4 in the preceding three weeks, rose again last week to 12, but were 9 below the corrected average; 4 cases belonged to Camberwell. The deaths from *diphtheria*, which had been 36, 33, and 35 in the preceding three weeks, further rose last week to 37, but were 15 below the corrected average; 6 cases belonged to Islington, 3 to St. Pancras, 3 to Shoreditch, and 3 to Bethnal Green. The deaths from *whooping-cough*, which had been 12, 10, and 15 in the preceding three weeks, were again 15 last week, the corrected average being 28. The fatal cases of *enteric fever*, which had been 12, 16, and 15 in the preceding three weeks, were 16 last week, the corrected average being 23; 3 cases belonged to Battersea and 2 to Deptford. The deaths from *diarrhœal diseases*, which had been 28, 20, and 15 in the preceding three weeks, rose again last week to 17, and were 3 above the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 327, 445, and 477 in the preceding three weeks, further rose last week to 582, and were 176 above the corrected average. The deaths attributed directly to *influenza* numbered 11, having been 9, 12, and 14 in the preceding three weeks.

Different forms of *violence* caused 71 deaths, concerning all but 1 of which inquests were held. Of these 71 deaths, 10 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 58 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 9 to burns and scalds, 1 to the effects of ether administered for surgical purposes, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 396 cases of small-pox, 3337 of scarlet fever, 1509 of diphtheria, and 269 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 141 cases, against 169, 62, and 113; of scarlet fever, 379 cases, against 425, 380, and 376; of diphtheria, 209 cases, against 235, 172, and 212; and of enteric fever, 38 cases, against 41, 23, and 44. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended November 16th.

Greater London.

In Greater London 3622 births and 2509 deaths were registered, corresponding to annual rates of 28·6 and 19·8 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 9 from measles, 4 from scarlet fever, 19 from diphtheria, 5 from whooping-cough, 6 from "fever," and 14 from diarrhœal diseases were registered. Three of the small-pox cases belonged to Tottenham and 1 to Erith; 11 deaths from diphtheria and 4 from "fever" occurred in West Ham district.

Meteorology (see p. 612).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 23rd Nov., 1901. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**6471**	**4677**	**1155**	**1224**	**22**	**143**	**57**	**82**	**50**	**58**	**61**	**171**	**386**	**1065**	**51**	**21·3**	**2·2**	**56·8**	**16·8**	**42·9**	**6·06**	**0·56**	**1·42**	**33 Towns.**
London	4,543,757	2519	1939	438	547	22	50	12	37	15	17	17	71	176	606	9	22·3	2·0	53·9	20·6	43·7	6·50	0·24	0·61	London.
West Ham	268,868	166	105	29	19	–	3	–	8	1	3	4	3	8	14	–	20·4	3·7	–	–	–	–	–	–	West Ham.
Croydon	134,665	56	38	7	14	–	1	–	1	–	–	1	4	7	13	–	14·7	1·2	54·5	18·0	42·1	5·61	0·13	0·33	Croydon.
Brighton	123,668	63	53	18	16	–	1	–	1	–	1	1	3	6	7	–	22·3	1·7	55·2	26·4	44·8	7·11	0·18	0·46	Brighton.
Portsmouth	189,907	91	63	9	27	–	–	–	2	–	2	2	1	1	15	1	17·3	1·6	55·5	24·0	44·6	7·00	0·18	0·46	Portsmouth.
Plymouth	107,974	54	33	6	15	–	–	–	1	–	1	–	1	4	4	–	15·9	1·0	–	–	–	–	–	–	Plymouth.
Bristol	329,831	171	132	42	42	–	–	2	–	1	–	–	7	18	23	–	20·9	0·5	53·0	18·0	42·9	6·06	0·21	0·53	Bristol.
Cardiff	165,308	84	61	16	14	–	–	5	1	–	1	1	1	4	8	–	19·2	2·5	–	–	–	–	–	–	Cardiff.
Swansea	94,618	62	30	5	11	–	–	1	2	–	–	1	–	1	7	–	16·5	2·2	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	66	51	11	19	–	2	–	–	2	1	1	3	5	8	2	28·2	3·3	52·9	16·8	39·6	4·22	0·30	0·76	Wolverhampton.
Birmingham	523,284	313	198	64	41	–	5	5	3	4	2	1	8	11	37	5	19·7	2·0	–	–	–	–	–	–	Birmingham.
Norwich	111,997	60	61	15	13	–	23	–	–	–	–	–	2	2	7	–	28·4	10·7	54·0	25·2	43·8	6·56	0·23	0·58	Norwich.
Leicester	212,498	118	90	24	25	–	1	–	3	5	3	1	4	6	17	2	22·1	3·2	–	–	–	–	–	–	Leicester.
Nottingham	240,400	133	92	22	33	–	1	–	–	1	2	2	4	7	19	–	20·0	1·3	52·2	21·0	40·5	4·72	0·27	0·69	Nottingham.
Derby	106,076	50	30	9	8	–	–	–	–	–	–	–	–	4	2	–	14·7	–	–	–	–	–	–	–	Derby.
Birkenhead	111,203	65	33	9	11	–	–	1	–	–	1	1	–	3	2	–	15·5	1·4	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	430	268	72	68	–	–	8	2	2	2	8	6	9	56	11	20·4	1·7	–	–	–	–	–	–	Liverpool.
Bolton	168,748	91	64	19	14	–	–	3	1	–	–	–	4	7	3	–	19·8	1·2	–	–	–	–	–	–	Bolton.
Manchester	544,934	345	237	50	48	–	17	1	2	4	2	2	5	17	46	4	22·7	2·7	–	–	–	–	–	–	Manchester.
Salford	221,526	132	108	33	16	–	1	3	3	1	5	4	6	11	23	4	25·4	4·0	–	–	–	–	–	–	Salford.
Oldham	137,382	72	66	15	11	–	3	3	–	1	–	2	–	6	6	–	25·0	3·4	–	–	–	–	–	–	Oldham.
Burnley	97,295	48	46	8	11	–	1	–	2	1	–	–	2	2	7	1	24·7	2·1	–	–	–	–	–	–	Burnley.
Blackburn	127,714	56	47	14	4	–	7	–	1	1	–	2	1	3	3	1	19·2	4·5	–	–	–	–	–	–	Blackburn.
Preston	113,117	60	51	15	13	–	–	1	–	–	–	1	1	1	3	1	23·5	0·9	52·0	24·0	45·2	6·22	2·32	5·89	Preston.
Huddersfield	94,998	37	23	4	5	–	2	–	–	–	1	–	1	1	2	–	12·6	1·6	52·5	27·0	42·1	5·61	0·90	2·29	Huddersfield.
Halifax	105,113	42	26	7	7	–	2	1	–	–	–	–	3	3	5	1	12·9	1·5	–	–	–	–	–	–	Halifax.
Bradford	280,161	136	112	29	33	–	–	–	–	1	1	2	3	9	20	–	20·8	0·7	56·8	31·0	45·1	7·28	1·13	2·87	Bradford.
Leeds	430,489	235	167	37	43	–	8	4	4	3	1	1	9	21	22	2	20·2	2·5	–	–	–	–	–	–	Leeds.
Sheffield	382,129	235	171	48	38	–	13	2	3	1	7	–	6	9	30	–	23·3	3·5	–	–	–	–	–	–	Sheffield.
Hull	241,622	181	96	31	23	–	–	–	4	–	2	2	2	6	18	1	20·7	1·7	54·0	26·0	41·8	5·44	0·63	1·60	Hull.
Sunderland	146,937	111	60	18	8	–	–	3	–	2	3	2	4	6	11	1	21·3	3·5	–	–	–	–	–	–	Sunderland.
Gateshead	110,492	68	37	10	7	–	–	–	–	–	–	1	1	1	1	2	17·5	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	215,516	121	89	21	20	–	2	2	1	4	–	1	5	11	20	3	21·5	2·4	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2395	2391	2529	2704	2596	2688	2523	2155	2556	2538	2600·8	2519
Males - -	1175	1223	1317	1379	1314	1400	1295	1082	1267	1311	1323·8	1316
Females - -	1220	1168	1212	1325	1282	1288	1228	1073	1289	1227	1277·0	1203
TOTAL **Deaths** -	1612	1447	2190	1326	1488	1688	1793	1139	1526	1515	1662·1	1939
Males - -	804	717	1102	655	770	838	891	719	798	761	835·5	997
Females - -	808	730	1088	671	718	850	902	720	728	754	826·6	942

* The numbers in this column are the average weekly numbers in the forty-seventh week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
TOTAL **Births** - - -	2483	2582	2442	2355	2581	2499	2676	2389	2655	2737	2437	2574	2519
TOTAL **Deaths** - - -	1623	1471	1398	1360	1304	1280	1309	1394	1404	1516	1688	1744	1939
Ages at Death: Under 1 year - -	647	543	435	370	345	341	329	324	308	368	368	441	438
1—5 years - -	200	137	118	146	156	115	160	139	148	167	209	208	247
5—20 " - -	78	80	80	81	87	71	78	86	81	77	86	88	101
20—40 " - -	174	157	166	176	171	181	183	209	182	204	227	202	228
40—60 " - -	249	256	258	264	251	257	261	278	320	288	353	335	373
60—80 " - -	226	243	270	262	233	270	251	280	316	339	364	369	445
80 years and upwards	49	55	71	61	61	45	47	78	49	73	81	101	102
Deaths from—													
Small-pox - - - -	7	7	9	3	5	3	3	11	6	6	16	14	22
Measles - - - - -	40	13	13	19	13	14	14	22	21	24	38	60	50
Scarlet Fever - - -	13	14	13	9	13	14	22	13	9	12	10	4	12
Diphtheria - - - -	22	20	28	27	34	30	54	33	26	36	33	35	37
Whooping-cough - - -	20	27	8	14	13	11	10	6	11	12	10	15	15
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	12	17	14	14	19	18	11	19	10	12	16	15	16
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa and Dysentery -	348	271	184	138	87	78	50	56	42	28	20	15	17
Cholera - - - - -	4	4	4	–	1	–	–	–	–	–	–	–	–
All the above Diseases - -	466	373	273	224	185	168	164	160	125	130	143	158	170
Dis. of Respiratory System -	114	124	116	124	137	132	186	196	242	327	445	477	582
Phthisis - - - - -	142	124	129	147	139	155	136	143	177	167	181	163	191
Dis. of Circulatory System -	100	142	131	133	101	119	122	146	158	132	167	159	175
Violence - - - -	60	45	48	75	59	52	49	56	55	75	69	59	71
Inquest Cases - - - -	157	120	119	133	118	124	117	145	123	173	181	176	176
Deaths in Public Institutions -	478	462	484	503	480	441	440	449	489	547	564	497	606
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - - -	58·6	56·4	59·4	56·8	58·7	57·3	50·7	51·5	44·6	49·0	39·5	41·6	43·7
Mean of Highest readings -	68·5	65·1	68·2	65·6	68·3	67·0	57·9	59·0	53·6	55·3	46·4	45·9	48·5
Mean of Lowest readings -	51·5	47·8	53·5	48·9	50·5	49·3	43·6	43·9	36·4	42·6	33·8	37·6	37·7
Humidity of the Air - -	71	66	83	81	81	85	82	84	90	76	91	80	80
Rain-fall (in inches) - -	1·36	0·00	0·25	1·10	0·00	1·24	0·19	1·10	0·03	0·02	0·00	0·39	0·24
Registered Sunshine (in hours)	39·2	52·3	17·0	19·8	21·3	27·8	20·3	26·0	12·8	38·4	7·3	5·4	10·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - -	74	92	137	153	163	169	175	172	180	284	297	368	396
Scarlet Fever - - - -	3008	2994	3064	3098	3151	3159	3280	3344	3353	3392	3331	3353	3337
Diphtheria - - - -	1344	1365	1417	1465	1512	1539	1522	1546	1588	1585	1539	1556	1509
Typhus - - - - -	–	–	–	–	–	–	–	–	1	–	–	1	–
Enteric Fever - - - -	225	254	262	290	292	296	307	288	286	291	270	269	269

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SEVENTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 47th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 23rd November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
L CAUSES - - -	1662·1	1939	438	247	101	228	378	445	102
nall- { Vaccinated† -	0·1	10	1	1	2	3	2	1	-
pox { Unvaccinated -	0·2	7	1	-	4	1	1	-	-
{ No Statement -	0·1	5	-	-	1	2	2	-	-
easles - - - -	47·3	50	8	38	4	-	-	-	-
arlet Fever - - -	21·2	12	1	7	3	1	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
lapsing Fever - -	-	-	-	-	-	-	-	-	-
fluenza - - - -	14·1	11	3	-	2	2	2	1	1
hooping-cough - -	28·2	15	4	11	-	-	-	-	-
phtheria - - -	52·3	37	-	27	10	-	-	-	-
nple Continued and ll-defined Fever -	0·3	1	1	-	-	-	-	-	-
teric Fever - - -	22·5	16	1	-	4	6	5	-	-
olera and Chol. Diarr.	0·4	-	-	-	-	-	-	-	-
arrhœa, Dysentery -	13·1	17	14	3	-	-	-	-	-
mittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
anders - - - -	0·1	-	-	-	-	-	-	-	-
wpox and Effects of accination - -	0·5	-	-	-	-	-	-	-	-
nereal Affections - -	9·4	12	6	1	-	3	-	2	-
ysipelas - - -	5·6	4	-	-	-	2	-	2	-
emia and Septicæmia	2·1	1	-	-	-	-	-	-	1
erperal Fever - -	6·5	4	-	-	-	4	-	-	-
her Zymotic Diseases -	1·5	1	-	-	-	1	-	-	-
rush - - - -	0·7	-	-	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·1	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	2·1	2	2	-	-	-	-	-	-
pholism - - -	11·0	15	-	-	-	3	9	3	-
umatic Fever, heumatism of Heart	9·5	9	-	-	3	1	4	1	-
umatism - - -	3·0	-	-	-	-	-	-	-	-
t - - - - -	2·4	1	-	-	-	-	-	1	-
kets - - - -	4·8	4	1	3	-	-	-	-	-
cer - - - -	75·6	91	-	-	-	6	44	36	5
es Mesenterica - -	14·4	15	8	5	1	1	-	-	-
ercular Meningitis -	23·3	17	4	12	1	-	-	-	-
hisis - - - -	159·0	191	1	3	12	78	81	16	-
fula, Tuberculosis -	19·4	28	5	11	5	7	-	-	-
er Constitutional iseases - -	15·0	14	-	1	1	1	6	4	1
nature Birth - -	49·8	65	65	-	-	-	-	-	-
ectasis - - -	5·5	4	4	-	-	-	-	-	-
genital Malformations - - -	7·9	5	5	-	-	-	-	-	-
Age - - - -	47·5	64	-	-	-	-	-	29	35
plexy - - - -	46·0	45	1	-	1	3	13	22	5
epsy - - - -	6·2	6	1	1	-	1	2	1	-
vulsions - - -	34·1	27	25	1	1	-	-	-	-
er Diseases of Brain d Nervous System	77·7	70	9	11	3	7	19	18	3
ases of Organs of ecial Sense -	4·0	2	-	1	1	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 47th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 23 d November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	146·6	175	3	-	14	22	48	78	10
Croup - - - -	3·2	-	-	-	-	-	-	-	-
Bronchitis - - -	227·0	347	105	28	1	6	42	136	29
Pneumonia - - -	141·3	187	56	33	6	20	22	28	2
Pleurisy - - - -	6·5	9	2	-	-	1	4	2	-
Other Diseases of Respiratory System -	28·4	39	7	7	1	5	7	8	4
Dentition- - - -	5·6	4	4	-	-	-	-	-	-
Quinsy, Sore Throat -	2·4	2	-	1	1	-	-	-	-
Enteritis - - -	13·6	23	7	4	3	4	4	1	-
Gastro-enteritis -		4	3	1	-	-	-	-	-
Peritonitis - - -	6·0	3	-	-	-	1	1	1	-
Diseases of Liver - -	22·4	26	1	1	-	2	10	11	1
Other Diseases of Digestive System	29·8	33	6	1	5	5	9	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	3	-	1	-	-	-	2	-
Diseases of Urinary System - -	47·3	52	1	-	1	6	24	18	2
Diseases of Generative System - -	5·7	8	-	-	-	6	2	-	-
Accidents of Childbirth-	5·4	4	-	-	1	3	-	-	-
Diseases of Locomotive System - -	4·4	5	1	-	2	-	1	1	-
Diseases of Integumentary System- -	7·3	7	4	-	-	-	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	1·9	2	-	-	-	-	-	2	-
By Vehicles or Horses -	5·6	6	-	1	1	1	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·6	1	-	-	-	1	-	-	-
In Building Operations -	0·7	1	-	-	-	-	1	-	-
In Conflagrations - -	0·4	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	6·0	9	-	6	3	-	-	-	-
By Drowning - - -	4·6	4	-	-	1	2	1	-	-
By Suffocation in Bed -	12·2	9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·0	1	-	-	1	-	-	-	-
Other or not stated causes - - -	19·9	25	4	1	1	5	5	7	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·6	2	2	-	-	-	-	-	-
Suicide - - - -	7·6	10	-	-	-	4	4	2	-
Execution - - -	0·1	1	-	-	-	1	-	-	-
OTHER CAUSES - -	50·0	59	52	5	-	-	-	2	-

The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for ease of population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 23rd November, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2519	1939	438	547	22	50	12	37	15	-	16	1	17	71	176	606
WEST DISTRICTS - - -	805,275	358	321	59	104	-	11	2	6	-	-	2	-	3	10	30	101
NORTH DISTRICTS - - -	1,056,018	527	396	63	113	-	12	5	15	1	-	4	-	1	14	34	134
CENTRAL DISTRICTS - - -	209,432	130	91	21	12	-	2	1	3	2	-	-	-	3	6	14	28
EAST DISTRICTS - - - -	715,772	491	368	124	99	-	3	-	1	3	-	1	-	2	17	47	118
SOUTH DISTRICTS - - -	1,749,566	1013	709	167	208	1	22	4	12	9	-	9	1	8	24	51	171
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	54	4	11	21	-	-	-	-	-	-	-	-	-	-	54
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	59	44	11	16	-	-	1	-	-	-	-	-	-	1	6	9
St. John Paddington *H* - - G.	33,608	3	12	-	3	-	-	-	1	-	-	-	-	-	1	1	6
North-West Paddington - - C.	17,181	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	60	70	7	29	-	7	-	-	-	-	-	-	1	2	7	19
Brompton *HH* - - W. & C.	48,598	8	13	1	5	-	-	-	-	-	-	-	-	-	1	1	4
North Hammersmith *H* } W. & G.	49,335	27	13	4	2	-	3	-	-	-	-	-	-	-	-	1	-
South Hammersmith *wH* } W. & G.	62,910	30	19	6	6	-	-	-	-	-	-	1	-	-	-	1	4
North-west Fulham *W* } W. & C.	45,180	37	17	7	2	-	1	-	-	-	-	-	-	1	-	2	9
North-east Fulham *H* } W. & C.	46,404	19	21	4	5	-	-	1	5	-	-	1	-	1	1	5	6
South Fulham } W. & C.	45,705	28	18	7	4	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North *WwHHH* - C.	42,515	22	25	2	7	-	-	-	-	-	-	-	-	-	-	-	22
Chelsea South *HH* - - - C.	31,341	10	7	2	5	-	-	-	-	-	-	-	-	-	-	2	1
May Fair and Knightsbridge *H* } C.&G.	28,744	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHH* - - - C.	55,812	15	26	4	7	-	-	-	-	-	-	-	-	-	1	1	11
St. Margaret & St. John Westminster *HHHH* - - } C.	43,665	12	20	1	6	-	-	-	-	-	-	-	-	-	1	1	9
St. James Westminster *WH* } N. & G.	21,595	8	6	2	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	11,492	7	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* } - - W.	35,394	13	10	1	2	-	-	-	-	-	-	1	-	-	-	-	5
Rectory Marylebone *W* G. & W.	19,869	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	18,099	21	6	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W.	39,541	21	9	2	1	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *HHH* - W.	20,426	8	7	2	1	-	-	-	-	-	-	-	-	-	-	2	1
Hampstead *WHHHHHH* } - - N. & W.	81,942	18	34	3	9	-	-	4	6	-	-	1	-	1	1	1	22
Regent's Park *H* - - - W.	50,647	31	11	1	3	-	-	-	-	-	-	-	-	-	-	2	-
Tottenham-court *wHHHHHH* } - N. & W.	24,814	13	20	4	5	-	-	-	1	-	-	-	-	-	-	1	12
Gray's Inn Lane *HHHH* - N.	30,886	12	15	3	2	-	-	-	-	-	-	-	-	-	-	1	8
Somers Town *HH* - - - N.	30,131	29	11	2	-	-	1	-	-	-	-	1	-	-	-	-	3
Camden Town *WH* - - N.	40,079	16	20	2	14	-	-	-	-	-	-	-	-	-	3	5	10
Kentish Town *WW* - - N.	58,727	31	27	6	7	-	1	-	-	-	-	-	-	-	-	1	10
Tufnell *W*		16	18	1	7	-	-	-	1	-	-	-	-	-	-	-	9
Upper Holloway *WWwHH* } - N.	99,841	23	26	3	9	-	-	-	-	-	-	-	-	-	4	4	20
Tollington *W*		22	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway - - - N.	41,411	16	14	4	3	-	1	-	-	-	-	-	-	-	2	3	-
Barnsbury - - - - N.	54,479	37	21	2	3	-	7	-	1	-	-	-	-	-	1	1	-
Islington South-east *H* - - N.	75,402	39	22	7	6	-	2	1	-	-	-	-	-	-	-	1	1
Highbury *HH* - - - N.	63,795	22	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	51,247	15	9	-	4	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - - E. & N.	50,570	20	15	1	6	-	-	-	-	-	-	-	-	-	-	3	-
Central Hackney *wH* - E. & N.	50,535	25	25	6	3	-	-	-	6	-	-	-	-	-	-	3	8
South-west Hackney *HHH* E. & N.	59,929	35	21	3	6	-	-	-	-	1	-	-	-	-	1	1	4
South-east Hackney *WwH* E. & N.	58,254	40	34	6	11	-	-	-	-	-	-	1	-	-	1	2	20

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, Upper Holloway, and Tollington respectively.

ABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	19	11	4	1	-	-	-	-	-	-	-	-	1	-	-	1	-
. Giles North *H* - - - N.	8,959	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Martin-in-the-Fields *HH* N.&C.	12,975	3	4	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
rand *WHH* - - - - N.	8,694	5	4	1	-	-	-	-	-	-	-	-	-	1	1	2	2	-
rand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *WHHHHHH* - - N.	29,579	15	19	3	5	-	-	-	2	-	-	-	-	-	-	-	9	-
. James Clerkenwell - - N.	15 634	9	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
nwell - - - - - - N.	32,691	24	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1
oswell-street - - - - N.	15,390	14	9	3	1	-	1	1	-	-	-	-	-	1	-	1	-	-
nsbury* *HHHL* - - - N.	35,376	33	12	2	1	-	1	-	1	2	-	-	-	-	-	2	-	-
olborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph *H* - - - N. & E.	11,036	5	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
. Sepulchre *WH* - - - N.	7,886	1	13	1	1	-	-	-	-	-	-	-	-	-	4	5	12	-
lhallows Barking - - - N.	8,717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	8	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
xton New Town *wH* - - N.	29,761	23	23	8	9	-	-	-	-	-	-	-	-	-	-	2	11	-
xton Old Town - - - N.	26,510	16	11	4	4	-	1	-	-	-	-	-	-	-	1	2	-	-
ggerston *W* - - - N & E.	46,064	24	25	6	7	-	1	-	-	-	-	-	-	-	-	2	7	-
thnal Green North *HH* - E.	51,513	37	21	7	4	-	-	-	-	-	-	-	-	-	-	4	4	-
thnal Green South - - E.	33,473	22	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *W WHl* - E.	44,695	35	42	16	13	-	-	-	-	-	-	-	-	-	1	4	16	-
italfields - - - E. & N.	27,965	17	12	7	-	-	-	-	-	-	-	-	-	-	1	2	-	-
le End New Town *WH* - E.	28,711	16	40	8	6	-	-	-	1	-	-	1	-	-	5	6	32	-
odman's Fields - - - E.	22,082	12	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
George's, North - - - E.	40,965	37	7	6	1	-	-	-	-	-	-	-	-	-	1	2	-	-
John *W* - - - - E.	8,122	5	14	2	6	-	-	-	-	1	-	-	-	-	-	3	12	-
dwell *H* - - - E. & N.	10,760	3	3	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-
tcliff *W* - - - - E.	14,770	17	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nehouse - - - - - E.	32,358	22	10	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town West *H* - E.	59,467	49	10	4	2	-	-	-	-	1	-	-	-	1	1	2	-	-
e End Old Town East *WWw* - - - - E.	53,348	37	36	13	11	-	-	-	-	1	-	-	-	-	2	5	17	-
w l - - - - - - E.	41,990	24	23	11	7	-	-	-	-	-	-	-	-	-	1	1	-	-
mley *wwwH* - - - - E.	68,326	44	40	6	16	-	-	-	-	-	-	-	-	1	1	5	15	-
lar *Ww* - - - - E.	58,522	43	27	14	6	-	-	-	-	-	-	-	-	-	2	4	2	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 23rd November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	3	5	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Saviour Southwark - - S.	12,056	7	25	4	6	-	1	-	-	-	-	-	-	-	2	3	16	-
Kent-road - - - S. & L.	21,899	14	9	4	2	-	-	-	-	-	-	-	-	1	-	-	-	1
Borough-road *WH* - S. & L.	16,882	15	12	4	-	-	1	-	-	-	-	1	-	-	2	2	6	-
London-road *HL* - L. & S.	22,209	15	9	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Trinity Newington *H* - S. & L.	28,485	25	6	3	2	-	-	-	-	-	-	-	-	-	1	1	-	1
St. Peter Walworth *W*- S. & L.	61,773	50	21	9	6	-	-	-	-	1	-	-	-	-	-	2	1	1
St. Mary Newington - L. & S.	31,592	14	9	3	2	-	1	-	-	-	-	-	-	1	-	-	-	-
St. Olave *W* - - - - S.	9,813	12	5	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Bermondsey *WH*- - - S.	82,405	50	30	8	12	-	-	-	-	-	-	-	-	-	2	2	-	-
Rotherhithe *WH* - - S. & K	38,268	34	34	8	4	1	-	-	-	2	-	-	-	1	-	-	13	1
Waterloo-road *HH* - L. & S.	27,435	25	20	6	5	-	1	-	-	-	-	-	-	-	1	1	3	-
Lambeth Church 1st *H* L. & S.	18,420	13	23	4	5	-	-	-	1	-	-	-	-	1	1	1	16	-
Lambeth Church 2nd *WW* L. & S.	39,818	39	32	6	12	-	-	-	-	1	-	-	-	-	-	3	12	-
Kennington 1st *H* - S. & L.	53,196	36	14	3	5	-	3	-	-	-	-	-	-	-	-	2	-	-
Kennington 2nd - - S. & L.	42,891	15	14	3	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Brixton *H* - - - L. & S.	84,226	39	27	5	10	-	-	-	-	1	-	-	-	-	-	1	-	-
Norwood *WH* - - - L.	35,887	14	6	1	1	-	2	-	-	-	-	1	-	-	-	1	-	-
East Battersea - - - S.	72,201	52	29	13	4	-	5	-	-	1	-	1	-	1	1	5	-	-
North-west Battersea - - S.	49,650	30	17	4	4	-	-	-	-	1	-	1	-	-	-	1	-	-
South-west Battersea *WH* - S.	47,045	20	23	4	5	-	3	-	1	-	-	-	-	-	1	1	13	-
Clapham *H* - - - - S.	51,353	25	18	4	8	-	-	-	-	-	-	-	-	-	1	1	1	-
Streatham *WwwHHL* - L.	88,129	40	25	6	8	-	1	1	1	-	-	2	-	1	-	-	8	-
Wandsworth *WHL* - - S.	68,409	49	20	5	6	-	2	-	-	-	-	-	-	-	1	1	3	-
Putney - - - - - S.	24,139	10	8	2	2	-	-	-	-	-	-	-	1	-	1	1	-	-
Dulwich - - - - L. & S.	10,246	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *Wwll* - S. & L.	90,404	36	54	3	27	-	-	-	1	-	-	-	-	-	2	5	36	-
Peckham *Ww* - S., L., & K.	93,022	59	30	9	12	-	1	-	-	1	-	1	-	-	-	1	-	1
St. George Camberwell - L. & S.	65,586	37	20	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North - - - K.	37,601	26	11	4	2	-	-	-	-	-	-	-	-	1	-	2	-	1
Deptford Central *H* - - K.	45,621	27	24	7	3	-	-	-	3	1	-	-	-	1	1	1	6	-
Deptford South - - - K.	34,622	17	8	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H* - - K.	23,456	11	16	7	2	-	-	-	-	-	-	-	-	-	3	3	1	-
Greenwich East *WH* - - K.	43,849	23	22	2	8	-	-	-	-	-	-	-	-	-	1	4	13	-
Eltham *wH* - - - - K.	7,218	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	25,489	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	58,341	36	29	4	13	-	-	3	3	-	-	-	-	-	1	1	11	-
Sydenham *H* - - - L.	43,630	17	9	-	5	-	1	-	-	-	-	-	-	-	-	-	1	-
Charlton *HHH* - - - K.	21,121	11	12	1	3	-	-	-	2	-	-	1	-	-	-	-	4	-
Woolwich *HHHH* - - K.	41,607	16	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *H* - - K.	18,076	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	50,264	20	16	4	5	-	-	-	-	-	-	-	-	-	-	1	4	-
London County Asy., Banstead -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Asy., Epsom -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asy., Cane Hill -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M.A.B. Ships and Hosp., Dartford	—	-	23	3	1	21	-	-	-	-	-	-	-	-	-	-	23	-
Met. Asy. for Imbeciles, Darenth -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Dartford Heath - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Asylum, Hanwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
M.A.B. North-Eastern Hospital -	—	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M.A.B. Northern Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Claybury	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-

ABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd November, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1103	570	132	170	4	9	4	19	5	6	14	20	46	84	4
30 : 1	Carshalton *H*	12,228	32,997	14	3	-	1	-	-	1	-	-	-	-	-	-	1	-
2	Epsom, *part of* WwHHH*	10,423	15,548	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1
37 : 1	Godstone, *part of* W*	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH*	20,851	164,519	65	45	8	16	-	1	-	1	-	-	1	4	7	13	-
2	Mitcham *w*	11,689	29,906	18	6	1	2	-	2	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH*	3,221	41,604	21	11	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH*	6,224	42,067	20	17	1	10	-	-	-	-	1	-	-	1	4	5	-
3	Surbiton *HH*	3,046	15,019	5	6	1	3	-	-	-	1	-	-	1	-	1	1	-
4	Esher, *part of* H*	5,402	13,003	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL*	4,564	23,447	11	5	-	2	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond *WHH*	2,162	28,871	13	9	3	1	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake *H*	2,847	20,628	7	2	2	-	-	-	-	-	-	-	1	-	-	-	-
41 : 1	Bromley *HHH*	4,703	27,358	12	5	-	3	-	-	-	-	-	1	-	-	-	1	-
2	Beckenham *H*	7,825	28,499	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of* W*	10,113	9,857	9	8	3	4	-	-	-	-	-	-	1	-	-	3	-
4	Chislehurst *HH*	7,333	16,458	5	3	-	2	-	-	-	-	-	-	-	1	1	1	-
42 : 1	Bexley *HHH*	12,532	46,445	24	11	3	3	-	-	-	1	-	-	-	-	-	-	-
2	Dartford *WH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44 : 1	Sunbury *w*	11,054	18,682	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH*	13,277	15,179	9	8	1	3	-	-	-	2	-	-	-	-	1	2	-
45 : 1	Hillingdon *WHH*	6,035	13,661	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	12,757	8,984	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	8,066	16,358	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-
46 : 1	Isleworth *WHH*	6,859	30,838	9	4	-	1	-	-	-	-	-	-	-	-	1	3	-
2	Twickenham *HH*	2,421	20,991	11	3	-	1	-	-	1	-	-	-	-	-	-	1	-
3	Brentford *HHHH*	4,319	48,298	20	10	1	3	-	1	-	-	-	-	-	-	-	-	-
4	Chiswick	1,249	29,809	14	9	1	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH*	6,132	48,913	36	15	4	7	-	-	-	1	-	-	1	1	1	-	-
47 : 1	Harrow *HHH*	13,809	25,522	13	3	1	-	-	-	-	-	-	-	-	-	-	-	1
2	Edgware *HH*	6,994	4,520	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4,384	114,815	74	27	6	7	-	1	-	-	1	-	-	2	3	1	2
4	Hendon *WH*	8,382	22,450	12	5	1	3	-	-	1	-	-	-	-	-	-	1	-
48 : 1	South Mimms *HH*	17,755	7,308	7	4	2	1	3	-	-	-	-	-	-	-	-	3	-
2	Barnet *WHH*	3,324	17,970	4	5	1	4	-	-	-	-	-	-	-	-	1	-	-
3	Finchley *HHH*	4,688	33,692	21	5	1	1	-	-	-	-	-	-	-	-	-	-	-
49 : 1	Hornsey *HH*	2,875	72,056	30	9	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham *HHH*	4,638	136 702	74	46	17	8	-	-	-	1	-	-	-	1	7	4	-
3	Edmonton *Ww*	7,491	61,892	46	20	5	4	-	-	-	-	-	-	1	2	2	3	-
4	Enfield *WWHH*	12,601	42,738	30	11	3	3	-	-	-	-	-	-	-	-	2	2	-
5	Waltham Abbey	11,017	6,547	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8,479	12,288	5	6	2	3	-	-	-	-	1	-	-	-	-	-	-
50 : 1	Hatfield, *part of* W*	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51 : 1	Bushey *H*	9,333	9,173	3	3	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Watford *WLH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 : 1	Stratford *H*	1,072	44,825	29	13	3	4	-	-	-	1	-	1	1	-	-	-	-
2	Plaistow *HHH*	1,249	90,920	59	39	9	7	-	1	-	3	1	-	1	2	2	3	-
3	Canning Town *H*	1,556	70,666	52	32	14	4	-	1	-	2	-	1	2	1	6	-	-
4	Forest Gate *w*	806	60,897	26	10	2	1	-	1	-	2	-	-	-	-	-	-	-
5	East Ham *wHHH*	3,268	95,970	63	32	11	8	-	-	-	2	1	-	1	1	1	-	-
6	Wanstead	1,737	9,198	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW*	631	50,458	31	31	7	9	-	1	-	-	-	1	-	-	-	19	-
8	North Leyton *WwH*	1,963	48,441	21	16	4	3	-	-	-	1	-	1	-	-	-	1	-
9	Walthamstow *HHHL*	6,504	108,931	64	23	5	6	-	-	-	-	-	-	2	1	1	1	-
53 : 1	Chigwell, *part of* LHHH*	11,778	16,403	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54 : 1	Romford, *part of* W*	6,556	6,089	1	5	2	1	-	-	-	-	-	1	-	-	-	2	-
2	Ilford *H*	8,496	41,240	25	10	-	5	-	-	-	-	-	-	-	1	1	1	-
3	Barking Town *H*	3,803	21,547	21	6	3	-	-	-	-	-	-	-	-	1	3	-	-
	Willesden Workhouse	—	—	-	2	1	1	-	-	-	-	-	-	1	-	-	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
	M.A.B. Hospital Ship, Dartford.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
	North-Eastern Fever Hospital, Tottenham.	—	—	-	2	-	-	-	-	1	1	-	-	-	-	-	2	-
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ng are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher rish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting eydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious eases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 23rd November, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from all Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	443,419	6,694,287	19·8	1·8	2509	570	717	26	59	16	56	20	23	31	91	69
INNER LONDON –	74,839	4,543,757	22·3	2·0	1939	438	547	22	50	12	37	15	17	17	71	60
OUTER RING –	368,580	2,060,530	14·4	1·5	570	132	170	4	9	4	19	5	6	14	20	8

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	November 23	154	114	18·7	–	1	1	2	–	1	
GLASGOW – –	764,423	„ 23	418	327	22·3	–	24	4	–	5	5	1
DUBLIN† – –	375,076	„ 23	162	171	23·8	–	–	–	2	1	4	
BELFAST† – –	350,862	„ 23	206	145	21·5	–	1	1	1	2	7	
CALCUTTA – –	466,460	October 12	–	250	27·9	2	–	–	–	1	83‡	3
BOMBAY – –	770,843	November 5	302	800	53·6	–	–	?	?	?	300‡	5
MADRAS – –	509,346	October 25	339	705	71·9	–	6	?	?	?	249	16
PARIS – – –	2,511,629	November 16	1065	952	19·7	3	5	4	11*	3	9	2
BRUSSELS – –	582,665	„ 16	239	184	16·4	1	–	1	4*	2	2	1
AMSTERDAM –	525,636	„ 9	317	139	13·7	–	–	–	–	1	2	
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	November 16	189	113	15·6	–	–	–	1	4	2	
STOCKHOLM –	301,050	„ 9	147	65	11·2	–	–	1	3*	–	2	
CHRISTIANIA –	228,929	„ 16	–	–	–	–	–	–	–	–	–	–
ST. PETERSBURG	1,248,643	„ 9	735	496	20·7	1	23	14	26	3	27	3
MOSCOW – –	1,023,817	„ 9	–	478	24·3	4	2	7	18	4	9	4
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705 738	November 16	–	221	16·3	–	6	8	4*	4	1	
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	November 16	–	212	22·0	–	2	–	3*	2	–	2
VIENNA – –	1,691,996	„ 16	993	568	17·3	–	1	–	10*	2	1	3
PRAGUE – –	389,741	„ 9	169	171	22·7	–	7	3	1	–	2	
BUDA-PESTH –	744,719	„ 16	420	245	17·1	–	1	8	4	2	–	
TRIESTE – –	177,428	„ 16	102	80	23·3	–	1	2	1*	1	1	
ROME – –	471,961	October 12	219	136	15·0	–	–	–	–	–	6‖	
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	
VENICE – –	174,378	November 9	65	61	18·2	–	2	–	2*	–	2	
CAIRO – –	570,062	October 7	460	350	31·9	–	–	–	11*	–	14	
ALEXANDRIA –	319,766	„ 7	149	242	39·4	–	–	–	9*	–	9‡	
NEW YORK (including BROOKLYN)	3,536,517	„ 26	1351	1217	18·0	3	4	7	37*	5	25	
PHILADELPHIA –	1,293,697	November 2	–	415	16·7	12	–	4	12	1	4	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast respectively.
§ Including 17 deaths from cholera in Calcutta, 2 in Bombay, and 40 in Madras.
‡ Including 6 deaths from plague in Calcutta, 173 in Bombay, and one in Alexandria.
‖ Including 4 deaths from malarial fever.

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	17	..	30·251	39·9	20·6	19·3	31·2	−11·1	26·9	4·3	7·2	4·0	83	57·9	12·2	47·98	SSW.	SSW.	1·2	0·0	0·0	206	− 92	0·00	0·0
MONDAY -	18	..	30·142	47·9	34·1	13·8	42·5	+ 0·3	35·2	7·3	9·7	4·8	75	67·2	26·2	47·25	SSW.	SW. & SSW.	10·0	0·0	1·0	496	+197	0·00	0·0
TUESDAY -	19	First Quarter.	29·933	52·5	47·8	4·7	50·8	+ 8·6	42·8	8·0	9·0	5·4	74	57·1	41·8	46·78	SW.	SW.	13·5	0·0	3·1	787	+487	0·01	0·7
WEDNESDAY	20	..	29·815	53·9	49·2	4·7	51·8	+ 9·7	43·9	7·9	9·2	5·9	75	60·1	42·5	47·09	SW.	SSW.	10·7	0·0	1·8	616	+315	0·00	2·3
THURSDAY-	21	In Equator	29·650	53·3	47·2	6·1	50·8	+ 8·7	45·9	4·9	6·4	2·8	83	60·8	40·1	47·56	SSW. & S.	SSW. & SW.	4·2	0·0	1·0	473	+172	0·07	0·0
FRIDAY -	22	..	29·856	48·0	35·0	13·0	40·9	− 1·3	38·6	2·3	4·6	1·5	91	49·0	25·0	47·79	SSW.	NNE. & N.	3·4	0·0	0·2	271	− 29	0·16	0·0
SATURDAY-	23	..	30·316	44·3	30·3	14·0	38·0	− 4·1	31·4	6·6	9·5	0·4	77	74·2	20·5	47·98	N.	N. & NNW.	0·8	0·0	0·0	174	−125	0·00	0·0
MEANS -	-		29·995	48·5	37·7	10·8	43·7	+ 1·5	37·8	5·9	7·9	3·5	80	60·9	29·8	47·49	SSW.		..	..	..	Sum 3023	Sum +925	Sum 0·24	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. November.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	17	s. P. generally.	4·0	8·8
MONDAY -	18	m. P. generally.	0·8	8·7
TUESDAY -	19	w. P. generally, occasional m. P.	0·0	8·7
WEDNESDAY	20	w. P. till 9h. A.M.; m. P. afterwards.	0·0	8·6
THURSDAY-	21	w. P. generally.	0·0	8·6
FRIDAY -	22	w. P. till 8h. A.M.; m. P. till noon; w. P. and v. N. till 4h. P.M.; m. P. generally afterwards.	0·0	8·5
SATURDAY-	23	s. P. throughout.	5·5	8·5
			Sum 10·3	Sum 60·4
No. of Col.-	-	27	28	29

GENERAL REMARKS.

Cloudless; very fine. Slight fog in early morning. Hoar frost. Very cold day. The minimum temperature (20°·6) is the lowest November temperature recorded since 1891 November 29.

Fine but generally cloudy till evening; overcast, with brisk wind, at night. Hoar frost in morning.

Overcast; gusty wind.

Overcast till evening; fine, with variable amounts of cloud, after 8h. P.M. Brisk wind. Lunar halo between 8h. and 9h. P.M.

Fine and partially cloudy, with brisk wind, in morning; overcast, with frequent slight rain, till evening; fine and partially cloudy at night.

Overcast till evening, with great gloom in forenoon and frequent rain after 11h. A.M.; cloudles after 8h. 30m. P.M.

Fine and partially cloudy till noon; generally cloudless afterwards. Hoar frost in morning and at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·17 in. at the beginning of the week to 30·27 in. by 11.h A.M. on the 17th; decreased to 29·61 in. by 4h. P.M. on the 21st; and increased to 30·40 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th November 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	12	10	-	1	-	-	4	-
Kensington	176,787	-	10	3	-	3	-	-	7	-
Hammersmith	112,619	1	7	8	-	1	-	-	1	-
Fulham	138,426	-	7	20	-	4	-	-	1	1
Chelsea	73,879	-	4	1	-	1	-	-	-	-
City of Westminster	182,502	8	13	9	-	5	-	-	8	-
NORTH.										
St. Marylebone	133,060	1	9	6	-	-	-	-	4	-
Hampstead	82,287	-	-	2	-	1	-	-	1	-
St. Pancras	235,297	14	23	25	-	4	-	-	8	-
Islington	335,325	4	41	22	-	12	-	-	8	2
Stoke Newington	51,328	1	7	4	-	-	-	-	2	-
Hackney	219,780	1	25	25	-	-	-	-	6	-
CENTRAL.										
Holborn	59,205	10	4	1	-	-	-	-	7	-
Finsbury	101,263	3	11	6	-	3	1	-	2	-
City of London	26,627	1	5	1	-	1	-	-	1	1
EAST.										
Shoreditch	118,554	-	14	9	-	1	-	-	3	-
Bethnal Green	129,700	1	13	12	-	3	-	-	5	-
Stepney	298,884	12	22	17	-	8	-	-	15	3
Poplar	168,887	3	15	11	-	5	-	-	4	-
SOUTH.										
Southwark	206,219	1	23	7	-	3	-	-	10	1
Bermondsey	130,348	19	14	6	-	1	-	-	4	1
Lambeth	302,460	6	16	9	-	2	-	-	6	-
Battersea	169,364	-	15	7	-	2	-	-	4	-
Wandsworth	233,943	4	21	11	-	2	-	-	7	1
Camberwell	259,897	11	41	25	-	2	-	-	5	-
Deptford	110,732	-	13	12	-	5	-	-	2	-
Greenwich	96,188	1	12	4	-	-	-	-	-	1
Lewisham	128,423	-	11	12	-	4	-	-	-	-
Woolwich	117,619	2	3	5	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	104	411	290	-	74	1	-	127	11
Ages 0-1		2	6	7	-	-	-	-	5	-
,, 1-5		8	105	88	-	7	-	-	5	-
,, 5-		8	168	103	-	6	-	-	3	-
,, 10-		13	67	35	-	11	-	-	8	-
,, 15-		6	36	26	-	16	-	-	6	-
,, 20-		18	11	12	-	5	-	-	9	2
,, 25-		26	14	13	-	14	1	-	18	4
,, 35-		13	3	4	-	9	-	-	14	5
,, 45-		7	1	2	-	2	-	-	26	-
,, 55-		3	-	-	-	4	-	-	17	-
,, 65 and upwards		-	-	-	-	-	-	-	16	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·00 inches, and that of the Thermometer 43°·7; the latter being 1°·5 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 44 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 10·3 hours; the measured rainfall amounted to 0·24 inch.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 48. 1901. VOL. LXII.] WEEK ENDED SATURDAY, NOV. 30. [Price 1½*d.*

General Register Office, Somerset House,
December 2nd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·3 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 19·7, 19·4, and 21·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.		Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
33 Great Towns	19·7	19·4	21·3	20·3	Leicester - -	14·2	12·3	22·1	18·9
Birkenhead -	15·0	15·5	15·5	25·8	Liverpool - -	21·5	19·6	20·4	20·1
Birmingham -	19·0	21·6	19·7	26·3	London - - -	19·4	20·0	22·3	20·5
Blackburn -	25·3	21·2	19·2	18·8	Manchester - -	25·9	23·9	22·7	24·6
Bolton - -	20·4	19·8	19·8	19·5	Newcastle-on-Tyne	22·7	16·0	21·5	23·2
Bradford -	14·7	16·0	20·8	15·6	Norwich - -	16·8	28·4	28·4	23·3
Brighton -	18·6	17·3	22·3	18·1	Nottingham - -	17·8	13·7	20·0	20·6
Bristol - -	16·6	16·6	20·9	20·2	Oldham - -	24·3	22·4	25·0	28·5
Burnley -	23·6	16·6	24·7	13·9	Plymouth - -	12·6	21·7	15·9	13·0
Cardiff - -	14·8	18·9	19·2	18·3	Portsmouth - -	16·2	19·2	17·3	15·1
Croydon -	14·7	11·2	14·7	15·1	Preston - -	24·4	27·2	23·5	24·4
Derby - -	13·8	16·7	14·7	12·3	Salford - - -	26·1	22·8	25·4	20·9
Gateshead -	23·6	17·5	17·5	16·0	Sheffield - -	26·7	22·7	23·3	20·5
Halifax -	17·4	12·4	12·9	13·9	Sunderland - -	18·1	19·2	21·3	19·9
Huddersfield-	17·0	15·4	12·6	9·9	Swansea - -	17·6	13·2	16·5	22·0
Hull - -	18·3	15·1	20·7	17·9	West Ham - -	20·8	20·4	20·4	21·5
Leeds - -	20·3	18·3	20·2	19·6	Wolverhampton -	11·0	16·6	28·2	12·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·1 in Huddersfield, 1·3 in Manchester, 1·6 in Sheffield, 2·5 in Halifax, 2·9 in Blackburn, 3·0 in Oldham, and 5·6 in Norwich; from *scarlet fever*, 1·1 in Liverpool and 1·2 in Salford; from *whooping-cough*, 1·0 in Leicester and 1·1 in Swansea; and from *diarrhœal diseases* 1·5 in Derby. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1,000. The 79 deaths from *diphtheria* included 40 in London, 8 in West Ham, 4 in Portsmouth, 3 in Cardiff, 3 in Leicester, 3 in Liverpool, and 3 in Sheffield. Twenty-one deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2460 BIRTHS and 1785 DEATHS were registered. Allowing for increase of population, the births were 62 below, and the deaths 88 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·4, 20·0, and 22·3 in the preceding three weeks, fell again last week to 20·5.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

During the four weeks ended on Saturday last the death-rate averaged 20·6 per 1000, being 1·6 per 1000 above the mean rate in the corresponding periods of the ten years 1891–1900.

The 1785 deaths included 21 from small-pox, 54 from measles, 12 from scarlet fever, 40 from diphtheria, 12 from whooping-cough, 9 from enteric fever, 1 from an ill-defined form of continued fever, 13 from diarrhœa and dysentery, and not one death from typhus or from cholera; thus, 162 deaths were referred to these diseases, being 25 below the corrected average weekly number.

The deaths from *small-pox*, which had been 16, 14, and 22 in the preceding three weeks, were 21 last week; 4 cases belonged to the Borough of Holborn, 3 to St. Pancras, 3 to Southwark, 2 to Poplar, 2 to Battersea, and 1 each to Hammersmith, Westminster, Islington, Shoreditch, Stepney, Wandsworth, and Camberwell. In Table 4, the deaths are arranged according to ages, under the separate headings "Vaccinated," "Unvaccinated," and "No Statement." Among the cases which are classed as "Vaccinated," is that of an infant who died from small-pox at the age of 5 days, having been vaccinated when 1 day old. The deaths from *measles*, which had been 38, 60, and 50 in the preceding three weeks, rose again last week to 54, and were 3 above the corrected average; 9 cases belonged to Islington, 8 to Kensington, 7 to Lambeth, 6 to Battersea, 4 to Hammersmith, and 4 to Woolwich. The deaths from *scarlet fever*, which had been 10, 4, and 12 in the preceding three weeks, were again 12 last week, the corrected average being 19; 3 cases belonged to Lambeth. The deaths from *diphtheria*, which had been 33, 35, and 37 in the preceding three weeks, further rose last week to 40, but were 10 below the corrected average; 5 cases belonged to Poplar, 4 to Wandsworth, 3 to St. Pancras, 3 to Shoreditch, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 10, 15, and 15 in the preceding three weeks, fell again last week to 12, and were 19 below the corrected average. The fatal cases of *enteric fever*, which had been 16, 15, and 16 in the preceding three weeks, fell last week to 9, and were 11 below the corrected average. The deaths from *diarrhœal diseases*, which had been 20, 15, and 17 in the preceding three weeks, fell again last week to 13, and were 3 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 445, 477, and 582 in the preceding three weeks, fell again last week to 534, but were 105 above the corrected average. The deaths attributed directly to *influenza* numbered 7, having been 12, 14, and 11 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all but 2 of which inquests were held. Of these 62 deaths, 6 were cases of suicide, and 3 of homicide, while the remaining 53 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 14 to burns and scalds, 2 to the effects of chloroform administered for surgical purposes, and 12 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 427 cases of small-pox, 3278 of scarlet fever, 1516 of diphtheria, and 245 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 123 cases, against 62, 113, and 141; of scarlet fever, 320 cases, against 380, 376, and 379; of diphtheria, 213 cases, against 172, 212, and 209; and of enteric fever, 24 cases, against 23, 44, and 38. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended November 23rd.

Greater London.

In Greater London 3633 births and 2400 deaths were registered, corresponding to annual rates of 28·7 and 18·9 per 1000 of the estimated population. In the Outer Ring 2 deaths from small-pox, 10 from measles, 5 from scarlet fever, 23 from diphtheria, 6 from whooping-cough, 6 from "fever," and 8 from diarrhœal diseases were registered. The 2 cases of small-pox belonged to Erith; 11 deaths from diphtheria occurred in West Ham district.

Meteorology (see p. 624).

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Estimated to the middle of the Year 1901* (Unrevised).	30th Nov., 1901. Births.	30th Nov., 1901. Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**6504**	**4459**	**1057**	**1199**	**21**	**143**	**61**	**79**	**43**	**44**	**43**	**146**	**386**	**1055**	**35**	**20·3**	**2·0**	**49·0**	**15·0**	**38·4**	**3·56**	**0·04**	**0·10**	**33 Towns.**
London	4,543,757	2460	1785	415	515	21	54	12	40	12	10	13	62	188	578	2	20·5	1·9	46·7	24·3	39·2	4·00	0·03	0·08	London.
West Ham	268,868	191	111	42	21	–	3	1	8	2	2	3	6	9	26	–	21·5	3·7	–	–	–	–	–	–	West Ham.
Croydon	134,665	64	39	9	12	–	1	1	1	–	–	–	–	3	5	–	15·1	1·2	47·0	22·5	35·0	1·67	0·00	0·00	Croydon.
Brighton	123,668	74	43	8	11	–	–	–	2	–	–	–	2	4	7	–	18·1	0·8	48·4	31·2	40·9	4·94	0·00	0·00	Brighton.
Portsmouth	189,907	102	55	9	21	–	–	–	4	–	–	–	2	2	15	–	15·1	1·1	49·0	31·0	40·4	4·67	0·00	0·00	Portsmouth.
Plymouth	107,974	45	27	4	8	–	–	–	–	1	–	–	1	4	4	–	13·0	0·5	–	–	–	–	–	–	Plymouth.
Bristol	329,831	146	128	22	46	–	–	3	1	–	2	3	4	16	22	1	20·2	1·4	48·8	15·0	35·9	2·17	0·05	0·13	Bristol.
Cardiff	165,308	91	58	14	16	–	–	–	3	2	–	–	1	3	8	–	18·3	1·6	–	–	–	–	–	–	Cardiff.
Swansea	94,618	62	40	10	11	–	–	–	–	2	1	–	3	6	5	1	22·0	1·7	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	55	22	4	9	–	–	1	1	–	1	1	–	4	3	–	12·1	2·2	46·0	17·8	34·2	1·22	0·02	0·05	Wolverhampton.
Birmingham	523,284	305	264	62	72	–	7	6	1	4	2	2	9	15	52	11	26·3	2·2	–	–	–	–	–	–	Birmingham.
Norwich	111,997	57	50	11	10	–	12	–	–	–	1	1	1	2	5	–	23·3	6·5	48·0	27·4	39·8	4·33	0·29	0·74	Norwich.
Leicester	212,498	121	77	23	17	–	3	–	3	4	–	1	1	5	10	1	18·9	2·7	–	–	–	–	–	–	Leicester.
Nottingham	240,400	118	95	20	33	–	2	–	–	–	2	1	4	10	13	–	20·6	1·1	48·8	18·4	34·8	1·56	0·04	0·10	Nottingham.
Derby	106,076	66	25	6	10	–	–	–	1	–	–	3	–	5	4	–	12·3	2·0	–	–	–	–	–	–	Derby.
Birkenhead	111,203	83	55	10	15	–	–	–	2	–	–	2	3	6	12	–	25·8	1·9	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	457	265	56	59	–	–	14	3	4	4	4	10	16	75	7	20·1	2·2	48·3	30·0	42·1	5·61	0·01	0·03	Liverpool.
Bolton	168,748	90	63	20	13	–	–	2	–	1	1	1	1	4	7	–	19·5	1·5	–	–	–	–	–	–	Bolton.
Manchester	544,934	319	257	58	56	–	14	3	–	2	2	6	8	16	54	2	24·6	2·6	–	–	–	–	–	–	Manchester.
Salford	221,526	160	89	24	17	–	3	5	–	–	1	–	4	10	22	–	20·9	2·1	–	–	–	–	–	–	Salford.
Oldham	137,382	82	75	12	15	–	8	–	1	–	–	–	1	4	4	–	28·5	3·4	–	–	–	–	–	–	Oldham.
Burnley	97,295	56	26	7	5	–	–	1	–	–	–	–	–	–	2	–	13·9	0·5	–	–	–	–	–	–	Burnley.
Blackburn	127,714	64	46	10	11	–	7	–	1	1	2	–	1	4	2	3	18·8	4·5	–	–	–	–	–	–	Blackburn.
Preston	113,117	63	53	16	16	–	1	2	2	–	–	1	–	–	4	1	24·4	2·8	48·0	30·0	39·4	4·11	0·00	0·00	Preston.
Huddersfield	94,998	43	18	3	8	–	2	–	1	–	–	–	1	2	–	–	9·9	1·6	47·0	21·8	39·8	4·33	0·01	0·03	Huddersfield.
Halifax	105,113	36	28	10	9	–	5	–	–	–	–	–	1	2	6	3	13·9	2·5	–	–	–	–	–	–	Halifax.
Bradford	280,161	115	84	19	23	–	1	2	–	–	2	–	1	7	9	–	15·6	0·9	48·8	22·0	39·3	4·06	0·00	0·00	Bradford.
Leeds	430,489	240	162	40	40	–	6	3	–	4	3	–	7	14	26	–	19·6	1·9	–	–	–	–	–	–	Leeds.
Sheffield	382,129	258	150	45	29	–	12	1	3	–	4	1	2	5	24	–	20·5	2·9	–	–	–	–	–	–	Sheffield.
Hull	241,622	157	83	28	22	–	–	–	–	1	3	–	4	7	13	–	17·9	0·9	–	–	–	–	–	–	Hull.
Sunderland	146,937	106	56	13	13	–	–	1	–	1	1	–	2	4	12	–	19·9	1·1	–	–	–	–	–	–	Sunderland.
Gateshead	110,492	79	34	9	7	–	–	–	–	–	–	–	–	–	6	2	16·0	–	–	–	–	–	–	–	Gateshead.
Newcastle	215,516	139	96	18	29	–	2	3	1	2	–	–	4	9	20	1	23·2	1·9	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2480	2381	2405	2550	2159	2530	2459	2575	2439	2338	2522·1	2460
Males - -	1264	1237	1199	1280	1081	1324	1253	1358	1259	1191	1290·9	1234
Females - -	1216	1144	1206	1270	1078	1206	1206	1217	1180	1147	1231·2	1226
TOTAL **Deaths** -	1715	1451	2235	1347	1455	1596	1725	1569	1695	1572	1696·9	1785
Males - -	850	735	1150	700	745	846	836	797	879	804	865·3	910
Females - -	865	716	1085	647	710	750	889	772	816	768	831·6	875

* The numbers in this column are the average weekly numbers in the forty-eighth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	13 Week
TOTAL **Births** -	2582	2442	2355	2581	2499	2670	2389	2655	2737	2437	2574	2519	2460	32906
TOTAL **Deaths** -	1471	1398	1360	1304	1280	1309	1394	1404	1516	1688	1744	1939	1785	19599
Ages at Death: Under 1 year -	543	435	370	345	341	329	324	308	368	368	441	438	415	5025
1—5 years -	137	118	146	156	115	160	139	148	167	209	208	247	225	2177
5—20 " -	80	80	81	87	71	78	86	81	77	86	88	101	99	1095
20—40 " -	157	166	176	171	181	183	209	182	204	227	202	228	201	2487
40—60 " -	256	258	264	251	257	261	278	320	288	353	335	378	330	3829
60—80 " -	243	270	262	233	270	251	280	316	339	364	369	445	410	4052
80 yrs. & upwds.	55	71	61	61	45	47	78	49	73	81	101	102	105	929
Deaths from—														
Small-pox: Vaccd. -	4	4	1	1	–	–	6	2	5	7	6	10	10	56
Small-pox: Unvaccd. -	3	3	1	4	2	2	2	4	1	8	6	7	7	50
Small-pox: Not stated -	–	2	1	–	1	1	3	–	–	1	2	5	4	20
Measles - - -	13	13	19	13	14	14	22	21	24	38	60	50	54	353
Scarlet Fever - -	14	13	9	13	14	22	13	9	12	10	4	12	12	152
Diphtheria - -	20	28	27	34	30	54	33	26	36	33	35	37	40	433
Whooping-cough -	27	8	14	13	11	10	6	11	12	10	15	15	12	164
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	17	14	14	19	18	11	19	10	12	16	15	16	9	190
Simple Cont. Fever -	–	–	–	–	–	–	–	–	–	–	–	1	1	3
Diarrhœa, Dysentery	271	184	138	87	78	50	56	42	28	20	15	17	13	999
Cholera - - -	4	4	–	1	–	–	–	–	–	–	–	–	–	9
All above Diseases -	373	273	224	185	168	164	160	125	130	143	158	170	162	2433
Dis. of Resp. System	124	116	124	137	132	186	196	242	327	445	477	582	534	3629
Phthisis - - -	124	129	147	139	155	136	143	177	167	181	163	191	118	1970
Dis. of Circ. System -	142	131	133	101	119	122	146	158	132	167	159	175	189	1870
Violence - - -	45	48	75	59	52	49	56	55	75	69	59	71	62	778
Inquest Cases - -	120	119	133	118	124	117	145	123	173	181	176	176	188	1893
Deaths in Institutions	462	484	503	480	441	440	449	489	547	564	497	606	578	6540
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	56·4	59·4	56·8	58·7	57·3	50·7	51·5	44·6	49·0	39·5	41·6	43·7	39·2	49·[illegible]
Mean of Highest -	65·1	68·2	65·6	68·3	67·0	57·9	59·0	53·6	55·3	46·4	45·9	48·5	44·3	57·[illegible]
Mean of Lowest -	47·8	53·5	48·9	50·5	49·3	43·6	43·9	36·4	42·6	33·8	37·6	37·7	33·7	43·[illegible]
Mean Humidity of the Air.	66	83	81	81	85	82	84	90	76	91	80	80	82	8[illegible]
Rain-fall (in inches) -	0·00	0·25	1·10	0·00	1·24	0·19	1·10	0·03	0·02	0·00	0·39	0·24	0·03	4·5[illegible]
Registered Sunshine (in hours).	52·3	17·0	19·8	21·3	27·8	20·3	26·0	12·8	38·4	7·3	5·4	10·3	9·6	268[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean
Small-pox - -	92	137	153	163	169	175	172	180	284	297	368	396	427	23[illegible]
Scarlet Fever - -	2994	3064	3098	3151	3159	3280	3344	3353	3392	3331	3353	3336	3278	324[illegible]
Diphtheria - -	1365	1417	1465	1512	1539	1522	1546	1588	1585	1539	1556	1509	1516	151[illegible]
Typhus - - -	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Enteric Fever - -	254	262	290	292	296	307	288	286	291	270	269	269	245	27[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-EIGHTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 48th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 30th November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1696·9	1785	115	225	99	201	330	410	105
Small-pox { Vaccinated† -	0·2	10	1	-	-	7	2	-	-
Small-pox { Unvaccinated -	0·1	7	1	5	1	-	-	-	-
Small-pox { No Statement -	0·1	4	-	-	-	1	2	1	-
Measles - - - -	51·3	54	10	39	5	-	-	-	-
Scarlet Fever - - -	19·0	12	-	4	7	1	-	-	-
Typhus - - - -	0·2	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	18·4	7	2	-	-	2	2	1	-
Whooping-cough - -	30·7	12	4	8	-	-	-	-	-
Diphtheria - - -	49·9	40	2	21	16	-	-	1	-
Simple Continued and Ill-defined Fever -	0·1	1	-	-	1	-	-	-	-
Enteric Fever - - -	20·1	9	-	-	1	6	2	-	-
Cholera and Chol. Diarr.	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	15·5	13	7	3	-	-	-	2	1
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·6	-	-	-	-	-	-	-	-
Venereal Affections - -	9·0	6	6	-	-	-	-	-	-
Erysipelas - - -	6·1	3	-	-	-	1	1	1	-
Pyæmia and Septicæmia	2·8	4	-	-	2	1	1	-	-
Puerperal Fever - -	5·4	8	-	-	-	7	1	-	-
Other Zymotic Diseases -	1·7	1	-	-	-	-	1	-	-
Thrush - - - - -	0·5	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·1	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	2·3	4	4	-	-	-	-	-	-
Alcoholism - - -	10·3	16	-	-	-	6	9	1	-
Rheumatic Fever, Rheumatism of Heart	7·8	9	-	-	3	3	2	1	-
Rheumatism - - -	1·3	-	-	-	-	-	-	-	-
Gout - - - - -	3·5	1	-	-	-	-	1	-	-
Rickets - - - -	3·9	5	1	4	-	-	-	-	-
Cancer - - - -	66·7	88	-	-	-	7	42	36	3
Tabes Mesenterica - -	14·5	5	2	2	1	-	-	-	-
Tubercular Meningitis -	21·3	21	6	11	4	-	-	-	-
Phthisis - - - -	158·5	118	1	1	11	51	45	9	-
Scrofula, Tuberculosis -	20·1	11	3	4	1	2	1	-	-
Other Constitutional Diseases - -	14·4	9	-	-	-	2	-	7	-
Premature Birth - -	53·5	44	44	-	-	-	-	-	-
Atelectasis - - -	4·5	6	6	-	-	-	-	-	-
Congenital Malformations - - -	8·7	11	8	2	1	-	-	-	-
Old Age - - - -	50·4	80	-	-	-	-	-	34	46
Apoplexy - - - -	49·4	37	-	-	-	2	11	21	3
Epilepsy - - - -	8·0	5	-	-	-	-	4	1	-
Convulsions - - -	37·9	34	31	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	78·5	78	6	7	6	10	14	30	5
Diseases of Organs of Special Sense -	4·3	4	1	1	2	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 48th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 30th November, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	139·9	189	2	1	14	25	57	84	6
Croup - - - -	2·7	-	-	-	-	-	-	-	-
Bronchitis - - -	248·3	303	95	30	3	6	41	101	27
Pneumonia - - -	144·7	185	61	58	6	14	21	23	2
Pleurisy - - - -	5·6	6	1	-	-	1	4	-	-
Other Diseases of Respiratory System -	27·6	40	10	1	1	4	12	9	3
Dentition - - -	5·9	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	1·1	1	-	-	-	1	-	-	-
Enteritis - - - -	12·7	12	2	2	2	3	-	3	-
Gastro-enteritis - -	1·6	9	6	3	-	-	-	-	-
Peritonitis - - -	5·9	8	1	1	-	1	3	2	-
Diseases of Liver - -	26·9	19	1	-	1	1	9	7	-
Other Diseases of Digestive System	32·1	40	8	-	5	6	9	10	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	3	-	1	-	-	1	1	-
Diseases of Urinary System - -	48·4	46	1	1	1	7	17	13	6
Diseases of Generative System - -	6·2	4	-	-	-	1	3	-	-
Accidents of Childbirth -	5·6	5	-	-	-	5	-	-	-
Diseases of Locomotive System - -	5·2	6	-	-	1	2	2	1	-
Diseases of Integumentary System - -	7·4	9	4	1	1	1	1	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	3·0	2	-	-	-	1	1	-	-
By Vehicles or Horses -	4·8	3	-	1	-	1	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·8	1	-	-	-	-	-	1	-
In Building Operations -	0·4	-	-	-	-	-	-	-	-
In Conflagrations - -	0·8	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	8·4	14	1	8	2	2	-	1	-
By Drowning - - -	4·7	3	-	-	-	2	1	-	-
By Suffocation in Bed -	13·8	12	12	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·6	3	1	-	-	1	1	-	-
Other or not stated causes - - -	18·1	15	3	-	-	2	3	6	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·9	3	3	-	-	-	-	-	-
Suicide - - - -	6·8	6	-	-	-	3	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	49·8	54	52	-	-	2	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide. All such cases are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th November, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,063	2460	1785	415	515	21	54	12	40	12	–	9	1	13	62	188	578	2
WEST DISTRICTS	805,275	377	332	65	112	–	16	–	6	1	–	2	1	4	11	33	108	–
NORTH DISTRICTS	1,056,018	542	342	68	125	–	11	2	8	–	–	1	–	1	8	32	90	–
CENTRAL DISTRICTS	209,432	122	76	21	16	–	–	–	2	1	–	–	–	1	5	10	26	–
EAST DISTRICTS	715,772	471	324	86	78	–	6	–	4	4	–	2	–	3	17	58	121	–
SOUTH DISTRICTS	1,749,566	948	645	173	173	1	21	8	14	6	–	4	–	4	21	55	167	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	66	2	11	20	–	2	6	–	–	–	–	–	–	–	66	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	51	36	8	16	–	1	–	–	1	–	–	–	–	–	3	7	–
St. John Paddington *H* – G.	33,608	10	16	–	5	–	–	–	–	–	–	–	–	–	1	4	7	–
North-West Paddington – C.	17,181	7	9	–	2	–	–	–	2	–	–	–	–	–	1	1	–	–
Kensington Town *Ww* – W. & C.	128,025	72	70	17	22	–	8	–	–	–	–	–	–	–	2	7	28	–
Brompton *HH* – W. & C.	48,598	5	10	2	2	–	–	–	–	–	–	–	–	–	2	3	2	–
North Hammersmith *H*	49,335	29	13	2	3	–	4	–	–	–	–	–	–	–	–	1	–	–
South Hammersmith *wH* W. & G.	62,910	32	18	3	7	–	–	–	–	–	–	–	–	–	1	1	2	–
North-west Fulham *W*	45,180	37	32	10	8	–	1	–	1	–	–	–	–	1	–	–	13	–
North-east Fulham *H* W. & C.	46,404	27	11	–	1	–	1	–	1	–	–	1	1	–	–	–	2	–
South Fulham	45,705	22	17	5	7	–	–	–	–	–	–	–	–	–	1	2	–	–
Chelsea North *WwHHH* – C.	42,515	19	25	2	13	–	–	–	–	–	–	–	–	1	–	–	19	–
Chelsea South *HH* – C.	31,341	13	16	7	6	–	–	–	1	–	–	–	–	1	1	3	4	–
May Fair and Knightsbridge *H* C.&G.	28,744	5	7	1	3	–	–	–	–	–	–	–	–	–	1	4	–	–
Belgrave *WHH* – C.	55,812	19	20	3	8	–	–	–	1	–	–	–	–	–	–	1	7	–
St. Margaret & St. John Westminster *HHHH* – C.	43,665	17	20	3	4	–	1	–	–	–	–	1	–	–	–	2	12	–
St. James Westminster *WH* N. & G.	21,595	7	9	2	4	–	–	–	–	–	–	–	–	–	1	1	4	–
St. Anne Soho *HHHHH* – N.	11,492	5	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* – W.	35,394	10	13	2	3	–	–	–	–	–	–	–	–	–	–	1	4	–
Rectory Marylebone *W* G. & W.	19,869	5	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Mary Marylebone *HHHH* G. & W.	18,099	40	5	–	1	–	–	–	1	–	–	–	–	–	1	1	1	–
Christchurch Marylebone *H* – W.	39,541	16	10	4	2	–	–	–	–	–	–	–	–	1	–	3	–	–
St. John Marylebone *HHH* – W.	20,426	7	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WHHHHHH* – N. & W.	81,942	30	25	3	6	–	–	2	1	–	–	1	–	–	1	1	11	–
Regent's Park *H* – W.	50,647	26	12	2	8	–	–	–	–	–	–	–	–	–	–	–	–	–
Tottenham-court *wHHHHHH* – N. & W.	24,814	11	18	4	5	–	–	–	1	–	–	–	–	–	1	1	11	–
Gray's Inn Lane *HHHH* – N.	30,886	9	11	1	5	–	–	–	–	–	–	–	–	–	–	–	1	–
Somers Town *HH* – N.	30,131	18	10	3	2	–	1	–	–	–	–	–	–	–	–	2	2	–
Camden Town *WH* – N.	40,079	24	14	1	10	–	–	–	–	–	–	–	–	–	1	2	11	–
Kentish Town *WW* – N.	58,727	44	19	6	6	–	1	–	–	–	–	–	–	–	–	2	4	–
Tufnell *W*		16	18	6	9	–	–	–	–	–	–	–	–	–	–	–	5	–
Upper Holloway *WWwHH* – N.	99,841	17	19	3	6	–	–	–	–	–	–	–	–	–	1	1	14	–
Tollington *W*		11	6	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Lower Holloway – N.	41,411	19	18	7	4	–	3	–	–	–	–	–	–	–	–	1	–	–
Barnsbury – N.	54,479	32	17	2	2	–	4	–	2	–	–	–	–	–	–	1	1	–
Islington South-east *H* – N.	75,402	38	16	–	11	–	–	–	–	–	–	–	–	–	–	–	–	–
Highbury *HH* – N.	63,795	35	18	8	6	–	1	–	–	–	–	–	–	–	1	3	–	–
Stoke Newington *H* – N.	51,247	30	21	3	10	–	–	–	–	–	–	–	–	–	–	2	1	–
North Hackney – E. & N.	50,570	20	7	1	3	–	–	–	–	–	–	–	–	–	1	2	–	–
Central Hackney *wH* – E. & N.	50,535	25	16	4	8	–	–	–	3	–	–	–	–	–	1	4	3	–
South-west Hackney *HHH* E. & N.	59,929	21	15	1	5	–	–	–	–	–	–	–	–	–	–	1	7	–
South-east Hackney *WwH* E. & N.	58,254	28	30	6	10	–	–	–	–	–	–	–	–	–	–	2	15	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *h*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

On 1st August the Sub District of Upper Holloway was divided into three new Sub-Districts entitled Tufnell, Upper Holloway, and Tollington respectively.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles North *H* - - - N.	8,959	2	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Martin-in-the-Fields *HH* N.&C.	12,975	4	7	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand *WHH* - - - - N.	8,694	3	6	-	2	-	-	-	-	-	-	-	-	-	1	2	2	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHHH* - - N.	29,579	15	14	5	2	-	-	-	1	1	-	-	-	-	-	1	8	-
St. James Clerkenwell - - N.	15 634	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell - - - - - N.	32,691	14	7	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Goswell-street - - - - N.	15,390	8	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Finsbury* *HHHL* - - - N.	35,376	43	18	10	2	-	-	-	-	-	-	-	-	-	1	3	2	-
Holborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N. & E.	11,036	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	7,886	3	11	-	2	-	-	-	-	-	-	-	-	1	2	2	11	-
Allhallows Barking - - - N.	8,717	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *wH* - - N.	29,761	18	17	7	4	-	-	-	1	1	-	-	-	-	1	2	3	-
Hoxton Old Town - - - N.	26,510	23	9	2	4	-	-	-	-	-	-	-	-	-	1	3	-	-
Haggerston *W* - - - N & E.	46,064	33	25	4	10	-	-	-	-	-	-	-	-	-	-	-	17	-
Bethnal Green North *HH* - E.	51,513	28	17	7	-	-	2	-	-	-	-	-	-	-	1	2	3	-
Bethnal Green South - - E.	33,473	17	10	5	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Bethnal Green East *W WHl* - E.	44,695	24	32	5	12	-	-	-	-	-	-	1	-	-	2	5	21	-
Spitalfields - - - E. & N.	27,965	21	11	3	3	-	-	-	-	1	-	-	-	-	1	4	-	-
Mile End New Town *WH* - E.	28,711	19	39	8	5	-	-	-	-	-	-	1	-	-	5	9	35	-
Goodman's Fields - - - E.	22,082	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	40,965	29	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John *W* - - - - E.	8,122	4	5	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Shadwell *H* - - - E. & N.	10,760	7	10	2	-	-	-	-	2	-	-	-	-	-	1	2	5	-
Ratcliff *W* - - - - E.	14,770	11	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Limehouse - - - - - E.	32,358	16	10	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town West *H* - E.	59,467	43	14	6	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town East *WWw* - - - - E.	53,348	46	23	8	6	-	-	-	-	-	-	-	-	-	1	2	9	-
Bow *l* - - - - - E.	41,990	35	16	5	4	-	-	-	1	1	-	-	-	1	-	4	1	-
Bromley *wwwH* - - - E.	68,326	45	39	5	14	-	-	-	-	-	-	-	-	-	2	14	25	-
Poplar *Ww* - - - - E.	58,522	33	27	9	6	-	2	-	-	-	-	-	-	2	1	5	-	-

* The Sub-District of City Road was united to that of Finsbury on 1st August.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th November, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	2	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	7	14	–	1	–	–	–	–	–	–	–	–	–	1	3	12	–
Kent-road - - - S. & L.	21,899	15	7	5	–	–	–	–	–	1	–	–	–	–	1	1	–	–
Borough-road *WH* - S. & L.	16,882	15	10	7	–	–	2	–	–	–	–	–	–	–	–	1	6	–
London-road *HL* - L. & S.	22,209	10	7	3	3	–	–	–	–	–	–	–	–	–	2	4	–	–
Trinity Newington *H* - S. & L.	28,485	16	7	3	3	–	–	–	–	–	–	–	–	–	–	2	–	–
St. Peter Walworth *W*- S. & L.	61,773	31	13	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Mary Newington - L. & S.	31,592	16	10	5	2	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Olave *W* - - - - S.	9,813	2	3	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–
Bermondsey *WH*- - - S.	82,405	68	30	11	5	–	–	1	–	–	–	–	–	–	1	1	–	–
Rotherhithe *WH* - - S. & K	38,268	34	21	3	7	1	–	–	–	–	–	–	–	–	1	2	12	–
Waterloo-road *HH* - L. & S.	27,435	22	13	5	1	–	–	–	–	–	–	–	–	–	–	2	2	–
Lambeth Church 1st *H* L. & S.	18,420	14	20	2	3	–	3	–	1	1	–	–	–	–	1	1	12	–
Lambeth Church 2nd *WW* L. & S.	39,818	39	31	9	8	–	–	–	–	–	–	–	–	1	1	–	18	–
Kennington 1st *H* - S. & L.	53,196	40	21	3	8	–	2	1	–	–	–	–	–	–	1	2	–	–
Kennington 2nd - - S. & L.	42,891	23	8	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *H* - - - L. & S.	84,226	30	31	8	13	–	–	1	2	–	–	–	–	–	–	1	3	1
Norwood *WH* - - - L.	35,887	12	9	3	1	–	2	–	–	–	–	–	–	–	1	1	2	–
East Battersea - - - S.	72,201	37	20	6	7	–	3	–	–	–	–	–	–	–	–	2	–	–
North-west Battersea - - S.	49,650	25	13	4	3	–	–	–	–	–	–	–	–	–	1	4	–	–
South-west Battersea *WH* - S.	47,045	21	32	5	11	–	4	–	–	1	–	–	–	–	1	4	22	–
Clapham *H* - - - - S.	51,353	27	10	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Streatham *WwwHHL* - L.	88,129	44	21	6	4	–	–	2	2	–	–	–	–	–	–	2	4	–
Wandsworth *WHL* - - S.	68,409	31	22	9	7	–	–	–	–	1	–	–	–	–	–	2	1	–
Putney - - - - - S.	24,139	10	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich - - - - L. & S.	10,246	1	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Camberwell *Wwll* - S. & L.	90,404	49	49	5	20	–	–	–	–	–	–	1	–	1	1	4	23	–
Peckham *Ww* - S., L., & K.	93,022	46	24	9	8	–	–	–	1	–	–	–	–	1	–	1	–	–
St. George Camberwell - L. & S.	65,586	37	22	7	3	–	–	–	–	–	–	1	–	–	2	3	–	–
Deptford North - - - K.	37,601	27	14	7	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Deptford Central *H* - - K.	45,621	25	19	9	3	–	–	1	2	–	–	1	–	–	–	–	5	–
Deptford South - - - K.	34,622	13	8	1	4	–	–	–	–	–	–	–	–	–	3	3	–	–
Greenwich West *H* - - K.	23,456	9	8	1	3	–	–	–	–	–	–	–	–	–	–	1	1	–
Greenwich East *WH* - - K.	43,849	21	24	4	11	–	–	–	–	–	–	–	–	–	1	1	13	–
Eltham *wH* - - - - K.	7,218	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	4	9	1	2	–	–	–	–	–	–	–	–	–	–	–	4	–
Lewisham *WwH* - - - K.	58,341	39	23	4	6	–	–	–	2	–	–	–	–	1	1	1	12	–
Sydenham *H* - - - L.	43,630	17	11	5	4	–	–	–	–	1	–	–	–	–	–	–	–	–
Charlton *HHH* - - - K.	21,121	12	11	1	2	–	–	2	4	–	–	1	–	–	–	1	9	–
Woolwich *HHHH* - - K.	41,607	22	11	5	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *H* - - K.	18,076	12	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	20	25	7	7	–	2	–	–	–	–	–	–	–	–	–	5	1
London County Asy., Banstead -	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–
London County Asy., Epsom -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Met. Asy. for Imbeciles, Caterham	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Cane Hill -	—	–	8	–	4	–	–	–	–	–	–	–	–	–	–	–	8	–
M.A.B. Ships and Hosp., Dartford	—	–	21	2	–	20	–	–	–	–	–	–	–	–	–	–	21	–
Met. Asy. for Imbeciles, Darenth -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asylum, Dartford Heath - - - - -	—	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–
London County Asylum, Hanwell	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–
Central London Sick Asy., Hendon	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Colney Hatch	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
M.A.B. North-Eastern Hospital -	—	–	8	–	–	–	–	2	6	–	–	–	–	–	–	–	8	–
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asylum, Claybury	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th November, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1173	615	172	165	2	10	5	23	6	6	8	24	45	94	3
30 : 1	Carshalton *H*	12,228	32,997	13	8	1	3	–	–	–	–	–	–	–	–	2	–	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	11	5	1	2	–	–	–	–	1	–	–	–	–	4	–
37 : 1	Godstone, *part of** *W*	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH*	20,851	164,519	78	49	11	19	–	1	1	1	–	–	–	1	6	10	–
2	Mitcham *w*	11,689	29,906	19	7	1	1	–	1	–	–	–	–	–	1	1	–	–
39 : 1	Wimbledon *HHH*	3,221	41,604	23	10	1	2	–	–	–	–	–	–	–	1	2	1	–
2	Kingston *WH*	6,224	42,067	20	16	–	4	–	1	–	2	–	–	–	–	–	5	–
3	Surbiton *HH*	3,046	15,019	4	4	–	3	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H*	5,402	13,003	5	6	2	1	–	–	–	1	–	–	–	–	1	–	–
5	Hampton *HL*	4,564	23,447	7	8	5	3	–	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WHH*	2,162	28,871	6	5	–	2	–	–	–	2	–	–	–	–	–	2	–
2	Mortlake *H*	2,847	20,628	11	3	–	–	–	–	–	–	–	–	–	–	1	–	–
41 : 1	Bromley *HHH*	4,703	27,358	12	3	1	–	–	–	–	–	–	1	–	–	–	1	–
2	Beckenham *H*	7,825	28,499	15	8	7	–	–	–	–	–	1	–	–	–	–	–	–
3	Orpington, *part of** *W*	10,113	9,857	5	4	–	4	–	–	–	–	–	–	–	1	1	2	1
4	Chislehurst *HH*	7,333	16,458	9	6	–	2	–	–	–	–	–	–	–	–	–	2	–
42 : 1	Bexley *HHH*	12,532	46,445	40	10	4	2	–	–	–	–	–	–	–	2	2	–	–
2	Dartford *WH, part of**	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–
124 : 1	Sunbury *w*	11,054	18,682	13	9	4	1	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13,277	15,179	9	3	–	1	–	–	–	–	–	–	–	–	–	–	1
125 : 1	Hillingdon *WHH*	6,035	13,661	9	7	1	4	–	–	–	1	–	–	–	–	–	2	–
2	Uxbridge	12,757	8,984	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	8,066	16,358	5	4	–	–	–	–	–	–	–	–	–	–	1	–	–
126 : 1	Isleworth *WHH*	6,859	30,838	9	15	1	7	–	–	–	–	–	–	1	–	–	8	–
2	Twickenham *HH*	2,421	20,991	5	4	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Brentford *HHHH*	4,319	48,298	19	23	4	4	–	3	–	1	–	–	–	1	1	1	–
4	Chiswick	1,249	29,809	13	4	–	3	–	–	–	–	–	–	–	–	–	–	–
5	Acton *wHH*	6,132	48,913	23	11	1	5	–	–	–	–	–	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13,809	25,522	11	3	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6,994	4,520	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,384	114,815	69	39	13	10	–	–	1	3	–	–	2	2	2	–	–
4	Hendon *WH*	8,382	22,450	15	6	2	2	–	–	–	–	–	–	–	–	1	1	–
128 : 1	South Mimms *HH*	17,755	7,308	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–
2	Barnet *WHH*	3,324	17,970	9	7	1	4	–	–	–	–	–	–	–	–	–	1	–
3	Finchley *HHH*	4,688	33,692	10	7	1	2	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey *HH*	2,875	72,056	28	13	4	5	–	–	–	–	–	–	–	–	1	–	–
2	Tottenham *HHH*	4,638	136 702	96	42	13	9	–	1	–	–	1	–	–	2	3	5	–
3	Edmonton *Ww*	7,491	61,892	50	17	5	6	–	–	–	–	–	–	–	1	1	4	–
4	Enfield *WWHH*	12,601	42,738	27	12	5	1	–	–	–	–	–	1	–	1	1	1	–
5	Waltham Abbey	11,017	6,547	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12,288	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9,333	9,173	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WLH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1,072	44,825	31	20	9	3	–	–	–	–	1	–	–	2	2	2	–
2	Plaistow *HHH*	1,249	90,920	75	42	17	4	–	–	1	7	1	–	1	1	3	8	–
3	Canning Town *H*	1,556	70,666	51	27	11	2	–	1	–	1	–	–	2	2	3	2	–
4	Forest Gate *w*	806	60,897	34	8	3	4	–	–	–	–	–	1	–	–	–	–	–
5	East Ham *wHHH*	3,268	95,970	74	36	17	8	–	–	–	2	1	–	–	–	1	–	–
6	Wanstead	1,737	9,198	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*	631	50,458	30	36	9	12	–	2	–	1	–	1	–	–	1	19	–
8	North Leyton *WwH*	1,963	48,441	34	15	4	6	–	–	1	–	–	–	–	3	3	1	–
9	Walthamstow *HHHL*	6,504	108,931	65	17	5	4	–	–	–	–	–	1	1	2	2	1	–
187 : 1	Chigwell, *part of** *LHHH*	11,778	16,403	10	3	1	–	–	–	–	–	–	–	–	–	1	–	–
2	Epping *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** *W*	6,556	6,089	9	1	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Ilford *H*	8,496	41,240	27	7	1	3	–	–	–	–	–	–	–	–	1	–	–
3	Barking Town *H*	3,803	21,547	16	8	2	2	–	–	–	–	–	1	–	–	–	–	1
	Willesden Workhouse	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	3	–	1	–	–	–	–	–	–	–	1	1	3	–
	M.A.B. Hospital Ship, Dartford.	—	—	–	2	–	–	2	–	–	–	–	–	–	–	–	2	–
	North-Eastern Fever Hospital, Tottenham.	—	—	–	3	–	–	–	–	1	1	–	–	–	–	–	3	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 30th November, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	**443,419**	**6,604,287**	**18·9**	**1·8**	**2400**	**587**	**680**	**23**	**64**	**17**	**63**	**18**	**16**	**21**	**86**	**672**
INNER LONDON	74,839	4,543,757	20·5	1·9	1785	415	515	21	54	12	40	12	10	13	62	578
OUTER RING	368,580	2,060,530	15·6	1·5	615	172	165	2	10	5	23	6	6	8	24	94

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH	317,885	November 30	131	123	20·2	–	1	1	–	–	–	1
GLASGOW	764,423	„ 30	425	355	24·2	–	23	2	5	7	6	11
DUBLIN†	375,076	„ 30	216	135	18·8	–	–	1	–	1	1	4
BELFAST†	350,862	„ 30	195	131	19·5	–	3	–	1	4	5	4
CALCUTTA	466,460	October 19	–	294	32·8	–	–	–	–	–	84‡	55§
BOMBAY	770,843	November 12	318	751	50·3	1	–	?	?	?	308‡	58§
MADRAS	509,346	„ 1	432	653	66·6	–	1	?	?	?	255	127§
PARIS	2,511,629	„ 23	1018	1019	21·0	9	8	4	20*	4	3	38
BRUSSELS	582,665	„ 23	252	197	17·6	–	–	–	1*	1	1	16
AMSTERDAM	525,636	„ 16	301	129	12·7	–	–	–	–	3	2	8
ROTTERDAM	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN	378,235	November 23	201	101	13·9	–	–	–	–	4	2	4
STOCKHOLM	301,050	„ 16	106	101	17·4	–	–	–	3*	–	1	1
CHRISTIANIA	228,929	„ 23	128	53	12·0	–	–	–	1	–	–	2
ST. PETERSBURG	1,248,643	„ 16	734	485	20·3	–	17	18	20	5	19	43
MOSCOW	1,023,817	„ 16	–	474	24·1	–	2	15	11	4	8	35
BERLIN	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG	705,738	November 23	–	220	16·2	–	9	11	5*	3	1	4
DRESDEN	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH	500,000	November 23	–	189	19·7	–	–	–	1*	2	–	16
VIENNA	1,691,996	„ 23	859	589	17·9	–	2	1	8*	2	4	32
PRAGUE	389,741	„ 16	199	185	24·6	–	10	4	2	3	1	3
BUDA-PESTH	744,719	„ 23	439	244	17·0	–	3	5	3	1	2	14
TRIESTE	177,428	„ 23	106	67	19·5	–	–	–	1*	–	–	4
ROME	471,961	October 19	–	–	–	–	–	–	–	–	–	–
TURIN	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE	174,378	November 16	60	76	22·7	–	–	–	1*	–	1	6
CAIRO	570,062	October 14	406	326	29·7	1	2	–	11*	–	14	86
ALEXANDRIA	319,766	„ 14	212	213	34·6	–	1	–	4*	–	10‡	81
NEW YORK (including BROOKLYN)	3,536,517	November 2	1465	1054	15·6	4	4	6	29*	6	20	64
PHILADELPHIA	1,293,697	„ 9	–	365	14·7	8	–	2	12	3	7	–

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast, respectively.
§ Including 19 deaths from cholera in Calcutta, 3 in Bombay, and 32 in Madras.
‡ Including 10 deaths from plague in Calcutta, 189 in Bombay, and one in Alexandria.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th November, 1901.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 24	..	30·439	42·1	24·3	17·8	33·0	− 9·1	30·0	3·0	7·0	2·8	89	65·9	18·8	47·57	NW. & variable.	NNE., N. & NNW.	0·1	0·0	0·0	106	−192	0·00	0·0
MONDAY - 25	Perigee	30·428	41·8	30·4	11·4	35·3	− 6·7	28·9	6·4	10·8	3·1	77	57·2	17·8	47·11	NNW.	NNW., N. & NNE.	0·1	0·0	0·0	119	−178	0·00	0·0
TUESDAY - 26	Full	30·310	43·9	32·7	11·2	39·8	− 2·1	35·9	3·9	6·4	1·8	86	53·3	24·2	47·00	Variable & NNW.	NNW.	2·1	0·0	0·2	227	− 69	0·02	0·0
WEDNESDAY 27	Greatest Dec. N.	30·235	46·0	38·6	7·4	42·5	+ 0·9	39·2	3 3	5·7	0·2	88	53·5	33·2	46·66	N. & NNW.	NNW. & NW.	2·7	0·0	0·1	223	− 73	0·01	0·5
THURSDAY- 28	..	30·208	45·7	38·2	7·5	41·9	+ 0·6	33·9	8·0	10·1	1·6	73	65·9	29·1	46·09	WSW., NW. & NNW.	NNW. & WNW.	5·2	0·0	0·8	376	+ 79	0·00	2·5
FRIDAY - 29	..	30·323	43·8	32·2	11·6	37·6	− 3·4	32·6	5·0	8·6	3·2	82	49·1	24·3	45·88	WNW., W. & SW.	SW. & WSW.	2·8	0·0	0·2	292	− 6	0·00	0·0
SATURDAY- 30	..	30·259	46·7	39·6	7·1	44·0	+ 3·3	38·1	5·9	6·8	4·1	80	52·8	32·4	45·90	SW. & WSW.	WSW. & SW.	1·7	0·0	0·3	355	+ 56	0·00	0·0
MEANS - -		30·315	44·3	33·7	10·6	39·2	− 2·4	34·1	5·1	7·9	2·4	82	56·8	25·7	46·60	NNW. & SW.		..	..	..	Sum 1698	Sum −383	Sum 0·03	0·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 24	s. P. throughout.	3·3	8·4	Partially cloudy till 3h. A.M.; cloudless afterwards, with fog prevalent throughout the day. Hoar frost in morning and at night.
MONDAY - 25	s. P. throughout.	2·7	8·4	Cloudless till afternoon; cloudy afterwards. Fog and hoar frost in morning and at night.
TUESDAY - 26	s. P. and w. N. till 1h. A.M.; v. P. till 10h. A.M.; s. P. till 6h. P.M.; m. P. generally afterwards.	0·0	8·3	Generally overcast. Rain and sleet in early morning. Slight fog at night.
WEDNESDAY 27	w. P. till 3h. P.M.; s. P. afterwards.	0·0	8·3	Generally overcast. Slight fog in morning, with light shower at 3h. A.M.
THURSDAY- 28	m. P. till 10h. A.M.; s. P. afterwards.	2·8	8·3	Fine but generally cloudy.
FRIDAY - 29	s. P. throughout.	0·8	8·2	Fine, with large amounts of cloud, generally; cloudless in evening. Slight hoar frost in morning.
SATURDAY- 30	s. P. generally.	0·0	8·2	Generally overcast.
		Sum 9·6	Sum 58·1	
No. of Col.- -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·40 in. at the beginning of the week to 30·47 in. by 10h. A.M. on the 25th; decreased to 30·11 in. by 6h. A.M. on the 28th; increased to 30·34 in. by 10h. A.M. on the 29th; and decreased to 30·20 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd November 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	5	6	10	-	-	-	-	2	-
Kensington	176,787	1	13	7	-	1	-	-	4	-
Hammersmith	112,619	2	3	4	-	3	-	-	5	-
Fulham	138,426	-	21	11	-	2	-	-	1	-
Chelsea	73,879	-	3	1	-	-	-	-	3	-
City of Westminster	182,502	9	11	3	-	5	-	-	2	-
NORTH.										
St. Marylebone	133,060	5	10	7	-	3	-	-	4	-
Hampstead	82,287	1	2	2	-	2	-	-	3	-
St. Pancras	235,297	13	14	16	-	7	1	-	8	1
Islington	335,325	7	42	26	-	3	-	-	7	-
Stoke Newington	51,328	-	8	6	-	1	-	-	-	-
Hackney	219,780	1	32	26	-	5	1	-	7	1
CENTRAL.										
Holborn	59,205	16	6	7	-	1	-	-	1	-
Finsbury	101,263	8	7	5	-	3	-	-	3	-
City of London	26,627	-	-	2	-	1	-	-	-	-
EAST.										
Shoreditch	118,554	2	6	9	-	1	-	-	3	-
Bethnal Green	129,700	2	13	9	-	4	-	-	5	-
Stepney	298,884	11	29	25	-	9	-	-	7	1
Poplar	168,887	7	21	12	-	7	-	-	5	-
SOUTH.										
Southwark	206,219	17	25	17	-	6	-	-	7	1
Bermondsey	130,348	6	18	7	-	-	-	-	8	-
Lambeth	302,460	8	26	8	-	6	-	-	5	-
Battersea	169,364	4	11	11	-	4	-	-	4	-
Wandsworth	233,943	-	28	26	-	1	-	-	10	-
Camberwell	259,897	5	49	14	-	3	-	-	4	-
Deptford	110,732	2	19	11	-	1	-	-	3	-
Greenwich	96,188	2	14	1	-	1	-	-	4	-
Lewisham	128,423	-	6	10	-	1	-	-	4	-
Woolwich	117,619	6	5	1	-	-	-	-	2	-
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	140	448	294	-	81	2	-	121	4
Ages 0-1		3	5	6	-	1	-	-	6	-
,, 1-5		9	131	101	-	3	-	-	1	-
,, 5-		13	176	89	-	8	-	-	5	-
,, 10-		9	78	29	-	19	-	-	6	-
,, 15-		15	32	17	-	9	1	-	7	-
,, 20-		24	13	21	-	7	-	-	6	2
,, 25-		34	10	20	-	17	1	-	11	2
,, 35-		23	1	6	-	13	-	-	33	-
,, 45-		8	2	4	-	3	-	-	25	-
,, 55-		1	-	1	-	1	-	-	14	-
,, 65 and upwards		1	-	-	-	-	-	-	7	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·32 inches, and that of the Thermometer 39°·2; the latter being 2°·4 below the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 18 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 9·6 hours; the measured rainfall amounted to 0·03 inch.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 49. 1901. VOL. LXII.] WEEK ENDED SATURDAY, DEC. 7. [Price 1½*d*.

General Register Office, Somerset House,
December 9th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·5 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 19·4, 21·3, and 20·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.		Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
33 Great Towns	19·4	21·3	20·3	19·5	Leicester - -	12·3	22·1	18·9	15·5
Birkenhead -	15·5	15·5	25·8	18·3	Liverpool - -	19·6	20·4	20·1	22·5
Birmingham -	21·6	19·7	26·3	21·7	London - - -	20·0	22·3	20·5	19·5
Blackburn -	21·2	19·2	18·8	28·6	Manchester - -	23·9	22·7	24·6	23·0
Bolton - -	19·8	19·8	19·5	19·5	Newcastle-on-Tyne	16·0	21·5	23·2	17·7
Bradford -	16·0	20·8	15·6	15·3	Norwich - -	28·4	28·4	23·3	29·3
Brighton -	17·3	22·3	18·1	19·4	Nottingham - -	13·7	20·0	20·6	20·2
Bristol - -	16·6	20·9	20·2	16·0	Oldham - -	22·4	25·0	28·5	23·9
Burnley -	16·6	24·7	13·9	19·8	Plymouth - -	21·7	15·9	13·0	17·9
Cardiff - -	18·9	19·2	18·3	19·6	Portsmouth - -	19·2	17·3	15·1	14·0
Croydon -	11·2	14·7	15·1	13·6	Preston - -	27·2	23·5	24·4	18·0
Derby - -	16·7	14·7	12·3	14·3	Salford - - -	22·8	25·4	20·9	21·7
Gateshead -	17·5	17·5	16·0	16·0	Sheffield - -	22·7	23·3	20·5	19·5
Halifax -	12·4	12·9	13·9	15·9	Sunderland - -	19·2	21·3	19·9	17·7
Huddersfield-	15·4	12·6	9·9	15·4	Swansea - -	13·2	16·5	22·0	20·9
Hull - -	15·1	20·7	17·9	17·7	West Ham - -	20·4	20·4	21·5	19·0
Leeds - -	18·3	20·2	19·6	19·6	Wolverhampton -	16·6	28·2	12·1	19·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Sheffield, 1·6 in Manchester, 3·0 in Oldham, 3·5 in Halifax, 6·5 in Blackburn, and 7·0 in Norwich; from *scarlet fever*, 1·2 in Birmingham; from "*fever*," 1·0 in Plymouth; and from *diarrhœal diseases*, 1·1 in Swansea, in Nottingham, and in Burnley. In none of the thirty-three towns did the death-rate from *whooping-cough* reach per 1,000. The 70 deaths from *diphtheria* included 36 in London 5 in Liverpool, 4 in Sheffield, 3 in West Ham, and 3 in Bristol. Sixteen deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2374 BIRTHS and 1698 DEATHS were registered. Allowing for increase of population, the births were 152, and the deaths 61, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·0, 22·3, and 20·5 in the preceding three weeks, further fell last week to 19·5.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10453—670—12/1901 Wt 45 D & S 3 3 C

During the four weeks ended on Saturday last the death-rate averaged 20·6 per 1000, being 1·2 per 1000 above the mean rate in the corresponding periods of the ten years 1891–1900.

The 1698 deaths included 16 from small-pox, 40 from measles, 10 from scarlet fever, 36 from diphtheria, 11 from whooping-cough, 10 from enteric fever, 10 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 133 deaths were referred to these diseases, being 62 below the corrected average weekly number.

The deaths from *small-pox*, which had been 14, 22, and 21 in the preceding three weeks, fell again last week to 16; 3 cases belonged to the Borough of Holborn, 2 to Westminster, 2 to St. Pancras, and 1 each to Hammersmith, Islington, Stoke Newington, Finsbury, Stepney, Southwark, Lambeth, Wandsworth, and Greenwich. In Table 4, the deaths are arranged according to ages, under the separate headings "Vaccinated," "Unvaccinated," and "No Statement." Among the cases which are classed as "Vaccinated," is that of an infant, aged 18 days, who had been vaccinated during the incubation period. The deaths from *measles*, which had been 60, 50, and 54 in the preceding three weeks, fell again last week to 40, and were 11 below the corrected average; 8 cases belonged to Islington, 7 to Kensington, and 5 to Hammersmith. The deaths from *scarlet fever*, which had been 4, 12, and 12 in the preceding three weeks, fell again last week to 10, and were 10 below the corrected average; 2 cases belonged to Kensington. The deaths from *diphtheria*, which had been 35, 37, and 40 in the preceding three weeks, fell again last week to 36, and were 20 below the corrected average; 7 cases belonged to Fulham, 4 to Finsbury, 3 to Islington, and 3 to Hackney. The deaths from *whooping-cough*, which had been 15, 15, and 12 in the preceding three weeks, were 11 last week, the corrected average being 34. The fatal cases of *enteric fever*, which had been 15, 16, and 9 in the preceding three weeks, were 10 last week, the corrected average being 20; 2 cases belonged to Westminster, 2 to Islington, and 2 to Lambeth. The deaths from *diarrhœal diseases*, which had been 15, 17, and 13 in the preceding three weeks, further fell last week to 10, and were 4 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 477, 582, and 534 in the preceding three weeks, further fell last week to 470, but were 33 above the corrected average. The deaths attributed directly to *influenza* numbered 12, having been 14, 11, and 7 in the preceding three weeks.

Different forms of *violence* caused 71 deaths, concerning all but 2 of which inquests were held. Of these 71 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 59 were attributed to accident or negligence. Twelve of these were referred to vehicles in the streets, 13 to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 9 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 474 cases of small-pox, 3241 of scarlet fever, 1460 of diphtheria, and 243 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 170 cases, against 113, 141, and 123; of scarlet fever, 377 cases, against 376, 379, and 320; of diphtheria, 178 cases, against 212, 209, and 213; and of enteric fever, 26 cases, against 44, 38, and 24. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended November 30th.

Greater London.

In Greater London 3484 births and 2271 deaths were registered, corresponding to annual rates of 27·5 and 17·9 per 1000 of the estimated population. In the Outer Ring 4 deaths from small-pox, 6 from measles, 4 from scarlet fever, 18 from diphtheria, 3 from whooping-cough, 5 from "fever," and 5 from diarrhœal diseases were registered. Two of the small-pox cases belonged to Belvedere, in the parish of Erith, and 2 to Edmonton; 3 deaths from scarlet fever and 9 from diphtheria occurred in West Ham district.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

NOTE.—For Meteorology *see* p. 636, and for Metropolitan Water Supply *see* pp. 637–9.

Cities and Boroughs.	Estimated Population to the middle of the Year 1901* (Unrevised).	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Rainfall. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6358**	**4292**	**1011**	**1081**	**16**	**135**	**50**	**70**	**64**	**44**	**38**	**182**	**369**	**985**	**42**	**19·5**	**1·9**	**56·0**	**26·1**	**43·5**	**6·39**	**0·33**	**0·84**	**33 Towns.**
London - -	4,543,757	2374	1698	378	484	16	40	10	36	11	10	10	71	167	527	5	19·5	1·5	55·2	30·8	44·4	6·89	0·03	0·08	London.
West Ham - -	268,868	158	98	31	14	-	-	2	3	-	2	-	6	10	14	-	19·0	1·4	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	80	35	9	13	-	-	-	1	-	-	-	1	2	6	-	13·6	0·4	55·5	28·5	41·9	5·50	0·00	0·00	Croydon.
Brighton - -	123,668	68	46	10	11	-	2	-	1	1	-	-	1	2	7	-	19·4	1·7	54·0	34·0	45·0	7·22	0·18	0·46	Brighton.
Portsmouth -	189,907	101	51	7	20	-	-	1	1	1	-	-	2	3	10	1	14·0	0·8	54·0	32·0	44·0	6·67	0·32	0·81	Portsmouth.
Plymouth - -	107,974	52	37	9	15	-	-	-	-	-	2	1	1	2	6	-	17·9	1·4	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	151	101	26	32	-	-	1	3	-	-	1	5	12	22	-	16·0	0·8	53·0	32·0	43·1	6·17	0·09	0·23	Bristol.
Cardiff - -	165,308	90	62	26	12	-	-	-	-	2	-	-	5	12	3	-	19·6	0·6	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	58	38	15	5	-	-	-	2	-	-	2	3	4	3	1	20·9	2·2	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	61	35	10	12	-	-	1	-	-	1	-	2	1	8	-	19·3	1·1	52·0	27·1	40·6	4·78	0·49	1·24	Wolverhampton.
Birmingham -	523,284	337	218	53	45	-	9	12	1	6	3	1	9	12	45	2	21·7	3·2	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	65	63	18	13	-	15	1	-	-	-	1	2	3	5	-	29·3	7·9	56·0	32·8	42·9	6·06	0·14	0·36	Norwich.
Leicester - -	212,498	121	63	17	14	-	3	-	-	3	1	-	3	4	13	-	15·5	1·7	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	105	93	29	30	-	-	-	2	1	1	5	6	7	15	-	20·2	2·0	52·0	26·1	40·7	4·83	0·07	0·18	Nottingham.
Derby - - -	106,076	46	29	6	9	-	-	-	-	1	1	-	-	-	3	-	14·3	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	70	39	7	11	-	2	1	1	-	-	-	1	2	9	-	18·3	1·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	686,332	434	296	53	61	-	1	8	5	9	6	-	11	22	90	11	22·5	2·2	55·0	40·3	46·9	8·28	0·28	0·71	Liverpool.
Bolton - -	168,748	84	63	10	16	-	-	-	-	2	1	-	1	3	6	-	19·5	0·9	-	-	-	-	-	-	Bolton.
Manchester -	544,934	359	240	60	41	-	17	2	1	5	3	5	9	22	54	4	23·0	3·2	-	-	-	-	-	-	Manchester.
Salford - -	221,526	142	92	15	24	-	2	2	1	4	2	1	4	9	13	-	21·7	2·8	-	-	-	-	-	-	Salford.
Oldham - -	137,382	65	63	5	14	-	8	1	-	-	-	1	5	10	8	-	23·9	3·8	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	53	37	8	8	-	-	-	1	1	1	2	-	-	4	-	19·8	2·7	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	66	70	16	18	-	16	-	-	1	-	1	2	2	7	3	28·6	7·3	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	52	39	11	9	-	2	1	-	-	1	2	2	2	5	2	18·0	2·8	52·0	39·0	45·5	7·50	0·25	0·63	Preston.
Huddersfield -	94,998	41	28	6	7	-	-	-	-	-	-	-	3	3	2	1	15·4	-	52·0	32·4	44·9	7·17	1·76	4·47	Huddersfield.
Halifax - -	105,113	35	32	5	8	-	7	1	-	-	-	1	-	3	5	1	15·9	4·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	116	82	15	25	-	-	-	-	2	3	1	2	6	10	-	15·3	1·1	53·2	26·2	44·2	6·78	0·21	0·53	Bradford.
Leeds - - -	430,489	255	162	44	37	-	2	2	2	6	3	-	7	17	24	-	19·6	1·8	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	257	143	43	28	-	7	1	4	3	2	3	5	10	22	4	19·5	2·7	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	172	82	27	19	-	-	-	2	-	1	-	3	3	16	2	17·7	0·6	53·0	28·0	42·0	5·56	0·49	1·24	Hull.
Sunderland -	146,937	90	50	16	5	-	-	2	1	2	-	-	1	2	5	3	17·7	1·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	74	34	8	4	-	-	-	-	1	-	-	3	3	4	-	16·0	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	126	73	18	17	-	2	1	2	2	-	-	6	9	14	2	17·7	1·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-NINTH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2393	2397	2466	2599	2373	2419	2489	2577	2339	2299	2525·8	2374
Males - -	1244	1244	1246	1315	1228	1268	1244	1306	1217	1156	1293·3	1250
Females - -	1149	1153	1220	1284	1145	1151	1245	1271	1122	1143	1232·5	1124
TOTAL **Deaths** -	1462	1452	2556	1614	1459	1604	1866	1447	1957	1514	1759·2	1698
Males - -	716	735	1263	808	738	833	950	755	1012	810	894·0	859
Females - -	746	717	1293	806	721	771	916	692	945	734	865·2	839

* The numbers in this column are the average weekly numbers in the forty-ninth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	13 Weeks
TOTAL **Births** -	2442	2355	2581	2499	2676	2389	2655	2737	2437	2574	2519	2460	2374	32698
TOTAL **Deaths** -	1398	1360	1304	1280	1309	1394	1404	1516	1688	1744	1939	1785	1698	19819
Ages at Death: Under 1 year -	435	370	345	341	329	324	308	368	368	441	438	415	378	4860
1—5 years -	118	146	156	115	160	139	148	167	209	208	247	225	199	2237
5—20 " -	80	81	87	71	78	86	81	77	86	88	101	99	101	1116
20—40 " -	166	176	171	181	183	209	182	204	227	202	228	201	217	2547
40—60 " -	258	264	251	257	261	278	320	288	353	335	378	330	319	3892
60—80 " -	270	262	233	270	251	280	316	339	364	369	445	410	394	4203
80 yrs. & upwds.	71	61	61	45	47	78	49	73	81	101	102	105	90	964
Deaths from— Small-pox: Vaccd. -	4	1	1	–	–	6	2	5	7	6	10	10	10	62
Small-pox: Unvaccd. -	3	1	4	2	2	2	4	1	8	6	7	7	4	51
Small-pox: Not stated -	2	1	–	1	1	3	–	–	1	2	5	4	2	22
Measles - - -	13	19	13	14	14	22	21	24	38	60	50	54	40	382
Scarlet Fever - -	13	9	13	14	22	13	9	12	10	4	12	12	10	153
Diphtheria - -	28	27	34	30	54	33	26	36	33	35	37	40	36	449
Whooping-cough -	8	14	13	11	10	6	11	12	10	15	15	12	11	148
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	14	14	19	18	11	19	10	12	16	15	16	9	10	183
Simple Cont. Fever -	–	–	–	–	–	–	–	–	–	–	1	1	–	2
Diarrhœa, Dysentery	184	138	87	78	50	56	42	28	20	15	17	13	10	73[illegible]
Cholera - - -	4	–	1	–	–	–	–	–	–	–	–	–	–	[illegible]
All above Diseases -	273	224	185	168	164	160	125	130	143	158	170	162	133	219[illegible]
Dis. of Resp. System	116	124	137	132	186	196	242	327	445	477	582	534	470	396[illegible]
Phthisis - - -	129	147	139	155	136	143	177	167	181	163	191	118	141	198[illegible]
Dis. of Circ. System -	131	133	101	119	122	146	158	132	167	159	175	189	176	190[illegible]
Violence - - -	48	75	59	52	49	56	55	75	69	59	71	62	71	80[illegible]
Inquest Cases - -	119	133	118	124	117	145	123	173	181	176	176	188	167	194[illegible]
Deaths in Institutions	484	503	480	441	440	449	489	547	564	497	606	578	527	660[illegible]
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	59·4	56·8	58·7	57·3	50·7	51·5	44·6	49·0	39·5	41·6	43·7	39·2	44·4	49·[illegible]
Mean of Highest -	68·2	65·6	68·3	67·0	57·9	59·0	53·6	55·3	46·4	45·9	48·5	44·3	48·4	56·[illegible]
Mean of Lowest -	53·5	48·9	50·5	49·3	43·6	43·9	36·4	42·6	33·8	37·6	37·7	33·7	38·6	42·[illegible]
Mean Humidity of the Air.	83	81	81	85	82	84	90	76	91	80	80	82	83	8[illegible]
Rain-fall (in inches) -	0·25	1·10	0·00	1·24	0·19	1·10	0·03	0·02	0·00	0·39	0·24	0·03	0·03	4·6
Registered Sunshine (in hours).	17·0	19·8	21·3	27·8	20·3	26·0	12·8	38·4	7·3	5·4	10·3	9·6	6·8	222·[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	137	153	163	169	175	172	180	284	297	368	396	427	474	26[illegible]
Scarlet Fever - -	3064	3098	3151	3159	3280	3344	3353	3392	3331	3353	3336	3278	3241	326[illegible]
Diphtheria - -	1417	1465	1512	1539	1522	1546	1588	1585	1539	1556	1509	1516	1460	152[illegible]
Typhus - - -	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Enteric Fever - -	262	290	292	296	307	288	286	291	270	269	269	245	243	27[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley; Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-NINTH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 49th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 7th December, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1759·2	1698	378	199	101	217	319	394	90
ll- { Vaccinated -	0·1	10	1	-	-	5	3	1	-
t† { Unvaccinated -	0·4	4	-	-	2	2	-	-	-
{ No Statement -	-	2	1	-	-	1	-	-	-
sles - - - -	51·1	40	12	24	4	-	-	-	-
let Fever - - -	19·8	10	-	5	4	-	1	-	-
hus - - - -	0·1	-	-	-	-	-	-	-	-
psing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	27·3	12	3	-	1	1	2	3	2
oping-cough - -	33·7	11	5	6	-	-	-	-	-
ntheria - - -	56·4	36	2	25	9	-	-	-	-
ple Continued and -defined Fever -	0·2	-	-	-	-	-	-	-	-
eric Fever - - -	20·0	10	-	-	1	8	1	-	-
lera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	13·5	10	9	-	-	-	-	-	1
nittent Fever - -	-	-	-	-	-	-	-	-	-
rophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	0·1	-	-	-	-	-	-	-	-
pox and Effects of accination - -	0·1	-	-	-	-	-	-	-	-
ereal Affections - -	8·4	4	2	-	-	-	2	-	-
sipelas - - -	6·1	5	4	-	-	-	-	-	1
mia and Septicæmia	2·6	4	-	-	1	2	1	-	-
rperal Fever - -	5·9	4	-	-	-	4	-	-	-
er Zymotic Diseases -	2·1	1	-	-	-	1	-	-	-
ish - - - -	0·8	-	-	-	-	-	-	-	-
ms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	1·5	1	1	-	-	-	-	-	-
holism - - -	13·0	13	-	-	-	5	5	3	-
umatic Fever, eumatism of Heart	8·7	7	-	-	1	3	3	-	-
umatism - - -	3·1	3	-	-	-	-	1	2	-
t - - - - -	2·1	4	-	-	-	-	1	3	-
kets - - - -	5·1	5	1	4	-	-	-	-	-
cer - - - -	82·4	82	-	-	1	10	26	39	6
es Mesenterica - -	16·2	16	8	6	2	-	-	-	-
ercular Meningitis -	21·9	16	3	6	6	1	-	-	-
hisis - - - -	168·9	141	-	3	10	66	51	10	1
fula, Tuberculosis -	18·0	27	6	6	7	4	2	2	-
er Constitutional seases - -	14·4	19	-	-	1	6	4	7	1
natural Birth - -	54·5	47	47	-	-	-	-	-	-
ectasis - - -	4·7	5	5	-	-	-	-	-	-
genital Malformations - - -	8·5	3	2	-	1	-	-	-	-
Age - - - -	55·6	45	-	-	-	-	-	25	20
plexy - - - -	47·2	51	-	1	1	3	9	32	5
epsy - - - -	7·4	3	-	-	-	2	-	1	-
vulsions - - -	36·2	22	21	1	-	-	-	-	-
er Diseases of Brain d Nervous System	78·6	80	11	8	6	10	14	22	9
ases of Organs of ecial Sense -	3·1	6	1	1	2	2	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 49th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 7th December, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	148·3	176	3	4	13	15	55	79	7
Croup - - - -	3·6	1	-	-	1	-	-	-	-
Bronchitis - - -	246·1	277	87	31	2	8	32	92	25
Pneumonia - - -	148·6	159	60	43	8	12	24	11	1
Pleurisy - - - -	5·7	7	-	-	-	-	2	5	-
Other Diseases of Respiratory System -	33·1	26	4	4	1	1	8	8	-
Dentition - - -	5·7	5	2	3	-	-	-	-	-
Quinsy, Sore Throat -	1·9	2	1	1	-	-	-	-	-
Enteritis - - - -	12·8	16	5	1	3	3	3	1	-
Gastro-enteritis - -	1·6	4	3	-	-	-	-	1	-
Peritonitis - - -	5·2	3	-	-	-	-	1	1	1
Diseases of Liver - -	24·5	26	1	-	-	4	18	3	-
Other Diseases of Digestive System	31·2	39	14	1	5	3	5	10	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	4	-	-	-	1	3	-	-
Diseases of Urinary System - -	50·3	61	2	1	3	10	19	19	7
Diseases of Generative System - -	5·9	4	-	-	-	-	2	2	-
Accidents of Childbirth -	5·0	11	-	-	-	8	3	-	-
Diseases of Locomotive System - -	7·1	5	1	2	-	2	-	-	-
Diseases of Integumentary System - -	6·4	6	3	-	-	-	1	2	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	2·4	4	-	-	1	1	2	-	-
By Vehicles or Horses -	5·7	12	-	1	2	2	3	4	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·6	-	-	-	-	-	-	-	-
In Building Operations -	0·4	-	-	-	-	-	-	-	-
In Conflagrations - -	0·6	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	9·6	13	1	9	2	-	-	-	1
By Drowning - - -	2·5	1	-	-	-	1	-	-	-
By Suffocation in Bed -	13·5	9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	1·2	3	-	-	-	1	2	-	-
Other or not stated causes - - -	21·1	17	4	-	-	2	5	5	1
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	0·6	1	1	-	-	-	-	-	-
Suicide - - - -	6·2	11	-	-	-	6	4	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	49·3	36	32	2	-	1	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for crease of population.

† Only those cases of small-pox are classed as "vaccinated" or "unvaccinated" which are so certified by registered dical men. Cases in which the certifying medical practitioner is unable to certify whether the deceased had, or had t, been vaccinated, as well as cases in which no mention of vaccination is made on the certificate, and all cases in which e cause of death is not certified by a registered medical practitioner, are included under the heading "no statement," or further information *see* the remarks on the second page of this return.)

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 7th December, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	2374	1698	378	484	16	40	10	36	11	-	10	-	10	71	167	527
WEST DISTRICTS - - -	805,275	352	291	58	86	-	14	3	9	-	-	3	-	6	13	34	85
NORTH DISTRICTS - - -	1,056,018	482	343	69	112	-	10	1	11	1	-	2	-	-	14	34	90
CENTRAL DISTRICTS - - -	209,432	100	89	23	15	-	-	-	3	-	-	2	-	-	2	5	38
EAST DISTRICTS - - - -	715,772	449	293	73	76	1	6	-	2	3	-	-	-	4	15	42	121
SOUTH DISTRICTS - - -	1,749,566	991	635	154	184	1	10	3	10	5	-	3	-	-	27	51	146
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	47	1	11	14	-	3	1	-	-	-	-	-	-	1	47
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	35	26	4	10	-	-	-	-	-	-	-	-	1	-	2	4
St. John Paddington *H* - - G.	33,608	13	10	1	1	-	-	-	-	-	-	-	-	-	1	1	8
North-West Paddington - - C.	17,181	13	5	1	2	-	-	-	2	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	55	61	13	20	-	7	2	-	-	-	-	-	-	3	5	23
Brompton *HH* - - W. & C.	48,598	12	10	-	3	-	-	-	-	-	-	-	-	-	-	1	4
North Hammersmith *H*	49,335	19	21	7	4	-	5	-	-	-	-	-	-	1	1	2	-
South Hammersmith *wH* W. & G.	62,910	31	24	3	7	-	-	-	-	-	-	-	-	1	1	4	5
North-west Fulham *W*	45,180	36	19	6	5	-	1	-	1	-	-	-	-	1	-	3	7
North-east Fulham *H* W. & C.	46,404	17	20	4	6	-	-	1	5	-	-	1	-	2	-	1	7
South Fulham	45,705	36	9	3	2	-	-	-	-	-	-	-	-	-	-	2	-
Chelsea North *WwHHH* - C.	42,515	14	25	2	11	-	1	-	-	-	-	-	-	-	-	1	12
Chelsea South *HH* - - - C.	31,341	15	11	5	4	-	-	-	1	-	-	-	-	-	-	2	1
May Fair and Knightsbridge *H* C.&G.	28,744	3	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *WHH* - - - C.	55,812	22	23	3	6	-	-	-	-	-	-	1	-	-	4	5	4
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	19	17	2	3	-	-	-	-	-	-	1	-	-	2	3	9
St. James Westminster *WH* N. & G.	21,595	8	8	2	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Anne Soho *HHHHH* - N.	11,492	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	35,394	11	16	-	6	-	-	-	-	-	-	-	-	-	-	2	5
Rectory Marylebone *W* G. & W.	19,869	7	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	31	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Christchurch Marylebone *H* - W.	39,541	19	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W.	20,426	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WHHHHHH* - - N. & W.	81,942	25	32	6	16	-	-	1	4	-	-	-	-	-	-	-	11
Regent's Park *H* - - - W.	50,647	15	15	3	6	-	-	-	-	-	-	-	-	-	1	2	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	11	7	1	2	-	-	-	-	-	-	-	-	-	-	2	3
Gray's Inn Lane *HHHH* - N.	30,886	16	18	2	4	-	-	-	1	-	-	-	-	-	3	5	9
Somers Town *HH* - - - N.	30,131	15	11	5	-	-	-	-	-	-	-	-	-	-	4	4	4
Camden Town *WH* - - N.	40,079	30	15	2	8	-	-	-	-	-	-	-	-	-	2	2	10
Kentish Town *WW* - - N.	58,727	28	18	4	7	-	1	-	-	-	-	-	-	-	-	-	6
Tufnell *W*		13	18	3	5	-	1	-	-	-	-	1	-	-	-	1	8
Upper Holloway *WWwHH* - N.	99,841	22	15	2	4	-	-	-	-	-	-	-	-	-	-	1	10
Tollington *W*		8	9	4	2	-	2	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,411	20	9	3	-	-	1	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	54,479	26	17	2	5	-	2	-	-	-	-	-	-	-	-	-	-
Islington South-east *H* - - N.	75,402	36	19	3	8	-	1	-	-	-	-	1	-	-	-	-	1
Highbury *HH* - - - - N.	63,795	27	19	5	7	-	1	-	-	-	-	-	-	-	1	2	2
Stoke Newington *H* - - N.	51,247	18	13	3	4	-	-	-	-	-	-	-	-	-	-	2	-
North Hackney - - E. & N.	50,570	16	8	4	2	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney *wH* - E. & N.	50,535	23	21	6	4	-	+	-	4	-	-	-	-	-	-	5	5
South-west Hackney *HHH* E. & N.	59,929	30	23	7	2	-	1	-	1	1	-	-	-	-	2	3	6
South-east Hackney *WwH* E. & N.	58,254	29	22	2	12	-	-	-	-	-	-	-	-	-	-	-	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
loomsbury and St. Giles South *WH* - - - N.	22,495	15	6	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
. Giles North *H* - - - N.	8,959	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	4	-
. Martin-in-the-Fields *HH* N.&C.	12,975	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
rand *WHH* - - - - - N.	8,694	1	11	-	2	-	-	-	-	-	-	1	-	-	-	-	8	-
rand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olborn *WHHHHHH* - - N.	29,579	10	9	2	2	-	-	-	-	-	-	1	-	-	-	-	4	-
uth Clerkenwell* - - N.	63,655	16	9	4	3	-	-	-	-	-	-	-	-	-	-	3	-	-
orth Clerkenwell* - - N.		18	10	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
nsbury *HHHL* - - - N.	35,376	24	10	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-
olborn Union Workhouse, *Mitcham* - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
. Botolph *H* - - - N. & E.	11,036	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. Sepulchre *WH* - - - N.	7,886	3	20	9	1	-	-	-	1	-	-	-	-	-	1	1	15	-
lhallows Barking - - - N.	8,717	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ty of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	16,370	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
oxton New Town *wH* - - N.	29,761	17	20	1	9	-	-	-	-	-	-	-	-	-	1	3	8	-
oxton Old Town - - - N.	26,510	19	9	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-
aggerston *W* - - - N & E.	46,064	31	23	7	4	-	-	-	-	1	-	-	-	-	1	3	11	-
thnal Green North *HH* - E.	51,513	27	25	8	1	-	3	-	1	1	-	-	-	-	2	3	6	-
thnal Green South - - E.	33,473	16	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *WWHl* - E.	44,695	23	21	3	8	-	-	-	-	-	-	-	-	-	2	2	14	-
italfields - - - E. & N.	27,965	19	5	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
ile End New Town *WH* - E.	28,711	16	31	5	6	-	-	-	-	-	-	-	-	-	3	7	28	-
odman's Fields - - - E.	22,082	7	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
. George's, North - - - E.	40,965	35	9	6	1	-	1	-	-	-	-	-	-	-	-	1	-	-
. John *W* - - - - E.	8,122	4	9	4	1	-	-	-	-	-	-	-	-	-	-	-	5	-
adwell *H* - - - E. & N.	10,760	11	10	4	2	-	-	-	-	-	-	-	-	-	1	2	8	-
atcliff *W* - - - - E.	14,770	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - - E.	32,358	17	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ile End Old Town West *H* - E.	59,467	50	16	3	2	-	-	-	-	2	-	-	-	-	2	2	1	-
ile End Old Town East *WWw* - - - E.	53,348	33	11	-	7	-	-	-	-	-	-	-	-	-	-	1	5	-
w *l* - - - - - E.	41,990	35	10	2	2	-	-	-	1	-	-	-	-	-	-	4	-	-
omley *wwwH* - - - E.	68,326	37	48	9	19	-	-	-	-	1	-	-	-	4	2	5	33	-
plar *Ww* - - - - E.	58,522	40	18	5	3	-	2	-	-	-	-	-	-	-	1	4	-	-

* On 1st December, 1901, the Sub-Districts of South Clerkenwell and North Clerkenwell were formed out of the united b-Districts of St. James Clerkenwell, Amwell, and Goswell Street.

TABLE 5. LONDON.—POPULATION; BIRTHS: DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 7th December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL* & S.	11,232	15	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - S.	12,056	6	19	1	2	–	–	–	–	–	–	–	–	–	3	4	17	–
Kent-road - - - S. & L.	21,899	19	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,882	16	11	5	–	–	–	–	–	–	–	–	–	–	–	1	7	–
London-road *HL* - L. & S.	22,209	18	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,485	26	9	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Peter Walworth *W* - S. & L.	61,773	33	21	4	5	–	1	–	–	–	–	–	–	–	2	2	2	–
St. Mary Newington - L. & S.	31,592	21	12	2	5	–	–	–	1	–	–	–	–	–	–	–	–	–
St. Olave *W* - - - - S.	9,813	6	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Bermondsey *WH* - - - S.	82,405	55	25	10	6	–	–	–	–	–	–	–	–	–	–	–	–	2
Rotherhithe *WH* - - S. & K	38,268	21	24	7	5	1	–	–	–	–	–	–	–	–	–	–	8	–
Waterloo-road *HH* - L. & S.	27,435	20	10	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Lambeth Church 1st *H* L. & S.	18,420	17	25	5	5	–	–	–	1	–	–	1	–	–	3	8	17	–
Lambeth Church 2nd *WW* L. & S.	39,818	25	19	6	8	–	1	–	–	–	–	–	–	–	3	3	11	–
Kennington 1st *H* - S. & L.	53,196	29	13	5	6	–	–	–	–	–	–	–	–	–	–	2	–	–
Kennington 2nd - - S. & L.	42,891	25	14	3	7	–	–	–	–	–	–	–	–	–	–	2	–	–
Brixton *H* - - - L. & S.	84,226	29	28	4	8	–	–	–	1	–	–	1	–	–	1	3	1	–
Norwood *WH* - - - L.	35,887	8	11	2	5	–	2	–	–	–	–	–	–	–	–	–	2	1
East Battersea - - - S.	72,201	39	20	6	2	–	1	–	–	–	–	–	–	–	1	3	–	–
North-west Battersea - - S.	49,650	28	19	5	8	–	–	–	–	–	–	–	–	–	–	–	–	–
South-west Battersea *WH* - S.	47,045	15	23	3	10	–	2	–	–	–	–	–	–	–	3	3	13	–
Clapham *H* - - - - S.	51,353	27	15	3	5	–	–	–	–	–	–	–	–	–	1	2	–	1
Streatham *WwHHL* - L.	88,129	45	27	4	9	–	–	–	3	–	–	1	–	–	–	–	5	–
Wandsworth *WHL* - - S.	68,409	39	14	4	3	–	1	–	–	–	–	–	–	–	–	–	2	–
Putney - - - - - S.	24,139	8	6	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Dulwich - - - - L. & S.	10,246	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *Wwll* - S. & L.	90,404	35	47	7	21	–	–	–	–	–	–	–	–	–	1	3	26	–
Peckham *Ww* - S., L., & K.	93,022	58	32	9	9	–	–	–	–	1	–	–	–	–	–	–	–	–
St. George Camberwell - L. & S.	65,586	30	23	8	4	–	–	–	1	–	–	–	–	–	1	2	–	–
Deptford North - - - K.	37,601	25	20	7	2	–	–	–	–	1	–	–	–	–	1	2	–	–
Deptford Central *H* - - K.	45,621	37	21	4	8	–	–	–	2	–	–	–	–	–	2	2	3	–
Deptford South - - - K.	34,622	11	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,456	11	6	–	2	–	–	–	–	–	–	–	–	–	1	1	2	–
Greenwich East *WH* - - K.	43,849	30	22	2	9	–	–	–	–	–	–	–	–	–	–	–	12	–
Eltham *wH* - - - - K.	7,218	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	13	8	3	3	–	–	–	–	1	–	–	–	–	–	–	1	–
Lewisham *WwH* - - - K.	58,341	35	25	2	8	–	–	2	–	–	–	–	–	–	3	2	9	–
Sydenham *H* - - - L.	43,630	30	14	6	2	–	–	–	–	2	–	–	–	–	1	1	1	–
Charlton *HHH* - - - K.	21,121	13	10	4	–	–	–	1	1	–	–	–	–	–	–	1	3	–
Woolwich *HHHH* - - K.	41,607	21	8	4	2	–	1	–	–	–	–	–	–	–	–	2	–	–
Plumstead West *H* - - K.	18,076	14	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	32	12	4	4	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asy., Banstead -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asy., Epsom -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Caterham	—	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asy., Cane Hill -	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
M.A.B. Ships and Hosp., Dartford	—	–	14	1	1	14	–	–	–	–	–	–	–	–	–	–	14	–
Met. Asy. for Imbeciles, Darenth -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asylum, Dartford Heath - - - - -	—	–	10	–	1	–	–	–	–	–	–	–	–	–	–	–	10	–
London County Asylum, Hanwell	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Central London Sick Asy., Hendon	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Colney Hatch	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–
M.A.B. North-Eastern Hospital -	—	–	4	–	–	–	–	3	1	–	–	–	–	–	–	–	4	–
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asylum, Claybury	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 7th December, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1110	573	151	172	4	6	4	18	3	5	5	19	42	75	4
30 : 1	Carshalton *H*	12.228	32,997	14	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	5	5	1	3	–	–	–	–	–	–	–	–	–	4	–
37 : 1	Godstone, *part of** *W*	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH*	20.851	164,519	87	52	10	24	–	1	–	3	–	–	–	1	3	8	–
2	Mitcham *w*	11,689	29,906	17	5	1	1	–	1	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3.221	41.604	19	8	5	1	–	–	–	–	–	–	–	–	1	1	–
2	Kingston *WH*	6,224	42,067	20	10	4	3	–	–	–	1	–	–	–	1	2	1	–
3	Surbiton *HH*	3,046	15,019	11	5	2	2	–	–	–	–	–	–	–	–	1	–	–
4	Esher, *part of** *H*	5,402	13,003	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–
5	Hampton *HL*	4,564	23,447	12	5	1	3	–	–	–	–	–	1	–	–	–	–	–
40 : 1	Richmond *WHH*	2,162	28,871	19	13	2	8	–	–	–	–	–	–	–	–	–	6	–
2	Mortlake *H*	2,847	20,628	6	3	–	2	–	–	–	–	–	–	–	–	1	–	–
41 : 1	Bromley *HHH*	4,703	27,358	6	6	–	3	–	–	–	–	–	–	–	–	–	–	1
2	Beckenham *H*	7,825	28,499	11	7	2	4	–	–	–	–	–	–	–	–	1	–	–
3	Orpington, *part of** *W*	10,113	9,857	5	7	–	3	–	–	–	–	–	–	–	–	–	5	–
4	Chislehurst *HH*	7,333	16,458	7	3	–	–	–	–	–	–	–	–	–	1	1	1	–
42 : 1	Bexley *HHH*	12,532	46,445	32	12	3	–	1	–	–	–	–	–	–	1	1	–	1
2	Dartford *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 : 1	Sunbury *w*	11,054	18,682	15	4	–	2	–	–	–	–	–	–	–	1	–	–	1
2	Staines *WH*	13,277	15,179	5	3	–	1	–	–	–	1	–	–	–	–	–	–	–
25 : 1	Hillingdon *WHH*	6,035	13,661	10	2	1	1	–	–	–	–	–	–	–	–	–	1	–
2	Uxbridge	12,757	8,984	5	3	–	2	–	–	–	–	–	–	–	–	–	–	1
3	Hayes *wH*	8,066	16,358	3	8	2	2	–	–	–	–	–	–	–	–	–	–	–
26 : 1	Isleworth *WHH*	6,859	30,838	21	13	3	4	–	–	–	–	–	–	1	–	2	4	–
2	Twickenham *HH*	2,421	20,991	18	9	3	4	–	–	–	–	–	–	–	–	–	–	–
3	Brentford† *HHHH*	11,700	127,020	22	10	3	1	–	3	–	–	–	1	–	–	–	1	–
4	Chiswick			15	8	4	1	–	–	–	–	–	–	1	–	–	–	–
5	Acton† *wHH*			22	16	9	4	–	–	–	–	–	–	–	2	3	–	–
27 : 1	Harrow *HHH*	13,809	25,522	11	3	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6,994	4.520	3	2	–	1	–	–	–	1	–	–	–	–	–	–	–
3	Willesden *HHH*	4,384	114,815	76	23	7	7	–	–	–	1	1	–	–	1	1	–	–
4	Hendon *WH*	8,382	22,450	9	2	–	1	–	–	–	–	–	–	–	–	–	1	–
28 : 1	South Mimms *HH*	17,755	7,308	1	2	–	–	2	–	–	–	–	–	–	–	–	2	–
2	Barnet *WHH*	3,324	17,970	4	3	–	–	–	–	–	–	1	–	–	–	–	–	–
3	Finchley *HHH*	4,688	33,692	11	8	2	3	–	–	–	–	–	–	–	–	1	–	–
29 : 1	Hornsey *HH*	2,875	72,056	19	17	3	8	–	–	–	1	–	–	1	–	1	–	–
2	Tottenham *HHH*	4,638	136 702	68	44	9	12	–	1	–	–	–	–	–	1	4	2	–
3	Edmonton *Ww*	7,491	61,892	32	19	10	3	–	–	–	–	–	–	–	–	–	3	–
4	Enfield *WWHH*	12,601	42,738	27	11	3	2	–	–	–	–	–	–	1	–	1	3	–
5	Waltham Abbey	11,017	6,547	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12,288	7	4	1	2	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9,333	9,173	11	1	–	1	–	–	–	–	–	–	–	–	1	–	–
2	Watford *WhH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford *H*	1,072	44,825	29	20	12	–	–	–	–	–	–	–	–	1	2	1	–
2	Plaistow *HHH*	1,249	90,920	66	32	8	5	–	–	2	3	–	1	–	2	3	6	–
3	Canning Town *H*	1,556	70,666	49	24	8	4	–	–	–	–	–	–	–	2	3	1	–
4	Forest Gate *w*	806	60,897	14	16	3	4	–	–	–	–	–	–	–	1	1	–	–
5	East Ham *wHHH*	3,268	95,970	49	27	6	5	–	–	1	3	1	1	–	1	1	3	–
6	Wanstead	1,737	9,198	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*	631	50,458	29	25	4	7	–	–	–	1	–	1	–	–	1	11	–
8	North Leyton *WwH*	1,963	48,441	26	11	5	4	–	–	–	–	–	–	–	–	1	1	–
9	Walthamstow *HHHL*	6,504	108,931	91	32	9	11	–	–	–	2	–	–	–	1	2	1	–
187 : 1	Chigwell, *part of** *LHHH*	11,778	16,403	6	5	–	3	–	–	1	1	–	–	–	–	–	2	–
2	Epping *WH, part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** *W*	6,556	6.089	9	2	–	2	–	–	–	–	–	–	–	–	–	2	–
2	Ilford *H*	8,496	41,240	29	6	2	–	–	–	–	–	–	–	1	2	2	–	–
3	Barking Town *H*	3,803	21,547	19	6	2	2	–	–	–	–	–	–	–	–	–	–	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–
	M.A.B. Hospital Ship, Dartford.	—	—	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† The boundaries of these Sub-Districts were altered on 1st December, 1901.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 7th December, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	**443,419**	**6,604,287**	**17·9**	**1·4**	**2271**	**529**	**656**	**20**	**46**	**14**	**54**	**14**	**15**	**15**	**90**	**602**
INNER LONDON –	74,839	4,543,757	19·5	1·5	1698	378	484	16	40	10	36	11	10	10	71	527
OUTER RING –	368,580	2,060,530	14·5	1·1	573	151	172	4	6	4	18	3	5	5	19	75

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	December 7	144	121	19·8	–	–	2	1	–	1	4
GLASGOW – –	764,423	„ 7	388	318	21·7	–	20	4	4	4	7	8
DUBLIN† – –	375,076	„ 7	187	145	20·2	–	–	1	1	–	1	3
BELFAST† – –	350,862	„ 7	186	129	19·2	–	2	1	4	1	4	–
CALCUTTA – –	466,460	October 26	–	282	31·5	–	–	–	–	–	91‡	59§
BOMBAY – –	770,843	November 19	354	781	52·3	–	–	?	?	?	289‡	71§
MADRAS – –	509,346	„ 8	355	703	71·7	2	3	?	?	?	268	138§
PARIS – – –	2,511,629	„ 30	1029	925	19·1	2	9	2	18*	6	10	31
BRUSSELS – –	582,665	„ 30	240	183	16·3	–	1	–	–	1	4	14
AMSTERDAM –	525,636	„ 23	296	120	11·8	–	–	–	1	3	1	4
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	November 30	218	116	16·0	–	–	–	–	4	1	6
STOCKHOLM –	301,050	„ 23	141	97	16·8	–	–	2	2*	1	–	2
CHRISTIANIA –	228,929	„ 30	133	50	11·4	–	–	–	–	–	1	2
ST. PETERSBURG	1,248,643	„ 23	636	549	22·9	–	20	17	27	3	14	34
MOSCOW – –	1,023,817	„ 23	–	450	22·9	4	3	13	13	2	8	51
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705,738	November 30	–	219	16·1	–	4	9	4*	2	–	3
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	November 30	–	217	22·6	–	–	–	3*	2	2	13
VIENNA – –	1,691,996	„ 30	923	566	17·2	–	1	4	6*	1	–	26
PRAGUE – –	389,741	„ 23	170	166	22·0	–	7	7	2	–	1	3
BUDA-PESTH –	744,719	„ 30	420	239	16·7	–	3	4	2	–	–	14
TRIESTE – –	177,428	„ 30	113	85	24·8	–	–	1	–	–	2	2
ROME – –	471,961	October 19	195	155	17·1	–	–	–	–	–	13‖	23
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE – –	174,378	November 23	72	61	18·2	–	1	–	–	–	1	2
CAIRO – –	570,062	October 21	425	364	33·2	–	2	–	19*	–	12	99
ALEXANDRIA –	319,766	„ 21	186	199	32·4	–	–	–	3*	–	7‡	79
NEW YORK (including BROOKLYN)	3,536,517	November 9	1435	1128	16·6	1	3	8	44*	4	20	59
PHILADELPHIA –	1,293,697	„ 16	–	371	15·0	12	1	1	12	3	7	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast, respectively.
§ Including 25 deaths from cholera in Calcutta, 2 in Bombay, and 18 in Madras.
‡ Including 15 deaths from plague in Calcutta, 181 in Bombay, and one in Alexandria.
‖ Including 3 deaths from malarial fever.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th December, 1901.
[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	1	..	30·126	48·0	40·5	7·5	45·2	+ 4·6	39·8	5·4	6·7	4·2	81	62·2	34·2	45·79	SW.	WSW. & SW.	3·0	0·0	0·3	349	+ 49	0·00	0·0
MONDAY -	2	Last Quarter. In Equator.	30·099	51·7	45·3	6·4	48·6	+ 8·0	43·2	5·4	7·6	2·9	81	73·8	35·9	45·65	SW.	SW.	2·0	0·0	0·2	313	+ 12	0·00	0·2
TUESDAY -	3		30·101	48·4	37·0	11·4	44·4	+ 3·6	35·9	8·5	10·7	4·4	72	53·4	25·0	46·07	SW., WSW. & W.	W., NW. & NNW.	1·7	0·0	0·1	215	− 87	0·00	0·8
WEDNESDAY	4	..	30·228	41·4	33·0	8·4	38·1	− 3·0	36·2	1·9	3·1	1·0	93	47·9	22·0	46·02	NNW.	S. & SSE.	0·1	0·0	0·0	101	−202	0·00	0·0
THURSDAY-	5	..	29·957	44·9	30·8	14·1	40·1	− 1·2	35·1	5·0	8·1	2·3	82	60·2	23·0	46·07	SSE. & SE.	S. & SSE.	2·2	0·0	0·1	278	− 26	0·00	0·0
FRIDAY -	6	..	30·041	49·0	34·3	14·7	41·5	+ 0·2	36·1	5·4	7·5	1·0	81	68·7	28·0	45·81	SW, WNW. & SSW.	SSW.	5·2	0·0	0·4	323	+ 19	0·00	0·0
SATURDAY-	7	..	29·826	55·2	49·0	6·2	53·1	+12·1	49·5	3·6	5·7	3·0	88	57·2	45·0	45·81	SSW.	SSW., SW. & S.	6·8	0·0	1·5	568	+263	0·03	1·0
MEANS -	-		30·055	48·4	38·6	9·8	44·4	+ 3·5	39·4	5·0	7·1	2·7	83	60·5	30·4	45·89	SW.		..	..	..	Sum 2147	Sum + 28	Sum 0·03	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	1	s. P. generally.	0·0	8·1	Generally cloudy; cloudless between 5h. and 9h. P.M.
MONDAY -	2	m. P. generally.	2·0	8·1	Cloudy in morning: very fine, with small amounts of cloud, afterwards. Mild.
TUESDAY -	3	m. P. generally till 9h A.M.; s. P. afterwards.	0·0	8·1	Generally overcast till 7h. P.M.; cloudless and very fine afterwards.
WEDNESDAY	4	m. P. generally; s. N. between 9h. and 10h. A.M.	0·0	8·1	Very fine till 1h. A.M.; overcast, with fog and gloom, till 10h. P.M.; cloudless afterwards. A little misty rain in forenoon.
THURSDAY-	5	m. P. generally till 9h. P.M.; w. P. and s. N. afterwards.	0·0	8·0	Very fine, with hoar frost, in early morning; generally overcast afterwards. Occasional small rain after 11h. P.M.
FRIDAY -	6	m. P. generally; s. P. between 9h. A.M. and 1h. P.M.	4·8	8·0	Cloudy till 3h. A.M.; very fine, with small amounts of cloud, till 5h. P.M.; generally cloudy afterwards. Hoar frost in morning.
SATURDAY-	7	w. P. throughout.	0·0	8·0	Generally overcast. Occasional slight rain. Brisk wind. Very mild.
			Sum 6·8	Sum 56·4	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·20 in. at the beginning of the week to 30·06 in. by 4h. A.M. on the 3rd; increased to 30·26 in. by 10h. A.M. on the 4th; decreased to 29·87 in. by 10h. P.M. on the 5th; increased to 30·08 in by 10h. A.M. on the 6th; and decreased to 29·70 in. by the end of the week.

Erratum.—Report for week ending 1901, November 23. Table 9.—November 17. General Remarks 4th line from top, *for* 1891 *read* 1890.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th November 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	2	15	12	-	1	-	-	3	1
Kensington	176,787	2	8	7	-	2	-	-	3	-
Hammersmith	112,619	10	4	4	-	2	-	-	3	-
Fulham	138,426	-	13	21	-	2	-	-	7	-
Chelsea	73,879	-	4	3	-	2	-	-	2	-
City of Westminster	182,502	12	8	5	-	1	-	-	3	-
NORTH.										
St. Marylebone	133,060	3	9	1	-	2	-	-	1	-
Hampstead	82,287	-	2	2	-	1	-	-	1	-
St. Pancras	235,297	11	34	22	-	6	1	-	8	1
Islington	335,325	1	33	12	-	5	1	-	6	-
Stoke Newington	51,328	1	5	1	-	-	-	-	3	1
Hackney	219,780	2	23	37	-	3	-	-	7	1
CENTRAL.										
Holborn	59,205	11	4	-	-	2	-	-	1	-
Finsbury	101,263	2	12	7	-	-	-	-	2	-
City of London	26,627	-	3	2	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	-	10	8	-	3	1	-	8	-
Bethnal Green	129,700	1	17	11	-	3	-	-	3	-
Stepney	298,884	17	28	8	-	3	-	-	8	-
Poplar	168,887	8	7	13	-	4	-	-	3	-
SOUTH.										
Southwark	206,219	3	31	13	-	3	-	-	13	-
Bermondsey	130,348	3	11	4	-	4	-	-	2	-
Lambeth	302,460	1	16	16	-	4	-	-	4	1
Battersea	169,364	3	2	6	-	2	-	-	3	-
Wandsworth	233,943	2	25	14	-	-	-	-	4	-
Camberwell	259,897	9	42	19	-	6	-	-	5	1
Deptford	110,732	-	16	6	-	3	-	-	2	-
Greenwich	96,188	-	6	4	-	1	-	-	3	-
Lewisham	128,423	-	8	5	-	-	-	-	2	-
Woolwich	117,619	1	4	5	-	1	-	-	-	2
Port of London	—	-	-	-	-	1	-		-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	105	400	268	-	67	3	-	110	6
Ages 0-1		-	8	4	-	-	-	-	5	-
,, 1-5		5	102	97	-	2	1	-	9	-
,, 5-		9	149	94	-	16	-	-	6	-
,, 10-		8	77	29	-	5	1	-	4	-
,, 15-		10	35	14	-	11	1	-	3	-
,, 20-		14	13	9	-	12	-	-	9	1
,, 25-		26	13	15	-	10	-	-	9	5
,, 35-		14	3	2	-	7	-	-	20	-
,, 45-		11	-	3	-	3	-	-	15	-
,, 55-		7	-	-	-	-	-	-	16	-
,, 65 and upwards		1	-	1	-	1	-	-	13	-
Age not stated		-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·06 inches, and that of the Thermometer 44°·4; the latter being 3°·5 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 1 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·8 hours; the measured rainfall amounted to 0·03 inch.

Analysis of Metropolitan Water Supply during November, 1901.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th December, 1901.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of November.

Fourteen samples of the Kent Company's supply and thirteen samples of each of the other Company's supply were examined, making a total of 105 samples analysed during the month.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - -	November 11th, Cab Rank, Victoria Street.	10·0	28·12	·132	·021	0	·199	·220	1·9	19·7
West Middlesex -	November 11th, Cab Rank, Riding House Street.	10·7	26·68	·146	·017	0	·167	·184	1·85	19·4
Southwark - -	November 11th, Cab Rank, Bond Street, Vauxhall.	10·7	28·76	·128	·020	0	·227	·247	1·85	20·6
Grand Junction -	November 11th, Cab Rank, Shepherd's Bush Green.	8·5	29·36	·153	·016	0	·209	·225	1·9	21·2
Lambeth - - -	November 11th, Cab Rank, Station Road, Brixton.	9·3	29·98	·161	·017	0	·282	·299	1·9	20·6
Lea.										
New River - -	November 11th, Cab Rank, City Road, by Goswell Road.	8·9	32·96	·070	·009	0	·240	·249	1·6	23·6
East London - -	November 12th, Cab Rank, Cambridge Road, opposite Bethnal Green Museum.	9·0	30·16	·145	·013	0	·335	·348	1·95	21·2
Deep Well.										
Kent - - -	November 11th, Cab Rank, Amersham Road, near New Cross Station.	11·0	41·32	·055	·009	0	·439	·448	2·2	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected on November 11th, at the Victoria Street cab rank, had a temperature of 10·0° C.; 100,000 lbs. of it contained 28·12 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·132 lb. of carbon and ·021 lb. of nitrogen. The above quantity of water also contained no ammonia and ·199 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·220 lb. The above weight of water also contained 1·9 lbs. of chlorine and 19·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on November 11th and 12th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies, was:—Kent 1·1, New River 1·3, Southwark 2·5, Chelsea 2·6, East London 2·7, West Middlesex 2·8, Grand Junction 2·9, and Lambeth 3·0.

Of the Thames-derived waters that of the Southwark Company contained the least proportion of organic matter, but compared with the corresponding samples examined in October all the supplies exhibited a slight increase in their organic contents. The samples were clear and of good chemical quality.

Of the supplies chiefly derived from the River Lea, that of the New River Company was clear and of good quality. The East London Company's water was clear and in chemical quality was nearly identical with the average of the Thames supplies.

The Kent Company's deep-well water was, as usual, of great organic purity and clear.

Seen through a stratum two feet deep, the Kent Company's water was colourless, and that of the New River Company nearly colourless; the supplies of all the remaining Companies were very pale yellow in colour.

In addition to the above analytical examination, 105 samples, collected during November, at various places in the districts supplied by the several Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has, also, been recorded.

The following results, expressed in parts per 100,000, were obtained:—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·069	·061	·065	·075	·064	·069	·009	·005	·007
West Middlesex	·075	·064	·068	·077	·063	·071	·009	·005	·007
Southwark	·074	·050	·060	·081	·050	·065	·0085	·0045	·007
Grand Junction	·078	·057	·066	·085	·063	·071	·0095	·0045	·007
Lambeth	·083	·062	·072	·088	·067	·075	·0085	·0045	·007
New River	·022	·016	·019	·025	·019	·021	·003	·002	·003
East London	·077	·049	·057	·084	·051	·061	·0085	·004	·007
Kent	·007	·001	·004	·008	·004	·006	·002	·001	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

Of the Thames waters, that delivered by the Southwark Company contained, on the average, the smallest proportion of organic matter, and was, in this respect, better than it was in October. The maximum and average amounts of organic impurity in the Lambeth Company's water were practically identical with those observed in the previous month, but in the cases of the Chelsea, West Middlesex, and Grand Junction Companies' supplies, the proportions of organic matter were greater than in October. In no case was the organic contamination excessive, and all the samples were of good quality.

The thirteen samples of the New River Company's supply were of uniform good quality. The East London Company's water contained, on the average, slightly less organic matter than the Thames supplies, and was of good quality throughout the month.

All the samples drawn from the Kent Company's service were, as usual, of high organic purity and excellent quality.

All samples taken from the New River Company's mains were clear; but, in the cases of the other Companies, in some samples, minute amounts of suspended matter were present; these slight turbidities subsided readily, and were evidently derived from the mains.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of November, 1901. The supply was in the ratio of 220 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	November, 1900.	November, 1901.	November, 1900.	November, 1901.
Total Supply - - -	915,132	936,641	202,942,390	205,887,964
From Thames - - - - - -	435,805	444,869	108,505,395	110,509,119
From Lea and from other Sources -	479,327	491,772	94,436,995	95,378,845
Thames.				
Chelsea - - - - - - -	38,972	39,436	12,999,650	12,249,985
West Middlesex - - - - -	86,247	87,794	20,828,106	21,243,151
Southwark and Vauxhall - -	124,723	125,985	30,289,394	30,922,698
Grand Junction - - - - -	67,364	69,316	19,771,829	19,591,255
Lambeth - - - - - - -	118,499	122,338	24,616,416	26,502,030
Lea and other Sources.				
New River - - - - - -	171,614	174,192	37,641,544	38,500,068
East London - - - - - -	210,935	216,953	39,254,321	39,173,000
Kent - - - - - - - -	96,778	100,627	17,541,130	17,705,777

Note.—The Return for November, 1901, as compared with that for the corresponding month of 1900, shows an increase of 21,509 services and of 2,945,574 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1901.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 50. 1901. VOL. LXII.] WEEK ENDED SATURDAY, DEC. 14. [Price 1½*d.*

General Register Office, Somerset House,
December 16th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·5 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 21·3, 20·3, and 19·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	TOWNS.	Weeks ended Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
33 Great Towns	21·3	20·3	19·5	18·5	Leicester - -	22·1	18·9	15·5	17·7
Birkenhead -	15·5	25·8	18·3	17·3	Liverpool - -	20·4	20·1	22·5	20·9
Birmingham -	19·7	26·3	21·7	22·6	London - - -	22·3	20·5	19·5	18·5
Blackburn -	19·2	18·8	28·6	11·0	Manchester - -	22·7	24·6	23·0	19·6
Bolton - -	19·8	19·5	19·5	17·0	Newcastle-on-Tyne	21·5	23·2	17·7	20·3
Bradford -	20·8	15·6	15·3	14·3	Norwich - -	28·4	23·3	29·3	20·5
Brighton -	22·3	18·1	19·4	17·7	Nottingham - -	20·0	20·6	20·2	18·0
Bristol - -	20·9	20·2	16·0	17·5	Oldham - -	25·0	28·5	23·9	24·7
Burnley -	24·7	13·9	19·8	19·3	Plymouth - -	15·9	13·0	17·9	22·7
Cardiff - -	19·2	18·3	19·6	16·4	Portsmouth - -	17·3	15·1	14·0	18·1
Croydon -	14·7	15·1	13·6	12·8	Preston - -	23·5	24·4	18·0	22·1
Derby - -	14·7	12·3	14·3	13·3	Salford - - -	25·4	20·9	21·7	21·2
Gateshead -	17·5	16·0	16·0	16·5	Sheffield - -	23·3	20·5	19·5	21·6
Halifax -	12·9	13·9	15·9	15·9	Sunderland - -	21·3	19·9	17·7	18·5
Huddersfield -	12·6	9·9	15·4	14·3	Swansea - -	16·5	22·0	20·9	16·5
Hull - -	20·7	17·9	17·7	14·5	West Ham - -	20·4	21·5	19·0	15·9
Leeds - -	20·2	19·6	19·6	18·2	Wolverhampton -	28·2	12·1	19·3	16·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·2 in Manchester and in Sheffield, 1·5 in Halifax, 1·9 in Oldham, 2·3 in Preston, 2·9 in Blackburn, and 5·6 in Norwich ; from *scarlet fever*, 1·0 in Newcastle on Tyne ; from *whooping-cough*, 1·0 in Liverpool ; and from *diarrhœal diseases*, 1·1 in Burnley and in Swansea. In none of the thirty-three towns did the death-rate from "*fever*," reach 1·0 per 1,000. The 73 deaths from *diphtheria* included 31 in London, 6 in Liverpool, 5 in Salford, 3 in Brighton, 3 in Portsmouth, 3 in Bristol, 3 in Birkenhead, and 3 in Sheffield. Twenty-six deaths from *small-pox* were registered in London, and 1 in Birmingham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2231 BIRTHS and 1612 DEATHS were registered. Allowing for increase of population, the births were 347, and the deaths 126, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 22·3, 20·5, and 19·5 in the preceding three weeks, further fell last week to 18·5.

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10501—670—12/1901 Wt 45 D & S 3 3 D

During the four weeks ended on Saturday last the death-rate averaged 20·2 per 1000, being 0·5 per 1000 above the mean rate in the corresponding periods of the ten years 1891–1900.

The 1612 deaths included 26 from small-pox, 61 from measles, 12 from scarlet fever, 31 from diphtheria, 15 from whooping-cough, 5 from enteric fever, 13 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 163 deaths were referred to these diseases, being 33 below the corrected average weekly number.

The deaths from *small-pox*, which had been 22, 21, and 16 in the preceding three weeks, rose again last week to 26; 5 cases belonged to the Borough of Bermondsey, 4 to Holborn, 4 to Stepney, 2 to Southwark, 2 to Greenwich, and 1 each to Kensington, Westminster, St. Marylebone, St. Pancras, Islington, Finsbury, Shoreditch, Battersea, and Wandsworth. In Table 4, the deaths are arranged according to ages, under the separate headings "Vaccinated," "Unvaccinated," and "No Statement." The deaths from *measles*, which had been 50, 54, and 41 in the preceding three weeks, rose again last week to 61, and were 8 above the corrected average; 12 cases belonged to Islington, 11 to Kensington, 6 to Hammersmith, 5 to Lambeth, and 4 to Shoreditch. The deaths from *scarlet fever*, which had been 12, 12, and 10 in the preceding three weeks, rose again last week to 12, but were 5 below the corrected average; 2 cases belonged to St. Pancras, 2 to Islington, and 2 to Stepney. The deaths from *diphtheria*, which had been 37, 40, and 36 in the preceding three weeks, further fell last week to 31, and were 23 below the corrected average; 4 cases belonged to Hackney, 4 to Bethnal Green, 4 to Lambeth, 3 to St. Pancras, 3 to Islington, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 15, 12, and 11 in the preceding three weeks, rose again last week to 15, but were 23 below the corrected average. The fatal cases of *enteric fever*, which had been 16, 9, and 10 in the preceding three weeks, fell last week to 5, and were 14 below the corrected average. The deaths from *diarrhœal diseases*, which had been 17, 13, and 10 in the preceding three weeks, rose again last week to 13, the corrected average being 14. The deaths referred to diseases of the *respiratory organs*, which had been 582, 534, and 470 in the preceding three weeks, further fell last week to 427, being equal to the corrected average. The deaths attributed directly to *influenza* numbered 8, having been 11, 7, and 12 in the preceding three weeks. The death of a male, aged 42 years, which occurred in Southwark Infirmary, was certified to be due to *anthrax*.

Different forms of *violence* caused 72 deaths, concerning all but 2 of which inquests were held. Of these 72 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 63 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 11 to burns and scalds, and 17 (including 16 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 506 cases of small-pox, 3188 of scarlet fever, 1420 of diphtheria, and 228 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 134 cases, against 141, 123, and 170; of scarlet fever, 332 cases, against 379, 320, and 377; of diphtheria, 169 cases, against 209, 213, and 178; and of enteric fever, 26 cases, against 38, 24, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended December 7th.

Greater London.

In Greater London 3165 births and 2146 deaths were registered, corresponding to annual rates of 25·0 and 16·9 per 1000 of the estimated population. In the Outer Ring 3 deaths from small-pox, 18 from measles, 6 from scarlet fever, 12 from diphtheria, 4 from whooping-cough, 5 from "fever," and 6 from diarrhœal diseases were registered. The three deaths from small-pox belonged to Belvedere, in the parish of Erith; five deaths from measles were registered in Brentford district, and 5 in West Ham district.

(*For Meteorology, see p.* 652.)

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 14th Dec., 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**5752**	**4076**	**930**	**1033**	**27**	**145**	**38**	**73**	**55**	**40**	**36**	**169**	**332**	**1045**	**52**	**18·5**	**1·9**	**55·2**	**25·2**	**40·0**	**4·44**	**2·01**	**5·11**	**33 Towns.**
London - -	4,543,757	2231	1612	364	412	26	61	12	31	15	5	13	72	153	556	6	18·5	1·9	54·7	31·4	41·5	5·28	1·37	3·48	London.
West Ham - -	268,868	167	82	28	14	–	3	1	1	–	1	2	2	6	17	2	15·9	1·6	–	–	–	–	–	–	West Ham.
Croydon - -	134,665	54	33	9	7	–	2	–	–	–	–	–	1	1	4	–	12·8	0·8	55·2	28·5	40·7	4·83	2·14	5·44	Croydon.
Brighton - -	123,668	53	42	11	14	–	–	–	3	–	–	1	–	1	7	–	17·7	1·7	53·0	32·8	43·6	6·44	1·71	4·34	Brighton.
Portsmouth -	189,907	90	66	11	18	–	–	–	3	1	3	–	–	4	21	1	18·1	1·9	54·0	34·0	43·5	6·39	1·44	3·66	Portsmouth.
Plymouth - -	107,974	68	47	5	17	–	1	–	–	–	–	–	2	4	3	1	22·7	0·5	–	–	–	–	–	–	Plymouth.
Bristol - -	329,831	129	111	18	37	–	–	1	3	1	–	2	5	10	18	1	17·5	1·1	53·7	33·0	41·1	5·06	2·17	5·51	Bristol.
Cardiff - -	165,308	99	52	23	10	–	–	–	–	–	–	–	3	4	7	–	16·4	–	–	–	–	–	–	–	Cardiff.
Swansea - -	94,618	54	30	12	7	–	–	–	1	–	1	2	–	–	5	1	16·5	2·2	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	49	29	5	5	–	–	–	1	–	1	–	1	2	7	–	16·0	1·1	53·4	27·3	37·6	3·11	1·03	2·62	Wolverhampton.
Birmingham -	523,284	268	227	40	61	1	9	6	1	5	5	1	11	12	52	8	22·6	2·8	–	–	–	–	–	–	Birmingham.
Norwich - -	111,997	50	44	9	13	–	12	–	–	–	–	–	2	5	1	1	20·5	5·6	54·4	29·4	40·2	4·56	2·26	5·74	Norwich.
Leicester - -	212,498	111	72	22	15	–	2	–	–	3	1	1	2	6	10	2	17·7	1·7	–	–	–	–	–	–	Leicester.
Nottingham -	240,400	112	83	23	23	–	–	–	–	–	2	1	1	1	19	1	18·0	0·7	53·5	31·4	38·9	3·83	2·53	6·43	Nottingham.
Derby - - -	106,076	45	27	4	8	–	–	1	1	–	–	–	–	–	4	–	13·3	1·0	–	–	–	–	–	–	Derby.
Birkenhead -	111,203	55	37	10	8	–	1	1	3	1	1	–	–	4	10	–	17·3	3·3	–	–	–	–	–	–	Birkenhead.
Liverpool - -	686,332	379	275	66	56	–	2	5	6	13	6	5	16	22	84	8	20·9	2·8	–	–	–	–	–	–	Liverpool.
Bolton - -	168,748	61	55	11	18	–	–	1	1	–	–	1	3	4	6	1	17·0	0·9	–	–	–	–	–	–	Bolton.
Manchester -	544,934	300	205	43	44	–	13	1	2	1	1	–	8	24	52	5	19·6	1·7	–	–	–	–	–	–	Manchester.
Salford - -	221,526	137	90	19	19	–	3	–	5	2	–	–	3	5	17	1	21·2	2·4	–	–	–	–	–	–	Salford.
Oldham - -	137,382	68	65	18	20	–	5	–	–	–	–	–	2	6	12	–	24·7	1·9	–	–	–	–	–	–	Oldham.
Burnley - -	97,295	50	36	9	11	–	–	–	1	1	–	2	1	2	3	–	19·3	2·1	–	–	–	–	–	–	Burnley.
Blackburn - -	127,714	48	27	3	7	–	7	1	1	–	–	–	–	2	2	–	11·0	3·7	–	–	–	–	–	–	Blackburn.
Preston - -	113,117	68	48	12	12	–	5	–	–	–	–	–	4	5	3	–	22·1	2·3	53·0	32·0	39·8	4·33	1·34	3·40	Preston.
Huddersfield -	94,998	31	26	4	8	–	1	–	–	–	–	–	1	2	6	–	14·3	0·5	47·5	29·0	36·2	2·33	1·84	4·67	Huddersfield.
Halifax - -	105,113	41	32	8	7	–	3	1	–	–	–	–	2	2	7	1	15·9	2·0	–	–	–	–	–	–	Halifax.
Bradford - -	280,161	87	77	17	23	–	1	–	1	–	1	–	3	7	14	1	14·3	0·6	53·6	25·2	37·2	2·89	4·33	11·00	Bradford.
Leeds - - -	430,489	2 4	150	20	38	–	4	2	2	7	4	2	3	10	21	–	18·2	2·5	–	–	–	–	–	–	Leeds.
Sheffield - -	382,129	199	158	39	35	–	9	–	3	1	5	1	7	9	32	5	21·6	2·6	–	–	–	–	–	–	Sheffield.
Hull - - -	241,622	109	67	21	17	–	–	–	–	1	1	2	3	5	8	2	14·5	0·9	–	–	–	–	–	–	Hull.
Sunderland -	146,937	102	52	10	19	–	1	–	2	1	1	–	5	5	11	–	18·5	1·8	–	–	–	–	–	–	Sunderland.
Gateshead - -	110,492	80	35	12	6	–	–	1	–	–	1	–	–	–	5	2	16·5	0·9	–	–	–	–	–	–	Gateshead.
Newcastle - -	215,516	134	84	15	24	–	–	4	1	2	–	–	6	9	21	2	20·3	1·7	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTIETH Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** -	2625	2451	2474	2597	2219	2555	2623	2519	2269	2527	2578·4	2231
Males - -	1357	1233	1264	1247	1171	1342	1292	1309	1179	1295	1316·1	1151
Females - -	1268	1218	1210	1350	1048	1213	1331	1210	1090	1232	1262·3	1080
TOTAL **Deaths** -	1449	1589	2100	1550	1477	1539	1796	1423	2078	1454	1737·9	1612
Males - -	748	824	1165	780	759	789	910	734	1040	762	882·8	834
Females - -	701	765	1235	770	718	750	886	689	1038	692	855·1	778

* The numbers in this column are the average weekly numbers in the fiftieth week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	13 Weeks.
TOTAL **Births** -	2355	2581	2499	2676	2389	2655	2737	2437	2574	2519	2460	2374	2231	32487
TOTAL **Deaths** -	1360	1304	1280	1309	1394	1404	1516	1688	1744	1939	1785	1698	1612	20033
Ages at Death: Under 1 year -	370	345	341	329	324	308	368	368	441	438	415	377	364	4788
1—5 years -	146	156	115	160	139	148	167	209	208	247	225	200	222	2342
5—20 " -	81	87	71	78	86	81	77	86	88	101	99	101	101	1137
20—40 " -	176	171	181	183	209	182	204	227	202	228	201	217	208	2589
40—60 " -	264	251	257	261	278	320	288	353	335	378	330	319	305	3939
60—80 " -	262	233	270	251	280	316	339	364	369	445	410	394	336	4269
80 yrs. & upwds.	61	61	45	47	78	49	73	81	101	102	105	90	76	969
Deaths from—														
Small-pox: Vacc'd. -	1	1	–	–	6	2	5	7	6	10	10	10	16	74
Small-pox: Unvacc'd. -	1	4	2	2	2	4	1	8	6	7	7	4	7	55
Small-pox: Not stated -	1	–	1	1	3	–	–	1	2	5	4	2	3	23
Measles - - -	19	13	14	14	22	21	24	38	60	50	54	41	61	431
Scarlet Fever - -	9	13	14	22	13	9	12	10	4	12	12	10	12	152
Diphtheria - -	27	34	30	54	33	26	36	33	35	37	40	36	31	452
Whooping-cough -	14	13	11	10	6	11	12	10	15	15	12	11	15	155
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	14	19	18	11	19	10	12	16	15	16	9	10	5	174
Simple Cont. Fever -	–	–	–	–	–	–	–	–	–	1	1	–	–	2
Diarrhœa, Dysentery	138	87	78	50	56	42	28	20	15	17	13	10	13	567
Cholera - - -	–	1	–	–	–	–	–	–	–	–	–	–	–	1
All above Diseases -	224	185	168	164	160	125	130	143	158	170	162	134	163	2086
Dis. of Resp. System	124	137	132	186	196	242	327	445	477	582	534	470	427	4279
Phthisis - - -	147	139	155	136	143	177	167	182	163	191	118	140	155	2013
Dis. of Circ. System -	133	101	119	122	146	158	132	167	159	175	189	176	148	1925
Violence - - -	75	59	52	49	56	55	75	69	59	71	62	71	72	825
Inquest Cases - -	133	118	124	117	145	123	173	181	176	176	188	167	153	1974
Deaths in Institutions	503	480	441	440	449	489	547	564	497	606	578	528	556	6676
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	56·8	58·7	57·3	50·7	51·5	44·6	49·0	39·5	41·6	43·7	39·2	44·4	41·5	47·6
Mean of Highest -	65·6	68·3	67·0	57·9	59·0	53·6	55·3	46·4	45·9	48·5	44·3	48·4	45·1	54·3
Mean of Lowest -	48·9	50·5	49·3	43·6	43·9	36·4	42·6	33·8	37·6	37·7	33·7	38·6	37·0	41·0
Mean Humidity of the Air.	81	81	85	82	84	90	76	91	80	80	82	83	88	83
Rain-fall (in inches) -	1·10	0·00	1·24	0·19	1·10	0·03	0·02	0·00	0·39	0·24	0·03	0·03	1·37	5·74
Registered Sunshine (in hours).	19·8	21·3	27·8	20·3	26·0	12·8	38·4	7·3	5·4	10·3	9·6	6·8	6·0	211·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	153	163	169	175	172	180	284	297	368	396	427	474	506	290
Scarlet Fever - -	3098	3151	3159	3280	3344	3353	3392	3331	3353	3336	3278	3241	3188	3270
Diphtheria - -	1465	1512	1539	1522	1546	1588	1585	1539	1556	1509	1516	1460	1420	1520
Typhus - - -	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Enteric Fever - -	290	292	296	307	288	286	291	270	269	269	245	243	228	275

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTIETH Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 50th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 14th December, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	1737·9	1612	364	222	101	208	305	336	76
Small-pox† Vaccinated -	0·1	16	-	-	-	15	1	-	-
Small-pox† Unvaccinated -	0·2	7	1	2	4	-	-	-	-
Small-pox† No Statement -	0·2	3	-	-	1	2	-	-	-
Measles - - - -	52·7	61	15	41	5	-	-	-	-
Scarlet Fever - - -	16·8	12	-	8	4	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	0·1	-	-	-	-	-	-	-	-
Influenza - - - -	33·0	8	2	1	1	2	2	-	-
Whooping-cough - -	38·3	15	3	12	-	-	-	-	-
Diphtheria - - -	53·9	31	1	13	15	1	1	-	-
Simple Continued and Ill-defined Fever -	0·1	-	-	-	-	-	-	-	-
Enteric Fever - - -	19·4	5	-	-	2	3	-	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	14·1	13	11	1	-	-	-	1	-
Remittent Fever - -	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	0·3	1	1	-	-	-	-	-	-
Venereal Affections - -	8·9	8	3	-	-	-	4	1	-
Erysipelas - - -	6·5	7	1	-	-	2	2	2	-
Pyæmia and Septicæmia	1·8	6	1	-	1	-	4	-	-
Puerperal Fever - -	5·4	4	-	-	-	4	-	-	-
Other Zymotic Diseases -	1·8	3	-	-	-	-	3	-	-
Thrush - - - -	0·8	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk - -	1·5	1	1	-	-	-	-	-	-
Alcoholism - - -	10·0	11	-	-	-	3	7	1	-
Rheumatic Fever, Rheumatism of Heart	9·2	8	-	1	2	3	1	1	-
Rheumatism - - -	2·1	1	-	-	-	-	1	-	-
Gout - - - - -	3·3	1	-	-	-	-	1	-	-
Rickets - - - -	5·4	1	-	1	-	-	-	-	-
Cancer - - - -	74·8	63	-	-	-	6	25	30	2
Tabes Mesenterica - -	14·6	6	2	4	-	-	-	-	-
Tubercular Meningitis -	21·1	18	4	11	3	-	-	-	-
Phthisis - - - -	161·6	155	3	4	11	63	61	13	-
Scrofula, Tuberculosis -	16·3	14	5	5	1	1	2	-	-
Other Constitutional Diseases - -	13·6	12	-	-	-	4	3	5	-
Premature Birth - -	51·6	53	53	-	-	-	-	-	-
Atelectasis - - -	3·7	3	3	-	-	-	-	-	-
Congenital Malformations - - -	6·6	9	8	1	-	-	-	-	-
Old Age - - - -	56·2	59	-	-	-	-	-	30	29
Apoplexy - - - -	47·9	41	-	-	-	-	6	31	4
Epilepsy - - - -	6·7	6	-	-	-	2	2	2	-
Convulsions - - -	32·2	39	32	6	1	-	-	-	-
Other Diseases of Brain and Nervous System	82·3	66	9	5	8	8	16	19	1
Diseases of Organs of Special Sense -	4·1	5	-	-	3	2	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 50th Week of the 10 years 1891-1900*.	In the Week ended Saturday, 14th December, 1901. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	147·7	148	-	-	12	26	50	51	9
Croup - - - -	3·1	1	-	1	-	-	-	-	-
Bronchitis - - -	248·5	205	55	29	-	6	27	69	19
Pneumonia - - -	137·6	181	61	52	7	14	26	19	2
Pleurisy - - - -	6·1	13	-	3	-	3	2	5	-
Other Diseases of Respiratory System -	31·7	27	5	-	3	-	7	11	1
Dentition - - - -	10·4	9	6	3	-	-	-	-	-
Quinsy, Sore Throat -	1·6	4	2	1	-	-	1	-	-
Enteritis - - - -	2·0	13	3	1	6	1	2	-	-
Gastro-enteritis - -	14·0	4	4	-	-	-	-	-	-
Peritonitis - - -	5·8	5	-	1	-	2	1	1	-
Diseases of Liver - -	27·0	16	2	-	-	4	4	6	-
Other Diseases of Digestive System	30·3	21	5	3	1	1	4	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·7	6	1	1	-	2	2	-	-
Diseases of Urinary System - -	51·7	57	-	-	2	10	18	25	2
Diseases of Generative System - -	5·7	9	1	-	-	4	2	2	-
Accidents of Childbirth -	5·3	6	-	-	-	6	-	-	-
Diseases of Locomotive System - -	4·4	2	-	-	1	-	1	-	-
Diseases of Integumentary System - -	6·9	3	1	-	-	-	-	2	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	1·9	2	-	-	1	-	-	1	-
By Vehicles or Horses -	5·6	7	-	-	2	-	5	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·6	-	-	-	-	-	-	-	-
In Building Operations -	1·3	2	-	-	-	1	1	-	-
In Conflagrations - -	0·4	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	10·1	11	1	8	1	-	1	-	-
By Drowning - - -	3·8	3	1	-	-	-	2	-	-
By Suffocation in Bed -	15·5	17	16	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·2	-	-	-	-	-	-	-	-
Other or not stated causes - - -	19·5	21	3	2	1	4	5	1	5
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·3	1	-	-	1	-	-	-	-
Suicide - - - -	8·3	8	-	-	1	3	2	1	1
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	46·3	37	37	-	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are classed as "vaccinated" or "unvaccinated" which are so certified by registered medical men. Cases in which the certifying medical practitioner is unable to certify whether the deceased had, or had not, been vaccinated, as well as cases in which no mention of vaccination is made on the certificate, and all cases in which the cause of death is not certified by a registered medical practitioner, are included under the heading "no statement." (For further information *see* the remarks on the second page of this return.)

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th December, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON - - -	4,536,063	2231	1612	364	412	26	61	12	31	15	-	5	-	13	72	153	556	6
WEST DISTRICTS - - -	805,275	317	308	60	83	-	26	2	2	3	-	-	-	5	14	24	104	-
NORTH DISTRICTS - - -	1,056,018	456	348	72	106	-	14	3	9	1	-	2	-	2	17	41	115	1
CENTRAL DISTRICTS - - -	209,432	115	73	21	12	1	1	-	1	2	-	-	-	-	3	4	30	1
EAST DISTRICTS - - - -	715,772	457	262	79	54	1	7	-	1	4	-	1	-	2	13	32	97	-
SOUTH DISTRICTS - - -	1,749,566	886	557	131	145	1	13	4	14	5	-	1	-	4	25	52	146	4
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	64	1	12	23	-	3	4	-	-	1	-	-	-	-	64	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	32	18	5	5	-	3	-	-	-	-	-	-	-	-	1	2	-
St. John Paddington *H* - - G.	33,608	3	12	1	1	-	-	-	-	-	-	-	-	-	4	4	10	-
North-West Paddington - - C.	17,181	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	53	60	10	19	-	11	-	-	1	-	-	-	-	2	5	30	-
Brompton *HH* - - W. & C.	48,598	9	13	-	4	-	-	-	-	1	-	-	-	-	-	-	5	-
North Hammersmith *H* W. & G.	49,335	19	24	9	3	-	5	-	-	-	-	-	-	-	1	3	-	-
South Hammersmith *wH* W. & G.	62,910	39	23	3	8	-	1	-	-	-	-	-	-	1	1	3	3	-
North-west Fulham *W* W. & C.	45,180	31	25	5	8	-	2	-	-	-	-	-	-	1	-	1	10	-
North-east Fulham *H* W. & C.	46,404	19	13	2	2	-	1	2	-	1	-	-	-	1	-	-	2	-
South Fulham W. & C.	45,705	24	15	7	1	-	-	-	-	-	-	-	-	2	1	1	-	-
Chelsea North *WwHHH* - C.	42,515	26	25	4	11	-	-	-	-	-	-	-	-	-	1	1	17	-
Chelsea South *HH* - - - C.	31,341	9	12	3	5	-	-	-	1	-	-	-	-	-	-	1	1	-
May Fair and Knightsbridge *H* C.&G.	28,744	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHH* - - - C.	55,812	12	28	4	6	-	2	-	1	-	-	-	-	-	1	1	12	-
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	17	24	3	2	-	1	-	-	-	-	-	-	-	2	2	9	-
St. James Westminster *WH* N. & G.	21,595	10	5	1	3	-	-	-	-	-	-	-	-	-	1	1	2	-
St. Anne Soho *HHHHH* - N.	11,492	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* - - W.	35,394	7	14	3	3	-	-	-	-	-	-	-	-	-	3	5	8	-
Rectory Marylebone *W* G. & W.	19,869	4	5	-	3	-	-	-	-	-	-	-	-	-	-	2	2	-
St. Mary Marylebone *HHHH* G. & W.	18,099	23	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H* - W.	39,541	16	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	20,426	6	6	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead *WHHHHHH* - - N. & W.	81,942	25	23	3	9	-	-	2	3	-	-	-	-	1	3	3	9	-
Regent's Park *H* - - - W.	50,647	18	11	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	10	9	2	-	-	-	-	-	-	-	-	-	-	1	2	6	-
Gray's Inn Lane *HHHH* - N.	30,886	12	7	1	-	-	-	-	-	-	-	-	-	-	2	3	3	-
Somers Town *HH* - - - N.	30,131	21	18	8	2	-	1	-	1	-	-	-	-	-	1	4	4	-
Camden Town *WH* - - N.	40,079	22	10	-	7	-	1	-	-	-	-	-	-	-	-	1	6	-
Kentish Town *WW* - - N.	58,727	37	25	7	8	-	-	-	-	1	-	-	-	-	1	1	10	1
Tufnell *W*																		
Upper Holloway *WWwHH* - N.	99,841	15	18	2	6	-	4	-	-	-	-	-	-	-	1	1	14	-
		16	20	3	7	-	-	-	-	-	-	-	-	-	-	1	17	-
Tollington *W*		11	11	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway - - - N.	41,411	23	14	3	2	-	5	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - - N.	54,479	31	19	4	9	-	-	-	1	-	-	-	-	-	-	1	-	-
Islington South-east *H* - - N.	75,402	38	19	4	5	-	1	-	-	-	-	-	-	-	-	2	-	-
Highbury *HH* - - - - N.	63,795	19	16	3	4	-	2	-	-	-	-	1	-	-	-	1	1	-
Stoke Newington *H* - - N.	51,247	13	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,570	15	12	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *wH* - E. & N.	50,535	22	18	6	2	-	-	1	4	-	-	1	-	-	1	3	5	-
South-west Hackney *HHH* E. & N.	59,929	25	18	3	7	-	-	-	-	-	-	-	-	1	-	1	9	-
South-east Hackney *WwH* E. & N.	58,254	27	34	5	16	-	-	-	-	-	-	-	-	-	2	7	20	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *h*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	23	5	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
St. Giles North *H* - - - N.	8,959	4	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Martin-in-the-Fields *HH* N.&C.	12,975	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Strand *WHH* - - - - N.	8,694	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Strand Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *WHHHHHH* - - N.	29,579	12	13	3	1	-	-	-	1	1	-	-	-	-	-	1	6	-
South Clerkenwell* - - N.	63,715	10	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell* - - N.		21	10	6	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Finsbury *HHHL* - - - N.	35,376	30	9	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
Holborn Union Workhouse, Mitcham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - - N. & E.	11,036	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	7,886	3	12	2	1	-	-	-	-	-	-	-	-	-	1	-	10	-
Allhallows Barking - - - N.	8,717	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *wH* - - N.	29,761	19	15	2	5	-	1	-	-	-	-	-	-	-	-	1	8	-
Hoxton Old Town - - - N.	26,510	20	15	10	2	-	3	-	-	-	-	-	-	-	1	2	-	-
Haggerston *W* - - - N & E.	46,064	19	16	5	5	-	-	-	-	-	-	-	-	1	-	2	9	-
Bethnal Green North *HH* - E.	51,513	38	14	3	2	-	1	-	-	-	-	-	-	-	-	1	3	-
Bethnal Green South - - E.	33,473	21	8	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Bethnal Green East *W WHl* - E.	44,695	31	21	5	5	-	1	-	-	-	-	-	-	-	1	3	6	-
Spitalfields - - - E. & N.	27,965	15	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	28,711	20	41	8	4	-	-	-	1	-	-	1	-	-	5	10	37	-
Goodman's Fields - - - E.	22,082	8	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. George's, North - - - E.	40,965	28	7	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
St. John *W* - - - - E.	8,122	5	8	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Shadwell *H* - - - E. & N.	10,760	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Ratcliff *W* - - - - - E.	14,770	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - - E.	32,358	20	15	8	2	1	-	-	-	1	-	-	-	-	1	-	-	-
Mile End Old Town West *H* - E.	59,467	43	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East *WWw* - - - - E.	53,348	32	16	3	4	-	-	-	-	-	-	-	-	-	-	-	10	-
Bow *l* - - - - - - E.	41,990	25	18	5	6	-	-	-	-	1	-	-	-	-	3	5	1	-
Bromley *wwwH* - - - E.	68,326	56	27	5	8	-	-	-	-	-	-	-	-	-	1	3	9	-
Poplar *Ww* - - - - E.	58,522	40	17	6	4	-	-	-	-	1	-	-	-	1	-	1	3	-

* On 1st December, 1901, the Sub-Districts of South Clerkenwell and North Clerkenwell were formed out of the united Sub-Districts of St. James Clerkenwell, Amwell, and Goswell Street.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	8	6	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	7	16	1	3	–	–	–	–	–	–	–	–	–	3	4	14	–
Kent-road - - - S. & L.	21,899	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,882	9	5	2	1	–	1	–	–	–	–	–	–	–	–	–	3	–
London-road *HL* - L. & S.	22,209	11	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Trinity Newington *H* - S. & L.	28,485	18	4	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Peter Walworth *W*- S. & L.	61,773	42	17	4	6	–	–	–	–	–	–	–	–	–	1	1	2	–
St. Mary Newington - L. & S.	31,592	20	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
St. Olave *W* - - - - S.	9,813	6	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Bermondsey *WH*- - - S.	82,405	42	30	14	6	–	–	–	–	–	–	–	–	–	3	7	–	2
Rotherhithe *WH* - - S. & K	38,268	18	17	2	3	–	–	–	–	–	–	–	–	–	–	1	9	–
Waterloo-road *HH* - L. & S.	27,435	31	11	2	3	–	–	–	–	–	–	–	–	–	–	1	1	–
Lambeth Church 1st *H* L. & S.	18,420	13	17	4	2	–	1	–	1	–	–	–	–	–	1	3	9	–
Lambeth Church 2nd *WW* L. & S.	39,818	18	29	3	11	–	–	–	–	–	–	–	–	–	1	4	19	–
Kennington 1st *H* - S. & L.	53,196	27	17	4	5	–	1	–	–	–	–	–	–	–	–	1	–	–
Kennington 2nd - - S. & L.	42,891	16	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *H* - - - L. & S.	84,226	38	24	7	6	–	–	1	2	1	–	–	–	–	–	–	3	–
Norwood *WH* - - - L.	35,887	7	12	1	5	–	3	–	–	1	–	–	–	–	–	–	–	–
East Battersea - - - S.	72,201	40	13	5	2	–	1	–	–	–	–	–	–	1	2	4	–	–
North-west Battersea - - S.	49,650	37	15	5	3	–	–	–	–	–	–	–	–	1	1	4	–	–
South-west Battersea *WH* - S.	47,045	18	27	3	8	1	1	–	–	–	–	–	–	–	2	2	13	–
Clapham *H* - - - - S.	51,353	16	9	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Streatham *WwwHHL* - L.	88,129	41	25	1	10	–	–	–	2	–	–	–	–	–	–	–	10	–
Wandsworth *WHL* - - S.	68,409	35	15	8	1	–	2	–	–	–	–	–	–	–	1	1	1	–
Putney - - - - - S.	24,139	14	8	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Dulwich - - - - L. & S.	10,246	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *Wwll* - S. & L.	90,404	38	37	5	18	–	–	–	–	–	–	–	–	–	2	2	23	–
Peckham *Ww* - S., L., & K.	93,022	53	25	6	8	–	–	–	1	–	–	–	–	–	1	7	1	–
St. George Camberwell - L. & S.	65,586	36	18	3	2	–	1	–	–	1	–	–	–	–	1	1	–	1
Deptford North - - - K.	37,601	23	11	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Deptford Central *H* - - K.	45,621	33	10	1	2	–	–	–	4	–	–	–	–	–	–	–	5	–
Deptford South - - - K.	34,622	7	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,456	5	7	1	4	–	–	–	–	–	–	–	–	–	–	1	1	–
Greenwich East *WH* - - K.	43,849	22	24	5	3	–	–	–	–	–	–	–	–	–	3	4	10	–
Eltham *wH* - - - - K.	7,218	5	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Lee *H* - - - - - K.	25,489	10	5	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Lewisham *WwH* - - - K.	58,341	24	22	5	6	–	–	3	4	–	–	–	–	1	–	–	11	–
Sydenham *H* - - - L.	43,630	12	18	3	6	–	1	–	–	1	–	–	–	–	–	–	1	–
Charlton *HHH* - - - K.	21,121	16	7	4	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Woolwich *HHHH* - - K.	41,607	24	11	3	4	–	–	–	–	–	–	–	–	1	–	–	–	–
Plumstead West *H* - - K.	18,076	4	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	30	16	6	3	–	–	–	–	–	–	–	–	–	1	1	5	–
London County Asy., Banstead -	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5	–
London County Asy., Epsom -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Caterham	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asy., Cane Hill -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
M.A.B. Ships and Hosp., Dartford	—	–	23	1	–	23	–	–	–	–	–	–	–	–	–	–	23	–
Met. Asy. for Imbeciles, Darenth -	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Asylum, Dartford Heath - - - - -	—	–	7	–	2	–	–	–	–	–	–	–	–	–	–	–	7	–
London County Asylum, Hanwell	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Central London Sick Asy., Hendon	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asy., Colney Hatch	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
M.A.B. North-Eastern Hospital -	—	–	7	–	–	–	–	2	4	–	–	1	–	–	–	–	7	–
M.A.B. Northern Hospital - -	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Met. Asy. for Imbeciles, Leavesden	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asylum, Claybury	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5	–

ABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th December, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	934	534	136	129	3	18	6	12	4	5	6	25	42	80	5
30 : 1	Carshalton *H*	12,228	32,997	8	8	2	3	-	-	-	-	-	-	-	-	-	-	1
2	Epsom, *part of* WwHHH*	10,423	15,548	3	4	1	2	-	-	-	-	1	-	-	-	-	2	-
37 : 1	Godstone, *part of* W*	2,754	2,692	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Croydon *WWwHHH*	20,851	164,519	62	39	9	8	-	2	-	-	-	-	-	2	2	5	-
2	Mitcham *w*	11,689	29,906	8	4	1	-	-	2	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *HHH*	3,221	41,604	20	12	2	4	-	-	-	-	-	-	-	-	2	-	-
2	Kingston *WH*	6,224	42,067	17	10	1	2	-	-	-	1	-	-	-	1	1	3	-
3	Surbiton *HH*	3,046	15,019	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H*	5,402	13,003	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL*	4,564	23,447	10	9	1	4	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond *WHH*	2,162	28,871	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *H*	2,847	20,628	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *HHH*	4,703	27,358	10	5	4	-	-	-	-	-	-	-	-	1	1	-	-
2	Beckenham *H*	7,825	28,499	6	5	1	2	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of* W*	10,113	9,857	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *HH*	7,333	16,458	3	4	1	2	-	-	-	1	-	-	-	-	-	1	-
42 : 1	Bexley *HHH*	12,532	46,445	28	20	7	4	-	-	-	1	-	-	-	2	3	2	2
2	Dartford *WH, part of**	—	—	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-
24 : 1	Sunbury *w*	11,054	18,682	9	7	1	2	-	-	-	-	-	-	-	-	-	1	-
2	Staines *WH*	13,277	15,179	4	5	-	3	-	-	-	-	-	-	-	1	1	1	-
25 : 1	Hillingdon *WHH*	6,035	13,661	14	4	-	2	-	-	-	-	-	-	-	2	2	1	-
2	Uxbridge	12,757	8,984	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	8,066	16,358	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
26 : 1	Isleworth *WHH*	6,859	30,838	19	8	1	2	-	-	-	2	-	-	-	-	-	3	-
2	Twickenham *HH*	2,421	20,991	4	5	1	1	-	-	-	-	1	-	-	-	-	-	-
3	Brentford† *HHHH*	11,700	127,020	19	22	6	6	-	5	-	-	-	-	-	2	2	-	-
4	Chiswick			11	8	4	4	-	-	-	-	-	-	1	-	-	-	-
5	Acton† *wHH*			34	9	3	3	-	-	-	-	-	-	-	-	-	-	-
27 : 1	Harrow *HHH*	13,809	25,522	10	3	-	2	-	-	-	-	-	1	-	-	-	-	-
2	Edgware *HH*	6,994	4,520	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Willesden *HHH*	4,384	114,815	50	30	11	4	-	-	-	2	-	-	1	2	2	3	-
4	Hendon *WH*	8,382	22,450	9	7	1	-	-	1	-	-	-	1	-	1	1	4	-
28 : 1	South Mimms *HH*	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH*	3,324	17,970	5	2	-	-	-	-	-	-	-	-	-	1	1	1	-
3	Finchley *HHH*	4,688	33,692	10	8	3	-	-	-	-	-	1	-	-	-	-	-	-
29 : 1	Hornsey *HH*	2,875	72,056	21	13	1	5	-	-	-	-	-	-	-	1	2	-	-
2	Tottenham *HHH*	4,638	136,702	72	37	10	8	-	2	-	-	-	-	-	1	4	1	-
3	Edmonton *Ww*	7,491	61,892	33	19	6	7	-	1	-	-	-	-	1	1	2	5	-
4	Enfield *WWHH*	12,601	42,738	15	9	1	3	-	-	-	1	-	-	-	-	1	2	-
5	Waltham Abbey	11,017	6,547	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8,479	12,288	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
35 : 1	Hatfield, *part of* W*	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Bushey *H*	9,333	9,173	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WLH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 : 1	Stratford *H*	1,072	44,825	26	7	2	-	-	-	-	-	-	-	-	1	2	3	1
2	Plaistow *HHH*	1,249	90,920	67	29	11	4	-	1	1	1	-	1	1	1	1	4	-
3	Canning Town *H*	1,556	70,666	42	21	10	1	-	2	-	-	-	-	1	-	3	-	1
4	Forest Gate *w*	806	60,897	32	15	5	5	-	-	-	-	-	-	-	-	-	-	-
5	East Ham *wHHH*	3,268	95,970	50	27	5	5	-	-	-	1	1	-	-	-	1	1	-
6	Wanstead	1,737	9,198	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton *WW*	631	50,458	27	27	4	9	-	2	-	-	-	-	1	-	-	18	-
8	North Leyton *WwH*	1,963	48,441	17	8	2	-	-	-	-	-	1	-	-	-	-	-	-
9	Walthamstow *HHHL*	6,504	108,931	57	24	4	7	-	-	-	1	-	-	-	2	2	3	-
7 : 1	Chigwell, *part of* LHHH*	11,778	16,403	3	2	1	-	-	-	1	-	-	-	-	-	-	1	-
2	Epping *WH, part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Romford, *part of* W*	6,556	6,089	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H*	8,496	41,240	16	8	1	2	-	-	1	1	-	-	-	-	-	3	-
3	Barking Town *H*	3,803	21,547	14	9	5	-	-	-	-	-	-	-	-	1	2	-	-
	Eastern Fever Hosp., Hackney	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	Willesden Workhouse	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	M.A.B. Hospital Ship, Dartford.	—	—	-	3	-	-	3	-	-	-	-	-	-	-	-	3	-
	North-Eastern Hospital, Tottenham.	—	—	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-
	Northern Hospital, Winchmore Hill.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting neydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious iseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† The boundaries of these Sub-Districts were altered on 1st December, 1901.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 14th December, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
EATER LONDON	**443,419**	**6,604,287**	**16·9**	**1·7**	**2146**	**500**	**541**	**29**	**79**	**18**	**43**	**19**	**10**	**19**	**97**	**636**
INNER LONDON –	74,839	4,543,757	18·5	1·9	1612	364	412	26	61	12	31	15	5	13	72	556
OUTER RING –	368,580	2,060,530	13·5	1·4	534	136	129	3	18	6	12	4	5	6	25	80

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	December 14	126	125	20·5	–	1	3	1	1	2	2
GLASGOW – –	764,423	„ 14	394	317	21·6	–	19	–	1	7	7	6
DUBLIN† – –	375,076	„ 14	164	129	17·9	–	–	–	–	1	–	–
BELFAST† – –	350,862	„ 14	193	141	21·0	–	1	2	3	6	10	2
CALCUTTA – –	466,460	November 2	–	–	–	–	–	–	–	–	–	–
BOMBAY – –	770,843	„ 26	268	790	52·9	–	–	?	?	?	287‡	75§
MADRAS – –	509,346	„ 15	451	677	69·1	1	5	?	?	?	256	136§
PARIS – – –	2,511,629	December 7	–	–	–	–	–	–	–	–	–	–
BRUSSELS – –	582,665	„ 7	208	178	15·9	–	1	1	1*	2	4	11
AMSTERDAM –	525,636	November 30	282	136	13·4	–	1	–	1	1	2	4
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	December 7	175	108	14·9	–	–	1	–	3	1	4
STOCKHOLM –	301,050	November 30	149	88	15·2	–	–	2	4*	1	–	3
CHRISTIANIA –	228,929	December 7	119	68	15·5	–	–	1	–	1	2	6
ST. PETERSBURG	1,248,643	November 30	819	571	23·8	–	18	22	26	6	31	40
MOSCOW – –	1,023,817	„ 30	–	–	–	–	–	–	–	–	–	–
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705,738	December 7	–	245	18·1	–	4	5	4*	4	–	8
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	December 7	–	217	22·6	–	3	–	1*	1	–	15
VIENNA – –	1,691,996	„ 7	865	529	16·1	–	4	8	7*	2	–	39
PRAGUE – –	389,741	November 30	171	183	24·3	–	12	3	2	2	–	3
BUDA-PESTH –	744,719	December 7	401	252	17·6	–	2	10	2	–	1	11
TRIESTE – –	177,428	„ 7	116	94	27·4	–	1	2	–	2	–	4
ROME – –	471,961	October 26	217	120	13·3	–	1	–	1	–	5‖	16
TURIN – –	335,639	—	–	–	–	–		–	–	–	–	–
VENICE – –	174,378	November 30	63	85	25·4	–	2	–	–	–	2	3
CAIRO – –	570,062	October 28	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA –	319,766	„ 28	–	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,536,517	November 16	1592	1164	17·2	3	8	13	37*	5	18	48
PHILADELPHIA –	1,293,697	„ 23	–	442	17·8	7	–	3	17	1	2	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast, respectively.
§ Including 2 deaths from cholera in Bombay, and 17 in Madras.
‡ Including 177 deaths from plague.
‖ Including one death from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	8	Apogee.	29·431	54·7	45·2	9·5	50·7	+10·1	47·6	3·1	5·5	1·6	89	57·0	39·0	46·00	SSW.	SW.	15·7	0·0	3·1	755	+450	0·15	5·0
MONDAY -	9	..	29·426	46·0	38·3	7·7	42·0	+ 1·7	35·5	6·5	9·5	4·8	78	70·6	30·5	46·32	SW. & SSW.	SW.	9·9	0·0	1·9	617	+311	0·15	2·0
TUESDAY -	10	..	29·561	41·1	33·1	8·0	37·5	− 2·4	33·2	4·3	9·2	1·0	84	54·2	28·6	46·54	SSW., WSW. & SW.	WSW. & SW.	6·6	0·0	0·8	461	+155	0·13	0·0
WEDNESDAY	11	New. Gr. Dec. S.	29·539	41·8	32·9	8·9	37·7	− 2·1	33·4	4·3	7·0	2·1	85	55·0	27·2	46·15	SW. & WSW.	WSW., SW. & SSW.	4·1	0·0	0·5	399	+ 92	0·00	0·5
THURSDAY-	12	..	29·022	46·0	31·4	14·6	40·4	+ 0·5	39·0	1·4	2·4	1·3	95	46·0	25·0	45·71	S., SE. & E.	SE. & SSE.	6·3	0·0	0·7	335	+ 28	0·80	7·5
FRIDAY -	13	..	28·771	44·8	41·0	3·8	42·5	+ 2·4	41·2	1·3	2·4	0·7	95	51·8	32·0	45·41	E., NE. & NNE.	N.	3·0	0·0	0·3	311	+ 3	0·13	0·0
SATURDAY-	14	..	29·229	41·3	37·3	4·0	39·5	− 0·7	36·0	3·5	5·0	1·5	88	46·0	33·0	45·10	N. & NNW.	NNW.	6·9	0·0	1·9	549	+241	0·01	1·5
MEANS -	-		29·283	45·1	37·0	8·1	41·5	+ 1·4	38·0	3·5	5·9	1·9	88	54·4	30·8	45·89	SW. & N.		..	..	..	Sum 3427	Sum +1280	Sum 1·37	2·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	8	w. P. generally; w. N. between noon and 2h. P.M.	0·0	7·9	Overcast, with frequent rain, till evening; very fine, with small amounts of cloud, afterwards. A gale of wind till afternoon.
MONDAY -	9	s. P. and s. N. till 3h. A.M.; w. P. till 9h. A.M.; m. P. generally afterwards, with s. N. between 3h. and 4h. P.M.	3·1	7·9	Cloudy and showery till 4h. A.M.; fine generally, with variable amounts of cloud and occasional slight showers of rain and snow, till evening; cloudless at night. Brisk wind.
TUESDAY -	10	v. P. and s. N. till 4h. A.M.; m. P. generally afterwards.	2·3	7·9	Overcast, with sleet and snow, in early morning; very fine and generally cloudless after 6h. A.M. Solar halo in afternoon. Hoar frost at night.
WEDNESDAY	11	m. P. till 9h. A.M.; s. P. generally afterwards.	0·6	7·9	Cloudless, with hoar frost, in morning; fine, but cloudy, till 8h. P.M.; generally cloudless, with hoar frost, afterwards.
THURSDAY-	12	m. P. till 6h. A.M.; v. N. and v. P. afterwards.	0·0	7·9	Very fine, with hoar frost, in early morning; overcast afterwards, with nearly continuous rain after 6h. A.M. A little sleet between 6h. and 7h. A.M.
FRIDAY -	13	w. N. and w. P. till 5h. A.M.; w. P. till 1h. P.M.; w. P. and v. N. afterwards.	0·0	7·8	Generally overcast. Frequent rain after 10h. A.M.
SATURDAY-	14	w. P. till 9h. A.M.; m. P. afterwards, with occasional s. N. in evening.	0·0	7·8	Generally overcast; frequent slight rain till evening. Gusty wind.
			Sum 6·0	Sum 55·1	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·70 in. at the beginning of the week to 29·42 in. by 10h. A.M. on the 8th; increased to 29·47 in. by 9h. P.M. on the same day; decreased to 29·39 in. by 1h. P.M. on the 9th; increased to 29·60 in by noon on the 10th; decreased to 29·41 in. by 4h. A.M. on the 11th; increased to 29·61 in. by 10h. P.M. on the same day; decreased to 28·71 in. by 6h. A.M. on the 13th, and increased to 29·50 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th December 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	-	8	7	-	1	-	-	3	-
Kensington	176,787	-	15	2	-	3	-	-	2	-
Hammersmith	112,619	2	3	5	-	2	-	-	2	-
Fulham	138,426	3	11	19	-	2	-	-	4	-
Chelsea	73,879	-	6	4	-	1	-	-	-	-
City of Westminster	182,502	4	7	7	-	1	-	-	4	-
NORTH.										
St. Marylebone	133,060	6	11	1	-	5	-	-	1	-
Hampstead	82,287	-	12	6	-	1	-	-	-	-
St. Pancras	235,297	18	28	24	-	6	-	-	11	-
Islington	335,325	1	39	21	-	6	-	-	6	-
Stoke Newington	51,328	2	7	1	-	2	-	-	1	-
Hackney	219,780	3	31	30	-	6	-	-	8	-
CENTRAL.										
Holborn	59,205	19	3	1	-	-	-	-	3	-
Finsbury	101,263	10	13	5	-	-	-	-	3	-
City of London	26,627	-	4	1	-	-	-	-	-	-
EAST.										
Shoreditch	118,554	5	9	4	-	1	-	-	5	-
Bethnal Green	129,700	3	7	10	-	3	-	-	4	-
Stepney	298,884	21	33	17	-	2	-	-	11	-
Poplar	168,887	15	20	8	-	2	-	-	4	-
SOUTH.										
Southwark	206,219	6	23	8	-	4	-	-	10	-
Bermondsey	130,348	9	21	3	-	4	-	-	2	-
Lambeth	302,460	3	17	9	-	7	-	-	7	-
Battersea	169,364	9	14	7	-	1	-	-	-	-
Wandsworth	233,943	3	27	15	-	3	-	-	3	-
Camberwell	259,897	8	42	21	-	7	-	-	8	1
Deptford	110,732	1	13	6	-	-	-	-	-	-
Greenwich	96,188	5	11	6	-	1	-	-	3	-
Lewisham	128,423	-	13	6	-	2	-	-	1	-
Woolwich	117,619	7	10	3	-	1	-	-	1	1
Port of London	—	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	163	458	257	-	74	-	-	107	2
Ages 0-1		5	6	5	-	-	-	-	2	-
,, 1-5		11	137	87	-	3	-	-	4	-
,, 5-		13	179	93	-	3	-	-	5	-
,, 10-		9	58	31	-	13	-	-	5	-
,, 15-		21	31	11	-	14	-	-	6	-
,, 20-		16	24	10	-	15	-	-	9	-
,, 25-		37	19	13	-	18	-	-	17	2
,, 35-		29	1	5	-	5	-	-	12	-
,, 45-		14	3	2	-	3	-	-	22	-
,, 55-		5	-	-	-	-	-	-	14	-
,, 65 and upwards		3	-	-	-	-	-	-	11	-
Age not stated		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·28 inches, and that of the Thermometer 41°·5; the latter being 1°·4 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 60 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·0 hours; the measured rainfall amounted to 1·37 inch.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 51. 1901. VOL. LXII.] WEEK ENDED SATURDAY, DEC. 21. [Price 1½*d.*

General Register Office, Somerset House,
December 23rd, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·3 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 20·3, 19·5, and 18·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.		Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.
33 Great Towns	20·3	19·5	18 5	19·3	Leicester - -	18·9	15·5	17·7	17·4
Birkenhead -	25·8	18·3	17·3	18·8	Liverpool - -	20·1	22·5	20·9	22·1
Birmingham -	26·3	21·7	22·6	21·8	London - - -	20·5	19·5	18·5	18·7
Blackburn -	18·8	28·6	11·0	20·0	Manchester - -	24·6	23·0	19·6	22·1
Bolton - -	19·5	19·5	17·0	20·1	Newcastle-on-Tyne	23·2	17·7	20·3	18·1
Bradford -	15·6	15·3	14·3	19·0	Norwich - -	23·3	29·3	20·5	16·3
Brighton -	18·1	19·4	17·7	19·0	Nottingham - -	20·6	20·2	18·0	18·0
Bristol - -	20·2	16·0	17·5	19·0	Oldham - -	28·5	23·9	24·7	32·6
Burnley -	13·9	19·8	19·3	19·3	Plymouth - -	13·0	17·9	22·7	18·4
Cardiff - -	18·3	19·6	16·4	19·6	Portsmouth - -	15·1	14·0	18·1	14·3
Croydon -	15·1	13·6	12·8	15·1	Preston - -	24·4	18·0	22·1	18·4
Derby - -	12·3	14·3	13·3	20·6	Salford - - -	20·9	21·7	21·2	22·1
Gateshead -	16·0	16·0	16·5	22·2	Sheffield - -	20·5	19·5	21·6	19·2
Halifax -	13·9	15·9	15·9	15·9	Sunderland - -	19·9	17·7	18·5	18·5
Huddersfield-	9·9	15·4	14·3	20·9	Swansea - -	22·0	20·9	16·5	21·5
Hull - -	17·9	17·7	14·5	16·4	West Ham - -	21·5	19·0	15·9	17·6
Leeds - -	19·5	19·6	18·2	17·3	Wolverhampton -	12·1	19·3	16·0	18·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Plymouth, 1·4 in Norwich and in Manchester, 1·5 in Oldham, 2·3 in Preston, 2·5 in Halifax, and 3·3 in Blackburn; from *whooping-cough*, 1·1 in Sunderland and in Burnley, and 1·2 in Bolton and in Salford; and from "*fever*," 1·2 in Salford, In none of the thirty-three towns did the death-rate from *scarlet fever*, or from *diarrhœal diseases*, reach 1·0 per 1000. The 76 deaths from *diphtheria* included 34 in London, 8 in Liverpool, 3 in Croydon. 3 in Cardiff, 3 in Leicester, 3 in Manchester, and 3 in Salford. Twenty-four deaths from *small-pox* were registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2493 BIRTHS and 1626 DEATHS were registered. Allowing for increase of population, the births were 62 above, and the deaths 136 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·5, 19·5, and 18·5 in the preceding three weeks, rose again last week to 18·7. During the four weeks ended on Saturday last the death-rate averaged

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

19·3 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1626 deaths included 24 from small-pox, 65 from measles, 15 from scarlet fever, 34 from diphtheria, 20 from whooping-cough, 8 from enteric fever, 14 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 180 deaths were referred to these diseases, being 20 below the corrected average weekly number.

The deaths from *small-pox*, which had been 21, 16, and 26 in the preceding three weeks, were 24 last week; 5 cases belonged to the Borough of Hammersmith, 5 to Stepney, 3 to Shoreditch, 2 to Poplar, and 1 each to Fulham, Chelsea, St. Pancras, Stoke Newington, Hackney, Holborn, London City, Southwark, and Greenwich. In Table 4, the deaths are arranged according to ages, under the separate headings "Vaccinated," "Unvaccinated," and "No Statement." The deaths from *measles*, which had been 54, 41, and 61 in the preceding three weeks, further rose last week to 65, and were 7 above the corrected average; 14 cases belonged to Islington, 7 to Shoreditch, 7 to Kensington, 6 to Hammersmith, and 6 to Westminster. The deaths from *scarlet fever*, which had been 12, 10, and 12 in the preceding three weeks, further rose to 15 last week, but were 3 below the corrected average; 4 cases belonged to Southwark. The deaths from *diphtheria*, which had been 40, 36, and 31 in the preceding three weeks, rose again last week to 34, but were 17 below the corrected average; 5 cases belonged to Islington, 4 to St. Pancras, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 12, 11, and 15 in the preceding three weeks, further rose last week to 20, but were 21 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 10, and 5 in the preceding three weeks, rose again last week to 8, but were 11 below the corrected average; 3 cases belonged to Islington. The deaths from *diarrhœal diseases*, which had been 13, 10, and 13 in the preceding three weeks, were 14 last week, the corrected average being 13. The deaths referred to diseases of the *respiratory organs*, which had been 534, 470, and 427 in the preceding three weeks, further fell last week to 393, and were 63 below the corrected average. The deaths attributed directly to *influenza* numbered 23, having been 7, 12, and 8 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all but 1 of which inquests were held. Of these 59 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 11 to burns and scalds, and 12 (including 11 of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 538 cases of small-pox, 3033 of scarlet fever, 1379 of diphtheria, and 211 of enteric fever, under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 161 cases, against 123, 170, and 134; of scarlet fever, 247 cases, against 320, 377, and 331; of diphtheria, 176 cases, against 213, 178, and 169; and of enteric fever, 16 cases, against 24, 26, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended December 14th.

Greater London.

In Greater London 3646 births and 2194 deaths were registered, corresponding to annual rates of 28·8 and 17·3 per 1000 of the estimated population. In the Outer Ring 8 deaths from small-pox, 9 from measles, 4 from scarlet fever, 18 from diphtheria, 4 from whooping-cough, 8 from "fever," and 3 from diarrhœal diseases were registered. Three cases of small-pox belonged to Erith, 2 to Beckenham, 1 to Bexley, 1 to Foots Cray, and 1 to Hillingdon; 4 deaths from diphtheria occurred in West Ham district, and 4 in Willesden sub-district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·43 inches, and that of the Thermometer 33°·4; the latter being 6°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 31 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 15·6 hours; the measured rainfall amounted to 0·07 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—33 GREAT TOWNS.—BIRTHS, DEATHS, and METEOROLOGY, during the Week ended 21st December, 1901.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 21st Dec., 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,463,026**	**6549**	**4233**	**1008**	**1091**	**24**	**133**	**39**	**76**	**78**	**37**	**49**	**156**	**361**	**1001**	**53**	**19·3**	**2·0**	**57·3**	**11·9**	**33·2**	**0·67**	**0·25**	**0·63**	**33 Towns.**
London - -	4,543,757	2493	1626	367	450	24	65	15	34	20	8	14	59	153	532	5	18·7	2·1	40·8	24·8	33·4	0·78	0·07	0·18	London.
West Ham - -	268,868	195	91	23	18	-	-	1	2	-	4	-	4	8	19	-	17·6	1·4	-	-	-	-	-	-	West Ham.
Croydon - -	134,665	77	39	10	13	-	1	-	3	-	1	-	3	5		-	15·1	1·9	41·0	23·0	31·5	-0·28	0·03	0·08	Croydon.
Brighton - -	123,668	42	45	13	11	-	1	-	1	1	-	-	2	5	11	1	19·0	1·3	-	-	-	-	-	-	Brighton.
Portsmouth -	189,907	127	52	9	16	-	-	2	1	-	-	-	2	5	9	1	14·3	0·8	-	-	-	-	-	-	Portsmouth.
Plymouth - -	107,974	44	38	6	12	-	2	-	1	-	1	1	1	7	6	-	18·4	2·4	-	-	-	-	-	-	Plymouth.
Bristol - -	329,831	177	120	25	44	-	-	1	1	-	1	1	6	9	27	-	19·0	0·6	-	-	-	-	-	-	Bristol.
Cardiff - -	165,308	104	62	19	12	-	-	1	3	1	-	1	1	5	3	-	19·6	1·9	-	-	-	-	-	-	Cardiff.
Swansea - -	94,618	42	39	13	7	-	-	-	1	-	1	1	-	2	4	-	21·5	1·7	-	-	-	-	-	-	Swansea.
Wolverhampton	94,467	59	33	11	14	-	1	-	1	-	-	1	-	1	6	-	18·2	1·7	-	-	-	-	-	-	Wolverhampton.
Birmingham -	523,284	330	219	58	58	-	7	4	1	6	1	-	11	16	40	10	21·8	1·9	-	-	-	-	-	-	Birmingham.
Norwich - -	111,997	52	35	11	11	-	3	-	-	-	-	2	1	3	7	-	16·3	2·3	-	-	-	-	-	-	Norwich.
Leicester - -	212,498	111	71	18	20	-	1	-	3	3	2	2	-	3	11	-	17·4	2·7	-	-	-	-	-	-	Leicester.
Nottingham -	240,400	143	83	21	28	-	-	-	1	-	-	1	4	5	15	2	18·0	0·4	38·1	11·9	30·6	-0·78	0·50	1·27	Nottingham.
Derby - - -	106,076	57	42	15	12	-	-	-	-	1	1	-	7	13	7	-	20·6	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	111,203	67	40	8	12	-	-	-	2	-	2	-	2	6	9	-	18·8	1·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	686,332	439	291	64	52	-	-	4	8	11	2	3	15	22	86	13	22·1	2·1	-	-	-	-	-	-	Liverpool.
Bolton - -	168,748	98	65	19	10	-	-	2	-	4	2	2	-	3	4	-	20·1	3·1	-	-	-	-	-	-	Bolton.
Manchester -	544,934	371	231	46	46	-	15	-	3	7	1	2	9	21	52	3	22·1	2·7	-	-	-	-	-	-	Manchester.
Salford - -	221,526	136	94	19	22	-	3	1	3	5	5	1	2	3	19	-	22·1	4·2	-	-	-	-	-	-	Salford.
Oldham - -	137,382	87	86	21	14	-	4	2	1	2	1	2	4	8	11	-	32·6	4·6	-	-	-	-	-	-	Oldham.
Burnley - -	97,295	45	36	10	10	-	-	-	-	2	-	2	1	3	2	-	19·3	2·1	-	-	-	-	-	-	Burnley.
Blackburn - -	127,714	70	49	16	11	-	8	-	1	1	-	2	-	-	6	3	20·0	4·9	-	-	-	-	-	-	Blackburn.
Preston - -	113,117	60	49	7	10	-	5	2	-	-	1	2	-	-	1	1	18·4	4·6	42·0	27·0	34·1	1·17	0·40	1·02	Preston.
Huddersfield -	94,998	38	38	9	12	-	1	-	-	-	-	1	-	-	2	-	20·9	1·1	-	-	-	-	-	-	Huddersfield.
Halifax - -	105,113	48	32	7	7	-	5	-	-	-	-	-	1	1	3	-	15·9	2·5	-	-	-	-	-	-	Halifax.
Bradford - -	280,161	128	102	23	25	-	1	-	1	-	1	2	1	7	12	1	19·0	0·9	57·8	29·0	36·6	2·56	0·23	0·58	Bradford.
Leeds - - -	430,489	291	143	36	39	-	5	3	1	7	-	3	6	19	27	-	17·3	2·3	-	-	-	-	-	-	Leeds.
Sheffield - -	382,129	229	141	44	37	-	6	1	2	1	-	-	7	14	28	5	19·2	1·4	-	-	-	-	-	-	Sheffield.
Hull - - -	241,622	128	76	22	18	-	-	-	1	2	-	1	4	7	10	2	16·4	0·9	-	-	-	-	-	-	Hull.
Sunderland -	146,937	92	52	10	18	-	2	-	-	3	2	1	-	-	12	1	18·5	2·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	110,492	73	47	14	11	-	-	-	-	1	-	1	3	3	1	3	22·2	0·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	215,516	96	75	14	11	-	2	-	-	-	-	-	-	4	11	2	18·1	0·5	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** –	1462	2423	2378	2703	2401	2522	2106	2422	2585	2436	2431·1	2493
Males – –	750	1221	1217	1395	1213	1285	1059	1232	1348	1282	1244·9	1262
Females – –	712	1202	1161	1308	1188	1237	1047	1190	1237	1154	1186·2	1231
TOTAL **Deaths** –	1771	1606	2170	1448	1521	1459	1555	1470	2607	1382	1762·2	1626
Males – –	911	786	1069	726	794	719	764	774	1304	752	892·0	844
Females – –	860	820	1101	722	727	749	791	696	1303	630	870·2	782

* The numbers in this column are the average weekly numbers in the fifty-first week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	13 Weeks
TOTAL **Births** –	2581	2499	2676	2389	2655	2737	2437	2574	2519	2460	2374	2231	2493	32625
TOTAL **Deaths** –	1304	1280	1309	1394	1404	1516	1688	1744	1939	1785	1698	1612	1626	20299
Ages at Death: Under 1 year –	345	341	329	324	308	368	368	441	438	415	377	364	367	4785
1—5 years –	156	115	160	139	148	167	209	208	247	225	200	222	212	2408
5—20 " –	87	71	78	86	81	77	86	88	101	99	101	101	92	1148
20—40 " –	171	181	183	209	182	204	227	202	228	201	217	208	180	2593
40—60 " –	251	257	261	278	320	288	353	335	378	330	319	305	325	4000
60—80 " –	233	270	251	280	316	339	364	369	445	410	394	336	366	4373
80 yrs. & upwds.	61	45	47	78	49	73	81	101	102	105	90	76	84	992
Deaths from—														
Small-pox: Vaccd. –	1	–	–	6	2	5	7	6	10	10	10	16	15	88
Small-pox: Unvaccd. –	4	2	2	2	4	1	8	6	7	7	4	7	8	62
Small-pox: Not stated –	–	1	1	3	–	–	1	2	5	4	2	3	1	23
Measles – – –	13	14	14	22	21	24	38	60	50	54	41	61	65	477
Scarlet Fever – –	13	14	22	13	9	12	10	4	12	12	10	12	15	158
Diphtheria – –	34	30	54	33	26	36	33	35	37	40	36	31	34	459
Whooping-cough –	13	11	10	6	11	12	10	15	15	12	11	15	20	161
Typhus – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – –	19	18	11	19	10	12	16	15	16	9	10	5	8	168
Simple Cont. Fever –	–	–	–	–	–	–	–	–	1	1	–	–	–	2
Diarrhœa, Dysentery	87	78	50	56	42	28	20	15	17	13	10	13	14	443
Cholera – – –	1	–	–	–	–	–	–	–	–	–	–	–	–	1
All above Diseases –	185	168	164	160	125	130	143	158	170	162	134	163	180	2042
Dis. of Resp. System	137	132	186	196	242	327	445	477	582	534	470	427	393	4548
Phthisis – – –	139	155	136	143	177	167	182	163	191	118	140	155	163	2029
Dis. of Circ. System –	101	119	122	146	158	132	167	159	175	189	176	148	165	1957
Violence – – –	59	52	49	56	55	75	69	59	71	62	71	72	59	809
Inquest Cases – –	118	124	117	145	123	173	181	176	176	188	167	153	153	1994
Deaths in Institutions	480	441	440	449	489	547	564	497	606	578	528	556	532	6707
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean – – – –	58·7	57·3	50·7	51·5	44·6	49·0	39·5	41·6	43·7	39·2	44·4	41·5	33·4	45·8
Mean of Highest –	68·3	67·0	57·9	59·0	53·6	55·3	46·4	45·9	48·5	44·3	48·4	45·1	38·2	52·1
Mean of Lowest –	50·5	49·3	43·6	43·9	36·4	42·6	33·8	37·6	37·7	33·7	38·6	37·0	28·5	39·5
Mean Humidity of the Air.	81	85	82	84	90	76	91	80	80	82	83	88	84	84
Rain-fall (in inches) –	0·00	1·24	0·19	1·10	0·03	0·02	0·00	0·39	0·24	0·03	0·03	1·37	0·07	4·71
Registered Sunshine (in hours).	21·3	27·8	20·3	26·0	12·8	38·4	7·3	5·4	10·3	9·6	6·8	6·0	15·6	207·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox – –	163	169	175	172	180	284	297	368	396	427	474	506	538	319
Scarlet Fever – –	3151	3159	3280	3344	3353	3392	3331	3353	3336	3278	3241	3188	3033	3265
Diphtheria – –	1512	1539	1522	1546	1588	1585	1539	1556	1509	1516	1460	1419	1379	1513
Typhus – – –	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Enteric Fever – –	292	296	307	288	286	291	270	269	269	245	243	228	211	269

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. C. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E. Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-FIRST Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 51st Week of the 10 years 1891-1900*.	In the Week ended Saturday, 21st December, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1762·2	1626	367	212	92	180	325	366	84
Small-pox† Vaccinated	0·1	15	-	-	-	4	9	2	-
Small-pox† Unvaccinated	0·1	8	1	3	3	1	-	-	-
Small-pox† No Statement	-	1	-	-	-	1	-	-	-
Measles	58·1	65	13	49	3	-	-	-	-
Scarlet Fever	17·6	15	2	9	4	-	-	-	-
Typhus	0·1	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-
Influenza	33·2	23	3	2	-	3	8	6	1
Whooping-cough	41·2	20	4	16	-	-	-	-	-
Diphtheria	50·9	31	1	23	9	-	1	-	-
Simple Continued and Ill-defined Fever	-	-	-	-	-	-	-	-	-
Enteric Fever	18·5	8	-	-	3	4	1	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	13·3	14	8	2	-	-	-	2	2
Remittent Fever	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination	0·1	-	-	-	-	-	-	-	-
Venereal Affections	7·4	7	4	1	-	-	2	-	-
Erysipelas	8·7	2	1	-	-	-	1	-	-
Pyæmia and Septicæmia	2·1	2	-	1	1	-	-	-	-
Puerperal Fever	4·6	3	-	-	-	3	-	-	-
Other Zymotic Diseases	1·3	-	-	-	-	-	-	-	-
Thrush	0·4	-	-	-	-	-	-	-	-
Worms and other Parasitical Diseases	0·4	-	-	-	-	-	-	-	-
Starvation, Want of Breast-milk	0·7	-	-	-	-	-	-	-	-
Alcoholism	10·8	10	-	-	-	1	8	1	-
Rheumatic Fever, Rheumatism of Heart	11·0	11	-	-	6	2	3	-	-
Rheumatism	2·3	2	-	-	-	-	-	2	-
Gout	2·9	2	-	-	-	-	1	1	-
Rickets	4·5	2	2	-	-	-	-	-	-
Cancer	67·3	85	-	-	3	4	39	38	1
Tabes Mesenterica	13·2	9	4	2	-	1	2	-	-
Tubercular Meningitis	18·3	21	4	10	6	1	-	-	-
Phthisis	170·0	163	3	4	7	72	62	15	-
Scrofula, Tuberculosis	17·2	10	-	4	2	3	-	1	-
Other Constitutional Diseases	14·6	12	1	-	2	2	3	4	-
Premature Birth	51·6	53	53	-	-	-	-	-	-
Atelectasis	5·0	5	5	-	-	-	-	-	-
Congenital Malformations	8·2	19	18	-	-	1	-	-	-
Old Age	53·6	63	-	-	-	-	-	27	36
Apoplexy	46·2	35	-	-	-	-	13	20	2
Epilepsy	5·4	8	-	-	1	2	3	2	-
Convulsions	33·3	34	32	2	-	-	-	-	-
Other Diseases of Brain and Nervous System	77·3	61	7	7	3	8	15	19	2
Diseases of Organs of Special Sense	4·5	3	-	-	2	-	1	-	-

CAUSES OF DEATH.	Corrected Averages for the 51st Week of the 10 years 1891-1900*.	In the Week ended Saturday, 21st December, 1901. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	153·4	165	2	2	12	13	53	71	12
Croup	4·4	2	-	2	-	-	-	-	-
Bronchitis	269·9	193	53	13	2	5	26	80	14
Pneumonia	140·3	154	56	38	4	14	19	22	1
Pleurisy	6·7	10	-	3	2	2	2	-	1
Other Diseases of Respiratory System	34·9	34	6	3	-	1	6	14	4
Dentition	8·8	8	5	3	-	-	-	-	-
Quinsy, Sore Throat	1·3	-	-	-	-	-	-	-	-
Enteritis	21	12	4	3	1	3	1	-	-
Gastro-enteritis	11·3	-	-	-	-	-	-	-	-
Peritonitis	5·9	5	-	1	-	2	2	-	-
Diseases of Liver	22·9	22	1	-	-	2	10	8	1
Other Diseases of Digestive System	28·3	31	6	1	2	4	8	7	3
Diseases of Lymphatic System & of Ductless Glands	2·2	1	-	-	-	-	-	1	-
Diseases of Urinary System	48·2	40	-	2	5	5	15	12	1
Diseases of Generative System	5·0	5	-	-	-	2	2	1	-
Accidents of Childbirth	5·3	2	-	-	-	2	-	-	-
Diseases of Locomotive System	4·5	3	-	-	2	-	1	-	-
Diseases of Integumentary System	6·8	6	3	-	-	-	-	2	1
VIOLENT DEATHS. (ACCIDENT.)									
By Railways	2·6	-	-	-	-	-	-	-	-
By Vehicles or Horses	6·1	5	-	-	2	1	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-	-
In Building Operations	0·6	-	-	-	-	-	-	-	-
In Conflagrations	0·6	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	11·9	11	1	4	1	2	2	1	-
By Drowning	5·5	2	1	-	-	1	-	-	-
By Suffocation in Bed	14·0	12	11	1	-	-	-	-	-
By Poisons or Poisonous Vapours	2·4	1	-	-	1	-	-	-	-
Other or not stated causes	20·7	17	4	1	3	3	1	3	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide	1·8	1	-	-	-	1	-	-	-
Suicide	10·2	10	-	-	-	4	2	4	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	46·8	49	48	-	-	-	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are classed as "vaccinated" or "unvaccinated" which are so certified by registered medical men. Cases in which the certifying medical practitioner is unable to certify whether the deceased had, or had not, been vaccinated, as well as cases in which no mention of vaccination is made on the certificate, and all cases in which the cause of death is not certified by a registered medical practitioner, are included under the heading "no statement." (For further information *see* the remarks on the second page of this return.)

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st December, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,063	2493	1626	367	450	24	65	15	34	20	–	8	–	14	59	153	532	5
WEST DISTRICTS	805,275	364	286	66	86	–	20	3	2	–	–	–	–	3	10	16	90	–
NORTH DISTRICTS	1,056,018	526	365	70	107	1	20	2	10	3	–	3	–	2	13	35	113	–
CENTRAL DISTRICTS	209,432	125	73	21	7	–	2	–	2	–	–	–	–	–	5	14	26	–
EAST DISTRICTS	715,772	483	282	70	67	–	12	1	2	9	–	2	–	4	14	41	108	–
SOUTH DISTRICTS	1,749,566	995	558	138	167	–	10	8	16	8	–	2	–	4	17	47	133	5
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	62	2	16	23	1	1	2	–	–	1	–	–	–	–	62	–
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	93,165	53	43	12	17	–	2	–	1	–	–	–	–	1	1	2	13	–
St. John Paddington *H* G.	33,608	8	7	1	1	–	–	–	–	–	–	–	–	–	1	1	3	–
North-West Paddington C.	17,181	10	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *Ww* W. & C.	128,025	60	67	11	22	–	7	1	–	–	–	–	–	2	1	3	29	–
Brompton *HH* W. & C.	48,598	12	6	4	2	–	–	–	–	–	–	–	–	–	1	1	1	–
North Hammersmith *H* W. & G.	49,335	21	21	7	4	–	6	–	–	–	–	–	–	–	–	1	–	–
South Hammersmith *wH* W. & G.	62,910	34	22	7	7	–	–	–	–	–	–	–	–	–	2	3	4	–
North-west Fulham *W* W. & C.	45,180	34	8	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–
North-east Fulham *H* W. & C.	46,404	18	11	3	1	–	–	2	–	–	–	–	–	–	–	–	2	–
South Fulham W. & C.	45,705	43	12	5	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Chelsea North *WwHHH* C.	42,515	16	25	5	10	–	–	–	1	–	–	–	–	–	–	1	16	–
Chelsea South *HH* C.	31,341	12	11	1	4	–	–	–	–	–	–	–	–	–	1	1	3	–
May Fair and Knightsbridge *H* C.&G.	28,744	2	5	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Belgrave *WHH* C.	55,812	18	23	1	4	–	3	–	–	–	–	–	–	–	–	–	7	–
St. Margaret & St. John Westminster *HHHH* C.	43,665	14	16	5	4	–	2	–	–	–	–	–	–	–	1	1	6	–
St. James Westminster *WH* N. & G.	21,595	7	5	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
St. Anne Soho *HHHHH* N.	11,492	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHH* W.	35,394	11	15	2	2	–	–	–	–	–	–	–	–	–	–	–	7	–
Rectory Marylebone *W* G. & W.	19,869	3	6	1	3	–	–	–	–	–	–	–	–	1	–	1	–	–
St. Mary Marylebone *HHHH* G. & W.	18,099	21	6	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
Christchurch Marylebone *H* W.	39,541	17	8	3	1	–	1	–	–	–	–	–	–	1	2	2	–	–
St. John Marylebone *HHH* W.	20,426	4	4	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Hampstead *WHHHHHH* N. & W.	81,942	40	19	2	5	–	–	2	–	–	–	1	–	1	1	–	9	–
Regent's Park *H* W.	50,647	24	8	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–
Tottenham-court *wHHHHHH* N. & W.	24,814	12	20	–	4	–	–	–	1	–	–	–	–	–	1	3	17	–
Gray's Inn Lane *HHHH* N.	30,886	18	13	3	2	–	2	–	–	–	–	–	–	–	2	3	2	–
Somers Town *HH* N.	30,131	13	13	2	2	–	–	–	1	–	–	–	–	–	–	1	4	–
Camden Town *WH* N.	40,079	28	21	2	10	–	–	–	–	1	–	–	–	–	–	3	10	–
Kentish Town *WW* N.	58,727	37	16	1	5	–	1	–	–	–	–	–	–	–	–	–	10	–
Tufnell *W*		12	30	11	5	–	3	–	–	–	–	1	–	–	–	1	14	–
Upper Holloway *WWwHH* N.	99,841	22	25	4	9	–	–	–	1	–	–	–	–	–	1	2	17	–
Tollington *W*		15	5	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway N.	41,411	24	16	7	–	–	4	–	–	–	–	–	–	–	–	1	–	–
Barnsbury N.	54,479	26	22	5	7	–	3	–	–	–	–	–	–	–	–	2	–	–
Islington South-east *H* N.	75,402	34	16	4	5	–	1	–	1	–	–	–	–	–	–	–	–	–
Highbury *HH* N.	63,795	36	21	6	5	–	3	–	–	1	–	–	–	–	1	3	1	–
Stoke Newington *H* N.	51,247	14	9	2	5	–	–	–	–	–	–	–	–	–	1	1	–	–
North Hackney E. & N.	50,570	23	10	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Central Hackney *wH* E. & N.	50,535	27	19	3	6	–	–	–	4	–	–	1	–	–	–	3	4	–
South-west Hackney *HHH* E. & N.	59,929	39	17	2	7	–	–	–	–	1	–	–	–	–	1	2	6	–
South-east Hackney *WwH* E. & N.	58,254	26	26	6	10	–	1	–	1	–	–	–	–	–	2	4	11	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Giles North *H* - - - N.	8,959	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N.&C.	12,975	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Strand *WHH* - - - - N.	8,694	1	5	1	1	-	-	-	-	-	-	-	-	-	1	1	3	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *WHHHHHH* - - N.	29,579	12	15	2	2	-	1	-	-	-	-	-	-	-	-	-	9	-
South Clerkenwell* - - N.	20	8	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
North Clerkenwell* - - N.	63,715	22	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury *HHHL* - - - N.	35,376	41	10	6	1	-	-	-	-	-	-	-	-	-	1	7	1	-
Holborn Union Workhouse, Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H* - - - N. & E.	11,036	6	7	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Sepulchre *WH* - - - N.	7,886	3	11	3	1	-	-	-	2	-	-	-	-	-	2	2	10	-
Allhallows Barking - - - N.	8,717	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	14	8	1	1	-	1	-	-	-	-	-	-	-	-	2	1	-
Hoxton New Town *wH* - - N.	29,761	15	15	2	11	-	-	-	-	-	-	1	-	-	-	-	11	-
Hoxton Old Town - - - N.	26,510	18	8	5	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Haggerston *W* - - - N & E.	46,064	33	29	6	10	-	3	-	-	1	-	-	-	2	-	2	13	-
Bethnal Green North *HH* - E.	51,513	38	18	6	3	-	1	1	-	-	-	-	-	-	3	6	1	-
Bethnal Green South - - E.	33,473	25	11	6	-	-	2	-	-	1	-	-	-	-	1	2	-	-
Bethnal Green East *W WHl* - E.	44,695	29	31	8	7	-	-	-	-	-	-	-	-	-	2	3	15	-
Spitalfields - - - E. & N.	27,965	17	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *WH* - E.	28,711	9	27	2	3	-	1	-	1	-	-	-	-	-	2	4	23	-
Goodman's Fields - - - E.	22,082	6	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George's, North - - - E.	40,965	21	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John *W* - - - - E.	8,122	4	4	-	1	-	-	-	-	-	-	-	-	-	1	2	2	-
Shadwell *H* - - - E. & N.	10,760	6	12	4	-	-	-	-	1	2	-	-	-	-	1	1	8	-
Ratcliff *W* - - - - E.	14,770	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - - E.	32,358	23	9	3	1	-	2	-	-	1	-	-	-	-	-	2	-	-
Mile End Old Town West *H* - E.	59,467	44	17	6	1	-	-	-	-	1	-	1	-	1	1	3	-	-
Mile End Old Town East *WWw* - - - - E.	53,348	36	11	2	6	-	-	-	-	-	-	-	-	-	-	-	5	-
Bow *l* - - - - - - E.	41,990	21	11	3	-	-	-	-	-	2	-	-	-	1	1	1	-	-
Bromley *wwwH* - - - E.	68,326	56	44	7	15	-	1	-	-	1	-	-	-	-	1	8	28	-
Poplar *Ww* - - - - E.	58,522	48	16	4	6	-	-	-	-	-	-	-	-	-	-	1	1	-

* On 1st December, 1901, the Sub-Districts of South Clerkenwell and North Clerkenwell were formed out of the united Sub-Districts of St. James Clerkenwell, Amwell, and Goswell Street.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	11,232	2	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,056	13	9	4	–	–	–	–	–	–	–	–	–	–	2	2	5
Kent-road - - - S. & L.	21,899	9	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,882	9	6	5	–	–	–	–	–	–	–	–	–	–	1	1	4
London-road *HL* - L. & S.	22,209	6	6	1	1	–	–	–	–	–	–	–	–	–	–	–	1
Trinity Newington *H* - S. & L.	28,485	19	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Peter Walworth *W* - S. & L.	61,773	40	22	7	7	–	–	1	–	–	–	–	–	–	–	2	2
St. Mary Newington - L. & S.	31,592	20	9	1	4	–	–	–	–	–	–	–	–	–	–	1	–
St. Olave *W* - - - - S.	9,813	4	4	2	1	–	–	–	–	–	–	–	–	–	–	2	1
Bermondsey *WH* - - - S.	82,405	42	20	6	7	–	–	1	–	–	–	–	–	–	–	2	–
Rotherhithe *WH* - - S. & K.	38,268	27	14	2	3	–	–	–	–	–	–	–	–	–	–	–	8
Waterloo-road *HH* - L. & S.	27,435	22	6	3	1	–	–	–	–	–	–	–	–	1	–	–	–
Lambeth Church 1st *H* L. & S.	18,420	18	14	1	2	–	–	–	2	–	–	–	–	–	2	4	9
Lambeth Church 2nd *WW* L. & S.	39,818	35	22	3	8	–	1	–	–	–	–	–	–	–	–	1	16
Kennington 1st *H* - S. & L.	53,196	35	19	6	4	–	1	–	–	1	–	–	–	–	–	–	2
Kennington 2nd - - S. & L.	42,891	26	11	–	5	–	–	–	–	1	–	–	–	–	–	–	–
Brixton *H* - - - L. & S.	84,226	43	28	7	8	–	–	1	–	1	–	–	–	1	1	4	2
Norwood *WH* - - - L.	35,887	17	7	2	2	–	1	–	–	–	–	–	–	–	–	–	2
East Battersea - - - S.	72,201	48	15	5	4	–	2	–	–	–	–	–	–	–	1	2	–
North-west Battersea - - S.	49,650	24	13	5	4	–	–	–	–	–	–	–	–	1	1	3	–
South-west Battersea *WH* - S.	47,045	11	18	3	7	–	1	–	–	2	–	–	–	–	–	1	7
Clapham *H* - - - - S.	51,353	25	11	4	4	–	–	–	–	–	–	–	–	–	–	1	1
Streatham *WwwHHL* - L.	88,129	48	27	4	12	–	1	–	3	–	–	1	–	–	–	1	5
Wandsworth *WHL* - - S.	68,409	34	16	4	3	–	1	–	–	–	–	–	–	–	–	1	–
Putney - - - - - S.	24,139	12	8	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich - - - - L. & S.	10,246	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Camberwell *Wwll* - S. & L.	90,404	50	52	7	19	–	1	–	–	–	–	–	–	–	1	3	29
Peckham *Ww* - S., L., & K.	93,022	64	23	7	9	–	–	–	–	1	–	–	–	–	1	1	1
St. George Camberwell - L. & S.	65,586	44	16	5	2	–	–	–	–	1	–	–	–	–	–	2	–
Deptford North - - - K.	37,601	29	6	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Deptford Central *H* - - K.	45,621	22	11	3	2	–	–	–	2	–	–	–	–	–	–	–	2
Deptford South - - - K.	34,622	13	9	2	4	–	–	–	–	–	–	–	–	–	1	1	–
Greenwich West *H* - - K.	23,456	8	9	2	4	–	–	–	1	–	–	–	–	–	1	1	1
Greenwich East *WH* - - K.	43,849	36	19	3	8	–	–	–	–	–	–	–	–	–	1	2	11
Eltham *wH* - - - - K.	7,218	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	25,489	7	4	1	–	–	–	–	–	1	–	–	–	–	–	–	1
Lewisham *WwH* - - - K.	58,341	29	31	6	9	–	1	4	7	–	–	–	–	1	1	1	14
Sydenham *H* - - - L.	43,630	18	8	1	4	–	–	–	–	–	–	–	–	–	–	1	–
Charlton *HHH* - - - K.	21,121	11	8	4	–	–	–	1	1	–	–	1	–	–	–	–	4
Woolwich *HHHH* - - K.	41,607	20	16	5	6	–	–	–	–	–	–	–	–	–	–	2	–
Plumstead West *H* - - K.	18,076	15	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	50,264	32	18	8	2	–	–	–	–	–	–	–	–	–	2	2	5
London County Asy., Banstead -	—	–	7	–	4	–	–	–	–	–	–	–	–	–	–	–	7
London County Asy., Epsom -	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2
Met. Asy. for Imbeciles, Caterham	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2
London County Asy., Cane Hill -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
M.A.B. Ships and Hosp., Dartford	—	–	24	2	2	23	–	–	–	–	–	–	–	–	–	–	24
Met. Asy. for Imbeciles, Darenth -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
London County Asylum, Dartford Heath - - - - -	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5
London County Asylum, Hanwell	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6
Central London Sick Asy., Hendon	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
London County Asy., Colney Hatch	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
M.A.B. North-Eastern Hospital -	—	–	5	–	–	–	1	1	2	–	–	1	–	–	–	–	5
M.A.B. Northern Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
London County Asylum, Claybury	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st December, 1901.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	1153	568	143	167	8	9	4	18	4	8	3	18	39	86	1
30 : 1	Carshalton *H*	12,228	32,997	12	3	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Epsom, *part of** *WwHHH*	10,423	15,548	8	10	2	5	–	–	–	–	–	–	–	–	–	5	–
37 : 1	Godstone, *part of** *W*	2,754	2,692	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH*	20,851	164,519	88	45	10	17	–	1	–	3	–	1	–	3	5	9	–
2	Mitcham *w*	11,689	29,906	13	7	–	1	–	2	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3,221	41,604	14	16	2	1	–	–	–	2	1	–	–	–	1	1	–
2	Kingston *WH*	6,224	42,067	15	8	–	3	–	–	–	1	–	–	–	1	3	–	–
3	Surbiton *HH*	3,046	15,019	11	4	1	–	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** *H*	5,402	13,003	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL*	4,564	23,447	8	3	2	–	–	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WHH*	2,162	28,871	7	13	–	7	–	–	–	–	1	–	–	–	1	7	–
2	Mortlake *H*	2,847	20,628	9	4	–	–	–	–	–	–	–	–	–	1	1	–	–
41 : 1	Bromley *HHH*	4,703	27,358	12	6	–	–	3	–	–	1	–	–	–	–	–	5	–
2	Beckenham *H*	7,825	28,499	16	3	1	2	–	–	–	–	–	–	–	1	1	–	–
3	Orpington, *part of** *W*	10,113	9,857	7	4	–	4	–	–	–	–	–	–	–	–	–	2	–
4	Chislehurst *HH*	7,333	16,458	6	6	3	2	–	–	–	–	–	–	1	–	–	–	–
42 : 1	Bexley *HHH*	12,532	46,445	28	14	2	7	2	–	–	–	–	–	–	–	–	1	–
2	Dartford *WH*, *part of**	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
124 : 1	Sunbury *w*	11,054	18,682	14	4	–	2	–	–	–	–	–	–	–	–	–	–	1
2	Staines *WH*	13,277	15,179	6	5	1	2	–	–	–	–	–	–	–	–	–	1	–
125 : 1	Hillingdon *WHH*	6,035	13,661	7	5	1	3	1	–	–	–	–	–	–	–	–	1	–
2	Uxbridge	12,757	8,984	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
3	Hayes *wH*	8,066	16,358	10	4	1	1	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth *WHH*	6,859	30,838	11	11	2	4	–	–	–	–	–	–	–	–	1	6	–
2	Twickenham *HH*	2,421	20,991	8	4	–	2	–	–	–	–	–	–	–	–	–	–	–
3	Brentford† *HHHH*	} 11,700	127,020	24	17	5	6	–	1	–	–	–	–	–	–	1	1	–
4	Chiswick			16	8	2	2	–	–	–	–	–	–	–	1	1	–	–
5	Acton† *wHH*			27	10	4	3	–	–	–	–	1	–	–	–	–	–	–
127 : 1	Harrow *HHH*	13,809	25,522	12	4	1	3	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH*	6,994	4,520	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,384	114,815	75	33	10	5	–	–	1	4	1	–	–	2	2	3	–
4	Hendon *WH*	8,382	22,450	14	6	4	2	–	–	–	–	–	–	–	–	–	–	–
128 : 1	South Mimms *HH*	17,755	7,308	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH*	3,324	17,970	11	6	1	5	–	–	–	–	–	–	1	–	–	–	–
3	Finchley *HHH*	4,688	33,692	18	8	–	1	–	2	–	–	–	–	–	–	–	1	–
129 : 1	Hornsey *HH*	2,875	72,056	34	14	3	5	–	–	–	–	–	–	–	–	–	–	–
2	Tottenham *HHH*	4,638	136,702	68	36	11	9	–	1	–	–	–	1	–	2	4	3	–
3	Edmonton *Ww*	7,491	61,892	56	27	12	9	–	–	–	–	–	–	1	–	–	1	–
4	Enfield *WWHH*	12,601	42,738	28	11	3	1	–	–	–	–	–	1	–	–	3	–	–
5	Waltham Abbey	11,017	6,547	6	2	–	–	–	–	–	1	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12,288	9	6	2	3	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** *W*	3,305	664	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey *H*	9,333	9,173	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH*, *part of**	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
186 : 1	Stratford *H*	1,072	44,825	39	18	6	3	–	–	–	–	–	–	–	1	3	2	–
2	Plaistow *HHH*	1,249	90,920	70	29	11	8	–	–	1	1	–	2	–	1	2	5	–
3	Canning Town *H*	1,556	70,666	52	17	5	1	–	–	–	1	–	–	–	2	3	1	–
4	Forest Gate *w*	806	60,897	34	17	1	5	–	–	–	–	–	1	–	–	–	1	–
5	East Ham *wHHH*	3,268	95,970	63	21	8	4	–	1	1	1	–	1	–	–	1	1	–
6	Wanstead	1,737	9,198	6	2	2	–	–	–	–	–	–	–	–	–	–	–	–
7	South Leyton *WW*	631	50,458	34	23	3	5	–	1	–	–	–	1	–	–	–	18	–
8	North Leyton *WwH*	1,963	48,441	25	16	1	10	–	–	–	–	–	–	–	–	2	–	–
9	Walthamstow *HHHL*	6,504	108,931	61	21	6	4	–	–	1	1	–	–	–	1	1	1	–
187 : 1	Chigwell, *part of** *LHHH*	11,778	16,403	6	3	1	–	–	–	–	1	–	–	–	–	–	1	–
2	Epping *WH*, *part of**	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
189 : 1	Romford, *part of** *W*	6,556	6,089	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
2	Ilford *H*	8,496	41,240	18	10	4	3	–	–	–	–	–	–	–	1	1	–	–
3	Barking Town *H*	3,803	21,547	16	9	7	–	–	–	–	1	–	–	–	–	1	–	–
	City of London Lunatic Asylum, Stone.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–
	M.A.B. Hospital Ship, Dartford.	—	—	–	2	1	–	2	–	–	–	–	–	–	–	–	2	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† The boundaries of these Sub-Districts were altered on 1st December, 1901.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 21st December, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	..	15.	16
GREATER LONDON	**443,419**	**6,604,287**	**17·3**	**1·8**	**2194**	**510**	**617**	**32**	**74**	**19**	**52**	**24**	**16**	**17**	**77**	**61**
INNER LONDON –	74,839	4,543,757	18·7	2·1	1626	367	450	24	65	15	34	20	8	14	59	53
OUTER RING –	368,580	2,060,530	14·4	1·4	568	143	167	8	9	4	18	4	8	3	18	8

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	December 21	165	116	19·0	–	–	–	–	1	–	–
GLASGOW – –	764,423	„ 21	397	329	22·4	–	22	2	1	7	6	
DUBLIN† – –	375,076	„ 21	–	–	–	–	–	–	–	–	–	–
BELFAST† – –	350,862	„ 21	–	–	–	–	–	–	–	–	–	–
CALCUTTA – –	466,460	November 2	–	309	34·5	1	–	–	–	2	98‡	6
BOMBAY – –	770,843	December 3	374	801	53·7	–	–	?	?	?	292‡	6
MADRAS – –	509,346	November 22	381	593	60·5	2	1	?	?	?	199	12
PARIS – – –	2,511,629	December 14	1064	954	19·8	8	3	1	27*	2	7	3
BRUSSELS – –	582,665	„ 14	257	189	16·0	–	–	2	3*	1	–	1
AMSTERDAM –	525,636	„ 7	295	162	15·9	–	–	–	2	1	1	1
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	–
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	–
COPENHAGEN –	378,235	December 14	232	110	15·2	–	–	2	–	2	2	
STOCKHOLM –	301,050	„ 7	131	95	16·4	–	–	1	–	1	–	
CHRISTIANIA –	228,929	„ 14	129	44	9·9	–	–	1	1	1	–	–
ST. PETERSBURG	1,248,643	„ 7	489	556	23·2	4	20	19	29	3	21	3
MOSCOW – –	1,023,817	November 30	–	484	24·7	5	4	17	4	3	6	5
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	–
HAMBURG – –	705,738	December 14	–	229	16·9	–	5	6	3*	7	–	
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	–
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	–
MUNICH – –	500,000	December 14	–	199	20·7	–	2	–	–	2	–	2
VIENNA – –	1,691,996	„ 14	870	557	16·9	–	7	7	9*	2	–	2
PRAGUE – –	389,741	„ 7	181	157	20·8	–	3	4	2	1	2	
BUDA-PESTH –	744,719	„ 14	441	255	17·8	–	5	6	3	1	–	1
TRIESTE – –	177,428	„ 14	104	80	23·3	–	–	2	1*	–	2	
ROME – –	471,961	November 2	207	176	19·4	–	–	–	–	–	13‖	1
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	–
VENICE – –	174,378	December 7	54	74	22·1	–	1	–	1*	–	1	
CAIRO – –	570,062	October 28	448	412	37·6	–	3	–	14*	1	19	10
ALEXANDRIA –	319,766	„ 28	211	220	35·8	–	–	–	2*	–	5	8
NEW YORK (including BROOKLYN)	3,536,517	November 23	1593	1161	17·1	1	11	12	46*	4	16	4
PHILADELPHIA –	1,293,697	„ 30	–	410	16·5	14	1	3	13	3	4	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfast respectively.
§ Including 22 deaths from cholera in Calcutta, 3 in Bombay, and 27 in Madras.
‡ Including 15 deaths from plague in Calcutta, and 187 in Bombay.
‖ Including 3 deaths from malarial fever.

1901. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	15	..	29·650	37·3	31·1	6·2	33·3	− 7·0	28·0	5·3	6·5	4·1	81	40·9	27·6	44·91	NNW.	NNW. & SSW.	4·6	0·0	0·6	297	− 12	0·00	1·5
MONDAY -	16	..	29·491	40·5	28·2	12·3	34·3	− 5·9	29·7	4·6	8·7	1·4	83	53·2	19·5	44·73	S, SSE. & ESE.	SE. & ESE.	0·9	0·0	0·0	174	−135	0·00	0·0
TUESDAY -	17	..	29·550	40·4	24·8	15·6	34·0	− 6·0	29·6	4·4	6·4	2·0	84	58·4	17·0	44·27	ESE. & SSE.	S.	2·9	0·0	0·2	266	− 44	0·00	0·0
WEDNESDAY	18	In Eqr. First Qr.	29·153	40·8	33·0	7·8	36·3	− 3·4	31·3	5·0	7·1	1·8	82	62·1	26·0	43·84	SSW.	SSW.	3·7	0·0	0·2	288	− 22	0·07	0·0
THURSDAY-	19	..	29·269	39·9	29·6	10·3	34·7	− 4·6	29·4	5·3	9·7	2·6	81	51·2	20·2	43·61	SSW.	SSW., N. & NNW.	0·5	0·0	0·0	173	−137	0·00	0·0
FRIDAY -	20	..	29·446	34·1	25·3	8·8	30·3	− 8·7	27·9	2·4	6·6	0·0	90	41·7	16·6	43·26	NW. & SSW.	NW. & WNW.	0·4	0·0	0·0	156	−153	0·00	0·0
SATURDAY-	21	..	29·417	34·1	27·6	6·5	31·0	− 7·8	28·0	3·0	3·6	1·0	88	34·1	24·7	42·73	WNW. SW. & S.	SSW. & variable.	0·2	0·0	0·0	130	−177	0·00	0·0
MEANS - -			29·425	38·2	28·5	9·6	33·4	− 6·2	29·1	4·3	6·9	1·8	84	48·8	21·7	43·91	Variable		..	..	..	Sum 1484	Sum − 680	Sum 0·07	0·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	15	m. P. till 10h. A.M.; s. P. afterwards.	2·2	7·8	Fine and partially cloudy till evening; overcast at night.
MONDAY -	16	m. P. generally till 3h. P.M.; s. P. afterwards.	1·1	7·8	Overcast, with slight snow, in morning; fine, with variable amounts of cloud, till evening; cloudless, with hoar frost, at night. Bright parhelion observed on E. of sun at 9h. A.M.
TUESDAY -	17	s. P. generally; s. N. after 11h. P.M.	4·5	7·8	Very fine, with hoar frost and small amounts of cloud, till evening; cloudy at night, with slight rain after 11h. P.M.
WEDNESDAY	18	s. N. and v. P. till 3h. A.M.; s. P. generally afterwards.	4·3	7·8	Cloudy in morning, with rain and sleet till 3h. A.M.; very fine, with small amounts of cloud after 8h. A.M. Hoar frost at night.
THURSDAY-	19	s. P. throughout.	3·5	7·8	Cloudless, with hoar frost, in morning; fine and partially cloudy, with slight fog till evening; overcast at night.
FRIDAY -	20	s. P. throughout.	0·0	7·8	Generally overcast. Hoar frost in morning. Slight fog prevalent during the day.
SATURDAY-	21	s. P. generally.	0·0	7·8	Overcast; gloomy in forenoon.
			Sum 15·6	Sum 54·6	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon: 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·50 in. at the beginning of the week to 29·71 in. by 11h. A.M. on the 15th; decreased to 29·38 in. by 6h. A.M. on the 16th; increased to 29·68 in. by 10h. A.M. on the 17th; decreased to 29·12 in. by 3h. P.M. on the 18th; increased to 29·47 in. by 9h. P.M. on the 20th; and decreased to 29·33 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th December 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	–	11	13	–	2	–	–	3	–
Kensington	176,787	–	12	2	–	–	–	–	7	–
Hammersmith	112,619	10	6	6	–	–	–	–	4	–
Fulham	138,426	2	11	13	–	1	–	–	2	–
Chelsea	73,879	1	3	2	–	2	–	–	1	–
City of Westminster	182,502	–	5	4	–	–	–	–	1	–
NORTH.										
St. Marylebone	133,060	4	6	3	–	2	–	–	6	1
Hampstead	82,287	–	9	1	–	1	–	–	1	1
St. Pancras	235,297	13	26	37	–	3	–	–	6	1
Islington	335,325	2	32	23	–	–	–	–	5	2
Stoke Newington	51,328	1	9	1	–	–	–	–	–	–
Hackney	219,780	–	21	17	–	1	–	–	7	–
CENTRAL.										
Holborn	59,205	8	2	4	–	2	–	–	1	–
Finsbury	101,263	7	14	3	–	–	–	–	2	–
City of London	26,627	1	5	1	–	1	–	–	–	–
EAST.										
Shoreditch	118,554	3	6	4	–	1	–	–	2	1
Bethnal Green	129,700	4	16	7	–	3	–	–	4	–
Stepney	298,884	18	23	14	–	3	–	–	5	–
Poplar	168,887	7	14	8	–	4	–	–	9	1
SOUTH.										
Southwark	206,219	15	29	8	–	2	–	–	2	–
Bermondsey	130,348	1	16	1	–	–	–	–	2	–
Lambeth	302,460	1	16	12	–	1	–	–	5	–
Battersea	169,364	8	15	4	–	5	–	–	1	–
Wandsworth	233,943	3	16	16	–	2	–	–	6	–
Camberwell	259,897	5	47	21	–	3	–	–	10	–
Deptford	110,732	–	13	8	–	1	–	–	1	–
Greenwich	96,188	1	11	5	–	1	–	–	3	–
Lewisham	128,423	1	6	6	–	–	–	–	7	1
Woolwich	117,619	1	3	1	–	1	–	–	3	–
Port of London	—	–	–	–	–	1	–	–	–	–
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	117	403	245	–	43	–	–	106	8
Ages 0-1		2	10	1	–	–	–	–	5	–
,, 1-5		9	100	82	–	4	–	–	7	–
,, 5-		10	167	84	–	7	–	–	5	–
,, 10-		9	60	30	–	9	–	–	4	–
,, 15-		12	40	12	–	5	–	–	3	–
,, 20-		18	15	14	–	5	–	–	4	1
,, 25-		20	10	13	–	10	–	–	18	5
,, 35-		31	–	4	–	1	–	–	13	2
,, 45-		3	1	2	–	1	–	–	22	–
,, 55-		2	–	1	–	1	–	–	15	–
,, 65 and upwards		1	–	1	–	–	–	–	10	–
Age not stated		–	–	1	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C

No. 52. 1901. VOL. LXII.] WEEK ENDED SATURDAY, DEC. 28. [Price 1½*d.*

General Register Office, Somerset House,
December 30th, 1901.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·1 per 1000 of their aggregate population, which is estimated* at 11,463,026 persons in the middle of this year. In the preceding three weeks the rates had been 19·5, 18·5, and 19·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000 :—

TOWNS.	Weeks ended				TOWNS.	Weeks ended			
	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.		Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.
33 Great Towns	19·5	18·5	19·3	21·1	Leicester - -	15·5	17·7	17·4	21·8
Birkenhead -	18·3	17·3	18·8	18·3	Liverpool - -	22·5	20·9	22·1	22·9
Birmingham -	21·7	22·6	21·8	23·5	London - - -	19·5	18·5	18·7	20·6
Blackburn -	28·6	11·0	20·0	21·6	Manchester - -	23·0	19·6	22·1	29·3
Bolton - -	19·5	17·0	20·1	19·2	Newcastle-on-Tyne	17·7	20·3	18·1	19·6
Bradford -	15·3	14·3	19·0	18·1	Norwich - -	29·3	20·5	16·3	17·2
Brighton -	19·4	17·7	19·0	18·6	Nottingham - -	20·2	18·0	18·0	22·8
Bristol - -	16·0	17·5	19·0	19·3	Oldham - -	23·9	24·7	32·6	19·4
Burnley -	19·8	19·3	19·3	26·3	Plymouth - -	17·9	22·7	18·4	18·4
Cardiff - -	19·6	16·4	19·6	20·2	Portsmouth - -	14·0	18·1	14·3	18·7
Croydon -	13·6	12·8	15·1	21·7	Preston - -	18·0	22·1	18·4	22·6
Derby - -	14·3	13·3	20·6	14·3	Salford - - -	21·7	21·2	22·1	24·2
Gateshead -	16·0	16·5	22·2	18·4	Sheffield - -	19·5	21·6	19·2	20·2
Halifax -	15·9	15·9	15·9	17·4	Sunderland - -	17·7	18·5	18·5	18·5
Huddersfield-	15·4	14·3	20·9	25·2	Swansea - -	20·9	16·5	21·5	19·3
Hull - -	17·7	14·5	16·4	18·8	West Ham - -	19·0	15·9	17·6	19·6
Leeds - -	19·6	18·2	17·3	21·8	Wolverhampton -	19·3	16·0	18·2	18·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Leeds, 1·2 in Blackburn, 1·5 in Croydon and in Halifax, 1·8 in Sheffield and in Sunderland, 1·9 in Salford and in Oldham, 2·2 in Huddersfield, 2·4 in Manchester, 3·3 in Norwich, and 6·5 in Preston; from *whooping-cough*, 1·1 Liverpool and in Burnley, and 2·2 in Leeds. In none of the thirty-three towns did the death-rate from *scarlet fever*, from "*fever*," or from *diarrhœal diseases*, reach 1·0 per 1000. The 71 deaths from *diphtheria* included 28 in London, 7 in Burnley, 5 in Birmingham, 4 in Birkenhead, 4 in Liverpool, 4 in Sheffield, 3 in West Ham, and 3 in Leeds. Twenty-five deaths from *small-pox* were registered in London, and 2 in West Ham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 1668 BIRTHS and 1792 DEATHS were registered. Allowing for increase of population, the births were 483, and the deaths 267, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·5, 18·5,

* The population estimates given in this Return are based on the unrevised results of the recent Census, and on the increase in the last intercensal period.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Willesden Workhouse at Hackney, in the Middlesex County Lunatic Asylum at Wandsworth and Streatham, and in the Metropolitan Asylums Board Hospitals within the County of London. So far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring or to other areas to which they belong.

10558—670—12/1901 Wt 45 D & S 3 3 F

and 18·7 in the preceding three weeks, further rose last week to 20·6. During the four weeks ended on Saturday last the death-rate averaged 19·3 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1891–1900.

The 1792 deaths included 25 from small-pox, 78 from measles, 15 from scarlet fever, 28 from diphtheria, 18 from whooping-cough, 6 from enteric fever, 13 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 183 deaths were referred to these diseases, being 39 below the corrected average weekly number.

The deaths from *small-pox*, which had been 16, 26, and 24 in the preceding three weeks, were 25 last week; 4 cases belonged to the Borough of Hammersmith, 4 to Holborn, 3 to Fulham, 3 to St. Pancras, 2 each to Islington, Poplar, and Southwark, and 1 each to Westminster, London City, Bethnal Green, Stepney, and Woolwich. In Table 4, the deaths are arranged according to ages, under the separate headings "Vaccinated," "Unvaccinated," and "No Statement." Among the cases classed as "Vaccinated" is that of an infant aged 6 months, who had not been vaccinated until after infection by small-pox. The deaths from *measles*, which had been 41, 61, and 65 in the preceding three weeks, further rose last week to 78, and were 6 above the corrected average; 12 cases belonged to Westminster, 11 to Kensington, and 11 to Islington. The deaths from *scarlet fever*, which had been 10, 12, and 15 in the preceding three weeks, were again 15 last week, the corrected average being also 15. The deaths from *diphtheria*, which had been 36, 31, and 34 in the preceding three weeks, fell again last week to 28, and were 23 below the corrected average; 4 cases belonged to St. Pancras and 3 to Deptford. The deaths from *whooping-cough*, which had been 11, 15, and 20 in the preceding three weeks, fell again last week to 18, and were 34 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 5, and 8 in the preceding three weeks, fell again last week to 6, and were 12 below the corrected average. The deaths from *diarrhœal diseases*, which had been 10, 13, and 14 in the preceding three weeks, were 13 last week, the corrected average being 12. The deaths referred to diseases of the *respiratory organs*, which had been 470, 427, and 393 in the preceding three weeks, rose again last week to 425, but were 176 below the corrected average. The deaths attributed directly to *influenza* numbered 13, having been 12, 8, and 23 in the preceding three weeks.

Different forms of *violence* caused 89 deaths, concerning all but 4 of which inquests were held. Of these 89 deaths, 8 were cases of suicide, while the remaining 81 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 21 to burns and scalds, 2 to asphyxia by escape of gas, and 23 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 665 cases of small-pox, 3137 of scarlet fever, 1381 of diphtheria, and 195 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 225 cases, against 170, 134, and 161; of scarlet fever, 263 cases, against 377, 331, and 247; of diphtheria, 123 cases, against 178, 169, and 176; and of enteric fever, 16 cases, against 26, 26, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease which were notified in the County during the week ended December 21st.

Greater London.

In Greater London 2518 births and 2427 deaths were registered, corresponding to annual rates of 19·9 and 19·2 per 1000 of the estimated population. In the Outer Ring 5 deaths from small-pox, 11 from measles, 7 from scarlet fever, 14 from diphtheria, 6 from whooping-cough, 1 from "fever," and 4 from diarrhœal diseases were registered. Two cases of small-pox belonged to Canning Town, 1 to Erith, 1 to Tottenham, and 1 to Dagenham. Six deaths from diphtheria were registered in West Ham district, and 5 in Willesden sub-district.

(*For Meteorology, see p. 676.*)

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1901* (Unrevised).	Registered during the Week ended 28th Dec., 1901. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1,000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,463,026**	**4565**	**4628**	**1111**	**1253**	**27**	**193**	**45**	**71**	**84**	**23**	**37**	**199**	**426**	**1024**	**86**	**21·1**	**2·2**	**50·2**	**15·3**	**34·1**	**1·17**	**1·06**	**2·69**	**33 Towns.**
London	4,543,757	1688	1791	418	508	22	78	15	28	18	6	13	89	195	555	9	20·6	2·1	48·5	26·2	36·3	2·39	1·00	2·54	London.
West Ham	268,868	128	101	36	27	2	3	1	3	2	–	–	7	12	14	–	19·6	2·1	–	–	–	–	–	–	West Ham.
Croydon	134,665	51	56	17	16	–	4	–	–	–	1	–	–	1	1	–	21·7	1·9	43·0	21·5	33·8	1·00	1·27	3·23	Croydon.
Brighton	123,668	62	44	12	12	–	1	–	1	–	–	–	1	4	9	–	18·6	0·8	50·2	23·6	37·0	2·78	1·64	4·17	Brighton.
Portsmouth	189,907	55	68	15	14	–	1	–	–	–	–	1	4	8	10	–	18·7	0·5	49·0	22·5	37·5	3·06	1·43	3·63	Portsmouth.
Plymouth	107,974	29	38	4	16	–	–	–	–	1	–	–	–	3	10	–	18·4	0·5	–	–	–	–	–	–	Plymouth.
Bristol	329,831	115	122	31	42	–	–	2	2	1	–	2	2	7	25	–	19·3	1·1	47·6	19·3	34·5	1·39	1·43	3·63	Bristol.
Cardiff	165,308	55	64	20	6	–	–	1	2	–	–	1	3	6	7	1	20·2	1·3	–	–	–	–	–	–	Cardiff.
Swansea	94,618	38	35	14	3	–	–	–	2	–	–	–	–	–	–	3	19·3	1·1	–	–	–	–	–	–	Swansea.
Wolverhampton	94,467	28	34	11	6	–	–	1	–	–	–	–	2	4	11	–	18·8	0·6	39·7	15·3	29·2	- 1·56	0·77	1·96	Wolverhampton.
Birmingham	523,284	217	236	59	57	–	8	5	5	5	1	5	12	15	48	12	23·5	2·9	–	–	–	–	–	–	Birmingham.
Norwich	111,997	38	37	15	10	–	7	–	1	1	–	1	–	3	4	–	17·2	4·7	45·8	24·4	34·4	1·33	0·84	2·13	Norwich.
Leicester	212,498	80	89	28	22	–	3	–	1	3	–	–	1	3	9	4	21·8	1·7	–	–	–	–	–	–	Leicester.
Nottingham	240,400	103	105	24	37	–	1	–	–	–	3	–	2	5	16	1	22·8	0·9	41·8	18·0	30·8	- 0·67	0·28	0·71	Nottingham.
Derby	106,076	54	29	7	11	–	–	1	–	–	–	–	1	4	5	–	14·3	0·5	–	–	–	–	–	–	Derby.
Birkenhead	111,203	36	39	7	13	–	–	1	4	–	2	–	2	4	9	–	18·3	3·3	–	–	–	–	–	–	Birkenhead.
Liverpool	686,332	306	301	74	71	–	–	5	4	14	1	3	16	21	62	18	22·9	2·1	–	–	–	–	–	–	Liverpool.
Bolton	168,748	84	62	14	15	–	–	2	–	2	1	1	1	6	6	–	19·2	1·9	–	–	–	–	–	–	Bolton.
Manchester	544,934	204	303	56	84	–	25	3	–	9	–	2	14	37	75	2	29·3	3·7	–	–	–	–	–	–	Manchester
Salford	221,526	109	103	19	26	–	8	1	1	1	1	1	5	13	17	–	24·2	3·1	–	–	–	–	–	–	Salford.
Oldham	137,382	48	51	13	4	–	5	–	1	–	1	–	3	10	3	–	19·4	2·7	–	–	–	–	–	–	Oldham.
Burnley	97,295	37	49	16	8	–	–	–	7	2	–	–	2	2	6	–	26·3	4·8	–	–	–	–	–	–	Burnley.
Blackburn	127,714	38	53	14	14	–	3	–	–	–	1	2	2	5	2	7	21·6	2·4	–	–	–	–	–	–	Blackburn.
Preston	113,117	39	49	15	11	–	14	–	–	–	–	1	1	2	4	5	22·6	6·9	42·0	23·0	34·7	1·50	0·76	1·93	Preston.
Huddersfield	94,998	31	46	4	18	–	4	–	–	–	–	1	3	4	7	1	25·2	2·7	40·5	18·5	33·5	0·83	1·31	3·33	Huddersfield.
Halifax	105,113	42	35	5	16	–	3	2	–	–	–	1	1	1	7	1	17·4	3·0	–	–	–	–	–	–	Halifax.
Bradford	280,161	85	97	17	32	–	2	–	–	–	–	–	2	5	8	4	18·1	0·4	41·0	21·4	34·1	1·17	1·12	2·84	Bradford.
Leeds	430,489	198	180	45	44	–	8	2	3	18	1	1	4	13	23	–	21·8	4·0	–	–	–	–	–	–	Leeds.
Sheffield	382,129	231	148	41	34	–	13	1	4	2	3	–	4	5	24	9	20·2	3·1	–	–	–	–	–	–	Sheffield.
Hull	241,622	108	87	22	27	–	–	1	2	1	1	1	6	12	13	3	18·8	1·3	41·0	23·0	33·1	0·61	0·91	2·31	Hull.
Sunderland	146,937	84	52	11	14	–	5	–	–	1	–	–	3	7	9	4	18·5	2·1	–	–	–	–	–	–	Sunderland.
Gateshead	110,492	67	39	11	12	–	–	1	–	1	–	–	3	3	6	1	18·4	0·9	–	–	–	–	–	–	Gateshead.
Newcastle	215,516	97	81	16	23	–	2	–	–	2	–	–	3	6	17	1	19·6	1·0	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1891–1901.

	1891	1892	1893	1894	1895	1896	1897	1898	1899	1900	Corrected Weekly Average in 10 Years 1891–1900.*	1901
TOTAL **Births** –	3181	2120	2106	1950	1501	1829	2363	2215	1880	1591	2150·8	1668
Males – –	1652	1063	1053	1061	758	904	1197	1154	950	842	1104·0	881
Females – –	1529	1057	1043	889	743	925	1166	1061	930	749	1046·8	787
TOTAL **Deaths** –	3399	1830	1920	1434	1502	1279	2360	1593	3067	1466	2058·9	1792
Males – –	1640	969	910	775	775	648	1195	828	1485	751	1034·7	918
Females – –	1759	861	1010	659	727	631	1165	765	1582	715	1024·2	874

* The numbers in this column are the average weekly numbers in the fifty-second week of the ten years 1891–1900, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	13 Weeks.
TOTAL **Births** –	2499	2676	2389	2655	2737	2437	2574	2519	2460	2374	2231	2493	1668	31712
TOTAL **Deaths** –	1280	1309	1394	1404	1516	1688	1744	1939	1785	1698	1612	1626	1792	20787
Ages at Death: Under 1 year –	341	329	324	308	368	368	441	438	415	377	364	367	418	4858
1—5 years –	115	160	139	148	167	209	208	247	225	200	222	212	232	2484
5—20 " –	71	78	86	81	77	86	88	101	99	101	101	92	79	1140
20—40 " –	181	183	209	182	204	227	202	228	201	217	208	180	218	2640
40—60 " –	257	261	278	320	288	353	335	378	330	319	305	325	337	4086
60—80 " –	270	251	280	316	339	364	369	445	410	394	336	366	408	4548
80 yrs. & upwds.	45	47	78	49	73	81	101	102	105	90	76	84	100	1031
Deaths from—														
Small-pox: Vaccd. –	–	–	6	2	5	7	6	10	10	10	16	15	11	97
Small-pox: Unvaccd. –	2	2	2	4	1	8	6	7	7	4	7	8	7	65
Small-pox: Not stated –	1	1	3	–	–	1	2	5	4	2	3	1	7	30
Measles – – –	14	14	22	21	24	38	60	50	54	41	61	65	78	542
Scarlet Fever – –	14	22	13	9	12	10	4	12	12	10	12	15	15	160
Diphtheria – –	30	54	33	26	36	33	35	37	40	36	31	34	28	453
Whooping-cough –	11	10	6	11	12	10	15	15	12	11	15	20	18	166
Typhus – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – –	18	11	19	10	12	16	15	16	9	10	5	8	6	155
Simple Cont. Fever –	–	–	–	–	–	–	–	1	1	–	–	–	–	2
Diarrhœa, Dysentery	78	50	56	42	28	20	15	17	13	10	13	14	13	369
Cholera – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All above Diseases –	168	164	160	125	130	143	158	170	162	134	163	180	183	2039
Dis. of Resp. System	132	186	196	242	327	445	477	582	534	470	427	393	425	4836
Phthisis – – –	155	136	143	177	167	182	163	191	118	140	155	163	178	2068
Dis. of Circ. System –	119	122	146	158	132	167	159	175	189	176	148	165	156	2012
Violence – – –	52	49	56	55	75	69	59	71	62	71	72	59	89	839
Inquest Cases – –	124	117	145	123	173	181	176	176	188	167	153	153	195	2071
Deaths in Institutions	441	440	449	489	547	564	497	606	578	528	556	532	557	6784
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean – – – –	57·3	50·7	51·5	44·6	49·0	39·5	41·6	43·7	39·2	44·4	41·5	33·4	36·3	44·1
Mean of Highest –	67·0	57·9	59·0	53·6	55·3	46·4	45·9	48·5	41·3	48·4	45·1	38·2	41·2	50·1
Mean of Lowest –	49·3	43·6	43·9	36·4	42·6	33·8	37·6	37·7	33·7	38·6	37·0	28·5	30·2	37·9
Mean Humidity of the Air.	85	82	84	90	76	91	80	80	82	83	88	84	89	84
Rain-fall (in inches) –	1·21	0·19	1·10	0·03	0·02	0·00	0·39	0·24	0·03	0·03	1·37	0·07	1·00	5·71
Registered Sunshine (in hours).	27·8	29·3	26·0	12·8	38·4	7·3	5·4	10·3	9·6	6·8	6·0	15·6	6·1	192·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox – –	169	175	172	180	284	297	368	396	427	474	506	538	665	358
Scarlet Fever – –	3159	3230	3344	3353	3392	3331	3353	3336	3278	3241	3188	3033	3137	3263
Diphtheria – –	1539	1522	1546	1538	1585	1539	1556	1509	1516	1460	1419	1379	1381	1503
Typhus – – –	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Enteric Fever – –	296	307	288	286	291	270	269	269	245	243	228	211	195	261

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. C. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E. Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-SECOND Week of the Year 1901.

CAUSES OF DEATH.	Corrected Averages for the 52nd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 28th December, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES - - -	2058·9	1792	418	232	79	218	337	408	100
Small-pox† Vaccinated -	0·1	11	1	-	-	5	5	-	-
Small-pox† Unvaccinated -	0·1	7	-	1	4	1	1	-	-
Small-pox† No Statement -	-	7	1	-	-	5	1	-	-
Measles - - - -	72·0	78	11	63	4	-	-	-	-
Scarlet Fever - - -	15·4	15	1	9	4	1	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-
Influenza - - - -	44·4	13	3	-	-	4	5	1	-
Whooping-cough - -	52·4	18	11	7	-	-	-	-	-
Diphtheria - - -	51·0	28	2	20	6	-	-	-	-
Simple Continued and Ill-defined Fever -	0·4	-	-	-	-	-	-	-	-
Enteric Fever - - -	18·0	6	1	1	1	3	-	-	-
Cholera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	12·2	13	8	1	1	1	-	2	-
Remittent Fever - -	0·3	1	1	-	-	-	-	-	-
Hydrophobia - - -	0·1	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-
Cowpox and Effects of Vaccination - -	-	-	-	-	-	-	-	-	-
Venereal Affections - -	9·5	8	4	-	-	2	2	-	-
Erysipelas - - -	4·8	8	2	-	-	3	1	2	-
Pyæmia and Septicæmia	2·4	5	4	-	-	-	-	1	-
Herpetic Fever - -	5·1	1	-	-	-	1	-	-	-
Other Zymotic Diseases -	1·3	2	1	1	-	-	-	-	-
Thrush - - - -	0·3	1	1	-	-	-	-	-	-
Worms and other Parasitical Diseases -	0·7	2	-	-	-	-	2	-	-
Starvation, Want of Breast-milk - -	2·4	1	1	-	-	-	-	-	-
Alcoholism - - -	14·5	15	-	-	-	2	13	-	-
Rheumatic Fever, Rheumatism of Heart	7·4	4	-	1	1	2	-	-	-
Rheumatism - - -	2·0	-	-	-	-	-	-	-	-
Gout - - - - -	3·4	3	-	-	-	-	-	3	-
Rickets - - - -	4·7	4	2	2	-	-	-	-	-
Cancer - - - -	71·3	88	1	-	1	4	40	40	2
Tabes Mesenterica - -	16·9	14	9	3	-	2	-	-	-
Tubercular Meningitis -	21·4	17	3	11	3	-	-	-	-
Phthisis - - - -	181·9	178	2	6	11	75	71	13	-
Scrofula, Tuberculosis -	19·4	22	2	4	4	7	4	1	-
Other Constitutional Diseases - -	11·6	21	1	-	1	5	5	7	2
Premature Birth - -	51·2	64	64	-	-	-	-	-	-
Congenitalectasis - - -	5·5	4	4	-	-	-	-	-	-
Congenital Malformations - - -	6·8	12	12	-	-	-	-	-	-
Old Age - - - -	64·6	65	-	-	-	-	-	28	37
Apoplexy - - - -	53·4	53	1	-	-	2	12	31	7
Epilepsy - - - -	8·0	5	-	-	1	2	1	1	-
Convulsions - - -	35·0	33	30	3	-	-	-	-	-
Other Diseases of Brain and Nervous System	93·6	70	8	1	5	7	22	22	5
Diseases of Organs of Special Sense -	3·2	1	-	1	-	-	-	-	-

CAUSES OF DEATH.	Corrected Averages for the 52nd Week of the 10 years 1891-1900*.	In the Week ended Saturday, 28th December, 1901. Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - - -	178·5	156	-	1	13	26	32	73	11
Croup - - - -	3·0	1	-	1	-	-	-	-	-
Bronchitis - - -	374·2	229	53	25	1	1	32	96	21
Pneumonia - - -	166·4	151	46	46	4	9	19	25	2
Pleurisy - - - -	8·0	6	-	1	-	2	2	1	-
Other Diseases of Respiratory System -	49·2	38	10	1	1	2	10	11	3
Dentition - - - -	10·1	13	11	2	-	-	-	-	-
Quinsy, Sore Throat -	1·0	-	-	-	-	-	-	-	-
Enteritis - - - -	2·7	23	8	3	1	7	2	2	-
Gastro-enteritis - -	11·0	4	4	-	-	-	-	-	-
Peritonitis - - -	5·6	9	-	-	2	5	1	1	-
Diseases of Liver - -	23·2	16	2	-	-	-	11	3	-
Other Diseases of Digestive System	31·1	37	12	2	1	8	3	7	4
Diseases of Lymphatic System & of Ductless Glands - - -	3·7	4	1	-	-	1	2	-	-
Diseases of Urinary System - -	55·2	51	-	1	-	5	17	24	4
Diseases of Generative System - -	4·8	8	1	-	-	5	2	-	-
Accidents of Childbirth -	5·4	2	-	-	-	2	-	-	-
Diseases of Locomotive System - -	6·0	4	-	1	1	2	-	-	-
Diseases of Integumentary System - -	7·3	2	-	1	-	-	1	-	-
VIOLENT DEATHS. (ACCIDENT.)									
By Railways - - -	2·9	3	-	-	-	1	1	1	-
By Vehicles or Horses -	4·7	5	-	-	3	1	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -	0·9	-	-	-	-	-	-	-	-
In Building Operations -	0·7	-	-	-	-	-	-	-	-
In Conflagrations - -	1·9	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	12·2	21	2	9	4	2	3	1	-
By Drowning - - -	5·4	4	1	-	1	1	1	-	-
By Suffocation in Bed -	22·7	23	23	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -	2·0	3	-	-	-	-	-	3	-
Other or not stated causes - - -	21·6	22	3	1	-	3	5	8	2
(VIOLENCE OTHER THAN ACCIDENTAL.)									
Homicide - - -	1·5	-	-	-	-	-	-	-	-
Suicide - - - -	7·4	8	-	-	-	1	7	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	59·8	51	49	2	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1891-1900, raised by 3·723 per cent. for increase of population.

† Only those cases of small-pox are classed as "vaccinated" or "unvaccinated" which are so certified by registered medical men. Cases in which the certifying medical practitioner is unable to certify whether the deceased had, or had not, been vaccinated, as well as cases in which no mention of vaccination is made on the certificate, and all cases in which the cause of death is not certified by a registered medical practitioner, are included under the heading "no statement." (For further information *see* the remarks on the second page of this return.)

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th December, 1901.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,063	1668	1792	418	508	25	78	15	28	18	-	6	-	13	89	195	557
WEST DISTRICTS - - -	805,275	251	334	68	90	1	35	1	2	1	-	1	-	2	13	24	93
NORTH DISTRICTS - - -	1,056,018	364	375	75	124	2	15	3	6	4	-	1	-	3	18	35	110
CENTRAL DISTRICTS - - -	209,432	81	90	21	26	1	1	-	2	-	-	-	-	-	13	24	36
EAST DISTRICTS - - - -	715,772	308	321	99	70	1	17	-	2	3	-	-	-	3	24	68	111
SOUTH DISTRICTS - - -	1,749,566	664	608	154	186	-	10	10	12	10	-	2	-	5	21	44	143
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	64	1	12	20	-	1	4	-	-	2	-	-	-	-	64
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	93,165	36	37	7	11	-	2	-	-	-	-	-	-	-	1	5	8
St. John Paddington *H* - - G.	33,608	5	10	2	4	-	-	-	-	-	-	-	-	-	-	-	6
North-West Paddington - - C.	17,181	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - W. & C.	128,025	24	62	10	19	-	11	-	-	-	-	-	-	1	2	5	21
Brompton *HH* - - W. & C.	48,598	10	14	1	5	-	-	-	1	-	-	-	-	-	-	-	4
North Hammersmith *H* W. & G.	49,335	16	20	6	3	-	5	-	-	-	-	-	-	-	-	2	-
South Hammersmith *wH* W. & G.	62,910	26	31	8	5	-	1	-	-	-	-	-	-	-	1	1	4
North-west Fulham *W* W. & C.	45,180	28	22	5	8	-	2	-	-	-	-	-	-	-	2	2	9
North-east Fulham *H* W. & C.	46,404	22	25	5	6	-	3	1	1	-	-	-	-	-	-	1	4
South Fulham W. & C.	45,705	24	16	7	2	-	-	-	-	-	-	-	-	-	2	3	-
Chelsea North *WwHHH* - C.	42,515	16	24	3	6	1	1	-	-	1	-	-	-	-	-	-	14
Chelsea South *HH* - - - C.	31,341	6	11	5	2	-	-	-	-	-	-	-	-	-	2	2	1
May Fair and Knightsbridge *H* C.&G.	28,744	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHH* - - - C.	55,812	11	26	6	12	-	1	-	-	-	-	-	-	1	2	2	11
St. Margaret & St. John Westminster *HHHH* - - C.	43,665	14	25	2	2	-	8	-	-	-	-	1	-	-	1	1	9
St. James Westminster *WH* N. & G.	21,595	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	11,492	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	35,394	12	19	1	7	-	-	-	-	-	-	-	-	-	-	-	10
Rectory Marylebone *W* G. & W.	19,869	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	18,099	33	10	4	4	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H* - W.	39,541	15	8	3	3	-	-	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	20,426	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WHHHHHH* - - N. & W.	81,942	15	26	4	6	-	-	2	2	-	-	-	-	-	-	-	11
Regent's Park *H* - - - W.	50,647	10	14	3	1	-	1	-	2	1	-	-	-	-	-	1	-
Tottenham-court *wHHHHHH* - N. & W.	24,814	3	10	1	2	-	-	-	-	-	-	-	-	-	2	3	8
Gray's Inn Lane *HHHH* - N.	30,886	4	11	-	1	1	2	-	-	-	-	-	-	-	1	1	6
Somers Town *HH* - - - N.	30,131	16	10	2	5	-	-	-	-	-	-	-	-	-	-	2	1
Camden Town *WH* - - N.	40,079	10	25	3	11	-	-	-	-	-	-	-	-	-	2	5	14
Kentish Town *WW* - - N.	58,727	25	23	6	10	-	1	-	-	-	-	-	-	-	1	2	5
Tufnell *W*		9	21	2	7	-	2	-	-	-	-	-	-	-	-	-	12
Upper Holloway *WWwHH* - N.	99,841	10	24	2	10	-	-	1	-	-	-	-	-	-	2	3	18
Tollington *W*		15	13	5	4	-	2	-	-	-	-	-	-	1	-	1	-
Lower Holloway - - - N.	41,411	17	20	8	3	-	4	-	-	-	-	-	-	-	-	1	-
Barnsbury - - - - - N.	54,479	21	16	5	2	-	-	-	-	1	-	-	-	1	1	1	-
Islington South-east *H* - - N.	75,402	35	23	3	10	1	2	-	-	-	-	-	-	-	1	3	-
Highbury *HH* - - - - N.	63,795	13	16	3	7	-	1	-	-	-	-	-	-	-	-	-	1
Stoke Newington *H* - - N.	51,247	7	12	2	8	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,570	13	10	6	4	-	-	-	-	1	-	-	-	1	1	-	-
Central Hackney *wH* - E. & N.	50,535	19	8	1	3	-	-	-	1	-	-	-	-	-	-	2	1
South-west Hackney *HHH* E. & N.	59,929	19	23	4	5	-	-	-	-	1	-	1	-	-	3	6	6
South-east Hackney *WwH* E. & N.	58,254	25	27	6	9	-	-	-	-	-	-	-	-	-	4	4	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *h*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 (Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	22,495	5	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Giles North *H* - - - N.	8,959	2	4	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Martin-in-the-Fields *HH* N.&C.	12,975	2	6	-	1	-	-	-	-	-	-	-	-	-	2	2	2	-
Strand *WHH* - - - - N.	8,694	1	6	-	1	-	-	-	-	-	-	-	-	-	3	4	3	1
Strand Union Workhouse, Edmonton -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	2	3	3	-
Holborn *WHHHHHH* - - N.	29,579	12	13	5	3	-	-	-	1	-	-	-	-	-	-	2	7	-
South Clerkenwell* - - N.	63,715	9	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
North Clerkenwell* - - N.		15	10	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Finsbury *HHHL* - - - N.	35,376	30	9	3	2	-	-	-	-	-	-	-	-	-	-	2	1	-
Holborn Union Workhouse, Mitcham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H* - - - N. & E.	11,036	1	6	-	4	-	-	-	-	-	-	-	-	-	-	3	-	-
St. Sepulchre *WH* - - - N.	7,886	2	20	3	7	-	-	-	1	-	-	-	-	-	5	5	17	-
Allhallows Barking - - - N.	8,717	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	16,370	8	9	4	2	-	1	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *wH* - - N.	29,761	9	16	2	6	1	-	-	-	-	-	-	-	-	1	3	5	-
Hoxton Old Town - - - N.	26,510	12	12	7	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Haggerston *W* - - - N & E.	46,064	18	25	4	12	-	2	-	-	-	-	-	-	-	-	-	12	-
Bethnal Green North *HH* - E.	51,513	25	21	8	2	-	2	-	-	-	-	-	-	-	3	7	1	-
Bethnal Green South - - E.	33,473	20	11	5	2	-	2	-	-	-	-	-	-	-	1	2	-	-
Bethnal Green East *W WHl* - E.	44,695	19	22	8	11	-	-	-	-	-	-	-	-	-	3	6	11	-
Spitalfields - - - E. & N.	27,965	15	7	2	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Mile End New Town *WH* - E.	28,711	17	48	10	4	-	-	-	1	-	-	-	-	-	7	13	43	-
Goodman's Fields - - - E.	22,082	11	5	1	1	-	-	-	-	1	-	-	-	-	-	3	-	-
St. George's, North - - - E.	40,965	17	12	6	1	-	-	-	-	-	-	-	-	1	-	3	-	-
St. John *W* - - - - E.	8,122	-	6	1	-	-	-	-	-	-	-	-	-	-	2	4	4	-
Shadwell *H* - - - E. & N.	10,760	4	7	2	-	-	-	-	1	-	-	-	-	-	1	2	5	-
Ratcliff *W* - - - - E.	14,770	5	6	1	1	-	1	-	-	-	-	-	-	-	-	2	-	-
Limehouse - - - - - E.	32,358	12	9	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Mile End Old Town West *H* - E.	59,467	34	11	5	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East *WWw* - - - - E.	53,348	14	26	7	7	-	1	-	-	-	-	-	-	-	2	3	10	-
Bow *l* - - - - - E.	41,990	21	17	5	2	-	3	-	-	1	-	-	-	-	-	1	1	-
Bromley *wwwH* - - - E.	68,326	31	37	9	12	-	-	-	-	1	-	-	-	-	2	9	18	-
Poplar *Ww* - - - - E.	58,522	16	14	7	4	-	-	-	-	-	-	-	-	-	1	6	-	-

* On 1st December, 1901, the Sub-Districts of South Clerkenwell and North Clerkenwell were formed out of the united Sub-Districts of St. James Clerkenwell, Amwell, and Goswell Street.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒAL DISEASES, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th December, 1901—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901 Unrevised).	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	11,232	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark – – S.	12,056	7	16	1	1	–	1	–	–	–	–	–	–	–	–	–	14	–
Kent-road – – – S. & L.	21,899	14	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Borough-road *WH* – S. & L.	16,882	4	6	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–
London-road *HL* – L. & S.	22,209	9	6	1	–	–	–	–	–	–	–	1	–	–	2	3	–	–
Trinity Newington *H* – S. & L.	28,485	9	8	3	1	–	–	–	–	–	–	–	–	–	1	3	–	–
St. Peter Walworth *W*– S. & L.	61,773	28	20	5	4	–	–	1	–	–	–	–	–	–	–	1	–	1
St. Mary Newington – L. & S.	31,592	19	9	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Olave *W* – – – – S.	9,813	1	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Bermondsey *WH*– – – S.	82,405	43	30	8	7	–	–	–	–	1	–	–	–	–	–	–	–	1
Rotherhithe *WH*– – S. & K	38,268	9	19	6	4	–	–	–	–	–	–	–	–	–	–	–	13	–
Waterloo-road *HH* – L. & S.	27,435	13	12	5	3	–	1	–	–	–	–	–	–	–	3	4	2	–
Lambeth Church 1st *H* L. & S.	18,420	6	15	–	1	–	1	–	–	–	–	–	–	–	1	2	11	–
Lambeth Church 2nd *WW* L. & S.	39,818	15	21	3	12	–	–	–	–	–	–	–	–	–	–	1	14	–
Kennington 1st *H* – S. & L.	53,196	17	13	1	2	–	1	–	1	1	–	–	–	1	–	1	–	–
Kennington 2nd – – S. & L.	42,891	12	13	2	6	–	–	–	–	–	–	–	–	–	–	–	–	1
Brixton *H* – – – L. & S.	84,226	24	19	2	10	–	–	1	–	1	–	–	–	–	1	1	2	–
Norwood *WH* – – – L.	35,887	9	8	2	2	–	1	–	–	–	–	–	–	–	1	1	–	–
East Battersea – – – S.	72,201	22	17	7	2	–	1	–	1	–	–	1	–	–	2	2	–	–
North-west Battersea – – S.	49,650	21	15	6	4	–	–	–	–	–	–	–	–	–	1	1	–	–
South-west Battersea *WH* – S.	47,045	17	27	7	13	–	–	–	–	–	–	–	–	–	1	1	11	–
Clapham *H* – – – – S.	51,353	19	27	14	5	–	1	–	–	2	–	–	–	1	3	2	2	–
Streatham *WwwHHL* – L.	88,129	21	28	8	8	–	–	3	–	–	–	–	–	–	1	2	5	1
Wandsworth *WHL* – – S.	68,409	33	11	4	2	–	–	–	–	–	–	–	–	1	1	1	1	–
Putney – – – – – S.	24,139	6	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich – – – – L. & S.	10,246	2	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *Wwll* – S. & L.	90,404	33	45	4	24	–	–	–	–	–	–	–	–	–	1	2	27	–
Peckham *Ww* – S L., & K.	93,022	40	23	3	8	–	–	–	–	1	–	–	–	–	1	3	–	–
St. George Camberwell – L. & S.	65,586	23	20	5	8	–	–	–	–	1	–	–	–	1	–	1	–	–
Deptford North – – – K.	37,601	18	15	5	3	–	–	–	1	–	–	–	–	1	1	4	–	–
Deptford Central *H* – – K.	45,621	18	14	4	3	–	1	–	3	–	–	–	–	–	–	–	3	–
Deptford South – – – K.	34,622	8	11	2	6	–	–	–	1	–	–	–	–	–	–	–	–	1
Greenwich West *H* – – K.	23,456	10	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich East *WH* – – K.	43,849	18	22	7	8	–	1	–	–	–	–	–	–	–	–	3	10	–
Eltham *wH* – – – – K.	7,218	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* – – – – – K.	25,489	3	7	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwH* – – – K.	58,341	38	33	8	11	–	–	5	4	–	–	–	–	–	–	1	15	–
Sydenham *H* – – – L.	43,630	20	14	6	2	–	1	–	–	2	–	–	–	–	–	–	–	1
Charlton *HHH* – – – K.	21,121	11	6	–	2	–	–	–	1	–	–	–	–	–	–	–	2	–
Woolwich *HHH* – – K.	41,607	16	12	5	2	–	–	–	–	1	–	–	–	–	–	2	–	1
Plumstead West *H* – – K.	18,076	6	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* – – K.	50,264	18	17	5	2	–	–	–	–	–	–	–	–	–	–	–	6	–
London County Asy., Banstead –	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asy., Epsom –	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Met. Asy. for Imbeciles, Caterham	—	–	4	–	3	–	–	–	–	–	–	–	–	–	–	–	4	–
London County Asy., Cane Hill –	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
M.A.B. Ships and Hosp., Dartford	—	–	20	1	–	20	–	–	–	–	–	–	–	–	–	–	20	–
Met. Asy. for Imbeciles, Darenth –	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asylum, Dartford Heath – – – – –	—	–	6	–	2	–	–	4	–	–	–	–	–	–	–	–	6	–
London County Asylum, Hanwell	—	–	7	–	2	–	–	–	–	–	–	–	–	–	–	–	7	–
Central London Sick Asy., Hendon	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asy., Colney Hatch	—	–	6	–	2	–	–	–	–	–	–	1	–	–	–	–	6	–
M.A.B. North-Eastern Hospital –	—	–	6	–	–	–	–	1	4	–	–	1	–	–	–	–	6	–
M.A.B. Northern Hospital – –	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Met. Asy. for Imbeciles, Leavesden	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
London County Asylum, Claybury	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–

ABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 28th December, 1901.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901 (Unrevised).	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING	368,580	2,044,553	850	635	181	184	5	11	7	14	6	1	4	23	47	73	2
30 : 1	Carshalton *H*	12,228	32,997	8	6	–	3	–	–	–	–	–	–	–	–	–	–	–
2	Epsom, *part of** *WwHH*	10,423	15,548	6	4	2	1	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Godstone, *part of** *W*	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Croydon *WWwHHH*	20,851	164,519	61	62	19	17	–	4	–	–	–	1	–	–	1	1	–
2	Mitcham *w*	11,689	29,906	15	9	5	3	–	1	–	–	–	–	–	–	–	–	–
39 : 1	Wimbledon *HHH*	3,221	41,604	14	20	7	7	–	–	–	–	–	–	–	–	–	2	–
2	Kingston *WH*	6,224	42,067	9	20	2	8	–	–	–	–	–	–	–	1	3	6	–
3	Surbiton *HH*	3,046	15,019	5	5	–	3	–	–	–	1	–	–	–	–	1	1	–
4	Esher, *part of** *H*	5,402	13,003	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL*	4,564	23,447	8	6	3	2	–	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond *WHH*	2,162	28,871	8	12	2	7	–	–	–	–	–	–	–	–	1	2	–
2	Mortlake *H*	2,847	20,628	13	9	3	1	–	–	–	–	–	–	–	–	1	–	–
41 : 1	Bromley *HHH*	4,703	27,358	12	9	2	2	–	–	–	–	–	–	–	–	–	–	–
2	Beckenham *H*	7,825	28,499	7	6	3	1	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of** *W*	10,113	9,857	5	3	–	2	–	–	–	–	–	–	–	–	–	–	–
4	Chislehurst *HH*	7,333	16,458	4	5	1	2	–	–	–	–	–	–	–	–	–	1	–
42 : 1	Bexley *HHH*	12,532	46,445	22	17	4	4	–	–	–	–	–	–	–	1	2	–	–
2	Dartford *WH*, *part of**	—	—	–	2	–	2	–	–	–	–	–	–	–	–	–	2	–
24 : 1	Sunbury *w*	11,054	18,682	9	3	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Staines *WH*	13,277	15,179	4	5	1	2	–	–	–	–	–	–	–	–	–	–	–
25 : 1	Hillingdon *WHH*	6,035	13,661	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge	12,757	8,984	7	3	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH*	8,066	16,358	7	4	1	–	–	–	–	–	–	–	–	1	1	–	–
26 : 1	Isleworth *WHH*	6,859	30,838	11	16	3	3	–	–	2	–	–	–	–	1	1	2	–
2	Twickenham *HH*	2,421	20,991	10	9	5	–	–	–	–	–	1	–	–	–	–	1	–
3	Brentford† *HHHH*	11,700	127,020	12	12	4	5	–	–	–	–	–	–	–	–	1	2	–
4	Chiswick			13	6	1	–	–	–	–	–	–	–	1	–	–	–	–
5	Acton† *wHH*			32	22	10	6	–	–	–	–	–	–	–	2	2	–	–
27 : 1	Harrow *HHH*	13,809	25,522	11	4	2	1	–	–	–	–	–	–	–	1	1	–	–
2	Edgware *HH*	6,994	4,520	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH*	4,384	114,815	43	36	9	9	–	1	–	5	–	–	1	2	2	4	–
4	Hendon *WH*	8,382	22,459	12	2	–	1	–	–	–	–	–	–	–	–	–	1	–
28 : 1	South Mimms *HH*	17,755	7,308	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–
2	Barnet *WHH*	3,324	17,970	6	8	3	–	–	1	–	–	–	–	–	–	–	1	–
3	Finchley *HHH*	4,688	33,692	14	8	1	2	–	–	–	–	–	–	–	1	1	–	–
29 : 1	Hornsey *HH*	2,875	72,056	19	14	1	7	–	1	–	–	–	–	–	–	1	–	–
2	Tottenham *HHH*	4,638	136,702	67	36	9	12	–	–	1	1	–	–	–	–	6	4	1
3	Edmonton *Ww*	7,491	61,892	31	21	6	6	–	–	–	–	–	–	–	1	1	9	–
4	Enfield *WWHH*	12,601	42,738	29	8	2	2	–	–	–	1	–	–	–	–	–	1	–
5	Waltham Abbey	11,017	6,547	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Cheshunt *H*	8,479	12,288	6	5	2	1	–	–	–	–	–	–	–	–	–	–	1
35 : 1	Hatfield, *part of** *W*	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37 : 1	Bushey *H*	9,333	9,173	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WLH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Stratford *H*	1,072	44,825	14	16	10	3	–	–	–	–	2	–	–	2	3	–	–
2	Plaistow *HHH*	1,249	90,920	46	29	13	5	–	–	–	1	–	–	–	3	4	2	–
3	Canning Town *H*	1,556	70,666	40	27	9	8	–	1	–	2	–	–	–	2	5	–	–
4	Forest Gate *w*	806	60,897	28	17	4	8	–	–	1	–	–	–	–	–	–	–	–
5	East Ham *wHHH*	3,268	95,970	41	24	10	6	–	–	2	2	2	–	–	–	1	–	–
6	Wanstead	1,737	9,198	2	5	1	2	–	–	–	1	–	–	–	–	–	1	–
7	South Leyton *WW*	631	50,458	21	24	3	7	–	2	–	–	–	–	1	–	–	14	–
8	North Leyton *WwH*	1,963	48,441	10	12	2	4	–	–	–	–	–	–	–	–	–	–	–
9	Walthamstow *HHHL*	6,504	108,931	58	22	5	8	–	–	–	–	–	–	–	2	3	–	–
87 : 1	Chigwell, *part of** *LHHH*	11,778	16,403	1	3	1	2	–	–	1	–	–	–	–	–	–	1	–
2	Epping *WH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
89 : 1	Romford, *part of** *W*	6,556	6,089	5	6	1	–	3	–	–	–	–	–	–	–	–	3	–
2	Ilford *H*	8,496	41,240	13	13	3	4	–	–	–	–	1	–	–	1	1	6	–
3	Barking Town *H*	3,803	21,547	18	7	2	3	–	–	–	–	–	–	1	1	3	–	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
	M.A.B. Hospital Ship, Dartford.	—	—	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–
	City of London Lunatic Asylum, Stone.	—	—	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–
	London County Lunatic Asylum, Colney Hatch.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ing are as follows:—30: 2, excepting Ashtead parish; 37: 1, Warlingham and Farley parishes; 39: 4, excepting Esher arish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious iseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† The boundaries of these Sub-Districts were altered on 1st December, 1901.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ended Saturday, 28th December, 1901.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1901 (Unrevised).	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8–14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.
GREATER LONDON	**443,419**	**6,604,287**	**19·2**	**1·3**	**2427**	**599**	**692**	**30**	**89**	**22**	**42**	**24**	**7**	**17**	**112**	**63**
INNER LONDON –	74,839	4,543,757	20·6	2·1	1792	418	508	25	78	15	28	18	6	13	89	557
OUTER RING –	368,580	2,060,530	16·1	1·2	635	181	184	5	11	7	14	6	1	4	23	7

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW, DUBLIN, and BELFAST, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
EDINBURGH –	317,885	December 28	144	134	22·0	–	–	1	1	–	1	
GLASGOW – –	764,423	„ 28	384	365	24·9	–	22	4	1	6	3	1
DUBLIN† – –	375,076	„ 28	93	193	26·8	–	–	–	2	–	5	
BELFAST† – –	350,862	„ 28	156	150	22·3	–	–	–	–	3	3	
CALCUTTA – –	466,460	November 9	–	316	35·3	2	–	–	–	1	89‡	6
BOMBAY – –	770,843	December 10	291	760	50·9	–	1	?	?	?	261‡	7
MADRAS – –	509,346	November 29	340	570	58·1	–	5	?	?	?	187	11
PARIS – – –	2,511,629	December 21	910	998	20·6	6	8	2	17*	3	3	1
BRUSSELS – –	582,665	„ 21	235	184	16·4	–	–	–	3*	4	2	1
AMSTERDAM –	525,636	„ 14	294	133	13·1	–	–	–	1	–	–	
ROTTERDAM –	320,991	—	–	–	–	–	–	–	–	–	–	
THE HAGUE –	205,328	—	–	–	–	–	–	–	–	–	–	
COPENHAGEN –	378,235	December 21	148	111	15·3	–	–	1	1	2	1	
STOCKHOLM –	301,050	„ 14	132	93	16·1	–	–	2	2*	1	–	
CHRISTIANIA –	228,929	„ 21	–	–	–	–	–	–	–	–	–	
ST. PETERSBURG	1,248,643	„ 14	630	592	24·7	1	11	17	22	4	17	
MOSCOW – –	1,023,817	„ 14	–	448	22·8	3	6	13	9	2	7	
BERLIN – –	1,888,613	September 28	–	–	–	–	–	–	–	–	–	
HAMBURG – –	705,738	December 21	–	229	16·9	–	9	8	8*	11	–	
DRESDEN – –	400,140	—	–	–	–	–	–	–	–	–	–	
BRESLAU – –	427,505	October 12	–	–	–	–	–	–	–	–	–	
MUNICH – –	500,000	December 21	–	212	22·0	–	1	–	2*	5	–	
VIENNA – –	1,691,996	„ 21	954	597	18·2	–	7	5	7*	–	–	
PRAGUE – –	389,741	„ 14	181	180	23·9	–	8	7	1	–	1	
BUDA-PESTH –	744,719	„ 21	–	–	–	–	–	–	–	–	–	
TRIESTE – –	177,428	„ 21	108	99	28·8	–	–	1	1*	–	–	
ROME – –	471,961	November 9	231	142	15·7	–	–	–	–	1	9‖	
TURIN – –	335,639	—	–	–	–	–	–	–	–	–	–	
VENICE – –	174,378	December 14	80	77	23·0	–	1	–	1*	–	1	
CAIRO – –	570,062	November 4	460	383	34·9	–	–	–	8*	–	14	
ALEXANDRIA –	319,766	„ 4	236	212	34·5	–	–	–	1*	–	5‡	
NEW YORK (including BROOKLYN)	3,536,517	„ 30	1448	1227	18·1	2	12	20	46*	11	18	
PHILADELPHIA –	1,293,697	December 7	–	440	17·7	8	1	7	18	2	4	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from outside the boundaries of Dublin and Belfa respectively.
§ Including 30 deaths from cholera in Calcutta, 2 in Bombay, and 22 in Madras.
‡ Including 10 deaths from plague in Calcutta, 151 in Bombay, and one in Alexandria.
‖ Including 2 deaths from malarial fever.

[*Under the Superintendence of the Astronomer Royal.*]

1901. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 22	..	29·319	35·7	27·1	8·6	32·4	− 6·2	29·8	2·6	3·8	1·8	90	47·3	23·1	42·52	NE.&NNE	NE. & N.	0·0	0·0	0·0	84	−221	0·00	0·0
MONDAY - 23	..	29·453	41·1	26·2	14·9	33·2	− 5·2	29·1	4·1	8·2	1·2	85	50·6	25·0	42·33	Variable	SE. & SSE.	7·7	0·0	0·7	293	− 10	0·16	0·2
TUESDAY - 24	Perigee Gr. Dec. N.	28·763	42·9	34·5	8·4	39·1	+ 0·8	35·6	3·5	6·4	0·5	87	56·1	30·2	42·09	S. & SSE.	S., NNE. & NW.	3·3	0·0	0·3	306	+ 5	0·62	1·0
WEDNESDAY 25	Full	28·686	40·2	31·5	8·7	37·1	− 1·2	34·2	2·9	4·8	1·5	89	48·8	24·9	42·01	S. SW., SSW., & S. SW. & SSW.	SSW.	5·0	0·0	0·7	409	+109	0·03	0·8
THURSDAY- 26	..	29·064	42·1	33·8	8·3	37·8	− 0·6	34·7	3·1	5·1	2·0	89	70·2	20·3	41·96	SSW.	SW. & SSW.	2·7	0·0	0·2	322	+ 22	0·00	0·2
FRIDAY - 27	..	29·434	38·0	28·7	9·3	34·3	− 4·1	30·5	3·8	5·8	2·2	86	52·8	19·8	41·82	SSW.	SW., SSW. & SSE.	0·4	0·0	0·0	205	− 96	0·00	0·8
SATURDAY- 28	..	29·226	48·5	29·4	19·1	39·9	+ 1·4	38·3	1·6	3·8	0·0	94	48·5	19·8	41·83	SE.	SE. & SSE.	6·0	0·0	0·8	384	+ 82	0·19	0·5
MEANS - -		29·135	41·2	30·2	11·0	36·3	− 2·2	33·2	3·1	5·4	1·3	89	53·5	23·3	42·08	N.E.; S.E. & S.W.		..	..	..	Sum 2003	Sum − 109	Sum 1·00	0·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. December.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 22	s. P. till 3h. A.M.; v. P. till 10h. A.M.; s. P. afterwards.	0·0	7·8	Overcast. Fog in morning and at night.
MONDAY - 23	s. P. generally till 8h. P.M.; s. N. afterwards.	1·0	7·8	Cloudy and foggy, with slight hoar frost in morning; very fine in forenoon; overcast afterwards, with gusty wind and frequent rain. Sleet and snow at night. Solar halo observed at 1h. P.M.
TUESDAY - 24	w. P. with occasional m. N. till 9h. A.M.; s. P. till 4h. P.M.; v. P. and v. N. afterwards.	0·5	7·8	Slight hoar frost in morning. Fine and partially cloudy till noon; overcast afterwards, with nearly continuous rain after 1h. P.M.
WEDNESDAY 25	m. P. generally till 9h. A.M.; s. N. till 11h. A.M.; m. P. afterwards.	1·0	7·8	Overcast and showery till 1h. P.M.; fine and partially cloudy afterwards. Hoar frost at night.
THURSDAY- 26	w. P. generally till 10h. A.M.; s. P. afterwards.	3·0	7·8	Very fine generally; partially cloudy. Hoar frost in morning and at night.
FRIDAY - 27	s. P. generally.	0·6	7·8	Fine and partially cloudy till afternoon; cloudless afterwards. Hoar frost in morning and at night.
SATURDAY- 28	s. P. till 4h. A.M.; w. P. with occasional v. N. afterwards.	0·0	7·8	Generally overcast: frequent rain after 7h. A.M.
		Sum 6·1	Sum 54·6	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon: 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·33 in. at the beginning of the week to 29·24 in. by 6h. A.M. on the 22nd; increased to 29·59 in. by 10h. A.M. on the 23rd; decreased to 28·47 in. by 10h. P.M. on the 24th; increased to 29·52 in. by 9h. P.M. on the 27th; and decreased to 28·86 in. by the end of the week.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st December 1901.*

BOROUGHS.	Estimated Population in the middle of 1901 (Unrevised).	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus Fever.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington	144,154	2	10	11	-	1	-	-	3	1
Kensington	176,787	3	4	6	-	1	-	-	3	-
Hammersmith	112,619	13	1	1	-	-	-	-	3	-
Fulham	138,426	8	13	14	-	1	-	-	5	-
Chelsea	73,879	-	4	8	-	-	-	-	-	-
City of Westminster	182,502	3	6	3	-	1	-	-	1	-
NORTH.										
St. Marylebone	133,060	1	4	2	-	-	-	-	2	-
Hampstead	82,287	1	2	-	-	-	1	-	1	-
St. Pancras	235,297	22	15	24	-	2	-	-	2	-
Islington	335,325	7	18	20	-	9	-	-	7	-
Stoke Newington	51,328	2	3	2	-	2	-	-	-	-
Hackney	219,780	2	15	10	-	1	-	-	9	-
CENTRAL.										
Holborn	59,205	19	6	3	-	-	-	-	2	-
Finsbury	101,263	2	13	1	-	1	-	-	4	-
City of London	26,627	-	1	4	-	1	-	-	1	-
EAST.										
Shoreditch	118,554	2	1	3	-	1	-	-	1	-
Bethnal Green	129,700	3	14	12	-	1	-	-	5	-
Stepney	298,884	31	18	8	-	3	-	-	5	-
Poplar	168,887	5	5	16	-	1	-	-	5	1
SOUTH.										
Southwark	206,219	14	15	11	-	4	-	-	2	-
Bermondsey	130,348	2	19	3	-	4	-	-	5	-
Lambeth	302,460	2	15	9	-	1	1	-	4	-
Battersea	169,364	10	12	4	-	1	-	-	4	-
Wandsworth	233,943	1	11	16	-	-	-	-	6	-
Camberwell	259,897	2	40	22	-	4	-	-	9	1
Deptford	110,732	-	11	3	-	2	-	-	1	-
Greenwich	96,188	-	16	7	-	2	-	-	2	-
Lewisham	128,423	2	10	9	-	1	-	-	5	-
Woolwich	117,619	2	9	2	-	1	-	-	1	-
Port of London	—	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,543,757	161	312	244	-	46	2	-	98	3
Ages 0-1		2	4	6	-	-	-	-	4	-
,, 1-5		3	98	89	-	2	-	-	2	-
,, 5-		8	128	81	-	4	-	-	5	-
,, 10-		16	49	27	-	8	-	-	6	-
,, 15-		17	15	9	-	8	-	-	3	-
,, 20-		23	10	11	-	3	-	-	7	-
,, 25-		38	8	15	-	11	1	-	17	2
,, 35-		27	-	5	-	8	-	-	14	1
,, 45-		20	-	1	-	-	1	-	21	-
,, 55-		3	-	-	-	1	-	-	6	-
,, 65 and upwards		3	-	-	-	-	-	-	13	-
Age not stated		1	-	-	-	1	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·14 inches, and that of the Thermometer 36°·3; the latter being 2°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·1 hours; the measured rainfall amounted to 1·00 inch.